




FIG 1

2/40




FIG 2

3/40




FIG 3

4/40




FIG 4

5/40




FIG 5




FIG 6




FIG 7

8/40




FIG 8

9/40




FIG 9

10/40




FIG 10

11/40




FIG 11

12/40




FIG 12




FIG 13

OVERVIEW OF AN MMSE BASED PARAMETRIC DOWNMIX/UPMIX CONCEPT





FIG 14


Geometric representation for orthogonality principle in three-dimensional space



PARAMETRIC RECONSTRUCTION SYSTEM WITH DECORRELATION
APPLIED ON RENDERED OUTPUT


FIG 15

16/40



DECORRELATAION UNIT

FIG 16



REDUCED COMPLEXITY DECORRELATAION UNIT

FIG 17

17/40

Loudspeaker positions and output formats

1800

No.	LS Label	Az. °	Az. Tol. °	El. °	El. Tol. °	output formats					
						0-2.0	0-5.1	0-7.1	0-8.1	0-10.1	0-22.2
1	CH_M_000	0	±2	0	±2		3	3		3	3
2	CH_M_L030	30	±2	0	±2	1	1	1	1	1	7
3	CH_M_R030	-30	±2	0	±2	2	2	2	2	2	8
4	CH_M_L060	60	±2	0	±2						1
5	CH_M_R060	-60	±2	0	±2						2
6	CH_M_L090	90	±5	0	±2						11
7	CH_M_R090	-90	±5	0	±2						12
8	CH_M_L110	110	±5	0	±2		5	5	5	5	
9	CH_M_R110	-110	±5	0	±2		6	6	6	6	
10	CH_M_L135	135	±5	0	±2						5
11	CH_M_R135	-135	±5	0	±2						6
12	CH_M_180	180	±5	0	±2						9
13	CH_U_000	0	±2	35	±10				3		15
14	CH_U_L045	45	±5	35	±10						13
15	CH_U_R045	-45	±5	35	±10						14
16	CH_U_L030	30	±5	35	±10			7	7	7	
17	CH_U_R030	-30	±5	35	±10			8	8	8	
18	CH_U_L090	90	±5	35	±10						19
19	CH_U_R090	-90	±5	35	±10						20
20	CH_U_L110	110	±5	35	±10					9	
21	CH_U_R110	-110	±5	35	±10					10	
22	CH_U_L135	135	±5	35	±10						17
23	CH_U_R135	-135	±5	35	±10						18
24	CH_U_180	180	±5	35	±10						21
25	CH_T_000	0	±2	90	±10					11	16
26	CH_L_000	0	±2	-15	+5-25				9		22
27	CH_L_L045	45	±5	-15	+5-25						23
28	CH_L_R045	-45	±5	-15	+5-25						24
29	CH_LFE1	45	±15	-15	±15		4	4	4	4	4
30	CH_LFE2	-45	±15	-15	±15						10

1810 1820 1830 1832 1840 1842 1850 1860 1864 1870 1880 1890

FIG 18

Complexity reduction for 22.2 output format

- Premixing coefficients for $N=22$ and $K=11$, $\text{cond}(M_{\text{pre}}^H M_{\text{pre}}^H) = 1$.

Ch. ID	$M_{\text{pre}}^{i,j}$	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
CH_M_000	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_L_000	2	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_000	3	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_T_000	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_L135	5	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_L135	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_R135	7	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_R135	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_180	9	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_180	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_L030	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_L_L045	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_R030	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_L_R045	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_L090	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_L090	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_R090	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_R090	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_L060	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_L045	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_R060	21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_R045	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

18/40

FIG 19A

19/40

- Premixing coefficients for $N=22$ and $K=10$, $\text{cond}(M_{\text{pre}}^H M_{\text{pre}}^H) = 2$.

Ch. ID	$M_{\text{pre}}^{i,j}$	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
CH_M_000	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_L_000	2	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_000	3	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_T_000	4	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_L135	5	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_L135	6	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_R135	7	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_R135	8	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_180	9	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_180	10	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_L030	11	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
CH_L_L045	12	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
CH_M_R030	13	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
CH_L_R045	14	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
CH_M_L090	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
CH_U_L090	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
CH_M_R090	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
CH_U_R090	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
CH_M_L060	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
CH_U_L045	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
CH_M_R060	21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
CH_U_R045	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1

FIG 19B

20/40

- Premixing coefficients for $N=22$ and $K=9$, $\text{cond}(M_{\text{pre}}^H) = 2$.

Ch. ID	M_{pre}^{ij}	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	1	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1

FIG 19C

21/40

- Premixing coefficients for $N=22$ and $K=8$, $\text{cond}(M_{\text{pre}}^H) = 2$.

Ch. ID	$M_{\text{pre}}^{i,j}$	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
CH_M_000	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_L_000	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_000	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_T_000	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_L135	5	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_L135	6	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_R135	7	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_R135	8	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_180	9	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_180	10	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_L030	11	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_L_L045	12	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_R030	13	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_L_R045	14	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_L090	15	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
CH_U_L090	16	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
CH_M_R090	17	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
CH_U_R090	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
CH_M_L060	19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_L045	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_R060	21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_R045	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

FIG 19D

22/39

- Premixing coefficients for $N=22$ and $K=7$, $\text{cond}(M_{\text{pre}}^H M_{\text{pre}}^H) = 2$.

Ch. ID	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
$M_{\text{pre}}^{i,j}$	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
CH_M_000	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_L_000	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
CH_U_000	0	0	0	0	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_T_000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_L135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_L135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_R135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_R135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_180	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_180	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_L030	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_L_L045	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_R030	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_L_R045	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_L090	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_L090	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_R090	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_R090	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_L060	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_L045	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_M_R060	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CH_U_R045	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

FIG 19E

23/40

- Premixing coefficients for $N=22$ and $K=6$, $\text{cond}(M_{\text{pre}}^H M_{\text{pre}}^H) = 2$.

Ch. ID	$M_{\text{pre}}^{i,j}$	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1

FIG 19F

- Premixing coefficients for $N=22$ and $K=5$, $\text{cond}(M_{\text{pre}}^H M_{\text{pre}}^H) = 1.5$.

Ch. ID	$M_{\text{pre}}^{i,j}$	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1		1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2		0	0	0	0	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0
3		0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	0	0	0	0	0	0
4		0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	0	0
5		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1

FIG 19G

25/40

Complexity reduction for 10.1 output format

- Premixing coefficients for N=10 and K=5, $\text{cond}(M_{\text{pre}} M_{\text{pre}}^H) = 1$.

Ch. ID	CH_M_L030	CH_U_L030	CH_M_R030	CH_U_R030	CH_M_000	CH_T_000	CH_M_L110	CH_U_L110	CH_M_R110	CH_U_R110
$M_{\text{pre}}^{i,j}$	1	2	3	4	5	6	7	8	9	10
1	1	1	0	0	0	0	0	0	0	0
2	0	0	1	1	0	0	0	0	0	0
3	0	0	0	0	1	1	0	0	0	0
4	0	0	0	0	0	0	1	1	0	0
5	0	0	0	0	0	0	0	0	1	1

FIG 20A

- Premixing coefficients for N=10 and K=4, $\text{cond}(M_{\text{pre}} M_{\text{pre}}^H) = 2$.

Ch. ID	CH_M_L030	CH_U_L030	CH_M_R030	CH_U_R030	CH_M_000	CH_T_000	CH_M_L110	CH_U_L110	CH_M_R110	CH_U_R110
$M_{\text{pre}}^{i,j}$	1	2	3	4	5	6	7	8	9	10
1	1	1	0	0	0	0	0	0	0	0
2	0	0	1	1	0	0	0	0	0	0
3	0	0	0	0	1	1	0	0	0	0
4	0	0	0	0	0	0	1	1	1	1

FIG 20B

26/40

- Premixing coefficients for $N=10$ and $K=3$, $\text{cond}(M_{\text{pre}} M_{\text{pre}}^H) = 2$.

Ch. ID	CH_M_L030	CH_U_L030	CH_M_R030	CH_U_R030	CH_M_000	CH_T_000	CH_M_L110	CH_U_L110	CH_M_R110	CH_U_R110
$M_{\text{pre}}^{i,j}$	1	2	3	4	5	6	7	8	9	10
1	1	1	1	1	0	0	0	0	0	0
2	0	0	0	0	1	1	0	0	0	0
3	0	0	0	0	0	0	1	1	1	1

FIG 20C

- Premixing coefficients for $N=10$ and $K=2$, $\text{cond}(M_{\text{pre}} M_{\text{pre}}^H) = 1.5$.

Ch. ID	CH_M_L030	CH_U_L030	CH_M_R030	CH_U_R030	CH_M_000	CH_T_000	CH_M_L110	CH_U_L110	CH_M_R110	CH_U_R110
$M_{\text{pre}}^{i,j}$	1	2	3	4	5	6	7	8	9	10
1	1	1	1	1	1	1	0	0	0	0
2	0	0	0	0	0	0	1	1	1	1

FIG 20D

27/40

Complexity reduction for 8.1 output format

- Premixing coefficients for N=8 and K=4, $\text{cond}(M_{\text{pre}} M_{\text{pre}}^H) = 1$.

Ch. ID	CH_M_L030	CH_U_L030	CH_M_R030	CH_U_R030	CH_M_000	CH_T_000	CH_M_L110	CH_M_R110
$M_{\text{pre}}^{i,j}$	1	2	3	4	5	6	7	8
1	1	1	0	0	0	0	0	0
2	0	0	1	1	0	0	0	0
3	0	0	0	0	1	1	0	0
4	0	0	0	0	0	0	1	1

FIG 21A

- Premixing coefficients for N=8 and K=3, $\text{cond}(M_{\text{pre}} M_{\text{pre}}^H) = 2$.

Ch. ID	CH_M_L030	CH_U_L030	CH_M_R030	CH_U_R030	CH_M_000	CH_T_000	CH_M_L110	CH_M_R110
$M_{\text{pre}}^{i,j}$	1	2	3	4	5	6	7	8
1	1	1	1	1	0	0	0	0
2	0	0	0	0	1	1	0	0
3	0	0	0	0	0	0	1	1

FIG 21B

28/40

- Premixing coefficients for $N=8$ and $K=2$, $\text{cond}(M_{\text{pre}} M_{\text{pre}}^H) = 3$.

Ch. ID	CH_M_L030	CH_U_L030	CH_M_R030	CH_U_R030	CH_M_000	CH_T_000	CH_M_L110	CH_M_R110
$M_{\text{pre}}^{i,j}$	1	2	3	4	5	6	7	8
1	1	1	1	1	1	1	0	0
3	0	0	0	0	0	0	1	1

FIG 21C

Complexity reduction for 7.1 output format

- Premixing coefficients for $N=7$ and $K=4$, $\text{cond}(M_{\text{pre}} M_{\text{pre}}^H) = 1$.

Ch. ID	CH_M_L030	CH_U_L030	CH_M_R030	CH_U_R030	CH_M_000	CH_M_L110	CH_M_R110
$M_{\text{pre}}^{i,j}$	1	2	3	4	5	6	7
1	1	1	0	0	0	0	0
2	0	0	1	1	0	0	0
3	0	0	0	0	1	0	0
4	0	0	0	0	0	1	1

FIG 21D

29/40

- Premixing coefficients for $N=7$ and $K=3$, $\text{cond}(M_{\text{pre}} M_{\text{pre}}^H) = 2$.

Ch. ID	CH_M_L030	CH_U_L030	CH_M_R030	CH_U_R030	CH_M_000	CH_M_L110	CH_M_R110
$M_{\text{pre}}^{i,j}$	1	2	3	4	5	6	7
1	1	1	1	1	0	0	0
2	0	0	0	0	1	0	0
3	0	0	0	0	0	1	1

FIG 21E

- Premixing coefficients for $N=7$ and $K=2$, $\text{cond}(M_{\text{pre}} M_{\text{pre}}^H) = 2.5$.

Ch. ID	CH_M_L030	CH_U_L030	CH_M_R030	CH_U_R030	CH_M_000	CH_M_L110	CH_M_R110
$M_{\text{pre}}^{i,j}$	1	2	3	4	5	6	7
1	1	1	1	1	1	0	0
2	0	0	0	0	0	1	1

FIG 21F

30/40

Complexity reduction for 5.1 output format

- Premixing coefficients for $N=5$ and $K=3$, $\text{cond}(M_{\text{pre}} M_{\text{pre}}^H) = 2$.

Ch. ID	CH_M_L030	CH_M_R030	CH_M_000	CH_M_L110	CH_M_R110
$M_{\text{pre}}^{i,j}$	1	2	3	4	5
1	1	1	0	0	0
2	0	0	1	0	0
3	0	0	0	1	1

FIG 22A

- Premixing coefficients for $N=5$ and $K=2$, $\text{cond}(M_{\text{pre}} M_{\text{pre}}^H) = 1.5$.

Ch. ID	CH_M_L030	CH_M_R030	CH_M_000	CH_M_L110	CH_M_R110
$M_{\text{pre}}^{i,j}$	1	2	3	4	5
1	1	1	1	0	0
2	0	0	0	1	1

FIG 22B

Complexity reduction for 2.0 output format
- Premixing coefficients for N=2 and K=1, $\text{cond}(M_{\text{pre}} M_{\text{pre}}^H) = 2$.

Ch. ID	CH_M_L030	CH_M_R030
$M_{\text{pre}}^{i,j}$	1	2
1	1	1

FIG 23

32/40

2410	Group 1	CH_M_000 (Ch. ID. 3)	CH_L_000 (Ch. ID. 22)	CH_U_000 (Ch. ID. 15)	CH_T_000 (Ch. ID. 16)		
		CH_M_L135 (Ch. ID. 5)	CH_U_L135 (Ch. ID. 17)	CH_M_R135 (Ch. ID. 6)	CH_U_R135 (Ch. ID. 18)	CH_M_180 (Ch. ID. 9)	CH_U_180 (Ch. ID. 21)
2412	Group 2	CH_M_L030 (Ch. ID. 7)	CH_L_L045 (Ch. ID. 23)	CH_M_R030 (Ch. ID. 8)	CH_L_R045 (Ch. ID. 24)		
		CH_M_L090 (Ch. ID. 11)	CH_U_L090 (Ch. ID. 19)	CH_M_R090 (Ch. ID. 12)	CH_U_R090 (Ch. ID. 20)		
2414	Group 3	CH_M_L060 (Ch. ID. 1)	CH_U_L045 (Ch. ID. 13)	CH_M_R060 (Ch. ID. 2)	CH_U_R045 (Ch. ID. 14)		
2416	Group 4						
2418	Group 5						

FIG 24

33/40

bsDecorrelationMethod;	2	uimsbf
bsDecorrelationLevel;	2	uimsbf

FIG 25

bsDecorrelationMethod

Indicates the decoder decorrelation operating mode according to:

bsDecorrelationMethod

bsDecorrelationMethod	Meaning
0	Energy compensation mode
1	Limited covariance adjustment mode
2	General covariance adjustment mode
3	N/A

FIG 26

bsDecorrelationLevel

Defines the decorrelation level according to:

bsDecorrelationLevel

bsDecorrelationLevel	22.2	10.1	8.1	7.1	5.1	2.1
0	11	10	8	7	5	2
1	9	5	4	4	3	1
2	7	3	3	3	2	0
3	5	2	2	2	0	0

FIG 27

34/40





FIG 28

35/40



OVERVIEW 3D-AUDIO DECODER

FIG 29




FIG 30

37/40




FIG 31

bsNumSaocDmxObjects	decoding mode	meaning
0	combined	The input channel based signals and the input object based signals are downmixed together into N_{ch} channels.
≥ 1	independent	The input channel based signals are downmixed into N_{ch} channels. The input object based signals are downmixed into N_{obj} channels.

FIG 32

38/40

- Syntax of SAOC3DSpecificConfig()

Syntax	No. of bits	Mnemonic
SAOC3DSpecificConfig() { bsSamplingFrequencyIndex; if (bsSamplingFrequencyIndex == 15) { bsSamplingFrequency; } bsFreqRes; bsFrameLenth; bsNumSaocDmxChannels; bsNumSaocDmxObjects; bsDecorrelationMethod; NumInputSignals = 0; if (bsNumSaocDmxChannels < 0) { bsNumSaocChannels; bsNumSaocLFES; NumInputSigns += bsNumSaocChannels; } bsNumSaocObjects; bsDecorrelationLevel; NumInputSignals += bsNumSaocObjects; for (i=0; i<bsNumSaocChannels; i++) { bsRelatedTo[i][j] = 1; for(j=i+1; j< bsNumSaocChannels; j++) { bsRelatedTo[i][j]; bsRelatedTo[j][i] = bsRelatedTo[i][j]; } } }	4 24 3 7 5 5 2 6 2 8 2 1	uimsbf uimsbf uimsbf uimsbf uimsbf uimsbf uimsbf uimsbf uimsbf uimsbf

FIG 33A	FIG 33A-1
	FIG 33A-2

FIG 33A-1

39/40

```

for ( i=bsNumSaocChannels; i<NumInputSignals; i++ ) {
    for ( j=0; j<bsNumSaocChannels; j++ ) {
        bsRelatedTo[i][j] = 0;
        bsRelatedTo[j][i] = 0;
    }
}
for ( i=bsNumSaocChannels; i<NumInputSignals; i++ ) {
    bsRelatedTo[i][i] = 1;
    for ( j=i+1; j<NumInputSignals; j++ ) {
        bsRelatedTo[i][j];
        bsRelatedTo[j][i] = bsRelatedTo[i][j];
    }
}
bsOnelOC;
bsSaocDmxMethod;
if (bsSaocDmxMethod == 15) {
    bsNumPremixedChannels;
}
bsDualMode;
if (bsDualMode) {
    bsBandsLow;
    bsBandsHigh = numBands;
} else {
    bsBandsLow = numBands;

```

1	uimsbf
1	uimsbf
4	uimsbf
5	uimsbf
1	uimsbf
5	uimsbf Note 1

FIG 33A	FIG 33A-1
	FIG 33A-2

FIG 33A-2

40/40

}		
bsDcuFlag;	1	uimsbf
if (bsDcuFlag == 1) {		
bsDcuMandatory;	1	uimsbf
bsDcuDynamic;	1	uimsbf
if (bsDcuDynamic == 0) {		
bsDcuMode;	1	uimsbf
bsDcuParam;	4	uimsbf
}		
} ele {		
bsDcuMandatory = 0;		
bsDcuDynamic = 0;		
bsDcuMode = 0;		
bsDcuParam = 0;		
}		
bsSaocReserved;	3	uimsbf
ByteAlign();		
SAOC3DExtensionConfig();		
}		
Note 1: numBands is defined in Table 33 in ISO/IEC 23003-2:2010.		

FIG 33B