



(51) International Patent Classification:

A61K 31/505 (2006.01) A61K 31/445 (2006.01)
A61K 31/133 (2006.01) A61F 9/00 (2006.01)

(21) International Application Number:

PCT/IB2014/059645

(22) International Filing Date:

11 March 2014 (11.03.2014)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

225179 12 March 2013 (12.03.2013) IL

(71) Applicant: REMEDEYE INC [US/US]; 109 Columbus Ave S., Lakewood, New Jersey 08701 (US).

(72) Inventor: ROGOSNITZKY, Moshe; Yitzchak 37, 9083800 Telz Stone (IL).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY,

BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: COMPOSITIONS FOR USE IN TREATING EYE DISORDERS USING DIPYRIDAMOLE

(57) Abstract: The present invention discloses compositions for use in treating eye disorders, the compositions including an effective amount of a topically-administered dipyridamole. Preferably, the topically-administered dipyridamole is formulated as a solution. Preferably, the topically-administered dipyridamole is at least one agent selected from the group consisting of: dipyridamole, and a pharmaceutically-acceptable salt thereof. Preferably, the effective amount corresponds to a concentration of at least about 10-5 molarity. Preferably, the effective amount is based on a treatment administration of at least once every other day.

