

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : B22F 1/00, 9/04, C22C 1/04		A1	(11) International Publication Number: WO 00/56486 (43) International Publication Date: 28 September 2000 (28.09.00)
(21) International Application Number: PCT/US00/07051 (22) International Filing Date: 16 March 2000 (16.03.00) (30) Priority Data: 60/125,135 19 March 1999 (19.03.99) US 60/184,409 23 February 2000 (23.02.00) US (71) Applicant: CABOT CORPORATION [US/US]; 75 State Street, Boston, MA 02109-1806 (US). (72) Inventors: HABECKER, Kurt, A.; 102 Timberline Drive, Douglassville, PA 19518 (US). FIFE, James, A.; 1352 Inverness Court, Myrtle Beach, SC 29575 (US). (74) Agent: LANDO, Michelle, B.; Cabot Corporation, P.O. Box 7001, 157 Concord Road, Billerica, MA 01821-7001 (US).			(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: MAKING NIOBIUM AND OTHER METAL POWDERS BY MILLING			
(57) Abstract Methods of forming niobium powders and other metal powders are described. The method involves milling the metal powders at elevated temperatures and in the presence of at least one liquid solvent. The methods of the present invention have the ability to reduce DC leakage and/or increase capacitance capabilities of metal powders when formed into capacitor anodes. The present invention further has the ability to significantly reduce the milling time necessary to form high surface area metal powders and leads to reducing the amount of contaminants in the metal powders. Metal powders such as niobium powders having reduced amount of contaminants and/or having DC leakage or capacitance capabilities are also described. A process is further described for forming a flaked metal by wet-milling a metal powder into a flaked metal wherein at least one liquid fluorinated fluid is present during the wet-milling process. The process is particularly well suited for forming metal flakes, such as niobium or tantalum flakes, of high purity.			