CLAIMS

1. A flooring material comprising a stone material,

wherein the stone material comprises 67.0% or more and 80.0% or less by mass of silicon dioxide with respect to the entire stone material,

wherein the stone material comprises 3.0% or more and 10.0% or less by mass of ferric oxide with respect to the entire stone material,

wherein the stone material comprises 0.5% or more and 1.5% or less by mass of sodium oxide with respect to the entire stone material, and

wherein the stone material comprises 0.05% or more and 0.2% or less by mass of diphosphorus pentoxide with respect to the entire stone material.

2. A flooring material comprising a stone material,

wherein the stone material comprises 67.0% or more and 80.0% or less by mass of silicon dioxide with respect to the entire stone material,

wherein the stone material comprises 3.0% or more and 10.0% or less by mass of ferric oxide with respect to the entire stone material,

wherein the stone material comprises 0.5% or more and 1.5% or less by mass of sodium oxide with respect to the entire stone material, and

wherein the stone material has a diameter of 100 mm or

more and 200 mm or less.

3. The flooring material according to claim 1 or 2, wherein the stone material comprises 20.0% or less by mass of aluminum oxide with respect to the entire stone material.

4. The flooring material according to any one of claims 1 to 3, further comprising: a heat generator.

5. The flooring material according to any one of claims 1 to 4, further comprising: Japanese cypress wood in an uppermost surface.

6. Use of the flooring material according to any one of claims 1 to 5 in a fitness studio.

7. Use according to claim 6, wherein a fitness activity performed in the fitness studio is hot yoga that is performed in an indoor environment with a temperature of 30 degrees or more and 45 degrees or less and a relative humidity of 50% or more and 85% or less.

8. A structure for fitness studios comprising the flooring material according to any one of claims 1 to 5.

9. Use of the flooring material according to any one of

claims 1 to 5 in a sauna.

10. A structure for saunas comprising the flooring material according to claims 1 to 5.

11. The structure of claim 10, wherein the flooring material is installed on a wall surface.