




Fig. 1




Fig. 2






Fig. 3






Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10

scaling_list_enable_flag	u(1)
chroma_pred_from_luma_enabled_flag	u(1)
deblocking_filter_in_aps_enabled_flag	u(1)
seq_loop_filter_across_slices_enabled_flag	u(1)
asymmetric_motion_partitions_enabled_flag	u(1)
non_square_quadtree_enabled_flag	u(1)
sample_adaptive_offset_enabled_flag	u(1)
adaptive_loop_filter_enabled_flag	u(1)
if adaptive_loop_filter_enabled_flag	
alf_coef_in_slice_flag	
if pcm_enabled_flag	
pcm_loop_filter_disable_flag	
temporal_id_nesting_flag	u(1)
if log2_min_coding_block_size_minus3 == 0	
inter_4x4_enabled_flag	u(1)
num_short_term_ref_pic_sets	ue(v)
for (i = 0; i < num_short_term_ref_pic_sets; i++)	
short_term_ref_pic_set(i)	
long_term_ref_pics_present_flag	u(1)
tiles_or_entropy_coding_sync_idc	u(2)
if (tiles_or_entropy_coding_sync_idc == 1) {	
num_tile_columns_minus1	ue(v)
num_tile_rows_minus1	ue(v)
uniform_spacing_flag	u(1)
if (uniform_spacing_flag) {	
for (i = 0; i < num_tile_columns_minus1; i++)	
column_width[i]	ue(v)
for (i = 0; i < num_tile_rows_minus1; i++)	
row_height[i]	ue(v)
}	
loop_filter_across_tiles_enabled_flag	u(1)
}	
vui_parameters_present_flag	u(1)
if (vui_parameters_present_flag)	
vui_parameters()	
sps_extension_flag	u(1)
if (sps_extension_flag)	
while(more_rbsp_data())	
sps_extension_data_flag	u(1)
rbsp_trailing_bits()	
}	

seq_parameter_set_rbsp() {	
profile_idc	u(8)
reserved_zero_8bits /* equal to 0 */	u(8)
level_idc	u(8)
seq_parameter_set_id	ue(v)
chroma_format_idc	ue(v)
if (chroma_format_idc == 3)	
separate_colour_plane_flag	u(1)
max_temporal_layers_minus1	u(3)
pic_width_in_luma_samples	ue(v)
pic_height_in_luma_samples	ue(v)
pic_cropping_flag	u(1)
if (pic_cropping_flag) {	
pic_crop_left_offset	ue(v)
pic_crop_right_offset	ue(v)
pic_crop_top_offset	ue(v)
pic_crop_bottom_offset	ue(v)
}	
bit_depth_luma_minus8	ue(v)
bit_depth_chroma_minus8	ue(v)
pcm_enabled_flag	u(1)
if (pcm_enabled_flag) {	
pcm_bit_depth_luma_minus1	u(4)
pcm_bit_depth_chroma_minus1	u(4)
}	
qp_prime_y_zero_transquant_bypass_flag	u(1)
log2_max_pic_order_cnt_lsb_minus4	ue(v)
for (i = 0; i <= max_temporal_layers_minus1; i++) {	
max_dec_pic_buffering[i]	ue(v)
num_reorder_pics[i]	ue(v)
max_latency_increase[i]	ue(v)
}	
restricted_ref_pic_lists_flag	u(1)
if (restricted_ref_pic_lists_flag)	
lists_modification_present_flag	u(1)
log2_min_coding_block_size_minus3	ue(v)
log2_diff_max_min_coding_block_size	ue(v)
log2_min_transform_block_size_minus2	ue(v)
log2_diff_max_min_transform_block_size	ue(v)
if (pcm_enabled_flag) {	
log2_min_pcm_coding_block_size_minus3	ue(v)
log2_diff_max_min_pcm_coding_block_size	ue(v)
}	
max_transform_hierarchy_depth_inter	ue(v)
max_transform_hierarchy_depth_intra	ue(v)

pic_parameter_set_rbsp() {	Descriptor
pic_parameter_set_id	ue(v)
seq_parameter_set_id	ue(v)
sign_data_hiding_flag	u(1)
if(sign_data_hiding_flag)	
sign_hiding_threshold	u(4)
cabac_init_present_flag	u(1)
num_ref_idx_l0_default_active_minus1	ue(v)
num_ref_idx_l1_default_active_minus1	ue(v)
pic_init_qp_minus26	se(v)
constrained_intra_pred_flag	u(1)
enable_temporal_mvp_flag	u(1)
slice_granularity	u(2)
max_cu_qp_delta_depth	ue(v)
cb_qp_offset	se(v)
cr_qp_offset	se(v)
weighted_pred_flag	u(1)
weighted_bipred_idc	u(2)
output_flag_present_flag	u(1)
if(tiles_or_entropy_coding_sync_idc == 1) {	
tile_info_present_flag	u(1)
tile_control_present_flag	u(1)
if(tile_info_present_flag) {	
num_tile_columns_minus1	ue(v)
num_tile_rows_minus1	ue(v)
uniform_spacing_flag	u(1)
if(!uniform_spacing_flag) {	
for(i = 0; i < num_tile_columns_minus1; i++)	
column_width[i]	ue(v)
for(i = 0; i < num_tile_rows_minus1; i++)	
row_height[i]	ue(v)
}	
}	
if(tile_control_present_flag)	
loop_filter_across_tiles_enabled_flag	u(1)
} else if(tiles_or_entropy_coding_sync_idc == 2)	
num_substreams_minus1	ue(v)
deblocking_filter_control_present_flag	u(1)
if(slice_type == P slice_type == B)	
log2_parallel_merge_level_minus2	ue(v)
pps_extension_flag	u(1)
if(pps_extension_flag)	
while(more_rbsp_data())	
pps_extension_data_flag	u(1)
rbsp_trailing_bits()	
}	

Fig. 12

Descriptor	
u(1)	slice_header[] {
	first_slice_in_pic_flag
	if (first_slice_in_pic_flag == 0)
u(v)	slice_address
ue(v)	slice_type
u(1)	entropy_slice_flag
	if (!entropy_slice_flag) {
	pic_parameter_set_id
	if (output_flag_present_flag)
	pic_output_flag
u(1)	if (separate_colour_plane_flag == 1)
u(2)	colour_plane_id
	if (!!PicFlag) {
ue(v)	idr_pic_id
u(1)	no_output_of_prior_pics_flag
	} else {
	pic_order_cnt_lsb
u(v)	short_term_ref_pic_set_sps_flag
u(1)	if (short_term_ref_pic_set_sps_flag)
	short_term_ref_pic_set_num
	short_term_ref_pic_set_ref_pics_sets
	else
	short_term_ref_pic_set_idx
u(v)	if (long_term_ref_pics_present_flag) {
	num_long_term_pics
ue(v)	for (i = 0; i < num_long_term_pics; i++) {
	delta_poc_lsb[i]
u(1)	delta_poc_msb_present_flag[i]
	if (delta_poc_msb_present_flag[i])
	delta_poc_msb_cycle_12_minus1[i]
ue(v)	used_by_curr_pic_lt_flag[i]
u(1)	}
	}
	}
	if (!sample_adaptive_offset_enabled_flag) {
u(1)	slice_sao_interleaving_flag
u(1)	slice_sample_adaptive_offset_flag
	if (slice_sao_interleaving_flag &&
	slice_sample_adaptive_offset_flag) {
u(1)	sao_cb_enable_flag
u(1)	sao_or_enable_flag
	}
	}
	if (scaling_list_enabled_flag
	deblocking_filter_in_aps_enabled_flag
	(sample_adaptive_offset_enabled_flag && !slice_sao_interleaving_flag)
	adaptive_loop_filter_enabled_flag)
ue(v)	aps_id

}
if seq_loop filter across slices enabled flag &&
(slice_adaptive_loop_filter_flag slice_sample_adaptive_offset_flag
disable_deblocking_filter_flag)
slices_loop_filter_across_slices_enabled_flag
n(1)
if !res_or_entropy_coding_sync_idc > 0 } }
num_entry_point_offsets
if num_entry_point_offsets > 0 } }
offset_len_minus1
for i = 0; i < num_entry_point_offsets; i++)
v(n) entry_point_offset[i]
v(n)
}
}




Fig. 14

pic_parameter_set_rbsp() {	Descriptor
.....	
dependent_slices_present_flag	u(1)
last_ctb_cabac_init_flg	u(1)
}	

Fig. 15

slice_header() {	Descriptor
first_slice_in_pic_flag	u(1)
if(first_slice_in_pic_flag == 0)	
slice_address	u(v)
slice_type	ue(v)
entropy_slice_flag	u(1)
dependent_slice_flag	u(1)
if(!entropy_slice_flag) {	
if(!dependent_slice_flag) {	
.....	
} else {	
no_cabac_reset_flag	u(1)
}	
.....	
if(cabac_init_present_flag && slice_type != I && !no_cabac_reset_flag)	
cabac_init_flag	u(1)
.....	
if(slice_type == P slice_type == B)	
five_minus_max_num_merge_cand	ue(v)
if(adaptive_loop_filter_enabled_flag) {	
slice_adaptive_loop_filter_flag	u(1)
if(slice_adaptive_loop_filter_flag && alf_coef_in_slice_flag)	
alf_param()	
if(slice_adaptive_loop_filter_flag && !alf_coef_in_slice_flag)	
alf_cu_control_param()	
}	
if(seq_loop_filter_across_slices_enabled_flag && (slice_adaptive_loop_filter_flag slice_sample_adaptive_offset_flag !disable_deblocking_filter_flag))	
slice_loop_filter_across_slices_enabled_flag	u(1)
if(tiles_or_entropy_coding_sync_idc > 0) {	
num_entry_point_offsets	ue(v)
if(num_entry_point_offsets > 0) {	
offset_len_minus1	ue(v)
for(i = 0; i < num_entry_point_offsets; i++)	
entry_point_offset[i]	u(v)
}	
}	
}	




Fig. 17




Fig. 18




Fig. 19





Fig. 20



slice_header() {	Descriptor
first_slice_in_pic_flag	u(1)
pic_parameter_set_id	ue(v)
if(!first_slice_in_pic_flag)	
slice_address	u(v)
if(dependent_slice_enabled_flag && !first_slice_in_pic_flag)	
dependent_slice_flag	u(1)
if(!dependent_slice_flag) {	
slice_type	ue(v)
if(output_flag_present_flag)	
pic_output_flag	u(1)
if(separate_colour_plane_flag == 1)	
colour_plane_id	u(2)
if(RapPicFlag) {	
rap_pic_id	ue(v)
no_output_of_prior_pics_flag	u(1)
}	
if(!IdrPicFlag) {	
}	
if(tiles_or_entropy_coding_sync_idc == 1 tiles_or_entropy_coding_sync_idc == 2) {	
num_entry_point_offsets	ue(v)
if(num_entry_point_offsets > 0) {	
offset_len_minus1	ue(v)
for(i = 0; i < num_entry_point_offsets; i++)	
entry_point_offset[i]	u(v)
}	
}	
if(slice_header_extension_present_flag) {	
slice_header_extension_length	ue(v)
for(i = 0; i < slice_header_extension_length; i++)	
slice_header_extension_data_byte	u(8)
}	
byte_alignment()	
}	

Fig. 21

pic_parameter_set_rbsp() {	Descriptor
pic_parameter_set_id	ue(v)
seq_parameter_set_id	ue(v)
sign_data_hiding_flag	u(1)
if(sign_data_hiding_flag)	
sign_hiding_threshold	u(4)
cabac_init_present_flag	u(1)
num_ref_idx_l0_default_active_minus1	ue(v)
num_ref_idx_l1_default_active_minus1	ue(v)
[Ed. (BB): not present in HM software]	
pic_init_qp_minus26	se(v)
constrained_intra_pred_flag	u(1)
slice_granularity	u(2)
diff_cu_qp_delta_depth	ue(v)
cb_qp_offset	se(v)
cr_qp_offset	se(v)
weighted_pred_flag	u(1)
weighted_bipred_idc	u(2)
output_flag_present_flag	u(1)
transquant_bypass_enable_flag	u(1)
dependent_slice_enabled_flag	u(1)
tiles_or_entropy_coding_sync_idc	u(2)
if(tiles_or_entropy_coding_sync_idc == 1) {	
num_tile_columns_minus1	ue(v)
num_tile_rows_minus1	ue(v)
uniform_spacing_flag	u(1)
if(!uniform_spacing_flag) {	
for(i = 0; i < num_tile_columns_minus1; i++)	
column_width[i]	ue(v)
for(i = 0; i < num_tile_rows_minus1; i++)	
row_height[i]	ue(v)
}	
loop_filter_across_tiles_enabled_flag	u(1)
} else if(tiles_or_entropy_coding_sync_idc == 3)	
cabac_independent_flag	u(1)
...	
}	

Fig. 22






Fig. 23






Fig. 26




Fig. 27




Fig. 28a




Fig. 28b




Fig. 29




Fig. 30




Fig. 31