
CLAIMS

1. A compound of formula I:



I

or salt thereof, wherein:

X and Y are each independently O, S, S(O), SO_2 or NR^1;

each R^1 is independently for each occurrence H, optionally substituted C_{1-6}alkyl, C(O)-C_{1-6}alkyl, CO_2-C_{1-6}alkyl or R^{50};

each R^{50} is $C(R^9)_2$-O-R^{10} or $C(R^9)_2$-S-R^{10};

each $R^9$is independently for each occurrence H, optionally substituted C_{1-6}alkyl, optionally substituted C_{6-10}aryl or optionally substituted C_{7-16}arylalkyl; or alternatively, two R^9, together with the carbon to which they are attached, form an optionally substituted C_{3-8}cycloalkyl group or an optionally substituted 3-8 membered heteroalicyclyl; R^{10} is R^a or -P(O)$(OR^{11})_2$; each $R^{11}$is independently for each occurrence R^a or a monovalent cationic group; or two R^{11}, together with the atoms to which they are attached, form a 4-8 membered cyclic phosphate group, or two R^{11} together represent a divalent cationic group;

ring A is a C_{6-10}aryl or a 5-10 membered heteroaryl;

each R^2 is independently for each occurrence H, R^e, R^b, R^e substituted with one or more of the same or different R^a and/or R^b, -OR^e substituted with one or more of the same or different R^a and/or R^b, -SR^e substituted with one or more of the same or different R^a and/or R^b, -C(O)R^e substituted with one or more of the same or different R^a and/or R^b, -N(R^a)R^e where R^e is substituted with one or more of the same or different R^a and/or R^b, -$S(O)_2R^e$ substituted with one or more of the same or different R^a and/or R^b, -$B(OR^a)_2$, -$B(N(R^c)_2)_2$, -$(C(R^a)_2)_m$-R^b, -O-$(C(R^a)_2)_m$-R^b, -S-$(C(R^a)_2)_m$-R^b, -O-$(C(R^b)_2)_m$-R^a, -N(R^a)-$(C(R^a)_2)_m$-R^b, -O-$(CH_2)_m$-CH($(CH_2)_mR^b$)R^b, -C(O)N(R^a)-$(C(R^a)_2)_m$-R^b, -O-$(C(R^a)_2)_m$-C(O)N(R^a)-$(C(R^a)_2)_m$-R^b, -N($(C(R^a)_2)_mR^b)_2$,

-S-$(C(R^a)_2)_m$-C(O)N(R^a)-$(C(R^a)_2)_m$-R^b, -N(R^a)-C(O)-N(R^a)-$(C(R^a)_2)_m$-R^b, -N(R^a)-C(O)-$(C(R^a)_2)_m$-C$(R^a)(R^b)_2$ or -N(R^a)-$(C(R^a)_2)_m$-C(O)-N(R^a)-$(C(R^a)_2)_m$-R^b;

each R^a is independently for each occurrence H, deuterium, C_{1-6}alkyl, C_{3-8}cycloalkyl, C_{4-11}cycloalkylalkyl, C_{6-10}aryl, C_{7-16}arylalkyl, 2-6 membered heteroalkyl, 3-10 membered heteroalicyclyl, 4-11 membered heteroalicyclylalkyl, 5-15 membered heteroaryl or 6-16 membered heteroarylalkyl;

each R^b is independently for each occurrence =O, -OR^a, -O-$(C(R^a)_2)_m$-OR^a, haloC_{1-3}alkyloxy, =S, -SR^a, =NR^a, =NOR^a, -N$(R^c)_2$, halo, -CF_3, -CN, -NC, -OCN, -SCN, -NO, -NO_2, =N_2, -N_3, -S(O)R^a, -$S(O)_2R^a$, -SO_3R^a, -S(O)N$(R^c)_2$, -OS(O)R^a, -$OS(O)_2R^a$, -OSO_3R^a, -$OS(O)_2$N$(R^c)_2$, -C(O)R^a, -CO_2R^a, -C(O)N$(R^c)_2$, -C(NR^a)-N$(R^c)_2$, -C(NOH)-R^a, -C(NOH)-N$(R^c)_2$, -OC(O)R^a, -OC(O)OR^a, -OC(O)N$(R^c)_2$, -OC(NH)-N$(R^c)_2$, -OC(NR^a)-N$(R^c)_2$, -$[N(R^a)C(O)]_n R^a$, -$[N(R^a)C(O)]_n OR^a$, -$[N(R^a)C(O)]_n$N$(R^c)_2$ or -$[N(R^a)C(NR^a)]_n$-N$(R^c)_2$;

each R^c is independently for each occurrence R^a, or, alternatively, two R^c are taken together with the nitrogen atom to which they are bonded to form a 3 to 10-membered heteroalicyclyl or a 5-10 membered heteroaryl which may optionally include one or more of the same or different additional heteroatoms and which is optionally substituted with one or more of the same or different R^a and/or R^d groups;

each R^d is =O, -OR^a, haloC_{1-3}alkyloxy,C_{1-6}alkyl, =S, -SR^a, =NR^a, =NOR^a, -N$(R^a)_2$, halo, -CF_3, -CN, -NC, -OCN, -SCN, -NO, -NO_2, =N_2, -N_3, -S(O)R^a, -$S(O_2)R^a$, -SO_3R^a, -S(O)N$(R^a)_2$, -$S(O)_2$N$(R^a)_2$, -OS(O)R^a, -$OS(O)_2R^a$, -OSO_3R^a, -$OS(O)_2$N$(R^a)_2$, -C(O)R^a, -CO_2R^a, -C(O)N$(R^a)_2$, -C(NR^a)N$(R^a)_2$, -C(NOH)R^a, -C(NOH)N$(R^a)_2$, -OCO_2R^a, -OC(O)N$(R^a)_2$, -OC(NR^a)N$(R^a)_2$, -$[N(R^a)C(O)]_n R^a$, -$(C(R^a)_2)_n$-OR^a, -N(R^a)-$S(O)_2R^a$, -C(O)-C_{1-6}haloalkyl, -$S(O)_2C_{1-6}$haloalkyl, -OC(O)R^a, -O$(C(R^a)_2)_m$-OR^a, -S$(C(R^a)_2)_m$-OR^a, -N$(R^a)C_{1-6}$haloalkyl, -P(O)$(OR^a)_2$, -N(R^a)-$(C(R^a)_2)_m$-OR^a, -$[N(R^a)C(O)]_n OR^a$, -$[N(R^a)C(O)]_n$N$(R^a)_2$, -$[N(R^a)C(NR^a)]_n$N$(R^a)_2$ or -N(R^a)C(O)C_{1-6}haloalkyl; or two R^d, taken together with the atom or atoms to which they are attached, combine to form a 3-10 membered partially or fully saturated mono or bicyclic ring, optionally containing one or more heteroatoms and optionally substituted with one or more R^a;

each R^e is independently for each occurrence C_{1-6}alkyl, C_{3-8}cycloalkyl, C_{4-11} cycloalkylalkyl, C_{6-10}aryl, C_{7-16}arylalkyl, 2-6 membered heteroalkyl, 3-10 membered heteroalicyclyl, 4-11 membered heteroalicyclylalkyl, 5-15 membered heteroaryl or 6-16 membered heteroarylalkyl;

p is 0, 1, 2, 3 or 4;

each m is 1, 2 or 3;

each n is 0, 1, 2 or 3;

or two R^2 groups, taken together with the atom or atoms to which they are attached, combine to form a 4-10 membered partially or fully saturated mono or bicyclic ring, optionally containing one or more heteroatoms and optionally substituted with one or more R^a and/or R^b;


Z^1 and Z^2 are each independently CH, CR^2 or N;

R^3 is H, optionally substituted C_{1-6}alkyl or R^{50};


R^4 is H, optionally substituted C_{1-6}alkyl or R^{50}; and

R^5 is halo, -CN, optionally substituted C_{1-6}alkyl, alkynyl, hydroxy, optionally substituted C_{1-6}alkoxy, nitro, $-N(R^a)_2$, $-C(O)N(R^a)_2$, $-CO_2R^a$ or $-C(O)R^a$.

2. The compound of claim 1, according to formula **IA** or **IB**:



IA



IB

wherein, in formula IA:

X and Y are each independently O or NR^1;

each R^1 is H, optionally substituted C_{1-6}alkyl or R^{50};

each of R^{2a}, R^{2b},R^{2c} and R^{2d} is independently for each occurrence as defined for R^2; and

R^5 is halo, -CN, optionally substituted $C_{1\text{-}6}$alkyl, nitro, $-N(R^a)_2$, $-C(O)N(R^a)_2$, $-CO_2R^a$ or $-C(O)R^a$.

preferably wherein one of X and Y is O and the other is NR^1; and,

in formula 1B:

Q^1 and Q^2 are each independently N or CH provided at least one of Q^1 and Q^2 is N;


X and Y are each independently O or NR^1;

each R^1 is independently for each occurrence H, optionally substituted $C_{1\text{-}6}$alkyl or R^{50};


p is 0, 1, 2 or 3; and

R^5 is halo, -CN, optionally substituted $C_{1\text{-}6}$alkyl, nitro, $-N(R^a)_2$, $-C(O)N(R^a)_2$, $-CO_2R^a$ or $-C(O)R^a$.


3. The compound of claim 2, according to formula **IA1 IA2, IB1, IB2** or **IB3**:




IA1




IA2



IB1



IB2



IB3

wherein in formulae IA1 and IA2 R^{2d} is H; R^5 is halo or $C_{1\text{-}6}$alkyl; Z^1 is CH, C-halo or C-optionally substituted $C_{1\text{-}6}$alkyl; and Z^2 is CH;

and in formula IB1, IB2, and IB3:

each of R^{2a}, R^{2b},R^{2c} and R^{2d} is independently for each occurrence as defined for R^2.

4. The compound formula IA1 or IA2 of claim 3, wherein R^5 is F or CH_3, and each of R^{2a}, R^{2b} and $R^{2c}$is optionally independently for each occurrence $C_{1\text{-}6}$alkyl, -OR^a, -OCF_3, -SR^a, -$N(R^c)_2$, halo, -OCH_2F,-OCF_2H, -CF_3, -CN, -$S(O)_2R^a$, -$C(O)R^a$, -CO_2R^a, -$C(O)N(R^c)_2$, -$(C(R^a)_2)_m$-R^b, or -$[N(R^a)C(O)]_nR^a$, preferably wherein one of the following options (a) to (e) applies:

(a) R^{2a}, R^{2b} and R^{2c} are each independently $C_{1\text{-}6}$alkyl, -OR^a, -OCF_3, halo, -CF_3 or –CN;

(b) R^{2a} is CH_3; R^{2b} is halo; and R^{2c} is CH_3.

(c) R^{2a} is CH_3; R^{2b} is CH_3; and R^{2c} is halo.

(d) R^{2a} is CH_3; R^{2b} is CH_3; and R^{2c} is CH_3.

(e) R^{2b} is H; and R^5 is F or CH_3; and each of R^{2a} and $R^{2c}$is optionally independently for each occurrence H, $C_{1\text{-}6}$alkyl, -OR^a, -OCF_3, -SR^a, -$N(R^c)_2$, halo, -OCF_2H, -OCH_2F,-CF_3, -CN, -$S(O)_2R^a$, -$C(O)R^a$, -CO_2R^a, -$C(O)N(R^c)_2$, -$C(R^a)_2$-$N(R^c)_2$ or -$[N(R^a)C(O)]_nR^a$; and one of R^{2a} and R^{2c} is not H, preferably H, $C_{1\text{-}6}$alkyl, -OR^a, -OCF_3, halo, -CF_3, -$C(R^a)_2$-$N(R^c)_2$ or –CN, more preferably wherein R^{2a} is -CF_3 or -CH_3; and R^{2c} is halo or -CH_3.

5. The compound of formula IA1 or IA1 of claim 2, wherein:

(a) R^{2a} is H, -CH_3,-CF_3,-OR^a or -OCF_3; and R^{2c} is -$C(R^a)_2$-$N(R^c)_2$; or

(b) R^{2c} is H; and R^5 is F or CH_3; and wherein each of R^{2a} and R^{2b} is preferably H, $C_{1\text{-}6}$alkyl, -OR^a, -OCF_2H, -OCF_3, -OCH_2F, -SR^a, -$N(R^c)_2$, halo, -CF_3, -CN, -$S(O)_2R^a$, -$C(O)R^a$, -CO_2R^a, -$C(O)N(R^c)_2$, -$C(R^a)_2$-$N(R^c)_2$ or -$[N(R^a)C(O)]_nR^a$; and one of R^{2a} and R^{2b} is preferably not H.

6. The compound of IA, IA1 or IA2 according to claim 5 wherein option (b) applies, or claim 2 or 3, wherein each of R^{2a} and R^{2b} is H, $C_{1\text{-}6}$alkyl, -OR^a, -OCF_3, halo, -$N(R^c)_2$, -CF_3, -$C(R^a)_2$-$N(R^c)_2$ or –CN, and wherein one of options (i), (ii) and (iii) applies:

(i) R^{2b} is -CF_3 or -CH_3; and R^{2a} is halo or -CH_3;

(ii) R^{2a} is H, -CH_3, -CF_3, -OR^a or -OCF_3; and R^{2b} is -$N(R^c)_2$ or -$C(R^a)_2$-$N(R^c)_2$;

(iii) R^{2a} is -$N(R^c)_2$ or -$C(R^a)_2$-$N(R^c)_2$; and R^{2b} is H, -CH_3,-CF_3,-OR^a or -OCF_3.

7. The compound of formula IA, IA1or IA2 of claim 5, wherein option (b) applies, or claim 2, wherein R^{2a} and R^{2b} are taken together with the carbons to which they are attached to form a 4-10 membered partially or fully saturated mono or bicyclic ring, optionally containing one or more heteroatoms and optionally substituted with one or more R^a and/or R^b; preferably a 5 membered partially or fully saturated monocyclic ring, optionally containing one or more heteroatoms and optionally substituted with one or more R^a and/or R^b; more preferably a

cyclopentane, pyrrolidine, imidazolidine, 1,3-dioxolane, oxazolidine or tetrahydrofuran ring; optionally substituted with one or more R^a and/or $R^{b.}$


8. The compound of claim 1 or the compound of formula IB1 or IB2 of claim 3, wherein X and Y are each independently NR^1, preferably NH or $NC_{1\text{-}6}$alkyl, more preferably NH or NCH_3, and optionally also wherein R^5 is halo or $C_{1\text{-}6}$alkyl; Z^1 is C-H, C-halo or C-optionally substituted $C_{1\text{-}6}$alkyl; and Z^2 is C, and preferably also wherein R^{2c} and R^{2d} in formula I or R^{2a} and R^{2d} in formulae IB1 and IB2 are H; and R^5 is F or CH_3; and more preferably also wherein each of the substituents R^{2a} and R^{2b} in formula I or the substituents R^{2a} and R^{2c} in formulae IB1 and IB2 is independently for each occurrence H, $C_{1\text{-}6}$alkyl, $-OR^a$, $-OCF_3$, $-SR^a$, $-N(R^c)_2$, halo, $-OCF_2H$, $-OCH_2F$,$-CF_3$, -CN, $-S(O)_2R^a$, $-C(O)R^a$, $-CO_2R^a$, $-C(O)N(R^c)_2$, or $-[N(R^a)C(O)]_nR^a$; and one of said substituents is not H, wherein:

(i) each of said substituents is preferably independently for each occurrence H, $-N(R^c)_2$, halo, $-CF_3$, -CN, $-S(O)_2R^a$, $-C(O)R^a$, $-CO_2R^a$, or $-C(O)N(R^c)_2$, more preferably

(ii) wherein R^{2a} in formula I is H, halo or cyano; and R^{2b} in formula I is halo, $-CF_3$, -CN, $-S(O)_2R^a$, $-C(O)R^a$, $-CO_2R^a$, or $-C(O)N(R^c)_2$; more preferably still

(iii) wherein R^{2a} in formula I is halo, $-CF_3$, -CN, - $-S(O)_2R^a$, $-C(O)R^a$, $-CO_2R^a$, or $-C(O)N(R^c)_2$; and R^{2b} in formula I is H, halo or cyano, more preferably still

(iv) wherein the compound is according to formula **IA3**



IA3

wherein R^b is OH, $C_{1\text{-}6}$alkyl, $-CO_2C_{1\text{-}6}$alkyl, $-C(O)C_{1\text{-}6}$alkyl or $-S(O)_2C_{1\text{-}6}$alkyl;

and preferably also wherein

(v) R^{2b} in formulae IB1 and IB2 is H, halo, $-CF_3$, -CN or $-CH_3$; and R^{2c} is $-N(R^c)_2$, $-S(O)_2R^a$, $-C(O)N(R^c)_2$ or $-C(R^a)_2-N(R^c)_2$, or

(vi) R^{2b} in formula IB2 is H, halo, $-CF_3$, -CN or $-CH_3$; and R^{2c} is $-N(R^c)_2$ or

$-C(R^a)_2-N(R^c)_2$.

9. The compound of claim 8, wherein condition (i) applies and R^{2a} and R^{2b} in formula I are taken together with the carbons to which they are attached to form a 6, 7 or 8 membered partially or fully saturated monocyclic ring, optionally containing one or more heteroatoms and optionally substituted with one or more R^a and/or R^b, which ring is preferably cyclohexane, morpholine, piperidine, dioxane, oxathiazinane, cycloheptane, cycloheptene, azepane, tetrahydroazepine, diazepane, cyclooctane, cyclooctene, azocane, hexahydroazocine, diazocane or hexahydrodiazocine; optionally substituted with one or more R^a and/or R^b.

10. The compound of formula IB1, IB2 or IB3 according to claim 3 wherein X is O and Y is NR^1; and wherein R^5 is optionally halo or C_{1-6}alkyl; Z^1 is optionally CH, C-Halo or C-optionally substituted C_{1-6}alkyl; and Z^2 is optionally CH, and preferably also wherein R^{2a} and R^{2d} are H; and R^5 is F or CH_3, and more preferably also wherein

(i) each of R^{2b} and R^{2c} is independently for each occurrence H, C_{1-6}alkyl, $-OR^a$, $-OCF_3$, $-SR^a$, $-N(R^c)_2$, halo, $-OCF_2H$, $-OCH_2F$,$-CF_3$, -CN, $-S(O)_2R^a$, $-C(O)R^a$, $-CO_2R^a$, $-C(O)N(R^c)_2$, $-C(R^a)_2-N(R^c)_2$ or $-[N(R^a)C(O)]_nR^a$; and one of R^{2b} and R^{2c} is not H,

(ii) each of R^{2b} and $R^{2c}$is independently for each occurrence H, C_{1-6}alkyl, $-N(R^c)_2$, halo, $-CF_3$, -CN, $-S(O)_2R^a$, $-C(O)R^a$, $-CO_2R^a$, $-C(O)N(R^c)_2$, or $-C(R^a)_2-N(R^c)_2$, wherein


(a) R^{2b} is preferably H, halo, $-CF_3$, -CN or $-CH_3$; and R^{2c} is preferably $-N(R^c)_2$, $-S(O)_2R^a$, $-C(O)N(R^c)_2$ or $-C(R^a)_2-N(R^c)_2$, or wherein

(b) R^{2b} is preferably H, halo, $-CF_3$, -CN or $-CH_3$; and R^{2c} is preferably $-N(R^c)_2$ or

$-C(R^a)_2-N(R^c)_2$; or

(iii) R^{2a} and R^{2b} are taken together with the carbons to which they are attached to form a 4-10 membered partially or fully saturated mono or bicyclic ring, optionally containing one or more heteroatoms and optionally substituted with one or more R^a and/or R^b, which ring is preferably a cyclopentane, pyrrolidine, imidazolidine, 1,3-dioxolane, oxazolidine, tetrahydrofuran, cyclohexane, morpholine, piperidine, dioxane, oxathiazinane, piperazine, cycloheptane, cycloheptene, azepane, tetrahydroazepine, diazepane, cyclooctane, cyclooctene, azocane, hexahydroazocine, diazocane or hexahydrodiazocine ring; optionally substituted with one or more R^a and/or R^b.

11. The compound of claim 1, wherein ring A is indazole, benzoxazole, pyrazolopyridine or isoxozolopyridine; X is O; Y is NR^1; R^5 is halo or C_{1-6}alkyl; Z^1 is CH, C-Halo or C-optionally substituted C_{1-6}alkyl; Z^2 is CH; and each $R^2$is independently for each occurrence H, C_{1-6}alkyl, $-OR^a$, $-OCF_3$, $-SR^a$, $-N(R^c)_2$, halo, $-OCF_2H$, $-OCH_2F$,$-CF_3$, -CN, $-S(O)_2R^a$, $-C(O)R^a$, $-CO_2R^a$, $-C(O)N(R^c)_2$, $-N(R^a)-S(O)_2R^a$ or $-[N(R^a)C(O)]_nR^a$; wherein the compound is preferably according to formula **II**:




II

wherein ring B is cyclopentane, pyrrolidine, imidazolidine, 1,3-dioxolane, oxazolidine, tetrahydrofuran, cyclohexane, morpholine, piperidine, dioxane, oxathiazinane, piperazine, cycloheptane, cycloheptene, azepane, tetrahydroazepine, diazepane, cyclooctane, cyclooctene, azocane, hexahydroazocine, diazocane or hexahydrodiazocine; R^a is C_{1-6}alkyl; and each R^b is independently for each occurrence =O, $-OR^a$, haloC_{1-3}alkyloxy, $-SR^a$, $-N(R^c)_2$, halo, $-CF_3$, -CN, $-S(O)_2R^a$, $-C(O)R^a$, $-CO_2R^a$, $-C(O)N(R^c)_2$, or $-C(R^a)_2-N(R^c)_2$; more preferably wherein R^1 is H or R^{50}; R^{50} is $-CH_2OP(O)(OR^{11})_2$; and each $R^{11}$is independently for each occurrence R^a or a monovalent cationic group; or two R^{11}, together with the atoms to which they are attached, form


a 4-8 membered cyclic phosphate group, or two R^{11} together represent a divalent cationic group; most preferably wherein each $R^{11}$is independently for each occurrence H, *t*-butyl, $HOCH_2CH_2N(CH_3)_3^+$, Na^+, Li^+ or K^+.

12. The compound of claim 5, wherein option (a) applies and either (i) one of R^{2a}, R^{2b} and R^{2c} is:



optionally substituted with one or more of the same or different R^a and/or R^b groups; or

(ii) one of R^{2a}, R^{2b} and R^{2c} is $-C(R^a)_2-N(R^c)_2$, where $-C(R^a)_2-N(R^c)_2$ is:



optionally substituted with one or more of the same or different R^a and/or R^b groups;

preferably wherein R^1 is H or R^{50}; R^{50} is $-CH_2OP(O)(OR^{11})_2$; and each $R^{11}$is independently for each occurrence R^a or a monovalent cationic group; or two R^{11}, together with the atoms to which they are attached, form a 4-8 membered cyclic phosphate group, or two R^{11} together represent a divalent cationic group, more preferably each R^{11} is independently for each occurrence H, *t*-butyl, $HOCH_2CH_2N(CH_3)_3^+$, Na^+, Li^+ or K^+.

13. The compound of claim 1, wherein the compound is:

I-1 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(3-formylphenyl)-5-methylpyrimidine-2,4-diamine;

I-2 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(3-aminocarbonylphenyl)-5-methylpyrimidine-2,4-diamine;

I-3 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(4-aminocarbonylphenyl)-5-methylpyrimidine-2,4-diamine;

I-4 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(4-formylphenyl)-5-methylpyrimidine-2,4-diamine;

I-5 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(3-methyl-4-(1,5,7-trimethyl-3,7-diazabicyclo[3.3.1]nonan-3-yl)phenyl)-5-methylpyrimidine-2,4-diamine;

I-6 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(3-fluoro-4-(1,5,7-trimethyl-3,7-diazabicyclo[3.3.1]nonan-3-yl)phenyl)-5-methylpyrimidine-2,4-diamine;

I-7 N4-(3-n-propylbenzo[*d*]oxazol-2(3H)-on-5-yl)-N2-((3-methylsulfonyl)phenyl)-5-methylpyrimidine-2,4-diamine;

I-9 N4-(3-isopropylbenzo[*d*]oxazol-2(3H)-on-5-yl)-N2-((3-methylsulfonyl)phenyl)-5-methylpyrimidine-2,4-diamine;

I-16 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(3-methylsulfonyl)phenyl)-5-methylpyrimidine-2,4-diamine;

I-17 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(4-methylsulfonyl)phenyl)-5-methylpyrimidine-2,4-diamine;

I-20 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(3-methylsulfonyl)phenyl)-5-fluoropyrimidine-2,4-diamine;

I-21 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(4-methylsulfonyl)phenyl)-5-fluoropyrimidine-2,4-diamine;

I-22 N4-(benzimidazolin-2-on-5-yl)-N2-(3-methylsulfonyl)phenyl-5-methylpyrimidine-2,4-diamine;

I-23 N4-(benzimidazolin-2-on-5-yl)-N2-(4-methylsulfonyl)phenyl-5-fluoropyrimidine-2,4-diamine;

I-26 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(3-cyanophenyl)-5-methylpyrimidine-2,4-diamine;

I-27 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(4-cyanophenyl)-5-methylpyrimidine-2,4-diamine;

I-28 N4-(benzimidazolin-2-on-5-yl)-N2-(3-cyanophenyl)-5-methylpyrimidine-2,4-diamine;

I-29 N4-(benzimidazolin-2-on-5-yl)-N2-(4-cyanophenyl)-5-methylpyrimidine-2,4-diamine;

I-33 N4-(3-phosphorylmethylbenzo[*d*]oxazol-2(3H)-on-5-yl)-N2-((3-methylsulfonyl)phenyl)-5-methylpyrimidine-2,4-diamine;

I-36 N4-(1,3-dimethylbenzimidazolin-2-on-5-yl)-N2-((3-methylsulfonyl)phenyl)-5-methylpyrimidine-2,4-diamine;

I-41 N4-(1,3-dimethylbenzimidazolin-2-on-5-yl)-N2-((3-methylsulfonyl)phenyl)-5-fluoropyrimidine-2,4-diamine;

I-44 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(3-cyanophenyl)-5-fluoropyrimidine-2,4-diamine;

I-45 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(4-cyanophenyl)-5-fluoropyrimidine-2,4-diamine;

I-46 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-((3-morpholinyl)phenyl)-5-methylpyrimidine-2,4-diamine;

I-47 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-((3-morpholinyl)phenyl)-5-fluoropyrimidine-2,4-diamine;

I-48 N4-(benzo[*d*]oxazol-2(3H)-on-6-yl)-N2-((3-morpholinyl)phenyl)-5-methylpyrimidine-2,4-diamine;

I-49 N4-(3-methylbenzo[*d*]oxazol-2(3H)-on-6-yl)-N2-((3-morpholinyl)phenyl)-5-methylpyrimidine-2,4-diamine;

I-59 N2-((3-methylsulfonyl)phenyl)-N4-(3-methyl-2-oxo-2,3-dihydrobenzo[*d*]oxazol-6-yl)-5-fluoropyrimidine-2,4-diamine;

I-60 N2-(4-methylsulfonyl)phenyl)-N4-(3-methyl-2-oxo-2,3-dihydrobenzo[*d*]oxazol-6-yl)-5-fluoropyrimidine-2,4-diamine;

I-65 N2-((3-methylsulfonyl)phenyl)-N4-(3-methyl-2-oxo-2,3-dihydrobenzo[*d*]oxazol-6-yl)-5-methylpyrimidine-2,4-diamine;

I-66 N2-((4-methylsulfonyl)phenyl)-N4-(3-methyl-2-oxo-2,3-dihydrobenzo[*d*]oxazol-6-yl)-5-methylpyrimidine-2,4-diamine;

I-69 N2-((3-methylsulfonyl)phenyl)-N4-(3-methyl-2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-yl)-5-methylpyrimidine-2,4-diamine;

I-70 N2-((4-methylsulfonyl)phenyl)-N4-(3-methyl-2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-yl)-5-methylpyrimidine-2,4-diamine;

I-77 N2-((3-methylsulfonyl)phenyl)-N4-(3-methyl-2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-yl)-5-fluoropyrimidine-2,4-diamine;

I-78 N2-((4-methylsulfonyl)phenyl)-N4-(3-methyl-2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-yl)-5-fluoropyrimidine-2,4-diamine;

I-100 N2-((3-methylsulfonyl)phenyl)-N4-(2-oxo-2,3-dihydrobenzo[*d*]oxazol-6-yl)-5-methylpyrimidine-2,4-diamine;

I-101 N2-((4-methylsulfonyl)phenyl)-N4-(2-oxo-2,3-dihydrobenzo[*d*]oxazol-6-yl)-5-methylpyrimidine-2,4-diamine;

I-106 N4-(benzoxazolin-2-on-5-yl)-N2-(3-trifluoromethoxyphenyl)-5-methylpyrimidine-2,4-diaminetrifluoroacetate salt;

I-107 N4-(benzoxazolin-2-on-5-yl)-N2-(3-trifluoromethoxyphenyl)-5-fluoropyrimidine-2,4-diamine trifluoroacetate salt;

I-108 N4-(benzoxazolin-2-on-5-yl)-N2-(4-trifluoromethoxyphenyl)- 5-methylpyrimidine-2,4-diamine trifluoroacetate salt;

I-109 N4-(benzoxazolin-2-on-5-yl)-N2-(4-trifluoromethoxyphenyl)- 5-fluoropyrimidine-2,4-diaminetrifluoroacetate salt;

I-110 N4-(benzoxazolin-2-on-5-yl)-N2-[3-trifluoromethyl-4-(4-ethylpiperazin-1-yl)phenyl]-5-methylpyrimidine-2,4-diamine;

I-111 N4-(benzoxazolin-2-on-5-yl)-N2-[3-methyl-4-(4-methylpiperazin-1-yl)phenyl]-5-methylpyrimidine-2,4-diamine;

I-115 N4-(benzoxazolin-2-on-5-yl)-N2-(3,4,5-trimethoxyphenyl)-5-fluoropyrimidine-2,4-diamine;

I-116 N2-(3-(difluoromethoxy)-4-methoxyphenyl)-N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-5-methylpyrimidine-2,4-diamine;

I-117 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(4-trifluoromethylsulfonyl)phenyl-5-methylpyrimidine-2,4-diamine;

I-118 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(3-trifluoromethylsulfonyl)phenyl-5-methylpyrimidine-2,4-diamine;

I-119 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(3,4,5-trimethoxy)phenyl-5-methylpyrimidine-2,4-diamine;

I-120 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-((4-(1,4-diazabicyclo[3.2.2]nonan-4-yl)-3-methyl)phenyl)-5-methylpyrimidine-2,4-diamine;

I-121 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(4-(8-methyl-8-azabicyclo[3.2.1]octan-3-ylamino)phenyl)-5-methylpyrimidine-2,4-diamine;

I-122 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-((4-(dihydro-1H-pyrido[1,2-a]pyrazin-2(6H,7H,8H,9H,9aH)-yl)-3-methyl)phenyl)-5-methylpyrimidine-2,4-diamine;

I-123 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(4-(8-methyl-2,8-diazabicyclo[3.2.1]octan-2-yl)phenyl)-5-methylpyrimidine-2,4-diamine;

I-124 N4-(benzo[*d*]oxazolin-2(3H)-one-5-yl)-5-methyl-N2-[3-(morpholin-4-yl)-4-trifluoromethoxyphenyl]-2,4-pyrimidinediamine;

I-125 N4-(benzo[*d*]oxazolin-2(3H)-on-5-yl)-N2-[3-trifluoromethyl-2-(4-methylpiperazin-1-yl)pyridin-5-yl]-5-methylpyrimidine-2,4-diamine;

I-126 4-[5-Methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzoic acid;

I-127 N-(2-Diethylamino-ethyl)-4-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzamide;

I-128 5-{2-[4-(3-Diethylamino-pyrrolidine-1-carbonyl)-phenylamino]-5-methyl-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

I-129 5-[2-(4-Acetyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-130 5-[2-(3-Acetyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-131 2-Methyl-5-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzonitrile;

I-132 N,N-Dimethyl-4-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzamide;

I-133 N-Methyl-4-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzamide;

I-134 N-Cyclopropyl-4-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzamide formate salt

I-135 4-[5-Methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-N-phenyl-benzamide;

I-136 4-[5-Methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-2-pyrrolidin-1-yl-benzamide;

I-137 N-Ethyl-4-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzamide;

I-138 N-Cyclobutyl-4-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzamide formic acid salt;

I-139 N-Isopropyl-4-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzamide;

I-140 N-Cyclopropyl-4-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzamide formate salt;

I-141 2-Chloro-4-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzamide;

I-142 N-Cyclopropyl-4-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzamide trifluoroacetic acid salt;

I-143 N-Cyclopropyl-4-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzamide;

I-144 N-Cyclobutyl-4-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzamide;

I-145 4-[5-Methyl-4-(2-oxo-3-propionyl-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzamide;

I-146 di-tert-butyl (5-(2-(4-carbamoylphenylamino)-5-methylpyrimidin-4-ylamino)-2-oxobenzo[*d*]oxazol-3(2H)-yl)methyl phosphate;

I-147 (5-(2-(4-carbamoylphenylamino)-5-methylpyrimidin-4-ylamino)-2-oxobenzo[*d*]oxazol-3(2H)-yl)methyl dihydrogen phosphate;

I-148 sodium (5-(2-(4-carbamoylphenylamino)-5-methylpyrimidin-4-ylamino)-2-oxobenzo[*d*]oxazol-3(2H)-yl)methyl phosphate;

I-150 (5-(2-(4-(cyclobutylcarbamoyl)phenylamino)-5-methylpyrimidin-4-ylamino)-2-oxobenzo[*d*]oxazol-3(2H)-yl)methyl dihydrogen phosphate;

I-151 sodium (5-(2-(4-(cyclobutylcarbamoyl)phenylamino)-5-methylpyrimidin-4-ylamino)-2-oxobenzo[*d*]oxazol-3(2H)-yl)methyl phosphate;

I-152 di-tert-butyl (5-(2-(4-(cyclobutylcarbamoyl)phenylamino)-5-methylpyrimidin-4-ylamino)-2-oxobenzo[*d*]oxazol-3(2H)-yl)methyl phosphate;

I-153 5-[2-(4-Chloro-3-trifluoromethyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-154 5-[5-Methyl-2-(4-methyl-3-trifluoromethyl-phenylamino)-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-155 5-[5-Methyl-2-(4-methylsulfanyl-3-trifluoromethyl-phenylamino)-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-156 4-[5-Methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-2-(4-methyl-piperidin-1-yl)-benzamide;

I-157 5-[2-(3-Cyclopentanesulfonyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-158 5-[5-Methyl-2-(3-trifluoromethyl-phenylamino)-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-159 2-Methyl-4-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzoic acid methyl ester;

I-160 5-[5-Methyl-2-(4-trifluoromethyl-phenylamino)-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-161 5-[5-Methyl-2-(4-trifluoromethoxy-3-trifluoromethyl-phenylamino)-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-162 5-[2-(3-Fluoro-5-trifluoromethyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one triflouroacetate salt;

I-163 5-[2-(4-Fluoro-3-trifluoromethoxy-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-164 5-[5-Methyl-2-(4-methyl-3-trifluoromethyl-phenylamino)-pyrimidin-4-ylamino]-3H-benzooxazol-2-one trifluoracetic acid salt;

I-165 5-{2-[4-(2-Methoxy-ethoxy)-3-trifluoromethyl-phenylamino]-5-methyl-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

I-166 5-[2-(4-Isopropyl-3-methyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-167 5-[2-(3-Chloro-4-trifluoromethyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-168 5-[2-(4-Ethoxy-3-trifluoromethyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-169 5-[2-(3,5-Bis-trifluoromethyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-170 2-Methyl-4-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzoic acid;

I-171 N-Ethyl-2-methyl-4-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzamide;

I-172 5-[2-(4-Chloro-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-173 5-[2-(3-Chloro-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-174 5-(5-Methyl-2-phenylamino-pyrimidin-4-ylamino)-3H-benzooxazol-2-one;

I-175 5-[2-(3-Bromo-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-176 5-[2-(4-Chloro-2,5-dimethyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-177 N-{4-[5-Methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-2-trifluoromethyl-phenyl}-acetamide;

I-178 5-[2-(3,4-Dimethyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-179 5-[2-(4-Cyclohexylmethoxy-3-trifluoromethyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-180 5-[2-(4-Chloro-3-trifluoromethoxy-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-181 5-[2-(4-Chloro-3-methoxy-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-182 5-[2-(4-Chloro-3-ethoxy-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-183 5-[2-(4-Fluoro-3-methoxy-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-184 5-[2-(3,5-Dichloro-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-185 5-[2-(3-Bromo-5-chloro-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-186 5-[2-(3-Chloro-5-fluoro-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-187 3-Chloro-5-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzonitrile;

I-188 5-[2-(4-Bromo-3-trifluoromethyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-189 5-[2-(3-Bromo-5-trifluoromethyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-190 N-Cyclobutyl-2-methyl-4-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-benzamide;

I-191 5-{2-[3-Chloro-4-(2-morpholin-4-yl-ethoxy)-phenylamino]-5-methyl-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

I-192 5-{5-Methyl-2-[4-(2-morpholin-4-yl-ethoxy)-phenylamino]-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

I-193 5-[2-(2,4-Difluoro-5-methoxy-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-194 5-[2-(3-Chloro-4-ethoxy-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-195 5-[2-(4-Cyclobutylmethoxy-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-196 5-[2-(4-Isobutoxy-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-197 5-{5-Methyl-2-[4-(3-methyl-butoxy)-phenylamino]-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

I-198 5-[2-(3-Chloro-4-trifluoromethyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one trifluoroacetic acid salt;

I-199 5-[2-(3-Fluoro-5-methyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-200 5-[2-(2,4-Difluoro-3-methoxy-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-201 5-(2-(4-(1-(azetidin-1-yl)ethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-202 5-(2-(4-(1-(cyclopropylamino)ethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-203 5-(5-methyl-2-(4-(1-(pyrrolidin-1-yl)ethyl)phenylamino)pyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-204 5-(5-methyl-2-(4-(1-morpholinoethyl)phenylamino)pyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-205 5-(2-(4-(1-(3-(diethylamino)pyrrolidin-1-yl)ethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-206 5-(2-(4-(1-(benzylamino)ethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-207 5-(2-(4-(1-(isopropylamino)ethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-208 5-(5-methyl-2-(3-(1-(propylamino)ethyl)phenylamino)pyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-209 5-(2-(3-(1-(isopropylamino)ethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-210 5-(2-(3-(1-(isopropylamino)ethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-211 5-(2-(3-(1-(azetidin-1-yl)ethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-212 5-(5-methyl-2-(3-(1-(pyrrolidin-1-yl)ethyl)phenylamino)pyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-213 5-(2-(3-(1-(benzylamino)ethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-214 5-(2-(3-(1-(3-(diethylamino)pyrrolidin-1-yl)ethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-215 5-(5-methyl-2-(3-(1-(piperidin-1-yl)ethyl)phenylamino)pyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-216 5-(2-(3-(1-(diethylamino)ethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-217 5-(5-methyl-2-(3-(1-morpholinoethyl)phenylamino)pyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-218 N-cyclobutyl-4-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[d]oxazol-5-ylamino)pyrimidin-2-ylamino)-2-(trifluoromethyl)benzamide;

I-219 4-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[d]oxazol-5-ylamino)pyrimidin-2-ylamino)-N-phenyl-2-(trifluoromethyl)benzamide;

I-220 N-cyclopropyl-2-methoxy-4-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[d]oxazol-5-ylamino)pyrimidin-2-ylamino)benzamide;

I-221 2-methoxy-4-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[d]oxazol-5-ylamino)pyrimidin-2-ylamino)-N-phenylbenzamide;

I-222 4-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[d]oxazol-5-ylamino)pyrimidin-2-ylamino)-2-(trifluoromethyl)benzoic acid;

I-223 N-cyclopropyl-4-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[d]oxazol-5-ylamino)pyrimidin-2-ylamino)-2-(trifluoromethyl)benzamide;

I-224 -(2-(3-isobutoxy-5-(trifluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-225 5-(2-(3-(cyclopropylmethoxy)-5-(trifluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-226 5-(2-(3-cyclobutoxy-5-(trifluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-227 5-(2-(3-(cyclobutylmethoxy)-5-(trifluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-228 5-(2-(3-deuteratedmethoxy-5-(trifluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-229 5-(2-(3-acetyl-5-methoxyphenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-230 5-(2-(3-chloro-4-fluoro-5-(trifluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-231 5-(2-(3-(1-(isopropylamino)ethyl)-5-methoxyphenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-232 5-(2-(3-methoxy-5-(1-(propylamino)ethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-233 5-(2-(3-(1-(cyclopropylamino)ethyl)-5-methoxyphenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-234 5-(2-(3-methoxy-5-(1-(pyrrolidin-1-yl)ethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-235 5-(2-(3-(1-(azetidin-1-yl)ethyl)-5-methoxyphenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-236 5-(2-(3-methoxy-5-(1-(methylamino)ethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-237 5-(2-(3-(difluoromethyl)-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-238 5-(2-(3-(fluoromethyl)-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

I-239 5-(5-methyl-2-(4-methyl-3-(methylsulfonyl)phenylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-240 5-(2-(3-fluoro-5-morpholinophenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-241 5-(2-(3-fluoro-5-(4-methylpiperazin-1-yl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-242 5-(2-(4-fluoro-3-(methylsulfonyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-244 7-methyl-5-(5-methyl-2-(3-(methylsulfonyl)phenylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-245 5-(2-(4-fluoro-3-(methylsulfonyl)phenylamino)-5-methylpyrimidin-4-ylamino)-7-methylbenzo[*d*]oxazol-2(3H)-one;

I-246 5-(5-methyl-2-(3-(pyrrolidine-1-carbonyl)phenylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-247 5-(5-methyl-2-(4-(pyrrolidine-1-carbonyl)phenylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-249 7-fluoro-5-(5-methyl-2-(3-(methylsulfonyl)phenylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-250 7-fluoro-5-(2-(4-fluoro-3-(methylsulfonyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-251 7-fluoro-5-(2-(3-methoxy-5-(trifluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-252 3-methoxy-N,N-dimethyl-5-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-ylamino)pyrimidin-2-ylamino)benzamide;

I-253 5-(2-(3-methoxy-5-(pyrrolidine-1-carbonyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-254 5-(2-(3-methoxy-5-(morpholine-4-carbonyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-255 5-(2-(3-methoxy-5-(4-methylpiperazine-1-carbonyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-256 5-(5-methyl-2-(3-(morpholine-4-carbonyl)phenylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-257 5-(5-methyl-2-(4-(morpholine-4-carbonyl)phenylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-258 5-(2-(4-methoxy-3-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-259 5-(2-(3-methoxy-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-260 2-methoxy-N,N-dimethyl-5-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-ylamino)pyrimidin-2-ylamino)benzamide;

I-261 5-(2-(4-methoxy-3-(pyrrolidine-1-carbonyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-262 5-(2-(4-methoxy-3-(morpholine-4-carbonyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-263 5-(2-(4-methoxy-3-(4-methylpiperazine-1-carbonyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-264 5-(2-(3-methyl-4-trideuteromethoxyphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-265 5-(2-(3-chloro-4-methoxy-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-266 5-(2-(3-methyl-5-trideuteromethoxyphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-267 2-methoxy-N,N-dimethyl-4-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-ylamino)pyrimidin-2-ylamino)benzamide;

I-268 5-(2-(3-methoxy-4-(pyrrolidine-1-carbonyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-269 5-(2-(3-methoxy-4-(morpholine-4-carbonyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-270 5-(2-(3-methoxy-4-(4-methylpiperazine-1-carbonyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-271 5-(2-(3-(difluoromethyl)-4-methoxyphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-272 5-(2-(4-methoxyphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-273 5-(2-(3-(difluoromethyl)-5-methoxyphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-274 5-(2-(3-(fluoromethyl)-5-methoxyphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-275 N2-[4-(4,4-difluoropiperidinyl)-3-fluoro]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-276 N2-[4-(4,4-difluoropiperidinyl)-3-trifluoromethyl]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-277 N2-[3-chloro-4-(4,4-difluoropiperidinyl)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-278 N2-[3-chloro-4-(4-ethylpiperazino)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-279 N2-[4-(4,4-difluoropiperidinyl)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-280 N2-(3,5-dimethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-281 N2-[3-fluoro-4-(4-methylpiperazino)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-282 N2-[3,5-difluoro-4-(4-methylpiperazino)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-283 N2-[4-chloro-3-(4-ethylpiperazino)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-284 N2-[4-chloro-3-(3,4,5-trimethylpiperazino)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-285 5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-N2-[3-(4-propylpiperazino)-4-trifluoromethyl]phenyl-2,4-pyrimidinediamine;

I-286 5-methyl-N2-[3-(1,3-oxazol-5-yl)]phenyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-287 N2-(3-bromo)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-288 N2-(4-bromo)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-289 5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-N2-[3-(pyridin-4-yl)]phenyl-2,4-pyrimidinediamine;

I-290 5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-N2-[3-(pyridin-3-yl)]phenyl-2,4-pyrimidinediamine;

I-291 5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-N2-[4-(pyridin-3-yl)]phenyl-2,4-pyrimidinediamine;

I-292 N2-[4-methoxy-3-(2-methoxyethoxy)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-293 N2-[3-(cyclopropylaminocarbonylmethoxy)-4-methoxy]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-294 N2-(3-cyano-4-fluoro)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-295 N2-[3-cyano-4-(1H-pyrrol-1-yl)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-296 N2-(3-methoxy-5-trifluoromethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-297 N2-(4-methoxy-3-trifluoromethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-298 N2-{4-methoxy-3-[(pyridin-4-yl)methoxy]}phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-299 N2-{4-methoxy-3-[(pyridin-3-yl)methoxy]}phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-300 N2-{4-methoxy-3-[2-(dimethylamino)ethoxy]}phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-301 N2-[3,5-bis(trifluoromethyl)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-302 N2-(3,5-dimethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-303 N2-(4-cyano-3-trifluoromethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-304 N2-[3-(1-hydroxy-2,2,2-trifluoroethyl)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-305 N2-(3-methoxycarbonylmethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-306 5-methyl-N2-(3-methylaminocarbonylmethoxy)phenyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-307 N2-(4-aminocarbonylmethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-308 5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-N2-(4-phenylcarbonylamino)phenyl-2,4-pyrimidinediamine;

I-309 N2-[4-(N-acetyl-N-methyl)amino]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-310 N2-[3-cyano-4-(pyrrolidin-1-yl)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-311 N2-(4-difluoromethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-312 N2-(3-difluoromethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-313 N2-(4-difluoromethoxy-3-ethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-314 N2-(3-chloro-4-difluoromethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-315 N2-[3-(cyclopropylaminocarbonylmethoxy)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-316 N2-[3-aminocarbonyl-4-(4-methylpiperazino)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-317 N2-[4-(isopropoxycarbonylmethoxy)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-318 N2-[4-(ethylaminocarbonylamino)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-319 N2-[3-(aminocarbonylmethoxy)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-320 5-methyl-N2-[3-(morpholinocarbonylmethoxy)]phenyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-321 5-methyl-N2-[3-(4-methylpiperazin-1-yl)carbonyl]phenyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-322 5-methyl-N2-[4-(4-methylpiperazin-1-yl)carbonyl]phenyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-323 5-methyl-N2-[3-methylaminocarbonyl-4-(4-methylpiperazino)]phenyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-324 N2-[4-(1-aminocarbonyl-1-methyl)ethoxy]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-325 5-methyl-N2-(2-methyl-3-methylaminocarbonylmethoxy)phenyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-326 N2-(3-dimethylaminocarbonylmethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-327 N2-(3-cyano-4-morpholino)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-328 N2-(3-methoxy-2-methyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-329 N2-[3-chloro-4-(pyridin-4-yl)]phenyl 5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-330 5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-N2-[4-(pyridin-4-yl)-3-trifluoromethyl]phenyl-2,4-pyrimidinediamine;

I-331 N2-[3-hydroxymethyl-4-(4-methylpiperazino)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-332 5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-N2-(4-piperazino)phenyl-2,4-pyrimidinediamine;

I-333 N2-[4-(4-ethylaminocarbonyl)piperazino]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-334 N2-[4-(1-cyano-1-methyl)ethoxy]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-335 N2-[3-(1-aminocarbonyl-1-methyl)ethoxy]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-336 N2-(3-methoxy-4-methoxycarbonyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-337 N2-(3-methoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-338 5-methyl-N2-(4-morpholino)phenyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-339 N2-(3-cyano-4-thiomorpholino)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-340 N2-[3-methoxy-4-(4-methylpiperazino)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-341 N2-[3-cyano-4-(4-methylpiperazino)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-342 N2-[3-(1-cyano-1-methyl)ethoxy]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-343 N2-[4-(4-acetyl)piperazino]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-344 N2-[4-(4-ethoxycarbonyl)piperazino]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-345 N2-[3-(4-acetyl)piperazino]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-346 N2-[3-(4-ethoxycarbonyl)piperazino]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-347 N2-(4-difluoromethoxy-3-fluoro)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-348 N2-(3,5-dichloro-4-difluoromethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-349 N2-(4-fluoro-3-methoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-350 N2-(3-fluoro-4-methoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-351 N2-(3-methoxy-4-methyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-352 N2-(3-fluoro-5-methoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-353 N2-(3-difluoromethoxy-5-trifluoromethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-354 N2-(3-methoxy-4-trifluoromethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-355 N2-(3,5-di-tert-butyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-356 N4-{3-[bis(1,1-dimethylethoxy)]phosphinyloxymethyl-2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl}-N2-(3-methoxy-5-trifluoromethyl)phenyl-5-methyl-2,4-pyrimidinediamine;

I-357 N2-(3-methoxy-5-trifluoromethyl)phenyl-5-methyl-N4-[3-(phosphonooxy)methyl-2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl]-2,4-pyrimidinediamine;

I-358 N2-(3-methoxy-5-trifluoromethyl)phenyl-5-methyl-N4-[3-(phosphonooxy)methyl-2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl]-2,4-pyrimidinediamine bis-sodium salt;

I-359 N2-(3,5-difluoro)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-360 N2-(3-fluoro-5-trifluoromethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-361 N2-(4-fluoro-3-trifluoromethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-362 N2-(4-fluoro-3-methyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-363 N2-(3-fluoro-4-methyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-364 N2-(3-chloro-4-methyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-366 N2-(3-chloro-4-trifluoromethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-367 N2-(4-trifluoromethylthio)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-368 N2-(3-fluoro)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-369 N2-(3,5-dimethyl-4-methoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-370 N2-(3-carboxamide-5-trifluoromethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-371 N2-(3,5-diisopropyl-4-methoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-372 N2-(3-isopropoxy-5-trifluoromethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-373 N2-(3-cyano-4-methoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-374 N2-(3,5-dimethyl-4-fluoro)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-375 N2-(4-fluoro-3-trifluoromethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-376 N2-(3-fluoro-4-trifluoromethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-377 N2-(4-chloro-3-trifluoromethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-378 N2-(3-chloro-5-trifluoromethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-379 5-methyl-N2-(3-methyl-5-trifluoromethoxy)phenyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-380 N2-(4-cyano-3-methoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-381 N2-(3,5-difluoro-4-methoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-382 5-methyl-N2-(4-morpholinomethyl)phenyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-383 N2-(4-chloro-3-cyano-5-ethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-384 N2-[3-(2-methoxy)ethoxy-5-trifluoromethyl]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-385 N2-(4-difluoromethoxy-3,5-dimethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-386 N2-[3-(1-aminocarbonyl-1-methyl)ethoxy-4-fluoro]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-387 N2-(4-difluoromethoxy-3-methyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-388 N2-(3,5-difluoro-4-difluoromethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-389 N2-[4-(1-aminocarbonyl-1-methyl)ethoxy-3,5-dimethyl]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-390 N2-(3-difluoromethoxy-4-methyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-391 N2-[4-(1-aminocarbonyl-1-methyl)ethoxy-3-methyl]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-392 N2-[3-(1-aminocarbonyl-1-methyl)ethoxy-4-methyl]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-393 N2-(3-methoxy-5-trifluoromethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine besylate salt;

I-394 N2-(4-chloro-3,5-dimethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-395 N2-[4-(1-aminocarbonyl-1-methyl)ethoxy-3,5-difluoro]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-396 N2-[3-(1-methoxy-2,2,2-trifluoroethyl)]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-397 N2-[3-(1-cyano-1-methyl)ethoxy-4-methyl]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-398 N2-(3,4-difluoro)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-399 N2-(3-chloro-4-fluoro)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-400 N2-(4-chloro-3-fluoro)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-401 N2-(3-difluoromethoxy-5-fluoro)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-402 N2-[3-(1-aminocarbonyl-1-methyl)ethoxy-5-fluoro]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-403 5-(5-Methyl-2-m-tolylamino-pyrimidin-4-ylamino)-3H-benzooxazol-2-one;

I-404 5-{2-[4-(3-Dimethylamino-propoxy)-3-trifluoromethyl-phenylamino]-5-methyl-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

I-405 N4-{3-[bis(1,1-dimethylethoxy)]phosphinyloxymethyl-2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl}-N2-(3,4,5-trimethyl)phenyl-5-methyl-2,4-pyrimidinediamine;

I-406 5-methyl-N4-[3-(phosphonooxy)methyl-2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl]-N2-(3,4,5-trimethyl)phenyl-2,4-pyrimidinediamine;

I-407 5-methyl-N4-[3-(phosphonooxy)methyl-2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl]-N2-(3,4,5-trimethyl)phenyl-2,4-pyrimidinediamine bis-sodium salt;

I-408 5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-N2-(3,4,5-trifluoro)phenyl-2,4-pyrimidinediamine;

I-409 N2-(3-methoxy-5-trifluoromethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine tosylate salt;

I-410 N2-(3-methoxy-5-trifluoromethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine mesylate salt;

I-411 N2-(3-methoxy-5-trifluoromethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine sulfate salt;

I-412 N2-(3-methoxy-5-trifluoromethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine hydrogen chloride salt;

I-413 N2-(3-methoxy-5-trifluoromethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine sodium salt;

I-414 N2-(3-methoxy-5-trifluoromethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine choline salt;

I-415 N2-(3,5-difluoro-4-trifluoromethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-416 N2-[3-(1-cyano-1-methyl)ethoxy-5-fluoro]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-417 N2-[3-(1-cyano-1-methyl)ethoxy-4-fluoro]phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-418 N2-(4-chloro-3-difluoromethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-419 5-(2-(4-isopropylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-420 5-(2-(4-tert-butylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-421 5-(2-(p-toluidino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-422 5-(2-(3-(isopropoxymethyl)-4-methoxyphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-423 5-(2-(3-(1-hydroxyethyl)-5-methoxyphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-424 5-[2-(3-Chloro-4-hydroxy-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-425 5-[2-(4-Hydroxy-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-426 5-{2-[4-(2-Dimethylamino-ethoxy)-phenylamino]-5-methyl-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

I-427 5-(2-(3-methoxy-5-(trifluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)-7-methylbenzo[*d*]oxazol-2(3H)-one;

I-428 5-(2-(3-methoxy-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)-7-methylbenzo[*d*]oxazol-2(3H)-one;

I-429 5-(2-(4-methoxy-3-methylphenylamino)-5-methylpyrimidin-4-ylamino)-7-methylbenzo[*d*]oxazol-2(3H)-one;

I-430 7-fluoro-5-(2-(3-methoxy-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-431 7-fluoro-5-(2-(4-methoxy-3-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-432 5-(2-(4-fluoro-3-methoxy-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-433 5-(2-(4-(difluoromethoxy)-3-(fluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one formate salt;

I-434 N2-(4-cyano-3-difluoromethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-435 N2-(3-difluoromethoxy-4-fluoro)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-436 5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-N2-(3,4,5-trimethyl)phenyl-2,4-pyrimidinediamine sodium salt;

I-437 N2-(3,5-dimethyl-4-fluoro)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine sodium salt;

I-438 5-(2-(3-(difluoromethyl)-4-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-439 5-(2-(3-(fluoromethyl)-4-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-440 5-(2-(3-(difluoromethyl)-5-methoxyphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one formate salt;

I-441 5-(2-(4-d_3-methoxy-3-(trifluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-442 5-(2-(4-(difluoromethoxy)-3-(difluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one formate salt;

I-443 5-(5-methyl-2-(4-methyl-3-(pyridin-4-yl)phenylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-444 5-(5-methyl-2-(4-methyl-3-(pyridin-3-yl)phenylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-445 5-(2-(3-acetyl-5-(trifluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-446 5-(2-(3-(1-hydroxyethyl)-5-(trifluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-447 5-[2-(4-d_3-Methoxy-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-448 5-[2-(3-Chloro-4-d_3-methoxy-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-449 5-{2-[4-(2-Diethylamino-ethoxy)-phenylamino]-5-methyl-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

I-450 N4-{3-[bis(1,1-dimethylethoxy)]phosphinyloxymethyl-2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl}-N2-(3,5-dimethyl-4-fluoro)phenyl-5-methyl-2,4-pyrimidinediamine;

I-451 N2-(3,5-dimethyl-4-fluoro)phenyl-5-methyl-N4-[3-(phosphonooxy)methyl-2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl]-2,4-pyrimidinediamine bis-sodium salt;

I-452 5-(2-(3,4-dimethoxy-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-453 5-(2-(3,4-dimethoxy-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)-7-methylbenzo[*d*]oxazol-2(3H)-one;

I-454 5-(2-(3,4-dimethoxy-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)-7-fluorobenzo[*d*]oxazol-2(3H)-one;

I-455 5-{2-[3-Chloro-4-(2-diethylamino-ethoxy)-phenylamino]-5-methyl-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

I-456 5-[2-(2,4-Difluoro-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-457 5-(5-methyl-2-(3-(1-(methylamino)ethyl)-5-(trifluoromethyl)phenylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-458 5-(2-(3-chloro-4,5-dimethoxyphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-459 5-(2-(3,5-dimethyl-4-(2-morpholinoethoxy)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-460 5-(5-methyl-2-(3-(1-(methylamino)butyl)-5-(trifluoromethyl)phenylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-461 5-(2-(3-(1-(cyclopropylamino)ethyl)-5-(trifluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-462 5-(2-(3-(1-(ethylamino)ethyl)-5-(trifluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-463 5-(5-methyl-2-(3-(1-(pyrrolidin-1-yl)ethyl)-5-(trifluoromethyl)phenylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-464 5-(2-(3-(1-(azetidin-1-yl)ethyl)-5-(trifluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-465 5-(2-(3-(1-(cyclobutylamino)ethyl)-5-(trifluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-466 5-[2-(2,5-Difluoro-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-467 5-[2-(2,3-Difluoro-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-468 5-[2-(2-Fluoro-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-469 N-Cyclobutyl-3-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-5-trifluoromethyl-benzamide;

I-470 5-[2-(4-Fluoro-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-471 5-(2-(4-fluoro-3-(pyridin-4-yl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-472 5-(2-(4-fluoro-3-(pyridin-3-yl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-473 5-(2-(3-(1-(isopropylamino)ethyl)-5-(trifluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-474 5-(2-(3,5-dimethylphenylamino)-5-methylpyrimidin-4-ylamino)-7-methylbenzo[*d*]oxazol-2(3H)-one;

I-475 7-methyl-5-(5-methyl-2-(3,4,5-trimethylphenylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-476 5-(2-(4-fluoro-3,5-dimethylphenylamino)-5-methylpyrimidin-4-ylamino)-7-methylbenzo[*d*]oxazol-2(3H)-one;

I-477 5-[5-Methyl-2-(2,3,4,5-tetrafluoro-phenylamino)-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-478 N2-(3-cyano-5-difluoromethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-479 5-methyl-N2-(3-methyl-5-trifluoromethyl)phenyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-480 5-[5-Methyl-2-(2,3,5-trifluoro-phenylamino)-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-481 5-[5-Methyl-2-(2,4,5-trifluoro-phenylamino)-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-482 5-(5-methyl-2-(3-methyl-4-(pyridin-4-yl)phenylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one formate salt;

I-483 5-(5-methyl-2-(3-methyl-4-(pyridin-3-yl)phenylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one formate salt;

I-484 5-(2-(3-fluoro-4-(pyridin-4-yl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-485 N2-(3,4-dimethoxy-5-trifluoromethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-486 5-(2-(4-methoxy-3-(pyridin-4-yl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one formate salt;

I-487 5-(2-(4-methoxy-3-(pyridin-3-yl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one formate salt;

I-488 5-(2-(3,5-dimethylphenylamino)-5-methylpyrimidin-4-ylamino)-7-fluorobenzo[*d*]oxazol-2(3H)-one;

I-489 7-fluoro-5-(5-methyl-2-(3,4,5-trimethylphenylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-490 7-fluoro-5-(2-(4-fluoro-3,5-dimethylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-491 5-(2-(4-fluoro-3-methoxy-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)-7-methylbenzo[*d*]oxazol-2(3H)-one;

I-492 7-fluoro-5-(2-(4-fluoro-3-methoxy-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-493 N2-(3,4-dimethyl-2-fluoro)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-494 5-(2-(3-methoxy-4-(pyridin-4-yl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one formate salt;

I-495 N2-(3-chloro-5-difluoromethoxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-496 5-[2-(3-Chloro-4-methoxy-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-497 5-[2-(3-Chloro-5-trifluoromethyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-498 5-[2-(2-Methoxy-5-trifluoromethyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-499 5-(2-(o-toluidino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-500 5-(2-(2,3-dimethylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-501 5-(2-(2,5-dimethylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-502 5-(2-(2-ethylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-503 5-(2-(3-ethylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-504 5-(2-(4-ethylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-505 5-(2-(3-fluoro-4-(pyridin-3-yl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one trifluoroacetic acid salt;

I-506 5-(2-(3-methoxy-4-(pyridin-3-yl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one formate salt;

I-507 5-(2-(2,4-difluoro-3-methoxyphenylamino)-5-methylpyrimidin-4-ylamino)-7-methylbenzo[*d*]oxazol-2(3H)-one;

I-508 5-(2-(2,4-difluoro-3-methoxyphenylamino)-5-methylpyrimidin-4-ylamino)-7-fluorobenzo[*d*]oxazol-2(3H)-one;

I-509 5-(2-(4-(6-chloropyridin-3-yl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one trifluoroacetate salt;

I-510 5-(2-(4-(6-(3-(dimethylamino)propoxy)pyridin-3-yl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one trifluoroacetate salt;

I-511 5-(2-(4-(6-(3-(dimethylamino)propoxy)pyridin-3-yl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one trifluoroacetate salt;

I-512 5-(5-methyl-2-(4-(6-morpholinopyridin-3-yl)phenylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one trifluoroacetate salt;

I-513 5-(2-(2-fluoro-3-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-514 5-(2-(2-fluoro-4-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-515 5-(2-(2-fluoro-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-516 N2-(3-difluoromethoxy-5-methyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-517 5-methyl-N4-[3-(phosphonooxy)methyl-2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl]-N2-(3,4,5-trimethyl)phenyl-2,4-pyrimidinediamine calcium salt;

I-518 5-[5-Methyl-2-(2-methyl-3-trifluoromethyl-phenylamino)-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-519 5-(2-(5-acetyl-2-fluorophenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-520 5-(2-(2-chlorophenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-521 5-(2-(2-chloro-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-522 N4-(7-chloro-2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-5-methyl-N2-(3,4,5-trimethyl)phenyl-2,4-pyrimidinediamine;

I-523 5-(2-(2-fluoro-5-(1-hydroxyethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-524 N4-{3-[bis(1,1-dimethylethoxy)]phosphinyloxymethyl-7-chloro-2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl}-N2-(3,4,5-trimethyl)phenyl-5-methyl-2,4-pyrimidinediamine;

I-525 N4-[7-chloro-3-(phosphonooxy)methyl-2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl]-5-methyl-N2-(3,4,5-trimethyl)phenyl-2,4-pyrimidinediamine;

I-526 5-methyl-N4-[3-(phosphonooxy)methyl-2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl]-N2-(3,4,5-trimethyl)phenyl-2,4-pyrimidinediamine magnesium salt;

I-527 5-[2-(4-Iodo-3,5-dimethyl-phenylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

I-528 N4-[7-chloro-3-(phosphonooxy)methyl-2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl]-5-methyl-N2-(3,4,5-trimethyl)phenyl-2,4-pyrimidinediamine bis-sodium salt;

I-529 5-(2-(3,5-dimethoxy-4-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-530 5-(2-(2-fluoro-4,5-dimethylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-531 5-methyl-N4-[3-(phosphonooxy)methyl-2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl]-N2-(3,4,5-trimethyl)phenyl-2,4-pyrimidinediamine bis-choline salt;

I-532 5-(2-(2-fluoro-4-methyl-3-(trifluoromethyl)phenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-533 5-(2-(2-fluoro-5-methoxyphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-534 5-(2-(2-fluoro-3,4,5-trimethylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-535 5-(2-(3-methoxy-4,5-dimethylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

I-536 Sodium (5-(2-(3-methoxy-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)-7-methyl-2-oxobenzo[*d*]oxazol-3(2H)-yl)methyl phosphate;

I-537 N2-(3,4-dimethyl-5-fluoro)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

I-538 Sodium (5-(2-(4-fluoro-3-methoxy-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)-2-oxobenzo[*d*]oxazol-3(2H)-yl)methyl phosphate;

II-1 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(6-dimethylaminopyridin-3-yl)-5-methylpyrimidine-2,4-diamine;

II-2 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(6-((1S,4R)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)-pyridin-3-yl)-5-methylpyrimidine-2,4-diamine;

II-3 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(6-(4-methyl-1,4-diazepan-1-yl)pyridin-3-yl)-5-methylpyrimidine-2,4-diamine;

II-4 N4-(3-n-propylbenzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-5-methylpyrimidine-2,4-diamine;

II-5 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(6-(4-tert-butyloxycarbonylpiperazin-1-yl)pyridin-3-yl)-5-methylpyrimidine-2,4-diamine;

II-6 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(6-(4-methylpiperidin-1-yl)pyridin-3-yl)-5-methylpyrimidine-2,4-diamine;

II-7 N2-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-N4-(3-isopropylbenzo[*d*]oxazol-2(3H)-on-5-yl)-5-methylpyrimidine-2,4-diamine;

II-8 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(6-(4-trifluoromethoxycarbonylpiperazin-1-yl)pyridin-3-yl)-5-methylpyrimidine-2,4-diamine;

II-9 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(6-(4-methoxycarbonylpiperazin-1-yl)pyridin-3-yl)-5-methylpyrimidine-2,4-diamine;

II-10 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(6-(piperazin-1-yl)pyridin-3-yl)-5-methylpyrimidine-2,4-diamine;

II-11 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(6-(3-methyl-4-tert-butoxycarbonylpiperazin-1-yl)pyridin-3-yl)-5-methylpyrimidine-2,4-diamine;

II-12 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(6-(3-methylpiperazin-1-yl)pyridin-3-yl)-5-methylpyrimidine-2,4-diamine;

II-13 N4-(benzoxazolin-2-on-5-yl)-N2-[2-(4-methylpiperazin-1-yl)pyridin-5-yl]-5-methylpyrimidine-2,4-diamine;

II-14 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-[2-(4-methylpiperazin-1-yl)pyridin-5-yl]-5-fluoropyrimidine-2,4-diamine;

II-15 N4-(benzimidazolin-2-on-5-yl)-N2-[2-(4-methylpiperazin-1-yl)pyridin-5-yl]-5-methylpyrimidine-2,4-diamine;

II-16 N4-(benzimidazolin-2-on-5-yl)-N2-[2-(4-methylpiperazin-1-yl)pyridin-5-yl]-5-fluoropyrimidine-2,4-diamine;

II-17 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-((2-morpholinyl)pyridin-5-yl)-5-methylpyrimidine-2,4-diamine;

II-18 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-((2-morpholinyl)pyridin-5-yl)-5-fluoropyrimidine-2,4-diamine;

II-19 N4-(benzimidazolin-2-on-5-yl)-N2-((2-morpholinyl)pyridin-5-yl)-5-fluoropyrimidine-2,4-diamine;

II-20 N4-(1,3-dimethylbenzimidazolin-2-on-5-yl)-N2-[2-(4-methylpiperazino)pyridin-5-yl]-5-methylpyrimidine-2,4-diamine;

II-21 N4-(1,3-dimethylbenzimidazolin-2-on-5-yl)-N2-[2-(4-methylpiperazino)pyridin-5-yl]-5-fluoropyrimidine-2,4-diamine;

II-22 N2-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-N4-(3-methyl-2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-yl)-5-methylpyrimidine-2,4-diamine;

II-23 N2-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-N4-(3-methyl-2-oxo-2,3-dihydrobenzo[*d*]oxazol-6-yl)-5-methylpyrimidine-2,4-diamine trifluoroacetate salt;

II-24 N2-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-N4-(3-methyl-2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-yl)-5-fluoropyrimidine-2,4-diamine;

II-25 6-(5-methyl-2-(6-(4-methylpiperazin-1-yl)pyridin-3-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(*3H*)-one;

II-26 N4-(benzoxazolin-2-on-5-yl)-N2-[3-methyl-2-(4-methylpiperazin-1-yl)pyridin-5-yl]-5-methylpyrimidine-2,4-diamine;

II-27 N4-(benzimidazolin-2-on-5-yl)-N2-[3-methyl-2-(4-methylpiperazin-1-yl)pyridin-5-yl]-5-methylpyrimidine-2,4-diamine;

II-28 N4-(benzoxazolin-2-on-5-yl)-N2-[3-methyl-2-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)pyridin-5-yl]-5-methylpyrimidine-2,4-diamine;

II-29 N4-(benzoxazolin-2-on-5-yl)-N2-[3-methyl-2-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)pyridin-5-yl]-5-fluoropyrimidine-2,4-diamine;

II-30 N4-(benzoxazolin-2-on-5-yl)-N2-[3-methyl-2-(4-methylpiperazin-1-yl)pyridin-5-yl]-5-fluoropyrimidine-2,4-diamine;

II-31 N4-(benzoxazolin-2-on-5-yl)-N2-[2-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)pyridin-5-yl]-5-methylpyrimidine-2,4-diamine;

II-32 N4-(benzoxazolin-2-on-5-yl)-N2-[2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)pyridin-5-yl]-5-methylpyrimidine-2,4-diamine;

II-33 N4-(benzoxazolin-2-on-5-yl)-N2-[2-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)pyridin-5-yl]-5-fluoropyrimidine-2,4-diamine;

II-34 N4-(benzoxazolin-2-on-5-yl)-N2-[2-((1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl)pyridin-5-yl]-5-fluoropyrimidine-2,4-diamine;

II-35 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-[2-(1-methylpiperidin-4-yl)aminopyridin-5-yl]-5-methylpyrimidine-2,4-diamine;

II-36 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-[2-(1H-piperidin-4-yl)aminopyridin-5-yl]-5-methylpyrimidine-2,4-diamine;

II-37 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-[2-(8-methyl-8-aza-bicyclo[3.2.1]oct-3-yl)aminopyridin-5-yl]-5-methylpyrimidine-2,4-diamine;

II-38 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(4-(8-methyl-2,8-diazabicyclo[3.2.1]octan-2-yl)phenyl)-5-methylpyrimidine-2,4-diamine;

II-39 N4-(benzo[*d*]oxazolin-2(3H)-on-5-yl)-N2-[3-trifluoromethyl-2-(4-methylpiperazin-1-yl)pyridin-5-yl]-5-methylpyrimidine-2,4-diamine;

II-40 N4-(benzoxazolin-2-on-5-yl)-N2-[3-fluoro-2-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)pyridin-5-yl]-5-methylpyrimidine-2,4-diamine;

II-41 (*S*)-2-Methyl-4-{5-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-pyridin-2-yl}-piperazine-1-carboxylic acid tert-butyl ester;

II-42 5-[5-Methyl-2-(pyridin-3-ylamino)-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

II-43 5-[2-(6-Methanesulfonyl-pyridin-3-ylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

II-44 5-{5-Methyl-2-[6-((*S*)-3-methyl-piperazin-1-yl)-pyridin-3-ylamino]-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

II-45 5-{5-Methyl-2-[6-(piperazine-1-carbonyl)-pyridin-3-ylamino]-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

II-46 5-{2-[6-(4-Cyclopropylmethyl-piperazine-1-carbonyl)-pyridin-3-ylamino]-5-methyl-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

II-47 5-{2-[6-(4-Isobutyl-piperazine-1-carbonyl)-pyridin-3-ylamino]-5-methyl-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

II-48 5-{3-Fluoro-5-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-pyridin-2-yl}-hexahydro-pyrrolo[3,4-c]pyrrole-2-carboxylic acid tert-butyl ester;

II-49 5-{3-Fluoro-5-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-pyridin-2-yl}-2,5-diaza-bicyclo[2.2.1]heptane-2-carboxylic acid tert-butyl ester;

II-50 5-{2-[5-Fluoro-6-(hexahydro-pyrrolo[3,4-c]pyrrol-2-yl)-pyridin-3-ylamino]-5-methyl-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

II-51 5-{2-[6-(2,5-Diaza-bicyclo[2.2.1]hept-2-yl)-5-fluoro-pyridin-3-ylamino]-5-methyl-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

II-52 5-{2-[6-(5-Cyclopropylmethyl-hexahydro-pyrrolo[3,4-c]pyrrol-2-yl)-5-fluoro-pyridin-3-ylamino]-5-methyl-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

II-53 5-{2-[6-(5-Cyclopropanecarbonyl-hexahydro-pyrrolo[3,4-c]pyrrol-2-yl)-5-fluoro-pyridin-3-ylamino]-5-methyl-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

II-54 5-{2-[6-(5-Cyclopropylmethyl-2,5-diaza-bicyclo[2.2.1]hept-2-yl)-5-fluoro-pyridin-3-ylamino]-5-methyl-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

II-55 (*R*)-5-(2-(6-(3,4-dimethylpiperazin-1-yl)pyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

II-56 (*R)*-5-(2-(6-(4-(cyclopropylmethyl)-3-methylpiperazin-1-yl)pyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

II-57 (*R*)-5-(5-methyl-2-(6-(3-methyl-4-(2,2,2-trifluoroacetyl)piperazin-1-yl)pyridin-3-ylamino)pyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

II-58 (*R*)-diethyl 2-methyl-4-(5-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[d]oxazol-5-ylamino)pyrimidin-2-ylamino)pyridin-2-yl)piperazin-1-ylphosphonate;

II-59 5-(2-(6-(4,4-difluoropiperidin-1-yl)pyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

II-60 5-(2-(6-(4,4-dimethylpiperidin-1-yl)pyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

II-61 5-(2-(6-(3,8-diaza-bicyclo[3.2.1]octan-3-yl)-5-methylpyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

II-62 5-(5-methyl-2-(5-methyl-6-(8-acetyl)-3,8-diaza-bicyclo[3.2.1]octan-3-yl)pyridin-3-ylamino)pyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

II-63 5-(5-methyl-2-(5-methyl-6-(8-(2,2,2-trifluoroacetyl)-3,8-diaza-bicyclo[3.2.1]octan-3-yl)pyridin-3-ylamino)pyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

II-64 5-(5-methyl-2-(5-methyl-6-(8-methyl-3,8-diaza-bicyclo[3.2.1]octan-3-yl)pyridin-3-ylamino)pyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

II-65 *tert*-butyl 3-(3-methyl-5-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[d]oxazol-5-ylamino)pyrimidin-2-ylamino)pyridin-2-yl)-8-azabicyclo[3.2.1]octane-8-carboxylate;

II-66 5-(2-(6-(8-aza-bicyclo[3.2.1]octan-3-yl)-5-methylpyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

II-67 5-(2-(6-(8-(cyclopropylmethyl)-8-aza-bicyclo[3.2.1]octan-3-yl)-5-methylpyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

II-68 methyl 3-(3-methyl-5-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[d]oxazol-5-ylamino)pyrimidin-2-ylamino)pyridin-2-yl)-8-azabicyclo[3.2.1]octane-8-carboxylate;

II-69 5-(5-methyl-2-(5-methyl-6-(8-(2,2,2-trifluoroacetyl)-8-aza-bicyclo[3.2.1]octan-3-yl)pyridin-3-ylamino)pyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

II-70 (*R*)-5-(2-(6-(4-isopropyl-3-methylpiperazin-1-yl)pyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

II-71 5-(5-methyl-2-(6-(pyrrolidin-1-yl)pyridin-3-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-72 7-methyl-5-(5-methyl-2-(6-(4-methylpiperazin-1-yl)pyridin-3-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-73 7-methyl-5-(5-methyl-2-(6-morpholinopyridin-3-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-74 5-(2-(6-(cyclopropylmethylamino)pyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-75 7-fluoro-5-(5-methyl-2-(6-(4-methylpiperazin-1-yl)pyridin-3-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-76 7-fluoro-5-(5-methyl-2-(6-morpholinopyridin-3-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-77 5-(2-(5-bromopyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-79 N-(5-(5-methyl-4-(3-methyl-2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-ylamino)pyrimidin-2-ylamino)pyridin-2-yl)methanesulfonamide;

II-80 5-(2-(6-(3-(dimethylamino)pyrrolidin-1-yl)pyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-81 N-(1-(5-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-ylamino)pyrimidin-2-ylamino)pyridin-2-yl)pyrrolidin-3-yl)acetamide;

II-82 5-(2-(6-(3-(diethylamino)pyrrolidin-1-yl)pyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-83 2,2,2-trifluoro-N-(1-(5-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-ylamino)pyrimidin-2-ylamino)pyridin-2-yl)pyrrolidin-3-yl)acetamide;

II-84 5-(5-methyl-2-(6-(3-morpholinopyrrolidin-1-yl)pyridin-3-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-85 5-(2-(6-(4-methylpiperazin-1-yl)pyridin-3-ylamino)-5-(trifluoromethyl)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-86 tert-butyl 1-(5-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-ylamino)pyrimidin-2-ylamino)pyridin-2-yl)pyrrolidin-3-ylcarbamate;

II-87 (*S*)-tert-butyl methyl(1-(5-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-ylamino)pyrimidin-2-ylamino)pyridin-2-yl)piperidin-3-yl)carbamate;

II-88 (*R*)-5-(5-methyl-2-(6-(3-(methylamino)piperidin-1-yl)pyridin-3-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-89 (*R*)-5-(2-(6-(3-(dimethylamino)pyrrolidin-1-yl)pyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-90 (*S*)-5-(2-(6-(3-(dimethylamino)pyrrolidin-1-yl)pyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-91 (*R*)-tert-butyl methyl(1-(5-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-ylamino)pyrimidin-2-ylamino)pyridin-2-yl)piperidin-3-yl)carbamate;

II-92 (*R*)-5-(5-methyl-2-(6-(3-(methylamino)piperidin-1-yl)pyridin-3-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-94 5-(2-(6-(3-(cyclopropylmethylamino)pyrrolidin-1-yl)pyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-95 (*S*)-5-(2-(6-((1-benzylpiperidin-3-yl)(methyl)amino)pyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-96 1-ethyl-3-(1-(5-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-ylamino)pyrimidin-2-ylamino)pyridin-2-yl)pyrrolidin-3-yl)urea;

II-97 1-tert-butyl-3-(1-(5-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-ylamino)pyrimidin-2-ylamino)pyridin-2-yl)pyrrolidin-3-yl)urea;

II-98 1-benzyl-3-(1-(5-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-ylamino)pyrimidin-2-ylamino)pyridin-2-yl)pyrrolidin-3-yl)urea;

II-99 (*S*)-5-(2-(6-(1-benzylpiperidin-3-ylamino)pyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-100 (*S*)-5-(2-(6-((1-benzylpiperidin-3-yl)(methyl)amino)pyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-101 N-(1-(5-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-ylamino)pyrimidin-2-ylamino)pyridin-2-yl)pyrrolidin-3-yl)cyclopropanecarboxamide;

II-102 N-(1-(5-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-ylamino)pyrimidin-2-ylamino)pyridin-2-yl)pyrrolidin-3-yl)pivalamide;

II-103 (*S*)-5-(5-methyl-2-(6-(methyl(piperidin-3-yl)amino)pyridin-3-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-104 (*S*)-5-(5-methyl-2-(6-(piperidin-3-ylamino)pyridin-3-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-105 (*S*)-5-(2-(6-(1-benzylpiperidin-3-ylamino)pyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-106 (*R*)-5-(2-(6-((1-benzylpiperidin-3-yl)(methyl)amino)pyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-107 (*R*)-5-(5-methyl-2-(6-(piperidin-3-ylamino)pyridin-3-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-108 (*R*)-5-(5-methyl-2-(6-(methyl(piperidin-3-yl)amino)pyridin-3-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

II-109 N4-(benzo[*d*]oxazolin-2(3H)-one-5-yl)-5-methyl-N2-[2-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)-3-trifluoromethylpyridine-5-yl]-2,4-pyrimidinediamine;

II-110 N4-(benzo[*d*]oxazolin-2(3H)-one-5-yl)-N2-[2-(4-ethylpiperazin-1-yl)-3-trifluoromethylpyridine-5-yl]-5-methyl-2,4-pyrimidinediamine;

II-111 N4-(benzo[*d*]oxazolin-2(3H)-one-5-yl)-N2-[3-fluoro-2-(4-methylpiperazin-1-yl)pyridine-5-yl]-5-methyl-2,4-pyrimidinediamine;

II-112 N4-(benzo[*d*]oxazolin-2(3H)-one-5-yl)-N2-{2-[(8S)-1,4-diazabicyclo[4.3.0]nonane-1-yl]-3-fluoropyridine-5-yl}-5-methyl-2,4-pyrimidinediamine;

II-113 N4-(benzo[*d*]oxazolin-2(3H)-one-5-yl)-N2-{2-[(8R)-1,4-diazabicyclo[4.3.0]nonane-1-yl]-3-fluoropyridine-5-yl}-5-methyl-2,4-pyrimidinediamine;

II-114 N4-(benzo[*d*]oxazolin-2(3H)-one-5-yl)-N2-[2-(4-ethylpiperazin-1-yl)-3-fluoropyridine-5-yl]-5-methyl-2,4-pyrimidinediamine;

II-115 N4-(benzo[*d*]oxazolin-2(3H)-one-5-yl)-N2-[3-cyano-2-((1S,4S)-5-methyl-2,5-diazabicyclo[2.2.1]heptan-2-yl)pyridine-5-yl]-5-methyl-2,4-pyrimidinediamine;

II-116 N2-[3-chloro-2-(4-methylpiperazino)pyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-117 5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-N2-[2-(1,3,5-trimethyl-3,7-diazabicyclo[3.3.1]nonan-7-yl)pyridin-5-yl]-2,4-pyrimidinediamine;

II-118 N2-[3-chloro-2-(3-ethyl-3,7-diazabicyclo[3.3.0]octan-7-yl)pyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-119 N2-[2-(3-ethyl-3,7-diazabicyclo[3.3.0]octan-7-yl)-3-trifluoromethylpyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-120 5-methyl-N2-[2-(3-methyl-3,7-diazabicyclo[3.3.0]octan-7-yl)pyridin-5-yl]-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-121 5-methyl-N2-[2-(octahydroisoindol-1-yl)pyridin-5-yl]-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-122 N2-[3-chloro-2-(octahydroisoindol-1-yl)pyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-123 N2-(2-methoxypyridin-5-yl)-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-124 N2-[2-(S-1,4-diazabicylco[4.3.0]nonan-4-yl)-3-trifluoromethylpyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-125 N2-[2-(1,4-diazabicylco[3.2.2]nonan-4-yl)-3-fluoropyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-126 N2-[2-(4R-hydroxy-2-methylidene-pyrrolidin-1-yl)pyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-127 5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-N2-[2-(cis-3,4,5-trimethylpiperazino)pyridin-5-yl]-2,4-pyrimidinediamine;

II-128 N2-[2-(1,4-diazabicylco[4.4.0]decan-4-yl)pyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-129 5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-N2-[2-(trans-2,4,5-trimethylpiperazino)pyridin-5-yl]-2,4-pyrimidinediamine;

II-130 N2-[2-(trans-2,5-dimethylpiperazino)pyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)- 2,4-pyrimidinediamine;

II-131 N2-[2-(cis-3,5-dimethylpiperazino)pyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-132 N2-[2-(R-1,4-diazabicylco[4.3.0]nonan-4-yl)pyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-133 5-methyl-N2-[2-(7-methyl-2,7-diazaspiro[4.4]nonan-2-yl)pyridin-5-yl]-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-134 5-methyl-N2-[2-(3S-methylmorpholino)pyridin-5-yl]-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-135 5-methyl-N2-[2-(2R-methylmorpholino)pyridin-5-yl]-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-136 N2-[2-(4-isopropylpiperazino)pyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-137 N2-[2-(3-N,N-dimethylamino-8-azabicyclo[3.2.1]octan-8-yl)pyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-138 5-methyl-N2-[2-(2S-methylmorpholino)pyridin-5-yl]-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-139 5-methyl-N2-{2-[(1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl]pyridin-5-yl}-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-140 N2-(2,3-dimethoxypyridin-5-yl)-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-141 N2-(2-methoxy-3-methylpyridin-5-yl)-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-142 N2-[2-(2-hydroxy)ethoxypyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-143 N2-[4-methyl-2-(4-methylpiperazino)pyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-144 N2-(2-isopropoxypyridin-5-yl)-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-145 N2-[2-(2-methoxy)ethoxypyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-146 N2-[2-(1-aminocarbonyl-1-methyl)ethoxypyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-147 N2-(2-methoxy-3-trifluoromethylpyridin-5-yl)-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-148 N2-[2-(3-hydroxy)propoxypyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-149 N2-[2-(3-methoxy)propoxypyridin-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-150 5-(2-(6-(1,4-diazabicyclo[3.2.2]nonan-4-yl)-5-chloropyridin-3-ylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

II-151 5-[5-Methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-pyridine-2-carboxylic acid cyclobutylamide;

II-152 N2-(5-methoxypyridin-3-yl)-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

II-153 N2-(2,3-dimethylpyridin-5-yl)-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

III-1 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(isoindolin-5-yl)-5-methylpyrimidine-2,4-diamine;

III-2 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(2Hydroxyisoindolin-5-yl)-5-methylpyrimidine-2,4-diamine;

III-3 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(2-tert-butoxoxycarbonylisoindolin-5-yl)-5-methylpyrimidine-2,4-diamine;

III-4 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(2-methylisoindolin-5-yl)-5-methylpyrimidine-2,4-diamine;

III-5 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(2-ethylisoindolin-5-yl)-5-methylpyrimidine-2,4-diamine;

III-6 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(2-n-propylisoindolin-5-yl)-5-methylpyrimidine-2,4-diamine;

III-7 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(2-cyclopropylmethylylisoindolin-5-yl)-5-methylpyrimidine-2,4-diamine;

III-8 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(2-isobutylisoindolin-5-yl)-5-methylpyrimidine-2,4-diamine;

III-9 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(2-isopentylisoindolin-5-yl)-5-methylpyrimidine-2,4-diamine;

III-10 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(2-cyclopentylmethylisoindolin-5-yl)-5-methylpyrimidine-2,4-diamine;

III-11 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(2-(bicyclo[2.2.1]heptan-2-ylmethyl)isoindolin-5-yl)-5-methylpyrimidine-2,4-diamine;

III-12 5-[2-(2-Acetyl-2,3-dihydro-1H-isoindol-5-ylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

III-13 N-{2-[2-(2,2-Dimethyl-propionyl)-2,3-dihydro-1H-isoindol-5-ylamino]-5-methyl-pyrimidin-4-yl}-N-[3-(2,2-dimethyl-propionyl)-2-oxo-2,3-dihydro-benzooxazol-5-yl]-2,2-dimethyl-propionamide;

III-14 5-[2-(2-Methanesulfonyl-2,3-dihydro-1H-isoindol-5-ylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

IV-1 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(7-(pyrrolidin-1-yl)-6,7,8,9-tetrahydro-5H-benzo[7]annulen-2-yl)-5-methylpyrimidine-2,4-diamine;

IV-2 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(6,7,8,9-tetrahydro-5H-benzo[7]annulen-5-on-3-yl)-5-methylpyrimidine-2,4-diamine;

IV-3 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(6-(4-methylpiperazin-1-yl)pyridazin-3-yl)-5-methylpyrimidine-2,4-diamine;

IV-4 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(1H-indazol-6-yl)-5-methylpyrimidine-2,4-diamine;

IV-5 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(1,2-benzisoxazol-6-yl)-5-methylpyrimidine-2,4-diamine;

IV-6 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(1H-indazol-5-yl)-5-methylpyrimidine-2,4-diamine;

IV-7 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-[2-(piperazino)pyridin-4-yl]-5-methylpyrimidine-2,4-diamine;

IV-8 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-[2-(4-methylpiperazino)pyridin-4-yl]-5-methylpyrimidine-2,4-diamine;

IV-9 N4-(benzo[*d*]oxazol-2(3H)-on-5-yl)-N2-(3-methyl-1,2-benzisoxazol-5-yl)-5-methylpyrimidine-2,4-diamine;

IV-10 (Z)-2-Methyl-9-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-3,6-dihydro-2H-benzo[c]azocin-1-one;

IV-11 5-[2-(2,2-Difluoro-benzo[1,3]dioxol-4-ylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

IV-12 5-[2-(9-Isopropylamino-6,7,8,9-tetrahydro-5H-benzocyclohepten-2-ylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

IV-13 5-{2-[9-(3-Diethylamino-pyrrolidin-1-yl)-6,7,8,9-tetrahydro-5H-benzocyclohepten-2-ylamino]-5-methyl-pyrimidin-4-ylamino}-3H-benzooxazol-2-one;

IV-14 2-Methyl-9-[5-methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-3,4,5,6-tetrahydro-2H-benzo[c]azocin-1-one;

IV-15 6-[5-Methyl-4-(2-oxo-2,3-dihydro-benzooxazol-5-ylamino)-pyrimidin-2-ylamino]-3,4-dihydro-2H-isoquinolin-1-one;

IV-16 5-[2-(2,2-Dioxo-1H-benzo[e][1,3,4]oxathiazin-7-ylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

IV-17 5-[2-(2,2-Dimethyl-benzo[1,3]dioxol-5-ylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

IV-18 (*Z*)-5-(5-methyl-2-(1-oxo-2,3-dihydro-1H-benzo[c]azepin-7-ylamino)pyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

IV-19 (Z)-5-(5-methyl-2-(2-methyl-1-oxo-2,3-dihydro-1H-benzo[c]azepin-7-ylamino)pyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

IV-20 (Z)-5-(5-methyl-2-(2-methyl-1-oxo-2,3-dihydro-1H-benzo[c]azepin-7-ylamino)pyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

IV-21 5-(5-methyl-2-(2-methyl-1-oxo-2,3,4,5-tetrahydro-1H-benzo[c]azepin-7-ylamino)pyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one;

IV-22 5,5'-(5-methylpyrimidine-2,4-diyl)bis(azanediyl)dibenzo[*d*]oxazol-2(3H)-one

IV-23 5-(5-methyl-2-(2-oxo-2,3,4,5-tetrahydro-1H-benzo[b]azepin-8-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

IV-24 5-(5-methyl-2-(2-oxo-1,2,3,4-tetrahydroquinolin-7-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

IV-25 6-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-ylamino)pyrimidin-2-ylamino)-2H-benzo[b][1,4]oxazin-3(4H)-one;

IV-26 5-(2-(3,3-dimethyl-2-oxoindolin-6-ylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

IV-27 5-(5-methyl-2-(1-methyl-2-oxoindolin-5-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

IV-28 5-(5-methyl-2-(1-methyl-2-oxo-2,3-dihydro-1H-benzo[*d*]imidazol-5-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

IV-29 5-(5-methyl-2-(2-oxo-2,3-dihydro-1H-benzo[*d*]imidazol-5-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

IV-30 5-(5-methyl-2-(1-methyl-2-oxo-2,3,4,5-tetrahydro-1H-benzo[b]azepin-8-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

IV-31 5-(5-methyl-2-(2-oxo-2,3,4,5-tetrahydro-1H-benzo[b]azepin-7-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

IV-32 7-(5-methyl-4-(2-oxo-2,3-dihydrobenzo[*d*]oxazol-5-ylamino)pyrimidin-2-ylamino)-2H-benzo[b][1,4]oxazin-3(4H)-one;

IV-33 5-(5-methyl-2-(2-oxo-1,2,3,4-tetrahydroquinolin-6-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

IV-34 5-(5-methyl-2-(1-methyl-2-oxo-2,3,4,5-tetrahydro-1H-benzo[b]azepin-7-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

IV-35 5-methyl-N2-(3,4-methylenedioxy)phenyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

IV-36 N2-(2,2-difluoro-2H-1,3-benzodioxol-5-yl)-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

IV-37 N2-(3,4-ethylenedioxy)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

IV-38 N2-(2,2-dimethyl-2H-1,3-benzodioxol-5-yl)-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

IV-39 N2-[spiro(2,1'-cyclohexan)-1,3-benzodioxol-5-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

IV-40 N2-(1,3-dimethyl-1H-pyrazolo[3,4-b]pyridin-5-yl)-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

IV-41 5-methyl-N2-(1-methylindazol-6-yl)-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

IV-42 5-methyl-N2-(1-methylindazol-5-yl)-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

IV-43 5-methyl-N2-(3-methylisoxazolo[5,4-b]pyridin-5-yl)-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

IV-44 N2-[4-(2-methoxyethyl)-2H-1,4-benzoxazin-3(4H)-one-7-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

IV-45 N2-[2,2-dimethyl-4-(2-methoxyethyl)-2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one-7-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

IV-46 5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-N2-(2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one-7-yl)-2,4-pyrimidinediamine;

IV-47 5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-N2-(2H-pyrido[3,2-b][1,4]oxazin-3(4H)-one-6-yl)-2,4-pyrimidinediamine;

IV-48 5-methyl-N2-(3-methylindazol-6-yl)-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

IV-49 5-methyl-N2-(3-methylindazol-5-yl)-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

IV-50 N2-[2,2-dimethyl-2H-1,4-benzoxazin-3(4H)-one-7-yl]-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

IV-51 5-(5-methyl-2-(6-methylpyridin-2-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

IV-52 5-(5-methyl-2-(5-methylpyridin-2-ylamino)pyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

IV-53 5-[2-(Isoquinolin-6-ylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

IV-54 5-[5-Methyl-2-(naphthalen-2-ylamino)-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

IV-55 5-[2-(4-Methoxy-naphthalen-2-ylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

IV-56 5-[2-(4-Hydroxy-naphthalen-2-ylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

IV-57 5-[2-(Isoquinolin-7-ylamino)-5-methyl-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

IV-58 N2-(4-methoxypyridin-2-yl)-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine;

IV-59 5-[5-Methyl-2-(2,4,6-trifluoro-phenylamino)-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

IV-60 5-(2-(2,6-dimethylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

IV-61 5-[5-Methyl-2-(2,4,6-trimethyl-phenylamino)-pyrimidin-4-ylamino]-3H-benzooxazol-2-one;

IV-62 5-(2-(2-fluoro-6-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one;

IV-63 N2-(3-fluoropyridin-4-yl)-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine; or

IV-64 N2-(3-fluoropyridin-4-yl)-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine trifluoroacetic acid salt.

14. A compound according to claim 1 which is 5-methyl-N4-[3-(phosphonooxy)methyl-2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl]-N2-(3,4,5-trimethyl)phenyl-2,4-pyrimidinediamine, or pharmaceutically acceptable salt thereof, preferably 5-methyl-N4-[3-(phosphonooxy)methyl-2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl]-N2-(3,4,5-trimethyl)phenyl-2,4-pyrimidinediamine bis-sodium salt.

15. The compound of claim 1, wherein the compound is N2-(3-methoxy-5-trifluoromethyl)phenyl-5-methyl-N4-[3-(phosphonooxy)methyl-2-oxo-2,3-dihydro-1,3-

benzoxazol-5-yl]-2,4-pyrimidinediamine, or a pharmaceutically acceptable salt thereof, preferably N2-(3-methoxy-5-trifluoromethyl)phenyl-5-methyl-N4-[3-(phosphonooxy)methyl-2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl]-2,4-pyrimidinediamine bis-sodium salt.

16. The compound of claim 1, wherein the compound is 5-(2-(3-methoxy-4,5-dimethylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one, or a pharmaceutically acceptable salt thereof.

17. The compound of claim 1, wherein the compound is (5-(2-(4-fluoro-3-methoxy-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)-2-oxobenzo[*d*]oxazol-3(2H)-yl)methyl dihydrogen phosphate, 5-(2-(4-fluoro-3-methoxy-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[d]oxazol-2(3H)-one, or a pharmaceutically acceptable salt thereof, preferably sodium (5-(2-(4-fluoro-3-methoxy-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)-2-oxobenzo[*d*]oxazol-3(2H)-yl)methyl phosphate or 5-(2-(4-fluoro-3-methoxy-5-methylphenylamino)-5-methylpyrimidin-4-ylamino)benzo[*d*]oxazol-2(3H)-one.

18. A compound which is N2-(3,4,5-trimethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine, or a pharmaceutically acceptable salt thereof.

19. The compound according to claim 18 which is N2-(3,4,5-trimethyl)phenyl-5-methyl-N4-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)-2,4-pyrimidinediamine, free base.

20. A pharmaceutical composition comprising a compound according to any one of clams 1-19.

21. The compound according to any one of claims 1-19 or the pharmaceutical composition of claim 20 for use in treating a JAK kinase-mediated disease, allograft transplant rejection in a transplant recipient, T-cell mediated autoimmune disease or a disease and/or disorder of the eye.

22. The compound according to any one of claims 18 or 19 or the pharmaceutical composition of claim 20 for use in treating a JAK kinase-mediated disease.

23. The compound according to any one of claims 18 or 19 or the pharmaceutical composition of claim 20 for use in treating allograft transplant rejection in a transplant recipient.

24. The compound according to any one of claims 18 or 19 or the pharmaceutical composition of claim 20 for use in treating a T-cell mediated autoimmune disease.

25. The compound according to any one of claims 18 or 19 or the pharmaceutical composition of claim 20 for use in treating a disease and/or disorder of the eye.

26. The compound according to any one of claims 18 or 19 or the pharmaceutical composition of claim 20 for use in treating asthma.

27. Use of a compound according to any one of claims 18 or 19 or a pharmaceutical composition according to claim 20 in the manufacture of a medicament for treating JAK kinase-mediated disease.

28. Use of a compound or a pharmaceutical composition according to claim 27 in the manufacture of a medicament for treating allograft transplant rejection in a transplant patient.

29. Use of a compound or a pharmaceutical composition according to claim 27 in the manufacture of a medicament for treating a T-cell mediated autoimmune disease.

30. Use of a compound or a pharmaceutical composition according to claim 27 in the manufacture of a medicament for treating a disease and/or disorder of the eye.

31. Use of a compound or a pharmaceutical composition according to claim 27 in the manufacture of a medicament for treating asthma.