

$-(\text{CR}^6\text{R}^7)_r$; s is 0; r is 0 or 1; R^{6A} is independently selected from the group consisting of hydrogen, and C_{1-6} alkyl; and R^6 and R^7 , at each occurrence, are hydrogen. In another embodiment of Formula (I), Y^1 is pyridinyl or phenyl; L^1 is selected from the group consisting of $(\text{CR}^6\text{R}^7)_s-\text{NR}^{6A}\text{C}(\text{O})-(\text{CR}^6\text{R}^7)_r$, $(\text{CR}^6\text{R}^7)_s-\text{C}(\text{O})\text{NR}^{6A}-(\text{CR}^6\text{R}^7)_r$, $(\text{CR}^6\text{R}^7)_s-\text{NR}^{6A}-(\text{CR}^6\text{R}^7)_r$, $(\text{CR}^6\text{R}^7)_s-\text{S}(\text{O})_2\text{NR}^{6A}-(\text{CR}^6\text{R}^7)_r$, and $(\text{CR}^6\text{R}^7)_s-\text{NR}^{6A}\text{S}(\text{O})_2-(\text{CR}^6\text{R}^7)_r$; s is 0; r is 0 or 1; R^{6A} is independently selected from the group consisting of hydrogen, and C_{1-6} alkyl; and R^6 and R^7 , at each occurrence, are hydrogen.

Another embodiment pertains to a compound or therapeutically acceptable salt selected from the group consisting of

- 10 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(4-phenoxyphenyl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(3-phenoxyphenyl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(4-nitrophenoxy)phenyl]pyridine-2-carboxylic acid;
- 15 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(4-chlorophenoxy)phenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(3-benzylphenyl)pyridine-2-carboxylic acid;
- 20 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(cyclohexylmethyl)-2-methylphenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(4-methyl-3-phenoxyphenyl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(2-methyl-5-phenoxyphenyl)pyridine-2-carboxylic acid;
- 25 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(2-methyl-3-phenoxyphenyl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(2-methyl-4-phenoxyphenyl)pyridine-2-carboxylic acid;
- 30 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(cyclohexylmethoxy)-2-methylphenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[4-(cyclohexyloxy)-2-methylphenyl]pyridine-2-carboxylic acid;

- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(cyclohexyloxy)-2-methylphenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[4-(cyclohexylmethoxy)-2-methylphenyl]pyridine-2-carboxylic acid;
- 5 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[2-cyano-3-(cyclohexyloxy)phenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[2-chloro-3-(cyclohexyloxy)phenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(cyclohexylamino)-2-methylphenyl]pyridine-2-carboxylic acid;
- 10 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(cyclohexyloxy)-2-fluorophenyl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[3-(cyclohexyloxy)-2-(trifluoromethyl)phenyl]pyridine-2-carboxylic acid;
- 15 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{3-[(3,3-dimethylcyclohexyl)oxy]-2-methylphenyl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-1H-1,2,3-triazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-benzyl-5-(ethoxycarbonyl)-2-methyl-1H-pyrrol-3-yl]pyridine-2-carboxylic acid;
- 20 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-5-carboxy-2-methyl-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;
- 25 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[(4-methylphenyl)sulfonyl]-1H-pyrrol-3-yl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzoyl-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(phenylsulfonyl)-1H-pyrrol-3-yl]pyridine-2-carboxylic acid;
- 30 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-5-cyano-2-methyl-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[5-cyano-1-(cyclohexylmethyl)-2-methyl-1H-pyrrol-3-yl]pyridine-2-carboxylic acid;

- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(5-cyano-2-methyl-1-{[1-(piperidin-1-yl)cyclohexyl]methyl}-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;
- 5 6,6'-bis[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3,3'-bipyridine-2,2'-dicarboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(2-benzyl-1,2,3,4-tetrahydroisoquinolin-6-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[2-(pyridin-2-ylmethyl)-1,2,3,4-tetrahydroisoquinolin-6-yl]pyridine-2-carboxylic acid;
- 10 acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[2-(cyclohexylmethyl)-1,2,3,4-tetrahydroisoquinolin-6-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-2'-(cyclohexyloxy)-3'-methyl-3,4'-bipyridine-2-carboxylic acid;
- 15 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-2'-(cyclohexyloxy)-3,4'-bipyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-2'-phenoxy-3,4'-bipyridine-2-carboxylic acid;
- 20 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-1H-pyrrolo[2,3-b]pyridin-3-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3'-methyl-2'-phenoxy-3,4'-bipyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3'-methyl-2'-[methyl(phenyl)amino]-3,4'-bipyridine-2-carboxylic acid;
- 25 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-1H-indazol-5-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{2-methyl-3-[methyl(phenyl)amino]phenyl}pyridine-2-carboxylic acid;
- 30 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{[(1S,2R,5S)-6,6-dimethylbicyclo[3.1.1]hept-2-yl]methyl}-5-methyl-1H-1,2,3-triazol-4-yl)pyridine-2-carboxylic acid;

- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{3-[(3,3-dimethylcyclohexyl)(methyl)amino]-2-methylphenyl}pyridine-2-carboxylic acid;
- 5 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-2'-[cyclohexyl(methyl)amino]-3'-methyl-3,4'-bipyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3'-cyano-2'-[cyclohexyl(methyl)amino]-3,4'-bipyridine-2-carboxylic acid;
- 10 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{1-[(1-methoxy-3,3-dimethylcyclohexyl)methyl]-5-methyl-1H-1,2,3-triazol-4-yl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(5-cyano-2-methyl-1-{[1-(morpholin-4-yl)cyclohexyl]methyl}-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;
- 15 N-(1,3-benzothiazol-2-yl)-2-{5-[5-cyano-1-(cyclohexylmethyl)-2-methyl-1H-pyrrol-3-yl]-6-[(methylsulfonyl)carbamoyl]pyridin-2-yl}-1,2,3,4-tetrahydroisoquinoline-8-carboxamide;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(5-cyano-1-{[1-(2-methoxyethoxy)cycloheptyl]methyl}-2-methyl-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;
- 20 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(5-cyano-1-{[1-(dimethylamino)cyclohexyl]methyl}-2-methyl-1H-pyrrol-3-yl)pyridine-2-carboxylic acid;
- 25 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{3-[(cyclohexylcarbonyl)(methyl)amino]-2-methylphenyl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(2-methyl-3-{methyl[(1-methylcyclohexyl)carbonyl]amino}phenyl)pyridine-2-carboxylic acid;
- 30 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{2-cyano-3-[(cyclohexylsulfonyl)(methyl)amino]phenyl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-{2-cyano-3-[2-(tricyclo[3.3.1.1^{3,7}]dec-1-yl)pyrrolidin-1-yl]phenyl}pyridine-2-carboxylic acid;

6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3'-methyl-
 2'-(piperidin-1-yl)-3,4'-bipyridine-2-carboxylic acid;
 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-
 1H-indazol-4-yl)pyridine-2-carboxylic acid; and
 5 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-
 1H-pyrrolo[2,3-c]pyridin-3-yl)pyridine-2-carboxylic acid.

Another embodiment pertains to a pharmaceutical composition comprising an excipient and a therapeutically effective amount of the compound or therapeutically acceptable salt as described herein.

10 Another embodiment pertains to the use of a therapeutic effective amount of a compound as described herein, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for treating bladder cancer, brain cancer, breast cancer, bone marrow cancer, cervical cancer, chronic lymphocytic leukemia, colorectal cancer, esophageal cancer, hepatocellular cancer, lymphoblastic leukemia, follicular
 15 lymphoma, a lymphoid malignancy of T-cell or B-cell origin, melanoma, myelogenous leukemia, myeloma, oral cancer, ovarian cancer, non-small cell lung cancer, prostate cancer, small cell lung cancer or spleen cancer in a patient.

Another embodiment pertains to the use of a therapeutic effective amount of a compound as described herein, or a pharmaceutically acceptable salt thereof, and a
 20 therapeutically effective amount of one additional therapeutic agent or more than one additional therapeutic agent, in the manufacture of a medicament for treating bladder cancer, brain cancer, breast cancer, bone marrow cancer, cervical cancer, chronic lymphocytic leukemia, colorectal cancer, esophageal cancer, hepatocellular cancer, lymphoblastic leukemia, follicular lymphoma, a lymphoid malignancy of T-cell or
 25 B-cell origin, melanoma, myelogenous leukemia, myeloma, oral cancer, ovarian cancer, non-small cell lung cancer, prostate cancer, small cell lung cancer or spleen cancer in a patient.

Still another embodiment pertains to a compound having Formula (I), selected from the group consisting of

30 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(pyridin-4-ylmethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;

- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(pyridin-3-ylmethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(4-hydroxybenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 5 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(1-phenylethyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-{4-[2-(dimethylamino)ethoxy]benzyl}-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 10 3-(1-benzyl-1H-pyrazol-4-yl)-6-{8-[(5,6-difluoro-1,3-benzothiazol-2-yl)carbamoyl]-3,4-dihydroisoquinolin-2(1H)-yl}pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-[2-(4-fluorophenyl)ethyl]-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(3-chlorobenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 15 3-(1-benzyl-1H-pyrazol-4-yl)-6-{8-[(6-fluoro-1,3-benzothiazol-2-yl)carbamoyl]-3,4-dihydroisoquinolin-2(1H)-yl}pyridine-2-carboxylic acid;
- 3-(1-benzyl-1H-pyrazol-4-yl)-6-{8-[(6-methoxy-1,3-benzothiazol-2-yl)carbamoyl]-3,4-dihydroisoquinolin-2(1H)-yl}pyridine-2-carboxylic acid;
- 20 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-(1-benzyl-3,5-dimethyl-1H-pyrazol-4-yl)pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(3-methylbenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;
- 6-[8-(1,3-benzothiazol-2-ylcarbamoyl)-3,4-dihydroisoquinolin-2(1H)-yl]-3-[1-(3-methoxybenzyl)-1H-pyrazol-4-yl]pyridine-2-carboxylic acid;