




FIG.1




FIG.2

Seat ID	Name	X coordinate	Y coordinate	Person-detected/ undetected status
P11	AAA	X11	Y11	Detected
P12	BBB	X12	Y12	Detected
⋮				
P21	CCC	X21	Y21	Undetected
P22	DDD	X22	Y22	Undetected
⋮				
P31	EEE	X31	Y31	Detected
P32	FFF	X32	Y32	Undetected
⋮				

FIG.3




FIG.4




FIG.5




FIG.6

Seat ID	Name	X coordinate	Y coordinate	Person-detected/ undetected status
P41	Round table A	X41	Y41	Undetected
P42	Round table A	X42	Y42	Undetected
P43	Round table B	X43	Y43	Undetected
P44	Round table B	X44	Y44	Undetected
P51	Conference table C	X51	Y51	Detected
P52	Conference table C	X52	Y52	Undetected
⋮				

FIG.7




FIG.8

Condition ID	Detection target	Alert-information	Alert-destination
J01	P11	Present	aabbcc01
J02	C	Absent	XXYYZZ02
⋮			

FIG.9




FIG.10

◆ Alert of presence
Presence of member "AAA"
at seat P11 is detected.

(a)

◆ Alert of availability
Availability of "conference table C"
with seat P51 is detected.

(b)

FIG.11