DESCRIPTION

NOVEL PLASMIDS AND UTILIZATION THEREOF

Technical Field

[0001] The present invention relates to novel plasmids derived from any of microorganisms belonging to the genus *Rhodococcus* (hereinafter referred to as "the genus *Rhodococcus*") and to utilization thereof. More specifically, the invention relates to plasmids or their partial DNA fragments (hereinafter also referred to simply as "DNA fragments"), and to shuttle vectors, vectors, transformants, aminoketone asymmetric reductase production methods and optically active aminoalcohol production methods which utilize them.

Background Art

[0002] The genus *Rhodococcus* is known to produce enzymes involved in nitrile metabolism and to produce enzymes which asymmetrically reduce aminoketones. In particular, *Rhodococcus erythropolis* is known to have very high aminoketone asymmetric reduction activity. Such microorganisms and enzymes act on α-aminoketones to high selectively produce optically active β-aminoalcohols at high yields (for example, Patent documents 1 and 5). Thus, it has long been desired to develop a host-vector system intended for mass production of useful enzymes and the like in the genus *Rhodococcus*. However, the development of vectors suitable for the genus *Rhodococcus* as hosts has lagged behind. Only a few strains of the genus *Rhodococcus* have been found with plasmids, namely *Rhodococcus* sp. H13-A (Non-patent document 1), *Rhodococcus rhodochrous* ATCC4276 (Patent document 2), *Rhodococcus*

rhodochrous ATCC4001 (Patent document 3) and *Rhodococcus erythropolis* IFO12320 (Patent document 4).

[0003] [Patent document 1] WO01/73100

[Patent document 2] Japanese Unexamined Patent Publication HEI No. 4-148685

[Patent document 3] Japanese Unexamined Patent Publication HEI No. 4-330287

[Patent document 4] Japanese Unexamined Patent Publication HEI No. 9-28379

[Patent document 5] WO02/070714

[Non-patent document 1] J. Bacteriol., 170, 638, 1988

Disclosure of the Invention

Problems to be Solved by the Invention

[0004] As mentioned above, it has been desired to develop new vectors for breeding and improve to industrially useful strains (mutant strains) from the genus *Rhodococcus*. In particular, self-cloning systems are preferred from the standpoint of safety of the recombinant DNA microbes and their products which may be used as foods and additives. It is an object of the present invention to provide novel plasmids that can be used as vectors for such a host-vector system.

[0005] It is desirable to create recombinant microbes suitable for industrial application from among *Rhodococcus erythropolis* which has aminoketone asymmetric reduction activity. In particular, it is a first object of the invention to provide novel plasmids or their partial DNA fragments which can be used to create such recombinant microbes.

[0006] If a plasmid such as described above can be obtained, it

would become easy to construct a shuttle vector that is replicable even in other microbes. It is therefore a second object of the invention to provide nucleotide sequence data relating to DNA replication (replication region, etc.) necessary for construction of such a shuttle vector.

[0007] It is a third object of the invention to provide shuttle vectors that are replicable in both the genus *Rhodococcus* and *E. coli*.

[0008] It is a fourth object of the invention to apply the shuttle vectors to an aminoketone asymmetric reductase.

Means for Solving the Problems

[0009] The present inventors carefully screened plasmids for vector construction from among *Rhodococcus* strains, and as a result discovered several novel plasmids usable as vectors for host-vector systems.

[0010] Furthermore, the present inventors found that it is possible to construct shuttle vectors by transferring into the aforementioned plasmids a drug resistance gene and a gene region that is replicable in *E. coli*. As a result there were obtained nucleotide sequence data, plasmids and shuttle vectors that achieve the objects stated above, and the present invention has thereupon been completed.

[0011] Specifically, the present invention provides a DNA fragment, a DNA, a plasmid, a shuttle vector, a vector, a transformant, a method for production of an aminoketone asymmetric reductase, and a method for production of an optically active aminoalcohol, according to following (1) to (39).

(1) A DNA fragment having at least one nucleotide sequence selected

from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 35, SEQ ID NO: 36 and SEQ ID NO: 37.

(2) A plasmid or a partial DNA fragment thereof, characterized by comprising a DNA replication region having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 35, SEQ ID NO: 36 and SEQ ID NO: 37.

(3) A DNA fragment having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 1, SEQ ID NO: 4, SEQ ID NO: 14, SEQ ID NO: 17 and SEQ ID NO: 22.

(4) A plasmid or a partial DNA fragment thereof, characterized by comprising a coding region for a DNA replication-related protein having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 1, SEQ ID NO: 4, SEQ ID NO: 14, SEQ ID NO: 17 and SEQ ID NO: 22.

(5) A plasmid or a partial DNA fragment thereof, characterized by comprising a coding region for a DNA replication-related protein having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 1, SEQ ID NO: 4, SEQ ID NO: 14, SEQ ID NO: 17 and SEQ ID NO: 22 and comprising a DNA replication region having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 35, SEQ ID NO: 36 and SEQ ID NO: 37.

(6) A DNA fragment having the nucleotide sequence set forth as SEQ

ID NO: 76.

(7) A plasmid or a partial DNA fragment thereof, characterized by comprising a promoter region having the nucleotide sequence set forth as SEQ ID NO: 76.

(8) A plasmid or a partial DNA fragment thereof, characterized by comprising a coding region for a DNA replication-related protein having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 1, SEQ ID NO: 4, SEQ ID NO: 14, SEQ ID NO: 17 and SEQ ID NO: 22, comprising a DNA replication region having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 35, SEQ ID NO: 36 and SEQ ID NO: 37, and comprising a promoter region having the nucleotide sequence set forth as SEQ ID NO: 76.

(9) A circular plasmid characterized by comprising a plasmid or a partial DNA fragment according to any one of (1) to (8), wherein the numbers of restriction endonuclease cleavage sites are *Bam*H I: 2, *Eco*R I: 2, *Kpn* I: 1, *Pvu* II: 1, *Sac* I: 1 and *Sma* I: 1, and the size is approximately 5.4 kbp.

(10) A plasmid having the nucleotide sequence set forth as SEQ ID NO: 73.

(11) A plasmid or a DNA fragment according to any one of (1) to (10), characterized by being derived from a bacterium belonging to the genus *Rhodococcus*.

(12) A DNA fragment having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ

ID NO: 70, SEQ ID NO: 71 and SEQ ID NO: 72.

(13) A plasmid or a partial DNA fragment thereof, characterized by comprising a DNA replication region having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 70, SEQ ID NO: 71 and SEQ ID NO: 72.

(14) A DNA fragment having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 44, SEQ ID NO: 45, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 56, SEQ ID NO: 61, SEQ ID NO: 62 and SEQ ID NO: 69.

(15) A plasmid or a partial DNA fragment thereof, characterized by comprising a coding region for a DNA replication-related protein having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 44, SEQ ID NO: 45, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 56, SEQ ID NO: 61, SEQ ID NO: 62 and SEQ ID NO: 69.

(16) A plasmid or a partial DNA fragment thereof, characterized by comprising a coding region for a DNA replication-related protein having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 44, SEQ ID NO: 45, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 56, SEQ ID NO: 61, SEQ ID NO: 62 and SEQ ID NO: 69 and comprising a DNA replication region having at least one nucleotide sequence selected from the group consisting of

the nucleotide sequences set forth as SEQ ID NO: 70, SEQ ID NO: 71 and SEQ ID NO: 72.

(17) A plasmid or a partial DNA fragment thereof, characterized by comprising a coding region for a DNA replication-related protein having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 44, SEQ ID NO: 45, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 56, SEQ ID NO: 61, SEQ ID NO: 62 and SEQ ID NO: 69, comprising a DNA replication region having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 70, SEQ ID NO: 71 and SEQ ID NO: 72, and comprising a promoter region having the nucleotide sequence set forth as SEQ ID NO: 76.

(18) A DNA fragment having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 67 and SEQ ID NO: 47.

(19) A plasmid or a partial DNA fragment thereof, characterized by comprising a mobilization protein region having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 67 and SEQ ID NO: 47.

(20) A DNA fragment having the nucleotide sequence set forth as SEQ ID NO: 75.

(21) A plasmid or a partial DNA fragment thereof, characterized by comprising a mobilization-related region having the nucleotide sequence set forth as SEQ ID NO: 75.

(22) A circular plasmid characterized by comprising a plasmid or DNA

fragment according to any one of (12) to (21), wherein the numbers of restriction endonuclease cleavage sites are *Bam*H I: 2, *Pvu* II: 4, *Sac* I: 3 and *Sma* I: 4, and the size is approximately 5.8 kbp.

(23) A plasmid having the nucleotide sequence set forth as SEQ ID NO: 74.

(24) A plasmid or a DNA fragment according to any one of (12) to (23), characterized by being derived from a bacterium belonging to the genus *Rhodococcus*.

(25) A DNA fragment having the nucleotide sequence set forth as SEQ ID NO: 77.

(26) A DNA fragment characterized by comprising a promoter region having the nucleotide sequence set forth as SEQ ID NO: 77.

(27) A shuttle vector replicable in bacteria belonging to the genus *Rhodococcus* and *E. coli*, and comprising a plasmid or partial DNA fragment thereof according to any one of (1) to (26) and a DNA region replicable in *E. coli*.

(28) A vector characterized by being constructed using a shuttle vector according to (27).

(29) A vector characterized by comprising a plasmid or DNA fragment according to any one of (6), (7), (25) or (26).

(30) A vector according to (28) or (29), characterized by having inserted therein an aminoketone asymmetric reductase gene.

(31) A vector according to (30), characterized in that the aminoketone asymmetric reductase gene is a nucleic acid coding for a protein consisting the amino acid sequence set forth as SEQ ID NO: 78, or a nucleic acid that codes for a protein having the amino acid sequence set

forth as SEQ ID NO: 78 with a deletion, insertion, substitution or addition of one or a plurality of amino acids, and having aminoketone asymmetric reduction activity.

(32) A vector according to (30), characterized in that the aminoketone asymmetric reductase gene is a nucleic acid consisting the nucleotide sequence set forth as SEQ ID NO: 79, or a nucleic acid that hybridizes with nucleic acid having a nucleotide sequence complementary to the nucleotide set forth as SEQ ID NO: 79 under stringent conditions, and that codes for a protein having aminoketone asymmetric reduction activity.

(33) A transformant containing a vector according to (28) or (29).


(34) A transformant containing a vector according to any one of (30) to (32).

(35) A method for production of an aminoketone asymmetric reductase, which comprises a culturing step in which a transformant according to (34) is cultured in medium that allows growth of said transformant, and

a purification step in which the aminoketone asymmetric reductase is purified from said transformant obtained in said culturing step.

(36) A method for production of an optically active aminoalcohol, wherein an aminoketone asymmetric reductase obtained by the production method of (35) is reacted with an enantiomeric mixture of an α-aminoketone compound represented by the following general formula (1):

[Chemical Formula 1]



... (1)

wherein X may be the same or different and represents at least one species selected from the group consisting of halogen, lower alkyl, hydroxyl optionally protected with a protecting group, nitro and sulfonyl;

n represents an integer of 0 to 3;


R^1 represents lower alkyl;

R^2 and R^3 may be the same or different and represent at least one species selected from the group consisting of hydrogen and lower alkyl; and

* represents asymmetric carbon,

or a salt thereof, to produce an optically active aminoalcohol compound represented by the following general formula (2):

[Chemical Formula 2]




... (2)

wherein X, n, R^1, R^2, R^3 and * have the same definitions as above,

and having the desired optical activity.

(37) A method for production of an optically active aminoalcohol, wherein a transformant according to (34) is reacted with an enantiomeric mixture of an α-aminoketone compound represented by the following general formula (1):

[Chemical Formula 3]



... (1)

wherein X may be the same or different and represents at least one species selected from the group consisting of halogen, lower alkyl, hydroxyl optionally protected with a protecting group, nitro and sulfonyl;

n represents an integer of 0 to 3;


R^1 represents lower alkyl;

R^2 and R^3 may be the same or different and represent at least one species selected from the group consisting of hydrogen and lower alkyl; and

* represents asymmetric carbon,

or a salt thereof, to produce an optically active aminoalcohol compound represented by the following general formula (2):

[Chemical Formula 4]




... (2)

wherein X, n, R^1, R^2, R^3 and * have the same definitions as above, and having the desired optical activity.

(38) A production method for an optically active aminoalcohol according to (37), wherein the production method for the optically active aminoalcohol is carried out with further addition of a compound represented by the following general formula (3):


[Chemical Formula 5]



... (3)

wherein A represents the following formula (Y) or (Z):


[Chemical Formula 6]



... (Y)

wherein R^4 represents hydrogen, optionally substituted C1-3 alkyl, a C5-10 hydrocarbon ring which is bonded to R^8 or a 5- to 8-membered heterocyclic skeleton containing 1-3 heteroatoms which is bonded to R^8,

[Chemical Formula 7]



... (Z)

wherein R^5 represents hydrogen, C1-3 alkyl or a 5- to 8-membered heterocyclic skeleton containing 1-3 heteroatoms which is bonded to R^6 or R^9;

R^6 represents hydrogen, optionally substituted C1-3 alkyl, a C5-10 hydrocarbon ring which is bonded to R^8 or a 5- to 8-membered heterocyclic skeleton containing 1-3 heteroatoms which is bonded to R^5 or R^9;

R^7 represents hydrogen or optionally substituted C1-6 alkyl;

R^8 represents hydrogen, carboxyl, optionally substituted C1-6 alkyl, a 5- to 8-membered heterocyclic skeleton containing 1-3 heteroatoms

which is bonded to R^4 or a C5-10 hydrocarbon ring which is bonded to R^6;

R^9 represents hydrogen, optionally substituted C1-6 alkyl, optionally substituted C1-6 alkyloxycarbonyl, optionally substituted acyl or a 5- to 8-membered heterocyclic skeleton containing 1-3 heteroatoms which is bonded to R^5 or R^6; and

R^{10} represents hydrogen or optionally substituted C1-6 alkyl,

or a pharmaceutically acceptable salt or solvate thereof, for production of an optically active aminoalcohol.

(39) A shuttle vector according to (27), having a nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 89 to SEQ ID NO: 100.

Effect of the Invention

[0012] The plasmids of the invention are novel plasmids unknown to the prior art, and are valuable as vectors for host-vector systems belonging to the industrially useful the genus *Rhodococcus*. They are of particular utility in the creation of recombinant microbes capable of industrial asymmetric reduction of aminoketones. An example of asymmetric reduction of an aminoketone to which such microbes may contribute is a reaction for production of d-(1S, 2S)-pseudoephedrine from l-2-methylamino-1-phenyl-1-propanone.

[0013] The plasmids of the invention can coexist in single *Rhodococcus* cell and therefore can be used not only alone for their replicating function, but also as compatible plasmids. That is, by inserting different protein (for example, enzyme) genes into the different plasmids, it is possible to express the proteins simultaneously

in the same cell.

[0014] The shuttle vectors of the invention are useful for creation of industrially useful recombinant microbes of the genus *Rhodococcus* and *Escherichia coli*.

[0015] The nucleotide sequence data relating to DNA replication obtained from the plasmids of the invention may serve as the basis for construction of the aforementioned shuttle vectors, and specifically they provide DNA fragments as constituent elements of the vectors.

Brief Description of the Drawings

[0016]

Fig. 1 is a restriction enzyme cleavage map of plasmid pRET1100.

Fig. 2 is a restriction enzyme cleavage map of plasmid pRET1000.

Fig. 3 is a summary illustration for construction of shuttle vector pRET1101.

Fig. 4 is a summary illustration for construction of shuttle vector pRET1102.

Fig. 5 is a summary illustration for construction of shuttle vector pRET1103.

Best Mode for Carrying Out the Invention

[0017] Preferred embodiments of the invention will now be explained.

[0018] The first plasmid of the invention is a plasmid isolated from the genus *Rhodococcus*, or a derivative thereof. Specifically, it may be isolated from, for example, *Rhodococcus erythropolis*

IAM1400, IAM1503, JCM2893 and JCM2894 strains, has a size of approximately 5.4 kbp and is a circular plasmid cleavable by the restriction enzymes shown in Table 1. The plasmids isolated from each of these strains are designated as pRET1100, pRET1300, pRET1500 and pRET1700, respectively. Plasmids of the invention may be prepared from these sample strains by publicly known methods (for example, boiling, alkali dissolution, cesium chloride density gradient ultracentrifugation: Lab Manual Idenshi Kogaku, 3rd Edition, Chapter 10, pp.55-59, Maruzen).

[0019] [Table 1]

Restriction enzyme	Number of cleavage sites	Fragment sizes (kbp)
*Bam*H I	2	0.4, 5.0
*Eco*R I	2	0.3, 5.1
Kpn I	1	5.4
Pvu II	1	5.4
Sac I	1	5.4
Sma I	1	5.4

[0020] Fig. 1 shows a restriction enzyme cleavage map for pRET1100. This plasmid was sequenced by a publicly known method (using a fluorescent automatic sequencer, for example) and its full nucleotide sequence was revealed to be 5444 bp set forth as SEQ ID NO: 73 of the Sequence Listing.

[0021] The second plasmid of the invention is also a plasmid isolated from the genus *Rhodococcus*, or its derivative. Specifically, it may be isolated from, for example, *Rhodococcus rhodnii* JCM3203, has a size of approximately 5.8 kbp and is a circular plasmid cleavable by the restriction enzymes shown in Table 2. This plasmid is

designated as pRET1000.

[0022] [Table 2]

Restriction enzyme	Number of cleavage sites	Fragment sizes (kbp)
*Bam*H I	2	2.0, 3.8
Pvu II	4	0.1, 1.4, 2.0, 2.3
Sac I	3	0.9, 1.0, 3.9
Sma I	4	0.1, 1.2, 1.6, 2.9

[0023] Fig. 2 shows a restriction enzyme cleavage map for pRET1000. This plasmid was also sequenced by a publicly known method and its full nucleotide sequence was revealed to be 5813 bp set forth as SEQ ID NO: 74 of the Sequence Listing.

[0024] The plasmids of the invention (natural- or wild-types) are circular plasmids that can also be defined by the restriction enzyme cleavage patterns shown in Tables 1 and 2. Thus, the present invention encompasses the following two types of circular plasmids.

(1) A circular plasmid derived from a *Rhodococcus* strain, characterized by having a size of approximately 5.4 kbp and possessing the following restriction enzyme cleavage sites: *Bam*H I:2, *Eco*R I:2, *Kpn* I:1, *Pvu* II:1, *Sac* I:1 and *Sma* I:1.

(2) A circular plasmid derived from a *Rhodococcus* strain, characterized by having a size of approximately 5.8 kbp and possessing the following restriction enzyme cleavage sites: *Bam*H I:2, *Pvu* II:4, *Sac* I:3 and *Sma* I:4.

[0025] As a result of analysis of the nucleotide sequences of plasmids pRET1100 and pRET1000 (i.e., SEQ ID NO: 73 and SEQ ID NO: 74), there is predicted the existence of a group of nucleotide sequences (open reading frames, hereinafter "orf") coding for proteins

for DNA replication or other functions.

[0026] In the relevant technical field, "DNA replication" refers to using DNA itself as template to form two double-stranded DNA molecules exactly identical to existing double-stranded DNA (parent DNA). The replication mechanism consists of three stages: initiation from the starting point of replication (replication origin), DNA chain elongation and termination. During replication, a portion of the DNA double strand is unraveled and new DNA strands are synthesized complementary to each single strand. The double strand is unraveled by DNA helicase and helix destabilizing proteins (also known as single-strand DNA-binding protein), and the unraveled portion is referred to as the replication fork. The template DNA in the direction from 3' to 5' toward the replication fork is the "leading strand", and the one in the direction from 5' to 3' is the "lagging strand". DNA polymerase extends the DNA strand in the direction from 5' to 3'. Therefore when the leading strand is the template, DNA is synthesized in the direction of the replication fork. However when the opposite lagging strand is the template, the DNA strand must be extended in the opposite direction from the replication fork. Consequently, replication of the lagging strand is accomplished in fragments of about 200 bases, known as Okazaki fragments. Every approximately 200 bases, RNA primer is used with DNA as template to synthesize 10 bases of RNA in the direction from 5' to 3'. From this RNA as primer, DNA polymerase synthesizes a DNA strand in the direction from 5' to 3' on the lagging strand as template. The replicated DNA fragment of approximately 200 bases then binds to the single-stranded DNA from which RNA is

removed. In this replication mechanism, several proteins including DNA helicase and helix-destabilizing protein work together to form the replicating machinery. Other proteins involved include DNA topoisomerase (which prevents twisting during the DNA replication), replication initiation proteins and replication termination proteins. The DNA replication mechanism is described in detail in, for example, "Saibou no Bunshiseibutsugaku [Molecular Biology of the Cell]", 3rd Edition, translated by Keiko Nakamura et al., pp.251-262, Kyoikusha, 1996.

[0027] Upon analysis of the nucleotide sequences of the plasmids pRET1100 and pRET1000, they were found to include sequences of AT-rich homologous or analogous repeats and a sequence thought to have a DNA secondary structure, i.e. a nucleotide sequence predicted to be a DNA replication region (a nucleotide sequence region recognized by proteins involved in DNA replication or a region including the DNA replication origin), in the vicinity of the aforementioned orf relating to DNA replication.

[0028] DNA replication requires a DNA replication region and a region coding for a protein involved in DNA replication (hereinafter referred to as "DNA replication-related protein"). According to the present invention it is possible to obtain data relating to the nucleotide sequences of these regions for both plasmids pRET1100 and pRET1000.

[0029] First, the nucleotide sequences set forth as SEQ ID NO: 35-37 were identified as DNA replication regions for plasmid pRET1100. As regions coding for proteins related to DNA replication

there were identified the nucleotide sequences set forth as SEQ ID NO: 1-3 (orf1), the nucleotide sequence set forth as SEQ ID NO: 4 (orf2), the nucleotide sequences set forth as SEQ ID NO: 5-16 (orf3), the nucleotide sequences set forth as SEQ ID NO: 17-21 (orf4), the nucleotide sequences set forth as SEQ ID NO: 22-26 (orf5), the nucleotide sequence set forth as SEQ ID NO: 27 or 28 (orf6), the nucleotide sequence set forth as SEQ ID NO: 29 or 30 (orf7), the nucleotide sequence set forth as SEQ ID NO: 31 or 32 (orf8), and the nucleotide sequence set forth as SEQ ID NO: 33 or 34 (orf9).

[0030] Construction of a plasmid capable of DNA replication from pRET1100 requires that the recombinant plasmid have at least one DNA replication region and at least one coding region (orf) for a DNA replication-related protein. Thus, the (recombinant) plasmids of the invention are characterized by comprising at least one DNA replication region and at least one coding region for a DNA replication-related protein. The coding region for a DNA replication-related protein preferably has a nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 1, 4, 14, 17 and 22.

[0031] The region of the nucleotide sequence set forth as SEQ ID NO: 76 has been suggested as a promoter involved in expression of replication-related proteins, and the plasmids of the invention preferably comprise a promoter region having the nucleotide sequence set forth as SEQ ID NO: 76.

[0032] For plasmid construction, the DNA fragments are appropriately selected based on the aforementioned nucleotide

sequence data. The present invention also encompasses derivatives or functional (DNA-replicating) fragments of the plasmids.

[0033] Next, the nucleotide sequences set forth as SEQ ID NO: 70-72 were identified as DNA replication regions for plasmid pRET1000. As regions coding for proteins related to DNA replication there were identified the nucleotide sequences set forth as SEQ ID NO: 38-41 (orf10), the nucleotide sequence set forth as SEQ ID NO: 42 or 43 (orf11), the nucleotide sequence set forth as SEQ ID NO: 44 (orf12), the nucleotide sequence set forth as SEQ ID NO: 45 or 46 (orf13), the nucleotide sequences set forth as SEQ ID NO: 48-50 (orf14), the nucleotide sequence set forth as SEQ ID NO: 51 or 52 (orf15), the nucleotide sequence set forth as SEQ ID NO: 53 or 54 (orf16), the nucleotide sequence set forth as SEQ ID NO: 55 (orf17), the nucleotide sequences set forth as SEQ ID NO: 56-60 (orf18), the nucleotide sequence set forth as SEQ ID NO: 61 (orf19), the nucleotide sequence set forth as SEQ ID NO: 62 (orf20), and the nucleotide sequences set forth as SEQ ID NO: 63-69 (orf21).

[0034] Construction of a plasmid capable of DNA replication from pRET1000 requires that the recombinant plasmid have at least one DNA replication region and at least one coding region (orf) for a DNA replication-related protein. Thus, the (recombinant) plasmids of the invention are characterized by comprising at least one DNA replication region and at least one coding region for a DNA replication-related protein. The coding region for a DNA replication-related protein preferably has a nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 40, 42,

44, 45, 53, 55, 56, 61, 62 and 69.

[0035] The regions with the nucleotide sequences set forth as SEQ ID NO: 67 and 47 are homologous with mobilization proteins, and have been implicated in mobilization. The region with the nucleotide sequence set forth as SEQ ID NO: 75 has been implicated in gene expression of mobilization protein and suggested as a recognition site for an expressed protein. Thus, the plasmids of the invention preferably include mobilization protein regions having the nucleotide sequences set forth as SEQ ID NO: 67 and 47, or include a region involved in mobilization having the nucleotide sequence set forth as SEQ ID NO: 75.

[0036] For plasmid construction, the DNA fragments are appropriately selected based on the aforementioned nucleotide sequence data. The present invention also encompasses derivatives or functional (DNA-replicating) fragments of the plasmids.

[0037] The plasmids or DNA fragments of the invention may also contain nucleotide sequences with a substitution, deletion or insertion of one or a plurality of nucleotides in a DNA replication region, DNA replication-related protein coding region, promoter region, mobilization protein region or mobilization-related region, or a portion thereof, so long as the function of each region is not impaired.

[0038] The shuttle vectors of the invention may be any which comprise a plasmid or DNA fragment having a DNA replication region, DNA replication-related protein coding region, promoter region, mobilization protein region or mobilization-related region, and a DNA region that is replicable in *E. coli*, and which are replicable in the genus

Rhodococcus and *E. coli*, such as those having the nucleotide sequences set forth as SEQ ID NO: 89 to 100. The shuttle vectors of the invention may also have nucleotide sequences with one or a plurality of nucleotide substitutions, deletions or insertions in the aforementioned nucleotide sequences, so long as they are replicable in the genus *Rhodococcus* and *E. coli*.

[0039] The "plurality" referred to above will differ depending on the type of region, and specifically may be 2-1100, preferably 2-800, more preferably 2-300, even more preferably 2-100, yet more preferably 2-20 and most preferably 2-10.

[0040] As a plasmid or DNA fragment having substantially the same nucleotide sequence as the aforementioned DNA replication region, DNA replication-related protein coding region, promoter region, mobilization protein region or mobilization-related region, or a portion thereof, there may be mentioned specifically, a nucleotide sequence which hybridizes with a DNA replication region, DNA replication-related protein coding region, promoter region, mobilization protein region or mobilization-related region, or a portion thereof, under stringent conditions. Here "stringent conditions" are conditions under which specific hybrids are formed and non-specific hybrids are not formed. While it is difficult to precisely quantify the conditions, one example is a set of conditions that permit hybridization of DNA with high homology, such as 80% or greater, preferably 90% or greater or more preferably 95% or greater homology, while not permitting hybridization of DNA with lower homology. More specifically, there may be mentioned hybridization conditions with ordinary Southern

hybridization washing at 60°C, 1xSSC, 0.1% SDS or preferably Southern hybridization washing at 0.1xSSC, 0.1% SDS corresponding salt concentration. When a DNA fragment with a length of approximately 300 bp is used as a portion of the DNA replication region, DNA replication-related protein coding region, promoter region, mobilization protein region or mobilization-related region, the hybridization washing conditions may be 50°C, 2xSSC, 0.1% SDS.

[0041] The aforementioned plasmid or DNA fragment having substantially the same nucleotide sequence as the aforementioned DNA replication region, DNA replication-related protein coding region, promoter region, mobilization protein region or mobilization-related region, or a portion thereof, may be obtained by, for example, modification of a DNA replication region, DNA replication-related protein coding region, promoter region, mobilization protein region or mobilization-related region, or a portion thereof, by site-directed mutagenesis so as to have a substitution, deletion or insertion of nucleotides at a specific site. Such modified DNA may also be obtained by mutation treatment known in the prior art. As mutation treatments there may be mentioned methods of *in vitro* treatment of DNA including a DNA replication region, DNA replication-related protein coding region, promoter region, mobilization protein region or mobilization-related region, or a portion thereof, with hydroxylamine or the like, and methods of treating a microbe possessing the DNA above, such as the genus *Escherichia*, with ultraviolet rays or with a mutagenic agent ordinarily used for mutagenesis such as N-methyl-N'-nitro-N-nitrosoguanidine (NTG) or EMS.

[0042] Nucleotide substitutions, deletions or insertions as mentioned above include those found in naturally occurring mutants or variants due to differences in *Rhodococcus* strains.

[0043] A shuttle vector of the invention includes a DNA fragment (A) as the aforementioned plasmid or portion thereof, and a DNA region (B) which is replicable in *E. coli*. In some cases it is preferred for the shuttle vector to comprise a DNA region including a drug resistance gene. In the relevant technical field, a "shuttle vector" is a vector which comprises the DNA replication mechanism for two different cell types, and preferably also a drug resistance gene or the like as a selective marker, allowing its auto-replication in the two different cell types. The DNA fragment (A) as the aforementioned plasmid or portion thereof is a DNA region that is replicable in the genus *Rhodococcus*. The DNA region (B) which is replicable in *E. coli* may be a full plasmid or a portion thereof, so long as it can be replicated and amplified in *E. coli*. As such DNA regions that are replicable in *E. coli* there may be used, for example, the plasmids pUC18, pHSG299 and pHSG398.

[0044] When the shuttle vector of the invention includes a drug resistance gene, the preferred ones are ampicillin resistance gene, kanamycin resistance gene and chloramphenol resistance gene, but there are no particular restrictions on the manner of drug so long as the gene is expressed in the genus *Rhodococcus* and *E. coli* as hosts and confers drug resistance to the host cells, in order to allow verification of the presence of plasmids in the two genera based on resistance to the drug. Also, a plurality of such drug resistance genes may be used in

combination.

[0045] The shuttle vector preferably contains multiple cloning sites (multicloning sites), and the cloning sites and drug resistance gene may be induced from, for example, an *E. coli* plasmid. That is, a publicly known *E. coli* plasmid such as one listed above may be cleaved with an appropriate restriction endonuclease and a DNA region containing the cloning sites and drug resistance gene constructed and ligated with another DNA fragment (a DNA region which is replicable in the genus *Rhodococcus*).

[0046] As an illustration, outline of shuttle vector constructions is shown in Figs. 3 to 5. The shuttle vectors may be constructed by treating the aforementioned plasmids and *E. coli* plasmids with suitable restriction endonucleases and then ligating them. In this manner, the present inventors constructed 18 shuttle vectors (Table 5) using the *Rhodococcus* plasmids pRET1000, pRET1100 or pRET1200, and the *E. coli* plasmids pUC18, pHSG299 or pHSG398.

[0047] The shuttle vectors of the invention are replicable in the genus *Rhodococcus* and *E. coli* as hosts, and are industrially useful. The *Rhodococcus* and *E. coli* strains transformed by the shuttle vectors of the invention, as well as other microbial transformants, are useful in this way and such transformants are also encompassed by the scope of the invention.

[0048] A vector of the invention is characterized by being constructed using a shuttle vector of the invention. Specifically, it is a vector having target DNA inserted therein which is to be introduced into the shuttle vector of the invention. The DNA to be introduced and

the shuttle vector of the invention are treated with appropriate restriction endonucleases and then ligated them to construct the vector. The vector may then be used to obtain transformants having the desired DNA transferred therein.

[0049] As examples of DNA to be inserted there may be mentioned aminoketone asymmetric reductase genes and coenzyme-regenerating system enzyme genes. Aminoketone asymmetric reductase genes are genes coding for aminoketone asymmetric reductases as described in WO02/070714, and more specifically, DNA coding for a protein comprising the amino acid sequence set forth as SEQ ID NO: 78 (aminoketone asymmetric reductase derived from *R. erythropolis* MAK-34), and particularly DNA comprising the nucleotide sequence set forth as SEQ ID NO: 79. The entirety of the content described in WO02/070714 is incorporated herein by reference.

[0050] An aminoketone asymmetric reductase is any having the properties described in WO02/070714, and includes a protein having the amino acid sequence set forth as SEQ ID NO: 78 of the Sequence Listing, as well as proteins having amino acid sequences obtained by deletion, insertion, substitution or addition of one or more amino acids in the aforementioned amino acid sequence, and exhibiting aminoketone asymmetric reduction activity. Aminoketone asymmetric reduction activity is activity of producing an optically active aminoalcohol represented by general formula (2) above using an α-aminoketone represented by general formula (1) above as the substrate.

[0051] There are no particular restrictions on the methods of deletion, insertion, substitution and addition, and any publicly known

methods may be employed. For example, there may be mentioned the methods described in "Zoku Seikagaku Jikken Kouza 1, Idenshi Kenkyuhou II", edited by the Japanese Biochemical Society, p105 (Hirose, S.), Tokyo Kagaku Dojin (1986); "Shin Seikagaku Jikken Kouza 2, Kakusan III (Recombinant DNA Technology)", edited by the Japanese Biochemical Society, p.233 (Hirose, S.), Tokyo Kagaku Dojin (1992); R.Wu, L. Grossman ed., "Methods in Enzymology", Vol. 154, p.350 & p.367, Academic Press, New York (1987); R.Wu, L. Grossman, ed., "Methods in Enzymology", Vol. 100, p.457 & p.468, Academic Press, New York (1983); J.A. Wells et al., "Gene", Vol. 34, p.315 (1985); T. Grundstroem et al., "Nucleic Acids Res", Vol. 13, p.3305 (1985); J. Taylor et al., "Nucleic Acids Res.", Vol. 13, p.8765 (1985); R.Wu, ed., "Methods in Enzymology", Vol. 155, p.568, Academic Press, New York (1987); and A.R. Oliphant et al., "Gene", Vol.44, p.177 (1986). As specific examples, there may be mentioned the site-directed mutagenesis method (site-specific mutagenesis method) utilizing synthetic oligonucleotides, the Kunkel method, the dNTP[αS] method (Eckstein method), and the region-directed mutagenesis method using sulfurous acid or nitrous acid.

[0052] Sugar chains are attached to the majority of proteins, and substitution of one or a plurality of amino acids can modify the attachment of sugar chains. Thus, the aminoketone asymmetric reductases of the invention also include proteins having the amino acid sequence set forth as SEQ ID NO: 78 of the Sequence Listing and having modifications of sugar chains, so long as they exhibit the aforementioned aminoketone asymmetric reduction activity.

[0053] The aminoketone asymmetric reductases of the invention may also have modifications of their amino acid residues by chemical methods, or their derivatives may be enhanced by modification or partial degradation using peptidase enzymes such as pepsin, chymotrypsin, papain, bromelain, endopeptidase and exopeptidase.

[0054] When the aminoketone asymmetric reductases of the invention are produced by a gene recombinant method, a fusion protein may be expressed and then converted or processed into a protein having biological activity which is substantially equivalent to a natural aminoketone asymmetric reductase either *in vivo* or *ex vivo*. In this case, a fusion production method ordinarily employed for genetic engineering may be used, and the fusion protein may be purified by affinity chromatography or the like, utilizing the fused portion thereof. Modification and enhancement of protein structures may be carried out with reference to "Shin Seikagaku Jikken Kouza 1, Tanpakushitsu VII, Tanpakushitsu Kogaku", edited by the Japanese Biochemical Society, Tokyo Kagaku Dojin (1993), by the methods described therein, the methods described in literature cited therein, or methods which are essentially equivalent thereto.

[0055] The aminoketone asymmetric reductase of the invention may also differ from naturally occurring forms in the identities of one or more of the amino acid residues or in the positions of one or more of the amino acid residues. The present invention also encompasses deletion analogues with deletion of one or more (for example, 1-80, preferably 1-60, more preferably 1-40, even more preferably 1-20 and especially 1-10) amino acid residues, substitution analogues with

substitution of one or more (for example, 1-80, preferably 1-60, more preferably 1-40, even more preferably 1-20 and especially 1-10) amino acid residues or addition analogues with addition of one or more (for example, 1-80, preferably 1-60, more preferably 1-40, even more preferably 1-20 and especially 1-10) amino acid residues peculiar to natural aminoketone asymmetric reductases. Also encompassed are enzymes having the domain structure characteristic of natural aminoketone asymmetric reductases. There may also be mentioned isomers of the aminoketone asymmetric reductases.

[0056] So long as the domain structure characteristic of natural aminoketone asymmetric reductases is maintained, all mutants above are also encompassed among the aminoketone asymmetric reductases of the invention. In addition, it is assumed that enzymes having a primary structural conformation substantially equivalent to natural aminoketone asymmetric reductases of the invention, or a portion thereof, as well as enzymes having biological activity substantially equivalent to natural aminoketone asymmetric reductases, may also be included. Naturally occurring mutants may also be mentioned. The aminoketone asymmetric reductases of the invention may be separated and purified in the manner explained below. The present invention encompasses DNA fragments coding for the aforementioned polypeptides, polypeptides of aminoketone asymmetric reductases having all or some of the natural features, and DNA fragments coding for analogues or derivatives thereof. The nucleotides of the aminoketone asymmetric reductases may be modified (for example, with addition, deletions or substitutions), and such modified forms are

also encompassed by the invention.

[0057] An aminoketone asymmetric reductase gene according to the invention is a nucleic acid coding for any of the aforementioned aminoketone asymmetric reductases. As representative examples there may be mentioned nucleic acid coding for a protein having the amino acid sequence set forth as SEQ ID NO: 78 of the Sequence Listing, and especially nucleic acid having the nucleotide sequence set forth as SEQ ID NO: 79, but since several nucleotide sequences (codons) can code for each amino acid, there exist numerous nucleic acids coding for a protein having the amino acid sequence set forth as SEQ ID NO: 78. Thus, all such nucleic acids are also encompassed among the aminoketone asymmetric reductase genes of the invention. Here, "coding for a protein" means that, when the DNA consists of two strands, one of the two complementary strands has a nucleotide sequence coding for the protein, and therefore the nucleic acids of the invention include nucleic acids comprising nucleotide sequences directly coding for the amino acid sequence set forth as SEQ ID NO: 78 and nucleic acids comprising nucleotide sequences which are complementary thereto. In addition, the aminoketone asymmetric reductase genes of the invention may be nucleic acids which hybridize with nucleic acid comprising a nucleotide sequence complementary to SEQ ID NO: 79 under stringent conditions, and which code for proteins with aminoketone asymmetric reduction activity. Here, "stringent conditions" has the same definition as explained above.

[0058] The coenzyme-regenerating system enzyme gene may be one for various dehydrogenases, specifically, glucose dehydrogenase,

glucose-6-phosphate dehydrogenase, aldehyde dehydrogenases, alcohol dehydrogenases, organic acid dehydrogenases and amino acid dehydrogenases. More specifically, there may be suitably used acetaldehyde dehydrogenase, ethanol dehydrogenase, propanol dehydrogenase, glycerol dehydrogenase, formate dehydrogenase, acetate dehydrogenase, butyrate dehydrogenase, lactate dehydrogenase, maleate dehydrogenase and glutamate dehydrogenase.

[0059] A transformant according to the invention is characterized by comprising the aforementioned vector. The transformant is obtained by introducing the vector into host cells. The vector introduction method may be a publicly known method, such as the calcium phosphate method, lipofection, electroporation, microinjection or the like.

[0060] For example, a transformant of the invention comprising a vector having an aminoketone asymmetric reductase gene inserted therein has aminoketone asymmetric reduction activity, and may be applied for an aminoketone asymmetric reductase production method or optically active aminoalcohol production method as described below.

[0061] The method for production of an aminoketone asymmetric reductase of the invention is characterized by comprising a culturing step in which transformants containing a vector having an aminoketone asymmetric reductase gene inserted therein are cultured in medium which allows growth of the transformants, and a purification step in which the aminoketone asymmetric reductase is purified from the transformants obtained in the culturing step.

[0062] The method for culturing may be a publicly known

method with no particular restrictions so long as it permits growth of the cells used, and ordinarily a liquid medium containing a carbon source, nitrogen source and other nutrients is used. As carbon sources for the medium there may be used any of those that can be utilized by the cells. Specifically, there may be mentioned sugars such as glucose, fructose, sucrose, dextrin, starch and sorbitol, alcohols such as methanol, ethanol and glycerol, organic acids such as fumaric acid, citric acid, acetic acid and propionic acid, and their salts, hydrocarbons such as paraffin, and mixtures thereof. As nitrogen sources there may be used any of those that can be utilized by the cells. Specifically, there may be mentioned ammonium salts of inorganic acids such as ammonium chloride, ammonium sulfate and ammonium phosphate; ammonium salts of organic acids such as ammonium fumarate and ammonium citrate; nitric acid salts such as sodium nitrate and potassium nitrate; and inorganic or organic nitrogenous compounds such as meat extract, yeast extract, malt extract and peptone, as well as mixtures thereof. The medium may also contain appropriately added nutrient sources ordinarily used for culturing, such as inorganic salts, trace metal salts and vitamins. When necessary, there may also be added to the medium substances that promote cell growth and buffering substances effective for maintaining the pH of the medium.

[0063] The culturing of the cells may be carried out under conditions suitable for growth. Specifically, the medium pH may be 3-10, preferably 4-9, and the temperature may be 0-50°C, preferably 20-40°C. The cell culturing may be conducted either under aerobic or anaerobic conditions. The culturing time is preferably 10-150 hours,

but should be appropriately determined for the type of cells used.

[0064] The culture solution of the cells cultured in the manner described above is filtered or centrifuged and the cells are rinsed with water or buffer solution. The rinsed cells are suspended in a suitable amount of buffer solution for disruption of the cells. The method of disruption is not particularly restricted but as examples there may be mentioned mechanical disruption with a mortar, Dynomill, French press, ultrasonic cell disruptor or the like. The aminoketone asymmetric reductase in the cell-free extract obtained by filtration or centrifugation of the solid matter from the cell disruptate is recovered by an ordinary enzyme isolating method.

[0065] There are no particular restrictions on the method for isolation of the enzyme and any publicly known method may be employed, but as examples there may be mentioned purification by salting out such as ammonium sulfate precipitation; gel filtration methods using Sephadex and the like; ion-exchange chromatography methods using carriers with diethylaminoethyl groups or carboxymethyl groups; hydrophobic chromatography using carriers with hydrophobic groups such as butyl, octyl and phenyl; dye gel chromatography methods; electrophoresis methods; dialysis; ultrafiltration methods; affinity chromatography methods; high performance liquid chromatography methods and the like.


[0066] The enzyme may also be used as an immobilized enzyme. There are no particular restrictions on the method and any publicly known method may be employed, among which there may be mentioned immobilization of the enzyme or the enzyme-producing

cells, and the immobilization may be accomplished by a carrier bonding method such as a covalent bonding method or adsorption method, a crosslinking method, entrapment method or the like. A condensing agent such as glutaraldehyde, hexamethylene diisocyanate or hexamethylene diisothiocyanate may also be used if necessary. Other immobilizing methods include: a monomer method in which a monomer is gelled by polymerizing reaction; a prepolymer method in which molecules larger than monomers are polymerized; a polymer method in which a polymer is gelled; immobilization using polyacrylamide; immobilization using natural polymers such as alginic acid, collagen, gelatin, agar and κ-carrageenan; and immobilization using synthetic polymers such as photosetting resins and urethane polymers.

[0067] The enzyme purified in this manner is judged as having been adequately purified if a single band is confirmed in electrophoresis (SDS-PAGE, etc.).

[0068] A method for production of an optically active aminoalcohol according to the invention is characterized to produce an optically active aminoalcohol compound represented by the following general formula (2), which compound exhibits the desired optical activity, by reacting an aminoketone asymmetric reductase obtained by the production method of the invention with an enantiomeric mixture of an α-aminoketone compound represented by the following general formula (1) or a salt thereof.

[Chemical Formula 8]



… (1)

wherein X may be the same or different and represents at least one species selected from the group consisting of halogen, lower alkyl, hydroxyl optionally protected with a protecting group, nitro and sulfonyl;


n represents an integer of 0 to 3;

R^1 represents lower alkyl;

R^2 and R^3 may be the same or different and represent at least one species selected from the group consisting of hydrogen and lower alkyl; and

* represents asymmetric carbon.

[Chemical Formula 9]



… (2)

wherein X, n, R^1, R^2, R^3 and * have the same definitions as above.

[0069] First, the α-aminoketone compound represented by general formula (1) according to the invention will be explained.

[0070] The substituent X is as follows. As the aforementioned halogen there may be mentioned fluorine, chlorine, bromine and iodine.

[0071] As lower alkyl there are preferred C1-6 alkyl, among which there may be mentioned methyl, ethyl, propyl, isopropyl, butyl, isobutyl, s-butyl, t-butyl, pentyl, isopentyl, hexyl and the like. These may have straight-chain or branched structures. As substituents they may contain halogens such as fluorine or chlorine, or hydroxyl, alkyl, amino, alkoxy and the like.

[0072] As protecting groups for hydroxyl optionally protected with a protecting group there may be mentioned groups that can be removed by treatment with water, groups that can be removed by acid or weak base treatment, groups that can be removed by hydrogenation or groups that can be removed with Lewis acid catalysts and thiourea, and such protecting groups include optionally substituted acyl, optionally substituted silyl, alkoxyalkyl, optionally substituted lower alkyl, benzyl, p-methoxybenzyl, 2,2,2-trichloroethoxycarbonyl, allyloxycarbonyl, trityl and the like.

[0073] The aforementioned acyl groups include acetyl, chloroacetyl, dichloroacetyl, pivaloyl, benzoyl, p-nitrobenzoyl and the like. They may contain hydroxyl, alkyl, alkoxy, nitro, halogen and the like as substituents. The aforementioned silyl groups include trimethylsilyl, t-butyldimethylsilyl, triarylsilyl and the like. They may contain alkyl, aryl, hydroxyl, alkoxy, nitro, halogen and the like as substituents. The aforementioned alkoxyalkyl groups include methoxymethyl, 2-methoxyethoxymethyl and the like. The aforementioned lower alkyl include C1-6 alkyl, among which there

may be mentioned methyl, ethyl, propyl, isopropyl, butyl, isobutyl, s-butyl, t-butyl, pentyl, isopentyl, hexyl and the like. These may have straight-chain or branched structures. As substituents they may contain halogen such as fluorine or chlorine, or hydroxyl, alkyl, amino, alkoxy and the like.

[0074] X may be nitro or sulfonyl, and specifically there may be mentioned methylsulfonyl and the like.

[0075] The number "n" for X is an integer of 0-3, and is preferably 0.

[0076] R^1 in general formula (1) above represents lower alkyl. As lower alkyl there are preferred C1-6 alkyl, among which there may be mentioned methyl, ethyl, propyl, isopropyl, butyl, isobutyl, s-butyl, t-butyl, pentyl, isopentyl, hexyl and the like. These may have straight-chain or branched structures.

[0077] Each of R^2 and R^3 represent hydrogen or lower alkyl. The lower alkyl include C1-6 alkyl, among which there may be mentioned methyl, ethyl, propyl, isopropyl, butyl, isobutyl, s-butyl, t-butyl, pentyl, isopentyl, hexyl and the like. These may have straight-chain or branched structures.

[0078] As salts of the aforementioned α-aminoketone compounds there may be mentioned salts of inorganic acids such as hydrochloride, sulfate, nitrate, phosphate and carbonate, and salts of organic acids such as acetic acid and citric acid.

[0079] The α-aminoketone can be easily synthesized by halogenation (for example, bromination) of the α-carbon of a corresponding 1-phenylketone derivative, followed by replacement of

the halogen such as bromine with an amine (Ger. (East), 11, 332, Mar.12, 1956).


[0080] The optically active aminoalcohol represented by general formula (2) above according to the invention will now be explained. In general formula (2), X, n, R^1, R^2, R^3 and * have the same definitions as in general formula (1) above. As β-aminoalcohols having the desired optical activity there may be mentioned (1S, 2S)aminoalcohols. As specific examples of (1S, 2S)aminoalcohols there may be mentioned d-threo-2-methylamino-1-phenylpropanol (d-pseudoephedrine), d-threo-2-dimethylamino-1-phenylpropanol (d-methylpseudoephedrine), (1S, 2S)-α-(1-aminoethyl)-benzyl alcohol (d-norpseudoephedrine), (1S, 2S)-1-(p-hydroxyphenyl)-2-methylamino-1-propanol, (1S, 2S)-α-(1-aminoethyl)-2,5-dimethoxy-benzyl alcohol, (1S, 2S)-1-(m-hydroxyphenyl)-2-amino-1-propanol, (1S, 2S)-1-(p-hydroxyphenyl)-2-amino-1-propanol, (1S, 2S)-1-phenyl-2-ethylamino-1-propanol, (1S, 2S)-1-phenyl-2-amino-1-butanol, (1S, 2S)-1-phenyl-2-methylamino-1-butanol and the like.

[0081] The conditions for reaction of the aminoketone asymmetric reductase are not particularly restricted so long as an optically active aminoalcohol represented by general formula (2) having the desired optical activity is produced, but since the enzyme optimum pH is 8.1 and the optimum temperature is 55°C, the reaction is preferably carried out under conditions of pH 7-9 and 30-65°C temperature.

[0082] A method for production of an optically active aminoalcohol according to the invention is also characterized to


produce an optically active aminoalcohol compound represented by the following general formula (2), which compound exhibits the desired optical activity, by reacting a transformant of the invention with an enantiomeric mixture of an α-aminoketone compound represented by the following general formula (1) or a salt thereof.

[Chemical Formula 10]



... (1)

[Chemical Formula 11]




... (2)

[0083] As the reaction conditions for the reaction described above, for example, the transformants shake cultured in liquid medium may be collected, an aqueous aminoketone solution (0.1-10% concentration) added to the obtained cells, and reaction conducted at a temperature of 20-40°C for a period of several hours to one day while regulating the pH to between 6-8. Upon completion of the reaction, the cells may be separated and the product in the reaction solution isolated to obtain an

optically active aminoalcohol. The reaction may be conducted in the same manner for treated transformant cells (dry cells or immobilized cells) or the enzyme or immobilized enzyme obtained from the transformants.

[0084] In the production method for an optically active aminoalcohol of the invention, the reaction may be carried out with further addition of a compound represented by the following general formula (3) or a pharmaceutically acceptable salt or solvate thereof, for more efficient production of the optically active aminoalcohol.


[Chemical Formula 12]



... (3)

(wherein A represents the following formula (Y) or (Z))

[Chemical Formula 13]




... (Y)

(wherein R^4 represents hydrogen, optionally substituted C1-3 alkyl, a C5-10 hydrocarbon ring which is bonded to R^8 or a 5- to 8-membered

heterocyclic skeleton containing 1-3 heteroatoms which is bonded to R^8)

[Chemical Formula 14]



... (Z)

(wherein R^5 represents hydrogen, C1-3 alkyl or a 5- to 8-membered heterocyclic skeleton containing 1-3 heteroatoms which is bonded to R^6 or R^9, R^6 represents hydrogen, optionally substituted C1-3 alkyl, a C5-10 hydrocarbon ring which is bonded to R^8 or a 5- to 8-membered heterocyclic skeleton containing 1-3 heteroatoms which is bonded to R^5 or R^9, and R^7 represents hydrogen or optionally substituted C1-6 alkyl); R^8 represents hydrogen, carboxyl, optionally substituted C1-6 alkyl, a 5- to 8-membered heterocyclic skeleton containing 1-3 heteroatoms which is bonded to R^4 or a C5-10 hydrocarbon ring which is bonded to R^6; R^9 represents hydrogen, optionally substituted C1-6 alkyl, optionally substituted C1-6 alkyloxycarbonyl, optionally substituted acyl or a 5- to 8-membered heterocyclic skeleton containing 1-3 heteroatoms which is bonded to R^5 or R^6; and R^{10} represents hydrogen or optionally substituted C1-6 alkyl)

[0085] In general formula (3) above, C1-3 alkyl may be straight-chain or branched, and specifically there may be mentioned methyl, ethyl, n-propyl, isopropyl and the like. C1-6 alkyl may be straight-

chain or branched, and specifically there may be mentioned methyl, ethyl, n-propyl, isopropyl, n-butyl, i-butyl, s-butyl, t-butyl, pentyl, hexyl and the like. As C5-10 hydrocarbon rings there may be mentioned cyclopentyl, cyclohexyl, cycloheptyl, cyclooctyl, cyclononyl, cyclodecanyl and the like.

[0086] As heteroatoms for the 5- to 8-membered heterocyclic skeleton containing 1-3 heteroatoms there may be mentioned nitrogen, oxygen, sulfur and the like, among which nitrogen and oxygen are particularly preferred, and as 5- to 8-membered heterocyclic skeletons there may be mentioned pyrrolidine, piperidine, imidazolidine, piperazine, tetrahydrofuran, tetrahydropyran, tetrahydrothiophene, morpholine and the like.

[0087] As C1-6 alkyloxycarbonyl there may be mentioned methyloxycarbonyl, ethyloxycarbonyl, isopropyloxycarbonyl, isobutyloxycarbonyl, t-butyloxycarbonyl and the like. As acyl there may be mentioned formyl, acetyl, propionyl, butyryl, isobutyryl, pivaloyl, benzoyl, valeryl and the like. When the aforementioned C1-3 or C1-6 alkyl, C1-6 alkyloxycarbonyl or acyl have substituents there are no particular restrictions on the types, positions and numbers of substituents, and as examples of substituents there may be mentioned halogen such as fluorine and chlorine, hydroxyl, alkyl, carboxyl, amino, alkoxy, nitro, aryl and the like. As pharmaceutically acceptable salts there may be mentioned salts of inorganic acids such as hydrochloric acid, sulfuric acid, nitric acid and phosphoric acid, salts of organic acids such as acetic acid and citric acid, salts of inorganic bases such as Na, K, Mg, Ca and ammonia, and salts of organic bases such as

triethylamine and cyclohexylamine.

[0088] As examples of compounds represented by general formula (3) above there may be mentioned 1-acetylamino-2-hydroxypropane, 1-methylamino-2-hydroxypropane, 1-amino-2-oxopropane, 1-amino-2-hydroxycyclopentane, 1-amino-2,3-dihydroxypropane, L-threonine, 4-amino-3-hydroxybutanoic acid, 1-amino-2-oxocyclohexane, morpholine, 3-hydroxypyrrolidine, 3-hydroxypiperidine, 2-aminomethyl-tetrahydrofuran, 1-(2-hydroxypropyl)amino-2-hydroxypropane, 1-t-butyloxycarbonylamino-2-hydroxypropane, 2-amino-3-hydroxybutane, DL-serine, 1-amino-2-hydroxypropane, 1-amino-2-hydroxybutane and 1-amino-2-hydroxycyclohexane. Compounds among these having asymmetric carbons may be optically active forms or racemic forms, unless otherwise specified.

[0089] Addition of such activity inducers to the medium can induce cellular activity and thus more efficiently promote production of the optically active β-aminoalcohol than when no such activity inducers are added. The activity inducers may be used alone, or several such activity inducers may be used in admixture. The amount of such activity inducers is preferably 0.01-10 wt% with respect to the medium.

[0090] The reaction method for production of the β-aminoalcohol of the invention is not particularly restricted so long as it is a method in which the cells or the cell-produced enzyme is reacted with an enantiomeric mixture of an α-aminoketone compound represented by general formula (1) above or its salt, to produce the corresponding

optically active β-aminoalcohol compound represented by general formula (2), and the reaction is initiated by mixing the cells rinsed with buffer solution or water with the α-aminoketone aqueous solution used as the starting material.

[0091] The reaction conditions may be selected within a range that does not impede production of the optically active β-aminoalcohol compound represented by general formula (2). The cell volume is preferably 1/100 to 1000-fold and more preferably 1/10 to 100-fold in terms of dry weight with respect to the racemic aminoketone. The concentration of the racemic aminoketone substrate is preferably 0.01-20% and more preferably 0.1-10%. The pH of the reaction solution is preferably 5-9 and more preferably 6-8, and the reaction temperature is preferably 10-50°C and more preferably 20-40°C. The reaction time is preferably 5-150 hours, but this may be appropriately determined depending on the cell type.

[0092] In order to more efficiently promote the reaction, there may be added sugars such as glucose, organic acids such as acetic acid and energy sources such as glycerol. These may be used alone or as mixtures. The amount of addition is preferably 1/100 to 10-fold with respect to the substrate. Coenzymes and the like may also be added. As coenzymes there may be used nicotinamide adenine dinucleotide (NAD), reduced nicotinamide adenine dinucleotide (NADH), nicotinamide adenine dinucleotide phosphate (NADP), reduced nicotinamide adenine dinucleotide phosphate (NADPH) and the like, either alone or in mixtures, added in amounts of preferably 1/1000 to 1/5 with respect to the racemic aminoketone. In addition to such

coenzymes, there may be added coenzyme-regenerating enzymes such as glucose dehydrogenase, in amounts of 1/1000 to 1/5 with respect to the racemic aminoketone. Also, substrates for coenzyme-regenerating enzymes, such as glucose, may be added, in amounts of 1/100 to 10-fold with respect to the racemic aminoketone. There may also be used combinations of sugars such as glucose, organic acids such as acetic acid, energy sources such as glycerol, coenzymes, coenzyme-regenerating enzymes and coenzyme-regenerating enzyme substrates. These usually accumulate in the cells but if necessary they may be added to increase the reaction speed or yield, and therefore may be added as appropriate.

[0093] If the reaction solution is reacted with addition of the specific salts described above under the aforementioned conditions, racemization of the unreacted α-aminoketone isomers will be aided, thus more efficiently promoting conversion to the enantiomer which will serve as the substrate of the cells or cell-produced enzyme. This will tend to yield the target aminoalcohol from the starting material at a high yield of 50% or greater.

[0094] As salts that promote racemization of unreacted α-aminoketones there may be used weak acid salts such as acetate, tartarate, benzoate, citrate, malonate, phosphate, carbonate, paranitrophenol salt, sulfite and borate, but there are preferably used phosphate (for example, sodium dihydrogen phosphate, potassium dihydrogen phosphate, ammonium dihydrogen phosphate), carbonate (for example, sodium carbonate, sodium hydrogen carbonate, potassium carbonate, ammonium carbonate) and citrate (for example,

sodium citrate, potassium citrate, ammonium citrate). Mixtures thereof may also be used, with a buffer solution with a pH of 6.0-8.0 added to a final concentration of preferably 0.01-1 M. In the case of a phosphate, for example, sodium dihydrogen phosphate and sodium monohydrogen phosphate may be mixed in a proportion of between 9:1 and 5:95.

[0095] The optically active α-aminoalcohol produced by the reaction may be purified by ordinary separation and purification means. For example, the optically active β-aminoalcohol may be obtained directly from the reaction solution or after separation of the cells, by being subjected to a common purification process such as membrane separation, extraction with an organic solvent (for example, toluene, chloroform, etc.), column chromatography, vacuum concentration, distillation, crystallization, recrystallization or the like. The optical purity of the produced optically active β-aminoalcohol can be measured by high performance liquid chromatography (HPLC).

Examples

[0096] The present invention will now be explained in greater detail through examples, with the understanding that these examples in no way limit the technical scope of the invention.

[0097] (Example 1) Isolation and purification of plasmids

(1) Method

Rhodococcus strains were inoculated to 5 mL of GPY medium (1% glucose, 0.5% bactopeptone, 0.3% yeast extract) and cultured with shaking at 25°C. After adding 250 μL of a 100 mg/mL ampicillin solution in the logarithmic growth phase, culturing was continued at 25°C for 2 hours with shaking. The cells were harvested by

centrifugation (12 krpm, 5 min), and after removing off the supernatant, they were suspended in 1 mL of 50 mM Tris (pH 7.5), the cells were again harvested by centrifugation (12 krpm, 5 min) and the supernatant was removed off. They were then suspended in 250 μL of a 10 mg/mL lysozyme solution dissolved in TE solution (10 mM Tris (pH 7.5), 1 mM EDTA), and the suspension was allowed to stand at 37°C for 30 minutes. Next, 100 μL of 3 M sodium chloride and 25 μL of 10% SDS were added and the mixture was allowed to stand at -20°C overnight. To the supernatant from centrifugation (12 krpm, 5 min) there were added 0.5 μL each of 50 μg/mL Proteinase K and 50 μg/mL RNase A, and the mixture was allowed to stand at 37°C for 15 minutes. An equivalent of phenol/chloroform/isoamyl alcohol solution was added and centrifugation was performed (12 krpm, 5 min). A 2.5-fold amount of ethanol was added to the supernatant, the mixture was centrifuged (12 krpm, 5 min), and the precipitate was dissolved in 50 μL of sterilized water. Confirmation of plasmids was accomplished by electrophoresis with 0.8% agarose gel and staining with ethidium bromide, followed by UV irradiation.

[0098] (2) Test bacteria strains and results

Throughout the examples, the presence or absence of plasmids was screened from available strains belonging to the genus *Rhodococcus* and its related genus *Mycobacterium* followed the method described in (1) above.

[0099] Table 3 shows the screened strains confirmed to contain plasmids. Specifically, *Rhodococcus erythropolis* (IAM1400, IAM1503, JCM2893, JCM2894 and JCM2895) and *Rhodococcus*

rhodnii (JCM3203) were confirmed to contain plasmids of approximately 5.4 kbp and 5.8 kbp, respectively. These plasmids were designated according to the names listed in Table 3: pRET1100, pRET1200, pRET1300, pRET1400, pRET1500, pRET1600, pRET1700, pRET1800, pRET0500, pRET1000 (see Table 3).

[0100] *R. erythropolis* IAM1400 and IAM1503 are described in "IAM Catalogue of Strains, Third Edition, 2004" published by the Institute of Molecular and Cellular Biosciences, The University of Tokyo, and are available from the institute. Also, *R. erythropolis* JCM2893, JCM2894 and JCM2895 and *R. rhodnii* JCM3203 are described in "JCM Catalogue of Strains, Eighth Edition 2002" published by RIKEN, Japan, and are available from the institute.

[0101] [Table 3]

Strain	No.	Size (kbp)	Name
Rhodococcus erythropolis	IAM 1400	5.4	pRET1100
		5.4	pRET1200
ditto	IAM 1503	5.4	pRET1300
		5.4	pRET1400
ditto	JCM 2893	5.4	pRET1500
		5.4	pRET1600
ditto	JCM 2894	5.4	pRET1700
		5.4	pRET1800
ditto	JCM 2895	5.4	pRET0500
Rhodococcus rhodnii	JCM 3203	5.8	pRET1000

[0102] (Example 2) Identification of restriction endonuclease sites

Various restriction endonucleases were used to determine restriction endonuclease sites, for classification of the plasmids shown in Table 3. Each plasmid was isolated by the method described in

Example 1, and then digested with *EcoR* I, *Hind* III, *Pvu* II, *Sca* I, *Sph* I, *Sma* I, *Sac* I, *Bam*H I and *Kpn* I, and electrophoresed on 0.8% agarose gel for confirmation of the DNA fragments. The size marker used was Loading Quick DNA size Marker λ/*Eco*R I+*Hin*d III double digest (Toyobo). The numbers of sites cleaved by the restriction endonucleases and the sizes of the fragments were determined based on the size marker. The results are shown in Table 4.

[0103] [Table 4]

	R. erythropolis									*R. rhodnii*
	IAM 1400		IAM 1503		JCM 2893		JCM 2894		JCM 2895	JCM 3203
	pRET1100	pRET1200	pRET 1300	pRET 1400	pRET 1500	pRET 1600	pRET 1700	pRET 1800	pRET 0500	pRET1000
*Bam*H I	2(0.4, 5.0)	1(5.4)	same as pRET 1100	same as pRET 1200	same as pRET 1100	same as pRET 1200	same as pRET 1100	same as pRET 1200	same as pRET 1200	2(2.0, 3.8)
*Eco*R I	2(0.3, 5.1)	1(5.4)								0
Hind III	0	0								0
Kpn I	1(5.4)	0								0
Pvu II	1(5.4)	2(0.9, 4.5)								4(0.1, 1.4, 2.0, 2.3)
Sac I	1(5.4)	1(5.4)								3(0.9, 1.0, 3.9)
Sca I	0	0								0
Sph I	0	0								0
Sma I	1(5.4)	2(0.4, 0.5)								4(0.1, 1.2, 1.6, 2.9)

Values in parentheses indicate sizes (kbp)

[0104] Based on the analysis results shown above, the plasmids in Table 3 were classified into three types: plasmids possessing the same restriction endonuclease sites as pRET1100, plasmids possessing the same restriction endonuclease sites as pRET1200, and pRET1000.

[0105] (Example 3) Plasmid sequencing and homology search

As the plasmids were classified into three types, i.e. pRET1000, pRET1100 and pRET1200 based on the results of Example 2, it was attempted to sequence each of the plasmids.

[0106] First, the DNA fragments of the plasmids were cloned for determination of the nucleotide sequences. For *Rhodococcus*

erythropolis (IAM1400), the plasmids (pRET1100, pRET1200) were isolated and digested with *Sma* I and *Sac* I. Upon electrophoresis on 0.8% agarose gel, DNA fragments with sizes of approximately 0.5 kbp, approximately 1.7 kbp, approximately 3.7 kbp and approximately 4.9 kbp were confirmed. The respective DNA fragments were recovered from the agarose gel using a GFX™ PCR DNA and Gel Band Purification Kit (Amersham Bioscience) and used as insert DNA. Separately, pBluescript II KS(-) was used after digesting with *Sma* I alone or with *Sma* I and *Sac* I, as vector DNA. The insert DNA and vector DNA were ligated with Ligation High (Toyobo) and used to transform *E. coli* JM109. The obtained transformants were screened using a GFX Micro Plasmid Prep Kit (Amersham Bioscience) to obtain different clones.

[0107] For *Rhodococcus rhodnii* (JCM3203), the plasmid (pRET1000) was isolated and then digested with *Bam*H I. Upon electrophoresis on 0.8% agarose gel, DNA fragments with sizes of approximately 2.0 kbp and approximately 3.8 kbp were confirmed. The respective DNA fragments were recovered from the gel using the aforementioned Kit and used as insert DNA. The vector DNA used was pBluescript II KS(-) digested with *Bam*H I.

[0108] Determination of the nucleotide sequences of the plasmid inserts was accomplished by the primer walking method. The apparatus used was an ABI PRISM™ 310NT Genetic Analyzer, and the enzyme used was a BigDye Terminator v3.1 Cycle Sequencing Kit (ABI).

[0109] First, P7 (M13 forward, Toyobo) and P8 (M13 reverse,

Toyobo) primers were used for partial decoding of the insert nucleotide sequences. Next, primers were designed within the decoded sequence (using the sequence analyzing software DNASIS Pro; Hitachi Software Corp.), and the designed primers (synthetic oligo DNA) were used for further decoding of the nucleotide sequence. This procedure was repeated until decoding of the entirety of each insert nucleotide sequence. Upon completion of the insert nucleotide sequence decoding, primers were designed for reaction from the ends of each insert to the vector direction in order to analyze how the inserts were linked, and PCR was conducted (using KOD -plus-), using the plasmid isolated from *Rhodococcus erythropolis* (IAM1400) as template. The PCR product was purified using a GFX™ PCR DNA and Gel Band Purification Kit, and sequencing was carried out using the same primers used for PCR, to analyze the arrangement of the inserts.

[0110] The results of sequencing showed that pRET1100 consisted of 5444 bp, with a G+C content of 59%. The full determined nucleotide sequence is set forth as SEQ ID NO: 73 of the Sequence Listing. Plasmid pRET1200 consisted of 5421 bp and had a G+C content of 62%. Plasmid pRET1000 consisted of 5813 bp and had a G+C content of 67%. The full determined nucleotide sequence is set forth as SEQ ID NO: 74 of the Sequence Listing.

[0111] A homology search for the determined nucleotide sequences using DNASIS Pro revealed that pRET1000 and pRET1100 were novel plasmids. On the other hand, pRET1200 had approximately 99.6% homology with pN30 (GenBank accession no. AF312210) (calculated based on pRET1200).

[0112] For pRET1000 and pRET1100, comparison was made with publicly known plasmids based on the determined nucleotide sequences, using DNASIS Pro. As a result, neither of the plasmids were found to have completely matching restriction endonuclease sites with other plasmids.

[0113] (Example 4) Nucleotide sequence analysis

The results of analysis of the nucleotide sequences of pRET1100 and pRET1000 are shown below.

[0114] The following orfs were found in pRET1100:

orf1 (SEQ ID NO: 1, SEQ ID NO: 2 or SEQ ID NO: 3) consisting of the nucleotide sequence from bases 202, 238 or 337 to 480 of the nucleotide sequence set forth as SEQ ID NO: 73;

orf2 (SEQ ID NO: 4) consisting of the nucleotide sequence from bases 477 to 758 of the nucleotide sequence set forth as SEQ ID NO: 73;

orf3 (SEQ ID NO: 5, SEQ ID NO: 6, SEQ ID NO: 7, SEQ ID NO: 8, SEQ ID NO: 9, SEQ ID NO: 10, SEQ ID NO: 11, SEQ ID NO: 12, SEQ ID NO: 13, SEQ ID NO: 14, SEQ ID NO: 15 or SEQ ID NO: 16) consisting of the nucleotide sequence from bases 862, 1294, 1450, 1462, 1486, 1489, 1513, 1630, 1645, 1687, 2224 or 2227 to 2409 of the nucleotide sequence set forth as SEQ ID NO: 73;

orf4 (SEQ ID NO: 17, SEQ ID NO: 18, SEQ ID NO: 19, SEQ ID NO: 20 or SEQ ID NO: 21) consisting of the nucleotide sequence complementary to the nucleotide sequence from bases 1875, 1734, 1701, 1674 or 1581 to 1444 of the nucleotide sequence set forth as SEQ ID NO: 73;

orf5 (SEQ ID NO: 22, SEQ ID NO: 23, SEQ ID NO: 24, SEQ ID NO: 25 or SEQ ID NO: 26) consisting of the nucleotide sequence complementary to the nucleotide sequence from bases 2828, 2792, 2747, 2594 or 2540 to 2406 of the nucleotide sequence set forth as SEQ ID NO: 73;

orf6 (SEQ ID NO: 27 or SEQ ID NO: 28) consisting of the nucleotide sequence from bases 2971 or 3049 to 3306 of the nucleotide sequence set forth as SEQ ID NO: 73;

orf7 (SEQ ID NO: 29 or SEQ ID NO: 30) consisting of the nucleotide sequence complementary to the nucleotide sequence from bases 3577 or 3571 to 3053 of the nucleotide sequence set forth as SEQ ID NO: 73;

orf8 (SEQ ID NO: 31 or SEQ ID NO: 32) consisting of the nucleotide sequence from bases 3339 or 3648 to 3902 of the nucleotide sequence set forth as SEQ ID NO: 73; and

orf9 (SEQ ID NO: 33 or SEQ ID NO: 34) consisting of the nucleotide sequence from bases 4366 or 4477 to 5034 of the nucleotide sequence set forth as SEQ ID NO: 73.

[0115] The following orfs were found in pRET1000:

orf10 (SEQ ID NO: 38, SEQ ID NO: 39, SEQ ID NO: 40 or SEQ ID NO: 41) consisting of the nucleotide sequence complementary to the nucleotide sequence from bases 3350, 3251, 2945 or 2849 to 2412 of the nucleotide sequence set forth as SEQ ID NO: 74;

orf11 (SEQ ID NO: 42 or SEQ ID NO: 43) consisting of the nucleotide sequence complementary to the nucleotide sequence from bases 2365 or 2332 to 2159 of the nucleotide sequence set forth as SEQ

ID NO: 74;

orf12 (SEQ ID NO: 44) consisting of the nucleotide sequence from bases 3197 to 3526 of the nucleotide sequence set forth as SEQ ID NO: 74;

orf13 (SEQ ID NO: 45 or SEQ ID NO: 46) consisting of the nucleotide sequence complementary to the nucleotide sequence from bases 4035 or 3996 to 3679 of the nucleotide sequence set forth as SEQ ID NO: 74;

orf14 (SEQ ID NO: 48, SEQ ID NO: 49 or SEQ ID NO: 50) consisting of the nucleotide sequence from bases 4621, 4654 or 4666 to 4830 of the nucleotide sequence set forth as SEQ ID NO: 74;

orf15 (SEQ ID NO: 51 or SEQ ID NO: 52) consisting of the nucleotide sequence complementary to the nucleotide sequence from bases 5161 or 5062 to 4709 of the nucleotide sequence set forth as SEQ ID NO: 74;

orf16 (SEQ ID NO: 53 or SEQ ID NO: 54) consisting of the nucleotide sequence from bases 2331 or 2334 to 2618 of the nucleotide sequence set forth as SEQ ID NO: 74;

orf17 (SEQ ID NO: 55) consisting of the nucleotide sequence from bases 2907 to 3242 of the nucleotide sequence set forth as SEQ ID NO: 74;

orf18 (SEQ ID NO: 56, SEQ ID NO: 57, SEQ ID NO: 58, SEQ ID NO: 59 or SEQ ID NO: 60) consisting of the nucleotide sequence from bases 1650, 1689, 1713, 1827 or 1875 to 2162 of the nucleotide sequence set forth as SEQ ID NO: 74;

orf19 (SEQ ID NO: 61) consisting of the nucleotide sequence

from bases 1906 to 2169 of the nucleotide sequence set forth as SEQ ID NO: 74;

orf20 (SEQ ID NO: 62) consisting of the nucleotide sequence complementary to the nucleotide sequence from bases 810 to 553 of the nucleotide sequence set forth as SEQ ID NO: 74;

orf21 (SEQ ID NO: 63, SEQ ID NO: 64, SEQ ID NO: 65, SEQ ID NO: 66, SEQ ID NO: 67, SEQ ID NO: 68 or SEQ ID NO: 69) consisting of the nucleotide sequence from bases 117, 147, 306, 456, 5144, 5276 or 5534 to 656 of the nucleotide sequence set forth as SEQ ID NO: 74.

[0116] The DNA replication region of pRET1100 is the region represented by the nucleotide sequence set forth as SEQ ID NO: 35 (from bases 2410 to 3200), the nucleotide sequence set forth as SEQ ID NO: 36 (from bases 1000 to 1500) or the nucleotide sequence set forth as SEQ ID NO: 37 (from bases 5000 to 500). The DNA replication region of pRET1000 is the region represented by the nucleotide sequence set forth as SEQ ID NO: 70 (from bases 3355 to 3507), the nucleotide sequence set forth as SEQ ID NO: 71 (from bases 4290 to 4350) or the nucleotide sequence set forth as SEQ ID NO: 72 (from bases 3570 to 3894).

[0117] The region of the nucleotide sequence from bases 5144 to 656 (SEQ ID NO: 67) and the region of the nucleotide sequence from bases 4381 to 4830 (SEQ ID NO: 47) of the nucleotide sequence of pRET1000 (SEQ ID NO: 74) are homologous with mobilization proteins, suggesting that they are involved in mobilization.

[0118] A DNA secondary structure is predicted for the region of

the nucleotide sequence from bases 4260 to 4339 (SEQ ID NO: 75) of the nucleotide sequence of pRET1000 (SEQ ID NO: 74), and it is presumably involved in expression of the mobilization protein gene or is the recognition site of the expressed protein.

[0119] On the other hand, it was suggested that the region of the nucleotide sequence from bases 761 to 868 (SEQ ID NO: 76) of the nucleotide sequence of pRET1100 (SEQ ID NO: 73) is a promoter involved in expression of a protein related to replication.

[0120] (Example 5) Construction of shuttle vectors

For construction of a shuttle vector between *Rhodococcus* strains and *E. coli*, the *Rhodococcus* plasmids pRET1000, pRET1100 and pRET1200 and the *E. coli* plasmids pUC18, pHSG299 and pHSG398 were used for the following experiment.

[0121] First, DNA fragments were prepared from *R. erythropolis* plasmids. Specifically, plasmids pRET1100 and pRET1200 were obtained from *R. erythropolis* (IAM1400), and then *Alw*44 I was used for digestion of pRET1100 at 37°C for 2 hours and Blunting High (Toyobo) was used for blunting of the ends, while *Bsp*LU11 I was used for digestion of pRET1200 at 48°C for 2 hours and Blunting High (Toyobo) was used for blunting of the ends, to obtain DNA fragments of *R. erythropolis* plasmid. Each of the DNA fragments was dissolved in TE solution.

[0122] For pRET1000, plasmid pRET1000 was obtained from *R. rhodnii* (JCM3203), and then *Drd* I was used for digestion of pRET1000 at 37°C for 2 hours and Blunting High was used for blunting of the ends, to obtain pRET1000 DNA fragments, which were

dissolved in TE solution.

[0123] Next, DNA fragments were prepared from the *E. coli* plasmids. Specifically, pUC18 (containing the ampicillin-resistance gene (Amp^r)) was digested with *Sma* I at 30°C for 2 hours, and pHSG299 (containing the kanamycin-resistance gene (Km^r)) and pHSG398 (containing the chloramphenicol-resistance gene (Cm^r)) were digested with *Hinc* II at 37°C for 2 hours to obtain DNA fragments of *E. coli* plasmid, which were dissolved in TE.

[0124] After ligating the DNA fragments from the *Rhodococcus* and *E. coli* plasmids prepared in the manner described above, they were used for transformation in *E. coli* DH5α, which were plated on LB (1% tryptophan, 0.5% yeast extract, 1% sodium chloride; pH 7.2) agar medium containing 100 μg/mL kanamycin, 100 μg/mL ampicillin or 30 μg/mL chloramphenicol, coated with 30 μL of 0.1 M IPTG (isopropyl-β-galactoside) and 4% X-gal (5-bromo-4-chloro-3-indole-β-D-galactopyranoside) and allowed to stand at 30°C for 60 hours. White colonies were selected from among the appearing colonies, and were cultured with shaking in LB liquid medium containing 100 μg/mL kanamycin, 100 μg/mL ampicillin or 30 μg/mL chloramphenicol, at 30°C for 60 hours. The DNA was purified from the obtained culture solution using a GFX™ Micro Plasmid Prep Kit (Amersham Bioscience, with purification under the manufacturer's specified conditions). The obtained DNA was confirmed by electrophoresis on 0.8% agarose gel. The obtained shuttle vectors are shown in Table 5, and the methods for constructing each of the shuttle vectors using pRET1100 are shown in Figs. 3 to 5.

[0125] [Table 5]

Constructed shuttle vectors	Origin	
	Rhodococcus	*E. coli*
pRET1001, pRET1001Rv	pRET1000	pUC18
pRET1002, pRET1002Rv	pRET1000	pHSG299
pRET1003, pRET1003Rv	pRET1000	pHSG398
pRET1101, pRET1101Rv	pRET1100	pUC18
pRET1102, pRET1102Rv	pRET1100	pHSG299
pRET1103, pRET1103Rv	pRET1100	pHSG398
pRET1201, pRET1201Rv	pRET1200	pUC18
pRET1202, pRET1202Rv	pRET1200	pHSG299
pRET1203, pRET1203Rv	pRET1200	pHSG398

[0126] The shuttle vectors constructed with pRET1100 and pUC18, pHSG299 or pHSG398 were designated respectively as pRET1101 (SEQ ID NO: 89), pRET1102 (SEQ ID NO: 90) or pRET1103 (SEQ ID NO: 91), respectively. Of the shuttle vectors, pRET1101 exhibits ampicillin resistance, pRET1102 exhibits kanamycin resistance and pRET1103 exhibits chloramphenicol resistance. Also, the shuttle vectors pRET1101 to 1103 wherein the *E. coli* gene and pRET1100 were linked in reverse (Rv) were designated respectively as pRET1101Rv (SEQ ID NO: 92), pRET1102Rv (SEQ ID NO: 93) and pRET1103Rv (SEQ ID NO: 94).

[0127] Similarly, the shuttle vectors constructed using pRET1000 and pRET1200 were designated as pRET1001-pRET1003 (SEQ ID NO: 95-SEQ ID NO: 97) and pRET1001Rv-pRET1003Rv (SEQ ID NO: 98-SEQ ID NO: 100), and as pRET1201-pRET1203 and pRET1201Rv-pRET1203Rv (Table 5).

[0128] (Example 6) Examining method of transformation to *R. erythropolis*

The *Rhodococcus-E. coli* shuttle vectors obtained in Example 5 were used for transformation of *R. erythropolis* MAK-34 strain (MAK-34; deposited at the National Institute of Bioscience and Human-Technology, National Institute of Advanced Industrial Science and Technology, Ministry of Economy, Trade and Industry, (currently: International Patent Organism Depositary, National Institute of Advanced Industrial Science and Technology) on February 15, 2001 as FERM BP-7451). Electroporation was investigated as the method of gene transfer.

[0129] First, *R. erythropolis* MAK-34 strain was inoculated to 5 mL of GPY medium and cultured with shaking at 30°C for 36 hours. After seeding 1 mL of culture solution in 100 mL of LB medium, culturing was continued at 200 rpm at 30°C for 10 hours. The cultured cells were harvested by centrifugation (12 krpm, 5 min, 4°C) and the harvested cells were rinsed twice with ultrapurified water. The rinsed cells were harvested by centrifugation (12 krpm, 5 min, 4°C) and suspended in 2.4 mL of a 10% glycerol solution. The suspension was dispensed into 300 µl portions and frozen at -80°C as competent cells.

[0130] A 90 µL portion of the prepared competent cells and a 5 µL portion of the shuttle vector (pRET1001, pRET1002, pRET1003, pRET1101, pRET1102, pRET1103, pRET1201, pRET1202 or pRET1203) were mixed on ice. The mixed solution was gently poured into a 0.1 cm cuvette which had been cooled on ice, and was set in a Gene Pulser II Electroporation System (BIO-RAD). After pulsing at 20 kV/cm, 400 Ω, 25 µF, the mixed solution was added with 300 µL of LB medium immediately and was allowed to stand at 25°C for 3 hours.

[0131] A portion of the cell suspension was plated on an antibiotic-containing LB plate (100 μg/mL kanamycin, 100 μg/mL ampicillin or 30 μg/mL chloramphenicol). As a result, colonies were obtained when using pRET1002, pRET1102 and pRET1202 containing the kanamycin resistance gene. In order to confirm that the obtained colonies contained the plasmids, the plasmids were isolated and all were verified to contain the shuttle vector.

[0132] This suggested that *R. erythropolis* can be transformed by electroporation and that pRET1002, pRET1102 and pRET1202 function as shuttle vectors.

[0133] (Example 7) Obtaining aminoketone asymmetric reductase gene (*mak* gene)

The *mak* gene was isolated from *R. erythropolis* MAK-34 strain for insertion of the *mak* gene into the shuttle vector shown in Fig. 5.

[0134] First, genomic DNA was obtained from *R. erythropolis* MAK-34 strain. After inoculating *R. erythropolis* MAK-34 strain to 5 mL of GPY medium, culturing with shaking was performed at 30°C for 48 hours, and then the culture solution was seeded in 100 mL of GPY medium and subcultured at 200 rpm at 30°C for 10 hours. The genomic DNA was obtained using a Genomic DNA Buffer set and Genomic-tip 500/G (QIAGEN).

[0135] The obtained genomic DNA was used as template for PCR using KOD -plus-. The primers used were MAKF1 (5'-GAATCTTCTCGTTGATGCAGATCAGGTC-3'; SEQ ID NO: 80) and MAKR2 (5'-CTGACTCCGTAGTGTTCTGCCAGTTC-3'; SEQ ID NO: 81), for PCR at an annealing temperature of 68°C and

extension reaction for 1 minute and 50 seconds. The obtained PCR product was subjected to phenol/chloroform treatment and ethanol precipitation, and then mixed with pUC18 that had been digested with *Sma* I for 2 hours at 30°C, and ligated therewith using Ligation High. Competent High (Toyobo) was used for transformation of *E. coli* DH5α, which was then plated on LB agar medium (containing 100 μg/mL ampicillin) that had been coated with 30 μL of 0.1 M IPTG and 4% X-gal, and was allowed to stand at 30°C for 60 hours. White colonies were selected from among the appearing colonies, and were cultured with shaking in LB liquid medium containing 100 μg/mL ampicillin at 30°C for 60 hours. The DNA was purified from the obtained culture solution using a GFX™ Micro Plasmid Prep Kit. The obtained DNA was confirmed by electrophoresis on 0.8% agarose gel. The obtained clone was designated as pMAK-1.

[0136] (Example 8) Construction of expression vector - 1

A promoter and aminoketone asymmetric reductase gene (*mak* gene) were inserted into the shuttle vector shown in Table 5.

[0137] First, an expression vector (without exogenous promoter) containing approximately 400 bp upstream from the *mak* gene was constructed.

[0138] pMAK-1 was digested with *Sma* I at 30°C for 2 hours, and then with *Pst* I at 37°C for 2 hours. The solution was supplied for 0.8% agarose gel electrophoresis. The DNA size marker used was Loading Quick DNA size Marker λ/*Eco*R I+*Hin*d III double digest. After electrophoresis, an approximately 1.4 kbp DNA fragment was purified using a GFX™ PCR DNA and Gel Band Purification Kit, and

used as the insert DNA. On the other hand, the vector used was pRET1102 digested with *Hin*c II and *Pst* I at 37°C for 2 hours. The DNA fragments were ligated with Ligation High and Competent High was used for transformation of *E. coli* DH5α. The cells were plated on LB agar medium containing 100 μg/mL kanamycin and allowed to stand at 30°C for 60 hours.

[0139] The appearing colonies were cultured with shaking on LB liquid medium containing 100 μg/mL kanamycin at 30°C for 60 hours. The DNA was purified from the obtained cultured medium using a GFX™ Micro Plasmid Prep Kit. The obtained DNA was confirmed by 0.8% agarose gel electrophoresis.

[0140] For screening, the obtained DNA without restriction endonuclease treatment and the DNA after digestion with *Pst* I at 37°C for 2 hours were subjected to 0.8% agarose gel electrophoresis, and the target plasmid was obtained based on the size of the DNA. The size marker used was Loading Quick DNA size Marker λ/*Eco*R I+*Hin*d III double digest, pRET1102 and pRET1102 that had been digested with *Pst* I at 37°C for 2 hours. The plasmid obtained in this manner was designated as pRET1104.

[0141] (Example 9) Construction of expression vector - 2

The shuttle vectors were reduced, since reduction of shuttle vectors is effective for expression vector enhancement, gene modification, transformation efficiency improvement and replication in cells.

[0142] First, shuttle vector pRET1102 was reduced. After digesting pRET1102 with *Bam*H I and *Hin*c II for 2 hours, it was

electrophoresed on 0.8% agarose gel and an approximately 2.7 kbp DNA fragment was recovered using a GFX™ PCR DNA and Gel Band Purification Kit to prepare a pRET1102 DNA fragment. The size marker used was Loading Quick DNA size Marker λ/*Eco*R I+*Hin*d III double digest.

[0143] Separately, a DNA fragment replicable in *E. coli* was prepared by digesting pHSG299 with *Bam*H I and *Hin*c II for 2 hours, subjecting it to 0.8% agarose gel electrophoresis, and recovering an approximately 2.7 kbp DNA fragment using a GFX™ PCR DNA and Gel Band Purification Kit.

[0144] The DNA fragments were ligated with Ligation High and Competent High was used for transformation of *E. coli* JM109 cells, which were then plated on LB agar medium, containing 100 μg/mL kanamycin, that had been coated with 30 μL of 0.1 M IPTG and 4% X-gal, and was allowed to stand at 30°C for 48 hours.

[0145] White colonies were selected from among the appearing colonies, and were cultured with shaking in LB liquid medium containing 100 μg/mL kanamycin at 30°C for 48 hours. The DNA was purified from the obtained culture solution using a GFX™ Micro Plasmid Prep Kit. The reduced shuttle vector of pRET1102 obtained in this manner was designated as pRET1123 (approximately 5.3 kbp).

[0146] Next, shuttle vector pRET1202 was reduced. The *Rhodococcus*-derived DNA fragment was prepared by digesting pRET1202 with *Eco*R I for 2 hours and then with *Dra* III for 2 hours, using Blunting High for blunting of the ends, performing 0.8% agarose gel electrophoresis, and then recovering an approximately 3.7 kbp

DNA fragment using a GFX™ PCR DNA and Gel Band Purification Kit. The size marker used was Loading Quick DNA size Marker λ/*Eco*R I+*Hin*d III double digest. The DNA fragment was inserted at the *Hin*c II site of pHSG299. After ligation, Competent High was used for transformation of *E. coli* DH5α, which was then plated on LB agar medium, containing 100 μg/mL kanamycin, that had been coated with 30 μL of 0.1 M IPTG and 4% X-gal, and was allowed to stand at 30°C for 72 hours. White colonies were selected from among the appearing colonies, and were cultured with shaking in LB liquid medium containing 100 μg/mL kanamycin at 30°C for 72 hours. The DNA was purified from the obtained culture solution using a GFX™ Micro Plasmid Prep Kit. When the plasmid obtained by screening was digested with *Sac* I, *Bam*H I, *Pst* I or *Eco*R I for 2 hours, all of the clones had approximately 500 bp clipped at the side of *Eco*R I site of the *Rhodococcus*-derived region. The plasmid was designated as pRET1204 (approximately 5.9 kbp). It was not possible to obtain a clone with no clipping of the genus *Rhodococcus* replication region.

[0147] The shuttle vector pRET1002 was reduced in a similar manner to obtain pRET1006 (approximately 4.9 kbp).

[0148] *R. erythropolis* was transformed with these three reduced plasmids, pRET1006, pRET1123 and pRET1204, and upon confirming the presence or absence of shuttle vector by the method described in Example 6, all the shuttle vectors were detected in the transformed cells. This suggested that the three reduced plasmids pRET1006, pRET1123 and pRET1204 are replicated in *R. erythropolis*.

[0149] (Example 10) Construction of expression vector - 3

An expression vector was constructed by having the mak gene inserted into the shuttle vector constructed in Example 9.

[0150] The *Pst* I site of pRET1123 constructed in Example 9 was deleted for cloning of the promoter in the single step. After digesting pRET1123 with *Pst* I for 2 hours, Blunting High was used for blunting of the ends and Ligation High was used for ligation. The solution was used to transform *E. coli* JM109 using Competent High, and culturing was performed on an LB plate containing 100 μg/mL kanamycin at 30°C for 36 hours. The formed colonies were inoculated on LB liquid medium containing 100 μg/mL kanamycin and cultured at 30°C for 24 hours, and then the DNA was purified using a GFX™ Micro Plasmid Prep Kit to obtain pRET1132.

[0151] The obtained pRET1132 was digested with *Pst* I for 1 hour and then electrophoresed on 0.8% agarose, which resulted in confirming lack of cleavage of pRET1132 by *Pst* I. As controls there were used pRET1123 and pRET1132 not digested with *Pst* I, and pRET1123 digested with *Pst* I.

[0152] (Example 11) Construction of expression vector - 4

A clone was constructed having a promoter and the *mak* gene inserted in the aforementioned shuttle vector.

[0153] A clone was constructed having a *Pst* I site upstream from the *mak* gene, for insertion of a promoter. The procedure was carried out in the following manner to obtain a clone having His-Tag added to the C-terminus of the aminoketone asymmetric reductase. PCR was conducted with KOD -plus- using the pMAK-1 obtained in Example 7 as template, MAKPstF (5'-

GACCACTGCAGATCAATCAACTCTGATGAGGTCC-3'; SEQ ID NO: 82) and MAKHisBglIIR (5'-CGCTTAGATCTCAGTTCGCCGAGCGCCATCGCCG-3'; SEQ ID NO: 83) as primers, with an annealing temperature of 68°C and extension reaction for 1 minute and 50 seconds. A PCR fragment (insert) produced by digesting the obtained PCR product with *Bgl* II at 37°C for 2 hours was ligated with pQE70 (digested with *Sph* I at 37°C for 2 hours, blunted with Blunting High and digested with *Bgl* II at 37°C for 2 hours) using Ligation High, and then Competent High was used for transformation of *E. coli* DH5α cells, which were plated on LB agar medium containing 100 μg/mL ampicillin and allowed to stand at 30°C for 60 hours. The appearing colonies were cultured with shaking on LB liquid medium containing 100 μg/mL ampicillin at 30°C for 60 hours. The DNA was purified using a GFX™ Micro Plasmid Prep Kit. The obtained DNA was confirmed by 0.8% agarose gel electrophoresis.

[0154] For screening, the DNA without restriction endonuclease treatment and the DNA after digestion with *Pst* I and *Bgl* II at 37°C for 2 hours were subjected to 0.8% agarose gel electrophoresis, and the target plasmid was obtained based on the size of the DNA. The plasmid obtained in this manner was designated as pMAK-2. The size marker used was Loading Quick DNA size Marker λ/*Eco*R I+*Hin*d III double digest, pQE70, and pQE70 that had been digested with *Bgl* II at 37°C for 2 hours.

[0155] A clone was constructed by inserting the pRET1200 *repA* promoter (obtained by PCR amplification using as template a clone of pRET1204 wherein the orientation of *repA* encoded by the

Rhodococcus-derived DNA fragment was in the same orientation as the kanamycin resistance gene encoded by pHSG299, and using as primers P1200rep-Pst5195 (5'-AGCCGCTGCAGAAGCAACACCGCATCCGCCCATTG-3'; SEQ ID NO: 84) and P7 (5'-CGCCAGGGTTTTCCCAGTCACGAC-3'; SEQ ID NO: 85), with an annealing temperature of 60°C and extension reaction for 1 minute, followed by digestion with *Eco*R I and *Pst* I at 37°C for 2 hours) at the *Eco*R I-*Pst* I site of pMAK-2 (designated as pMAK-19).

[0156] Next, PCR was conducted with KOD -plus- using as template pMAK-19 and as primers pQE70F1 (5'-GGCGTATCACGAGGCCCTTTCGTCTTCACC-3'; SEQ ID NO: 86) and pQE70R1135Bm (5'-GGTTGGATCCGTCATCACCGAAACGCGCGAGGCAG-3'; SEQ ID NO: 87), with an annealing temperature of 60°C and extension reaction for 3 minutes. The PCR product was purified from the reaction solution by using a GFX™ PCR DNA and Gel Band Purification Kit and after digestion of the purified PCR product with *Eco*R I and *Bam*H I for 2 hours, it was electrophoresed on 0.8% agarose gel and the DNA fragment was purified by using a GFX™ PCR DNA and Gel Band Purification Kit. The DNA fragment was used as an insert DNA.

[0157] Separately, a vector to be used as the expression shuttle vector was obtained by digesting pRET1132 with *Eco*R I and *Bam*H I for 2 hours, subjecting the DNA fragment to 0.8% agarose gel electrophoresis and purifying the DNA fragment by using a GFX™

PCR DNA and Gel Band Purification Kit. After mixing the insert DNA and vector, Ligation High was used for ligating them and Competent High was used for transformation of *E. coli* JM109 cells, which were plated on an LB plate containing 100 μg/mL kanamycin. The obtained colonies were cultured on LB liquid medium containing 100 μg/mL kanamycin, and then the plasmid DNA was recovered by using a GFX™ Micro Plasmid Prep Kit and subjected to 0.8% agarose gel electrophoresis for screening. The size markers used were Loading Quick DNA size Marker λ/*Eco*R I+*Hin*d III double digest and pRET1132. The obtained expression vector was designated as pRET1133.

[0158] Also, pMAK-19 was digested with *Eco*R I and *Hin*d III at 37°C for 2 hours, blunted with Blunting High and subjected to 0.8% agarose gel electrophoresis, and the approximately 1.6 kbp DNA fragment was purified by using a GFX™ PCR DNA and Gel Band Purification Kit. The clone having this fragment inserted at the *Hin*c II site of pRET1102 was designated as pRET1114.

[0159] The pRET1133 promoter was also modified. The *mak* gene-expressing promoter encoded in pRET1133 is the *repA* gene promoter of pRET1200 and has a length of approximately 800 bp, and a plasmid was constructed by having approximately 200 bp clipped off from this promoter. The promoter used for the cloning was prepared by PCR. Plasmid pRET1200 was used as template, P1204rep-Ec2958 (5'-CGCGGAATTCGACCACCACGCACGCACACCGCAC-3'; SEQ ID NO: 88) and P1200rep-Pst5195 (5'-AGCCGCTGCAGAAGCAACACCGCATCCGCCCATTG-3'; SEQ

ID NO: 84) were used as primers, and KOD -plus- was used as the PCR enzyme for PCR at an annealing temperature of 60°C and extension reaction for 50 seconds. The PCR product was purified by using a GFX™ PCR DNA and Gel Band Purification Kit, digested with the restriction endonucleases *Eco*R I and *Pst* I for 2 hours, and subjected to 1.6% agarose gel electrophoresis, and the DNA fragment was purified by using a GFX™ PCR DNA and Gel Band Purification Kit. The DNA fragment was used as the insert DNA. The nucleotide sequence of the promoter region in the DNA fragment is set forth as SEQ ID NO: 77.

[0160] Separately, for the vector, pRET1133 was digested with restriction endonucleases *Eco*R I and *Pst* I for 2 hours and subjected to 0.8% agarose gel electrophoresis, and an approximately 7.2 kbp DNA fragment was purified by using a GFX™ PCR DNA and Gel Band Purification Kit. The size marker used was Loading Quick DNA size Marker λ/*Eco*R I+*Hin*d III double digest.

[0161] The insert DNA and vector obtained in this manner were ligated by using Ligation High, and Competent High was used for transformation of *E. coli* JM109 cells, which were plated on an LB plate containing 100 μg/mL kanamycin. The obtained colonies were cultured on LB liquid medium containing 100 μg/mL kanamycin, and then the plasmid DNA was recovered by using a GFX™ Micro Plasmid Prep Kit and subjected to 0.8% agarose gel electrophoresis for screening. The size markers used were Loading Quick DNA size Marker λ/*Eco*R I+*Hin*d III double digest and pRET1133.

[0162] Also, after digesting the obtained DNA with restriction

endonucleases *Eco*R I and *Pst* I for 2 hours, it was subjected to 1.6% agarose gel electrophoresis and a DNA fragment corresponding to the approximately 600 bp insert DNA was confirmed. The size marker used was a 100 bp DNA Ladder. The expression vector obtained in this manner was designated as pRET1138.

[0163] (Example 12) Preparation of recombinant *R. erythropolis* and measurement of enzyme activity

The aforementioned expression vectors pRET1102, pRET1104, pRET1114 and pRET1138 were used for transformation of *R. erythropolis* MAK-34 strain and *R. erythropolis* JCM2895 (provided by RIKEN Japan), and the enzyme activity was measured. The aminoketone asymmetric reductase purified from MAK-34 strain has the abilities to react with l-2-methylamino-1-phenyl-1-propanone as described in International Patent Publication WO02/070714, and to produce d-(1S, 2S)-pseudoephedrine. It was also reacted with l-2-dimethylaminopropiophenone, 1-amino-2-butanone, etc. and production of each corresponding β-aminoalcohol was confirmed.

[0164] The activity assay was conducted by preparing a reaction solution with a cell density O.D. = 5, 2% glucose and 0.2 M sodium phosphate buffer (pH 6.0), and 3% (1S, 2S)-2-(N-ethylamino)-1-phenyl-1-propanol (EAM) was contained in the reaction as substrate. A synthesis method for EAM is described in J. Am. Chem. Soc., Vol. 50, pp.2287-2292, 1928. The reaction solution was incubated with shaking at 30°C for 16 hours. Confirmation of (1S, 2S)-2-(N-ethylamino)-1-phenyl-1-propanol (EPE), which was β-aminoalcohol as the reaction product, was accomplished by HPLC. The column used

was an Inertsil Ph-3 3.0 × 75 mm, the eluent was aqueous 7% acetonitrile and 0.05 M sodium phosphate buffer (pH 6.0), and the detection was carried out with UV (220 nm).

[0165] The results of the activity assay carried out in this manner are shown in Table 6. The pRET1104-introduced recombinant cells lacking the exogenous promoter region exhibited about the same activity as the pRET1102-introduced recombinant cells lacking the *mak* gene used as the control, and no recombinant enzyme expression was found.

[0166] With transformation of pRET1114 into MAK-34 strain, high specific activity was found compared to pRET1104. This indicated that the pRET1200 *repA* promoter region inserted into the vector functions as a promoter.

[0167] With transformation of pRET1138, the specific activity of the recombinant *R. erythropolis* MAK-34 strain was 37.7 μg/h·mL/O.D. while the specific activity of the recombinant *R. erythropolis* JCM2895 was 34.9 μg/h·mL/O.D., and therefore expression of the enzyme in *R. erythropolis* strain was confirmed.

[0168] [Table 6]

Vector	MAK-34	JCM2895
pRET1102	1.0	1.0
pRET1104	0.7	2.0
pRET1114	17.2	not tested
pRET1138	37.7	34.9

Specific activity (units: μg/h·mL/O.D.)

[0169] (Example 13) Purification of enzyme

The recombinant cells obtained in Example 12 were cultured at

30°C for 4 days in 100 mL of LB medium containing 100 μg/mL kanamycin, the cells were harvested by centrifugation at 12,000 rpm for 5 minutes and the protein having His-tag was purified with The QIAexpressionist Kit (Qiagen). Specifically, the cells were disrupted by ultrasonic treatment, the supernatant was obtained by centrifugation, and the protein was purified with a nickel chelate column. Upon applying the obtained protein to SDS-PAGE, a band of protein, which molecular weight is approximately 28,000, was observed. This molecular weight is roughly equivalent to the molecular weight of the aminoketone asymmetric reductase described in International Patent Publication WO02/070714, thus indicating that the aminoketone asymmetric reductase was produced in the recombinant *Rhodococcus* strains.

[0170] (Example 14) Enzymatic production of β-aminoalcohol

A 0.5 mL portion of reaction solution containing the purified enzyme (0.5 μg/mL) obtained in Example 13, 5 mM NADPH, 120 mM Tris-HCl (pH 7.5) and 5 mM EAM was reacted at 37°C for 16 hours. The substrate and product (EPE) were analyzed by HPLC. The column used was an Inertsil Ph-3 3.0 × 75 mm, the eluent was aqueous 7% acetonitrile and 0.05 M sodium phosphate buffer (pH 6.0), and the detection was carried out with UV (220 nm). The results confirmed production of EPE.

[0171] Similarly, the purified enzyme or the crude enzyme extract obtained from the recombinant cells cultured as described in Example 13 was reacted with 1-2-dimethylaminopropiophenone and 1-amino-2-butanone, etc. and production of the corresponding β-aminoalcohols

was confirmed.

Industrial Applicability

[0172] As explained above, the plasmids and shuttle vectors of the invention are derived from *Rhodococcus* strains (especially *Rhodococcus erythropolis* and *Rhodococcus rhodnii*), and when utilized them for modification of the same bacteria by recombination, they allow creation of bacterial strains that more efficiently produce aminoketone asymmetric reductases. They also permit mass production of useful enzymes including aminoketone asymmetric reductases in transformants.

CLAIMS

1. A DNA fragment having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 70, SEQ ID NO: 71 and SEQ ID NO: 72.

2. A plasmid or a partial DNA fragment thereof, characterized by comprising a DNA replication region having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 70, SEQ ID NO: 71 and SEQ ID NO: 72.

3. A DNA fragment having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 44, SEQ ID NO: 45, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 56, SEQ ID NO: 61, SEQ ID NO: 62 and SEQ ID NO: 69.

4. A plasmid or a partial DNA fragment thereof, characterized by comprising a coding region for a DNA replication-related protein having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 44, SEQ ID NO: 45, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 56, SEQ ID NO: 61, SEQ ID NO: 62 and SEQ ID NO: 69.

5. A plasmid or a partial DNA fragment thereof, characterized by comprising a coding region for a DNA replication-related protein having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 44, SEQ ID NO: 45, SEQ ID NO: 53,

SEQ ID NO: 55, SEQ ID NO: 56, SEQ ID NO: 61, SEQ ID NO: 62 and SEQ ID NO: 69 and comprising a DNA replication region having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 70, SEQ ID NO: 71 and SEQ ID NO: 72.

6. A plasmid or a partial DNA fragment thereof, characterized by comprising a coding region for a DNA replication-related protein having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 40, SEQ ID NO: 42, SEQ ID NO: 44, SEQ ID NO: 45, SEQ ID NO: 53, SEQ ID NO: 55, SEQ ID NO: 56, SEQ ID NO: 61, SEQ ID NO: 62, and SEQ ID NO: 69, comprising a DNA replication region having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 70, SEQ ID NO: 71 and SEQ ID NO: 72.

7. A DNA fragment having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 67 and SEQ ID NO: 47.

8. A plasmid or a partial DNA fragment thereof, characterized by comprising a mobilization protein region having at least one nucleotide sequence selected from the group consisting of the nucleotide sequences set forth as SEQ ID NO: 67 and SEQ ID NO: 47.

9. A DNA fragment having the nucleotide sequence set forth as SEQ ID NO: 75.

10. A plasmid or a partial DNA fragment thereof, characterized by

comprising a mobilization-related region having the nucleotide sequence set forth as SEQ ID NO: 75.

11. A circular plasmid characterized by comprising a plasmid or DNA fragment according to any one of claims 1 to 10, wherein the numbers of restriction endonuclease cleavage sites are *Bam*H I: 2, *Pvu* II: 4, *Sac* I: 3and *Sma* I: 4, and the size is approximately 5.8 kbp.

12. A plasmid having the nucleotide sequence set forth as SEQ ID NO: 74.

13. A plasmid or a DNA fragment according to any one of claims 1 to 12, characterized by being derived from a bacterium belonging to the genus Rhodococcus.

14. A shuttle vector replicable in bacteria belonging to the genus *Rhodococcus* and *E. coli*, and comprising a plasmid or partial DNA fragment thereof according to any one of claims 1 to 13 and a DNA region replicable in *E. coli*.

15. A vector characterized by being constructed using a shuttle vector according to claim 14.

16. A vector according to claim 15, characterized by having inserted therein an aminoketone asymmetric reductase gene.

17. A vector according to claim 16, characterized in that the aminoketone asymmetric reductase gene is a nucleic acid coding for a protein consisting the amino acid sequence set forth as

SEQ ID NO: 78, or a nucleic acid that codes for a protein having the ammo acid sequence set forth as SEQ ID NO: 78 with a deletion, insertion, substitution or addition of one or a plurality of amino acids, and having aminoketone asymmetric reduction activity.

18. A vector according to claim 16, characterized in that the aminoketone asymmetric reductase gene is a nucleic acid consisting the nucleotide sequence set forth as SEQ ID NO: 79, or a nucleic acid that hybridizes with nucleic acid having a nucleotide sequence complementary to the nucleotide set forth as SEQ ID NO: 79 under stringent conditions, and that codes for a protein having aminoketone asymmetric reduction activity.

19. A transformant containing a vector according to claim 15.

20. A transformant containing a vector according to any one of claims 16 to 18.


21. A method for production of an aminoketone asymmetric reductase, which comprises a culturing step in which a transformant according to claim 20 is cultured in medium that allows growth of said transformant, and

a purification step in which the aminoketone asymmetric reductase is purified from said transformant obtained in said culturing step.

22. A method for production of an optically active aminoalcohol, wherein an aminoketone asymmetric reductase obtained by the production method of claim 21 is reacted with an enantiomeric mixture

of an α–aminoketone compound represented by the following general formula (1):

[Chemical Formula 1]



... (1)

wherein X may be the same or different and represents at least one species selected from the group consisting of halogen, lower alkyl, hydroxyl optionally protected with a protecting group, nitro and sulfonyl;

n represents an integer of 0 to 3;


R^1 represents lower alkyl;

R^2 and R^3 may be the same or different and represent at least one species selected from the group consisting of hydrogen and lower alkyl; and

* represents asymmetric carbon,

or a salt thereof, to produce an optically active aminoalcohol compound represented by the following general formula (2):

[Chemical Formula 2]




... (2)

wherein X, n, R^1 , R^2 , R^3 and * have the same definitions as above, and having the desired optical activity.

23. A method for production of an optically active aminoalcohol, wherein a transformant according to claim 20 is reacted with an enantiomeric mixture of an α-aminoketone compound represented by the following general formula (1):

[Chemical Formula 3]



... (1)

wherein X may be the same or different and represents at least one species selected from the group consisting of halogen, lower alkyl, hydroxyl optionally protected with a protecting group, nitro and sulfonyl;

n represents an integer of 0 to 3;


R^1 represents lower alkyl;

R^2 and R^3 may be the same or different and represent at least one species selected from the group consisting of hydrogen and lower alkyl; and

* represents asymmetric carbon,

or a salt thereof, to produce an optically active aminoalcohol compound represented by the following general formula (2):

[Chemical Formula 4]




... (2)

wherein X, n, R^1, R^2, R^3 and * have the same definitions as above, and having the desired optical activity.

24. A production method for an optically active aminoalcohol according to claim 23, wherein the production method for the optically active aminoalcohol is carried out with further addition of a compound represented by the following general formula (3):


[Chemical Formula 5]



... (3)

wherein A represents the following formula (Y) or (Z):


[Chemical Formula 6]



... (Y)

wherein R^4 represents hydrogen, optionally substituted Cl-3 alkyl, a C5-10 hydrocarbon ring which is bonded to R^8 or a 5- to 8-membered heterocyclic skeleton containing 1-3 heteroatoms which is bonded to R^8,

[Chemical Formula 7]



... (Z)

wherein R^5 represents hydrogen, Cl-3 alkyl or a 5- to 8-membered heterocyclic skeleton containing 1-3 heteroatoms which is bonded to R^6 or R^9;

R^6 represents hydrogen, optionally substituted Cl-3 alkyl, a C5-10 hydrocarbon ring which is bonded to R8 or a 5- to 8-membered heterocyclic skeleton containing 1-3 heteroatoms which is bonded to R^5 or R^9;

R^7 represents hydrogen or optionally substituted Cl-6 alkyl;

R^8 represents hydrogen, carboxyl, optionally substituted Cl-6 alkyl, a 5- to 8-membered heterocyclic skeleton containing 1-3 heteroatoms which is bonded to R^4 or a C5-10 hydrocarbon ring which is bonded to R^6;

R^9 represents hydrogen, optionally substituted Cl-6 alkyl, optionally substituted Cl-6 alkyloxycarbonyl, optionally substituted acyl or a 5- to 8-membered heterocyclic skeleton containing 1-3 heteroatoms which is bonded to R^5 or R^6;

and

R^{10} represents hydrogen or optionally substituted Cl-6 alkyl,

or a pharmaceutically acceptable salt or solvate thereof, for production of an optically active aminoalcohol.

SEQUENCE LISTING

<110> Daiichi Fine Chemical Co., Ltd.

<120> Novel plasmids and their uses

<130> FP04-0397

<150> JP 2003-373476
<151> 2003-10-31

<160> 100

<170> PatentIn version 3.1

<210> 1
<211> 279
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 202bp to 480bp pRET1100

<400> 1
atgactctga gggtggacga accggagtcg gtgagaatgc ttcatccgag cgcttccccg 60

gaagactgtg ccctggtcga gaccttcaag cctggtacct gccttttcga gaagccagga 120

gaaggccggc agattatgcg atgcgacttt gtcggcgagt acgggagata tgcgcgagcc 180

atcgagtctt cggatctgcg ttttctcgcc accctccagc aagaccaggc ccaacgcgaa 240

ttcttcgctg aggagttcgg tgtggtggat ccgtcatga 279

<210> 2
<211> 243
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 238bp to 480bp pRET1100

<400> 2
atgcttcatc cgagcgcttc cccggaagac tgtgccctgg tcgagacctt caagcctggt 60

acctgccttt tcgagaagcc aggagaaggc cggcagatta tgcgatgcga ctttgtcggc 120

gagtacggga gatatgcgcg agccatcgag tcttcggatc tgcgttttct cgccaccctc 180

cagcaagacc aggcccaacg cgaattcttc gctgaggagt tcggtgtggt ggatccgtca 240

tga 243

<210> 3
<211> 144
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 337bp to 480bp pRET1100

<400> 3
atgcgatgcg actttgtcgg cgagtacggg agatatgcgc gagccatcga gtcttcggat 60

ctgcgttttc tcgccaccct ccagcaagac caggcccaac gcgaattctt cgctgaggag 120

ttcggtgtgg tggatccgtc atga 144

<210> 4
<211> 282
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 477bp to 758bp pRET1100

<400> 4
atgactggac cacaggagag aaagcgcaag gcggcgaagc cgtcgcggga gcctcagttg 60

aactgctgtg aagcggacgt gccgaaacga gcaaaacagc ccccggttcc ctctacgttc 120

gacctgctca cggtgaagga gactgcgggg ctgctgagag tcagtcaggc aactctttac 180

cggctgcttc ggagtgggga aggacccaca tacacacgga tcggtggaca gatacgcgtt 240

caccgcgagt cgctgcgtcg gttcatcgaa ccgcgtggat aa 282

<210> 5
<211> 1548
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 862bp to 2409bp pRET1100

<400> 5
atgcacttcc acgataacgc agaggtcgga caagagggaa gaactgccgt tctctcgccg 60

ttgcgcggcg tagccgccaa gcgggacgtg tctgacgatg cagcgaagcg gagtcggcag 120

gcgcggcacg cgcctgggct tgttacatct gccacaactg tccgtgaatc tctgccagct 180

cctgaaaccg ctggtcaggg ccttgcggaa tccgtgaccg ctgatgattt ttggtctcat 240

tcgttccccc gcgctgacga tgtacgcggc gcagctgctt ccttccagtc ggtggctaac 300

tgggatgggc gtgagggtcc gaggccgcgt ttcgttgtcg cgcctggcgt tgtccgcttg 360

gaggtttgtg atctcgcacg ccgcgaacga acggctgaac gtgcgtatct ggctgctcgg 420

gctcgggtgg atatggcggc tgccaggcat aactcgccgt acgacttcga cgtggacgat 480

gaagagttgg cggaactggc ttctctgcaa ggcctcgagg acgacgacat tgggggctgg 540

tctgcggaga gggaaatagt gggctggtct gctcgttctc ggtcacggat gatcttgcga 600

atggcagaac tcgactgggc tcccatgatg gatttgccgg gcattcctgc gatggtgacc 660

ctcacctatc cgggggactg gcttacggtt gcccccaccg gcgctgaggt caaaaaacat 720

ctccagacgt tcttcaaacg gttccaacgg gcctggggca ttgcctggat gggtgcgtgg 780

aaaatggagt tccaaagccg aggcgctccg cattttcacc tgtacatggt ccctcctcat 840

gggaaggcag gagactcgcg gaagctgcgg catgatgctg agctcttgaa atgggagata 900

gcacgtgcag agggtgaaga cccaggtcgc aggccgtatt tccgggaagc tccaagcgat 960

ggattgaagt ttcgtccgtg gctttctgcg gtgtgggccg acgtcgtaga tcatccggac 1020

cccaaggaaa aagaaaagca cgtcagtgcc ggcactggag tggactacgc ggagggcacg 1080

cgagggtcag atccgaaaag gcttgcggtg tacttctcca agcatggaac ctttgccgac 1140

aaggaatatc agcacgtagt tcctgctcaa tggcagaaaa cgggtgcggg acctggcagg 1200

ttctggggct accgcggttt gtcgccggcc acggctgcca ccgagatttc ctgggatgag 1260

tacctgcttt tatctcgcac gttgcgacga ttgtcagcgc gaacgaagat ctgggacccg 1320

gctttacgag gcggtagcgg cggccacaga tggactaagg cgatgatgcg acgcacggtt 1380

acccggcacc gcttggacct cgtgaccggt gagattctgg gcacgaagac gcggaaggtt 1440

cgggcgccag tgaagaggtt tgtccggact tcgggatacc tgtgtgtcaa tgacgggccc 1500

gcactggctc gaaccctcag ccgtcttcgt acaagctgcc tgagctag 1548

<210> 6
<211> 1116
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 1294bp to 2409bp pRET1100

<400> 6

atggcggctg ccaggcataa ctcgccgtac gacttcgacg tggacgatga agagttggcg 60

gaactggctt ctctgcaagg cctcgaggac gacgacattg ggggctggtc tgcggagagg 120

gaaatagtgg gctggtctgc tcgttctcgg tcacggatga tcttgcgaat ggcagaactc 180

gactgggctc ccatgatgga tttgccgggc attcctgcga tggtgaccct cacctatccg 240

ggggactggc ttacggttgc ccccaccggc gctgaggtca aaaaacatct ccagacgttc 300

ttcaaacggt tccaacgggc ctggggcatt gcctggatgg gtgcgtggaa aatggagttc 360

caaagccgag gcgctccgca ttttcacctg tacatggtcc ctcctcatgg gaaggcagga 420

gactcgcgga agctgcggca tgatgctgag ctcttgaaat gggagatagc acgtgcagag 480

ggtgaagacc caggtcgcag gccgtatttc cgggaagctc caagcgatgg attgaagttt 540

cgtccgtggc tttctgcggt gtgggccgac gtcgtagatc atccggaccc caaggaaaaa 600

gaaaagcacg tcagtgccgg cactggagtg gactacgcgg agggcacgcg agggtcagat 660

ccgaaaaggc ttgcggtgta cttctccaag catggaacct ttgccgacaa ggaatatcag 720

cacgtagttc ctgctcaatg gcagaaaacg ggtgcgggac ctggcaggtt ctggggctac 780

cgcggtttgt cgccggccac ggctgccacc gagatttcct gggatgagta cctgctttta 840

tctcgcacgt tgcgacgatt gtcagcgcga acgaagatct gggacccggc tttacgaggc 900

ggtagcggcg gccacagatg gactaaggcg atgatgcgac gcacggttac ccggcaccgc 960

ttggacctcg tgaccggtga gattctgggc acgaagacgc ggaaggttcg ggcgccagtg 1020

aagaggtttg tccggacttc gggatacctg tgtgtcaatg acgggcccgc actggctcga 1080

accctcagcc gtcttcgtac aagctgcctg agctag 1116

<210> 7
<211> 960
<212> DNA
<213> Rhodocuccus erythropolis

<220>
<221> misc_feature
<223> 1450bp to 2409bp pRET1100

<400> 7
atgatcttgc gaatggcaga actcgactgg gctcccatga tggatttgcc gggcattcct 60

gcgatggtga ccctcaccta tccgggggac tggcttacgg ttgcccccac cggcgctgag 120

gtcaaaaaac atctccagac gttcttcaaa cggttccaac gggcctgggg cattgcctgg 180

atgggtgcgt ggaaaatgga gttccaaagc cgaggcgctc cgcattttca cctgtacatg 240

gtccctcctc atgggaaggc aggagactcg cggaagctgc ggcatgatgc tgagctcttg 300

aaatgggaga tagcacgtgc agagggtgaa gacccaggtc gcaggccgta tttccgggaa 360

gctccaagcg atggattgaa gtttcgtccg tggctttctg cggtgtgggc cgacgtcgta 420

gatcatccgg accccaagga aaaagaaaag cacgtcagtg ccggcactgg agtggactac 480

gcggagggca cgcgagggtc agatccgaaa aggcttgcgg tgtacttctc caagcatgga 540

acctttgccg acaaggaata tcagcacgta gttcctgctc aatggcagaa aacgggtgcg 600

ggacctggca ggttctgggg ctaccgcggt ttgtcgccgg ccacggctgc caccgagatt 660

tcctgggatg agtacctgct tttatctcgc acgttgcgac gattgtcagc gcgaacgaag 720

atctgggacc cggctttacg aggcggtagc ggcggccaca gatggactaa ggcgatgatg 780

cgacgcacgg ttacccggca ccgcttggac ctcgtgaccg gtgagattct gggcacgaag 840

acgcggaagg ttcgggcgcc agtgaagagg tttgtccgga cttcgggata cctgtgtgtc 900

aatgacgggc ccgcactggc tcgaaccctc agccgtcttc gtacaagctg cctgagctag 960

<210> 8
<211> 948
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 1462bp to 2409bp pRET1100

<400> 8
atggcagaac tcgactgggc tcccatgatg gatttgccgg gcattcctgc gatggtgacc 60

ctcacctatc cgggggactg gcttacggtt gcccccaccg gcgctgaggt caaaaaacat 120

ctccagacgt tcttcaaacg gttccaacgg gcctggggca ttgcctggat gggtgcgtgg 180

aaaatggagt tccaaagccg aggcgctccg cattttcacc tgtacatggt ccctcctcat 240

gggaaggcag gagactcgcg gaagctgcgg catgatgctg agctcttgaa atgggagata 300

gcacgtgcag agggtgaaga cccaggtcgc aggccgtatt tccgggaagc tccaagcgat 360

ggattgaagt ttcgtccgtg gctttctgcg gtgtgggccg acgtcgtaga tcatccggac 420

cccaaggaaa aagaaaagca cgtcagtgcc ggcactggag tggactacgc ggagggcacg 480

cgagggtcag atccgaaaag gcttgcggtg tacttctcca agcatggaac ctttgccgac 540

aaggaatatc agcacgtagt tcctgctcaa tggcagaaaa cgggtgcggg acctggcagg 600

ttctggggct accgcggttt gtcgccggcc acggctgcca ccgagatttc ctgggatgag 660

tacctgcttt tatctcgcac gttgcgacga ttgtcagcgc gaacgaagat ctgggacccg 720

gctttacgag gcggtagcgg cggccacaga tggactaagg cgatgatgcg acgcacggtt 780

acccggcacc gcttggacct cgtgaccggt gagattctgg gcacgaagac gcggaaggtt 840

cgggcgccag tgaagaggtt tgtccggact tcgggatacc tgtgtgtcaa tgacgggccc 900

gcactggctc gaaccctcag ccgtcttcgt acaagctgcc tgagctag 948

<210> 9
<211> 924
<212> DNA
<213> Rhodoccus erythropolis

<220>
<221> misc_feature
<223> 1486bp to 2409bp pRET1100

<400> 9
atgatggatt tgccgggcat tcctgcgatg gtgaccctca cctatccggg ggactggctt 60

acggttgccc ccaccggcgc tgaggtcaaa aaacatctcc agacgttctt caaacggttc 120

caacgggcct ggggcattgc ctggatgggt gcgtggaaaa tggagttcca aagccgaggc 180

gctccgcatt ttcacctgta catggtccct cctcatggga aggcaggaga ctcgcggaag 240

ctgcggcatg atgctgagct cttgaaatgg gagatagcac gtgcagaggg tgaagaccca 300

ggtcgcaggc cgtatttccg ggaagctcca agcgatggat tgaagtttcg tccgtggctt 360

tctgcggtgt gggccgacgt cgtagatcat ccggacccca aggaaaaaga aaagcacgtc 420

agtgccggca ctggagtgga ctacgcggag ggcacgcgag ggtcagatcc gaaaaggctt 480

gcggtgtact tctccaagca tggaaccttt gccgacaagg aatatcagca cgtagttcct 540

gctcaatggc agaaaacggg tgcgggacct ggcaggttct ggggctaccg cggtttgtcg 600

ccggccacgg ctgccaccga gatttcctgg gatgagtacc tgcttttatc tcgcacgttg 660

cgacgattgt cagcgcgaac gaagatctgg gacccggctt tacgaggcgg tagcggcggc 720

cacagatgga ctaaggcgat gatgcgacgc acggttaccc ggcaccgctt ggacctcgtg 780

accggtgaga ttctgggcac gaagacgcgg aaggttcggg cgccagtgaa gaggtttgtc 840

cggacttcgg gatacctgtg tgtcaatgac gggcccgcac tggctcgaac cctcagccgt 900

cttcgtacaa gctgcctgag ctag 924

<210> 10
<211> 921
<212> DNA

<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 1489bp to 2409bp pRET1100

<400> 10
atggatttgc cgggcattcc tgcgatggtg accctcacct atccggggga ctggcttacg 60

gttgccccca ccggcgctga ggtcaaaaaa catctccaga cgttcttcaa acggttccaa 120

cgggcctggg gcattgcctg gatgggtgcg tggaaaatgg agttccaaag ccgaggcgct 180

ccgcattttc acctgtacat ggtccctcct catgggaagg caggagactc gcggaagctg 240

cggcatgatg ctgagctctt gaaatgggag atagcacgtg cagagggtga agacccaggt 300

cgcaggccgt atttccggga agctccaagc gatggattga agtttcgtcc gtggctttct 360

gcggtgtggg ccgacgtcgt agatcatccg gaccccaagg aaaaagaaaa gcacgtcagt 420

gccggcactg gagtggacta cgcggagggc acgcgagggt cagatccgaa aaggcttgcg 480

gtgtacttct ccaagcatgg aacctttgcc gacaaggaat atcagcacgt agttcctgct 540

caatggcaga aaacgggtgc gggacctggc aggttctggg gctaccgcgg tttgtcgccg 600

gccacggctg ccaccgagat ttcctgggat gagtacctgc ttttatctcg cacgttgcga 660

cgattgtcag cgcgaacgaa gatctgggac ccggctttac gaggcggtag cggcggccac 720

agatggacta aggcgatgat gcgacgcacg gttacccggc accgcttgga cctcgtgacc 780

ggtgagattc tgggcacgaa gacgcggaag gttcgggcgc cagtgaagag gtttgtccgg 840

acttcgggat acctgtgtgt caatgacggg cccgcactgg ctcgaaccct cagccgtctt 900

cgtacaagct gcctgagcta g 921

<210> 11
<211> 897
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 1513bp to 2409bp pRET1100

<400> 11
atggtgaccc tcacctatcc gggggactgg cttacggttg cccccaccgg cgctgaggtc 60

aaaaaacatc tccagacgtt cttcaaacgg ttccaacggg cctggggcat tgcctggatg 120

ggtgcgtgga aaatggagtt ccaaagccga ggcgctccgc attttcacct gtacatggtc 180

cctcctcatg ggaaggcagg agactcgcgg aagctgcggc atgatgctga gctcttgaaa 240

tgggagatag cacgtgcaga gggtgaagac ccaggtcgca ggccgtattt ccgggaagct 300

ccaagcgatg gattgaagtt tcgtccgtgg ctttctgcgg tgtgggccga cgtcgtagat 360

catccggacc ccaaggaaaa agaaaagcac gtcagtgccg gcactggagt ggactacgcg 420

gagggcacgc gagggtcaga tccgaaaagg cttgcggtgt acttctccaa gcatggaacc 480

tttgccgaca aggaatatca gcacgtagtt cctgctcaat ggcagaaaac gggtgcggga 540

cctggcaggt tctggggcta ccgcggtttg tcgccggcca cggctgccac cgagatttcc 600

tgggatgagt acctgctttt atctcgcacg ttgcgacgat tgtcagcgcg aacgaagatc 660

tgggacccgg ctttacgagg cggtagcggc ggccacagat ggactaaggc gatgatgcga 720

cgcacggtta cccggcaccg cttggacctc gtgaccggtg agattctggg cacgaagacg 780

cggaaggttc gggcgccagt gaagaggttt gtccggactt cgggatacct gtgtgtcaat 840

gacgggcccg cactggctcg aaccctcagc cgtcttcgta caagctgcct gagctag 897

<210> 12
<211> 780
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 1630bp to 2409bp pRET1100

<400> 12
atgggtgcgt ggaaaatgga gttccaaagc cgaggcgctc cgcattttca cctgtacatg 60

gtccctcctc atgggaaggc aggagactcg cggaagctgc ggcatgatgc tgagctcttg 120

aaatgggaga tagcacgtgc agagggtgaa gacccaggtc gcaggccgta tttccgggaa 180

gctccaagcg atggattgaa gtttcgtccg tggctttctg cggtgtgggc cgacgtcgta 240

gatcatccgg accccaagga aaaagaaaag cacgtcagtg ccggcactgg agtggactac 300

gcggagggca cgcgagggtc agatccgaaa aggcttgcgg tgtacttctc caagcatgga 360

acctttgccg acaaggaata tcagcacgta gttcctgctc aatggcagaa aacgggtgcg 420

ggacctggca ggttctgggg ctaccgcggt ttgtcgccgg ccacggctgc caccgagatt 480

tcctgggatg agtacctgct tttatctcgc acgttgcgac gattgtcagc gcgaacgaag 540

atctgggacc cggctttacg aggcggtagc ggcggccaca gatggactaa ggcgatgatg 600

cgacgcacgg ttacccggca ccgcttggac ctcgtgaccg gtgagattct gggcacgaag 660

acgcggaagg ttcgggcgcc agtgaagagg tttgtccgga cttcgggata cctgtgtgtc 720

aatgacgggc ccgcactggc tcgaaccctc agccgtcttc gtacaagctg cctgagctag 780

<210> 13
<211> 765
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 1645bp to 2409bp pRET1100

<400> 13
atggagttcc aaagccgagg cgctccgcat tttcacctgt acatggtccc tcctcatggg 60

aaggcaggag actcgcggaa gctgcggcat gatgctgagc tcttgaaatg ggagatagca 120

cgtgcagagg gtgaagaccc aggtcgcagg ccgtatttcc gggaagctcc aagcgatgga 180

ttgaagtttc gtccgtggct ttctgcggtg tgggccgacg tcgtagatca tccggacccc 240

aaggaaaaag aaaagcacgt cagtgccggc actggagtgg actacgcgga gggcacgcga 300

gggtcagatc cgaaaaggct tgcggtgtac ttctccaagc atggaacctt tgccgacaag 360

gaatatcagc acgtagttcc tgctcaatgg cagaaaacgg gtgcgggacc tggcaggttc 420

tggggctacc gcggtttgtc gccggccacg gctgccaccg agatttcctg ggatgagtac 480

ctgcttttat ctcgcacgtt gcgacgattg tcagcgcgaa cgaagatctg ggacccggct 540

ttacgaggcg gtagcggcgg ccacagatgg actaaggcga tgatgcgacg cacggttacc 600

cggcaccgct tggacctcgt gaccggtgag attctgggca cgaagacgcg gaaggttcgg 660

gcgccagtga agaggtttgt ccggacttcg ggatacctgt gtgtcaatga cgggcccgca 720

ctggctcgaa ccctcagccg tcttcgtaca agctgcctga gctag 765

<210> 14
<211> 723
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 1687bp to 2409bp pRET1100

<400> 14
atggtccctc ctcatgggaa ggcaggagac tcgcggaagc tgcggcatga tgctgagctc 60

ttgaaatggg agatagcacg tgcagagggt gaagacccag gtcgcaggcc gtatttccgg 120

gaagctccaa gcgatggatt gaagtttcgt ccgtggcttt ctgcggtgtg ggccgacgtc 180

gtagatcatc cggaccccaa ggaaaaagaa aagcacgtca gtgccggcac tggagtggac 240

tacgcggagg gcacgcgagg gtcagatccg aaaaggcttg cggtgtactt ctccaagcat 300

ggaacctttg ccgacaagga atatcagcac gtagttcctg ctcaatggca gaaaacgggt 360

gcgggacctg gcaggttctg gggctaccgc ggtttgtcgc cggccacggc tgccaccgag 420

atttcctggg atgagtacct gcttttatct cgcacgttgc gacgattgtc agcgcgaacg 480

aagatctggg acccggcttt acgaggcggt agcggcggcc acagatggac taaggcgatg 540

atgcgacgca cggttacccg gcaccgcttg gacctcgtga ccggtgagat tctgggcacg 600

aagacgcgga aggttcgggc gccagtgaag aggtttgtcc ggacttcggg atacctgtgt 660

gtcaatgacg ggcccgcact ggctcgaacc ctcagccgtc ttcgtacaag ctgcctgagc 720

tag 723

<210> 15
<211> 186
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 2224bp to 2409bp pRET1100

<400> 15
atgatgcgac gcacggttac ccggcaccgc ttggacctcg tgaccggtga gattctgggc 60

acgaagacgc ggaaggttcg ggcgccagtg aagaggtttg tccggacttc gggatacctg 120

tgtgtcaatg acgggcccgc actggctcga accctcagcc gtcttcgtac aagctgcctg 180

agctag 186

<210> 16
<211> 183
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 2227bp to 2409bp pRET1100

<400> 16
atgcgacgca cggttacccg gcaccgcttg gacctcgtga ccggtgagat tctgggcacg 60

aagacgcgga aggttcgggc gccagtgaag aggtttgtcc ggacttcggg atacctgtgt 120

gtcaatgacg ggcccgcact ggctcgaacc ctcagccgtc ttcgtacaag ctgcctgagc 180

tag 183

<210> 17
<211> 432
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 1875bp to 1444bp pRET1100

<400> 17
atgatctacg acgtcggccc acaccgcaga aagccacgga cgaaacttca atccatcgct 60

tggagcttcc cggaaatacg gcctgcgacc tgggtcttca ccctctgcac gtgctatctc 120

ccatttcaag agctcagcat catgccgcag cttccgcgag tctcctgcct tcccatgagg 180

agggaccatg tacaggtgaa aatgcggagc gcctcggctt tggaactcca ttttccacgc 240

acccatccag gcaatgcccc aggcccgttg gaaccgtttg aagaacgtct ggagatgttt 300

tttgacctca gcgccggtgg gggcaaccgt aagccagtcc cccggatagg tgagggtcac 360

catcgcagga atgcccggca aatccatcat gggagcccag tcgagttctg ccattcgcaa 420

gatcatccgt ga 432

<210> 18
<211> 291
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 1734bp to 1444bp pRET1100

<400> 18
atgccgcagc ttccgcgagt ctcctgcctt cccatgagga gggaccatgt acaggtgaaa 60

atgcggagcg cctcggcttt ggaactccat tttccacgca cccatccagg caatgcccca 120

ggcccgttgg aaccgtttga agaacgtctg gagatgtttt ttgacctcag cgccggtggg 180

ggcaaccgta agccagtccc ccggataggt gagggtcacc atcgcaggaa tgcccggcaa 240

atccatcatg ggagcccagt cgagttctgc cattcgcaag atcatccgtg a 291

<210> 19
<211> 258
<212> DNA

<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 1701bp to 1444bp pRET1100

<400> 19
atgaggaggg accatgtaca ggtgaaaatg cggagcgcct cggctttgga actccatttt 60

ccacgcaccc atccaggcaa tgccccaggc ccgttggaac cgtttgaaga acgtctggag 120

atgtttttg acctcagcgc cggtgggggc aaccgtaagc cagtcccccg gataggtgag 180

ggtcaccatc gcaggaatgc ccggcaaatc catcatggga gcccagtcga gttctgccat 240

tcgcaagatc atccgtga 258

<210> 20
<211> 231
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 1674bp to 1444bp pRET1100

<400> 20
atgcggagcg cctcggcttt ggaactccat tttccacgca cccatccagg caatgcccca 60

ggcccgttgg aaccgtttga agaacgtctg gagatgtttt ttgacctcag cgccggtggg 120

ggcaaccgta agccagtccc ccggataggt gagggtcacc atcgcaggaa tgcccggcaa 180

atccatcatg ggagcccagt cgagttctgc cattcgcaag atcatccgtg a 231

<210> 21
<211> 138
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 1581bp to 1444bp pRET1100

<400> 21
atgtttttg acctcagcgc cggtgggggc aaccgtaagc cagtcccccg gataggtgag 60

ggtcaccatc gcaggaatgc ccggcaaatc catcatggga gcccagtcga gttctgccat 120

tcgcaagatc atccgtga 138

<210> 22

<211> 423
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 2828bp to 2406bp pRET1100

<400> 22
atggtgggag ggcaacactc ccaatacgct tcagttatga atgaagacag agacaacatc 60

atcgccaggt tccgcgtcga aatgctccgc tcaatcgagg atgcaattca tttagccgca 120

ctctccgcga acgacgaaaa ccgttatgcc gcaacagaag acaatcgacc cgtgcggaca 180

caactatcgc aacaacagca ggttgtcctg accgagctga cattggccga ccacatggaa 240

aagctcgcgc gggagcacct cgtttaccta gccgacagag cgcgggagat gaattgcacc 300

tgggtagaga taggtcagtc gttgggtctc tctccccacg gagcgcagca gcgcatcacc 360

agaagccgcc caaaacccgc catccagcaa aagacaaagc cgaaaggcgt tccgcgcgtc 420

tag 423

<210> 23
<211> 387
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 2792bp to 2406bp pRET1100

<400> 23
atgaatgaag acagagacaa catcatcgcc aggttccgcg tcgaaatgct ccgctcaatc 60

gaggatgcaa ttcatttagc cgcactctcc gcgaacgacg aaaaccgtta tgccgcaaca 120

gaagacaatc gacccgtgcg gacacaacta tcgcaacaac agcaggttgt cctgaccgag 180

ctgacattgg ccgaccacat ggaaaagctc gcgcgggagc acctcgttta cctagccgac 240

agagcgcggg agatgaattg cacctgggta gagataggtc agtcgttggg tctctctccc 300

cacggagcgc agcagcgcat caccagaagc cgcccaaaac ccgccatcca gcaaaagaca 360

aagccgaaag gcgttccgcg cgtctag 387

<210> 24
<211> 342
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 2747bp to 2406bp pRET1100

<400> 24
atgctccgct caatcgagga tgcaattcat ttagccgcac tctccgcgaa cgacgaaaac 60

cgttatgccg caacagaaga caatcgaccc gtgcggacac aactatcgca acaacagcag 120

gttgtcctga ccgagctgac attggccgac cacatggaaa agctcgcgcg ggagcacctc 180

gtttacctag ccgacagagc gcgggagatg aattgcacct gggtagagat aggtcagtcg 240

ttgggtctct ctccccacgg agcgcagcag cgcatcacca gaagccgccc aaaacccgcc 300

atccagcaaa agacaaagcc gaaaggcgtt ccgcgcgtct ag 342

<210> 25
<211> 189
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 2594bp to 2406bp pRET1100

<400> 25
atggaaaagc tcgcgcggga gcacctcgtt tacctagccg acagagcgcg ggagatgaat 60

tgcacctggg tagagatagg tcagtcgttg ggtctctctc cccacggagc gcagcagcgc 120

atcaccagaa gccgcccaaa acccgccatc cagcaaaaga caaagccgaa aggcgttccg 180

cgcgtctag 189

<210> 26
<211> 135
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 2540bp to 2406bp pRET1100

<400> 26
atgaattgca cctgggtaga gataggtcag tcgttgggtc tctctcccca cggagcgcag 60

cagcgcatca ccagaagccg cccaaaaccc gccatccagc aaaagacaaa gccgaaaggc 120

gttccgcgcg tctag 135

<210> 27

<211> 336
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 2971bp to 3306bp pRET1100

<400> 27
atggctttga aagctgctgg caacgtgatt cctgattcct ccgcgtacga gtaccgggcg 60

gttcaggtcg agccgaagat ggtcagaaaa gacccggaag acccgaactc tgagcagttc 120

cagaagcaga aggacggcac gccggtgtgg tcgatcgact gcattcgggt cgaccgggca 180

tcaggcaaca aggcaatcgt gaccgtgacg gttccggacg tgatggaacc ggatgttgcg 240

gggccggtgg agttctccga gatgattgcc ggtttctggg tttcgcgcag tggttcgggc 300

atgtggtttt cggcaagcgc cgtcgcttct ctctga 336

<210> 28
<211> 258
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 3049bp to 3306bp pRET1100

<400> 28
atggtcagaa aagacccgga agacccgaac tctgagcagt tccagaagca gaaggacggc 60

acgccggtgt ggtcgatcga ctgcattcgg gtcgaccggg catcaggcaa caaggcaatc 120

gtgaccgtga cggttccgga cgtgatggaa ccggatgttg cggggccggt ggagttctcc 180

gagatgattg ccggtttctg ggtttcgcgc agtggttcgg gcatgtggtt ttcggcaagc 240

gccgtcgctt ctctctga 258

<210> 29
<211> 525
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 3577bp to 3053bp pRET1100

<400> 29
atgtcgatgt actgccctcc gctgaacggc cccagctctt ccggagagag aacgaggcac 60

ccggcaacgt ccgagaacac cccgttttcc cacttcggat cggccggcac tctcagcggc 120

acagcttcgg actgtgaacg atcactgaac acgttcgccg cttgccaacc tgccgcaacc 180

agcacaaaca cgagcacgag ggcacccaca cccagcgcaa cgccttttcc tttggacatt 240

tccgaacctt tcgaggggcg acgatcagcg atcagagaga agcgacggcg cttgccgaaa 300

accacatgcc cgaaccactg cgcgaaaccc agaaaccggc aatcatctcg gagaactcca 360

ccggccccgc aacatccggt tccatcacgt ccggaaccgt cacggtcacg attgccttgt 420

tgcctgatgc ccggtcgacc cgaatgcagt cgatcgacca caccggcgtg ccgtccttct 480

gcttctggaa ctgctcagag ttcgggtctt ccgggtcttt tctga 525

<210> 30
<211> 519
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 3571bp to 3053bp pRET1100

<400> 30
atgtactgcc ctccgctgaa cggccccagc tcttccggag agagaacgag gcacccggca 60

acgtccgaga acaccccgtt ttcccacttc ggatcggccg gcactctcag cggcacagct 120

tcggactgtg aacgatcact gaacacgttc gccgcttgcc aacctgccgc aaccagcaca 180

aacacgagca cgagggcacc cacacccagc gcaacgcctt ttcctttgga catttccgaa 240

cctttcgagg ggcgacgatc agcgatcaga gagaagcgac ggcgcttgcc gaaaaccaca 300

tgcccgaacc actgcgcgaa acccagaaac cggcaatcat ctcggagaac tccaccggcc 360

ccgcaacatc cggttccatc acgtccggaa ccgtcacggt cacgattgcc ttgttgcctg 420

atgcccggtc gacccgaatg cagtcgatcg accacaccgg cgtgccgtcc ttctgcttct 480

ggaactgctc agagttcggg tcttccgggt cttttctga 519

<210> 31
<211> 564
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 3339bp to 3902bp pRET1100

<400> 31

atgtccaaag gaaaaggcgt tgcgctgggt gtgggtgccc tcgtgctcgt gtttgtgctg 60

gttgcggcag gttggcaagc ggcgaacgtg ttcagtgatc gttcacagtc cgaagctgtg 120

ccgctgagag tgccggccga tccgaagtgg gaaaacgggg tgttctcgga cgttgccggg 180

tgcctcgttc tctctccgga agagctgggg ccgttcagcg gagggcagta catcgacata 240

gtgaggccag ttgagccgga gaggttggag cgcgactggg tgaggtcggc tgagtgcgtt 300

tcggcgtcga tgaatgtctc tgacctgttg gtttctgctc ttccagagtc cacccgtccc 360

cccggcgatt tcgttcgttc gtggaaagtg gcgagtgatg attactgcta tgagggtgat 420

aacccgcaag gctgcacttc tcgtatgccg gtttgggtct ctgcaaaaaa ctggtggtgc 480

acagaacccg tactcgatcc gctcgttcgt cgctgtgagg tctttcctgc aaggcaaatc 540

gttgtgccgg aaggggtttc gtga 564

<210> 32
<211> 255
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 3648bp to 3902bp pRET1100

<400> 32
atgaatgtct ctgacctgtt ggtttctgct cttccagagt ccacccgtcc ccccggcgat 60

ttcgttcgtt cgtggaaagt ggcgagtgat gattactgct atgagggtga taacccgcaa 120

ggctgcactt ctcgtatgcc ggtttgggtc tctgcaaaaa actggtggtg cacagaaccc 180

gtactcgatc cgctcgttcg tcgctgtgag gtctttcctg caaggcaaat cgttgtgccg 240

gaaggggttt cgtga 255

<210> 33
<211> 669
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 4366bp to 5034bp pRET1100

<400> 33
atgggcaccc cacgcccaag taaccgctgg tgcgctggat atttcggcgg tggtctcgtg 60

agcggggaga agcggcacag cgaggccggc ccggtagaaa tcatcttttt gatgctggca 120

gtcagggcgg gggactacat cgtcgccgtg actgcggttc tcgcggtcgg gttcttcgcg 180

gtcgcggttg agggtttctg gttcctggtc gtcgcagtca tcgctgcacc ggcgtggtgg 240

tttctgcgcg actgggaatc gaagcggagg gccgtacggg tctttgaacg ggcatggaag 300

gggacacctg aatcccccgg tattgctctc tcccttggcc tgtcgaacgt ggcggggtct 360

ctgccgaggt tgaggaagtt tgaaactggt tcggggatac gcacactcgt gttttctttg 420

ccgcccggag tcactgccga gagctttgag aaagttcgcc ctgcgctggc agacgcgatg 480

gggggtcacc gctgccaagt agagaaggtg gcccccggac aggtccgcgt cagagtgatt 540

gatgaggatt cgatgaagac gccgcgtgat gcgggatggg cgaaagatgt tgtgctggaa 600

gaggatacgt tcgacggtct tccgggcgag acgcgatcct ggttcgagca agaggggccg 660

gcatcatga 669

<210> 34
<211> 558
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 4477bp to 5034bp pRET1100

<400> 34
atgctggcag tcagggcggg ggactacatc gtcgccgtga ctgcggttct cgcggtcggg 60

ttcttcgcgg tcgcggttga gggtttctgg ttcctggtcg tcgcagtcat cgctgcaccg 120

gcgtggtggt ttctgcgcga ctgggaatcg aagcggaggg ccgtacgggt ctttgaacgg 180

gcatggaagg ggacacctga atcccccggt attgctctct cccttggcct gtcgaacgtg 240

gcggggtctc tgccgaggtt gaggaagttt gaaactggtt cggggatacg cacactcgtg 300

ttttctttgc cgcccggagt cactgccgag agctttgaga aagttcgccc tgcgctggca 360

gacgcgatgg ggggtcaccg ctgccaagta gagaaggtgg cccccggaca ggtccgcgtc 420

agagtgattg atgaggattc gatgaagacg ccgcgtgatg cgggatgggc gaaagatgtt 480

gtgctggaag aggatacgtt cgacggtctt ccgggcgaga cgcgatcctg gttcgagcaa 540

gaggggccgg catcatga 558

<210> 35
<211> 791
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 2410bp to 3200bp pRET1100

<400> 35
acgcgcggaa cgcctttcgg ctttgtcttt tgctggatgg cgggttttgg gcggcttctg 60

gtgatgcgct gctgcgctcc gtggggagag agacccaacg actgacctat ctctacccag 120

gtgcaattca tctcccgcgc tctgtcggct aggtaaacga ggtgctcccg cgcgagcttt 180

tccatgtggt cggccaatgt cagctcggtc aggacaacct gctgttgttg cgatagttgt 240

gtccgcacgg gtcgattgtc ttctgttgcg gcataacggt tttcgtcgtt cgcggagagt 300

gcggctaaat gaattgcatc ctcgattgag cggagcattt cgacgcggaa cctggcgatg 360

atgttgtctc tgtcttcatt cataactgaa gcgtattggg agtgttgccc tcccaccatg 420

tgtgccaatg caggtgtgaa ctgagtcaca gtttctcaat agactccaag tttgtgatcc 480

ttttactccc aaaatggggc atgatgtgtg cgtgcctcgg ttcaggggcg aaagttcgac 540

acctcgaaag aaggcctcga catggctttg aaagctgctg gcaacgtgat tcctgattcc 600

tccgcgtacg agtaccgggc ggttcaggtc gagccgaaga tggtcagaaa agacccggaa 660

gacccgaact ctgagcagtt ccagaagcag aaggacggca cgccggtgtg gtcgatcgac 720

tgcattcggg tcgaccgggc atcaggcaac aaggcaatcg tgaccgtgac ggttccggac 780

gtgatggaac c 791

<210> 36
<211> 501
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 1000bp to 1500bp pRET1100

<400> 36
cttgttacat ctgccacaac tgtccgtgaa tctctgccag ctcctgaaac cgctggtcag 60

ggccttgcgg aatccgtgac cgctgatgat ttttggtctc attcgttccc ccgcgctgac 120

gatgtacgcg gcgcagctgc ttccttccag tcggtggcta actgggatgg gcgtgagggt 180

ccgaggccgc gtttcgttgt cgcgcctggc gttgtccgct tggaggtttg tgatctcgca 240

cgccgcgaac gaacggctga acgtgcgtat ctggctgctc gggctcgggt ggatatggcg 300

gctgccaggc ataactcgcc gtacgacttc gacgtggacg atgaagagtt ggcggaactg 360

gcttctctgc aaggcctcga ggacgacgac attgggggct ggtctgcgga gagggaaata 420

gtgggctggt ctgctcgttc tcggtcacgg atgatcttgc gaatggcaga actcgactgg 480

gctcccatga tggatttgcc g 501

<210> 37
<211> 945
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 5000bp to 500bp pRET1100

<400> 37
gatcctggtt cgagcaagag gggccggcat catgagaaaa tcggcgggag tatctcggat 60

tcctatccgt ctcgggcgct ctcagtacgg ggaagacgtt ggattcgatc tcgctgcgga 120

cgccgctcac atcgccatgc agggcaaaac ccgatccggc aaaagtcagg cgacgtacaa 180

cgtgttagct caggcagcag cgaacgcggc ggttcgagtc gtagggtccg acccgacaca 240

cgtactcctg gagcccttca aacatcgagg ggtgtccgag ccttacgtgg tttcgggact 300

gaatgcgcag gccacggtgg acatgctggg ctgggtcaag cgtgagtctg atcgtcgcat 360

cgaccagatg tggcccctgc gtaccgacaa gttttccgag ttcggggctt cgttcccgct 420

gatactcgtc gtgctcgaag agtttcccgg gatcctcgag ggggcagcgg acgaagacgc 480

cgcgttaggc cgaaaacctg ccgagcgtct cgcaccccgc atttcggcct acgtgcgtca 540

gatagcagcg cagtcggcaa aggctggaat tcgccttctc ctgctctcgc aacgagcgga 600

ggcctcgatc attggcggca atgcgcgttc gaatttcggg gtcaagatga ctctgagggt 660

ggacgaaccg gagtcggtga gaatgcttca tccgagcgct tccccggaag actgtgccct 720

ggtcgagacc ttcaagcctg gtacctgcct tttcgagaag ccaggagaag gccggcagat 780

tatgcgatgc gactttgtcg gcgagtacgg gagatatgcg cgagccatcg agtcttcgga 840

tctgcgtttt ctcgccaccc tccagcaaga ccaggcccaa cgcgaattct tcgctgagga 900

gttcggtgtg gtggatccgt catgactgga ccacaggaga gaaag 945

<210> 38
<211> 939
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature

<223> 3350bp to 2412bp pRET1000

<400> 38
atggttgcgg tggaagagca cacaggcggc gcctgggaac agctgtggct accgctgtgg 60

ccactggcaa ccgacgattt cctcgacggc gtctaccgga tgcggcgatc agacgcactg 120

gatcgccgct acatcgagtc gaacccgcag gcattgagca acctgctcgt cgtggacgtt 180

gaccacccgg acgccgcgct gcgggcgctg tcggcggccg ggaatcatcc tctgccgaac 240

gcgatcgtgg agaacccccg taacgggcac gcacacgctg tgtgggcgct ggcagagccg 300

ttcacccgca ccgagtacgc ccgtcgtaag ccgctcgcct atgcggccgc cgtcaccgaa 360

ggcctccggc gcgccgtcca gggggacaag ggctattcgg gcctgatgac caagaacccg 420

actcacggtg actgggacac ccattggctg cacaccgagc ggcgatccct cgccgagctc 480

gaggcggaac tcggcatcca catgccgcca acgcgctggc ggcaaacccg atcgcgccgt 540

gagaacccga tcggcctcgg ccgaaactgc gccctgttcg aaaccgcacg cacctgggcc 600

taccgcgaaa tccgcttcca ctggggcgac ccgaccggcc tcggggccgc gatctatgcg 660

gaagccgcac agatcaacgc cacgttcagg aacccggtca caggcaggcc cgatccactg 720

ccagcaagcg agctacgcgc cgtcgcggcc tccattaccc gctggatcac tacaaagtcc 780

cggatgtggg ccgacggccc tgctgtctac gaggccacat tcatcgccat acaagccgca 840

cgcggtcgca agatgagtga gaagaagcgc gaggcaaacc ggaaacgagc gacgaaggtc 900

gaccggaacg cattgtggga ggcagaccgt gggcgctga 939

<210> 39
<211> 840
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 3251bp to 2412bp pRET1000

<400> 39
atgcggcgat cagacgcact ggatcgccgc tacatcgagt cgaacccgca ggcattgagc 60

aacctgctcg tcgtggacgt tgaccacccg gacgccgcgc tgcgggcgct gtcggcggcc 120

gggaatcatc ctctgccgaa cgcgatcgtg gagaacccca gtaacgggca cgcacacgct 180

gtgtgggcgc tggcagagcc gttcacccgc accgagtacg cccgtcgtaa gccgctcgcc 240

tatgcggccg ccgtcaccga aggcctccgg cgcgccgtcc agggggacaa gggctattcg 300

ggcctgatga ccaagaaccc gactcacggt gactgggaca cccattggct gcacaccgag 360

cggcgatccc tcgccgagct cgaggcggaa ctcggcatcc acatgccgcc aacgcgctgg 420

cggcaaaccc gatcgcgccg tgagaacccg atcggcctcg gccgaaactg cgccctgttc 480

gaaaccgcac gcacctgggc ctaccgcgaa atccgcttcc actggggcga cccgaccggc 540

ctcggggccg cgatctatgc ggaagccgca cagatcaacg ccacgttcag gaacccggtc 600

acaggcaggc ccgatccact gccagcaagc gagctacgcg ccgtcgcggc ctccattacc 660

cgctggatca ctacaaagtc ccggatgtgg gccgacggcc ctgctgtcta cgaggccaca 720

ttcatcgcca tacaagccgc acgcggtcgc aagatgagtg agaagaagcg cgaggcaaac 780

cggaaacgag cgacgaaggt cgaccggaac gcattgtggg aggcagaccg tgggcgctga 840

<210> 40
<211> 534
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 2945bp to 2412bp pRET1000

<400> 40
atgaccaaga acccgactca cggtgactgg gacacccatt ggctgcacac cgagcggcga 60

tccctcgccg agctcgaggc ggaactcggc atccacatgc cgccaacgcg ctggcggcaa 120

acccgatcgc gccgtgagaa cccgatcggc ctcggccgaa actgcgccct gttcgaaacc 180

gcacgcacct gggcctaccg cgaaatccgc ttccactggg gcgacccgac cggcctcggg 240

gccgcgatct atgcggaagc cgcacagatc aacgccacgt tcaggaaccc ggtcacaggc 300

aggcccgatc cactgccagc aagcgagcta cgcgccgtcg cggcctccat tacccgctgg 360

atcactacaa agtcccggat gtgggccgac ggccctgctg tctacgaggc cacattcatc 420

gccatacaag ccgcacgcgg tcgcaagatg agtgagaaga agcgcgaggc aaaccggaaa 480

cgagcgacga aggtcgaccg gaacgcattg tgggaggcag accgtgggcg ctga 534

<210> 41
<211> 438
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 2849bp to 2412bp pRET1000

<400> 41
atgccgccaa cgcgctggcg gcaaacccga tcgcgccgtg agaacccgat cggcctcggc 60

cgaaactgcg ccctgttcga aaccgcacgc acctgggcct accgcgaaat ccgcttccac 120

tggggcgacc cgaccggcct cggggccgcg atctatgcgg aagccgcaca gatcaacgcc 180

acgttcagga acccggtcac aggcaggccc gatccactgc cagcaagcga gctacgcgcc 240

gtcgcggcct ccattacccg ctggatcact acaaagtccc ggatgtgggc cgacggccct 300

gctgtctacg aggccacatt catcgccata caagccgcac gcggtcgcaa gatgagtgag 360

aagaagcgcg aggcaaaccg gaaacgagcg acgaaggtcg accggaacgc attgtgggag 420

gcagaccgtg ggcgctga 438

<210> 42
<211> 207
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 2365bp to 2159bp pRET1000

<400> 42
atgggggcct ccacgcgcac gatccagcgc atcatggccg agccgcggga ccagttcctc 60

gcacgggcag ccgagaaccg tcgccgggcc gtcgagctgc gcgagcaggg cctgaagtac 120

cgcgagatcg ccgaggagat gggaatctcc accggaacgg tgggaaagct cctgcacgac 180

gcacgcaagt acgcggtcag ctcctag 207

<210> 43
<211> 174
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 2332bp to 2159bp pRET1000

<400> 43
atggccgagc cgcgggacca gttcctcgca cgggcagccg agaaccgtcg ccgggccgtc 60

gagctgcgcg agcagggcct gaagtaccgc gagatcgccg aggagatggg aatctccacc 120

ggaacggtgg gaaagctcct gcacgacgca cgcaagtacg cggtcagctc ctag 174

<210> 44

<211> 330
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 3197bp to 3526bp pRET1000

<400> 44
atgcctgcgg gttcgactcg atgtagcggc gatccagtgc gtctgatcgc cgcatccggt 60

agacgccgtc gaggaaatcg tcggttgcca gtggccacag cggtagccac agctgttccc 120

aggcgccgcc tgtgtgctct tccaccgcaa ccatggggaa cacactcaca cacaagatcg 180

atttattccg gtacgacacg ccagccaagt cagatgtttc ggtttctgga gcggtcctcc 240

agacctttga gatccgctcc agaaacgtcc acaaattatt ggggtacgtc gaaccaagcc 300

ttatcaggta tcccggggtt ccgggggtga 330

<210> 45
<211> 357
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 4035bp to 3679bp pRET1000

<400> 45
atggggtggt tattgcttgt tgcgtcgggg gccgtggcga tggtggccgg tgtggtctta 60

ccgcgccggg atcgtctcgg gccggcacca ggatttccct ggttctgggt ggtgttccca 120

tccacgtgca ttgccatcgc tgccgcggtg ggtgtcttcg cttggcccca agcggttacc 180

ggcacgggga gctactggtg ggatccgccc agcgcgagct caccgaccct gcagttcctg 240

tcaaacgagc agtaccggcg cctcgtgaca ctgcgccggt tgcagggggc gctaccggtg 300

gtgtccctcg tgggaagcgg attgtgcgtg tgggcctggc gtcgacgccg cttctga 357

<210> 46
<211> 318
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 3996bp to 3679bp pRET1000

<400> 46

atggtggccg gtgtggtctt accgcgccgg gatcgtctcg ggccggcacc aggatttccc 60

tggttctggg tggtgttccc atccacgtgc attgccatcg ctgccgcggt gggtgtcttc 120

gcttggcccc aagcggttac cggcacgggg agctactggt gggatccgcc cagcgcgagc 180

tcaccgaccc tgcagttcct gtcaaacgag cagtaccggc gcctcgtgac actgcgccgg 240

ttgcaggggg cgctaccggt ggtgtccctc gtgggaagcg gattgtgcgt gtgggcctgg 300

cgtcgacgcc gcttctga 318

<210> 47
<211> 450
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 4381bp to 4830bp pRET1000

<400> 47
atggccgctg acgctgcatc tgacgaccgg cggaccgagg tccgcgccgc tgcttcgcgg 60

gccgctgacg cggccccggc gaagcgcacc cgcaccgtgg cggtgcggct gaccgatggg 120

gaggaggccg cgtggatcga cgccgcgctg gccgatggcc accggcagct cggggcgtgg 180

gtgcgtgagc gggcggtggc cggctatctc gggaaggtcc gcccgaagac cggcagtgga 240

atgtcggcgg aggcggccgc ggaggtcgcc gcgatgcggc agcagatgac gaaggtgggg 300

aacaacctga accagatcgc gagggcgatc aacgccgggc aggtgccgtc gcagatggcc 360

gagtccctgc agaaggggtg gctggagagg tgggggcagg agttggggcg gatggcggat 420

cggctcgacg cgctcgacga ccagggctga 450

<210> 48
<211> 210
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 4621bp to 4830bp pRET1000

<400> 48
atgtcggcgg aggcggccgc ggaggtcgcc gcgatgcggc agcagatgac gaaggtgggg 60

aacaacctga accagatcgc gagggcgatc aacgccgggc aggtgccgtc gcagatggcc 120

gagtccctgc agaaggggtg gctggagagg tgggggcagg agttggggcg gatggcggat 180

cggctcgacg cgctcgacga ccagggctga 210

<210> 49
<211> 177
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 4654bp to 4830bp pRET1000

<400> 49
atgcggcagc agatgacgaa ggtggggaac aacctgaacc agatcgcgag ggcgatcaac 60

gccgggcagg tgccgtcgca gatggccgag tccctgcaga aggggtggct ggagaggtgg 120

gggcaggagt tggggcggat ggcggatcgg ctcgacgcgc tcgacgacca gggctga 177

<210> 50
<211> 165
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 4666bp to 4830bp pRET1000

<400> 50
atgacgaagg tggggaacaa cctgaaccag atcgcgaggg cgatcaacgc cgggcaggtg 60

ccgtcgcaga tggccgagtc cctgcagaag gggtggctgg agaggtgggg gcaggagttg 120

gggcggatgg cggatcggct cgacgcgctc gacgaccagg gctga 165

<210> 51
<211> 453
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 5161bp to 4709bp pRET1000

<400> 51
atgactctcg aagcccatcc gctcggcgac cgtctgcgcg atgtccgcga actcggtatc 60

ggtcagccgc cgatccccgg gcgcgcaccg cagcgagcaa tgccacaccg gcttacccac 120

ccgcgcgttc gtcgcggcgg cccgctcgaa gtcccgcccc caccgggtcg ggtttttggc 180

ggtgacctgc accgatcccg cgatcaccgt cccgccggca atcagccggc ccgcctcggt 240

gcggtagctg tgcggggtgg ccttccccgg cccgtgcaga tacgccgcca acccccttcgg 300

gtcgctgccc gtgctgatct tcgcgatcac gtcagccctg gtcgtcgagc gcgtcgagcc 360

gatccgccat ccgccccaac tcctgccccc acctctccag ccacccccttc tgcagggact 420

cggccatctg cgacggcacc tgcccggcgt tga 453

<210> 52
<211> 354
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 5062bp to 4709bp pRET1000

<400> 52
atgccacacc ggcttaccca cccgcgcgtt cgtcgcggcg gcccgctcga agtcccgccc 60

ccaccgggtc gggtttttgg cggtgacctg caccgatccc gcgatcaccg tcccgccggc 120

aatcagccgg cccgcctcgg tgcggtagct gtgcggggtg gccttccccg gcccgtgcag 180

atacgccgcc aacccccttcg ggtcgctgcc cgtgctgatc ttcgcgatca cgtcagccct 240

ggtcgtcgag cgcgtcgagc cgatccgcca tccgccccaa ctcctgcccc cacctctcca 300

gccacccctt ctgcagggac tcggccatct gcgacggcac ctgcccggcg ttga 354

<210> 53
<211> 288
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 2331bp to 2618bp pRET1000

<400> 53
atgatgcgct ggatcgtgcg cgtggaggcc cccatcttct cggccagctc gcgagctgtc 60

tgcttgcggc ggatcggtcg ttcagcgccc acggtctgcc tcccacaatg cgttccggtc 120

gaccttcgtc gctcgtttcc ggtttgcctc gcgcttcttc tcactcatct tgcgaccgcg 180

tgcggcttgt atggcgatga atgtggcctc gtagacagca gggccgtcgg cccacatccg 240

ggactttgta gtgatccagc gggtaatgga ggccgcgacg gcgcgtag 288

<210> 54

<211> 285
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 2334bp to 2618bp pRET1000

<400> 54
atgcgctgga tcgtgcgcgt ggaggccccc atcttctcgg ccagctcgcg agctgtctgc 60

ttgcggcgga tcggtcgttc agcgcccacg gtctgcctcc cacaatgcgt tccggtcgac 120

cttcgtcgct cgtttccggt ttgcctcgcg cttcttctca ctcatcttgc gaccgcgtgc 180

ggcttgtatg gcgatgaatg tggcctcgta gacagcaggg ccgtcggccc acatccggga 240

ctttgtagtg atccagcggg taatggaggc cgcgacggcg cgtag 285

<210> 55
<211> 336
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 2907bp to 3242bp pRET1000

<400> 55
atgggtgtcc cagtcaccgt gagtcgggtt cttggtcatc aggcccgaat agcccttgtc 60

cccctggacg gcgcgccgga ggccttcggt gacggcggcc gcataggcga gcggcttacg 120

acgggcgtac tcggtgcggg tgaacggctc tgccagcgcc cacacagcgt gtgcgtgccc 180

gttacggggg ttctccacga tcgcgttcgg cagaggatga ttcccggccg ccgacagcgc 240

ccgcagcgcg gcgtccgggt ggtcaacgtc cacgacgagc aggttgctca atgcctgcgg 300

gttcgactcg atgtagcggc gatccagtgc gtctga 336

<210> 56
<211> 513
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 1650bp to 2162bp pRET1000

<400> 56
atgcggattg aactagttca tttggggaac gatgacctga tgaccgggga tcgtgaccta 60

cccatgctga ccatcgccga ggcggtggac gcgacgcaga ccagtgagag cacgatcaag 120

cgccgcctgc ggtcgggcgc gttcccgaac gcggtccgca ctgccgacgg gaagtggatg 180

attcccctcg gtgacctatc agcggcaggg ctgagaccag ggaaaatggc gaaacctgac 240

ccggtgaccc cttcaaatga ccgggtccgt gacctggcag ctgagaacgc cgagctccgt 300

cagcgcctgg ccgtggccga agccctggcc agcgaacgca atcggatcat cgacgtgcag 360

caacagatgc tccggatgct cgaagcccgg ccggtgtcgg ccctggagcc cgcggcggtt 420

ccagtggcgg gtccgccgcc gcccgtcccg gccgccgatg gtcgggcagc tacgggcgcc 480

ctggcccgga tacgtcgacg gcttctcggc tag 513

<210> 57
<211> 474
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 1689bp to 2162bp pRET1000

<400> 57
atgaccgggg atcgtgacct acccatgctg accatcgccg aggcggtgga cgcgacgcag 60

accagtgaga gcacgatcaa gcgccgcctg cggtcgggcg cgttcccgaa cgcggtccgc 120

actgccgacg ggaagtggat gattccctc ggtgacctat cagcggcagg gctgagacca 180

gggaaaatgg cgaaacctga cccggtgacc ccttcaaatg accgggtccg tgacctggca 240

gctgagaacg ccgagctccg tcagcgcctg gccgtggccg aagccctggc cagcgaacgc 300

aatcggatca tcgacgtgca gcaacagatg ctccggatgc tcgaagcccg gccggtgtcg 360

gccctggagc ccgcggcggt tccagtggcg ggtccgccgc cgcccgtccc ggccgccgat 420

ggtcgggcag ctacgggcgc cctggcccgg atacgtcgac ggcttctcgg ctag 474

<210> 58
<211> 450
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 1713bp to 2162bp pRET1000

<400> 58
atgctgacca tcgccgaggc ggtggacgcg acgcagacca gtgagagcac gatcaagcgc 60

cgcctgcggt cgggcgcgtt cccgaacgcg gtccgcactg ccgacgggaa gtggatgatt 120

cccctcggtg acctatcagc ggcagggctg agaccaggga aaatggcgaa acctgacccg 180

gtgacccctt caaatgaccg ggtccgtgac ctggcagctg agaacgccga gctccgtcag 240

cgcctggccg tggccgaagc cctggccagc gaacgcaatc ggatcatcga cgtgcagcaa 300

cagatgctcc ggatgctcga agcccggccg gtgtcggccc tggagcccgc ggcggttcca 360

gtggcgggtc cgccgccgcc cgtcccggcc gccgatggtc gggcagctac gggcgccctg 420

gcccggatac gtcgacggct tctcggctag 450

<210> 59
<211> 336
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 1827bp to 2162bp pRET1000

<400> 59
atgattcccc tcggtgacct atcagcggca gggctgagac cagggaaaat ggcgaaacct 60

gacccggtga ccccttcaaa tgaccgggtc cgtgacctgg cagctgagaa cgccgagctc 120

cgtcagcgcc tggccgtggc cgaagccctg gccagcgaac gcaatcggat catcgacgtg 180

cagcaacaga tgctccggat gctcgaagcc cggccggtgt cggccctgga gcccgcggcg 240

gttccagtgg cgggtccgcc gccgcccgtc ccggccgccg atggtcgggc agctacgggc 300

gccctggccc ggatacgtcg acggcttctc ggctag 336

<210> 60
<211> 288
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 1875bp to 2162bp pRET1000

<400> 60
atggcgaaac ctgacccggt gacccccttca aatgaccggg tccgtgacct ggcagctgag 60

aacgccgagc tccgtcagcg cctggccgtg gccgaagccc tggccagcga acgcaatcgg 120

atcatcgacg tgcagcaaca gatgctccgg atgctcgaag cccggccggt gtcggccctg 180

gagcccgcgg cggttccagt ggcgggtccg ccgccgcccg tcccggccgc cgatggtcgg 240

gcagctacgg gcgccctggc ccggatacgt cgacggcttc tcggctag 288

<210> 61
<211> 264
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 1906bp to 2169bp pRET1000

<400> 61
atgaccgggt ccgtgacctg gcagctgaga acgccgagct ccgtcagcgc ctggccgtgg 60

ccgaagccct ggccagcgaa cgcaatcgga tcatcgacgt gcagcaacag atgctccgga 120

tgctcgaagc ccggccggtg tcggccctgg agcccgcggc ggttccagtg gcgggtccgc 180

cgccgcccgt cccggccgcc gatggtcggg cagctacggg cgccctggcc cggatacgtc 240

gacggcttct cggctaggag ctga 264

<210> 62
<211> 258
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 810bp to 553bp pRET1000

<400> 62
atgctatggg aggtatgcac ctttcgcgcg ttatgtacgc atcctgggca ccctgggcac 60

gaccgacctt ctagcgatcg atggtgttct tggacatgct tcgccaggcc tgcgtctgtt 120

ccctacgctc cacgaaagcc ttctcgctct ctgctcacag tcccattccg gattctcgac 180

ctcggtcgcg gccgggtggc tgataccccg gggccgactg cggcatggtt ggtccctggc 240

ggcgggccgg gggtttga 258

<210> 63
<211> 540
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 117bp to 656bp pRET1000

<400> 63

atgggaggcc acccgacacc gctacgggac atgctcgccg cccaggagca gcgccggaag 60

ccgtggactc cggagcagaa acgccagtac gcgaccgcaa aagcccaagc agaacgcgcc 120

gcgaaggcca aggacgccgc gaaatggacc gaggtcgccg gcggcggcta ccagcgggac 180

gtgcgcggga tgaacctgcg actgtgggtg gctgaggacg gcgcctggtc gatcacctcg 240

aagaaggacc ccgaccgcca gtacgccgca ggtcaggccg acaccgtcgc gcaggcccaa 300

gccgcggcca cggccacagc gaaaacgcag gcccaggcga tgtggaagca ggtccggccc 360

gacaagcgca ccgagtcagc caccagagcg gtccggcgcg tgatcgcgga tctcaccccc 420

accaaacccg ccgaggtcaa acccccggcc cgccgccagg gaccaaccat gccgcagtcg 480

gccccggggt atcagccacc cggccgcgac cgaggtcgag aatccggaat gggactgtga 540

<210> 64
<211> 510
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 147bp to 656bp pRET1000

<400> 64
atgctcgccg cccaggagca gcgccggaag ccgtggactc cggagcagaa acgccagtac 60

gcgaccgcaa aagcccaagc agaacgcgcc gcgaaggcca aggacgccgc gaaatggacc 120

gaggtcgccg gcggcggcta ccagcgggac gtgcgcggga tgaacctgcg actgtgggtg 180

gctgaggacg gcgcctggtc gatcacctcg aagaaggacc ccgaccgcca gtacgccgca 240

ggtcaggccg acaccgtcgc gcaggcccaa gccgcggcca cggccacagc gaaaacgcag 300

gcccaggcga tgtggaagca ggtcccggcc gacaagcgca ccgagtcagc caccagagcg 360

gtccggcgcg tgatcgcgga tctcaccccc accaaacccg ccgaggtcaa acccccggcc 420

cgccgccagg gaccaaccat gccgcagtcg gccccggggt atcagccacc cggccgcgac 480

cgaggtcgag aatccggaat gggactgtga 510

<210> 65
<211> 351
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 306bp to 656bp pRET1000

<400> 65
atgaacctgc gactgtgggt ggctgaggac ggcgcctggt cgatcacctc gaagaaggac 60

cccgaccgcc agtacgccgc aggtcaggcc gacaccgtcg cgcaggccca agccgcggcc 120

acggccacag cgaaaacgca ggcccaggcg atgtggaagc aggtcccggc cgacaagcgc 180

accgagtcag ccaccagagc ggtccggcgc gtgatcgcgg atctcacccc caccaaaccc 240

gccgaggtca aacccccggc ccgccgccag ggaccaacca tgccgcagtc ggccccgggg 300

tatcagccac ccggccgcga ccgaggtcga gaatccggaa tgggactgtg a 351

<210> 66
<211> 201
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 456bp to 656bp pRET1000

<400> 66
atgtggaagc aggtcccggc cgacaagcgc accgagtcag ccaccagagc ggtccggcgc 60

gtgatcgcgg atctcacccc caccaaaccc gccgaggtca aacccccggc ccgccgccag 120

ggaccaacca tgccgcagtc ggccccgggg tatcagccac ccggccgcga ccgaggtcga 180

gaatccggaa tgggactgtg a 201

<210> 67
<211> 1326
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 5144bp to 656bp pRET1000

<400> 67
atgggcttcg agagtcatcc gtgggtggcg gtgcggcacg acgacgacca catccacctg 60

gctgtctccc gggtcgattt tcagggcgtg acctggaaga acagcaacga ccggtggaag 120

gtcgtcgagg tgatgcgcga ggtcgaacgc gcgcacggcc tgatcgaggt ggcgagcccg 180

gagcgggccc gtggccggca agccagcagc ggcgagcaac gccgcgcggt gcggaccggc 240

aaggtggcgc agcgggacgg tctgagggaa attgtgaccg ccgcccgcga catcgccgca 300

ggccagggtg tgggggcgtt cgaagtggcg ctcgtacaga acccgattac ccgagtgcag 360

gtgcggcgca acgtcgcgaa gacgggccgg atgaatggct acagcttcaa cctgcccggc 420

tacgtcgacg ccgccgggga gccgatctgg ttgccggcct ccaaactcga ccggggtttg 480

tcctggtcac agctggaaaa gacgctgacc agaccccgcc cggaccgcct cgccggcgag 540

gagacggtgc cgcggaagcg gctcgagcgc gccgccgcgt gggagcagcg ccgccgcgag 600

gtcggcggcg agcagttcgc agctgcccgc tgggagcagg cccgcgcgaa tgttggtgag 660

acggccgggc ggatccgcgc cgaacagtcc gcggacacga agtggaagca ggtgaacgag 720

gcgttgacca gccaagaccg ggccgaggag caggctgccg aggcagcgcg ggtcgcctcc 780

gctgtcatgg gaggccaccc gacaccgcta cgggacatgc tcgccgccca ggagcagcgc 840

cggaagccgt ggactccgga gcagaaacgc cagtacgcga ccgcaaaagc ccaagcagaa 900

cgcgccgcga aggccaagga cgccgcgaaa tggaccgagg tcgccggcgg cggctaccag 960

cgggacgtgc gcgggatgaa cctgcgactg tgggtggctg aggacggcgc ctggtcgatc 1020

acctcgaaga aggaccccga ccgccagtac gccgcaggtc aggccgacac cgtcgcgcag 1080

gcccaagccg cggccacggc cacagcgaaa acgcaggccc aggcgatgtg gaagcaggtc 1140

ccggccgaca agcgcaccga gtcagccacc agagcggtcc ggcgcgtgat cgcggatctc 1200

acccccacca aacccgccga ggtcaaaccc ccggcccgcc gccagggacc aaccatgccg 1260

cagtcggccc cggggtatca gccacccggc cgcgaccgag gtcgagaatc cggaatggga 1320

ctgtga 1326

<210> 68
<211> 1194
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 5276bp to 656bp pRET1000

<400> 68
atgcgcgagg tcgaacgcgc gcacggcctg atcgaggtgg cgagcccgga gcgggcccgt 60

ggccggcaag ccagcagcgg cgagcaacgc cgcgcggtgc ggaccggcaa ggtggcgcag 120

cgggacggtc tgagggaaat tgtgaccgcc gcccgcgaca tcgccgcagg ccagggtgtg 180

ggggcgttcg aagtggcgct cgtacagaac ccgattaccc gagtgcaggt gcggcgcaac 240

gtcgcgaaga cgggccggat gaatggctac agcttcaacc tgcccggcta cgtcgacgcc 300

gccggggagc cgatctggtt gccggcctcc aaactcgacc ggggtttgtc ctggtcacag 360

ctggaaaaga cgctgaccag accccgcccg gaccgcctcg ccggcgagga gacggtgccg 420

cggaagcggc tcgagcgcgc cgccgcgtgg gagcagcgcc gccgcgaggt cggcggcgag 480

cagttcgcag ctgcccgctg ggagcaggcc cgcgcgaatg ttggtgagac ggccgggcgg 540

atccgcgccg aacagtccgc ggacacgaag tggaagcagg tgaacgaggc gttgaccagc 600

caagaccggg ccgaggagca ggctgccgag gcagcgcggg tcgcctccgc tgtcatggga 660

ggccacccga caccgctacg ggacatgctc gccgcccagg agcagcgccg gaagccgtgg 720

actccggagc agaaacgcca gtacgcgacc gcaaaagccc aagcagaacg cgccgcgaag 780

gccaaggacg ccgcgaaatg gaccgaggtc gccggcggcg gctaccagcg ggacgtgcgc 840

gggatgaacc tgcgactgtg ggtggctgag gacggcgcct ggtcgatcac ctcgaagaag 900

gaccccgacc gccagtacgc cgcaggtcag gccgacaccg tcgcgcaggc ccaagccgcg 960

gccacggcca cagcgaaaac gcaggcccag gcgatgtgga agcaggtccc ggccgacaag 1020

cgcaccgagt cagccaccag agcggtccgg cgcgtgatcg cggatctcac ccccaccaaa 1080

cccgccgagg tcaaaccccc ggcccgccgc cagggaccaa ccatgccgca gtcggccccg 1140

gggtatcagc cacccggccg cgaccgaggt cgagaatccg gaatgggact gtga 1194

<210> 69
<211> 936
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 5534bp to 656bp pRET1000

<400> 69
atgaatggct acagcttcaa cctgcccggc tacgtcgacg ccgccgggga gccgatctgg 60

ttgccggcct ccaaactcga ccggggtttg tcctggtcac agctggaaaa gacgctgacc 120

agaccccgcc cggaccgcct cgccggcgag gagacggtgc cgcggaagcg gctcgagcgc 180

gccgccgcgt gggagcagcg ccgccgcgag gtcggcggcg agcagttcgc agctgcccgc 240

tgggagcagg cccgcgcgaa tgttggtgag acggccgggc ggatccgcgc cgaacagtcc 300

gcggacacga agtggaagca ggtgaacgag gcgttgacca gccaagaccg ggccgaggag 360

caggctgccg aggcagcgcg ggtcgcctcc gctgtcatgg gaggccaccc gacaccgcta 420

cgggacatgc tcgccgccca ggagcagcgc cggaagccgt ggactccgga gcagaaacgc 480

cagtacgcga ccgcaaaagc ccaagcagaa cgcgccgcga aggccaagga cgccgcgaaa 540

tggaccgagg tcgccggcgg cggctaccag cgggacgtgc gcgggatgaa cctgcgactg 600

tgggtggctg aggacggcgc ctggtcgatc acctcgaaga aggaccccga ccgccagtac 660

gccgcaggtc aggccgacac cgtcgcgcag gcccaagccg cggccacggc cacagcgaaa 720

acgcaggccc aggcgatgtg gaagcaggtc ccggccgaca agcgcaccga gtcagccacc 780

agagcggtcc ggcgcgtgat cgcggatctc acccccacca aacccgccga ggtcaaaccc 840

ccggcccgcc gccagggacc aaccatgccg cagtcggccc cggggtatca gccacccggc 900

cgcgaccgag gtcgagaatc cggaatggga ctgtga 936

<210> 70
<211> 153
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 3355bp to 3507bp pRET1000

<400> 70
aacacactca cacacaagat cgatttattc cggtacgaca cgccagccaa gtcagatgtt 60

tcggtttctg gagcggtcct ccagaccttt gagatccgct ccagaaacgt ccacaaatta 120

ttggggtacg tcgaaccaag ccttatcagg tat 153

<210> 71
<211> 61
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 4290bp to 4350bp pRET1000

<400> 71
gagctatgcc cagggttgcg cagtgacttc gtcactgcgt aaccctgggc gctcgcctcc 60

c 61

<210> 72
<211> 325
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 3570bp to 3894bp pRET1000

<400> 72
ccgctcgaag tccttgagtc agtgacagga ccactgctgg gctcccagcg cagaaggcaa 60

gtgaaggcag acgactgcgg gaggtaagtc gggtacggca tgaggtcctt cagaagcggc 120

gtcgacgcca ggcccacacg cacaatccgc ttcccacgag ggacaccacc ggtagcgccc 180

cctgcaaccg gcgcagtgtc acgaggcgcc ggtactgctc gtttgacagg aactgcaggg 240

tcggtgagct cgcgctgggc ggatcccacc agtagctccc cgtgccggta accgcttggg 300

gccaagcgaa gacacccacc gcggc 325

<210> 73
<211> 5444
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> pRET1100 Full Length

<400> 73
cccgggatcc tcgaggggggc agcggacgaa gacgccgcgt taggccgaaa acctgccgag 60

cgtctcgcac cccgcatttc ggcctacgtg cgtcagatag cagcgcagtc ggcaaaggct 120

ggaattcgcc ttctcctgct ctcgcaacga gcggaggcct cgatcattgg cggcaatgcg 180

cgttcgaatt tcggggtcaa gatgactctg agggtggacg aaccggagtc ggtgagaatg 240

cttcatccga gcgcttcccc ggaagactgt gccctggtcg agaccttcaa gcctggtacc 300

tgccttttcg agaagccagg agaaggccgg cagattatgc gatgcgactt tgtcggcgag 360

tacgggagat atgcgcgagc catcgagtct tcggatctgc gttttctcgc caccctccag 420

caagaccagg cccaacgcga attcttcgct gaggagttcg gtgtggtgga tccgtcatga 480

ctggaccaca ggagagaaag cgcaaggcgg cgaagccgtc gcgggagcct cagttgaact 540

gctgtgaagc ggacgtgccg aaacgagcaa aacagccccc ggttccctct acgttcgacc 600

tgctcacggt gaaggagact gcggggctgc tgagagtcag tcaggcaact ctttaccggc 660

tgcttcggag tggggaagga cccacataca cacggatcgg tggacagata cgcgttcacc 720

gcgagtcgct gcgtcggttc atcgaaccgc gtggataacg tcacagagac agcgaaaacg 780

cctcccctgg gtcaatccgg ttaccgccgg actgggggag gcgcttcgac acctacatcc 840

gtcgcccctc gaaaggctca gatgcacttc cacgataacg cagaggtcgg acaagaggga 900

agaactgccg ttctctcgcc gttgcgcggc gtagccgcca agcgggacgt gtctgacgat 960

gcagcgaagc ggagtcggca ggcgcggcac gcgcctgggc ttgttacatc tgccacaact 1020

gtccgtgaat ctctgccagc tcctgaaacc gctggtcagg gccttgcgga atccgtgacc 1080

gctgatgatt tttggtctca ttcgttcccc cgcgctgacg atgtacgcgg cgcagctgct 1140

tccttccagt cggtggctaa ctgggatggg cgtgagggtc cgaggccgcg tttcgttgtc 1200

gcgcctggcg ttgtccgctt ggaggtttgt gatctcgcac gccgcgaacg aacggctgaa 1260

cgtgcgtatc tggctgctcg ggctcgggtg gatatggcgg ctgccaggca taactcgccg 1320

tacgacttcg acgtggacga tgaagagttg gcggaactgg cttctctgca aggcctcgag 1380

gacgacgaca ttgggggctg gtctgcggag agggaaatag tgggctggtc tgctcgttct 1440

cggtcacgga tgatcttgcg aatggcagaa ctcgactggg ctcccatgat ggatttgccg 1500

ggcattcctg cgatggtgac cctcacctat ccgggggact ggcttacggt tgcccccacc 1560

ggcgctgagg tcaaaaaaca tctccagacg ttcttcaaac ggttccaacg ggcctggggc 1620

attgcctgga tgggtgcgtg gaaaatggag ttccaaagcc gaggcgctcc gcattttcac 1680

ctgtacatgg tccctcctca tgggaaggca ggagactcgc ggaagctgcg gcatgatgct 1740

gagctcttga aatgggagat agcacgtgca gagggtgaag acccaggtcg caggccgtat 1800

ttccgggaag ctccaagcga tggattgaag tttcgtccgt ggctttctgc ggtgtgggcc 1860

gacgtcgtag atcatccgga ccccaaggaa aaagaaaagc acgtcagtgc cggcactgga 1920

gtggactacg cggagggcac gcgagggtca gatccgaaaa ggcttgcggt gtacttctcc 1980

aagcatggaa cctttgccga caaggaatat cagcacgtag ttcctgctca atggcagaaa 2040

acgggtgcgg gacctggcag gttctggggc taccgcggtt tgtcgccggc cacggctgcc 2100

accgagattt cctgggatga gtacctgctt ttatctcgca cgttgcgacg attgtcagcg 2160

cgaacgaaga tctgggaccc ggctttacga ggcggtagcg gcggccacag atggactaag 2220

gcgatgatgc gacgcacggt tacccggcac cgcttggacc tcgtgaccgg tgagattctg 2280

ggcacgaaga cgcggaaggt tcgggcgcca gtgaagaggt ttgtccggac ttcgggatac 2340

ctgtgtgtca atgacgggcc cgcactggct cgaaccctca gccgtcttcg tacaagctgc 2400

ctgagctaga cgcgcggaac gcctttcggc tttgtctttt gctggatggc gggttttggg 2460

cggcttctgg tgatgcgctg ctgcgctccg tggggagaga gacccaacga ctgacctatc 2520

tctacccagg tgcaattcat ctcccgcgct ctgtcggcta ggtaaacgag gtgctcccgc 2580

gcgagctttt ccatgtggtc ggccaatgtc agctcggtca ggacaacctg ctgttgttgc 2640

gatagttgtg tccgcacggg tcgattgtct tctgttgcgg cataacggtt ttcgtcgttc 2700

gcggagagtg cggctaaatg aattgcatcc tcgattgagc ggagcatttc gacgcggaac 2760

ctggcgatga tgttgtctct gtcttcattc ataactgaag cgtattggga gtgttgccct 2820

cccaccatgt gtgccaatgc aggtgtgaac tgagtcacag tttctcaata gactccaagt 2880

ttgtgatcct tttactccca aaatggggca tgatgtgtgc gtgcctcggt tcaggggcga 2940

aagttcgaca cctcgaaaga aggcctcgac atggctttga aagctgctgg caacgtgatt 3000

cctgattcct ccgcgtacga gtaccgggcg gttcaggtcg agccgaagat ggtcagaaaa 3060

gacccggaag acccgaactc tgagcagttc cagaagcaga aggacggcac gccggtgtgg 3120

tcgatcgact gcattcgggt cgaccgggca tcaggcaaca aggcaatcgt gaccgtgacg 3180

gttccggacg tgatggaacc ggatgttgcg gggccggtgg agttctccga gatgattgcc 3240

ggtttctggg tttcgcgcag tggttcgggc atgtggtttt cggcaagcgc cgtcgcttct 3300

ctctgatcgc tgatcgtcgc ccctcgaaag gttcggaaat gtccaaagga aaaggcgttg 3360

cgctgggtgt gggtgccctc gtgctcgtgt ttgtgctggt tgcggcaggt tggcaagcgg 3420

cgaacgtgtt cagtgatcgt tcacagtccg aagctgtgcc gctgagagtg ccggccgatc 3480

cgaagtggga aaacggggtg ttctcggacg ttgccgggtg cctcgttctc tctccggaag 3540

agctggggcc gttcagcgga gggcagtaca tcgacatagt gaggccagtt gagccggaga 3600

ggttggagcg cgactgggtg aggtcggctg agtgcgtttc ggcgtcgatg aatgtctctg 3660

acctgttggt ttctgctctt ccagagtcca cccgtccccc cggcgatttc gttcgttcgt 3720

ggaaagtggc gagtgatgat tactgctatg agggtgataa cccgcaaggc tgcacttctc 3780

gtatgccggt ttgggtctct gcaaaaaact ggtggtgcac agaacccgta ctcgatccgc 3840

tcgttcgtcg ctgtgaggtc tttcctgcaa ggcaaatcgt tgtgccggaa ggggtttcgt 3900

gatgtttctc cgagcgtttt ttcgttccaa gttggtcatg gtggctcttg tcctggtcgc 3960

tggcctgttt ctctacaacg cctgctcttc ttctgacgca aaggaagaga tcggcagcag 4020

tctgaatctc tctcctgtca ctgctcgttc gaatccgtat gagggcgtcc agcccacgat 4080

gagcgaaaaa agccctgttc ccgtccctgt cgtttccggc gacaggattt cgggggtggc 4140

atcgtgcggg acggattacg ccgggaagcc tgcggtgacg ctggaagctg tgtggatttc 4200

gtccgactcg gtgaactaca cactcgataa gaggcattgc ctggtgacga ccggcccgct 4260

gtggaaacaa gcgatccgta aagcgtcagg gtcagagatt cggcctgagg gcgggagctg 4320

gatacgggtg gtgcttgcca tgcctgacgg caatttcagg gcaggatggg caccccacgc 4380

ccaagtaacc gctggtgcgc tggatatttc ggcggtggtc tcgtgagcgg ggagaagcgg 4440

cacagcgagg ccggcccggt agaaatcatc tttttgatgc tggcagtcag ggcgggggac 4500

tacatcgtcg ccgtgactgc ggttctcgcg gtcgggttct tcgcggtcgc ggttgagggt 4560

ttctggttcc tggtcgtcgc agtcatcgct gcaccggcgt ggtggtttct gcgcgactgg 4620

gaatcgaagc ggagggccgt acgggtcttt gaacgggcat ggaaggggac acctgaatcc 4680

cccggtattg ctctctccct tggcctgtcg aacgtggcgg ggtctctgcc gaggttgagg 4740

aagtttgaaa ctggttcggg gatacgcaca ctcgtgtttt ctttgccgcc cggagtcact 4800

gccgagagct ttgagaaagt tcgccctgcg ctggcagacg cgatgggggg tcaccgctgc 4860

caagtagaga aggtggcccc cggacaggtc cgcgtcagag tgattgatga ggattcgatg 4920

aagacgccgc gtgatgcggg atgggcgaaa gatgttgtgc tggaagagga tacgttcgac 4980

ggtcttccgg gcgagacgcg atcctggttc gagcaagagg ggccggcatc atgagaaaat 5040

cggcgggagt atctcggatt cctatccgtc tcgggcgctc tcagtacggg gaagacgttg 5100

gattcgatct cgctgcggac gccgctcaca tcgccatgca gggcaaaacc cgatccggca 5160

aaagtcaggc gacgtacaac gtgttagctc aggcagcagc gaacgcggcg gttcgagtcg 5220

tagggtccga cccgacacac gtactcctgg agcccttcaa acatcgaggg gtgtccgagc 5280

cttacgtggt ttcgggactg aatgcgcagg ccacggtgga catgctgggc tgggtcaagc 5340

gtgagtctga tcgtcgcatc gaccagatgt ggcccctgcg taccgacaag ttttccgagt 5400

tcggggcttc gttcccgctg atactcgtcg tgctcgaaga gttt 5444

<210> 74
<211> 5813
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> pRET1000 Full Length

<400> 74
ggatccgcgc cgaacagtcc gcggacacga agtggaagca ggtgaacgag gcgttgacca 60

gccaagaccg ggccgaggag caggctgccg aggcagcgcg ggtcgcctcc gctgtcatgg 120

gaggccaccc gacaccgcta cgggacatgc tcgccgccca ggagcagcgc cggaagccgt 180

ggactccgga gcagaaacgc cagtacgcga ccgcaaaagc ccaagcagaa cgcgccgcga 240

aggccaagga cgccgcgaaa tggaccgagg tcgccggcgg cggctaccag cgggacgtgc 300

gcgggatgaa cctgcgactg tgggtggctg aggacggcgc ctggtcgatc acctcgaaga 360

aggaccccga ccgccagtac gccgcaggtc aggccgacac cgtcgcgcag gcccaagccg 420

cggccacggc cacagcgaaa acgcaggccc aggcgatgtg gaagcaggtc ccggccgaca 480

agcgcaccga gtcagccacc agagcggtcc ggcgcgtgat cgcggatctc acccccacca 540

aacccgccga ggtcaaaccc ccggcccgcc gccagggacc aaccatgccg cagtcggccc 600

cggggtatca gccacccggc cgcgaccgag gtcgagaatc cggaatggga ctgtgagcag 660

agagcgagaa ggctttcgtg gagcgtaggg aacagacgca ggcctggcga agcatgtcca 720

agaacaccat cgatcgctag aaggtcggtc gtgcccaggg tgcccaggat gcgtacataa 780

cgcgcgaaag gtgcatacct cccatagcat cggcgcgtat ggtagggaaa atgatcttca 840

aacgtattgc tgtggtcgtg ctcgctggtg gggctttggt agtgggaggc agccaggttg 900

ctggtgctac cacggtttca gctccacagc cgagtccttc agcagcggtg gtgccgacgg 960

ttcttccacc agtcactttc accgccgctt ctgcgcactg cgaggcccag tacgcgtcgg 1020

attcccggcg atgccgtctg attccacttc cacagggccg agcgatctgc tgggcggcag 1080

ccgctgcccg ttacgcagcg tgccgcgccg gaaactaggt agaacgtgag catggacgag 1140

cttcccacct tcatcgccga cgacatcgtg atggccagaa cgttcgacag ccctaacggc 1200

caggtggtgc tcgaggtgaa cactccgcgg ccgttcgatg ctgcggcccc ggagggtgac 1260

tactgctgca ccttccggat cagcgggaac atggatgccc cttacgacgg attcggtggc 1320

ggcgtcgacg cagtgcaggc gctgctactc gcattggcca tggcacacga ggaacttcgt 1380

caaacttcgc cagagttgac gtttctaggc gagacgaacc tcggtctacc ggtcttgaac 1440

atcaagcccg acaacgcgat cgaagccgtg gtctcattcc ccgctccctg atgtgacgca 1500

ctttcacccc tggcactcat gtaccgaagc tgggactgag aaagggctgc cgcgtcaccg 1560

cttcgcgttg acttgccact gaacgggggc gtgtcccggt cagggcgggg tgtgacctgg 1620

gttcatgaca ccgctaacac gctgcggaaa tgcggattga actagttcat ttggggaacg 1680

atgacctgat gaccggggat cgtgacctac ccatgctgac catcgccgag gcggtggacg 1740

cgacgcagac cagtgagagc acgatcaagc gccgcctgcg gtcgggcgcg ttcccgaacg 1800

cggtccgcac tgccgacggg aagtggatga ttcccctcgg tgacctatca gcggcagggc 1860

tgagaccagg gaaaatggcg aaacctgacc cggtgacccc ttcaaatgac cgggtccgtg 1920

acctggcagc tgagaacgcc gagctccgtc agcgcctggc cgtggccgaa gccctggcca 1980

gcgaacgcaa tcggatcatc gacgtgcagc aacagatgct ccggatgctc gaagcccggc 2040

cggtgtcggc cctggagccc gcggcggttc cagtggcggg tccgccgccg cccgtcccgg 2100

ccgccgatgg tcgggcagct acgggcgccc tggcccggat acgtcgacgg cttctcggct 2160

aggagctgac cgcgtacttg cgtgcgtcgt gcaggagctt tcccaccgtt ccggtggaga 2220

ttcccatctc ctcggcgatc tcgcggtact tcaggccctg ctcgcgcagc tcgacggccc 2280

ggcgacggtt ctcggctgcc cgtgcgagga actggtcccg cggctcggcc atgatgcgct 2340

ggatcgtgcg cgtggaggcc cccatcttct cggccagctc gcgagctgtc tgcttgcggc 2400

ggatcggtcg ttcagcgccc acggtctgcc tcccacaatg cgttccggtc gaccttcgtc 2460

gctcgtttcc ggtttgcctc gcgcttcttc tcactcatct tgcgaccgcg tgcggcttgt 2520

atggcgatga atgtggcctc gtagacagca gggccgtcgg cccacatccg ggactttgta 2580

gtgatccagc gggtaatgga ggccgcgacg gcgcgtagct cgcttgctgg cagtggatcg 2640

ggcctgcctg tgaccgggtt cctgaacgtg gcgttgatct gtgcggcttc cgcatagatc 2700

gcggccccga ggccggtcgg gtcgccccag tggaagcgga tttcgcggta ggcccaggtg 2760

cgtgcggttt cgaacagggc gcagtttcgg ccgaggccga tcgggttctc acggcgcgat 2820

cgggtttgcc gccagcgcgt tggcggcatg tggatgccga gttccgcctc gagctcggcg 2880

agggatcgcc gctcggtgtg cagccaatgg gtgtcccagt caccgtgagt cgggttcttg 2940

gtcatcaggc ccgaatagcc cttgtccccc tggacggcgc gccggaggcc ttcggtgacg 3000

gcggccgcat aggcgagcgg cttacgacgg gcgtactcgg tgcgggtgaa cggctctgcc 3060

agcgcccaca cagcgtgtgc gtgcccgtta cgggggttct ccacgatcgc gttcggcaga 3120

ggatgattcc cggccgccga cagcgcccgc agcgcggcgt ccgggtggtc aacgtccacg 3180

acgagcaggt tgctcaatgc ctgcgggttc gactcgatgt agcggcgatc cagtgcgtct 3240

gatcgccgca tccggtagac gccgtcgagg aaatcgtcgg ttgccagtgg ccacagcggt 3300

agccacagct gttcccaggc gccgcctgtg tgctcttcca ccgcaaccat ggggaacaca 3360

ctcacacaca agatcgattt attccggtac gacacgccag ccaagtcaga tgtttcggtt 3420

tctggagcgg tcctccagac ctttgagatc cgctccagaa acgtccacaa attattgggg 3480

tacgtcgaac caagccttat caggtatccc ggggttccgg gggtgaacac caccctccga 3540

ccggtccaga atccgtcgat ctcacctatc cgctcgaagt ccttgagtca gtgacaggac 3600

cactgctggg ctcccagcgc agaaggcaag tgaaggcaga cgactgcggg aggtaagtcg 3660

ggtacggcat gaggtccttc agaagcggcg tcgacgccag gcccacacgc acaatccgct 3720

tcccacgagg gacaccaccg gtagcgcccc ctgcaaccgg cgcagtgtca cgaggcgccg 3780

gtactgctcg tttgacagga actgcagggt cggtgagctc gcgctgggcg gatcccacca 3840

gtagctcccc gtgccggtaa ccgcttgggg ccaagcgaag acacccaccg cggcagcgat 3900

ggcaatgcac gtggatggga acaccaccca gaaccaggga aatcctggtg ccggcccgag 3960

acgatcccgg cgcggtaaga ccacaccggc caccatcgcc acggcccccg acgcaacaag 4020

caataaccac cccatgagcg gacggtacaa gcgccgacgc cgggtggccg ttaggtgcgc 4080

gccagcccgt gaccggaccg gcgaagcgtg ccgctgggcg gcccgccgtg gcgcccgtcc 4140

cgtgcccgtt ctgaccggtg gtctcggtcg ctcgttcctc gcgtcctcac ctgccggtca 4200

gcccgtgacc gtgccgtcca ccacccggtg cctggtctgc gtctccctcg gctcgttcct 4260

cgcctatcct ggtgaccaga caccggagcg agctatgccc agggttgcgc agtgacttcg 4320

tcactgcgta accctgggcg ctcgcctccc attcgcttcg ctcacaggag ggggccgtcg 4380

atggccgctg acgctgcatc tgacgaccgg cggaccgagg tccgcgccgc tgcttcgcgg 4440

gccgctgacg cggccccggc gaagcgcacc cgcaccgtgg cggtgcggct gaccgatggg 4500

gaggaggccg cgtggatcga cgccgcgctg gccgatggcc accggcagct cggggcgtgg 4560

gtgcgtgagc gggcggtggc cggctatctc gggaaggtcc gcccgaagac cggcagtgga 4620

atgtcggcgg aggcggccgc ggaggtcgcc gcgatgcggc agcagatgac gaaggtgggg 4680

aacaacctga accagatcgc gagggcgatc aacgccgggc aggtgccgtc gcagatggcc 4740

gagtccctgc agaaggggtg gctggagagg tgggggcagg agttggggcg gatggcggat 4800

cggctcgacg cgctcgacga ccagggctga cgtgatcgcg aagatcagca cgggcagcga 4860

cccgaagggg ttggcggcgt atctgcacgg gccggggaag gccacccccgc acagctaccg 4920

caccgaggcg ggccggctga ttgccggcgg gacggtgatc gcgggatcgg tgcaggtcac 4980

cgccaaaaac ccgacccggt gggggcggga cttcgagcgg gccgccgcga cgaacgcgcg 5040

ggtgggtaag ccggtgtggc attgctcgct gcggtgcgcg cccggggatc ggcggctgac 5100

cgataccgag ttcgcggaca tcgcgcagac ggtcgccgag cggatgggct tcgagagtca 5160

tccgtgggtg gcggtgcggc acgacgacga ccacatccac ctggctgtct cccgggtcga 5220

ttttcagggc gtgacctgga agaacagcaa cgaccggtgg aaggtcgtcg aggtgatgcg 5280

cgaggtcgaa cgcgcgcacg gcctgatcga ggtggcgagc ccggagcggg cccgtggccg 5340

gcaagccagc agcggcgagc aacgccgcgc ggtgcggacc ggcaaggtgg cgcagcggga 5400

cggtctgagg gaaattgtga ccgccgcccg cgacatcgcc gcaggccagg gtgtgggggc 5460

gttcgaagtg gcgctcgtac agaacccgat tacccgagtg caggtgcggc gcaacgtcgc 5520

gaagacgggc cggatgaatg gctacagctt caacctgccc ggctacgtcg acgccgccgg 5580

ggagccgatc tggttgccgg cctccaaact cgaccggggt ttgtcctggt cacagctgga 5640

aaagacgctg accagacccc gcccggaccg cctcgccggc gaggagacgg tgccgcggaa 5700

gcggctcgag cgcgccgccg cgtgggagca gcgccgccgc gaggtcggcg gcgagcagtt 5760

cgcagctgcc cgctgggagc aggcccgcgc gaatgttggt gagacggccg ggc 5813

<210> 75
<211> 80
<212> DNA
<213> Rhodococcus rhodnii

<220>
<221> misc_feature
<223> 4260bp to 4339bp pRET1000

<400> 75
tcgcctatcc tggtgaccag acaccggagc gagctatgcc cagggttgcg cagtgacttc 60

gtcactgcgt aaccctgggc 80

<210> 76
<211> 108
<212> DNA
<213> Rhodococcus erythropolis

<220>
<221> misc_feature
<223> 761bp to 868bp pRET1100

<400> 76
tcacagagac agcgaaaacg cctcccctgg gtcaatccgg ttaccgccgg actgggggag 60

gcgcttcgac acctacatcc gtcgcccctc gaaaggctca gatgcact 108

<210> 77
<211> 556
<212> DNA
<213> Rhodococcus erythropolis

<400> 77
gaagcaacac cgcatccgcc cattgccgat cgctcagcac gccccccgtt gcggatttca 60

tggggcaact gtgcccgccc acatcaacta ttcgagtccg acgcgccgag gctatatgga 120

aaattattcg actacgcaaa acaaagccat atcaggtatc ccggcgacac cccccaaaac 180

ctcctcccca ccaacccctg ctttttgaac cttgccgcgc tggatcgttc gatttcttct 240

ggaaccctgc gagcggaaag ccacggtcgg caccttggtg caagaggtgt gctcgggttg 300

ggctttgcgt cggtggatgg tgagcacagg cgggtgagta cggcggtact cccgggagct 360

gcttcgagct gcgggaggta ggtcgggtac ggcgcgcaga gcggaagcgt ggtcggtggt 420

tgttcactct tctgctcggc cgaatcgagc gccggccgaa tcgagcgccg gccgaatcga 480

gcgccggccg aatcgagcgc cggccgaatc gagcgccggc cgaatcgtta gtgcggtgtg 540

cgtgcgtggt ggtcga 556

<210> 78
<211> 259
<212> PRT
<213> Rhodococcus erythropolis

<400> 78

Met Phe Asn Ser Ile Glu Gly Arg Ser Val Val Val Thr Gly Gly Ser
1 5 10 15

Lys Gly Ile Gly Leu Gly Met Val Arg Val Phe Ala Arg Ala Gly Ala
20 25 30

Asn Val Leu Met Thr Ala Arg Asp Ala Leu Thr Leu Glu Arg Ala Ala
35 40 45

Glu Gly Leu Asn Gly Leu Pro Gly Ala Val Ser Thr Leu Gln Val Asp
50 55 60

Val Thr Asn Pro Asp Ser Leu Ala Gly Met Ala Glu Val Ala Ala Glu
65 70 75 80

Arg His Gly Gly Ile Asp Val Leu Cys Ala Asn Ala Gly Ile Phe Pro
85 90 95

Ser Lys Arg Leu Gly Glu Met Thr Ser Glu Asp Met Asp Ser Val Phe
100 105 110

Gly Val Asn Val Lys Gly Thr Ile His Ala Val Gln Ala Cys Met Pro
115 120 125

Trp Leu Glu Thr Ser Gly Arg Gly Arg Val Val Val Thr Ser Ser Ile
130 135 140

Thr Gly Pro Val Thr Gly Tyr Pro Gly Trp Ser His Tyr Gly Ala Ser
145 150 155 160

Lys Ala Ala Gln Met Gly Phe Ile Arg Thr Ala Ala Ile Glu Leu Ala
165 170 175

Pro Lys Arg Ile Thr Ile Asn Ala Val Leu Pro Gly Asn Val Ile Thr
180 185 190

Glu Gly Leu Asp Gly Leu Gly Gln Glu Tyr Leu Asp Gln Met Ala Ser
195 200 205

Ser Val Pro Ala Gly Ser Leu Gly Ser Val Glu Asp Ile Ala Asn Ala
210 215 220

Ala Leu Phe Phe Ala Leu Asp Glu Ala Ala Tyr Ile Thr Gly Gln Ser
225 230 235 240

Leu Ile Val Asp Gly Gly Gln Val Leu Pro Glu Ser Ala Met Ala Leu
245 250 255

Gly Glu Leu

<210> 79
<211> 780
<212> DNA
<213> Rhodococcus erythropolis

<400> 79
atgttcaact ccattgaagg tcgttcggtc gtcgtcaccg gcggtagcaa gggcatcggc 60

ttgggaatgg tccgggtatt cgcgcgcgca ggggccaatg tgctcatgac cgcgcgagac 120

gctctgactc tcgaacgtgc cgcggagggt ttgaatggtc ttcctggcgc ggtctccaca 180

cttcaagtcg acgtcacgaa tcctgactcc ttggccggta tggcagaagt tgcggccgag 240

cgacacggag gaatcgacgt gttgtgcgcg aacgctggga tcttcccgtc gaagcggttg 300

ggagagatga cctcggagga catggacagc gtattcggcg tcaacgtcaa ggggaccatc 360

cacgccgtgc aagcgtgcat gccgtggctc gaaacttctg ggcgtggaag ggttgtcgtg 420

acatcgtcga tcaccggacc cgtaaccggt tatccgggtt ggtcgcacta cggggcaagc 480

aaggctgcgc agatgggctt catccgaact gctgccattg agttggcacc gaagaggatc 540

acgatcaacg ccgtcttgcc cggcaacgtg atcaccgagg ggctcgacgg tttgggacag 600

gaatatctcg accaaatggc gtccagcgtc ccggccggca gtctgggcag cgtcgaggat 660

atcgccaatg ccgcactgtt ctttgcactg gacgaagccg cgtacatcac cggtcagtcg 720

ttgatcgtag atggtggaca ggttcttccg gagtcggcga tggcgctcgg cgaactgtaa 780

<210> 80
<211> 28
<212> DNA
<213> Artificial

<220>
<223> primer (MAK F1)

<400> 80
gaatcttctc gttgatgcag atcaggtc 28

<210> 81

<211> 26
<212> DNA
<213> Artificial

<220>
<223> primer (MAK R2)

<400> 81
ctgactccgt agtgttctgc cagttc 26

<210> 82
<211> 34
<212> DNA
<213> Artificial

<220>
<223> primer (MAK Pst F)

<400> 82
gaccactgca gatcaatcaa ctctgatgag gtcc 34

<210> 83
<211> 34
<212> DNA
<213> Artificial

<220>
<223> primer (MAK His Bgl II R)

<400> 83
cgcttagatc tcagttcgcc gagcgccatc gccg 34

<210> 84
<211> 35
<212> DNA
<213> Artificial

<220>
<223> primer (P1200rep-Pst5195)

<400> 84
agccgctgca gaagcaacac cgcatccgcc cattg 35

<210> 85
<211> 24
<212> DNA
<213> Artificial

<220>
<223> primer (P7)

<400> 85
cgccagggtt ttcccagtca cgac 24

<210> 86
<211> 30
<212> DNA
<213> Artificial

<220>
<223> primer (pQE70 F1)

<400> 86
ggcgtatcac gaggcccttt cgtcttcacc 30

<210> 87
<211> 35
<212> DNA
<213> Artificial

<220>
<223> primer (pQE70 R1135Bm)

<400> 87
ggttggatcc gtcatcaccg aaacgcgcga ggcag 35

<210> 88
<211> 34
<212> DNA
<213> Artificial

<220>
<223> primer (P1204rep-Ec2958)

<400> 88
cgcggaattc gaccaccacg cacgcacacc gcac 34

<210> 89
<211> 8134
<212> DNA
<213> Artificial

<220>
<223> pRET1101

<400> 89
gggtaccgag ctcgaattcg taatcatggt catagctgtt tcctgtgtga aattgttatc 60

cgctcacaat tccacacaac atacgagccg gaagcataaa gtgtaaagcc tggggtgcct 120

aatgagtgag ctaactcaca ttaattgcgt tgcgctcact gcccgctttc cagtcgggaa 180

acctgtcgtg ccagctgcat taatgaatcg gccaacgcgc ggggagaggc ggtttgcgta 240

ttgggcgctc ttccgcttcc tcgctcactg actcgctgcg ctcggtcgtt cggctgcggc 300

gagcggtatc agctcactca aaggcggtaa tacggttatc cacagaatca ggggataacg 360

caggaaagaa catgtgagca aaaggccagc aaaaggccag gaaccgtaaa aaggccgcgt 420

tgctggcgtt tttccatagg ctccgccccc ctgacgagca tcacaaaaat cgacgctcaa 480

gtcagaggtg gcgaaacccg acaggactat aaagatacca ggcgtttccc cctggaagct 540

ccctcgtgcg ctctcctgtt ccgaccctgc cgcttaccgg atacctgtcc gcctttctcc 600

cttcgggaag cgtggcgctt tctcatagct cacgctgtag gtatctcagt tcggtgtagg 660

tcgttcgctc caagctgggc tgtgtgcacg aaccccccgt tcagcccgac cgctgcgcct 720

tatccggtaa ctatcgtctt gagtccaacc cggtaagaca cgacttatcg ccactggcag 780

cagccactgg taacaggatt agcagagcga ggtatgtagg cggtgctaca gagttcttga 840

agtggtggcc taactacggc tacactagaa ggacagtatt tggtatctgc gctctgctga 900

agccagttac cttcggaaaa agagttggta gctcttgatc cggcaaacaa accaccgctg 960

gtagcggtgg tttttttgtt tgcaagcagc agattacgcg cagaaaaaaa ggatctcaag 1020

aagatccttt gatcttttct acggggtctg acgctcagtg gaacgaaaac tcacgttaag 1080

ggattttggt catgagatta tcaaaaagga tcttcaccta gatccttta aattaaaaat 1140

gaagttttaa atcaatctaa agtatatatg agtaaacttg gtctgacagt taccaatgct 1200

taatcagtga ggcacctatc tcagcgatct gtctatttcg ttcatccata gttgcctgac 1260

tccccgtcgt gtagataact acgatacggg agggcttacc atctggcccc agtgctgcaa 1320

tgataccgcg agacccacgc tcaccggctc cagatttatc agcaataaac cagccagccg 1380

gaagggccga gcgcagaagt ggtcctgcaa ctttatccgc ctccatccag tctattaatt 1440

gttgccggga agctagagta agtagttcgc cagttaatag tttgcgcaac gttgttgcca 1500

ttgctacagg catcgtggtg tcacgctcgt cgtttggtat ggcttcattc agctccggtt 1560

cccaacgatc aaggcgagtt acatgatccc ccatgttgtg caaaaaagcg gttagctcct 1620

tcggtcctcc gatcgttgtc agaagtaagt tggccgcagt gttatcactc atggttatgg 1680

cagcactgca taattctctt actgtcatgc catccgtaag atgcttttct gtgactggtg 1740

agtactcaac caagtcattc tgagaatagt gtatgcggcg accgagttgc tcttgcccgg 1800

cgtcaatacg ggataatacc gcgccacata gcagaacttt aaaagtgctc atcattggaa 1860

aacgttcttc ggggcgaaaa ctctcaagga tcttaccgct gttgagatcc agttcgatgt 1920

aacccactcg tgcacccaac tgatcttcag catcttttac tttcaccagc gtttctgggt 1980

gagcaaaaac aggaaggcaa aatgccgcaa aaaagggaat aagggcgaca cggaaatgtt 2040

gaatactcat actcttcctt tttcaatatt attgaagcat ttatcagggt tattgtctca 2100

tgagcggata catatttgaa tgtatttaga aaaataaaca aataggggtt ccgcgcacat 2160

ttccccgaaa agtgccacct gacgtctaag aaaccattat tatcatgaca ttaacctata 2220

aaaataggcg tatcacgagg ccctttcgtc tcgcgcgttt cggtgatgac ggtgaaaacc 2280

tctgacacat gcagctcccg gagacggtca cagcttgtct gtaagcggat gccgggagca 2340

gacaagcccg tcagggcgcg tcagcgggtg ttggcgggtg tcggggctgg cttaactatg 2400

cggcatcaga gcagattgta ctgagagtgc accatatgcg gtgtgaaata ccgcacagat 2460

gcgtaaggag aaaataccgc atcaggcgcc attcgccatt caggctgcgc aactgttggg 2520

aagggcgatc ggtgcgggcc tcttcgctat tacgccagct ggcgaaaggg ggatgtgctg 2580

caaggcgatt aagttgggta acgccagggt tttcccagtc acgacgttgt aaaacgacgg 2640

ccagtgccaa gcttgcatgc ctgcaggtcg actctagagg atcccctgca cagaacccgt 2700

actcgatccg ctcgttcgtc gctgtgaggt ctttcctgca aggcaaatcg ttgtgccgga 2760

aggggtttcg tgatgtttct ccgagcgttt tttcgttcca agttggtcat ggtggctctt 2820

gtcctggtcg ctggcctgtt tctctacaac gcctgctctt cttctgacgc aaaggaagag 2880

atcggcagca gtctgaatct ctctcctgtc actgctcgtt cgaatccgta tgagggcgtc 2940

cagcccacga tgagcgaaaa aagccctgtt cccgtccctg tcgtttccgg cgacaggatt 3000

tcgggggtgg catcgtgcgg gacggattac gccgggaagc ctgcggtgac gctggaagct 3060

gtgtggattt cgtccgactc ggtgaactac acactcgata agaggcattg cctggtgacg 3120

accggcccgc tgtggaaaca agcgatccgt aaagcgtcag ggtcagagat tcggcctgag 3180

ggcgggagct ggatacgggt ggtgcttgcc atgcctgacg gcaatttcag ggcaggatgg 3240

gcaccccacg cccaagtaac cgctggtgcg ctggatattt cggcggtggt ctcgtgagcg 3300

gggagaagcg gcacagcgag gccggcccgg tagaaatcat ctttttgatg ctggcagtca 3360

gggcggggga ctacatcgtc gccgtgactg cggttctcgc ggtcgggttc ttcgcggtcg 3420

cggttgaggg tttctggttc ctggtcgtcg cagtcatcgc tgcaccggcg tggtggtttc 3480

tgcgcgactg ggaatcgaag cggagggccg tacgggtctt tgaacgggca tggaagggga 3540

cacctgaatc ccccggtatt gctctctccc ttggcctgtc gaacgtggcg gggtctctgc 3600

cgaggttgag gaagtttgaa actggttcgg ggatacgcac actcgtgttt tctttgccgc 3660

ccggagtcac tgccgagagc tttgagaaag ttcgccctgc gctggcagac gcgatggggg 3720

gtcaccgctg ccaagtagag aaggtggccc ccggacaggt ccgcgtcaga gtgattgatg 3780

aggattcgat gaagacgccg cgtgatgcgg gatgggcgaa agatgttgtg ctggaagagg 3840

atacgttcga cggtcttccg ggcgagacgc gatcctggtt cgagcaagag gggccggcat 3900

catgagaaaa tcggcgggag tatctcggat tcctatccgt ctcgggcgct ctcagtacgg 3960

ggaagacgtt ggattcgatc tcgctgcgga cgccgctcac atcgccatgc agggcaaaac 4020

ccgatccggc aaaagtcagg cgacgtacaa cgtgttagct caggcagcag cgaacgcggc 4080

ggttcgagtc gtagggtccg acccgacaca cgtactcctg gagcccttca aacatcgagg 4140

ggtgtccgag ccttacgtgg tttcgggact gaatgcgcag gccacggtgg acatgctggg 4200

ctgggtcaag cgtgagtctg atcgtcgcat cgaccagatg tggcccctgc gtaccgacaa 4260

gttttccgag ttcggggctt cgttcccgct gatactcgtc gtgctcgaag agtttcccgg 4320

gatcctcgag ggggcagcgg acgaagacgc cgcgttaggc cgaaaacctg ccgagcgtct 4380

cgcaccccgc atttcggcct acgtgcgtca gatagcagcg cagtcggcaa aggctggaat 4440

tcgccttctc ctgctctcgc aacgagcgga ggcctcgatc attggcggca atgcgcgttc 4500

gaatttcggg gtcaagatga ctctgagggt ggacgaaccg gagtcggtga gaatgcttca 4560

tccgagcgct tccccggaag actgtgccct ggtcgagacc ttcaagcctg gtacctgcct 4620

tttcgagaag ccaggagaag gccggcagat tatgcgatgc gactttgtcg gcgagtacgg 4680

gagatatgcg cgagccatcg agtcttcgga tctgcgtttt ctcgccaccc tccagcaaga 4740

ccaggcccaa cgcgaattct tcgctgagga gttcggtgtg gtggatccgt catgactgga 4800

ccacaggaga gaaagcgcaa ggcggcgaag ccgtcgcggg agcctcagtt gaactgctgt 4860

gaagcggacg tgccgaaacg agcaaaacag cccccggttc cctctacgtt cgacctgctc 4920

acggtgaagg agactgcggg gctgctgaga gtcagtcagg caactcttta ccggctgctt 4980

cggagtgggg aaggacccac atacacacgg atcggtggac agatacgcgt tcaccgcgag 5040

tcgctgcgtc ggttcatcga accgcgtgga taacgtcaca gagacagcga aaacgcctcc 5100

cctgggtcaa tccggttacc gccggactgg gggaggcgct tcgacaccta catccgtcgc 5160

ccctcgaaag gctcagatgc acttccacga taacgcagag gtcggacaag agggaagaac 5220

tgccgttctc tcgccgttgc gcggcgtagc cgccaagcgg gacgtgtctg acgatgcagc 5280

gaagcggagt cggcaggcgc ggcacgcgcc tgggcttgtt acatctgcca caactgtccg 5340

tgaatctctg ccagctcctg aaaccgctgg tcagggcctt gcggaatccg tgaccgctga 5400

tgatttttgg tctcattcgt tcccccgcgc tgacgatgta cgcggcgcag ctgcttcctt 5460

ccagtcggtg gctaactggg atgggcgtga gggtccgagg ccgcgtttcg ttgtcgcgcc 5520

tggcgttgtc cgcttggagg tttgtgatct cgcacgccgc gaacgaacgg ctgaacgtgc 5580

gtatctggct gctcgggctc gggtggatat ggcggctgcc aggcataact cgccgtacga 5640

cttcgacgtg gacgatgaag agttggcgga actggcttct ctgcaaggcc tcgaggacga 5700

cgacattggg ggctggtctg cggagaggga aatagtgggc tggtctgctc gttctcggtc 5760

acggatgatc ttgcgaatgg cagaactcga ctgggctccc atgatggatt tgccgggcat 5820

tcctgcgatg gtgaccctca cctatccggg ggactggctt acggttgccc ccaccggcgc 5880

tgaggtcaaa aaacatctcc agacgttctt caaacggttc caacgggcct ggggcattgc 5940

ctggatgggt gcgtggaaaa tggagttcca aagccgaggc gctccgcatt ttcacctgta 6000

catggtccct cctcatggga aggcaggaga ctcgcggaag ctgcggcatg atgctgagct 6060

cttgaaatgg gagatagcac gtgcagaggg tgaagaccca ggtcgcaggc cgtatttccg 6120

ggaagctcca agcgatggat tgaagtttcg tccgtggctt tctgcggtgt gggccgacgt 6180

cgtagatcat ccggacccca aggaaaaaga aaagcacgtc agtgccggca ctggagtgga 6240

ctacgcggag ggcacgcgag ggtcagatcc gaaaaggctt gcggtgtact tctccaagca 6300

tggaaccttt gccgacaagg aatatcagca cgtagttcct gctcaatggc agaaaacggg 6360

tgcgggacct ggcaggttct ggggctaccg cggtttgtcg ccggccacgg ctgccaccga 6420

gatttcctgg gatgagtacc tgcttttatc tcgcacgttg cgacgattgt cagcgcgaac 6480

gaagatctgg gacccggctt tacgaggcgg tagcggcggc cacagatgga ctaaggcgat 6540

gatgcgacgc acggttaccc ggcaccgctt ggacctcgtg accggtgaga ttctgggcac 6600

gaagacgcgg aaggttcggg cgccagtgaa gaggtttgtc cggacttcgg gatacctgtg 6660

tgtcaatgac gggcccgcac tggctcgaac cctcagccgt cttcgtacaa gctgcctgag 6720

ctagacgcgc ggaacgcctt tcggctttgt cttttgctgg atggcgggtt ttgggcggct 6780

tctggtgatg cgctgctgcg ctccgtgggg agagagaccc aacgactgac ctatctctac 6840

ccaggtgcaa ttcatctccc gcgctctgtc ggctaggtaa acgaggtgct cccgcgcgag 6900

cttttccatg tggtcggcca atgtcagctc ggtcaggaca acctgctgtt gttgcgatag 6960

ttgtgtccgc acgggtcgat tgtcttctgt tgcggcataa cggttttcgt cgttcgcgga 7020

gagtgcggct aaatgaattg catcctcgat tgagcggagc atttcgacgc ggaacctggc 7080

gatgatgttg tctctgtctt cattcataac tgaagcgtat tgggagtgtt gccctcccac 7140

catgtgtgcc aatgcaggtg tgaactgagt cacagtttct caatagactc caagtttgtg 7200

atcctttac tcccaaaatg gggcatgatg tgtgcgtgcc tcggttcagg ggcgaaagtt 7260

cgacacctcg aaagaaggcc tcgacatggc tttgaaagct gctggcaacg tgattcctga 7320

ttcctccgcg tacgagtacc gggcggttca ggtcgagccg aagatggtca gaaaagaccc 7380

ggaagacccg aactctgagc agttccagaa gcagaaggac ggcacgccgg tgtggtcgat 7440

cgactgcatt cgggtcgacc gggcatcagg caacaaggca atcgtgaccg tgacggttcc 7500

ggacgtgatg gaaccggatg ttgcggggcc ggtggagttc tccgagatga ttgccggttt 7560

ctgggtttcg cgcagtggtt cgggcatgtg gttttcggca agcgccgtcg cttctctctg 7620

atcgctgatc gtcgcccctc gaaaggttcg gaaatgtcca aaggaaaagg cgttgcgctg 7680

ggtgtgggtg ccctcgtgct cgtgtttgtg ctggttgcgg caggttggca agcggcgaac 7740

gtgttcagtg atcgttcaca gtccgaagct gtgccgctga gagtgccggc cgatccgaag 7800

tgggaaaacg gggtgttctc ggacgttgcc gggtgcctcg ttctctctcc ggaagagctg 7860

gggccgttca gcggagggca gtacatcgac atagtgaggc cagttgagcc ggagaggttg 7920

gagcgcgact gggtgaggtc ggctgagtgc gtttcggcgt cgatgaatgt ctctgacctg 7980

ttggtttctg ctcttccaga gtccacccgt ccccccggcg atttcgttcg ttcgtggaaa 8040

gtggcgagtg atgattactg ctatgagggt gataacccgc aaggctgcac ttctcgtatg 8100

ccggtttggg tctctgcaaa aaactggtgg tgca 8134

<210> 90
<211> 8124
<212> DNA
<213> Artificial

<220>
<223> pRET1102

<400> 90
gacctgcagg catgcaagct tggcgtaatc atggtcatag ctgtttcctg tgtgaaattg 60

ttatccgctc acaattccac acaacatacg agccggaagc ataaagtgta aagcctgggg 120

tgcctaatga gtgagctaac tcacattaat tgcgttgcgc tcactgcccg ctttccagtc 180

gggaaacctg tcgtgccagc tgcattaatg aatcggccaa cgcgcgggga gaggcggttt 240

gcgtattggc gaacttttgc tgagttgaag gatcagatca cgcatcttcc cgacaacgca 300

gaccgttccg tggcaaagca aaagttcaaa atcagtaacc gtcagtgccg ataagttcaa 360

agttaaacct ggtgttgata ccaacattga aacgctgatc gaaaacgcgc tgaaaaacgc 420

tgctgaatgt gcgagcttct tccgcttcct cgctcactga ctcgctgcgc tcggtcgttc 480

ggctgcggcg agcggtatca gctcactcaa aggcggtaat acggttatcc acagaatcag 540

gggataacgc aggaaagaac atgtgagcaa aaggccagca aaaggccagg aaccgtaaaa 600

aggccgcgtt gctggcgttt ttccataggc tccgcccccc tgacgagcat cacaaaaatc 660

gacgctcaag tcagaggtgg cgaaacccga caggactata aagataccag gcgtttcccc 720

ctggaagctc cctcgtgcgc tctcctgttc cgaccctgcc gcttaccgga tacctgtccg 780

cctttctccc ttcgggaagc gtggcgcttt ctcaatgctc acgctgtagg tatctcagtt 840

cggtgtaggt cgttcgctcc aagctgggct gtgtgcacga acccccccgtt cagcccgacc 900

gctgcgcctt atccggtaac tatcgtcttg agtccaaccc ggtaagacac gacttatcgc 960

cactggcagc agccactggt aacaggatta gcagagcgag gtatgtaggc ggtgctacag 1020

agttcttgaa gtggtggcct aactacggct acactagaag gacagtattt ggtatctgcg 1080

ctctgctgaa gccagttacc ttcggaaaaa gagttggtag ctcttgatcc ggcaaacaaa 1140

ccaccgctgg tagcggtggt ttttttgttt gcaagcagca gattacgcgc agaaaaaaag 1200

gatctcaaga agatcctttg atcttttcta cggggtctga cgctcagtgg aacgatccgt 1260

cgagaggtct gcctcgtgaa gaaggtgttg ctgactcata ccaggcctga atcgccccat 1320

catccagcca gaaagtgagg gagccacggt tgatgagagc tttgttgtag gtggaccagt 1380

tggtgatttt gaacttttgc tttgccacgg aacggtctgc gttgtcggga agatgcgtga 1440

tctgatcctt caactcagca aaagttcgat ttattcaaca aagccacgtt gtgtctcaaa 1500

atctctgatg ttacattgca caagataaaa atatatcatc atgaacaata aaactgtctg 1560

cttacataaa cagtaataca aggggtgtta tgagccatat tcaacgggaa acgtcttgct 1620

cgaagccgcg attaaattcc aacatggatg ctgatttata tgggtataaa tgggctcgcg 1680

ataatgtcgg gcaatcaggt gcgacaatct atcgattgta tgggaagccc gatgcgccag 1740

agttgtttct gaaacatggc aaaggtagcg ttgccaatga tgttacagat gagatggtca 1800

gactaaactg gctgacggaa tttatgcctc ttccgaccat caagcatttt atccgtactc 1860

ctgatgatgc atggttactc accactgcga tccccgggaa aacagcattc caggtattag 1920

aagaatatcc tgattcaggt gaaaatattg ttgatgcgct ggcagtgttc ctgcgccggt 1980

tgcattcgat tcctgtttgt aattgtcctt ttaacagcga tcgcgtattt cgtctcgctc 2040

aggcgcaatc acgaatgaat aacggtttgg ttgatgcgag tgattttgat gacgagcgta 2100

atggctggcc tgttgaacaa gtctggaaag aaatgcataa gcttttgcca ttctcaccgg 2160

attcagtcgt cactcatggt gatttctcac ttgataacct tatttttgac gaggggaaat 2220

taataggttg tattgatgtt ggacgagtcg gaatcgcaga ccgataccag gatcttgcca 2280

tcctatggaa ctgcctcggt gagttttctc cttcattaca gaaacggctt tttcaaaaat 2340

atggtattga taatcctgat atgaataaat tgcagtttca tttgatgctc gatgagtttt 2400

tctaatcaga attggttaat tggttgtaac actggcagag cattacgctg acttgacggg 2460

acggcggctt tgttgaataa atcgcattcg ccattcaggc tgcgcaactg ttgggaaggg 2520

cgatcggtgc gggcctcttc gctattacgc cagctggcga aaggggatg tgctgcaagg 2580

cgattaagtt gggtaacgcc agggttttcc cagtcacgac gttgtaaaac gacggccagt 2640

gaattcgagc tcggtacccg gggatcctct agagtctgca cagaacccgt actcgatccg 2700

ctcgttcgtc gctgtgaggt ctttcctgca aggcaaatcg ttgtgccgga aggggtttcg 2760

tgatgtttct ccgagcgttt tttcgttcca agttggtcat ggtggctctt gtcctggtcg 2820

ctggcctgtt tctctacaac gcctgctctt cttctgacgc aaaggaagag atcggcagca 2880

gtctgaatct ctctcctgtc actgctcgtt cgaatccgta tgagggcgtc cagcccacga 2940

tgagcgaaaa aagccctgtt cccgtccctg tcgtttccgg cgacaggatt tcgggggtgg 3000

catcgtgcgg gacggattac gccgggaagc ctgcggtgac gctggaagct gtgtggattt 3060

cgtccgactc ggtgaactac acactcgata agaggcattg cctggtgacg accggcccgc 3120

tgtggaaaca agcgatccgt aaagcgtcag ggtcagagat tcggcctgag ggcgggagct 3180

ggatacgggt ggtgcttgcc atgcctgacg gcaatttcag ggcaggatgg gcaccccacg 3240

cccaagtaac cgctggtgcg ctggatattt cggcggtggt ctcgtgagcg gggagaagcg 3300

gcacagcgag gccggcccgg tagaaatcat ctttttgatg ctggcagtca gggcgggggа 3360

ctacatcgtc gccgtgactg cggttctcgc ggtcgggttc ttcgcggtcg cggttgaggg 3420

tttctggttc ctggtcgtcg cagtcatcgc tgcaccggcg tggtggtttc tgcgcgactg 3480

ggaatcgaag cggagggccg tacgggtctt tgaacgggca tggaagggga cacctgaatc 3540

ccccggtatt gctctctccc ttggcctgtc gaacgtggcg gggtctctgc cgaggttgag 3600

gaagtttgaa actggttcgg ggatacgcac actcgtgttt tctttgccgc ccggagtcac 3660

tgccgagagc tttgagaaag ttcgccctgc gctggcagac gcgatggggg gtcaccgctg 3720

ccaagtagag aaggtggccc ccggacaggt ccgcgtcaga gtgattgatg aggattcgat 3780

gaagacgccg cgtgatgcgg gatgggcgaa agatgttgtg ctggaagagg atacgttcga 3840

cggtcttccg ggcgagacgc gatcctggtt cgagcaagag gggccggcat catgagaaaa 3900

tcggcgggag tatctcggat tcctatccgt ctcgggcgct ctcagtacgg ggaagacgtt 3960

ggattcgatc tcgctgcgga cgccgctcac atcgccatgc agggcaaaac ccgatccggc 4020

aaaagtcagg cgacgtacaa cgtgttagct caggcagcag cgaacgcggc ggttcgagtc 4080

gtagggtccg acccgacaca cgtactcctg gagcccttca aacatcgagg ggtgtccgag 4140

ccttacgtgg tttcgggact gaatgcgcag gccacggtgg acatgctggg ctgggtcaag 4200

cgtgagtctg atcgtcgcat cgaccagatg tggcccctgc gtaccgacaa gttttccgag 4260

ttcggggctt cgttcccgct gatactcgtc gtgctcgaag agtttcccgg gatcctcgag 4320

ggggcagcgg acgaagacgc cgcgttaggc cgaaaacctg ccgagcgtct cgcaccccgc 4380

atttcggcct acgtgcgtca gatagcagcg cagtcggcaa aggctggaat tcgccttctc 4440

ctgctctcgc aacgagcgga ggcctcgatc attggcggca atgcgcgttc gaatttcggg 4500

gtcaagatga ctctgagggt ggacgaaccg gagtcggtga gaatgcttca tccgagcgct 4560

tccccggaag actgtgccct ggtcgagacc ttcaagcctg gtacctgcct tttcgagaag 4620

ccaggagaag gccggcagat tatgcgatgc gactttgtcg gcgagtacgg gagatatgcg 4680

cgagccatcg agtcttcgga tctgcgtttt ctcgccaccc tccagcaaga ccaggcccaa 4740

cgcgaattct tcgctgagga gttcggtgtg gtggatccgt catgactgga ccacaggaga 4800

gaaagcgcaa ggcggcgaag ccgtcgcggg agcctcagtt gaactgctgt gaagcggacg 4860

tgccgaaacg agcaaaacag cccccggttc cctctacgtt cgacctgctc acggtgaagg 4920

agactgcggg gctgctgaga gtcagtcagg caactcttta ccggctgctt cggagtgggg 4980

aaggacccac atacacacgg atcggtggac agatacgcgt tcaccgcgag tcgctgcgtc 5040

ggttcatcga accgcgtgga taacgtcaca gagacagcga aaacgcctcc cctgggtcaa 5100

tccggttacc gccggactgg gggaggcgct tcgacaccta catccgtcgc ccctcgaaag 5160

gctcagatgc acttccacga taacgcagag gtcggacaag agggaagaac tgccgttctc 5220

tcgccgttgc gcggcgtagc cgccaagcgg gacgtgtctg acgatgcagc gaagcggagt 5280

cggcaggcgc ggcacgcgcc tgggcttgtt acatctgcca caactgtccg tgaatctctg 5340

ccagctcctg aaaccgctgg tcagggcctt gcggaatccg tgaccgctga tgatttttgg 5400

tctcattcgt tcccccgcgc tgacgatgta cgcggcgcag ctgcttcctt ccagtcggtg 5460

gctaactggg atgggcgtga gggtccgagg ccgcgtttcg ttgtcgcgcc tggcgttgtc 5520

cgcttggagg tttgtgatct cgcacgccgc gaacgaacgg ctgaacgtgc gtatctggct 5580

gctcgggctc gggtggatat ggcggctgcc aggcataact cgccgtacga cttcgacgtg 5640

gacgatgaag agttggcgga actggcttct ctgcaaggcc tcgaggacga cgacattggg 5700

ggctggtctg cggagaggga aatagtgggc tggtctgctc gttctcggtc acggatgatc 5760

ttgcgaatgg cagaactcga ctgggctccc atgatggatt tgccgggcat tcctgcgatg 5820

gtgaccctca cctatccggg ggactggctt acggttgccc ccaccggcgc tgaggtcaaa 5880

aaacatctcc agacgttctt caaacggttc caacgggcct ggggcattgc ctggatgggt 5940

gcgtggaaaa tggagttcca aagccgaggc gctccgcatt ttcacctgta catggtccct 6000

cctcatggga aggcaggaga ctcgcggaag ctgcggcatg atgctgagct cttgaaatgg 6060

gagatagcac gtgcagaggg tgaagaccca ggtcgcaggc cgtatttccg ggaagctcca 6120

agcgatggat tgaagtttcg tccgtggctt tctgcggtgt gggccgacgt cgtagatcat 6180

ccggacccca aggaaaaaga aaagcacgtc agtgccggca ctggagtgga ctacgcggag 6240

ggcacgcgag ggtcagatcc gaaaaggctt gcggtgtact tctccaagca tggaaccttt 6300

gccgacaagg aatatcagca cgtagttcct gctcaatggc agaaaacggg tgcgggacct 6360

ggcaggttct ggggctaccg cggtttgtcg ccggccacgg ctgccaccga gatttcctgg 6420

gatgagtacc tgcttttatc tcgcacgttg cgacgattgt cagcgcgaac gaagatctgg 6480

gacccggctt tacgaggcgg tagcggcggc cacagatgga ctaaggcgat gatgcgacgc 6540

acggttaccc ggcaccgctt ggacctcgtg accggtgaga ttctgggcac gaagacgcgg 6600

aaggttcggg cgccagtgaa gaggtttgtc cggacttcgg gatacctgtg tgtcaatgac 6660

gggcccgcac tggctcgaac cctcagccgt cttcgtacaa gctgcctgag ctagacgcgc 6720

ggaacgcctt tcggctttgt cttttgctgg atggcgggtt ttgggcggct tctggtgatg 6780

cgctgctgcg ctccgtgggg agagagaccc aacgactgac ctatctctac ccaggtgcaa 6840

ttcatctccc gcgctctgtc ggctaggtaa acgaggtgct cccgcgcgag cttttccatg 6900

tggtcggcca atgtcagctc ggtcaggaca acctgctgtt gttgcgatag ttgtgtccgc 6960

acgggtcgat tgtcttctgt tgcggcataa cggttttcgt cgttcgcgga gagtgcggct 7020

aaatgaattg catcctcgat tgagcggagc atttcgacgc ggaacctggc gatgatgttg 7080

tctctgtctt cattcataac tgaagcgtat tgggagtgtt gccctcccac catgtgtgcc 7140

aatgcaggtg tgaactgagt cacagtttct caatagactc caagtttgtg atcctttac 7200

tcccaaaatg gggcatgatg tgtgcgtgcc tcggttcagg ggcgaaagtt cgacacctcg 7260

aaagaaggcc tcgacatggc tttgaaagct gctggcaacg tgattcctga ttcctccgcg 7320

tacgagtacc gggcggttca ggtcgagccg aagatggtca gaaaagaccc ggaagacccg 7380

aactctgagc agttccagaa gcagaaggac ggcacgccgg tgtggtcgat cgactgcatt 7440

cgggtcgacc gggcatcagg caacaaggca atcgtgaccg tgacggttcc ggacgtgatg 7500

gaaccggatg ttgcggggcc ggtggagttc tccgagatga ttgccggttt ctgggtttcg 7560

cgcagtggtt cgggcatgtg gttttcggca agcgccgtcg cttctctctg atcgctgatc 7620

gtcgcccctc gaaaggttcg gaaatgtcca aaggaaaagg cgttgcgctg ggtgtgggtg 7680

ccctcgtgct cgtgtttgtg ctggttgcgg caggttggca agcggcgaac gtgttcagtg 7740

atcgttcaca gtccgaagct gtgccgctga gagtgccggc cgatccgaag tgggaaaacg 7800

gggtgttctc ggacgttgcc gggtgcctcg ttctctctcc ggaagagctg gggccgttca 7860

gcggagggca gtacatcgac atagtgaggc cagttgagcc ggagaggttg gagcgcgact 7920

gggtgaggtc ggctgagtgc gtttcggcgt cgatgaatgt ctctgacctg ttggtttctg 7980

ctcttccaga gtccacccgt ccccccggcg atttcgttcg ttcgtggaaa gtggcgagtg 8040

atgattactg ctatgagggt gataacccgc aaggctgcac ttctcgtatg ccggtttggg 8100

tctctgcaaa aaactggtgg tgca 8124

<210> 91
<211> 7675
<212> DNA
<213> Artificial

<220>
<223> pRET1103

<400> 91
gacctgcagg catgcaagct tggcactggc cgtcgtttta caacgtcgtg actgggaaaa 60

ccctggcgtt acccaactta atcgccttgc agcacatccc cctttcgcca gctggcgtaa 120

tagcgaagag gcccgcaccg atcgcccttc ccaacagttg cgcagcctga atggcgaatg 180

agcttcttcc gcttcctcgc tcactgactc gctgcgctcg gtcgttcggc tgcggcgagc 240

ggtatcagct cactcaaagg cggtaatacg gttatccaca gaatcagggg ataacgcagg 300

aaagaacatg tgagcaaaag gccagcaaaa ggccaggaac cgtaaaaagg ccgcgttgct 360

ggcgtttttc cataggctcc gccccctga cgagcatcac aaaaatcgac gctcaagtca 420

gaggtggcga aacccgacag gactataaag ataccaggcg tttccccctg gaagctccct 480

cgtgcgctct cctgttccga ccctgccgct taccggatac ctgtccgcct ttctcccttc 540

gggaagcgtg gcgctttctc aatgctcacg ctgtaggtat ctcagttcgg tgtaggtcgt 600

tcgctccaag ctgggctgtg tgcacgaacc ccccgttcag cccgaccgct gcgccttatc 660

cggtaactat cgtcttgagt ccaacccggt aagacacgac ttatcgccac tggcagcagc 720

cactggtaac aggattagca gagcgaggta tgtaggcggt gctacagagt tcttgaagtg 780

gtggcctaac tacggctaca ctagaaggac agtatttggt atctgcgctc tgctgaagcc 840

agttaccttc ggaaaaagag ttggtagctc ttgatccggc aaacaaacca ccgctggtag 900

cggtggtttt tttgtttgca agcagcagat tacgcgcaga aaaaaaggat ctcaagaaga 960

tcctttgatc ttttctacgg ggtctgacgc tcagtggaac tccgtcgaac ggaagatcac 1020

ttcgcagaat aaataaatcc tggtgtccct gttgataccg ggaagccctg ggccaacttt 1080

tggcgaaaat gagacgttga tcggcacgta agaggttcca actttcacca taatgaaata 1140

agatcactac cgggcgtatt ttttgagtta tcgagatttt caggagctaa ggaagctaaa 1200

atggagaaaa aaatcactgg atataccacc gttgatatat cccaatggca tcgtaaagaa 1260

cattttgagg catttcagtc agttgctcaa tgtacctata accagaccgt tcagctggat 1320

attacggcct ttttaaagac cgtaaagaaa aataagcaca agttttatcc ggcctttatt 1380

cacattcttg cccgcctgat gaatgctcat ccggaatttc gtatggcaat gaaagacggt 1440

gagctggtga tatgggatag tgttcaccct tgttacaccg ttttccatga gcaaactgaa 1500

acgttttcat cgctctggag tgaataccac gacgatttcc ggcagtttct acacatatat 1560

tcgcaagatg tggcgtgtta cggtgaaaac ctggcctatt tccctaaagg gtttattgag 1620

aatatgtttt tcgtctcagc caatccctgg gtgagtttca ccagttttga tttaaacgtg 1680

gccaatatgg acaacttctt cgcccccgtt ttcaccatgg gcaaatatta tacgcaaggc 1740

gacaaggtgc tgatgccgct ggcgattcag gttcatcatg ccgtctgtga tggcttccat 1800

gtcggcagaa tgcttaatga attacaacag tactgcgatg agtggcaggg cggggcgtaa 1860

ttttttaag gcagttattg gtgcccttaa acgcctggtg ctacgcctga ataagtgata 1920

ataagcggat gaatggcaga aattcagctt ggcccagtgc caagctccaa tacgcaaacc 1980

gcctctcccc gcgcgttggc cgattcatta atgcagctgg cacgacaggt ttcccgactg 2040

gaaagcgggc agtgagcgca acgcaattaa tgtgagttag ctcactcatt aggcacccca 2100

ggctttacac tttatgcttc cggctcgtat gttgtgtgga attgtgagcg gataacaatt 2160

tcacacagga aacagctatg accatgatta cgaattcgag ctcggtaccc ggggatcctc 2220

tagagtctgc acagaacccg tactcgatcc gctcgttcgt cgctgtgagg tctttcctgc 2280

aaggcaaatc gttgtgccgg aaggggtttc gtgatgtttc tccgagcgtt ttttcgttcc 2340

aagttggtca tggtggctct tgtcctggtc gctggcctgt ttctctacaa cgcctgctct 2400

tcttctgacg caaaggaaga gatcggcagc agtctgaatc tctctcctgt cactgctcgt 2460

tcgaatccgt atgagggcgt ccagcccacg atgagcgaaa aaagccctgt tcccgtccct 2520

gtcgtttccg gcgacaggat ttcgggggtg gcatcgtgcg ggacggatta cgccgggaag 2580

cctgcggtga cgctggaagc tgtgtggatt tcgtccgact cggtgaacta cacactcgat 2640

aagaggcatt gcctggtgac gaccggcccg ctgtggaaac aagcgatccg taaagcgtca 2700

gggtcagaga ttcggcctga gggcgggagc tggatacggg tggtgcttgc catgcctgac 2760

ggcaatttca gggcaggatg ggcaccccac gcccaagtaa ccgctggtgc gctggatatt 2820

tcggcggtgg tctcgtgagc ggggagaagc ggcacagcga ggccggcccg gtagaaatca 2880

tctttttgat gctggcagtc agggcggggg actacatcgt cgccgtgact gcggttctcg 2940

cggtcgggtt cttcgcggtc gcggttgagg gtttctggtt cctggtcgtc gcagtcatcg 3000

ctgcaccggc gtggtggttt ctgcgcgact gggaatcgaa gcggagggcc gtacgggtct 3060

ttgaacgggc atggaagggg acacctgaat cccccggtat tgctctctcc cttggcctgt 3120

cgaacgtggc ggggtctctg ccgaggttga ggaagtttga aactggttcg gggatacgca 3180

cactcgtgtt ttctttgccg cccggagtca ctgccgagag ctttgagaaa gttcgccctg 3240

cgctggcaga cgcgatgggg ggtcaccgct gccaagtaga gaaggtggcc cccggacagg 3300

tccgcgtcag agtgattgat gaggattcga tgaagacgcc gcgtgatgcg ggatgggcga 3360

aagatgttgt gctggaagag gatacgttcg acggtcttcc gggcgagacg cgatcctggt 3420

tcgagcaaga ggggccggca tcatgagaaa atcggcggga gtatctcgga ttcctatccg 3480

tctcgggcgc tctcagtacg gggaagacgt tggattcgat ctcgctgcgg acgccgctca 3540

catcgccatg cagggcaaaa cccgatccgg caaaagtcag gcgacgtaca acgtgttagc 3600

tcaggcagca gcgaacgcgg cggttcgagt cgtagggtcc gacccgacac acgtactcct 3660

ggagcccttc aaacatcgag gggtgtccga gccttacgtg gtttcgggac tgaatgcgca 3720

ggccacggtg gacatgctgg gctgggtcaa gcgtgagtct gatcgtcgca tcgaccagat 3780

gtggcccctg cgtaccgaca agttttccga gttcggggct tcgttcccgc tgatactcgt 3840

cgtgctcgaa gagtttcccg ggatcctcga gggggcagcg gacgaagacg ccgcgttagg 3900

ccgaaaacct gccgagcgtc tcgcaccccg catttcggcc tacgtgcgtc agatagcagc 3960

gcagtcggca aaggctggaa ttcgccttct cctgctctcg caacgagcgg aggcctcgat 4020

cattggcggc aatgcgcgtt cgaatttcgg ggtcaagatg actctgaggg tggacgaacc 4080

ggagtcggtg agaatgcttc atccgagcgc ttccccggaa gactgtgccc tggtcgagac 4140

cttcaagcct ggtacctgcc ttttcgagaa gccaggagaa ggccggcaga ttatgcgatg 4200

cgactttgtc ggcgagtacg ggagatatgc gcgagccatc gagtcttcgg atctgcgttt 4260

tctcgccacc ctccagcaag accaggccca acgcgaattc ttcgctgagg agttcggtgt 4320

ggtggatccg tcatgactgg accacaggag agaaagcgca aggcggcgaa gccgtcgcgg 4380

gagcctcagt tgaactgctg tgaagcggac gtgccgaaac gagcaaaaca gcccccggtt 4440

ccctctacgt tcgacctgct cacggtgaag gagactgcgg ggctgctgag agtcagtcag 4500

gcaactcttt accggctgct tcggagtggg gaaggaccca catacacacg gatcggtgga 4560

cagatacgcg ttcaccgcga gtcgctgcgt cggttcatcg aaccgcgtgg ataacgtcac 4620

agagacagcg aaaacgcctc ccctgggtca atccggttac cgccggactg ggggaggcgc 4680

ttcgacacct acatccgtcg cccctcgaaa ggctcagatg cacttccacg ataacgcaga 4740

ggtcggacaa gagggaagaa ctgccgttct ctcgccgttg cgcggcgtag ccgccaagcg 4800

ggacgtgtct gacgatgcag cgaagcggag tcggcaggcg cggcacgcgc ctgggcttgt 4860

tacatctgcc acaactgtcc gtgaatctct gccagctcct gaaaccgctg gtcagggcct 4920

tgcggaatcc gtgaccgctg atgatttttg gtctcattcg ttcccccgcg ctgacgatgt 4980

acgcggcgca gctgcttcct tccagtcggt ggctaactgg gatgggcgtg agggtccgag 5040

gccgcgtttc gttgtcgcgc ctggcgttgt ccgcttggag gtttgtgatc tcgcacgccg 5100

cgaacgaacg gctgaacgtg cgtatctggc tgctcgggct cgggtggata tggcggctgc 5160

caggcataac tcgccgtacg acttcgacgt ggacgatgaa gagttggcgg aactggcttc 5220

tctgcaaggc ctcgaggacg acgacattgg gggctggtct gcggagaggg aaatagtggg 5280

ctggtctgct cgttctcggt cacggatgat cttgcgaatg gcagaactcg actgggctcc 5340

catgatggat ttgccgggca ttcctgcgat ggtgaccctc acctatccgg gggactggct 5400

tacggttgcc cccaccggcg ctgaggtcaa aaaacatctc cagacgttct tcaaacggtt 5460

ccaacgggcc tggggcattg cctggatggg tgcgtggaaa atggagttcc aaagccgagg 5520

cgctccgcat tttcacctgt acatggtccc tcctcatggg aaggcaggag actcgcggaa 5580

gctgcggcat gatgctgagc tcttgaaatg ggagatagca cgtgcagagg gtgaagaccc 5640

aggtcgcagg ccgtatttcc gggaagctcc aagcgatgga ttgaagtttc gtccgtggct 5700

ttctgcggtg tgggccgacg tcgtagatca tccggacccc aaggaaaaag aaaagcacgt 5760

cagtgccggc actggagtgg actacgcgga gggcacgcga gggtcagatc cgaaaaggct 5820

tgcggtgtac ttctccaagc atggaacctt tgccgacaag gaatatcagc acgtagttcc 5880

tgctcaatgg cagaaaacgg gtgcgggacc tggcaggttc tggggctacc gcggtttgtc 5940

gccggccacg gctgccaccg agatttcctg ggatgagtac ctgcttttat ctcgcacgtt 6000

gcgacgattg tcagcgcgaa cgaagatctg ggacccggct ttacgaggcg gtagcggcgg 6060

ccacagatgg actaaggcga tgatgcgacg cacggttacc cggcaccgct tggacctcgt 6120

gaccggtgag attctgggca cgaagacgcg gaaggttcgg gcgccagtga agaggtttgt 6180

ccggacttcg ggatacctgt gtgtcaatga cgggcccgca ctggctcgaa ccctcagccg 6240

tcttcgtaca agctgcctga gctagacgcg cggaacgcct ttcggctttg tcttttgctg 6300

gatggcgggt tttgggcggc ttctggtgat gcgctgctgc gctccgtggg gagagagacc 6360

caacgactga cctatctcta cccaggtgca attcatctcc cgcgctctgt cggctaggta 6420

aacgaggtgc tcccgcgcga gcttttccat gtggtcggcc aatgtcagct cggtcaggac 6480

aacctgctgt tgttgcgata gttgtgtccg cacgggtcga ttgtcttctg ttgcggcata 6540

acggttttcg tcgttcgcgg agagtgcggc taaatgaatt gcatcctcga ttgagcggag 6600

catttcgacg cggaacctgg cgatgatgtt gtctctgtct tcattcataa ctgaagcgta 6660

ttgggagtgt tgccctccca ccatgtgtgc caatgcaggt gtgaactgag tcacagtttc 6720

tcaatagact ccaagtttgt gatcctttta ctcccaaaat ggggcatgat gtgtgcgtgc 6780

ctcggttcag gggcgaaagt tcgacacctc gaaagaaggc ctcgacatgg ctttgaaagc 6840

tgctggcaac gtgattcctg attcctccgc gtacgagtac cgggcggttc aggtcgagcc 6900

gaagatggtc agaaaagacc cggaagaccc gaactctgag cagttccaga agcagaagga 6960

cggcacgccg gtgtggtcga tcgactgcat tcgggtcgac cgggcatcag gcaacaaggc 7020

aatcgtgacc gtgacggttc cggacgtgat ggaaccggat gttgcggggc cggtggagtt 7080

ctccgagatg attgccggtt tctgggtttc gcgcagtggt tcgggcatgt ggttttcggc 7140

aagcgccgtc gcttctctct gatcgctgat cgtcgcccct cgaaaggttc ggaaatgtcc 7200

aaaggaaaag gcgttgcgct gggtgtgggt gccctcgtgc tcgtgtttgt gctggttgcg 7260

gcaggttggc aagcggcgaa cgtgttcagt gatcgttcac agtccgaagc tgtgccgctg 7320

agagtgccgg ccgatccgaa gtgggaaaac ggggtgttct cggacgttgc cgggtgcctc 7380

gttctctctc cggaagagct ggggccgttc agcggagggc agtacatcga catagtgagg 7440

ccagttgagc cggagaggtt ggagcgcgac tgggtgaggt cggctgagtg cgtttcggcg 7500

tcgatgaatg tctctgacct gttggtttct gctcttccag agtccacccg tccccccggc 7560

gatttcgttc gttcgtggaa agtggcgagt gatgattact gctatgaggg tgataacccg 7620

caaggctgca cttctcgtat gccggtttgg gtctctgcaa aaaactggtg gtgca 7675

<210> 92
<211> 8134
<212> DNA

<213> Artificial

<220>
<223> pRET1101Rv

<400> 92
ggggatcctc tagagtcgac ctgcaggcat gcaagcttgg cactggccgt cgttttacaa 60

cgtcgtgact gggaaaaccc tggcgttacc caacttaatc gccttgcagc acatcccccc 120

ttcgccagct ggcgtaatag cgaagaggcc cgcaccgatc gcccttccca acagttgcgc 180

agcctgaatg gcgaatggcg cctgatgcgg tattttctcc ttacgcatct gtgcggtatt 240

tcacaccgca tatggtgcac tctcagtaca atctgctctg atgccgcata gttaagccag 300

ccccgacacc cgccaacacc cgctgacgcg ccctgacggg cttgtctgct cccggcatcc 360

gcttacagac aagctgtgac cgtctccggg agctgcatgt gtcagaggtt ttcaccgtca 420

tcaccgaaac gcgcgagacg aaagggcctc gtgatacgcc tatttttata ggttaatgtc 480

atgataataa tggtttctta gacgtcaggt ggcacttttc ggggaaatgt gcgcggaacc 540

cctatttgtt tatttttcta aatacattca aatatgtatc cgctcatgag acaataaccc 600

tgataaatgc ttcaataata ttgaaaaagg aagagtatga gtattcaaca tttccgtgtc 660

gcccttattc ccttttttgc ggcattttgc cttcctgttt ttgctcaccc agaaacgctg 720

gtgaaagtaa aagatgctga agatcagttg ggtgcacgag tgggttacat cgaactggat 780

ctcaacagcg gtaagatcct tgagagtttt cgccccgaag aacgttttcc aatgatgagc 840

acttttaaag ttctgctatg tggcgcggta ttatcccgta ttgacgccgg gcaagagcaa 900

ctcggtcgcc gcatacacta ttctcagaat gacttggttg agtactcacc agtcacagaa 960

aagcatctta cggatggcat gacagtaaga gaattatgca gtgctgccat aaccatgagt 1020

gataacactg cggccaactt acttctgaca acgatcggag gaccgaagga gctaaccgct 1080

tttttgcaca acatggggga tcatgtaact cgccttgatc gttgggaacc ggagctgaat 1140

gaagccatac caaacgacga gcgtgacacc acgatgcctg tagcaatggc aacaacgttg 1200

cgcaaactat taactggcga actacttact ctagcttccc ggcaacaatt aatagactgg 1260

atggaggcgg ataaagttgc aggaccactt ctgcgctcgg cccttccggc tggctggttt 1320

attgctgata aatctggagc cggtgagcgt gggtctcgcg gtatcattgc agcactgggg 1380

ccagatggta agccctcccg tatcgtagtt atctacacga cggggagtca ggcaactatg 1440

gatgaacgaa atagacagat cgctgagata ggtgcctcac tgattaagca ttggtaactg 1500

tcagaccaag tttactcata tatactttag attgatttaa aacttcattt ttaatttaaa 1560

aggatctagg tgaagatcct ttttgataat ctcatgacca aaatccctta acgtgagttt 1620

tcgttccact gagcgtcaga ccccgtagaa aagatcaaag gatcttcttg agatcctttt 1680

tttctgcgcg taatctgctg cttgcaaaca aaaaaaccac cgctaccagc ggtggtttgt 1740

ttgccggatc aagagctacc aactcttttt ccgaaggtaa ctggcttcag cagagcgcag 1800

ataccaaata ctgtccttct agtgtagccg tagttaggcc accacttcaa gaactctgta 1860

gcaccgccta catacctcgc tctgctaatc ctgttaccag tggctgctgc cagtggcgat 1920

aagtcgtgtc ttaccgggtt ggactcaaga cgatagttac cggataaggc gcagcggtcg 1980

ggctgaacgg ggggttcgtg cacacagccc agcttggagc gaacgaccta caccgaactg 2040

agatacctac agcgtgagct atgagaaagc gccacgcttc ccgaagggag aaaggcggac 2100

aggtatccgg taagcggcag ggtcggaaca ggagagcgca cgagggagct tccagggggа 2160

aacgcctggt atctttatag tcctgtcggg tttcgccacc tctgacttga gcgtcgattt 2220

ttgtgatgct cgtcaggggg gcggagccta tggaaaaacg ccagcaacgc ggcctttttа 2280

cggttcctgg ccttttgctg gccttttgct cacatgttct ttcctgcgtt atcccctgat 2340

tctgtggata accgtattac cgcctttgag tgagctgata ccgctcgccg cagccgaacg 2400

accgagcgca gcgagtcagt gagcgaggaa gcggaagagc gcccaatacg caaaccgcct 2460

ctccccgcgc gttggccgat tcattaatgc agctggcacg acaggtttcc cgactggaaa 2520

gcgggcagtg agcgcaacgc aattaatgtg agttagctca ctcattaggc accccaggct 2580

ttacacttta tgcttccggc tcgtatgttg tgtggaattg tgagcggata acaatttcac 2640

acaggaaaca gctatgacca tgattacgaa ttcgagctcg gtaccctgca cagaacccgt 2700

actcgatccg ctcgttcgtc gctgtgaggt ctttcctgca aggcaaatcg ttgtgccgga 2760

aggggtttcg tgatgtttct ccgagcgttt tttcgttcca agttggtcat ggtggctctt 2820

gtcctggtcg ctggcctgtt tctctacaac gcctgctctt cttctgacgc aaaggaagag 2880

atcggcagca gtctgaatct ctctcctgtc actgctcgtt cgaatccgta tgagggcgtc 2940

cagcccacga tgagcgaaaa aagccctgtt cccgtccctg tcgtttccgg cgacaggatt 3000

tcgggggtgg catcgtgcgg gacggattac gccgggaagc ctgcggtgac gctggaagct 3060

gtgtggattt cgtccgactc ggtgaactac acactcgata agaggcattg cctggtgacg 3120

accggcccgc tgtggaaaca agcgatccgt aaagcgtcag ggtcagagat tcggcctgag 3180

ggcgggagct ggatacgggt ggtgcttgcc atgcctgacg gcaatttcag ggcaggatgg 3240

gcaccccacg cccaagtaac cgctggtgcg ctggatattt cggcggtggt ctcgtgagcg 3300

gggagaagcg gcacagcgag gccggcccgg tagaaatcat ctttttgatg ctggcagtca 3360

gggcggggga ctacatcgtc gccgtgactg cggttctcgc ggtcgggttc ttcgcggtcg 3420

cggttgaggg tttctggttc ctggtcgtcg cagtcatcgc tgcaccggcg tggtggtttc 3480

tgcgcgactg ggaatcgaag cggagggccg tacgggtctt tgaacgggca tggaagggga 3540

cacctgaatc ccccggtatt gctctctccc ttggcctgtc gaacgtggcg gggtctctgc 3600

cgaggttgag gaagtttgaa actggttcgg ggatacgcac actcgtgttt tctttgccgc 3660

ccggagtcac tgccgagagc tttgagaaag ttcgccctgc gctggcagac gcgatggggg 3720

gtcaccgctg ccaagtagag aaggtggccc ccggacaggt ccgcgtcaga gtgattgatg 3780

aggattcgat gaagacgccg cgtgatgcgg gatgggcgaa agatgttgtg ctggaagagg 3840

atacgttcga cggtcttccg ggcgagacgc gatcctggtt cgagcaagag gggccggcat 3900

catgagaaaa tcggcgggag tatctcggat tcctatccgt ctcgggcgct ctcagtacgg 3960

ggaagacgtt ggattcgatc tcgctgcgga cgccgctcac atcgccatgc agggcaaaac 4020

ccgatccggc aaaagtcagg cgacgtacaa cgtgttagct caggcagcag cgaacgcggc 4080

ggttcgagtc gtagggtccg acccgacaca cgtactcctg gagcccttca aacatcgagg 4140

ggtgtccgag ccttacgtgg tttcgggact gaatgcgcag gccacggtgg acatgctggg 4200

ctgggtcaag cgtgagtctg atcgtcgcat cgaccagatg tggcccctgc gtaccgacaa 4260

gttttccgag ttcggggctt cgttcccgct gatactcgtc gtgctcgaag agtttcccgg 4320

gatcctcgag ggggcagcgg acgaagacgc cgcgttaggc cgaaaacctg ccgagcgtct 4380

cgcaccccgc atttcggcct acgtgcgtca gatagcagcg cagtcggcaa aggctggaat 4440

tcgccttctc ctgctctcgc aacgagcgga ggcctcgatc attggcggca atgcgcgttc 4500

gaatttcggg gtcaagatga ctctgagggt ggacgaaccg gagtcggtga gaatgcttca 4560

tccgagcgct tccccggaag actgtgccct ggtcgagacc ttcaagcctg gtacctgcct 4620

tttcgagaag ccaggagaag gccggcagat tatgcgatgc gactttgtcg gcgagtacgg 4680

gagatatgcg cgagccatcg agtcttcgga tctgcgtttt ctcgccaccc tccagcaaga 4740

ccaggcccaa cgcgaattct tcgctgagga gttcggtgtg gtggatccgt catgactgga 4800

ccacaggaga gaaagcgcaa ggcggcgaag ccgtcgcggg agcctcagtt gaactgctgt 4860

gaagcggacg tgccgaaacg agcaaaacag cccccggttc cctctacgtt cgacctgctc 4920

acggtgaagg agactgcggg gctgctgaga gtcagtcagg caactcttta ccggctgctt 4980

cggagtgggg aaggacccac atacacacgg atcggtggac agatacgcgt tcaccgcgag 5040

tcgctgcgtc ggttcatcga accgcgtgga taacgtcaca gagacagcga aaacgcctcc 5100

cctgggtcaa tccggttacc gccggactgg gggaggcgct tcgacaccta catccgtcgc 5160

ccctcgaaag gctcagatgc acttccacga taacgcagag gtcggacaag agggaagaac 5220

tgccgttctc tcgccgttgc gcggcgtagc cgccaagcgg gacgtgtctg acgatgcagc 5280

gaagcggagt cggcaggcgc ggcacgcgcc tgggcttgtt acatctgcca caactgtccg 5340

tgaatctctg ccagctcctg aaaccgctgg tcagggcctt gcggaatccg tgaccgctga 5400

tgatttttgg tctcattcgt tcccccgcgc tgacgatgta cgcggcgcag ctgcttcctt 5460

ccagtcggtg gctaactggg atgggcgtga gggtccgagg ccgcgtttcg ttgtcgcgcc 5520

tggcgttgtc cgcttggagg tttgtgatct cgcacgccgc gaacgaacgg ctgaacgtgc 5580

gtatctggct gctcgggctc gggtggatat ggcggctgcc aggcataact cgccgtacga 5640

cttcgacgtg gacgatgaag agttggcgga actggcttct ctgcaaggcc tcgaggacga 5700

cgacattggg ggctggtctg cggagaggga aatagtgggc tggtctgctc gttctcggtc 5760

acggatgatc ttgcgaatgg cagaactcga ctgggctccc atgatggatt tgccgggcat 5820

tcctgcgatg gtgaccctca cctatccggg ggactggctt acggttgccc ccaccggcgc 5880

tgaggtcaaa aaacatctcc agacgttctt caaacggttc caacgggcct ggggcattgc 5940

ctggatgggt gcgtggaaaa tggagttcca aagccgaggc gctccgcatt ttcacctgta 6000

catggtccct cctcatggga aggcaggaga ctcgcggaag ctgcggcatg atgctgagct 6060

cttgaaatgg gagatagcac gtgcagaggg tgaagaccca ggtcgcaggc cgtatttccg 6120

ggaagctcca agcgatggat tgaagtttcg tccgtggctt tctgcggtgt gggccgacgt 6180

cgtagatcat ccggacccca aggaaaaaga aaagcacgtc agtgccggca ctggagtgga 6240

ctacgcggag ggcacgcgag ggtcagatcc gaaaaggctt gcggtgtact tctccaagca 6300

tggaaccttt gccgacaagg aatatcagca cgtagttcct gctcaatggc agaaaacggg 6360

tgcgggacct ggcaggttct ggggctaccg cggtttgtcg ccggccacgg ctgccaccga 6420

gatttcctgg gatgagtacc tgcttttatc tcgcacgttg cgacgattgt cagcgcgaac 6480

gaagatctgg gacccggctt tacgaggcgg tagcggcggc cacagatgga ctaaggcgat 6540

gatgcgacgc acggttaccc ggcaccgctt ggacctcgtg accggtgaga ttctgggcac 6600

gaagacgcgg aaggttcggg cgccagtgaa gaggtttgtc cggacttcgg gatacctgtg 6660

tgtcaatgac gggcccgcac tggctcgaac cctcagccgt cttcgtacaa gctgcctgag 6720

ctagacgcgc ggaacgcctt tcggctttgt cttttgctgg atggcgggtt ttgggcggct 6780

tctggtgatg cgctgctgcg ctccgtgggg agagagaccc aacgactgac ctatctctac 6840

ccaggtgcaa ttcatctccc gcgctctgtc ggctaggtaa acgaggtgct cccgcgcgag 6900

cttttccatg tggtcggcca atgtcagctc ggtcaggaca acctgctgtt gttgcgatag 6960

ttgtgtccgc acgggtcgat tgtcttctgt tgcggcataa cggttttcgt cgttcgcgga 7020

gagtgcggct aaatgaattg catcctcgat tgagcggagc atttcgacgc ggaacctggc 7080

gatgatgttg tctctgtctt cattcataac tgaagcgtat tgggagtgtt gccctcccac 7140

catgtgtgcc aatgcaggtg tgaactgagt cacagtttct caatagactc caagtttgtg 7200

atcctttac tcccaaaatg gggcatgatg tgtgcgtgcc tcggttcagg ggcgaaagtt 7260

cgacacctcg aaagaaggcc tcgacatggc tttgaaagct gctggcaacg tgattcctga 7320

ttcctccgcg tacgagtacc gggcggttca ggtcgagccg aagatggtca gaaaagaccc 7380

ggaagacccg aactctgagc agttccagaa gcagaaggac ggcacgccgg tgtggtcgat 7440

cgactgcatt cgggtcgacc gggcatcagg caacaaggca atcgtgaccg tgacggttcc 7500

ggacgtgatg gaaccggatg ttgcggggcc ggtggagttc tccgagatga ttgccggttt 7560

ctgggtttcg cgcagtggtt cgggcatgtg gttttcggca agcgccgtcg cttctctctg 7620

atcgctgatc gtcgcccctc gaaaggttcg gaaatgtcca aaggaaaagg cgttgcgctg 7680

ggtgtgggtg ccctcgtgct cgtgtttgtg ctggttgcgg caggttggca agcggcgaac 7740

gtgttcagtg atcgttcaca gtccgaagct gtgccgctga gagtgccggc cgatccgaag 7800

tgggaaaacg gggtgttctc ggacgttgcc gggtgcctcg ttctctctcc ggaagagctg 7860

gggccgttca gcggagggca gtacatcgac atagtgaggc cagttgagcc ggagaggttg 7920

gagcgcgact gggtgaggtc ggctgagtgc gtttcggcgt cgatgaatgt ctctgacctg 7980

ttggtttctg ctcttccaga gtccacccgt ccccccggcg atttcgttcg ttcgtggaaa 8040

gtggcgagtg atgattactg ctatgagggt gataacccgc aaggctgcac ttctcgtatg 8100

ccggtttggg tctctgcaaa aaactggtgg tgca 8134

<210> 93
<211> 8124
<212> DNA
<213> Artificial

<220>
<223> pRET1102Rv

<400> 93
gactctagag gatccccggg taccgagctc gaattcactg gccgtcgttt tacaacgtcg 60

tgactgggaa aaccctggcg ttacccaact taatcgcctt gcagcacatc ccccttcgc 120

cagctggcgt aatagcgaag aggcccgcac cgatcgccct tcccaacagt tgcgcagcct 180

gaatggcgaa tgcgatttat tcaacaaagc cgccgtcccg tcaagtcagc gtaatgctct 240

gccagtgtta caaccaatta accaattctg attagaaaaa ctcatcgagc atcaaatgaa 300

actgcaattt attcatatca ggattatcaa taccatattt ttgaaaaagc cgtttctgta 360

atgaaggaga aaactcaccg aggcagttcc ataggatggc aagatcctgg tatcggtctg 420

cgattccgac tcgtccaaca tcaatacaac ctattaattt cccctcgtca aaaataaggt 480

tatcaagtga gaaatcacca tgagtgacga ctgaatccgg tgagaatggc aaaagcttat 540

gcatttcttt ccagacttgt tcaacaggcc agccattacg ctcgtcatca aaatcactcg 600

catcaaccaa accgttattc attcgtgatt gcgcctgagc gagacgaaat acgcgatcgc 660

tgttaaaagg acaattacaa acaggaatcg aatgcaaccg gcgcaggaac actgccagcg 720

catcaacaat attttcacct gaatcaggat attcttctaa tacctggaat gctgttttcc 780

cggggatcgc agtggtgagt aaccatgcat catcaggagt acggataaaa tgcttgatgg 840

tcggaagagg cataaattcc gtcagccagt ttagtctgac catctcatct gtaacatcat 900

tggcaacgct acctttgcca tgtttcagaa acaactctgg cgcatcgggc ttcccataca 960

atcgatagat tgtcgcacct gattgcccga cattatcgcg agcccattta tacccatata 1020

aatcagcatc catgttggaa tttaatcgcg gcttcgagca agacgtttcc cgttgaatat 1080

ggctcataac accccttgta ttactgttta tgtaagcaga cagttttatt gttcatgatg 1140

atatattttt atcttgtgca atgtaacatc agagattttg agacacaacg tggctttgtt 1200

gaataaatcg aacttttgct gagttgaagg atcagatcac gcatcttccc gacaacgcag 1260

accgttccgt ggcaaagcaa aagttcaaaa tcaccaactg gtccacctac aacaaagctc 1320

tcatcaaccg tggctccctc actttctggc tggatgatgg ggcgattcag gcctggtatg 1380

agtcagcaac accttcttca cgaggcagac ctctcgacgg atcgttccac tgagcgtcag 1440

accccgtaga aaagatcaaa ggatcttctt gagatccttt ttttctgcgc gtaatctgct 1500

gcttgcaaac aaaaaaacca ccgctaccag cggtggtttg tttgccggat caagagctac 1560

caactctttt tccgaaggta actggcttca gcagagcgca gataccaaat actgtccttc 1620

tagtgtagcc gtagttaggc caccacttca agaactctgt agcaccgcct acatacctcg 1680

ctctgctaat cctgttacca gtggctgctg ccagtggcga taagtcgtgt cttaccgggt 1740

tggactcaag acgatagtta ccggataagg cgcagcggtc gggctgaacg gggggttcgt 1800

gcacacagcc cagcttggag cgaacgacct acaccgaact gagataccta cagcgtgagc 1860

attgagaaag cgccacgctt cccgaaggga gaaaggcgga caggtatccg gtaagcggca 1920

gggtcggaac aggagagcgc acgagggagc ttccaggggg aaacgcctgg tatctttata 1980

gtcctgtcgg gtttcgccac ctctgacttg agcgtcgatt tttgtgatgc tcgtcagggg 2040

ggcggagcct atggaaaaac gccagcaacg cggccttttt acggttcctg gccttttgct 2100

ggccttttgc tcacatgttc tttcctgcgt tatcccctga ttctgtggat aaccgtatta 2160

ccgcctttga gtgagctgat accgctcgcc gcagccgaac gaccgagcgc agcgagtcag 2220

tgagcgagga agcggaagaa gctcgcacat tcagcagcgt ttttcagcgc gttttcgatc 2280

agcgtttcaa tgttggtatc aacaccaggt ttaactttga acttatcggc actgacggtt 2340

actgattttg aacttttgct ttgccacgga acggtctgcg ttgtcgggaa gatgcgtgat 2400

ctgatccttc aactcagcaa aagttcgcca atacgcaaac cgcctctccc cgcgcgttgg 2460

ccgattcatt aatgcagctg gcacgacagg tttcccgact ggaaagcggg cagtgagcgc 2520

aacgcaatta atgtgagtta gctcactcat taggcacccc aggctttaca ctttatgctt 2580

ccggctcgta tgttgtgtgg aattgtgagc ggataacaat ttcacacagg aaacagctat 2640

gaccatgatt acgccaagct tgcatgcctg caggtctgca cagaacccgt actcgatccg 2700

ctcgttcgtc gctgtgaggt ctttcctgca aggcaaatcg ttgtgccgga aggggtttcg 2760

tgatgtttct ccgagcgttt tttcgttcca agttggtcat ggtggctctt gtcctggtcg 2820

ctggcctgtt tctctacaac gcctgctctt cttctgacgc aaaggaagag atcggcagca 2880

gtctgaatct ctctcctgtc actgctcgtt cgaatccgta tgagggcgtc cagcccacga 2940

tgagcgaaaa aagccctgtt cccgtccctg tcgtttccgg cgacaggatt tcgggggtgg 3000

catcgtgcgg gacggattac gccgggaagc ctgcggtgac gctggaagct gtgtggattt 3060

cgtccgactc ggtgaactac acactcgata agaggcattg cctggtgacg accggcccgc 3120

tgtggaaaca agcgatccgt aaagcgtcag ggtcagagat tcggcctgag ggcgggagct 3180

ggatacgggt ggtgcttgcc atgcctgacg gcaatttcag ggcaggatgg gcaccccacg 3240

cccaagtaac cgctggtgcg ctggatattt cggcggtggt ctcgtgagcg gggagaagcg 3300

gcacagcgag gccggcccgg tagaaatcat ctttttgatg ctggcagtca gggcgggggа 3360

ctacatcgtc gccgtgactg cggttctcgc ggtcgggttc ttcgcggtcg cggttgaggg 3420

tttctggttc ctggtcgtcg cagtcatcgc tgcaccggcg tggtggtttc tgcgcgactg 3480

ggaatcgaag cggagggccg tacgggtctt tgaacgggca tggaagggga cacctgaatc 3540

ccccggtatt gctctctccc ttggcctgtc gaacgtggcg gggtctctgc cgaggttgag 3600

gaagtttgaa actggttcgg ggatacgcac actcgtgttt tctttgccgc ccggagtcac 3660

tgccgagagc tttgagaaag ttcgccctgc gctggcagac gcgatggggg gtcaccgctg 3720

ccaagtagag aaggtggccc ccggacaggt ccgcgtcaga gtgattgatg aggattcgat 3780

gaagacgccg cgtgatgcgg gatgggcgaa agatgttgtg ctggaagagg atacgttcga 3840

cggtcttccg ggcgagacgc gatcctggtt cgagcaagag gggccggcat catgagaaaa 3900

tcggcgggag tatctcggat tcctatccgt ctcgggcgct ctcagtacgg ggaagacgtt 3960

ggattcgatc tcgctgcgga cgccgctcac atcgccatgc agggcaaaac ccgatccggc 4020

aaaagtcagg cgacgtacaa cgtgttagct caggcagcag cgaacgcggc ggttcgagtc 4080

gtagggtccg acccgacaca cgtactcctg gagcccttca aacatcgagg ggtgtccgag 4140

ccttacgtgg tttcgggact gaatgcgcag gccacggtgg acatgctggg ctgggtcaag 4200

cgtgagtctg atcgtcgcat cgaccagatg tggcccctgc gtaccgacaa gttttccgag 4260

ttcggggctt cgttcccgct gatactcgtc gtgctcgaag agtttcccgg gatcctcgag 4320

ggggcagcgg acgaagacgc cgcgttaggc cgaaaacctg ccgagcgtct cgcaccccgc 4380

atttcggcct acgtgcgtca gatagcagcg cagtcggcaa aggctggaat tcgccttctc 4440

ctgctctcgc aacgagcgga ggcctcgatc attggcggca atgcgcgttc gaatttcggg 4500

gtcaagatga ctctgagggt ggacgaaccg gagtcggtga gaatgcttca tccgagcgct 4560

tccccggaag actgtgccct ggtcgagacc ttcaagcctg gtacctgcct tttcgagaag 4620

ccaggagaag gccggcagat tatgcgatgc gactttgtcg gcgagtacgg gagatatgcg 4680

cgagccatcg agtcttcgga tctgcgtttt ctcgccaccc tccagcaaga ccaggcccaa 4740

cgcgaattct tcgctgagga gttcggtgtg gtggatccgt catgactgga ccacaggaga 4800

gaaagcgcaa ggcggcgaag ccgtcgcggg agcctcagtt gaactgctgt gaagcggacg 4860

tgccgaaacg agcaaaacag cccccggttc cctctacgtt cgacctgctc acggtgaagg 4920

agactgcggg gctgctgaga gtcagtcagg caactcttta ccggctgctt cggagtgggg 4980

aaggacccac atacacacgg atcggtggac agatacgcgt tcaccgcgag tcgctgcgtc 5040

ggttcatcga accgcgtgga taacgtcaca gagacagcga aaacgcctcc cctgggtcaa 5100

tccggttacc gccggactgg gggaggcgct tcgacaccta catccgtcgc ccctcgaaag 5160

gctcagatgc acttccacga taacgcagag gtcggacaag agggaagaac tgccgttctc 5220

tcgccgttgc gcggcgtagc cgccaagcgg gacgtgtctg acgatgcagc gaagcggagt 5280

cggcaggcgc ggcacgcgcc tgggcttgtt acatctgcca caactgtccg tgaatctctg 5340

ccagctcctg aaaccgctgg tcagggcctt gcggaatccg tgaccgctga tgatttttgg 5400

tctcattcgt tcccccgcgc tgacgatgta cgcggcgcag ctgcttcctt ccagtcggtg 5460

gctaactggg atgggcgtga gggtccgagg ccgcgtttcg ttgtcgcgcc tggcgttgtc 5520

cgcttggagg tttgtgatct cgcacgccgc gaacgaacgg ctgaacgtgc gtatctggct 5580

gctcgggctc gggtggatat ggcggctgcc aggcataact cgccgtacga cttcgacgtg 5640

gacgatgaag agttggcgga actggcttct ctgcaaggcc tcgaggacga cgacattggg 5700

ggctggtctg cggagaggga aatagtgggc tggtctgctc gttctcggtc acggatgatc 5760

ttgcgaatgg cagaactcga ctgggctccc atgatggatt tgccgggcat tcctgcgatg 5820

gtgaccctca cctatccggg ggactggctt acggttgccc ccaccggcgc tgaggtcaaa 5880

aaacatctcc agacgttctt caaacggttc caacgggcct ggggcattgc ctggatgggt 5940

gcgtggaaaa tggagttcca aagccgaggc gctccgcatt ttcacctgta catggtccct 6000

cctcatggga aggcaggaga ctcgcggaag ctgcggcatg atgctgagct cttgaaatgg 6060

gagatagcac gtgcagaggg tgaagaccca ggtcgcaggc cgtatttccg ggaagctcca 6120

agcgatggat tgaagtttcg tccgtggctt tctgcggtgt gggccgacgt cgtagatcat 6180

ccggacccca aggaaaaaga aaagcacgtc agtgccggca ctggagtgga ctacgcggag 6240

ggcacgcgag ggtcagatcc gaaaaggctt gcggtgtact tctccaagca tggaaccttt 6300

gccgacaagg aatatcagca cgtagttcct gctcaatggc agaaaacggg tgcgggacct 6360

ggcaggttct ggggctaccg cggtttgtcg ccggccacgg ctgccaccga gatttcctgg 6420

gatgagtacc tgcttttatc tcgcacgttg cgacgattgt cagcgcgaac gaagatctgg 6480

gacccggctt tacgaggcgg tagcggcggc cacagatgga ctaaggcgat gatgcgacgc 6540

acggttaccc ggcaccgctt ggacctcgtg accggtgaga ttctgggcac gaagacgcgg 6600

aaggttcggg cgccagtgaa gaggtttgtc cggacttcgg gatacctgtg tgtcaatgac 6660

gggcccgcac tggctcgaac cctcagccgt cttcgtacaa gctgcctgag ctagacgcgc 6720

ggaacgcctt tcggctttgt cttttgctgg atggcgggtt ttgggcggct tctggtgatg 6780

cgctgctgcg ctccgtgggg agagagaccc aacgactgac ctatctctac ccaggtgcaa 6840

ttcatctccc gcgctctgtc ggctaggtaa acgaggtgct cccgcgcgag cttttccatg 6900

tggtcggcca atgtcagctc ggtcaggaca acctgctgtt gttgcgatag ttgtgtccgc 6960

acgggtcgat tgtcttctgt tgcggcataa cggttttcgt cgttcgcgga gagtgcggct 7020

aaatgaattg catcctcgat tgagcggagc atttcgacgc ggaacctggc gatgatgttg 7080

tctctgtctt cattcataac tgaagcgtat tgggagtgtt gccctcccac catgtgtgcc 7140

aatgcaggtg tgaactgagt cacagtttct caatagactc caagtttgtg atcctttac 7200

tcccaaaatg gggcatgatg tgtgcgtgcc tcggttcagg ggcgaaagtt cgacacctcg 7260

aaagaaggcc tcgacatggc tttgaaagct gctggcaacg tgattcctga ttcctccgcg 7320

tacgagtacc gggcggttca ggtcgagccg aagatggtca gaaaagaccc ggaagacccg 7380

aactctgagc agttccagaa gcagaaggac ggcacgccgg tgtggtcgat cgactgcatt 7440

cgggtcgacc gggcatcagg caacaaggca atcgtgaccg tgacggttcc ggacgtgatg 7500

gaaccggatg ttgcggggcc ggtggagttc tccgagatga ttgccggttt ctgggtttcg 7560

cgcagtggtt cgggcatgtg gttttcggca agcgccgtcg cttctctctg atcgctgatc 7620

gtcgcccctc gaaaggttcg gaaatgtcca aaggaaaagg cgttgcgctg ggtgtgggtg 7680

ccctcgtgct cgtgtttgtg ctggttgcgg caggttggca agcggcgaac gtgttcagtg 7740

atcgttcaca gtccgaagct gtgccgctga gagtgccggc cgatccgaag tgggaaaacg 7800

gggtgttctc ggacgttgcc gggtgcctcg ttctctctcc ggaagagctg gggccgttca 7860

gcggagggca gtacatcgac atagtgaggc cagttgagcc ggagaggttg gagcgcgact 7920

gggtgaggtc ggctgagtgc gtttcggcgt cgatgaatgt ctctgacctg ttggtttctg 7980

ctcttccaga gtccacccgt ccccccggcg atttcgttcg ttcgtggaaa gtggcgagtg 8040

atgattactg ctatgagggt gataacccgc aaggctgcac ttctcgtatg ccggtttggg 8100

tctctgcaaa aaactggtgg tgca 8124

<210> 94
<211> 7675
<212> DNA
<213> Artificial

<220>
<223> pRET1103Rv

<400> 94
gactctagag gatccccggg taccgagctc gaattcgtaa tcatggtcat agctgtttcc 60

tgtgtgaaat tgttatccgc tcacaattcc acacaacata cgagccggaa gcataaagtg 120

taaagcctgg ggtgcctaat gagtgagcta actcacatta attgcgttgc gctcactgcc 180

cgctttccag tcgggaaacc tgtcgtgcca gctgcattaa tgaatcggcc aacgcgcggg 240

gagaggcggt ttgcgtattg gagcttggca ctgggccaag ctgaatttct gccattcatc 300

cgcttattat cacttattca ggcgtagcac caggcgttta agggcaccaa taactgcctt 360

aaaaaaatta cgccccgccc tgccactcat cgcagtactg ttgtaattca ttaagcattc 420

tgccgacatg gaagccatca cagacggcat gatgaacctg aatcgccagc ggcatcagca 480

ccttgtcgcc ttgcgtataa tatttgccca tggtgaaaac gggggcgaag aagttgtcca 540

tattggccac gtttaaatca aaactggtga aactcaccca gggattggct gagacgaaaa 600

acatattctc aataaaccct ttagggaaat aggccaggtt ttcaccgtaa cacgccacat 660

cttgcgaata tatgtgtaga aactgccgga aatcgtcgtg gtattcactc cagagcgatg 720

aaaacgtttc agtttgctca tggaaaacgg tgtaacaagg gtgaacacta tcccatatca 780

ccagctcacc gtctttcatt gccatacgaa attccggatg agcattcatc aggcgggcaa 840

gaatgtgaat aaaggccgga taaaacttgt gcttatttttt ctttacggtc tttaaaaagg 900

ccgtaatatc cagctgaacg gtctggttat aggtacattg agcaactgac tgaaatgcct 960

caaaatgttc tttacgatgc cattgggata tatcaacggt ggtatatcca gtgatttttt 1020

tctccatttt agcttcctta gctcctgaaa atctcgataa ctcaaaaaat acgcccggta 1080

gtgatcttat ttcattatgg tgaaagttgg aacctcttac gtgccgatca acgtctcatt 1140

ttcgccaaaa gttggcccag ggcttcccgg tatcaacagg gacaccagga tttatttatt 1200

ctgcgaagtg atcttccgtt cgacggagtt ccactgagcg tcagaccccg tagaaaagat 1260

caaaggatct tcttgagatc ctttttttct gcgcgtaatc tgctgcttgc aaacaaaaaa 1320

accaccgcta ccagcggtgg tttgtttgcc ggatcaagag ctaccaactc tttttccgaa 1380

ggtaactggc ttcagcagag cgcagatacc aaatactgtc cttctagtgt agccgtagtt 1440

aggccaccac ttcaagaact ctgtagcacc gcctacatac ctcgctctgc taatcctgtt 1500

accagtggct gctgccagtg gcgataagtc gtgtcttacc gggttggact caagacgata 1560

gttaccggat aaggcgcagc ggtcgggctg aacgggggggt tcgtgcacac agcccagctt 1620

ggagcgaacg acctacaccg aactgagata cctacagcgt gagcattgag aaagcgccac 1680

gcttcccgaa gggagaaagg cggacaggta tccggtaagc ggcagggtcg gaacaggaga 1740

gcgcacgagg gagcttccag ggggaaacgc ctggtatctt tatagtcctg tcgggtttcg 1800

ccacctctga cttgagcgtc gatttttgtg atgctcgtca gggggggcgga gcctatggaa 1860

aaacgccagc aacgcggcct ttttacggtt cctggccttt tgctggcctt ttgctcacat 1920

gttctttcct gcgttatccc ctgattctgt ggataaccgt attaccgcct ttgagtgagc 1980

tgataccgct cgccgcagcc gaacgaccga gcgcagcgag tcagtgagcg aggaagcgga 2040

agaagctcat tcgccattca ggctgcgcaa ctgttgggaa gggcgatcgg tgcgggcctc 2100

ttcgctatta cgccagctgg cgaaaggggg atgtgctgca aggcgattaa gttgggtaac 2160

gccagggttt tcccagtcac gacgttgtaa aacgacggcc agtgccaagc ttgcatgcct 2220

gcaggtctgc acagaacccg tactcgatcc gctcgttcgt cgctgtgagg tctttcctgc 2280

aaggcaaatc gttgtgccgg aaggggtttc gtgatgtttc tccgagcgtt ttttcgttcc 2340

aagttggtca tggtggctct tgtcctggtc gctggcctgt ttctctacaa cgcctgctct 2400

tcttctgacg caaaggaaga gatcggcagc agtctgaatc tctctcctgt cactgctcgt 2460

tcgaatccgt atgagggcgt ccagcccacg atgagcgaaa aaagccctgt tcccgtccct 2520

gtcgtttccg gcgacaggat ttcgggggtg gcatcgtgcg ggacggatta cgccgggaag 2580

cctgcggtga cgctggaagc tgtgtggatt tcgtccgact cggtgaacta cacactcgat 2640

aagaggcatt gcctggtgac gaccggcccg ctgtggaaac aagcgatccg taaagcgtca 2700

gggtcagaga ttcggcctga gggcgggagc tggatacggg tggtgcttgc catgcctgac 2760

ggcaatttca gggcaggatg ggcaccccac gcccaagtaa ccgctggtgc gctggatatt 2820

tcggcggtgg tctcgtgagc ggggagaagc ggcacagcga ggccggcccg gtagaaatca 2880

tctttttgat gctggcagtc agggcggggg actacatcgt cgccgtgact gcggttctcg 2940

cggtcgggtt cttcgcggtc gcggttgagg gtttctggtt cctggtcgtc gcagtcatcg 3000

ctgcaccggc gtggtggttt ctgcgcgact gggaatcgaa gcggagggcc gtacgggtct 3060

ttgaacgggc atggaagggg acacctgaat cccccggtat tgctctctcc cttggcctgt 3120

cgaacgtggc ggggtctctg ccgaggttga ggaagtttga aactggttcg gggatacgca 3180

cactcgtgtt ttctttgccg cccggagtca ctgccgagag ctttgagaaa gttcgccctg 3240

cgctggcaga cgcgatgggg ggtcaccgct gccaagtaga gaaggtggcc cccggacagg 3300

tccgcgtcag agtgattgat gaggattcga tgaagacgcc gcgtgatgcg ggatgggcga 3360

aagatgttgt gctggaagag gatacgttcg acggtcttcc gggcgagacg cgatcctggt 3420

tcgagcaaga ggggccggca tcatgagaaa atcggcggga gtatctcgga ttcctatccg 3480

tctcgggcgc tctcagtacg gggaagacgt tggattcgat ctcgctgcgg acgccgctca 3540

catcgccatg cagggcaaaa cccgatccgg caaaagtcag gcgacgtaca acgtgttagc 3600

tcaggcagca gcgaacgcgg cggttcgagt cgtagggtcc gacccgacac acgtactcct 3660

ggagcccttc aaacatcgag gggtgtccga gccttacgtg gtttcgggac tgaatgcgca 3720

ggccacggtg gacatgctgg gctgggtcaa gcgtgagtct gatcgtcgca tcgaccagat 3780

gtggcccctg cgtaccgaca agttttccga gttcggggct tcgttcccgc tgatactcgt 3840

cgtgctcgaa gagtttcccg ggatcctcga gggggcagcg gacgaagacg ccgcgttagg 3900

ccgaaaacct gccgagcgtc tcgcaccccg catttcggcc tacgtgcgtc agatagcagc 3960

gcagtcggca aaggctggaa ttcgccttct cctgctctcg caacgagcgg aggcctcgat 4020

cattggcggc aatgcgcgtt cgaatttcgg ggtcaagatg actctgaggg tggacgaacc 4080

ggagtcggtg agaatgcttc atccgagcgc ttccccggaa gactgtgccc tggtcgagac 4140

cttcaagcct ggtacctgcc ttttcgagaa gccaggagaa ggccggcaga ttatgcgatg 4200

cgactttgtc ggcgagtacg ggagatatgc gcgagccatc gagtcttcgg atctgcgttt 4260

tctcgccacc ctccagcaag accaggccca acgcgaattc ttcgctgagg agttcggtgt 4320

ggtggatccg tcatgactgg accacaggag agaaagcgca aggcggcgaa gccgtcgcgg 4380

gagcctcagt tgaactgctg tgaagcggac gtgccgaaac gagcaaaaca gcccccggtt 4440

ccctctacgt tcgacctgct cacggtgaag gagactgcgg ggctgctgag agtcagtcag 4500

gcaactcttt accggctgct tcggagtggg gaaggaccca catacacacg gatcggtgga 4560

cagatacgcg ttcaccgcga gtcgctgcgt cggttcatcg aaccgcgtgg ataacgtcac 4620

agagacagcg aaaacgcctc ccctgggtca atccggttac cgccggactg ggggaggcgc 4680

ttcgacacct acatccgtcg cccctcgaaa ggctcagatg cacttccacg ataacgcaga 4740

ggtcggacaa gagggaagaa ctgccgttct ctcgccgttg cgcggcgtag ccgccaagcg 4800

ggacgtgtct gacgatgcag cgaagcggag tcggcaggcg cggcacgcgc ctgggcttgt 4860

tacatctgcc acaactgtcc gtgaatctct gccagctcct gaaaccgctg gtcagggcct 4920

tgcggaatcc gtgaccgctg atgatttttg gtctcattcg ttcccccgcg ctgacgatgt 4980

acgcggcgca gctgcttcct tccagtcggt ggctaactgg gatgggcgtg agggtccgag 5040

gccgcgtttc gttgtcgcgc ctggcgttgt ccgcttggag gtttgtgatc tcgcacgccg 5100

cgaacgaacg gctgaacgtg cgtatctggc tgctcgggct cgggtggata tggcggctgc 5160

caggcataac tcgccgtacg acttcgacgt ggacgatgaa gagttggcgg aactggcttc 5220

tctgcaaggc ctcgaggacg acgacattgg gggctggtct gcggagaggg aaatagtggg 5280

ctggtctgct cgttctcggt cacggatgat cttgcgaatg gcagaactcg actgggctcc 5340

catgatggat ttgccgggca ttcctgcgat ggtgaccctc acctatccgg gggactggct 5400

tacggttgcc cccaccggcg ctgaggtcaa aaaacatctc cagacgttct tcaaacggtt 5460

ccaacgggcc tggggcattg cctggatggg tgcgtggaaa atggagttcc aaagccgagg 5520

cgctccgcat tttcacctgt acatggtccc tcctcatggg aaggcaggag actcgcggaa 5580

gctgcggcat gatgctgagc tcttgaaatg ggagatagca cgtgcagagg gtgaagaccc 5640

aggtcgcagg ccgtatttcc gggaagctcc aagcgatgga ttgaagtttc gtccgtggct 5700

ttctgcggtg tgggccgacg tcgtagatca tccggacccc aaggaaaaag aaaagcacgt 5760

cagtgccggc actggagtgg actacgcgga gggcacgcga gggtcagatc cgaaaaggct 5820

tgcggtgtac ttctccaagc atggaacctt tgccgacaag gaatatcagc acgtagttcc 5880

tgctcaatgg cagaaaacgg gtgcgggacc tggcaggttc tggggctacc gcggtttgtc 5940

gccggccacg gctgccaccg agatttcctg ggatgagtac ctgcttttat ctcgcacgtt 6000

gcgacgattg tcagcgcgaa cgaagatctg ggacccggct ttacgaggcg gtagcggcgg 6060

ccacagatgg actaaggcga tgatgcgacg cacggttacc cggcaccgct tggacctcgt 6120

gaccggtgag attctgggca cgaagacgcg gaaggttcgg gcgccagtga agaggtttgt 6180

ccggacttcg ggatacctgt gtgtcaatga cgggcccgca ctggctcgaa ccctcagccg 6240

tcttcgtaca agctgcctga gctagacgcg cggaacgcct ttcggctttg tcttttgctg 6300

gatggcgggt tttgggcggc ttctggtgat gcgctgctgc gctccgtggg gagagagacc 6360

caacgactga cctatctcta cccaggtgca attcatctcc cgcgctctgt cggctaggta 6420

aacgaggtgc tcccgcgcga gcttttccat gtggtcggcc aatgtcagct cggtcaggac 6480

aacctgctgt tgttgcgata gttgtgtccg cacgggtcga ttgtcttctg ttgcggcata 6540

acggttttcg tcgttcgcgg agagtgcggc taaatgaatt gcatcctcga ttgagcggag 6600

catttcgacg cggaacctgg cgatgatgtt gtctctgtct tcattcataa ctgaagcgta 6660

ttgggagtgt tgccctccca ccatgtgtgc caatgcaggt gtgaactgag tcacagtttc 6720

tcaatagact ccaagtttgt gatcctttta ctcccaaaat ggggcatgat gtgtgcgtgc 6780

ctcggttcag gggcgaaagt tcgacacctc gaaagaaggc ctcgacatgg ctttgaaagc 6840

tgctggcaac gtgattcctg attcctccgc gtacgagtac cgggcggttc aggtcgagcc 6900

gaagatggtc agaaaagacc cggaagaccc gaactctgag cagttccaga agcagaagga 6960

cggcacgccg gtgtggtcga tcgactgcat tcgggtcgac cgggcatcag gcaacaaggc 7020

aatcgtgacc gtgacggttc cggacgtgat ggaaccggat gttgcggggc cggtggagtt 7080

ctccgagatg attgccggtt tctgggtttc gcgcagtggt tcgggcatgt ggttttcggc 7140

aagcgccgtc gcttctctct gatcgctgat cgtcgcccct cgaaaggttc ggaaatgtcc 7200

aaaggaaaag gcgttgcgct gggtgtgggt gccctcgtgc tcgtgtttgt gctggttgcg 7260

gcaggttggc aagcggcgaa cgtgttcagt gatcgttcac agtccgaagc tgtgccgctg 7320

agagtgccgg ccgatccgaa gtgggaaaac ggggtgttct cggacgttgc cgggtgcctc 7380

gttctctctc cggaagagct ggggccgttc agcggagggc agtacatcga catagtgagg 7440

ccagttgagc cggagaggtt ggagcgcgac tgggtgaggt cggctgagtg cgtttcggcg 7500

tcgatgaatg tctctgacct gttggtttct gctcttccag agtccacccg tccccccggc 7560

gatttcgttc gttcgtggaa agtggcgagt gatgattact gctatgaggg tgataacccg 7620

caaggctgca cttctcgtat gccggtttgg gtctctgcaa aaaactggtg gtgca 7675

<210> 95
<211> 8497
<212> DNA
<213> Artificial

<220>
<223> pRET1001

<400> 95
ccgtccacca cccggtgcct ggtctgcgtc tccctcggct cgttcctcgc ctatcctggt 60

gaccagacac cggagcgagc tatgcccagg gttgcgcagt gacttcgtca ctgcgtaacc 120

ctgggcgctc gcctcccatt cgcttcgctc acaggagggg gccgtcgatg gccgctgacg 180

ctgcatctga cgaccggcgg accgaggtcc gcgccgctgc ttcgcgggcc gctgacgcgg 240

ccccggcgaa gcgcacccgc accgtggcgg tgcggctgac cgatggggag gaggccgcgt 300

ggatcgacgc cgcgctggcc gatggccacc ggcagctcgg ggcgtgggtg cgtgagcggg 360

cggtggccgg ctatctcggg aaggtccgcc cgaagaccgg cagtggaatg tcggcggagg 420

cggccgcgga ggtcgccgcg atgcggcagc agatgacgaa ggtggggaac aacctgaacc 480

agatcgcgag ggcgatcaac gccgggcagg tgccgtcgca gatggccgag tccctgcaga 540

aggggtggct ggagaggtgg gggcaggagt tggggcggat ggcggatcgg ctcgacgcgc 600

tcgacgacca gggctgacgt gatcgcgaag atcagcacgg gcagcgaccc gaaggggttg 660

gcggcgtatc tgcacgggcc ggggaaggcc accccgcaca gctaccgcac cgaggcgggc 720

cggctgattg ccggcgggac ggtgatcgcg ggatcggtgc aggtcaccgc caaaaacccg 780

acccggtggg ggcgggactt cgagcgggcc gccgcgacga acgcgcgggt gggtaagccg 840

gtgtggcatt gctcgctgcg gtgcgcgccc ggggatcggc ggctgaccga taccgagttc 900

gcggacatcg cgcagacggt cgccgagcgg atgggcttcg agagtcatcc gtgggtggcg 960

gtgcggcacg acgacgacca catccacctg gctgtctccc gggtcgattt tcagggcgtg 1020

acctggaaga acagcaacga ccggtggaag gtcgtcgagg tgatgcgcga ggtcgaacgc 1080

gcgcacggcc tgatcgaggt ggcgagcccg gagcgggccc gtggccggca agccagcagc 1140

ggcgagcaac gccgcgcggt gcggaccggc aaggtggcgc agcgggacgg tctgagggaa 1200

attgtgaccg ccgcccgcga catcgccgca ggccagggtg tgggggcgtt cgaagtggcg 1260

ctcgtacaga acccgattac ccgagtgcag gtgcggcgca acgtcgcgaa gacgggccgg 1320

atgaatggct acagcttcaa cctgcccggc tacgtcgacg ccgccgggga gccgatctgg 1380

ttgccggcct ccaaactcga ccgggqttg tcctggtcac agctggaaaa gacgctgacc 1440

agaccccgcc cggaccgcct cgccggcgag gagacggtgc cgcggaagcg gctcgagcgc 1500

gccgccgcgt gggagcagcg ccgccgcgag gtcggcggcg agcagttcgc agctgcccgc 1560

tgggagcagg cccgcgcgaa tgttggtgag acggccgggc ggatccgcgc cgaacagtcc 1620

gcggacacga agtggaagca ggtgaacgag gcgttgacca gccaagaccg ggccgaggag 1680

caggctgccg aggcagcgcg ggtcgcctcc gctgtcatgg gaggccaccc gacaccgcta 1740

cgggacatgc tcgccgccca ggagcagcgc cggaagccgt ggactccgga gcagaaacgc 1800

cagtacgcga ccgcaaaagc ccaagcagaa cgcgccgcga aggccaagga cgccgcgaaa 1860

tggaccgagg tcgccggcgg cggctaccag cgggacgtgc gcgggatgaa cctgcgactg 1920

tgggtggctg aggacggcgc ctggtcgatc acctcgaaga aggaccccga ccgccagtac 1980

gccgcaggtc aggccgacac cgtcgcgcag gcccaagccg cggccacggc cacagcgaaa 2040

acgcaggccc aggcgatgtg gaagcaggtc ccggccgaca agcgcaccga gtcagccacc 2100

agagcggtcc ggcgcgtgat cgcggatctc acccccacca aacccgccga ggtcaaaccc 2160

ccggcccgcc gccagggacc aaccatgccg cagtcggccc cggggtatca gccacccggc 2220

cgcgaccgag gtcgagaatc cggaatggga ctgtgagcag agagcgagaa ggctttcgtg 2280

gagcgtaggg aacagacgca ggcctggcga agcatgtcca agaacaccat cgatcgctag 2340

aaggtcggtc gtgcccaggg tgcccaggat gcgtacataa cgcgcgaaag gtgcatacct 2400

cccatagcat cggcgcgtat ggtagggaaa atgatcttca aacgtattgc tgtggtcgtg 2460

ctcgctggtg gggctttggt agtgggaggc agccaggttg ctggtgctac cacggtttca 2520

gctccacagc cgagtccttc agcagcggtg gtgccgacgg ttcttccacc agtcactttc 2580

accgccgctt ctgcgcactg cgaggcccag tacgcgtcgg attcccggcg atgccgtctg 2640

attccacttc cacagggccg agcgatctgc tgggcggcag ccgctgcccg ttacgcagcg 2700

tgccgcgccg gaaactaggt agaacgtgag catggacgag cttcccacct tcatcgccga 2760

cgacatcgtg atggccagaa cgttcgacag ccctaacggc caggtggtgc tcgaggtgaa 2820

cactccgcgg ccgttcgatg ctgcggcccc ggagggtgac tactgctgca ccttccggat 2880

cagcgggaac atggatgccc cttacgacgg attcggtggc ggcgtcgacg cagtgcaggc 2940

gctgctactc gcattggcca tggcacacga ggaacttcgt caaacttcgc cagagttgac 3000

gtttctaggc gagacgaacc tcggtctacc ggtcttgaac atcaagcccg acaacgcgat 3060

cgaagccgtg gtctcattcc ccgctccctg atgtgacgca ctttcacccc tggcactcat 3120

gtaccgaagc tgggactgag aaagggctgc cgcgtcaccg cttcgcgttg acttgccact 3180

gaacgggggc gtgtcccggt cagggcgggg tgtgacctgg gttcatgaca ccgctaacac 3240

gctgcggaaa tgcggattga actagttcat ttggggaacg atgacctgat gaccggggat 3300

cgtgacctac ccatgctgac catcgccgag gcggtggacg cgacgcagac cagtgagagc 3360

acgatcaagc gccgcctgcg gtcgggcgcg ttcccgaacg cggtccgcac tgccgacggg 3420

aagtggatga ttcccctcgg tgacctatca gcggcagggc tgagaccagg gaaaatggcg 3480

aaacctgacc cggtgacccc ttcaaatgac cgggtccgtg acctggcagc tgagaacgcc 3540

gagctccgtc agcgcctggc cgtggccgaa gccctggcca gcgaacgcaa tcggatcatc 3600

gacgtgcagc aacagatgct ccggatgctc gaagcccggc cggtgtcggc cctggagccc 3660

gcggcggttc cagtggcggg tccgccgccg cccgtcccgg ccgccgatgg tcgggcagct 3720

acgggcgccc tggcccggat acgtcgacgg cttctcggct aggagctgac cgcgtacttg 3780

cgtgcgtcgt gcaggagctt tcccaccgtt ccggtggaga ttcccatctc ctcggcgatc 3840

tcgcggtact tcaggccctg ctcgcgcagc tcgacggccc ggcgacggtt ctcggctgcc 3900

cgtgcgagga actggtcccg cggctcggcc atgatgcgct ggatcgtgcg cgtggaggcc 3960

cccatcttct cggccagctc gcgagctgtc tgcttgcggc ggatcggtcg ttcagcgccc 4020

acggtctgcc tcccacaatg cgttccggtc gaccttcgtc gctcgtttcc ggtttgcctc 4080

gcgcttcttc tcactcatct tgcgaccgcg tgcggcttgt atggcgatga atgtggcctc 4140

gtagacagca gggccgtcgg cccacatccg ggactttgta gtgatccagc gggtaatgga 4200

ggccgcgacg gcgcgtagct cgcttgctgg cagtggatcg ggcctgcctg tgaccgggtt 4260

cctgaacgtg gcgttgatct gtgcggcttc cgcatagatc gcggccccga ggccggtcgg 4320

gtcgccccag tggaagcgga tttcgcggta ggcccaggtg cgtgcggttt cgaacagggc 4380

gcagtttcgg ccgaggccga tcgggttctc acggcgcgat cgggtttgcc gccagcgcgt 4440

tggcggcatg tggatgccga gttccgcctc gagctcggcg agggatcgcc gctcggtgtg 4500

cagccaatgg gtgtcccagt caccgtgagt cgggttcttg gtcatcaggc ccgaatagcc 4560

cttgtccccc tggacggcgc gccggaggcc ttcggtgacg gcggccgcat aggcgagcgg 4620

cttacgacgg gcgtactcgg tgcgggtgaa cggctctgcc agcgcccaca cagcgtgtgc 4680

gtgcccgtta cgggggttct ccacgatcgc gttcggcaga ggatgattcc cggccgccga 4740

cagcgcccgc agcgcggcgt ccgggtggtc aacgtccacg acgagcaggt tgctcaatgc 4800

ctgcgggttc gactcgatgt agcggcgatc cagtgcgtct gatcgccgca tccggtagac 4860

gccgtcgagg aaatcgtcgg ttgccagtgg ccacagcggt agccacagct gttcccaggc 4920

gccgcctgtg tgctcttcca ccgcaaccat ggggaacaca ctcacacaca agatcgattt 4980

attccggtac gacacgccag ccaagtcaga tgtttcggtt tctggagcgg tcctccagac 5040

ctttgagatc cgctccagaa acgtccacaa attattgggg tacgtcgaac caagccttat 5100

caggtatccc ggggttccgg gggtgaacac caccctccga ccggtccaga atccgtcgat 5160

ctcacctatc cgctcgaagt ccttgagtca gtgacaggac cactgctggg ctcccagcgc 5220

agaaggcaag tgaaggcaga cgactgcggg aggtaagtcg ggtacggcat gaggtccttc 5280

agaagcggcg tcgacgccag gcccacacgc acaatccgct tcccacgagg gacaccaccg 5340

gtagcgcccc ctgcaaccgg cgcagtgtca cgaggcgccg gtactgctcg tttgacagga 5400

actgcagggt cggtgagctc gcgctgggcg gatcccacca gtagctcccc gtgccggtaa 5460

ccgcttgggg ccaagcgaag acacccaccg cggcagcgat ggcaatgcac gtggatggga 5520

acaccaccca gaaccaggga aatcctggtg ccggcccgag acgatcccgg cgcggtaaga 5580

ccacaccggc caccatcgcc acggcccccg acgcaacaag caataaccac cccatgagcg 5640

gacggtacaa gcgccgacgc cgggtggccg ttaggtgcgc gccagcccgt gaccggaccg 5700

gcgaagcgtg ccgctgggcg gcccgccgtg gcgcccgtcc cgtgcccgtt ctgaccggtg 5760

gtctcggtcg ctcgttcctc gcgtcctcac ctgccggtca gcccgtgacc ggacctgcag 5820

gcatgcaagc ttggcactgg ccgtcgtttt acaacgtcgt gactgggaaa accctggcgt 5880

tacccaactt aatcgccttg cagcacatcc cctttcgcc agctggcgta atagcgaaga 5940

ggcccgcacc gatcgccctt cccaacagtt gcgcagcctg aatggcgaat ggcgcctgat 6000

gcggtatttt ctccttacgc atctgtgcgg tatttcacac cgcatatggt gcactctcag 6060

tacaatctgc tctgatgccg catagttaag ccagccccga cacccgccaa cacccgctga 6120

cgcgccctga cgggcttgtc tgctcccggc atccgcttac agacaagctg tgaccgtctc 6180

cgggagctgc atgtgtcaga ggttttcacc gtcatcaccg aaacgcgcga gacgaaaggg 6240

cctcgtgata cgcctatttt tataggttaa tgtcatgata ataatggttt cttagacgtc 6300

aggtggcact tttcggggaa atgtgcgcgg aacccctatt tgtttatttt tctaaataca 6360

ttcaaatatg tatccgctca tgagacaata accctgataa atgcttcaat aatattgaaa 6420

aaggaagagt atgagtattc aacatttccg tgtcgcccct attcccttttt ttgcggcatt 6480

ttgccttcct gtttttgctc acccagaaac gctggtgaaa gtaaaagatg ctgaagatca 6540

gttgggtgca cgagtgggtt acatcgaact ggatctcaac agcggtaaga tccttgagag 6600

ttttcgcccc gaagaacgtt ttccaatgat gagcactttt aaagttctgc tatgtggcgc 6660

ggtattatcc cgtattgacg ccgggcaaga gcaactcggt cgccgcatac actattctca 6720

gaatgacttg gttgagtact caccagtcac agaaaagcat cttacggatg gcatgacagt 6780

aagagaatta tgcagtgctg ccataaccat gagtgataac actgcggcca acttacttct 6840

gacaacgatc ggaggaccga aggagctaac cgcttttttg cacaacatgg gggatcatgt 6900

aactcgcctt gatcgttggg aaccggagct gaatgaagcc ataccaaacg acgagcgtga 6960

caccacgatg cctgtagcaa tggcaacaac gttgcgcaaa ctattaactg gcgaactact 7020

tactctagct tcccggcaac aattaataga ctggatggag gcggataaag ttgcaggacc 7080

acttctgcgc tcggcccttc cggctggctg gtttattgct gataaatctg gagccggtga 7140

gcgtgggtct cgcggtatca ttgcagcact ggggccagat ggtaagccct cccgtatcgt 7200

agttatctac acgacgggga gtcaggcaac tatggatgaa cgaaatagac agatcgctga 7260

gataggtgcc tcactgatta agcattggta actgtcagac caagtttact catatatact 7320

ttagattgat ttaaaacttc atttttaatt taaaaggatc taggtgaaga tccttttttga 7380

taatctcatg accaaaatcc cttaacgtga gttttcgttc cactgagcgt cagaccccgt 7440

agaaaagatc aaaggatctt cttgagatcc ttttttttctg cgcgtaatct gctgcttgca 7500

aacaaaaaaa ccaccgctac cagcggtggt ttgtttgccg gatcaagagc taccaactct 7560

ttttccgaag gtaactggct tcagcagagc gcagatacca aatactgtcc ttctagtgta 7620

gccgtagtta ggccaccact tcaagaactc tgtagcaccg cctacatacc tcgctctgct 7680

aatcctgtta ccagtggctg ctgccagtgg cgataagtcg tgtcttaccg ggttggactc 7740

aagacgatag ttaccggata aggcgcagcg gtcgggctga acgggggggtt cgtgcacaca 7800

gcccagcttg gagcgaacga cctacaccga actgagatac ctacagcgtg agctatgaga 7860

aagcgccacg cttcccgaag ggagaaaggc ggacaggtat ccggtaagcg gcagggtcgg 7920

aacaggagag cgcacgaggg agcttccagg gggaaacgcc tggtatcttt atagtcctgt 7980

cgggtttcgc cacctctgac ttgagcgtcg atttttgtga tgctcgtcag gggggcggag 8040

cctatggaaa aacgccagca acgcggcctt tttacggttc ctggcctttt gctggccttt 8100

tgctcacatg ttctttcctg cgttatcccc tgattctgtg gataaccgta ttaccgcctt 8160

tgagtgagct gataccgctc gccgcagccg aacgaccgag cgcagcgagt cagtgagcga 8220

ggaagcggaa gagcgcccaa tacgcaaacc gcctctcccc gcgcgttggc cgattcatta 8280

atgcagctgg cacgacaggt ttcccgactg gaaagcgggc agtgagcgca acgcaattaa 8340

tgtgagttag ctcactcatt aggcacccca ggctttacac tttatgcttc cggctcgtat 8400

gttgtgtgga attgtgagcg gataacaatt tcacacagga aacagctatg accatgatta 8460

cgaattcgag ctcggtaccc ggggatcctc tagagtc 8497

<210> 96
<211> 8487
<212> DNA
<213> Artificial

<220>
<223> pRET1002

<400> 96
ccgtccacca cccggtgcct ggtctgcgtc tccctcggct cgttcctcgc ctatcctggt 60

gaccagacac cggagcgagc tatgcccagg gttgcgcagt gacttcgtca ctgcgtaacc 120

ctgggcgctc gcctcccatt cgcttcgctc acaggagggg gccgtcgatg gccgctgacg 180

ctgcatctga cgaccggcgg accgaggtcc gcgccgctgc ttcgcgggcc gctgacgcgg 240

ccccggcgaa gcgcacccgc accgtggcgg tgcggctgac cgatggggag gaggccgcgt 300

ggatcgacgc cgcgctggcc gatggccacc ggcagctcgg ggcgtgggtg cgtgagcggg 360

cggtggccgg ctatctcggg aaggtccgcc cgaagaccgg cagtggaatg tcggcggagg 420

cggccgcgga ggtcgccgcg atgcggcagc agatgacgaa ggtggggaac aacctgaacc 480

agatcgcgag ggcgatcaac gccgggcagg tgccgtcgca gatggccgag tccctgcaga 540

aggggtggct ggagaggtgg gggcaggagt tggggcggat ggcggatcgg ctcgacgcgc 600

tcgacgacca gggctgacgt gatcgcgaag atcagcacgg gcagcgaccc gaaggggttg 660

gcggcgtatc tgcacgggcc ggggaaggcc accccgcaca gctaccgcac cgaggcgggc 720

cggctgattg ccggcgggac ggtgatcgcg ggatcggtgc aggtcaccgc caaaaacccg 780

acccggtggg ggcgggactt cgagcgggcc gccgcgacga acgcgcgggt gggtaagccg 840

gtgtggcatt gctcgctgcg gtgcgcgccc ggggatcggc ggctgaccga taccgagttc 900

gcggacatcg cgcagacggt cgccgagcgg atgggcttcg agagtcatcc gtgggtggcg 960

gtgcggcacg acgacgacca catccacctg gctgtctccc gggtcgattt tcagggcgtg 1020

acctggaaga acagcaacga ccggtggaag gtcgtcgagg tgatgcgcga ggtcgaacgc 1080

gcgcacggcc tgatcgaggt ggcgagcccg gagcgggccc gtggccggca agccagcagc 1140

ggcgagcaac gccgcgcggt gcggaccggc aaggtggcgc agcgggacgg tctgagggaa 1200

attgtgaccg ccgcccgcga catcgccgca ggccagggtg tgggggcgtt cgaagtggcg 1260

ctcgtacaga acccgattac ccgagtgcag gtgcggcgca acgtcgcgaa gacgggccgg 1320

atgaatggct acagcttcaa cctgcccggc tacgtcgacg ccgccgggga gccgatctgg 1380

ttgccggcct ccaaactcga ccggggtttg tcctggtcac agctggaaaa gacgctgacc 1440

agaccccgcc cggaccgcct cgccggcgag gagacggtgc cgcggaagcg gctcgagcgc 1500

gccgccgcgt gggagcagcg ccgccgcgag gtcggcggcg agcagttcgc agctgcccgc 1560

tgggagcagg cccgcgcgaa tgttggtgag acggccgggc ggatccgcgc cgaacagtcc 1620

gcggacacga agtggaagca ggtgaacgag gcgttgacca gccaagaccg ggccgaggag 1680

caggctgccg aggcagcgcg ggtcgcctcc gctgtcatgg gaggccaccc gacaccgcta 1740

cgggacatgc tcgccgccca ggagcagcgc cggaagccgt ggactccgga gcagaaacgc 1800

cagtacgcga ccgcaaaagc ccaagcagaa cgcgccgcga aggccaagga cgccgcgaaa 1860

tggaccgagg tcgccggcgg cggctaccag cgggacgtgc gcgggatgaa cctgcgactg 1920

tgggtggctg aggacggcgc ctggtcgatc acctcgaaga aggaccccga ccgccagtac 1980

gccgcaggtc aggccgacac cgtcgcgcag gcccaagccg cggccacggc cacagcgaaa 2040

acgcaggccc aggcgatgtg gaagcaggtc ccggccgaca agcgcaccga gtcagccacc 2100

agagcggtcc ggcgcgtgat cgcggatctc acccccacca aacccgccga ggtcaaaccc 2160

ccggcccgcc gccagggacc aaccatgccg cagtcggccc cggggtatca gccacccggc 2220

cgcgaccgag gtcgagaatc cggaatggga ctgtgagcag agagcgagaa ggctttcgtg 2280

gagcgtaggg aacagacgca ggcctggcga agcatgtcca agaacaccat cgatcgctag 2340

aaggtcggtc gtgcccaggg tgcccaggat gcgtacataa cgcgcgaaag gtgcatacct 2400

cccatagcat cggcgcgtat ggtagggaaa atgatcttca aacgtattgc tgtggtcgtg 2460

ctcgctggtg gggctttggt agtgggaggc agccaggttg ctggtgctac cacggtttca 2520

gctccacagc cgagtccttc agcagcggtg gtgccgacgg ttcttccacc agtcactttc 2580

accgccgctt ctgcgcactg cgaggcccag tacgcgtcgg attcccggcg atgccgtctg 2640

attccacttc cacagggccg agcgatctgc tgggcggcag ccgctgcccg ttacgcagcg 2700

tgccgcgccg gaaactaggt agaacgtgag catggacgag cttcccacct tcatcgccga 2760

cgacatcgtg atggccagaa cgttcgacag ccctaacggc caggtggtgc tcgaggtgaa 2820

cactccgcgg ccgttcgatg ctgcggcccc ggagggtgac tactgctgca ccttccggat 2880

cagcgggaac atggatgccc cttacgacgg attcggtggc ggcgtcgacg cagtgcaggc 2940

gctgctactc gcattggcca tggcacacga ggaacttcgt caaacttcgc cagagttgac 3000

gtttctaggc gagacgaacc tcggtctacc ggtcttgaac atcaagcccg acaacgcgat 3060

cgaagccgtg gtctcattcc ccgctccctg atgtgacgca ctttcacccc tggcactcat 3120

gtaccgaagc tgggactgag aaagggctgc cgcgtcaccg cttcgcgttg acttgccact 3180

gaacgggggc gtgtcccggt cagggcgggg tgtgacctgg gttcatgaca ccgctaacac 3240

gctgcggaaa tgcggattga actagttcat ttggggaacg atgacctgat gaccggggat 3300

cgtgacctac ccatgctgac catcgccgag gcggtggacg cgacgcagac cagtgagagc 3360

acgatcaagc gccgcctgcg gtcgggcgcg ttcccgaacg cggtccgcac tgccgacggg 3420

aagtggatga ttcccctcgg tgacctatca gcggcagggc tgagaccagg gaaaatggcg 3480

aaacctgacc cggtgacccc ttcaaatgac cgggtccgtg acctggcagc tgagaacgcc 3540

gagctccgtc agcgcctggc cgtggccgaa gccctggcca gcgaacgcaa tcggatcatc 3600

gacgtgcagc aacagatgct ccggatgctc gaagcccggc cggtgtcggc cctggagccc 3660

gcggcggttc cagtggcggg tccgccgccg cccgtcccgg ccgccgatgg tcgggcagct 3720

acgggcgccc tggcccggat acgtcgacgg cttctcggct aggagctgac cgcgtacttg 3780

cgtgcgtcgt gcaggagctt tcccaccgtt ccggtggaga ttcccatctc ctcggcgatc 3840

tcgcggtact tcaggccctg ctcgcgcagc tcgacggccc ggcgacggtt ctcggctgcc 3900

cgtgcgagga actggtcccg cggctcggcc atgatgcgct ggatcgtgcg cgtggaggcc 3960

cccatcttct cggccagctc gcgagctgtc tgcttgcggc ggatcggtcg ttcagcgccc 4020

acggtctgcc tcccacaatg cgttccggtc gaccttcgtc gctcgtttcc ggtttgcctc 4080

gcgcttcttc tcactcatct tgcgaccgcg tgcggcttgt atggcgatga atgtggcctc 4140

gtagacagca gggccgtcgg cccacatccg ggactttgta gtgatccagc gggtaatgga 4200

ggccgcgacg gcgcgtagct cgcttgctgg cagtggatcg ggcctgcctg tgaccgggtt 4260

cctgaacgtg gcgttgatct gtgcggcttc cgcatagatc gcggccccga ggccggtcgg 4320

gtcgccccag tggaagcgga tttcgcggta ggcccaggtg cgtgcggttt cgaacagggc 4380

gcagtttcgg ccgaggccga tcgggttctc acggcgcgat cgggtttgcc gccagcgcgt 4440

tggcggcatg tggatgccga gttccgcctc gagctcggcg agggatcgcc gctcggtgtg 4500

cagccaatgg gtgtcccagt caccgtgagt cgggttcttg gtcatcaggc ccgaatagcc 4560

cttgtccccc tggacggcgc gccggaggcc ttcggtgacg gcggccgcat aggcgagcgg 4620

cttacgacgg gcgtactcgg tgcgggtgaa cggctctgcc agcgcccaca cagcgtgtgc 4680

gtgcccgtta cgggggttct ccacgatcgc gttcggcaga ggatgattcc cggccgccga 4740

cagcgcccgc agcgcggcgt ccgggtggtc aacgtccacg acgagcaggt tgctcaatgc 4800

ctgcgggttc gactcgatgt agcggcgatc cagtgcgtct gatcgccgca tccggtagac 4860

gccgtcgagg aaatcgtcgg ttgccagtgg ccacagcggt agccacagct gttcccaggc 4920

gccgcctgtg tgctcttcca ccgcaaccat ggggaacaca ctcacacaca agatcgattt 4980

attccggtac gacacgccag ccaagtcaga tgtttcggtt tctggagcgg tcctccagac 5040

ctttgagatc cgctccagaa acgtccacaa attattgggg tacgtcgaac caagccttat 5100

caggtatccc ggggttccgg gggtgaacac caccctccga ccggtccaga atccgtcgat 5160

ctcacctatc cgctcgaagt ccttgagtca gtgacaggac cactgctggg ctcccagcgc 5220

agaaggcaag tgaaggcaga cgactgcggg aggtaagtcg ggtacggcat gaggtccttc 5280

agaagcggcg tcgacgccag gcccacacgc acaatccgct tcccacgagg gacaccaccg 5340

gtagcgcccc ctgcaaccgg cgcagtgtca cgaggcgccg gtactgctcg tttgacagga 5400

actgcagggt cggtgagctc gcgctgggcg gatcccacca gtagctcccc gtgccggtaa 5460

ccgcttgggg ccaagcgaag acacccaccg cggcagcgat ggcaatgcac gtggatggga 5520

acaccaccca gaaccaggga aatcctggtg ccggcccgag acgatcccgg cgcggtaaga 5580

ccacaccggc caccatcgcc acggcccccg acgcaacaag caataaccac cccatgagcg 5640

gacggtacaa gcgccgacgc cgggtggccg ttaggtgcgc gccagcccgt gaccggaccg 5700

gcgaagcgtg ccgctgggcg gcccgccgtg gcgcccgtcc cgtgcccgtt ctgaccggtg 5760

gtctcggtcg ctcgttcctc gcgtcctcac ctgccggtca gcccgtgacc ggacctgcag 5820

gcatgcaagc ttggcgtaat catggtcata gctgtttcct gtgtgaaatt gttatccgct 5880

cacaattcca cacaacatac gagccggaag cataaagtgt aaagcctggg gtgcctaatg 5940

agtgagctaa ctcacattaa ttgcgttgcg ctcactgccc gctttccagt cgggaaacct 6000

gtcgtgccag ctgcattaat gaatcggcca acgcgcgggg agaggcggtt tgcgtattgg 6060

cgaacttttg ctgagttgaa ggatcagatc acgcatcttc ccgacaacgc agaccgttcc 6120

gtggcaaagc aaaagttcaa aatcagtaac cgtcagtgcc gataagttca aagttaaacc 6180

tggtgttgat accaacattg aaacgctgat cgaaaacgcg ctgaaaaacg ctgctgaatg 6240

tgcgagcttc ttccgcttcc tcgctcactg actcgctgcg ctcggtcgtt cggctgcggc 6300

gagcggtatc agctcactca aaggcggtaa tacggttatc cacagaatca ggggataacg 6360

caggaaagaa catgtgagca aaaggccagc aaaaggccag gaaccgtaaa aaggccgcgt 6420

tgctggcgtt tttccatagg ctccgccccc ctgacgagca tcacaaaaat cgacgctcaa 6480

gtcagaggtg gcgaaacccg acaggactat aaagatacca ggcgtttccc cctggaagct 6540

ccctcgtgcg ctctcctgtt ccgaccctgc cgcttaccgg atacctgtcc gcctttctcc 6600

cttcgggaag cgtggcgctt tctcaatgct cacgctgtag gtatctcagt tcggtgtagg 6660

tcgttcgctc caagctgggc tgtgtgcacg aaccccccgt tcagcccgac cgctgcgcct 6720

tatccggtaa ctatcgtctt gagtccaacc cggtaagaca cgacttatcg ccactggcag 6780

cagccactgg taacaggatt agcagagcga ggtatgtagg cggtgctaca gagttcttga 6840

agtggtggcc taactacggc tacactagaa ggacagtatt tggtatctgc gctctgctga 6900

agccagttac cttcggaaaa agagttggta gctcttgatc cggcaaacaa accaccgctg 6960

gtagcggtgg tttttttgtt tgcaagcagc agattacgcg cagaaaaaaa ggatctcaag 7020

aagatccttt gatcttttct acggggtctg acgctcagtg gaacgatccg tcgagaggtc 7080

tgcctcgtga agaaggtgtt gctgactcat accaggcctg aatcgcccca tcatccagcc 7140

agaaagtgag ggagccacgg ttgatgagag ctttgttgta ggtggaccag ttggtgattt 7200

tgaacttttg ctttgccacg gaacggtctg cgttgtcggg aagatgcgtg atctgatcct 7260

tcaactcagc aaaagttcga tttattcaac aaagccacgt tgtgtctcaa aatctctgat 7320

gttacattgc acaagataaa aatatatcat catgaacaat aaaactgtct gcttacataa 7380

acagtaatac aaggggtgtt atgagccata ttcaacggga aacgtcttgc tcgaagccgc 7440

gattaaattc caacatggat gctgatttat atgggtataa atgggctcgc gataatgtcg 7500

ggcaatcagg tgcgacaatc tatcgattgt atgggaagcc cgatgcgcca gagttgtttc 7560

tgaaacatgg caaaggtagc gttgccaatg atgttacaga tgagatggtc agactaaact 7620

ggctgacgga atttatgcct cttccgacca tcaagcattt tatccgtact cctgatgatg 7680

catggttact caccactgcg atccccggga aaacagcatt ccaggtatta gaagaatatc 7740

ctgattcagg tgaaaatatt gttgatgcgc tggcagtgtt cctgcgccgg ttgcattcga 7800

ttcctgtttg taattgtcct tttaacagcg atcgcgtatt tcgtctcgct caggcgcaat 7860

cacgaatgaa taacggtttg gttgatgcga gtgattttga tgacgagcgt aatggctggc 7920

ctgttgaaca agtctggaaa gaaatgcata agcttttgcc attctcaccg gattcagtcg 7980

tcactcatgg tgatttctca cttgataacc ttatttttga cgaggggaaa ttaataggtt 8040

gtattgatgt tggacgagtc ggaatcgcag accgatacca ggatcttgcc atcctatgga 8100

actgcctcgg tgagttttct ccttcattac agaaacggct ttttcaaaaa tatggtattg 8160

ataatcctga tatgaataaa ttgcagtttc atttgatgct cgatgagttt ttctaatcag 8220

aattggttaa ttggttgtaa cactggcaga gcattacgct gacttgacgg gacggcggct 8280

ttgttgaata aatcgcattc gccattcagg ctgcgcaact gttgggaagg gcgatcggtg 8340

cgggcctctt cgctattacg ccagctggcg aaaggggat gtgctgcaag gcgattaagt 8400

tgggtaacgc cagggttttc ccagtcacga cgttgtaaaa cgacggccag tgaattcgag 8460

ctcggtaccc ggggatcctc tagagtc 8487

<210> 97
<211> 8038
<212> DNA
<213> Artificial

<220>
<223> pRET1003

<400> 97
ccgtccacca cccggtgcct ggtctgcgtc tccctcggct cgttcctcgc ctatcctggt 60

gaccagacac cggagcgagc tatgcccagg gttgcgcagt gacttcgtca ctgcgtaacc 120

ctgggcgctc gcctcccatt cgcttcgctc acaggagggg gccgtcgatg gccgctgacg 180

ctgcatctga cgaccggcgg accgaggtcc gcgccgctgc ttcgcgggcc gctgacgcgg 240

ccccggcgaa gcgcacccgc accgtggcgg tgcggctgac cgatggggag gaggccgcgt 300

ggatcgacgc cgcgctggcc gatggccacc ggcagctcgg ggcgtgggtg cgtgagcggg 360

cggtggccgg ctatctcggg aaggtccgcc cgaagaccgg cagtggaatg tcggcggagg 420

cggccgcgga ggtcgccgcg atgcggcagc agatgacgaa ggtggggaac aacctgaacc 480

agatcgcgag ggcgatcaac gccgggcagg tgccgtcgca gatggccgag tccctgcaga 540

aggggtggct ggagaggtgg gggcaggagt tggggcggat ggcggatcgg ctcgacgcgc 600

tcgacgacca gggctgacgt gatcgcgaag atcagcacgg gcagcgaccc gaaggggttg 660

gcggcgtatc tgcacgggcc ggggaaggcc accccgcaca gctaccgcac cgaggcgggc 720

cggctgattg ccggcgggac ggtgatcgcg ggatcggtgc aggtcaccgc caaaaacccg 780

acccggtggg ggcgggactt cgagcgggcc gccgcgacga acgcgcgggt gggtaagccg 840

gtgtggcatt gctcgctgcg gtgcgcgccc ggggatcggc ggctgaccga taccgagttc 900

gcggacatcg cgcagacggt cgccgagcgg atgggcttcg agagtcatcc gtgggtggcg 960

gtgcggcacg acgacgacca catccacctg gctgtctccc gggtcgattt tcagggcgtg 1020

acctggaaga acagcaacga ccggtggaag gtcgtcgagg tgatgcgcga ggtcgaacgc 1080

gcgcacggcc tgatcgaggt ggcgagcccg gagcgggccc gtggccggca agccagcagc 1140

ggcgagcaac gccgcgcggt gcggaccggc aaggtggcgc agcgggacgg tctgagggaa 1200

attgtgaccg ccgcccgcga catcgccgca ggccagggtg tgggggcgtt cgaagtggcg 1260

ctcgtacaga acccgattac ccgagtgcag gtgcggcgca acgtcgcgaa gacgggccgg 1320

atgaatggct acagcttcaa cctgcccggc tacgtcgacg ccgccgggga gccgatctgg 1380

ttgccggcct ccaaactcga ccggggtttg tcctggtcac agctggaaaa gacgctgacc 1440

agaccccgcc cggaccgcct cgccggcgag gagacggtgc cgcggaagcg gctcgagcgc 1500

gccgccgcgt gggagcagcg ccgccgcgag gtcggcggcg agcagttcgc agctgcccgc 1560

tgggagcagg cccgcgcgaa tgttggtgag acggccgggc ggatccgcgc cgaacagtcc 1620

gcggacacga agtggaagca ggtgaacgag gcgttgacca gccaagaccg ggccgaggag 1680

caggctgccg aggcagcgcg ggtcgcctcc gctgtcatgg gaggccaccc gacaccgcta 1740

cgggacatgc tcgccgccca ggagcagcgc cggaagccgt ggactccgga gcagaaacgc 1800

cagtacgcga ccgcaaaagc ccaagcagaa cgcgccgcga aggccaagga cgccgcgaaa 1860

tggaccgagg tcgccggcgg cggctaccag cgggacgtgc gcgggatgaa cctgcgactg 1920

tgggtggctg aggacggcgc ctggtcgatc acctcgaaga aggaccccga ccgccagtac 1980

gccgcaggtc aggccgacac cgtcgcgcag gcccaagccg cggccacggc cacagcgaaa 2040

acgcaggccc aggcgatgtg gaagcaggtc ccggccgaca agcgcaccga gtcagccacc 2100

agagcggtcc ggcgcgtgat cgcggatctc acccccacca aacccgccga ggtcaaaccc 2160

ccggcccgcc gccagggacc aaccatgccg cagtcggccc cggggtatca gccacccggc 2220

cgcgaccgag gtcgagaatc cggaatggga ctgtgagcag agagcgagaa ggctttcgtg 2280

gagcgtaggg aacagacgca ggcctggcga agcatgtcca agaacaccat cgatcgctag 2340

aaggtcggtc gtgcccaggg tgcccaggat gcgtacataa cgcgcgaaag gtgcatacct 2400

cccatagcat cggcgcgtat ggtagggaaa atgatcttca aacgtattgc tgtggtcgtg 2460

ctcgctggtg gggctttggt agtgggaggc agccaggttg ctggtgctac cacggtttca 2520

gctccacagc cgagtccttc agcagcggtg gtgccgacgg ttcttccacc agtcactttc 2580

accgccgctt ctgcgcactg cgaggcccag tacgcgtcgg attcccggcg atgccgtctg 2640

attccacttc cacagggccg agcgatctgc tgggcggcag ccgctgcccg ttacgcagcg 2700

tgccgcgccg gaaactaggt agaacgtgag catggacgag cttcccacct tcatcgccga 2760

cgacatcgtg atggccagaa cgttcgacag ccctaacggc caggtggtgc tcgaggtgaa 2820

cactccgcgg ccgttcgatg ctgcggcccc ggagggtgac tactgctgca ccttccggat 2880

cagcgggaac atggatgccc cttacgacgg attcggtggc ggcgtcgacg cagtgcaggc 2940

gctgctactc gcattggcca tggcacacga ggaacttcgt caaacttcgc cagagttgac 3000

gtttctaggc gagacgaacc tcggtctacc ggtcttgaac atcaagcccg acaacgcgat 3060

cgaagccgtg gtctcattcc ccgctccctg atgtgacgca ctttcacccc tggcactcat 3120

gtaccgaagc tgggactgag aaagggctgc cgcgtcaccg cttcgcgttg acttgccact 3180

gaacgggggc gtgtcccggt cagggcgggg tgtgacctgg gttcatgaca ccgctaacac 3240

gctgcggaaa tgcggattga actagttcat ttggggaacg atgacctgat gaccggggat 3300

cgtgacctac ccatgctgac catcgccgag gcggtggacg cgacgcagac cagtgagagc 3360

acgatcaagc gccgcctgcg gtcgggcgcg ttcccgaacg cggtccgcac tgccgacggg 3420

aagtggatga ttcccctcgg tgacctatca gcggcagggc tgagaccagg gaaaatggcg 3480

aaacctgacc cggtgacccc ttcaaatgac cgggtccgtg acctggcagc tgagaacgcc 3540

gagctccgtc agcgcctggc cgtggccgaa gccctggcca gcgaacgcaa tcggatcatc 3600

gacgtgcagc aacagatgct ccggatgctc gaagcccggc cggtgtcggc cctggagccc 3660

gcggcggttc cagtggcggg tccgccgccg cccgtcccgg ccgccgatgg tcgggcagct 3720

acgggcgccc tggcccggat acgtcgacgg cttctcggct aggagctgac cgcgtacttg 3780

cgtgcgtcgt gcaggagctt tcccaccgtt ccggtggaga ttcccatctc ctcggcgatc 3840

tcgcggtact tcaggccctg ctcgcgcagc tcgacggccc ggcgacggtt ctcggctgcc 3900

cgtgcgagga actggtcccg cggctcggcc atgatgcgct ggatcgtgcg cgtggaggcc 3960

cccatcttct cggccagctc gcgagctgtc tgcttgcggc ggatcggtcg ttcagcgccc 4020

acggtctgcc tcccacaatg cgttccggtc gaccttcgtc gctcgtttcc ggtttgcctc 4080

gcgcttcttc tcactcatct tgcgaccgcg tgcggcttgt atggcgatga atgtggcctc 4140

gtagacagca gggccgtcgg cccacatccg ggactttgta gtgatccagc gggtaatgga 4200

ggccgcgacg gcgcgtagct cgcttgctgg cagtggatcg ggcctgcctg tgaccgggtt 4260

cctgaacgtg gcgttgatct gtgcggcttc cgcatagatc gcggccccga ggccggtcgg 4320

gtcgccccag tggaagcgga tttcgcggta ggcccaggtg cgtgcggttt cgaacagggc 4380

gcagtttcgg ccgaggccga tcgggttctc acggcgcgat cgggtttgcc gccagcgcgt 4440

tggcggcatg tggatgccga gttccgcctc gagctcggcg agggatcgcc gctcggtgtg 4500

cagccaatgg gtgtcccagt caccgtgagt cgggttcttg gtcatcaggc ccgaatagcc 4560

cttgtccccc tggacggcgc gccggaggcc ttcggtgacg gcggccgcat aggcgagcgg 4620

cttacgacgg gcgtactcgg tgcgggtgaa cggctctgcc agcgcccaca cagcgtgtgc 4680

gtgcccgtta cgggggttct ccacgatcgc gttcggcaga ggatgattcc cggccgccga 4740

cagcgcccgc agcgcggcgt ccgggtggtc aacgtccacg acgagcaggt tgctcaatgc 4800

ctgcgggttc gactcgatgt agcggcgatc cagtgcgtct gatcgccgca tccggtagac 4860

gccgtcgagg aaatcgtcgg ttgccagtgg ccacagcggt agccacagct gttcccaggc 4920

gccgcctgtg tgctcttcca ccgcaaccat ggggaacaca ctcacacaca agatcgattt 4980

attccggtac gacacgccag ccaagtcaga tgtttcggtt tctggagcgg tcctccagac 5040

ctttgagatc cgctccagaa acgtccacaa attattgggg tacgtcgaac caagccttat 5100

caggtatccc ggggttccgg gggtgaacac caccctccga ccggtccaga atccgtcgat 5160

ctcacctatc cgctcgaagt ccttgagtca gtgacaggac cactgctggg ctcccagcgc 5220

agaaggcaag tgaaggcaga cgactgcggg aggtaagtcg ggtacggcat gaggtccttc 5280

agaagcggcg tcgacgccag gcccacacgc acaatccgct tcccacgagg gacaccaccg 5340

gtagcgcccc ctgcaaccgg cgcagtgtca cgaggcgccg gtactgctcg tttgacagga 5400

actgcagggt cggtgagctc gcgctgggcg gatcccacca gtagctcccc gtgccggtaa 5460

ccgcttgggg ccaagcgaag acacccaccg cggcagcgat ggcaatgcac gtggatggga 5520

acaccaccca gaaccaggga aatcctggtg ccggcccgag acgatcccgg cgcggtaaga 5580

ccacaccggc caccatcgcc acggcccccg acgcaacaag caataaccac cccatgagcg 5640

gacggtacaa gcgccgacgc cgggtggccg ttaggtgcgc gccagcccgt gaccggaccg 5700

gcgaagcgtg ccgctgggcg gcccgccgtg gcgcccgtcc cgtgcccgtt ctgaccggtg 5760

gtctcggtcg ctcgttcctc gcgtcctcac ctgccggtca gcccgtgacc ggacctgcag 5820

gcatgcaagc ttggcactgg ccgtcgtttt acaacgtcgt gactgggaaa accctggcgt 5880

tacccaactt aatcgccttg cagcacatcc cctttcgcc agctggcgta atagcgaaga 5940

ggcccgcacc gatcgccctt cccaacagtt gcgcagcctg aatggcgaat gagcttcttc 6000

cgcttcctcg ctcactgact cgctgcgctc ggtcgttcgg ctgcggcgag cggtatcagc 6060

tcactcaaag gcggtaatac ggttatccac agaatcaggg gataacgcag gaaagaacat 6120

gtgagcaaaa ggccagcaaa aggccaggaa ccgtaaaaag gccgcgttgc tggcgttttt 6180

ccataggctc cgccccccctg acgagcatca caaaaatcga cgctcaagtc agaggtggcg 6240

aaacccgaca ggactataaa gataccaggc gtttcccccct ggaagctccc tcgtgcgctc 6300

tcctgttccg accctgccgc ttaccggata cctgtccgcc tttctccctt cgggaagcgt 6360

ggcgctttct caatgctcac gctgtaggta tctcagttcg gtgtaggtcg ttcgctccaa 6420

gctgggctgt gtgcacgaac cccccgttca gcccgaccgc tgcgccttat ccggtaacta 6480

tcgtcttgag tccaacccgg taagacacga cttatcgcca ctggcagcag ccactggtaa 6540

caggattagc agagcgaggt atgtaggcgg tgctacagag ttcttgaagt ggtggcctaa 6600

ctacggctac actagaagga cagtatttgg tatctgcgct ctgctgaagc cagttacctt 6660

cggaaaaaga gttggtagct cttgatccgg caaacaaacc accgctggta gcggtggttt 6720

ttttgtttgc aagcagcaga ttacgcgcag aaaaaaagga tctcaagaag atcctttgat 6780

cttttctacg gggtctgacg ctcagtggaa ctccgtcgaa cggaagatca cttcgcagaa 6840

taaataaatc ctggtgtccc tgttgatacc gggaagccct gggccaactt ttggcgaaaa 6900

tgagacgttg atcggcacgt aagaggttcc aactttcacc ataatgaaat aagatcacta 6960

ccgggcgtat tttttgagtt atcgagattt tcaggagcta aggaagctaa aatggagaaa 7020

aaaatcactg gatataccac cgttgatata tcccaatggc atcgtaaaga acattttgag 7080

gcatttcagt cagttgctca atgtacctat aaccagaccg ttcagctgga tattacggcc 7140

tttttaaaga ccgtaaagaa aaataagcac aagttttatc cggcctttat tcacattctt 7200

gcccgcctga tgaatgctca tccggaattt cgtatggcaa tgaaagacgg tgagctggtg 7260

atatgggata gtgttcaccc ttgttacacc gttttccatg agcaaactga aacgttttca 7320

tcgctctgga gtgaatacca cgacgatttc cggcagtttc tacacatata ttcgcaagat 7380

gtggcgtgtt acggtgaaaa cctggcctat ttccctaaag ggtttattga gaatatgttt 7440

ttcgtctcag ccaatccctg ggtgagtttc accagttttg atttaaacgt ggccaatatg 7500

gacaacttct tcgcccccgt tttcaccatg ggcaaatatt atacgcaagg cgacaaggtg 7560

ctgatgccgc tggcgattca ggttcatcat gccgtctgtg atggcttcca tgtcggcaga 7620

atgcttaatg aattacaaca gtactgcgat gagtggcagg gcggggcgta attttttaa 7680

ggcagttatt ggtgcccttа aacgcctggt gctacgcctg aataagtgat aataagcgga 7740

tgaatggcag aaattcagct tggcccagtg ccaagctcca atacgcaaac cgcctctccc 7800

cgcgcgttgg ccgattcatt aatgcagctg gcacgacagg tttcccgact ggaaagcggg 7860

cagtgagcgc aacgcaatta atgtgagtta gctcactcat taggcacccc aggctttaca 7920

ctttatgctt ccggctcgta tgttgtgtgg aattgtgagc ggataacaat ttcacacagg 7980

aaacagctat gaccatgatt acgaattcga gctcggtacc cggggatcct ctagagtc 8038

<210> 98
<211> 8497
<212> DNA
<213> Artificial

<220>
<223> pRET1001Rv

<400> 98
ccgtccacca cccggtgcct ggtctgcgtc tccctcggct cgttcctcgc ctatcctggt 60

gaccagacac cggagcgagc tatgcccagg gttgcgcagt gacttcgtca ctgcgtaacc 120

ctgggcgctc gcctcccatt cgcttcgctc acaggagggg gccgtcgatg gccgctgacg 180

ctgcatctga cgaccggcgg accgaggtcc gcgccgctgc ttcgcgggcc gctgacgcgg 240

ccccggcgaa gcgcacccgc accgtggcgg tgcggctgac cgatggggag gaggccgcgt 300

ggatcgacgc cgcgctggcc gatggccacc ggcagctcgg ggcgtgggtg cgtgagcggg 360

cggtggccgg ctatctcggg aaggtccgcc cgaagaccgg cagtggaatg tcggcggagg 420

cggccgcgga ggtcgccgcg atgcggcagc agatgacgaa ggtggggaac aacctgaacc 480

agatcgcgag ggcgatcaac gccgggcagg tgccgtcgca gatggccgag tccctgcaga 540

aggggtggct ggagaggtgg gggcaggagt tggggcggat ggcggatcgg ctcgacgcgc 600

tcgacgacca gggctgacgt gatcgcgaag atcagcacgg gcagcgaccc gaaggggttg 660

gcggcgtatc tgcacgggcc ggggaaggcc accccgcaca gctaccgcac cgaggcgggc 720

cggctgattg ccggcgggac ggtgatcgcg ggatcggtgc aggtcaccgc caaaaacccg 780

acccggtggg ggcgggactt cgagcgggcc gccgcgacga acgcgcgggt gggtaagccg 840

gtgtggcatt gctcgctgcg gtgcgcgccc ggggatcggc ggctgaccga taccgagttc 900

gcggacatcg cgcagacggt cgccgagcgg atgggcttcg agagtcatcc gtgggtggcg 960

gtgcggcacg acgacgacca catccacctg gctgtctccc gggtcgattt tcagggcgtg 1020

acctggaaga acagcaacga ccggtggaag gtcgtcgagg tgatgcgcga ggtcgaacgc 1080

gcgcacggcc tgatcgaggt ggcgagcccg gagcgggccc gtggccggca agccagcagc 1140

ggcgagcaac gccgcgcggt gcggaccggc aaggtggcgc agcgggacgg tctgagggaa 1200

attgtgaccg ccgcccgcga catcgccgca ggccagggtg tgggggcgtt cgaagtggcg 1260

ctcgtacaga acccgattac ccgagtgcag gtgcggcgca acgtcgcgaa gacgggccgg 1320

atgaatggct acagcttcaa cctgcccggc tacgtcgacg ccgccgggga gccgatctgg 1380

ttgccggcct ccaaactcga ccggggtttg tcctggtcac agctggaaaa gacgctgacc 1440

agaccccgcc cggaccgcct cgccggcgag gagacggtgc cgcggaagcg gctcgagcgc 1500

gccgccgcgt gggagcagcg ccgccgcgag gtcggcggcg agcagttcgc agctgcccgc 1560

tgggagcagg cccgcgcgaa tgttggtgag acggccgggc ggatccgcgc cgaacagtcc 1620

gcggacacga agtggaagca ggtgaacgag gcgttgacca gccaagaccg ggccgaggag 1680

caggctgccg aggcagcgcg ggtcgcctcc gctgtcatgg gaggccaccc gacaccgcta 1740

cgggacatgc tcgccgccca ggagcagcgc cggaagccgt ggactccgga gcagaaacgc 1800

cagtacgcga ccgcaaaagc ccaagcagaa cgcgccgcga aggccaagga cgccgcgaaa 1860

tggaccgagg tcgccggcgg cggctaccag cgggacgtgc gcgggatgaa cctgcgactg 1920

tgggtggctg aggacggcgc ctggtcgatc acctcgaaga aggaccccga ccgccagtac 1980

gccgcaggtc aggccgacac cgtcgcgcag gcccaagccg cggccacggc cacagcgaaa 2040

acgcaggccc aggcgatgtg gaagcaggtc ccggccgaca agcgcaccga gtcagccacc 2100

agagcggtcc ggcgcgtgat cgcggatctc acccccacca aacccgccga ggtcaaaccc 2160

ccggcccgcc gccagggacc aaccatgccg cagtcggccc cggggtatca gccacccggc 2220

cgcgaccgag gtcgagaatc cggaatggga ctgtgagcag agagcgagaa ggctttcgtg 2280

gagcgtaggg aacagacgca ggcctggcga agcatgtcca agaacaccat cgatcgctag 2340

aaggtcggtc gtgcccaggg tgcccaggat gcgtacataa cgcgcgaaag gtgcatacct 2400

cccatagcat cggcgcgtat ggtagggaaa atgatcttca aacgtattgc tgtggtcgtg 2460

ctcgctggtg gggctttggt agtgggaggc agccaggttg ctggtgctac cacggtttca 2520

gctccacagc cgagtccttc agcagcggtg gtgccgacgg ttcttccacc agtcactttc 2580

accgccgctt ctgcgcactg cgaggcccag tacgcgtcgg attcccggcg atgccgtctg 2640

attccacttc cacagggccg agcgatctgc tgggcggcag ccgctgcccg ttacgcagcg 2700

tgccgcgccg gaaactaggt agaacgtgag catggacgag cttcccacct tcatcgccga 2760

cgacatcgtg atggccagaa cgttcgacag ccctaacggc caggtggtgc tcgaggtgaa 2820

cactccgcgg ccgttcgatg ctgcggcccc ggagggtgac tactgctgca ccttccggat 2880

cagcgggaac atggatgccc cttacgacgg attcggtggc ggcgtcgacg cagtgcaggc 2940

gctgctactc gcattggcca tggcacacga ggaacttcgt caaacttcgc cagagttgac 3000

gtttctaggc gagacgaacc tcggtctacc ggtcttgaac atcaagcccg acaacgcgat 3060

cgaagccgtg gtctcattcc ccgctccctg atgtgacgca ctttcacccc tggcactcat 3120

gtaccgaagc tgggactgag aaagggctgc cgcgtcaccg cttcgcgttg acttgccact 3180

gaacgggggc gtgtcccggt cagggcgggg tgtgacctgg gttcatgaca ccgctaacac 3240

gctgcggaaa tgcggattga actagttcat ttggggaacg atgacctgat gaccggggat 3300

cgtgacctac ccatgctgac catcgccgag gcggtggacg cgacgcagac cagtgagagc 3360

acgatcaagc gccgcctgcg gtcgggcgcg ttcccgaacg cggtccgcac tgccgacggg 3420

aagtggatga ttcccctcgg tgacctatca gcggcagggc tgagaccagg gaaaatggcg 3480

aaacctgacc cggtgacccc ttcaaatgac cgggtccgtg acctggcagc tgagaacgcc 3540

gagctccgtc agcgcctggc cgtggccgaa gccctggcca gcgaacgcaa tcggatcatc 3600

gacgtgcagc aacagatgct ccggatgctc gaagcccggc cggtgtcggc cctggagccc 3660

gcggcggttc cagtggcggg tccgccgccg cccgtcccgg ccgccgatgg tcgggcagct 3720

acgggcgccc tggcccggat acgtcgacgg cttctcggct aggagctgac cgcgtacttg 3780

cgtgcgtcgt gcaggagctt tcccaccgtt ccggtggaga ttcccatctc ctcggcgatc 3840

tcgcggtact tcaggccctg ctcgcgcagc tcgacggccc ggcgacggtt ctcggctgcc 3900

cgtgcgagga actggtcccg cggctcggcc atgatgcgct ggatcgtgcg cgtggaggcc 3960

cccatcttct cggccagctc gcgagctgtc tgcttgcggc ggatcggtcg ttcagcgccc 4020

acggtctgcc tcccacaatg cgttccggtc gaccttcgtc gctcgtttcc ggtttgcctc 4080

gcgcttcttc tcactcatct tgcgaccgcg tgcggcttgt atggcgatga atgtggcctc 4140

gtagacagca gggccgtcgg cccacatccg ggactttgta gtgatccagc gggtaatgga 4200

ggccgcgacg gcgcgtagct cgcttgctgg cagtggatcg ggcctgcctg tgaccgggtt 4260

cctgaacgtg gcgttgatct gtgcggcttc cgcatagatc gcggccccga ggccggtcgg 4320

gtcgccccag tggaagcgga tttcgcggta ggcccaggtg cgtgcggttt cgaacagggc 4380

gcagtttcgg ccgaggccga tcgggttctc acggcgcgat cgggtttgcc gccagcgcgt 4440

tggcggcatg tggatgccga gttccgcctc gagctcggcg agggatcgcc gctcggtgtg 4500

cagccaatgg gtgtcccagt caccgtgagt cgggttcttg gtcatcaggc ccgaatagcc 4560

cttgtccccc tggacggcgc gccggaggcc ttcggtgacg gcggccgcat aggcgagcgg 4620

cttacgacgg gcgtactcgg tgcgggtgaa cggctctgcc agcgcccaca cagcgtgtgc 4680

gtgcccgtta cgggggttct ccacgatcgc gttcggcaga ggatgattcc cggccgccga 4740

cagcgcccgc agcgcggcgt ccgggtggtc aacgtccacg acgagcaggt tgctcaatgc 4800

ctgcgggttc gactcgatgt agcggcgatc cagtgcgtct gatcgccgca tccggtagac 4860

gccgtcgagg aaatcgtcgg ttgccagtgg ccacagcggt agccacagct gttcccaggc 4920

gccgcctgtg tgctcttcca ccgcaaccat ggggaacaca ctcacacaca agatcgattt 4980

attccggtac gacacgccag ccaagtcaga tgtttcggtt tctggagcgg tcctccagac 5040

ctttgagatc cgctccagaa acgtccacaa attattgggg tacgtcgaac caagccttat 5100

caggtatccc ggggttccgg gggtgaacac caccctccga ccggtccaga atccgtcgat 5160

ctcacctatc cgctcgaagt ccttgagtca gtgacaggac cactgctggg ctcccagcgc 5220

agaaggcaag tgaaggcaga cgactgcggg aggtaagtcg ggtacggcat gaggtccttc 5280

agaagcggcg tcgacgccag gcccacacgc acaatccgct tcccacgagg gacaccaccg 5340

gtagcgcccc ctgcaaccgg cgcagtgtca cgaggcgccg gtactgctcg tttgacagga 5400

actgcagggt cggtgagctc gcgctgggcg gatcccacca gtagctcccc gtgccggtaa 5460

ccgcttgggg ccaagcgaag acacccaccg cggcagcgat ggcaatgcac gtggatggga 5520

acaccaccca gaaccaggga aatcctggtg ccggcccgag acgatcccgg cgcggtaaga 5580

ccacaccggc caccatcgcc acggcccccg acgcaacaag caataaccac cccatgagcg 5640

gacggtacaa gcgccgacgc cgggtggccg ttaggtgcgc gccagcccgt gaccggaccg 5700

gcgaagcgtg ccgctgggcg gcccgccgtg gcgcccgtcc cgtgcccgtt ctgaccggtg 5760

gtctcggtcg ctcgttcctc gcgtcctcac ctgccggtca gcccgtgacc ggactctaga 5820

ggatccccgg gtaccgagct cgaattcgta atcatggtca tagctgtttc ctgtgtgaaa 5880

ttgttatccg ctcacaattc cacacaacat acgagccgga agcataaagt gtaaagcctg 5940

gggtgcctaa tgagtgagct aactcacatt aattgcgttg cgctcactgc ccgctttcca 6000

gtcgggaaac ctgtcgtgcc agctgcatta atgaatcggc caacgcgcgg ggagaggcgg 6060

tttgcgtatt gggcgctctt ccgcttcctc gctcactgac tcgctgcgct cggtcgttcg 6120

gctgcggcga gcggtatcag ctcactcaaa ggcggtaata cggttatcca cagaatcagg 6180

ggataacgca ggaaagaaca tgtgagcaaa aggccagcaa aaggccagga accgtaaaaa 6240

ggccgcgttg ctggcgtttt tccataggct ccgccccct gacgagcatc acaaaaatcg 6300

acgctcaagt cagaggtggc gaaacccgac aggactataa agataccagg cgtttccccc 6360

tggaagctcc ctcgtgcgct ctcctgttcc gaccctgccg cttaccggat acctgtccgc 6420

ctttctccct tcgggaagcg tggcgctttc tcatagctca cgctgtaggt atctcagttc 6480

ggtgtaggtc gttcgctcca agctgggctg tgtgcacgaa cccccgttc agcccgaccg 6540

ctgcgcctta tccggtaact atcgtcttga gtccaacccg gtaagacacg acttatcgcc 6600

actggcagca gccactggta acaggattag cagagcgagg tatgtaggcg gtgctacaga 6660

gttcttgaag tggtggccta actacggcta cactagaagg acagtatttg gtatctgcgc 6720

tctgctgaag ccagttacct tcggaaaaag agttggtagc tcttgatccg gcaaacaaac 6780

caccgctggt agcggtggtt tttttgtttg caagcagcag attacgcgca gaaaaaaagg 6840

atctcaagaa gatcctttga tcttttctac ggggtctgac gctcagtgga acgaaaactc 6900

acgttaaggg attttggtca tgagattatc aaaaaggatc ttcacctaga tccttttaaa 6960

ttaaaaatga agttttaaat caatctaaag tatatatgag taaacttggt ctgacagtta 7020

ccaatgctta atcagtgagg cacctatctc agcgatctgt ctatttcgtt catccatagt 7080

tgcctgactc cccgtcgtgt agataactac gatacgggag ggcttaccat ctggccccag 7140

tgctgcaatg ataccgcgag acccacgctc accggctcca gatttatcag caataaacca 7200

gccagccgga agggccgagc gcagaagtgg tcctgcaact ttatccgcct ccatccagtc 7260

tattaattgt tgccgggaag ctagagtaag tagttcgcca gttaatagtt tgcgcaacgt 7320

tgttgccatt gctacaggca tcgtggtgtc acgctcgtcg tttggtatgg cttcattcag 7380

ctccggttcc caacgatcaa ggcgagttac atgatccccc atgttgtgca aaaaagcggt 7440

tagctccttc ggtcctccga tcgttgtcag aagtaagttg gccgcagtgt tatcactcat 7500

ggttatggca gcactgcata attctcttac tgtcatgcca tccgtaagat gcttttctgt 7560

gactggtgag tactcaacca agtcattctg agaatagtgt atgcggcgac cgagttgctc 7620

ttgcccggcg tcaatacggg ataataccgc gccacatagc agaactttaa aagtgctcat 7680

cattggaaaa cgttcttcgg ggcgaaaact ctcaaggatc ttaccgctgt tgagatccag 7740

ttcgatgtaa cccactcgtg cacccaactg atcttcagca tcttttactt tcaccagcgt 7800

ttctgggtga gcaaaaacag gaaggcaaaa tgccgcaaaa aagggaataa gggcgacacg 7860

gaaatgttga atactcatac tcttcctttt tcaatattat tgaagcattt atcagggtta 7920

ttgtctcatg agcggataca tatttgaatg tatttagaaa aataaacaaa taggggttcc 7980

gcgcacattt ccccgaaaag tgccacctga cgtctaagaa accattatta tcatgacatt 8040

aacctataaa aataggcgta tcacgaggcc ctttcgtctc gcgcgtttcg gtgatgacgg 8100

tgaaaacctc tgacacatgc agctcccgga gacggtcaca gcttgtctgt aagcggatgc 8160

cgggagcaga caagcccgtc agggcgcgtc agcgggtgtt ggcgggtgtc ggggctggct 8220

taactatgcg gcatcagagc agattgtact gagagtgcac catatgcggt gtgaaatacc 8280

gcacagatgc gtaaggagaa aataccgcat caggcgccat tcgccattca ggctgcgcaa 8340

ctgttgggaa gggcgatcgg tgcgggcctc ttcgctatta cgccagctgg cgaaaggggg 8400

atgtgctgca aggcgattaa gttgggtaac gccagggttt tcccagtcac gacgttgtaa 8460

aacgacggcc agtgccaagc ttgcatgcct gcaggtc 8497

<210> 99
<211> 8487
<212> DNA
<213> Artificial

<220>
<223> pRET1002Rv

<400> 99
ccgtccacca cccggtgcct ggtctgcgtc tccctcggct cgttcctcgc ctatcctggt 60

gaccagacac cggagcgagc tatgcccagg gttgcgcagt gacttcgtca ctgcgtaacc 120

ctgggcgctc gcctcccatt cgcttcgctc acaggagggg gccgtcgatg gccgctgacg 180

ctgcatctga cgaccggcgg accgaggtcc gcgccgctgc ttcgcgggcc gctgacgcgg 240

ccccggcgaa gcgcacccgc accgtggcgg tgcggctgac cgatggggag gaggccgcgt 300

ggatcgacgc cgcgctggcc gatggccacc ggcagctcgg ggcgtgggtg cgtgagcggg 360

cggtggccgg ctatctcggg aaggtccgcc cgaagaccgg cagtggaatg tcggcggagg 420

cggccgcgga ggtcgccgcg atgcggcagc agatgacgaa ggtggggaac aacctgaacc 480

agatcgcgag ggcgatcaac gccgggcagg tgccgtcgca gatggccgag tccctgcaga 540

aggggtggct ggagaggtgg gggcaggagt tggggcggat ggcggatcgg ctcgacgcgc 600

tcgacgacca gggctgacgt gatcgcgaag atcagcacgg gcagcgaccc gaaggggttg 660

gcggcgtatc tgcacgggcc ggggaaggcc accccgcaca gctaccgcac cgaggcgggc 720

cggctgattg ccggcgggac ggtgatcgcg ggatcggtgc aggtcaccgc caaaaacccg 780

acccggtggg ggcgggactt cgagcgggcc gccgcgacga acgcgcgggt gggtaagccg 840

gtgtggcatt gctcgctgcg gtgcgcgccc ggggatcggc ggctgaccga taccgagttc 900

gcggacatcg cgcagacggt cgccgagcgg atgggcttcg agagtcatcc gtgggtggcg 960

gtgcggcacg acgacgacca catccacctg gctgtctccc gggtcgattt tcagggcgtg 1020

acctggaaga acagcaacga ccggtggaag gtcgtcgagg tgatgcgcga ggtcgaacgc 1080

gcgcacggcc tgatcgaggt ggcgagcccg gagcgggccc gtggccggca agccagcagc 1140

ggcgagcaac gccgcgcggt gcggaccggc aaggtggcgc agcgggacgg tctgagggaa 1200

attgtgaccg ccgcccgcga catcgccgca ggccagggtg tgggggcgtt cgaagtggcg 1260

ctcgtacaga acccgattac ccgagtgcag gtgcggcgca acgtcgcgaa gacgggccgg 1320

atgaatggct acagcttcaa cctgcccggc tacgtcgacg ccgccgggga gccgatctgg 1380

ttgccggcct ccaaactcga ccgggqttg tcctggtcac agctggaaaa gacgctgacc 1440

agaccccgcc cggaccgcct cgccggcgag gagacggtgc cgcggaagcg gctcgagcgc 1500

gccgccgcgt gggagcagcg ccgccgcgag gtcggcggcg agcagttcgc agctgcccgc 1560

tgggagcagg cccgcgcgaa tgttggtgag acggccgggc ggatccgcgc cgaacagtcc 1620

gcggacacga agtggaagca ggtgaacgag gcgttgacca gccaagaccg ggccgaggag 1680

caggctgccg aggcagcgcg ggtcgcctcc gctgtcatgg gaggccaccc gacaccgcta 1740

cgggacatgc tcgccgccca ggagcagcgc cggaagccgt ggactccgga gcagaaacgc 1800

cagtacgcga ccgcaaaagc ccaagcagaa cgcgccgcga aggccaagga cgccgcgaaa 1860

tggaccgagg tcgccggcgg cggctaccag cgggacgtgc gcgggatgaa cctgcgactg 1920

tgggtggctg aggacggcgc ctggtcgatc acctcgaaga aggaccccga ccgccagtac 1980

gccgcaggtc aggccgacac cgtcgcgcag gcccaagccg cggccacggc cacagcgaaa 2040

acgcaggccc aggcgatgtg gaagcaggtc ccggccgaca agcgcaccga gtcagccacc 2100

agagcggtcc ggcgcgtgat cgcggatctc acccccacca aacccgccga ggtcaaaccc 2160

ccggcccgcc gccagggacc aaccatgccg cagtcggccc cggggtatca gccacccggc 2220

cgcgaccgag gtcgagaatc cggaatggga ctgtgagcag agagcgagaa ggctttcgtg 2280

gagcgtaggg aacagacgca ggcctggcga agcatgtcca agaacaccat cgatcgctag 2340

aaggtcggtc gtgcccaggg tgcccaggat gcgtacataa cgcgcgaaag gtgcatacct 2400

cccatagcat cggcgcgtat ggtagggaaa atgatcttca aacgtattgc tgtggtcgtg 2460

ctcgctggtg gggctttggt agtgggaggc agccaggttg ctggtgctac cacggtttca 2520

gctccacagc cgagtccttc agcagcggtg gtgccgacgg ttcttccacc agtcactttc 2580

accgccgctt ctgcgcactg cgaggcccag tacgcgtcgg attcccggcg atgccgtctg 2640

attccacttc cacagggccg agcgatctgc tgggcggcag ccgctgcccg ttacgcagcg 2700

tgccgcgccg gaaactaggt agaacgtgag catggacgag cttcccacct tcatcgccga 2760

cgacatcgtg atggccagaa cgttcgacag ccctaacggc caggtggtgc tcgaggtgaa 2820

cactccgcgg ccgttcgatg ctgcggcccc ggagggtgac tactgctgca ccttccggat 2880

cagcgggaac atggatgccc cttacgacgg attcggtggc ggcgtcgacg cagtgcaggc 2940

gctgctactc gcattggcca tggcacacga ggaacttcgt caaacttcgc cagagttgac 3000

gtttctaggc gagacgaacc tcggtctacc ggtcttgaac atcaagcccg acaacgcgat 3060

cgaagccgtg gtctcattcc ccgctccctg atgtgacgca ctttcacccc tggcactcat 3120

gtaccgaagc tgggactgag aaagggctgc cgcgtcaccg cttcgcgttg acttgccact 3180

gaacgggggc gtgtcccggt cagggcgggg tgtgacctgg gttcatgaca ccgctaacac 3240

gctgcggaaa tgcggattga actagttcat ttggggaacg atgacctgat gaccggggat 3300

cgtgacctac ccatgctgac catcgccgag gcggtggacg cgacgcagac cagtgagagc 3360

acgatcaagc gccgcctgcg gtcgggcgcg ttcccgaacg cggtccgcac tgccgacggg 3420

aagtggatga ttcccctcgg tgacctatca gcggcagggc tgagaccagg gaaaatggcg 3480

aaacctgacc cggtgacccc ttcaaatgac cgggtccgtg acctggcagc tgagaacgcc 3540

gagctccgtc agcgcctggc cgtggccgaa gccctggcca gcgaacgcaa tcggatcatc 3600

gacgtgcagc aacagatgct ccggatgctc gaagcccggc cggtgtcggc cctggagccc 3660

gcggcggttc cagtggcggg tccgccgccg cccgtcccgg ccgccgatgg tcgggcagct 3720

acgggcgccc tggcccggat acgtcgacgg cttctcggct aggagctgac cgcgtacttg 3780

cgtgcgtcgt gcaggagctt tcccaccgtt ccggtggaga ttcccatctc ctcggcgatc 3840

tcgcggtact tcaggccctg ctcgcgcagc tcgacggccc ggcgacggtt ctcggctgcc 3900

cgtgcgagga actggtcccg cggctcggcc atgatgcgct ggatcgtgcg cgtggaggcc 3960

cccatcttct cggccagctc gcgagctgtc tgcttgcggc ggatcggtcg ttcagcgccc 4020

acggtctgcc tcccacaatg cgttccggtc gaccttcgtc gctcgtttcc ggtttgcctc 4080

gcgcttcttc tcactcatct tgcgaccgcg tgcggcttgt atggcgatga atgtggcctc 4140

gtagacagca gggccgtcgg cccacatccg ggactttgta gtgatccagc gggtaatgga 4200

ggccgcgacg gcgcgtagct cgcttgctgg cagtggatcg ggcctgcctg tgaccgggtt 4260

cctgaacgtg gcgttgatct gtgcggcttc cgcatagatc gcggccccga ggccggtcgg 4320

gtcgccccag tggaagcgga tttcgcggta ggcccaggtg cgtgcggttt cgaacagggc 4380

gcagtttcgg ccgaggccga tcgggttctc acggcgcgat cgggtttgcc gccagcgcgt 4440

tggcggcatg tggatgccga gttccgcctc gagctcggcg agggatcgcc gctcggtgtg 4500

cagccaatgg gtgtcccagt caccgtgagt cgggttcttg gtcatcaggc ccgaatagcc 4560

cttgtccccc tggacggcgc gccggaggcc ttcggtgacg gcggccgcat aggcgagcgg 4620

cttacgacgg gcgtactcgg tgcgggtgaa cggctctgcc agcgcccaca cagcgtgtgc 4680

gtgcccgtta cgggggttct ccacgatcgc gttcggcaga ggatgattcc cggccgccga 4740

cagcgcccgc agcgcggcgt ccgggtggtc aacgtccacg acgagcaggt tgctcaatgc 4800

ctgcgggttc gactcgatgt agcggcgatc cagtgcgtct gatcgccgca tccggtagac 4860

gccgtcgagg aaatcgtcgg ttgccagtgg ccacagcggt agccacagct gttcccaggc 4920

gccgcctgtg tgctcttcca ccgcaaccat ggggaacaca ctcacacaca agatcgattt 4980

attccggtac gacacgccag ccaagtcaga tgtttcggtt tctggagcgg tcctccagac 5040

ctttgagatc cgctccagaa acgtccacaa attattgggg tacgtcgaac caagccttat 5100

caggtatccc ggggttccgg gggtgaacac caccctccga ccggtccaga atccgtcgat 5160

ctcacctatc cgctcgaagt ccttgagtca gtgacaggac cactgctggg ctcccagcgc 5220

agaaggcaag tgaaggcaga cgactgcggg aggtaagtcg ggtacggcat gaggtccttc 5280

agaagcggcg tcgacgccag gcccacacgc acaatccgct tcccacgagg gacaccaccg 5340

gtagcgcccc ctgcaaccgg cgcagtgtca cgaggcgccg gtactgctcg tttgacagga 5400

actgcagggt cggtgagctc gcgctgggcg gatcccacca gtagctcccc gtgccggtaa 5460

ccgcttgggg ccaagcgaag acacccaccg cggcagcgat ggcaatgcac gtggatggga 5520

acaccaccca gaaccaggga aatcctggtg ccggcccgag acgatcccgg cgcggtaaga 5580

ccacaccggc caccatcgcc acggcccccg acgcaacaag caataaccac cccatgagcg 5640

gacggtacaa gcgccgacgc cgggtggccg ttaggtgcgc gccagcccgt gaccggaccg 5700

gcgaagcgtg ccgctgggcg gcccgccgtg gcgcccgtcc cgtgcccgtt ctgaccggtg 5760

gtctcggtcg ctcgttcctc gcgtcctcac ctgccggtca gcccgtgacc ggactctaga 5820

ggatccccgg gtaccgagct cgaattcact ggccgtcgtt ttacaacgtc gtgactggga 5880

aaaccctggc gttacccaac ttaatcgcct tgcagcacat ccccctttcg ccagctggcg 5940

taatagcgaa gaggcccgca ccgatcgccc ttcccaacag ttgcgcagcc tgaatggcga 6000

atgcgattta ttcaacaaag ccgccgtccc gtcaagtcag cgtaatgctc tgccagtgtt 6060

acaaccaatt aaccaattct gattagaaaa actcatcgag catcaaatga aactgcaatt 6120

tattcatatc aggattatca ataccatatt tttgaaaaag ccgtttctgt aatgaaggag 6180

aaaactcacc gaggcagttc cataggatgg caagatcctg gtatcggtct gcgattccga 6240

ctcgtccaac atcaatacaa cctattaatt tcccctcgtc aaaaataagg ttatcaagtg 6300

agaaatcacc atgagtgacg actgaatccg gtgagaatgg caaaagctta tgcatttctt 6360

tccagacttg ttcaacaggc cagccattac gctcgtcatc aaaatcactc gcatcaacca 6420

aaccgttatt cattcgtgat tgcgcctgag cgagacgaaa tacgcgatcg ctgttaaaag 6480

gacaattaca aacaggaatc gaatgcaacc ggcgcaggaa cactgccagc gcatcaacaa 6540

tattttcacc tgaatcagga tattcttcta atacctggaa tgctgttttc ccggggatcg 6600

cagtggtgag taaccatgca tcatcaggag tacggataaa atgcttgatg gtcggaagag 6660

gcataaattc cgtcagccag tttagtctga ccatctcatc tgtaacatca ttggcaacgc 6720

tacctttgcc atgtttcaga aacaactctg gcgcatcggg cttcccatac aatcgataga 6780

ttgtcgcacc tgattgcccg acattatcgc gagcccattt atacccatat aaatcagcat 6840

ccatgttgga atttaatcgc ggcttcgagc aagacgtttc ccgttgaata tggctcataa 6900

caccccttgt attactgttt atgtaagcag acagttttat tgttcatgat gatatatttt 6960

tatcttgtgc aatgtaacat cagagatttt gagacacaac gtggctttgt tgaataaatc 7020

gaacttttgc tgagttgaag gatcagatca cgcatcttcc cgacaacgca gaccgttccg 7080

tggcaaagca aaagttcaaa atcaccaact ggtccaccta caacaaagct ctcatcaacc 7140

gtggctccct cactttctgg ctggatgatg gggcgattca ggcctggtat gagtcagcaa 7200

caccttcttc acgaggcaga cctctcgacg gatcgttcca ctgagcgtca gaccccgtag 7260

aaaagatcaa aggatcttct tgagatcctt ttttctgcg cgtaatctgc tgcttgcaaa 7320

caaaaaaacc accgctacca gcggtggttt gtttgccgga tcaagagcta ccaactcttt 7380

ttccgaaggt aactggcttc agcagagcgc agataccaaa tactgtcctt ctagtgtagc 7440

cgtagttagg ccaccacttc aagaactctg tagcaccgcc tacatacctc gctctgctaa 7500

tcctgttacc agtggctgct gccagtggcg ataagtcgtg tcttaccggg ttggactcaa 7560

gacgatagtt accggataag gcgcagcggt cgggctgaac gggggttcg tgcacacagc 7620

ccagcttgga gcgaacgacc tacaccgaac tgagatacct acagcgtgag cattgagaaa 7680

gcgccacgct tcccgaaggg agaaaggcgg acaggtatcc ggtaagcggc agggtcggaa 7740

caggagagcg cacgagggag cttccagggg gaaacgcctg gtatctttat agtcctgtcg 7800

ggtttcgcca cctctgactt gagcgtcgat ttttgtgatg ctcgtcaggg gggcggagcc 7860

tatggaaaaa cgccagcaac gcggcctttt tacggttcct ggccttttgc tggccttttg 7920

ctcacatgtt ctttcctgcg ttatcccctg attctgtgga taaccgtatt accgcctttg 7980

agtgagctga taccgctcgc cgcagccgaa cgaccgagcg cagcgagtca gtgagcgagg 8040

aagcggaaga agctcgcaca ttcagcagcg tttttcagcg cgttttcgat cagcgtttca 8100

atgttggtat caacaccagg tttaactttg aacttatcgg cactgacggt tactgatttt 8160

gaacttttgc tttgccacgg aacggtctgc gttgtcggga agatgcgtga tctgatcctt 8220

caactcagca aaagttcgcc aatacgcaaa ccgcctctcc ccgcgcgttg gccgattcat 8280

taatgcagct ggcacgacag gtttcccgac tggaaagcgg gcagtgagcg caacgcaatt 8340

aatgtgagtt agctcactca ttaggcaccc caggctttac actttatgct tccggctcgt 8400

atgttgtgtg gaattgtgag cggataacaa tttcacacag gaaacagcta tgaccatgat 8460

tacgccaagc ttgcatgcct gcaggtc 8487

<210> 100
<211> 8038
<212> DNA
<213> Artificial

<220>
<223> pRET1003Rv

<400> 100
ccgtccacca cccggtgcct ggtctgcgtc tccctcggct cgttcctcgc ctatcctggt 60

gaccagacac cggagcgagc tatgcccagg gttgcgcagt gacttcgtca ctgcgtaacc 120

ctgggcgctc gcctcccatt cgcttcgctc acaggagggg gccgtcgatg gccgctgacg 180

ctgcatctga cgaccggcgg accgaggtcc gcgccgctgc ttcgcgggcc gctgacgcgg 240

ccccggcgaa gcgcacccgc accgtggcgg tgcggctgac cgatggggag gaggccgcgt 300

ggatcgacgc cgcgctggcc gatggccacc ggcagctcgg ggcgtgggtg cgtgagcggg 360

cggtggccgg ctatctcggg aaggtccgcc cgaagaccgg cagtggaatg tcggcggagg 420

cggccgcgga ggtcgccgcg atgcggcagc agatgacgaa ggtggggaac aacctgaacc 480

agatcgcgag ggcgatcaac gccgggcagg tgccgtcgca gatggccgag tccctgcaga 540

aggggtggct ggagaggtgg gggcaggagt tggggcggat ggcggatcgg ctcgacgcgc 600

tcgacgacca gggctgacgt gatcgcgaag atcagcacgg gcagcgaccc gaaggggttg 660

gcggcgtatc tgcacgggcc ggggaaggcc accccgcaca gctaccgcac cgaggcgggc 720

cggctgattg ccggcgggac ggtgatcgcg ggatcggtgc aggtcaccgc caaaaacccg 780

acccggtggg ggcgggactt cgagcgggcc gccgcgacga acgcgcgggt gggtaagccg 840

gtgtggcatt gctcgctgcg gtgcgcgccc ggggatcggc ggctgaccga taccgagttc 900

gcggacatcg cgcagacggt cgccgagcgg atgggcttcg agagtcatcc gtgggtggcg 960

gtgcggcacg acgacgacca catccacctg gctgtctccc gggtcgattt tcagggcgtg 1020

acctggaaga acagcaacga ccggtggaag gtcgtcgagg tgatgcgcga ggtcgaacgc 1080

gcgcacggcc tgatcgaggt ggcgagcccg gagcgggccc gtggccggca agccagcagc 1140

ggcgagcaac gccgcgcggt gcggaccggc aaggtggcgc agcgggacgg tctgagggaa 1200

attgtgaccg ccgcccgcga catcgccgca ggccagggtg tgggggcgtt cgaagtggcg 1260

ctcgtacaga acccgattac ccgagtgcag gtgcggcgca acgtcgcgaa gacgggccgg 1320

atgaatggct acagcttcaa cctgcccggc tacgtcgacg ccgccgggga gccgatctgg 1380

ttgccggcct ccaaactcga ccggggtttg tcctggtcac agctggaaaa gacgctgacc 1440

agaccccgcc cggaccgcct cgccggcgag gagacggtgc cgcggaagcg gctcgagcgc 1500

gccgccgcgt gggagcagcg ccgccgcgag gtcggcggcg agcagttcgc agctgcccgc 1560

tgggagcagg cccgcgcgaa tgttggtgag acggccgggc ggatccgcgc cgaacagtcc 1620

gcggacacga agtggaagca ggtgaacgag gcgttgacca gccaagaccg ggccgaggag 1680

caggctgccg aggcagcgcg ggtcgcctcc gctgtcatgg gaggccaccc gacaccgcta 1740

cgggacatgc tcgccgccca ggagcagcgc cggaagccgt ggactccgga gcagaaacgc 1800

cagtacgcga ccgcaaaagc ccaagcagaa cgcgccgcga aggccaagga cgccgcgaaa 1860

tggaccgagg tcgccggcgg cggctaccag cgggacgtgc gcgggatgaa cctgcgactg 1920

tgggtggctg aggacggcgc ctggtcgatc acctcgaaga aggaccccga ccgccagtac 1980

gccgcaggtc aggccgacac cgtcgcgcag gcccaagccg cggccacggc cacagcgaaa 2040

acgcaggccc aggcgatgtg gaagcaggtc ccggccgaca agcgcaccga gtcagccacc 2100

agagcggtcc ggcgcgtgat cgcggatctc acccccacca aacccgccga ggtcaaaccc 2160

ccggcccgcc gccagggacc aaccatgccg cagtcggccc cggggtatca gccacccggc 2220

cgcgaccgag gtcgagaatc cggaatggga ctgtgagcag agagcgagaa ggctttcgtg 2280

gagcgtaggg aacagacgca ggcctggcga agcatgtcca agaacaccat cgatcgctag 2340

aaggtcggtc gtgcccaggg tgcccaggat gcgtacataa cgcgcgaaag gtgcatacct 2400

cccatagcat cggcgcgtat ggtagggaaa atgatcttca aacgtattgc tgtggtcgtg 2460

ctcgctggtg gggctttggt agtgggaggc agccaggttg ctggtgctac cacggtttca 2520

gctccacagc cgagtccttc agcagcggtg gtgccgacgg ttcttccacc agtcactttc 2580

accgccgctt ctgcgcactg cgaggcccag tacgcgtcgg attcccggcg atgccgtctg 2640

attccacttc cacagggccg agcgatctgc tgggcggcag ccgctgcccg ttacgcagcg 2700

tgccgcgccg gaaactaggt agaacgtgag catggacgag cttcccacct tcatcgccga 2760

cgacatcgtg atggccagaa cgttcgacag ccctaacggc caggtggtgc tcgaggtgaa 2820

cactccgcgg ccgttcgatg ctgcggcccc ggagggtgac tactgctgca ccttccggat 2880

cagcgggaac atggatgccc cttacgacgg attcggtggc ggcgtcgacg cagtgcaggc 2940

gctgctactc gcattggcca tggcacacga ggaacttcgt caaacttcgc cagagttgac 3000

gtttctaggc gagacgaacc tcggtctacc ggtcttgaac atcaagcccg acaacgcgat 3060

cgaagccgtg gtctcattcc ccgctccctg atgtgacgca ctttcacccc tggcactcat 3120

gtaccgaagc tgggactgag aaagggctgc cgcgtcaccg cttcgcgttg acttgccact 3180

gaacgggggc gtgtcccggt cagggcgggg tgtgacctgg gttcatgaca ccgctaacac 3240

gctgcggaaa tgcggattga actagttcat ttggggaacg atgacctgat gaccggggat 3300

cgtgacctac ccatgctgac catcgccgag gcggtggacg cgacgcagac cagtgagagc 3360

acgatcaagc gccgcctgcg gtcgggcgcg ttcccgaacg cggtccgcac tgccgacggg 3420

aagtggatga ttcccctcgg tgacctatca gcggcagggc tgagaccagg gaaaatggcg 3480

aaacctgacc cggtgacccc ttcaaatgac cgggtccgtg acctggcagc tgagaacgcc 3540

gagctccgtc agcgcctggc cgtggccgaa gccctggcca gcgaacgcaa tcggatcatc 3600

gacgtgcagc aacagatgct ccggatgctc gaagcccggc cggtgtcggc cctggagccc 3660

gcggcggttc cagtggcggg tccgccgccg cccgtcccgg ccgccgatgg tcgggcagct 3720

acgggcgccc tggcccggat acgtcgacgg cttctcggct aggagctgac cgcgtacttg 3780

cgtgcgtcgt gcaggagctt tcccaccgtt ccggtggaga ttcccatctc ctcggcgatc 3840

tcgcggtact tcaggccctg ctcgcgcagc tcgacggccc ggcgacggtt ctcggctgcc 3900

cgtgcgagga actggtcccg cggctcggcc atgatgcgct ggatcgtgcg cgtggaggcc 3960

cccatcttct cggccagctc gcgagctgtc tgcttgcggc ggatcggtcg ttcagcgccc 4020

acggtctgcc tcccacaatg cgttccggtc gaccttcgtc gctcgtttcc ggtttgcctc 4080

gcgcttcttc tcactcatct tgcgaccgcg tgcggcttgt atggcgatga atgtggcctc 4140

gtagacagca gggccgtcgg cccacatccg ggactttgta gtgatccagc gggtaatgga 4200

ggccgcgacg gcgcgtagct cgcttgctgg cagtggatcg ggcctgcctg tgaccgggtt 4260

cctgaacgtg gcgttgatct gtgcggcttc cgcatagatc gcggccccga ggccggtcgg 4320

gtcgccccag tggaagcgga tttcgcggta ggcccaggtg cgtgcggttt cgaacagggc 4380

gcagtttcgg ccgaggccga tcgggttctc acggcgcgat cgggtttgcc gccagcgcgt 4440

tggcggcatg tggatgccga gttccgcctc gagctcggcg agggatcgcc gctcggtgtg 4500

cagccaatgg gtgtcccagt caccgtgagt cgggttcttg gtcatcaggc ccgaatagcc 4560

cttgtccccc tggacggcgc gccggaggcc ttcggtgacg gcggccgcat aggcgagcgg 4620

cttacgacgg gcgtactcgg tgcgggtgaa cggctctgcc agcgcccaca cagcgtgtgc 4680

gtgcccgtta cgggggttct ccacgatcgc gttcggcaga ggatgattcc cggccgccga 4740

cagcgcccgc agcgcggcgt ccgggtggtc aacgtccacg acgagcaggt tgctcaatgc 4800

ctgcgggttc gactcgatgt agcggcgatc cagtgcgtct gatcgccgca tccggtagac 4860

gccgtcgagg aaatcgtcgg ttgccagtgg ccacagcggt agccacagct gttcccaggc 4920

gccgcctgtg tgctcttcca ccgcaaccat ggggaacaca ctcacacaca agatcgattt 4980

attccggtac gacacgccag ccaagtcaga tgtttcggtt tctggagcgg tcctccagac 5040

ctttgagatc cgctccagaa acgtccacaa attattgggg tacgtcgaac caagccttat 5100

caggtatccc ggggttccgg gggtgaacac caccctccga ccggtccaga atccgtcgat 5160

ctcacctatc cgctcgaagt ccttgagtca gtgacaggac cactgctggg ctcccagcgc 5220

agaaggcaag tgaaggcaga cgactgcggg aggtaagtcg ggtacggcat gaggtccttc 5280

agaagcggcg tcgacgccag gcccacacgc acaatccgct tcccacgagg gacaccaccg 5340

gtagcgcccc ctgcaaccgg cgcagtgtca cgaggcgccg gtactgctcg tttgacagga 5400

actgcagggt cggtgagctc gcgctgggcg gatcccacca gtagctcccc gtgccggtaa 5460

ccgcttgggg ccaagcgaag acacccaccg cggcagcgat ggcaatgcac gtggatggga 5520

acaccaccca gaaccaggga aatcctggtg ccggcccgag acgatcccgg cgcggtaaga 5580

ccacaccggc caccatcgcc acggcccccg acgcaacaag caataaccac cccatgagcg 5640

gacggtacaa gcgccgacgc cgggtggccg ttaggtgcgc gccagcccgt gaccggaccg 5700

gcgaagcgtg ccgctgggcg gcccgccgtg gcgcccgtcc cgtgcccgtt ctgaccggtg 5760

gtctcggtcg ctcgttcctc gcgtcctcac ctgccggtca gcccgtgacc ggactctaga 5820

ggatccccgg gtaccgagct cgaattcgta atcatggtca tagctgtttc ctgtgtgaaa 5880

ttgttatccg ctcacaattc cacacaacat acgagccgga agcataaagt gtaaagcctg 5940

gggtgcctaa tgagtgagct aactcacatt aattgcgttg cgctcactgc ccgctttcca 6000

gtcgggaaac ctgtcgtgcc agctgcatta atgaatcggc caacgcgcgg ggagaggcgg 6060

tttgcgtatt ggagcttggc actgggccaa gctgaatttc tgccattcat ccgcttatta 6120

tcacttattc aggcgtagca ccaggcgttt aagggcacca ataactgcct taaaaaaatt 6180

acgccccgcc ctgccactca tcgcagtact gttgtaattc attaagcatt ctgccgacat 6240

ggaagccatc acagacggca tgatgaacct gaatcgccag cggcatcagc accttgtcgc 6300

cttgcgtata atatttgccc atggtgaaaa cgggggcgaa gaagttgtcc atattggcca 6360

cgtttaaatc aaaactggtg aaactcaccc agggattggc tgagacgaaa aacatattct 6420

caataaaccc tttagggaaa taggccaggt tttcaccgta acacgccaca tcttgcgaat 6480

atatgtgtag aaactgccgg aaatcgtcgt ggtattcact ccagagcgat gaaaacgttt 6540

cagtttgctc atggaaaacg gtgtaacaag ggtgaacact atcccatatc accagctcac 6600

cgtctttcat tgccatacga attccggat gagcattcat caggcgggca agaatgtgaa 6660

taaaggccgg ataaaacttg tgcttatttt tctttacggt ctttaaaaag gccgtaatat 6720

ccagctgaac ggtctggtta taggtacatt gagcaactga ctgaaatgcc tcaaaatgtt 6780

ctttacgatg ccattgggat atatcaacgg tggtatatcc agtgattttt ttctccattt 6840

tagcttcctt agctcctgaa aatctcgata actcaaaaaa tacgcccggt agtgatctta 6900

tttcattatg gtgaaagttg gaacctctta cgtgccgatc aacgtctcat tttcgccaaa 6960

agttggccca gggcttcccg gtatcaacag ggacaccagg atttatttat tctgcgaagt 7020

gatcttccgt tcgacggagt tccactgagc gtcagacccc gtagaaaaga tcaaaggatc 7080

ttcttgagat cctttttttc tgcgcgtaat ctgctgcttg caaacaaaaa aaccaccgct 7140

accagcggtg gtttgtttgc cggatcaaga gctaccaact ctttttccga aggtaactgg 7200

cttcagcaga gcgcagatac caaatactgt ccttctagtg tagccgtagt taggccacca 7260

cttcaagaac tctgtagcac cgcctacata cctcgctctg ctaatcctgt taccagtggc 7320

tgctgccagt ggcgataagt cgtgtcttac cgggttggac tcaagacgat agttaccgga 7380

taaggcgcag cggtcgggct gaacgggggg ttcgtgcaca cagcccagct tggagcgaac 7440

gacctacacc gaactgagat acctacagcg tgagcattga gaaagcgcca cgcttcccga 7500

agggagaaag gcggacaggt atccggtaag cggcagggtc ggaacaggag agcgcacgag 7560

ggagcttcca gggggaaacg cctggtatct ttatagtcct gtcgggtttc gccacctctg 7620

acttgagcgt cgatttttgt gatgctcgtc agggggggcgg agcctatgga aaaacgccag 7680

caacgcggcc tttttacggt tcctggcctt ttgctggcct tttgctcaca tgttctttcc 7740

tgcgttatcc cctgattctg tggataaccg tattaccgcc tttgagtgag ctgataccgc 7800

tcgccgcagc cgaacgaccg agcgcagcga gtcagtgagc gaggaagcgg aagaagctca 7860

ttcgccattc aggctgcgca actgttggga agggcgatcg gtgcgggcct cttcgctatt 7920

acgccagctg gcgaaagggg gatgtgctgc aaggcgatta agttgggtaa cgccagggtt 7980

ttcccagtca cgacgttgta aaacgacggc cagtgccaag cttgcatgcc tgcaggtc 8038