


1/20

*FIG. 1*




FIG. 2

3/20





FIG. 2 (CONT.)






FIG. 4



FIG. 5




FIG. 6

8/20





FIG. 7

9/20



MOUSE ID (TREATMENT)	NORMALIZED MYC INTENSITY IN GFP(+) CELLS	
	AVERAGED ACROSS Z-STACKS	AVERAGED ACROSS ALL MICE
#91 (V2-T1)	0.83 (6 STACKS)	0.87
#88 (V2-T1)	0.91 (3 STACKS)	
#96 (V2)	1.01 (5 STACKS)	1.04
#99 (V2)	0.88 (5 STACKS)	
#03 (V2)	1.23 (5 STACKS)	

FIG. 8

RELATIVE EXPRESSION
IN CERVICAL CORD




FIG. 9




FIG. 10

12/20




FIG. 10 (CONT.)

13/20




FIG. 11

14/20




FIG. 12

REG2 DECREASES TRANSGENE EXPRESSION LEVELS IN THE BRAIN
CONTROL: 1E11 vg PHP.B/MEP426-MINIMECP2-MYC-RDH1PA
MYC-(REG2)-RDH1PA




FIG. 13




FIG. 14

17/20

- 1E11 vg PHP.B/MINI, N=4 WT MICE, 12 SECTIONS
 - 1E11 vg PHP.B/MINI-REG2, N=3 WT MICE, 9 SECTIONS
- 50% _____




FIG. 15A





FIG. 15B

18/20

- 1E11 vg PHP.B/MINI, N=4 WT MICE, 12 SECTIONS
▨ 1E11 vg PHP.B/MINI-REG2, N=3 WT MICE, 9 SECTIONS

*FIG. 15C*




FIG. 16




FIG. 17