
{CLAIMS}

{Claim 1}

A compound represented by the following formula (I):

{Chem. 1}



(I)

or a prodrug thereof or a pharmaceutically acceptable salt thereof,

wherein:

X is N or N-oxide;

n is 0 or 1;

R^1 is selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) hydroxyl, (4) $-NH_2$, (5) $-NH-C_{1-6}$ alkyl and (6) $-S(O)_m-C_{1-6}$ alkyl; wherein m is independently 0, 1 or 2;

R^2 is selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) C_{1-6} alkyl and (4) $-O-C_{1-6}$ alkyl; wherein the C_{1-6} alkyl or the $-O-C_{1-6}$ alkyl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen, hydroxyl, $-O-C_{1-6}$ alkyl, -CN, $-NR^{9a}R^{10a}$, $-(C=O)-R^{9a}$, $-(C=O)-NR^{9a}R^{10a}$ and $-S(O)_m-R^{9a}$; wherein m is independently 0, 1 or 2;

R^1 may form $=CH_2$ or =O with R^2; or

R^1 may form a 3 to 7 membered ring with R^2 which may contain one or more independently selected from the group consisting of: nitrogen atom, oxygen atom, sulfur atom and carbonyl group; where the 3 to 7 membered ring is unsubstituted or substituted one or more with C_{1-6} alkyl;

R^3 is independently selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) C_{1-6} alkyl and (4) $-O-C_{1-6}$ alkyl;

p is 0, 1, 2 or 3;

when p is 2 or 3, each R^3 is the same or different;

R^4 is selected from the group consisting of:

(1) hydrogen, (2) halogen and (3) hydroxyl;

R^5 is hydrogen or C_{1-6} alkyl;

R^6 is selected from the group consisting of:

(1) hydrogen, (2) C_{1-6} alkyl, (3) hydroxyC_{1-6} alkyl, (4) C_{1-6} alkoxy C_{1-6} alkyl and (5) heterocyclyl C_{1-6} alkyl;

R^5 may form a saturated 3 to 7 membered ring with R^6 which may contain a nitrogen atom, an oxygen atom, a sulfur atom or a double bond; or a saturated or unsaturated bicyclic 9 to 10 membered ring with R^6 which may contain a nitrogen atom, an oxygen atom or a sulfur atom; wherein the saturated 3 to 7 membered ring or the saturated or unsaturated bicyclic 9 to 10 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group consisting of: (1) hydroxyl, (2) halogen, (3) -O-aryl and (4) -O-C_{1-6} alkylaryl;

R^{7a} and R^{7b} are independently selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) hydroxyl, (4) C_{1-6} alkyl and (5) -$NR^{9b}R^{10b}$;

R^{7a} may form a 3 to 7 membered ring with R^5 which may contain a nitrogen atom or an oxygen atom; or

R^{7a} may form a 3 to 7 membered ring with R^{7b} which may contain a nitrogen atom or an oxygen atom;

q is 0 or 1;

R^8 is selected from the group consisting of:

(1) hydrogen, (2) C_{1-6} alkyl, (3) -O-C_{1-6} alkyl, (4) C_{2-6} alkenyl, (5) C_{3-10} cycloalkyl, (6) -$NR^{9b}R^{10b}$: wherein the C_{1-6} alkyl, the -O-C_{1-6} alkyl, the C_{2-6} alkenyl, the C_{3-10} cycloalkyl or the -$NR^{9b}R^{10b}$ is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen and hydroxyl; (7) heterocyclyl, (8) aryl, (9) -O-C_{1-6} alkylaryl, (10) -O-aryl, (11) heteroaryl and (12) aryl-substituted heteroaryl: wherein the heterocyclyl, the aryl, the -O-C_{1-6} alkylaryl, the -O-aryl, the heteroaryl or the aryl-substituted heteroaryl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen, hydroxyl, -O-C_{1-6} alkyl, -O-C_{1-6} haloalkyl, -C_{3-7} cycloalkyl, -O-C_{3-7} cycloalkyl, hydroxyl-C_{1-6} alkoxy, -CN, -$NR^{9b}R^{10b}$, -(C=O)-R^{9b}, -(C=O)-$NR^{9b}R^{10b}$, -NR^{9b}-(C=O)-R^{10b}, -NR^{11}-(C=O)-$NR^{9b}R^{10b}$, -NR^{9b}-(C=O)-OR^{10b}, -NR^{9b}-$S(O)_m$-R^{10b}, -NR^{11}-$S(O)_m$- $NR^{9b}R^{10b}$, -$S(O)_m$-R^{9b} and C_{1-6} alkyl which may be substituted one or more with halogen, hydroxyl, -O-C_{1-6} alkyl or $NR^{9b}R^{10b}$; wherein m is independently 0, 1 or 2;

R^{9a}, R^{9b}, R^{10a}, R^{10b} or R^{11} is independently selected from the group consisting of:

(1) hydrogen, (2) hydroxyl, (3) C_{1-6} alkyl and (4) hydroxyC_{1-6} alkyl;

R^{9a} may form a 4 to 7 membered ring with R^{10a} which may contain one or more independently selected from the group consisting of: nitrogen atom, oxygen atom, sulfur atom and double bond, wherein the 4 to 7 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group consisting of: (1) hydroxyl, (2) halogen, (3) C_{1-6} alkyl and (4) -O-C_{1-6} alkyl;

R^{9b} may form a 4 to 7 membered ring with R^{10b} which may contain one or more independently

selected from the group consisting of: nitrogen atom, oxygen atom, sulfur atom and double bond, wherein the 4 to 7 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group consisting of: (1) hydroxyl, (2) halogen and (3) C_{1-6} alkyl.

{Claim 2}

The compound according to claim 1:

or a prodrug thereof or a pharmaceutically acceptable salt thereof,

wherein:

X is N;

R^5 is hydrogen or C_{1-6} alkyl;

R^6 is selected from the group consisting of:

(1) hydrogen and (2) C_{1-6} alkyl;

R^5 may form a saturated or unsaturated bicyclic 9 to 10 membered ring with R^6 which may contain a nitrogen atom, an oxygen atom or a sulfur atom; wherein the saturated or unsaturated bicyclic 9 to 10 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group consisting of: (1) hydroxyl, (2) halogen and (3) -O-aryl;

R^{7a} and R^{7b} are independently selected from the group consisting of:

(1) hydrogen, (4) C_{1-6} alkyl and (5) $-NR^{9b}R^{10b}$;

R^{7a} may form a 3 to 7 membered ring with R^5 which may contain a nitrogen atom or an oxygen atom; or

R^{7a} may form a 3 to 7 membered ring with R^{7b} which may contain a nitrogen atom or an oxygen atom;


R^8 is selected from the group consisting of:

(1) hydrogen, (2) C_{1-6} alkyl, (5) C_{3-10} cycloalkyl, wherein the C_{1-6} alkyl or the C_{3-10} cycloalkyl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen and hydroxyl; (7) heterocyclyl, (8) aryl, (9) -O-C_{1-6} alkylaryl, (10) -O-aryl, (11) heteroaryl and (12) aryl-substituted heteroaryl, wherein the heterocyclyl, the aryl, the -O-C_{1-6} alkylaryl, the -O-aryl, the heteroaryl or the aryl-substituted heteroaryl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen, hydroxyl, -O-C_{1-6} alkyl, -O-C_{1-6} haloalkyl, -CN and C_{1-6} alkyl which may be substituted one or more with halogen, hydroxyl, -O-C_{1-6} alkyl or $NR^{9b}R^{10b}$.

{Claim 3}

A compound represented by the following formula (M):

{Chem. 2}



(M)

or a prodrug thereof or a pharmaceutically acceptable salt thereof,

wherein:

n is 0 or 1;

R^1 is selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) hydroxyl, (4) $-NH_2$, (5) $-NH-C_{1-6}$ alkyl and (6) $-S(O)_m-C_{1-6}$ alkyl; wherein m is independently 0, 1 or 2;

R^2 is selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) C_{1-6} alkyl and (4) $-O-C_{1-6}$ alkyl; wherein the C_{1-6} alkyl or the $-O-C_{1-6}$ alkyl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen, hydroxyl, $-O-C_{1-6}$ alkyl, -CN, $-NR^{9a}R^{10a}$, $-(C=O)-R^{9a}$, $-(C=O)-NR^{9a}R^{10a}$ and $-S(O)_m-R^{9a}$; wherein m is independently 0, 1 or 2;

R^1 may form $=CH_2$ or =O with R^2; or

R^1 may form a 3 to 7 membered ring with R^2 which may contain one or more independently selected from the group consisting of: nitrogen atom, oxygen atom, sulfur atom and carbonyl group; where the 3 to 7 membered ring is unsubstituted or substituted one or more with C_{1-6} alkyl;

R^3 is independently selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) C_{1-6} alkyl and (4) $-O-C_{1-6}$ alkyl;

p is 0, 1, 2 or 3;

when p is 2 or 3, each R^3 is the same or different;

R^4 is selected from the group consisting of:

(1) hydrogen, (2) halogen and (3) hydroxyl;

R^5 is hydrogen or C_{1-6} alkyl;

R^6 is selected from the group consisting of:

(1) hydrogen, (2) C_{1-6} alkyl, (3) hydroxyC_{1-6} alkyl, (4) C_{1-6} alkoxy C_{1-6} alkyl and (5) heterocyclyl C_{1-6} alkyl;

R^5 may form a saturated 3 to 7 membered ring with R^6 which may contain a nitrogen atom, an oxygen atom, a sulfur atom or a double bond; wherein the saturated 3 to 7 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group

consisting of: (1) hydroxyl, (2) halogen, (3) -O-aryl and (4) -O-C_{1-6} alkylaryl;

R^{9a}, R^{9b}, R^{10a} or R^{10b} is independently selected from the group consisting of:

(1) hydrogen, (2) hydroxyl, (3) C_{1-6} alkyl and (4) hydroxyC_{1-6} alkyl;

R^{9a} may form a 4 to 7 membered ring with R^{10a} which may contain a nitrogen atom or an oxygen atom; wherein the 4 to 7 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group consisting of: (1) hydroxyl, (2) halogen, (3) C_{1-6} alkyl and (4) -O-C_{1-6} alkyl;

R^{9b} may form a 4 to 7 membered ring with R^{10b} which may contain a nitrogen atom or an oxygen atom; wherein the 4 to 7 membered ring is optionally substituted with 1 to 6 substituents independently selected from the group consisting of: (1) hydroxyl, (2) halogen and (3) C_{1-6} alkyl;

R^{12}, R^{13}, R^{14} and R^{15} are independently selected from the group consisting of:

(1) hydrogen, (2) hydroxyl, (3) halogen, (4) C_{1-6} alkyl, (5) -O-C_{1-6} alkyl and (6) CN; wherein the C_{1-6} alkyl or the -O-C_{1-6} alkyl is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen, hydroxyl, -O-C_{1-6} alkyl and $NR^{9b}R^{10b}$;or

R^{12} may form a 5 to 7 membered ring with R^5 which may contain one or more independently selected from the group consisting of: nitrogen atom and oxygen atom.

{Claim 4}

The compound according to claim 3:

or a prodrug thereof or a pharmaceutically acceptable salt thereof,

wherein:

n is 1;

R^1 is hydrogen or hydroxyl;

R^2 is methyl which is unsubstituted or substituted with one or more substituents independently selected from the group consisting of: halogen, hydroxyl, -O-C_{1-6} alkyl, -CN and -$NR^{9a}R^{10a}$;

p is 0;

R^4 is hydrogen or fluoro;

R^5 and R^6 are independently selected from the group consisting of: (1) hydrogen and (2) C_{1-6} alkyl;

R^{12}, R^{13} and R^{14} are independently selected from the group consisting of: (1) hydrogen, (3) halogen, and (4) C_{1-3} alkyl which may be substituted one or more with hydroxyl;

R^{15} is hydrogen.

{Claim 5}

A compound which is selected from the group following or a prodrug thereof or a pharmaceutically acceptable salt thereof,

N-(2,4-dichloro-6-methylbenzyl)-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;

N-(2-chloro-3-(trifluoromethyl)benzyl)-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;

N-(2,3-dichlorobenzyl)-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(cycloheptylmethyl)-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,3-dichlorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-(methoxymethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-7-methylene-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5-hydroxy-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-7-oxo-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-7-oxo-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-(methoxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5,8-dihydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5,8-dihydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;

N-(2-chloro-3-(trifluoromethyl)benzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2,3-dichlorobenzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
2-(5-((2,4-dichloro-6-methylbenzyl)carbamoyl)-5,6,7,8-tetrahydroquinolin-8-yl)acetic acid;
2-(5-((2-chloro-3-(trifluoromethyl)benzyl)carbamoyl)-5,6,7,8-tetrahydroquinolin-8-yl)acetic acid;
(2-amino-2-oxoethyl)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-7-hydroxy-7-(hydroxymethyl)-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-8-(methoxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-8-(methoxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8S*)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(methoxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8S*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(methoxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
8-(aminomethyl)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-8-((methylamino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
8-(aminomethyl)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-8-((methylamino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-8-((dimethylamino)methyl)-5-fluoro-8-hydroxy-5,6,7,8-

tetrahydroquinoline-5-carboxamide;
8-(aminomethyl)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-8-((methylamino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-8-((dimethylamino)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-methoxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxy-3-methylazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-methoxy-3-methylazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)(methyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-8-amino-N-(2,4-dichlorobenzyl)-5-fluoro-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8S*)-8-amino-N-(2,4-dichlorobenzyl)-5-fluoro-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(3R*,5'S*)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-3,8'-quinoline]-5'-carboxamide;
(3S*,5'S*)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-3,8'-quinoline]-5'-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-8-hydroxy-N-(2,4,6-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-difluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(4-chloro-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-bromo-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(4-bromo-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,4-difluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2-chloro-3,4-difluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,7S)-N-(2,4-dichloro-6-methylbenzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichlorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(4-chloro-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8R)-N-(4-chloro-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,7R)-N-(2,4-dichloro-6-methylbenzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
(5S,7R)-N-(2,4-dichloro-6-methylbenzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,6-dichloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,6-dichloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-(difluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-(difluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5R,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(4-bromo-2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-((R)-1-(2,4-dichlorophenyl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4,5-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-8-hydroxy-N-(2,3,6-trichlorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-

carboxamide;
(5R,8R)-5-fluoro-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,6-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,6-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-6-fluoro-3-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-5-fluoro-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,6-dichloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,6-dichloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(difluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(4-bromo-2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-bromo-2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5R,8R)-N-((R)-1-(2,4-dichlorophenyl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(4-chloro-2-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4,5-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4,5-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-5-fluoro-8-hydroxy-N-(2,3,6-trichlorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2,3,6-trichlorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((S)-1-(2,3,4-trichlorophenyl)ethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-methoxybenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,5-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-

carboxamide;
(5S,8S)-5-fluoro-N-(2-fluoro-3-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((3,5-dichloropyridin-2-yl)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(3-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-6-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2,4,6-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(5-bromo-2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-bromo-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,3-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(2-fluoro-6-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((R)-1,2,3,4-tetrahydronaphthalen-1-yl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorophenethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((1-morpholinocyclohexyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-2,3-dihydro-1H-inden-1-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-6-methoxybenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-(trifluoromethyl)benzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(3,4,5-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-cyano-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-5-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide
(5S,8S)-N-(2-chloro-5-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-3-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(2-fluoro-4-(trifluoromethoxy)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,3-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-5-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(4-methoxy-2-(trifluoromethyl)benzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,5-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((4-(4-chlorophenyl)thiazol-2-yl)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-(morpholinomethyl)benzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-5-fluoro-8-hydroxy-N-((1S,2R)-2-phenylcyclopropyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(6-chloro-2-fluoro-3-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((S)-1,2,3,4-tetrahydronaphthalen-1-yl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-(3-(trifluoromethyl)phenoxy)ethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-((1-(4-fluorophenyl)cyclopropyl)methyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,5-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((1R,2S)-2-phenylcyclopropyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3-methoxybenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((1S,2S)-2-(benzyloxy)cyclopentyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((S)-2,3-dihydro-1H-inden-1-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,3-dimethylbutyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-phenoxyethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4,6-dichloro-2,3-dihydrobenzofuran-3-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(5,7-dichlorochroman-4-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(1-(adamantan-1-yl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-(4-chlorophenyl)-2-(4,4-difluoropiperidin-1-yl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(chroman-3-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-(4-chlorophenyl)propyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-morpholino-2-phenylethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-(2-(4,4-difluoropiperidin-1-yl)-2-(4-methylthiazol-5-yl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((trans)-2-(2,4-dichlorophenyl)cyclopropyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((S)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((4-(2,4-dichlorophenyl)tetrahydro-2H-pyran-4-yl)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-3,5-difluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-3,5-difluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-3-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-3-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-((2,4-dichlorobenzyl)carbamoyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline 1-oxide;
(R)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-(2-chloro-3-fluorobenzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-(2,3-dichlorobenzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-(2-chloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-5-fluoro-8-oxo-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(S)-N-((3,5-dichloropyridin-2-yl)methyl)-5-fluoro-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-5-fluoro-8-hydroxy-8-methyl-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,3-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((S)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((3,5-dichloropyridin-2-yl)methyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((trans)-2-(2,4-dichlorophenyl)cyclopropyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-8-methyl-N-((1-morpholinocyclohexyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-8-hydroxy-8-methyl-N-((1-morpholinocyclohexyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-3,8-dimethyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(((2-

hydroxyethyl)(methyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)(methyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-8-(cyanomethyl)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-8-(cyanomethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-8-(cyanomethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-8-(cyanomethyl)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-8-(cyanomethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-(fluoromethyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-(fluoromethyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((methylthio)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((methylthio)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)thio)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(2R,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-4-methyl-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(5S,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-2-oxo-6',7'-dihydro-5'H-spiro[oxazolidine-5,8'-quinoline]-5'-carboxamide;
(5R,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-2-oxo-6',7'-dihydro-5'H-spiro[oxazolidine-5,8'-quinoline]-5'-carboxamide;
(2S,5'R)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(2S,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(2R,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((methylsulfinyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((methylthio)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((methylsulfonyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((methylsulfonyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)sulfonyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)sulfonyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-3,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-

5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-3-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,3-dichloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,3-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-3-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-1-(2,4-dichlorophenyl)ethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-((R)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((3,5-dichloropyridin-2-yl)methyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorophenethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((trans)-2-(2,4-dichlorophenyl)cyclopropyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((4-(2,4-dichlorophenyl)tetrahydro-2H-pyran-4-yl)methyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-methoxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-methoxy-N-(2,4,6-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-(2-hydroxyethoxy)-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-8-(2,3-dihydroxypropoxy)-5-fluoro-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8rac)-N-(2,4-dichlorobenzyl)-5-fluoro-8-(methylsulfonyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8rac)-N-(2,4-dichlorobenzyl)-5-fluoro-8-((2-hydroxyethyl)sulfonyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5,8-difluoro-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5,8-difluoro-5,6,7,8-tetrahydroquinoline-5-carboxamide and
(5R,8S)-N-(2,3-dichlorobenzyl)-5,8-difluoro-5,6,7,8-tetrahydroquinoline-5-carboxamide.

{Claim 6}

The compound according to claim 5, which is selected from the group following or a prodrug thereof or a pharmaceutically acceptable salt thereof,

N-(2,3-dichlorobenzyl)-8-oxo-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-7-oxo-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2-chloro-3-(trifluoromethyl)benzyl)-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-7-hydroxy-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
2-(5-((2,4-dichloro-6-methylbenzyl)carbamoyl)-5,6,7,8-tetrahydroquinolin-8-yl)acetic acid;
2-(5-((2-chloro-3-(trifluoromethyl)benzyl)carbamoyl)-5,6,7,8-tetrahydroquinolin-8-yl)acetic acid;
N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichlorobenzyl)-5-fluoro-7-hydroxy-7-(hydroxymethyl)-6,7-dihydro-5H-cyclopenta[b]pyridine-5-carboxamide;
(5S*,8S*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(methoxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
N-(2,4-dichloro-6-methylbenzyl)-8-((dimethylamino)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-methoxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxy-3-methylazetidin-1-

yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((3-methoxy-3-methylazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S*,8R*)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)(methyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(3R*,5'S*)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-3,8'-quinoline]-5'-carboxamide;
(3S*,5'S*)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-3,8'-quinoline]-5'-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-8-hydroxy-N-(2,4,6-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-difluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(4-chloro-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-bromo-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(4-bromo-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,4-difluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-methylbenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-

carboxamide;
(5R,8R)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(4-chloro-2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,6-dichloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,6-dichloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(4-bromo-2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4,5-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-

carboxamide;
(5S,8R)-N-(2-chloro-4-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-3-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-5-fluoro-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,6-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-5-fluoro-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(4-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,6-dichloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-(2,4-dichloro-6-(difluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(4-bromo-2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-bromo-2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,3-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-6-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4,5-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-5-fluoro-8-hydroxy-N-(2,3,6-trichlorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2-chloro-4-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-methylbenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-methoxybenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(3-fluoro-2-(trifluoromethyl)benzyl)-8-hydroxy-5,6,7,8-

tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2,4,6-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-bromo-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,3-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-(trifluoromethyl)benzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((R)-1,2,3,4-tetrahydronaphthalen-1-yl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)methyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-2,3-dihydro-1H-inden-1-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-(trifluoromethyl)benzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(3,4,5-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-cyano-2-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,4-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-5-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-5-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-(4-chloro-3-fluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(2-fluoro-4-(trifluoromethoxy)benzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,3-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,5-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((1S,2R)-2-phenylcyclopropyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,6-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((S)-1,2,3,4-tetrahydronaphthalen-1-yl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-(3-(trifluoromethyl)phenoxy)ethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,5-difluorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-((1R,2S)-2-phenylcyclopropyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-N-(2-fluorobenzyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3-methoxybenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((S)-2,3-dihydro-1H-inden-1-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3,3-dimethylbutyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-phenoxyethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4,6-dichloro-2,3-dihydrobenzofuran-3-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(chroman-3-yl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-N-(2-morpholino-2-phenylethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-(4,4-difluoropiperidin-1-yl)-2-(4-methylthiazol-5-yl)ethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((trans)-2-(2,4-dichlorophenyl)cyclopropyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-3-methyl-5,6,7,8-tetrahydroquinoline-5-

carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-3-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-((2,4-dichlorobenzyl)carbamoyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline 1-oxide;
(5S,8S)-5-fluoro-8-hydroxy-8-methyl-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,3-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((S)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((3,5-dichloropyridin-2-yl)methyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((trans)-2-(2,4-dichlorophenyl)cyclopropyl)-5-fluoro-8-hydroxy-8-methyl-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)(methyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)(methyl)amino)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-((3-hydroxyazetidin-1-yl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-8-(cyanomethyl)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-8-(cyanomethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-(2-chloro-4-fluorobenzyl)-8-(cyanomethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-8-(cyanomethyl)-5-fluoro-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-(fluoromethyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-(fluoromethyl)-8-hydroxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(2R,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-4-methyl-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(5S,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-2-oxo-6',7'-dihydro-5'H-spiro[oxazolidine-5,8'-quinoline]-5'-carboxamide;
(5R,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-2-oxo-6',7'-dihydro-5'H-spiro[oxazolidine-5,8'-quinoline]-5'-carboxamide;
(2S,5'R)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(2S,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(2R,5'S)-N-(2,4-dichlorobenzyl)-5'-fluoro-5-oxo-6',7'-dihydro-5'H-spiro[morpholine-2,8'-quinoline]-5'-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((methylsulfinyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-((methylsulfonyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)sulfonyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(((2-hydroxyethyl)sulfonyl)methyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5R,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichlorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-4-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-

tetrahydroquinoline-5-carboxamide;
(5S,8S)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-N-(2,3,4-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2,4-dichloro-6-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-3,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(2-chloro-3,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4-fluoro-6-(hydroxymethyl)benzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-dichloro-3-fluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2-chloro-4,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,3-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(3-chloro-2,4-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2,6-difluorobenzyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-1-(2,4-dichlorophenyl)ethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((R)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8R)-N-((R)-1-(2-chloro-4-fluorophenyl)ethyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;

(5S,8S)-N-((3,5-dichloropyridin-2-yl)methyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-((trans)-2-(2,4-dichlorophenyl)cyclopropyl)-5-fluoro-8-hydroxy-8-(hydroxymethyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide; (5S,8S)-5-fluoro-8-methoxy-N-(2,4,6-trifluorobenzyl)-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-methoxy-5,6,7,8-tetrahydroquinoline-5-carboxamide;
(5S,8S)-N-(4-chloro-2-fluorobenzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide and
(5S,8S)-N-(2,4-difluorobenzyl)-5-fluoro-8-(2-hydroxyethoxy)-5,6,7,8-tetrahydroquinoline-5-carboxamide.

{Claim 7}

A compound represented by the following formula (L-a) or a pharmaceutically acceptable salt thereof:

{Chem. 3}



(L-a)

wherein:

R^3 is independently selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) C_{1-6} alkyl and (4) -O-C_{1-6} alkyl;

p is 0, 1, 2 or 3;

when p is 2 or 3, each R^3 is the same or different;

R^{16} is selected from the group consisting of:

(1) CN and (2) -CO_2R^{18};

R^{17} is selected from the group consisting of:

(1) fluoro and (2) hydroxyl; or,

R^{16} may form =O with R^{17};


R^{18} is selected from the group consisting of:

(1) hydrogen and (2) C_{1-6} alkyl.

{Claim 8}

A compound represented by the following formula (L-b) or a pharmaceutically acceptable salt thereof:

{Chem. 4}



(L-b)

wherein:

R^3 is independently selected from the group consisting of:

(1) hydrogen, (2) halogen, (3) C_{1-6} alkyl and (4) -O-C_{1-6} alkyl;

p is 0, 1, 2 or 3;

when p is 2 or 3, each R^3 is the same or different;

R^4 is selected from the group consisting of:

(1) hydrogen, (2) halogen and (3) hydroxyl.

{Claim 9}

A use of a compound described in any one of claims 1 to 6 or a pharmaceutically acceptable salt thereof or a prodrug thereof for the manufacture of a medicament for the treatment of a condition or disorder mediated by P2X7 receptor antagonistic activity, wherein the condition or disorder is selected from the group consisting of: diseases of the autoimmune and inflammatory system; diseases of the nervous and neuro-immune system; diseases involved with, and without, neuroinflammation of the Central Nervous System (CNS); diseases of the cardiovascular, metabolic, gastrointestinal and urogenital systems; skeletal disorders, diseases involving the secretoryfunction of exocrine glands and glaucoma, Glomerulonephritis, Chaga's Disease, chlamydia, neuroblastoma, Tuberculosis, Polycystic Kidney Disease, cancer, and acne; and combinations thereof.

{Claim 10}

A compound described in any one of claims 1 to 6 or a pharmaceutically acceptable salt thereof or a prodrug thereof for use in the treatment of a condition or disorder mediated by P2X7 receptor antagonistic activity.

{Claim 11}

The compound as described in claim 10, wherein the condition or disorder is selected from the group consisting of: diseases of the autoimmune and inflammatory system; diseases of the nervous and neuro-immune system; diseases involved with, and without, neuroinflammation of the Central Nervous System (CNS); diseases of the cardiovascular, metabolic, gastrointestinal and urogenital systems; skeletal disorders, diseases involving the secretory function of exocrine glands and glaucoma, Glomerulonephritis, Chaga's Disease, chlamydia, neuroblastoma, Tuberculosis, Polycystic Kidney Disease, cancer, and acne; and combinations thereof.

{Claim 12}

A pharmaceutical composition comprising a compound or a pharmaceutically acceptable

salt thereof or a prodrug thereof, as described in any one of claims 1 to 6, and a pharmaceutically acceptable carrier.

{Claim 13}

The pharmaceutical composition as described in claim 12, further comprising another pharmacologically active agent.

{Claim 14}

A process for preparing a pharmaceutical composition, wherein the process comprises mixing a compound described in any one of claims 1 to 6 or a pharmaceutically acceptable salt thereof or a prodrug thereof and a pharmaceutically acceptable carrier or excipient.