


Claims

1. A compound of Formula (I):




wherein

X is CR⁶;

R¹ is a member selected from the group consisting of:

H, -C₁₋₅alkyl, -C₁₋₅haloalkyl, -C₁₋₅alkoxy, -(CH₂)₂C(=O)OCH₃, -(CH₂)₁₋₃OH, -(CH₂)₁₋₂O-C₁₋₅alkyl, -CH(CH₃)OCH₃, -C(CH₃)₂OCH₃, -CH₂SO₂CH₃, -C(=O)H, -NH-C₁₋₅alkyl, -N(C₁₋₅alkyl)₂, -C(=O)N(H)C₁₋₅alkyl, -C(=O)N(C₁₋₅alkyl)₂, -C₃₋₈cycloalkyl, -(CH₂)-C₃₋₈cycloalkyl, -CH(CH₃)-C₃₋₈cycloalkyl, -NH-C₃₋₈cycloalkyl, -C(=O)NH-cyclopropyl, -C(=O)-NH-phenyl, -C(=O)-azetidiny, -C(=O)-pyrrolidinyl, azetidiny, phenyl, benzyl, oxetanyl, tetrahydrofuranyl, tetrahydropyranyl, -CH₂-pyrazinyl, furanyl, thienyl, and pyridinyl, wherein the -C₃₋₈cycloalkyl, phenyl, oxetanyl, azetidiny, tetrahydrofuranyl, tetrahydropyranyl, pyridinyl, pyrazinyl, furanyl and thienyl rings are each independently optionally substituted with 1-3 substituents selected from the group consisting of: halo, -C₁₋₅alkyl, -C₁₋₅haloalkyl, -C₁₋₅haloalkoxy, -OH, and -C(=O)OC₁₋₅alkyl;

R² is selected from the group consisting of:




independently optionally substituted with a member selected from the group consisting of: ³H, halo, -C₁₋₅alkyl, -C₁₋₅alkenyl, -CN, -OH, CH=CHCH₂OH, -(CH₂)₃OH, C(=O)OC₁₋₅alkyl, and phenyl;






R³ is selected from the group consisting of: H, halo, -C₁₋₅alkyl, -S-C₁₋₅alkyl, -C₁₋₅haloalkyl, -C₁₋₅alkoxy, -NR^{3a}R^{3b}, -OH, -(CH₂)₁₋₃OH, -CH=CHCH₂OH, -C₃₋₈cycloalkyl, piperidinyl, piperazinyl, morpholinyl, and pyridyl;
 each R^{3a} and R^{3b} are independently selected from the group consisting of H and C₁₋₅alkyl;
 R⁴ is selected from the group consisting of: H, halo, -CH₃, and -CF₃;
 R⁵ is selected from the group consisting of: H, -OH, -C₁₋₅alkyl, -C₁₋₅alkoxy, -C₁₋₅haloalkyl, -C₁₋₅haloalkoxy, -NR^{5a}R^{5b}, azetidiny, and morpholinyl; each R^{5a} and R^{5b} are independently selected from the group consisting of: -C₁₋₅alkyl, and -C₁₋₅haloalkyl;
 R⁶ is selected from the group consisting of: H, -OH, -CHF₂, and -Br; and
 R⁷ is H or -C₁₋₅alkyl;
 and pharmaceutically acceptable salts, N-oxides, or solvates thereof.


2. The compound of claim 1, wherein R⁶ is H.
3. The compound of claim 1, wherein R¹ is H, -C₁₋₅alkyl, -C₁₋₅haloalkyl, -C₁₋₅alkoxy, -(CH₂)₂C(=O)OCH₃, -(CH₂)₃-OH, -C(CH₃)₂OCH₃, -(CH₂)₁₋₂-O-C₁₋₅alkyl, -CH(CH₃)OCH₃, -CH₂SO₂CH₃, -NH-C₁₋₅alkyl, -N(C₁₋₅alkyl)₂, -C(=O)N(H)C₁₋₅alkyl, or -C(=O)N(C₁₋₅alkyl)₂.
4. The compound of claim 1, wherein R¹ is H, -C₁₋₅alkyl, -C₁₋₅haloalkyl, -C₁₋₅alkoxy, -(CH₂)₃-OH, -(CH₂)₁₋₂-O-C₁₋₅alkyl, -C(CH₃)₂OCH₃, or -CH(CH₃)OCH₃.
5. The compound of claim 1, wherein R¹ is -C₃₋₈cycloalkyl, -(CH₂)-C₃₋₈cycloalkyl, -CH(CH₃)-C₃₋₈cycloalkyl, NH-C₃₋₈cycloalkyl, -C(=O)NH-cyclopropyl, -C(=O)-NH-phenyl, -C(=O)-azetidiny, -C(=O)-pyrrolidiny, azetidiny, phenyl, benzyl, oxetany, tetrahydrofurany, tetrahydropyrany, -CH₂-pyraziny, furany, thienyl, or pyridiny, wherein the -C₃₋₈cycloalkyl, phenyl, oxetany, azetidiny, and pyridiny rings are each independently optionally substituted with 1-3 substituents independently selected from the group consisting of: halo, -C₁₋₅alkyl, -C₁₋₅haloalkyl, -C₁₋₅haloalkoxy, -OH, and -C(=O)OC₁₋₅alkyl.
6. The compound of claim 1, wherein R¹ is cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, 1-fluorocyclopropyl, 3-fluorocyclobutyl, cyclopropanol, 2-furyl, 3-methyloxetan-3-yl, 2-


tetrahydrofuran-3-yl, tetrahydropyran-4-yl, 2-thienyl, cyclopentylmethyl, pyrazin-2-ylmethyl, -C(=O)NH-cyclopropyl, -C(=O)-NH-phenyl, -C(=O)-azetidiny, -C(=O)-pyrrolidinyl, or NH-cyclohexyl.

7. The compound of claim 1, wherein R¹ is -C₃₋₈cycloalkyl, phenyl, -CH₂-phenyl, or pyridyl, wherein each phenyl, -CH₂-phenyl, or pyridyl is optionally substituted with 1-3 substituents independently selected from the group consisting of: halo, -C₁₋₅alkyl, -C₁₋₅haloalkyl, -C₁₋₅haloalkoxy, and -OH.
8. The compound of claim 1, wherein R¹ is phenyl, 2-chlorophenyl, 4-fluorophenyl, 4-(difluoromethyl)phenyl, 4-(trifluoromethyl)phenyl, 4-(trifluoromethoxy)phenyl, 4-fluoro-3-methyl-phenyl, *p*-tolyl, *m*-tolyl, pyridyl, 2-chloro-4-pyridyl, 2-bromo-4-pyridyl, 2-fluoro-4-pyridyl, 2-[¹⁹F]fluoro-4-pyridyl, 2-[¹⁸F]fluoro-4-pyridyl, 5-fluoro-2-pyridyl, 6-fluoro-3-pyridyl, or pyridin-2-ol.
9. The compound of claim 1, wherein R¹ is -C₁₋₅alkyl, -C₁₋₅haloalkyl, or -C₃₋₈cycloalkyl, wherein the -C₃₋₈cycloalkyl is optionally substituted with halo.




10. The compound of claim 1, wherein R² is , , , , or ; wherein each R² is independently optionally substituted with a member selected from the group consisting of: halo, -C₁₋₅alkyl, -C₁₋₅alkenyl, -CN, -OH, CH=CHCH₂OH, -(CH₂)₃OH, C(=O)OC₁₋₅alkyl, and phenyl.

11. The compound of claim 1, wherein R^2 is
- 



, wherein each R^2 is independently optionally substituted with a member selected from the group consisting of: halo, $-C_{1-5}$ alkyl, $-C_{1-5}$ alkenyl, $-CN$, $-OH$, $CH=CHCH_2OH$, $-(CH_2)_3OH$, $C(=O)OC_{1-5}$ alkyl, and phenyl; and R^7 is H or $-CH_3$.

12. The compound of claim 1, wherein R^2 is
- 
- R^2 is independently optionally substituted with a member selected from the group consisting of: halo, $-C_{1-5}$ alkyl, $-C_{1-5}$ alkenyl, $-CN$, $-OH$, $CH=CHCH_2OH$, $-(CH_2)_3OH$, $C(=O)OC_{1-5}$ alkyl, and phenyl; and R^7 is H or $-CH_3$.

13. The compound of claim 1, wherein R^2 is 1H-indazol-3-yl, 1H-indazol-5-yl, 1H-indazol-6-yl, 3-bromo-1H-indazol-5-yl, 3-fluoro-1H-indazol-5-yl, 1H-indazole-3-carbonitrile, (E)-3-(1H-indazol-7-yl)prop-2-en-1-ol, (1H-indazol-7-yl)propan-1-ol, 4-chloro-1H-indazol-6-yl, 4-methyl-1H-indazol-6-yl, 7-bromo-1H-indazol-5-yl, 7-phenyl-1H-indazol-5-yl, 7-propyl-1H-indazol-5-yl, 5-methyl 1H-indazole-7-carboxylate, *tert*-butyl 1H-indazole-1-carboxylate, 1H-indol-5-yl, 1H-pyrrolo[2,3-b]pyridin-5-yl, or 1H-pyrazolo[3,4-b]pyridin-5-yl.

14. The compound of claim 1, wherein R^2 is indolin-2-one, 7-methyl-indolin-2-one, 7-fluoro-indolin-2-one, 7-chloro-indolin-2-one, indoline-2,3-dione, 1,3-dihydropyrrolo[2,3-b]pyridin-2-one, 1,3-dihydrobenzimidazol-2-one, 3H-1,3-benzoxazol-2-one, 4-fluoro-3H-1,3-benzoxazol-2-one, 4-bromo-3H-1,3-benzoxazol-2-one, 3H-1,3-benzothiazol-2-one, 4-methyl-3H-1,3-benzothiazol-2-one, 3-methylbenzo[d]thiazol-2(3H)-one, or 4-chloro-3H-1,3-benzothiazol-2-one.

15. The compound of claim 1, wherein R² is 1H-indazol-3-ol, 1H-indazol-5-yl, 3-bromo-1H-indazol-5-yl, 3-fluoro-1H-indazol-5-yl, 1H-indazole-3-carbonitrile, (E)-3-(1H-indazol-7-yl)prop-2-en-1-ol, (1H-indazol-7-yl)propan-1-ol, 7-bromo-1H-indazol-5-yl, 7-phenyl-1H-indazol-5-yl, 7-propyl-1H-indazol-5-yl, 5-methyl 1H-indazole-7-carboxylate, *tert*-butyl 1H-indazole-1-carboxylate, indolin-2-one, 7-methyl-indolin-2-one, 7-fluoro-indolin-2-one, 7-chloro-indolin-2-one, 3H-1,3-benzothiazol-2-one, 4-methyl-3H-1,3-benzothiazol-2-one, 3-methylbenzo[d]thiazol-2(3H)-one, or 4-chloro-3H-1,3-benzothiazol-2-one.
16. The compound of claim 1, wherein R³ is H, halo, -C₁₋₅alkyl, -C₁₋₅haloalkyl, -OCH₃, -NH₂, -N(CH₃)₂, or -OH.
17. The compound of claim 1, wherein R⁴ is H, fluoro or -CH₃.
18. The compound of claim 1, wherein R⁵ is H, -OH, -C₁₋₅alkyl, -C₁₋₅haloalkyl, or -C₁₋₅haloalkoxy.
19. The compound of claim 1, wherein R⁵ is H.
20. The compound of claim 1, wherein R⁶ is H.
21. The compound of claim 1, wherein R⁷ is H.
23. A compound selected from the group consisting of:
 - 3-(1H-Indazol-5-yl)-2-phenyl-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 - 3-(1H-Indazol-5-yl)-2-phenyl-imidazo[4,5-b]pyridine;
 - 3-(1H-Indazol-5-yl)-5-methyl-2-phenyl-imidazo[4,5-b]pyridine;
 - 2-(4-Fluorophenyl)-3-(1H-indazol-5-yl)-5-methyl-imidazo[4,5-b]pyridine;
 - 2-(4-Fluorophenyl)-3-(1H-indol-5-yl)-5-methoxy-imidazo[4,5-b]pyridine;
 - 5-[2-(4-Fluorophenyl)-5-methoxy-imidazo[4,5-b]pyridin-3-yl]indolin-2-one;
 - 5-Chloro-2-(4-fluorophenyl)-3-(1H-indazol-5-yl)imidazo[4,5-b]pyridine;
 - 2-(2-Chlorophenyl)-3-(1H-indazol-5-yl)-5-methyl-imidazo[4,5-b]pyridine;
 - 3-(1H-Indazol-5-yl)-6-methyl-2-phenyl-imidazo[4,5-b]pyridine;
 - 5-Chloro-3-(1H-indazol-5-yl)-2-phenyl-imidazo[4,5-b]pyridine;

5-Chloro-2-cyclopentyl-3-(1H-indazol-5-yl)imidazo[4,5-b]pyridine;
 tert-Butyl 5-(5-methyl-2-phenyl-imidazo[4,5-b]pyridin-3-yl)indazole-1-carboxylate;
 3-(1H-Indol-5-yl)-2-phenyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 6-[2-Phenyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 6-(5-Fluoro-2-phenyl-imidazo[4,5-b]pyridin-3-yl)-3H-1,3-benzothiazol-2-one;
 6-[2-(4-Fluorophenyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 6-(5-Methyl-2-phenyl-imidazo[4,5-b]pyridin-3-yl)-3H-1,3-benzothiazol-2-one;
 6-(5-Methoxy-2-phenyl-imidazo[4,5-b]pyridin-3-yl)-3H-1,3-benzothiazol-2-one;
 6-[2-tert-Butyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 6-[2-(4-Fluorophenyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 5-[2-(4-Fluorophenyl)imidazo[4,5-b]pyridin-3-yl]-1,3-dihydrobenzimidazol-2-one;
 2-(4-Fluorophenyl)-3-(1H-indazol-5-yl)imidazo[4,5-b]pyridine;
 5-[2-(4-Fluorophenyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;
 6-[2-(4-Fluorophenyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzoxazol-2-one;
 6-(2-Phenylimidazo[4,5-b]pyridin-3-yl)-3H-1,3-benzothiazol-2-one;
 3-(1H-Indol-5-yl)-2-phenyl-imidazo[4,5-b]pyridine;
 6-[2-(4-Fluorophenyl)-5-methyl-imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 6-[2-(6-Fluoro-3-pyridyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 6-[2-(2-Fluoro-4-pyridyl)-5-methyl-imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 6-[5-Chloro-2-(4-fluorophenyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 6-[2-(2-Fluoro-4-pyridyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 6-(5-Bromo-2-phenyl-imidazo[4,5-b]pyridin-3-yl)-3H-1,3-benzothiazol-2-one;
 5-[2-(4-Fluorophenyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;
 5-(2-Phenylimidazo[4,5-b]pyridin-3-yl)indolin-2-one;
 5-[2-(4-Fluorophenyl)-5-methyl-imidazo[4,5-b]pyridin-3-yl]indolin-2-one;
 5-[2-Phenyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;
 5-[5-Fluoro-2-(4-fluorophenyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;
 5-[2-Isopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;
 6-[2-Cyclopentyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 6-[2-Cyclohexyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 6-[2-Cyclopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;

6-[2-Tetrahydropyran-4-yl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;

2-Cyclopropyl-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;

6-[2-Ethyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;

6-[2-Isopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;

6-[2-Methyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;

5-[2-Methyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

5-[2-Cyclohexyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

5-[2-Cyclobutyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

5-[2-Tetrahydropyran-4-yl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

5-[2-Isobutyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

(racemic)- 5-[2-Tetrahydrofuran-3-yl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

5-[5-(Trifluoromethyl)-2-(3,3,3-trifluoropropyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

5-[2-(Cyclopentylmethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

5-[2-Cyclopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

5-[2-Benzyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

5-[2-(Pyrazin-2-ylmethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

2-Cyclopentyl-3-(1H-indol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;

2-tert-Butyl-3-(1H-indol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;

5-[2-Cyclopentyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

5-[2-tert-Butyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

4-[2-(4-Fluorophenyl)-3-(1H-indazol-5-yl)imidazo[4,5-b]pyridin-7-yl]morpholine;

5-[2-(4-Fluorophenyl)-7-morpholino-imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

6-[2-Phenyl-5-(1-piperidyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;

6-(5-Morpholino-2-phenyl-imidazo[4,5-b]pyridin-3-yl)-3H-1,3-benzothiazol-2-one;

6-[5-(Dimethylamino)-2-phenyl-imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;

6-(5-(Difluoromethyl)-2-phenyl-3H-imidazo[4,5-b]pyridin-3-yl)benzo[d]thiazol-2(3H)-one;

6-[2-[4-(Difluoromethyl)phenyl]imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;

6-[7-(Difluoromethyl)-2-phenyl-imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;

6-(7-Isopropyl-2-phenyl-imidazo[4,5-b]pyridin-3-yl)-3H-1,3-benzothiazol-2-one;

6-(2-(4-Fluorophenyl)-5-(hydroxymethyl)-3H-imidazo[4,5-b]pyridin-3-yl)benzo[d]thiazol-2(3H)-one;

6-(2-(4-Fluorophenyl)-7-hydroxy-5-methyl-3H-imidazo[4,5-b]pyridin-3-yl)benzo[d]thiazol-2(3H)-one;

5-(2-(3-Hydroxypropyl)-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridin-3-yl)indolin-2-one;

5-(2-Cyclobutyl-5-methyl-imidazo[4,5-b]pyridin-3-yl)indolin-2-one;

5-(2-Ethyl-5-methyl-imidazo[4,5-b]pyridin-3-yl)indolin-2-one;

5-[2-(3-Methyloxetan-3-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

5-[2-(2-Methoxyethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

2-Cyclobutyl-5-cyclopropyl-3-(1H-indazol-5-yl)imidazo[4,5-b]pyridine;

5-Cyclopropyl-3-(1H-indazol-5-yl)-2-isopropyl-imidazo[4,5-b]pyridine;

6-[2-Cyclobutyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzoxazol-2-one;

Azetidin-1-yl-[3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-2-yl]methanone;

6-[5-Amino-2-(4-fluorophenyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;

5-[2-(1-Ethylpropyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

5-(2-Isopropyl-5-methyl-imidazo[4,5-b]pyridin-3-yl)indolin-2-one;

3-(1H-Indazol-5-yl)-N-phenyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine-2-carboxamide;

5-Cyclopropyl-2-(4-fluorophenyl)-3-(1H-indazol-5-yl)imidazo[4,5-b]pyridine;

5-(2-Cyclopropyl-5-methyl-imidazo[4,5-b]pyridin-3-yl)indolin-2-one;

5-[2,5-Bis(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

3-(1H-Indazol-5-yl)-2,5-bis(trifluoromethyl)imidazo[4,5-b]pyridine;

2-(Difluoromethyl)-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;

3-(1H-Indazol-5-yl)-2-(2-thienyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;

2-(2-Furyl)-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;

5-[2-(1,1-Difluoroethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

5-[2-(Difluoromethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

5-(5-Chloro-2-cyclopropyl-imidazo[4,5-b]pyridin-3-yl)indolin-2-one;

(racemic)-5-[2-sec-Butyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

5-[2-(2,2-Dimethylpropyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

3-(1H-Indazol-5-yl)-2-methyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine;

5-[2-Ethyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

(racemic)-3-(1H-indazol-5-yl)-2-tetrahydrofuran-3-yl-5-(trifluoromethyl)imidazo[4,5-b]pyridine;

3-(1H-Indazol-5-yl)-2-isobutyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine;

(racemic)-3-(1H-Indazol-5-yl)-2-sec-butyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine;

2-Cyclobutyl-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;

2-Cyclopentyl-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-Ethyl-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 5-[2-Cyclopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-1,3-dihydrobenzimidazol-2-one;
 6-[2-Cyclopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzoxazol-2-one;
 2-tert-Butyl-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(1H-Indazol-5-yl)-2-isopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-(4-Fluorophenyl)-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 6-(5-Hydroxy-2-phenyl-imidazo[4,5-b]pyridin-3-yl)-3H-1,3-benzothiazol-2-one;
 2-(4-Fluorophenyl)-3-(1H-pyrazolo[3,4-b]pyridin-5-yl)imidazo[4,5-b]pyridine;
 3-(1H-Indazol-5-yl)-2-(2,2,2-trifluoroethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-Ethoxy-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 1-[3-(1H-Indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-2-yl]cyclopropanol;
 2-(1,1-Difluoroethyl)-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 (R/S)-2-(1-fluoroethyl)-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 5-tert-Butyl-2-(4-fluorophenyl)-3-(1H-indazol-5-yl)imidazo[4,5-b]pyridine;
 2-Cyclobutyl-3-(1H-indazol-5-yl)-5-isopropyl-imidazo[4,5-b]pyridine;
 2-(4-Fluorophenyl)-3-(1H-indazol-5-yl)-5-isopropyl-imidazo[4,5-b]pyridine;
 2-(4-Fluoro-3-methyl-phenyl)-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(1H-Indazol-5-yl)-2-(m-tolyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(1H-Indazol-5-yl)-2-(p-tolyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(1H-Indazol-5-yl)-2-(4-pyridyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 5-Cyclopropyl-3-(1H-indazol-5-yl)-2-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(1H-Indazol-5-yl)-N,N-dimethyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine-2-carboxamide;
 3-(1H-Indazol-5-yl)-N-methyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine-2-carboxamide;
 N-Cyclopropyl-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine-2-carboxamide;
 3-(1H-Indazol-5-yl)-2-methoxy-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 N-Ethyl-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-2-amine;
 N-Cyclohexyl-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-2-amine;
 6-[2-Cyclobutyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 6-(2-Cyclobutyl-5-methyl-7-morpholino-imidazo[4,5-b]pyridin-3-yl)-3H-1,3-benzothiazol-2-one;
 6-[2,5-Bis(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 6-(2-Cyclopropyl-7-methyl-imidazo[4,5-b]pyridin-3-yl)-3H-1,3-benzothiazol-2-one;

6-(2-Cyclopropyl-5-methyl-7-morpholino-imidazo[4,5-b]pyridin-3-yl)-3H-1,3-benzothiazol-2-one;

5-Chloro-2-cyclobutyl-3-(1H-indazol-5-yl)-7-methyl-imidazo[4,5-b]pyridine;

3-(7-Bromo-1H-indazol-5-yl)-2-cyclobutyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine;

5-[5-Methyl-2-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

5-[2-Cyclopropyl-5-(difluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

5-[5-(Difluoromethyl)-2-isopropyl-imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

6-[5-Methyl-2-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;

6-(2-Cyclopropyl-5-methyl-imidazo[4,5-b]pyridin-3-yl)-3H-1,3-benzothiazol-2-one;

6-(2-Isopropyl-5-methyl-imidazo[4,5-b]pyridin-3-yl)-3H-1,3-benzothiazol-2-one;

6-(2-Cyclobutyl-5-methyl-imidazo[4,5-b]pyridin-3-yl)-3H-1,3-benzothiazol-2-one;

5-[2-(1,1-Difluoroethyl)-5-methyl-imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

2-Cyclopropyl-3-(1H-indazol-5-yl)-5-methyl-imidazo[4,5-b]pyridine;

3-(1H-Indazol-5-yl)-2-isopropyl-5-methyl-imidazo[4,5-b]pyridine;

2-Cyclobutyl-3-(1H-indazol-5-yl)-5-methyl-imidazo[4,5-b]pyridine;

6-[2-(1,1-Difluoroethyl)-5-methyl-imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;

3-(1H-Indazol-5-yl)-5-methyl-2-(trifluoromethyl)imidazo[4,5-b]pyridine;

2-(1,1-Difluoroethyl)-3-(1H-indazol-5-yl)-5-methyl-imidazo[4,5-b]pyridine;

5-[5-(Difluoromethyl)-2-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

5-[2-(1,1-Difluoroethyl)-5-(difluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

2-(4-Fluorophenyl)-3-(1H-indol-5-yl)-5-methylsulfanyl-imidazo[4,5-b]pyridine;

3-(1H-Indazol-5-yl)-2-phenyl-imidazo[4,5-b]pyridin-5-ol;

2-Cyclopropyl-3-(1H-indazol-5-yl)-5-methoxy-imidazo[4,5-b]pyridine;

6-[2-Ethyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzoxazol-2-one;

6-[2-Isopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzoxazol-2-one;

6-[2-Tetrahydropyran-4-yl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzoxazol-2-one;

(R/S)-6-[2-Tetrahydrofuran-3-yl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzoxazol-2-one;

6-[2-(Ethoxymethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzoxazol-2-one;

6-[2-tert-Butyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzoxazol-2-one;

5-[2-(2-Fluoro-4-pyridyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

2-(2-Fluoro-4-pyridyl)-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;

5-[2-(3-Fluorocyclobutyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;

(R)-3-(1H-Indazol-5-yl)-2-sec-butyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 (S)-3-(1H-Indazol-5-yl)-2-sec-butyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-(5-Fluoro-2-pyridyl)-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(1H-Indazol-5-yl)-5-isopropyl-2-(trifluoromethyl)imidazo[4,5-b]pyridine;
 5-tert-Butyl-3-(1H-indazol-5-yl)-2-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(1H-Indazol-5-yl)-N-isopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine-2-carboxamide;
 [3-(1H-Indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-2-yl]-pyrrolidin-1-yl-methanone;
 2-(4-Fluorophenyl)-3-(1H-indol-5-yl)imidazo[4,5-b]pyridine;
 4-[2-(4-Fluorophenyl)-3-(1H-indol-5-yl)imidazo[4,5-b]pyridin-7-yl]morpholine;
 3-(1H-Indazol-5-yl)-2-[4-(trifluoromethyl)phenyl]imidazo[4,5-b]pyridine;
 3-(1H-Indazol-5-yl)-2-[4-(trifluoromethoxy)phenyl]imidazo[4,5-b]pyridine;
 5-[2-[4-(Trifluoromethyl)phenyl]imidazo[4,5-b]pyridin-3-yl]indolin-2-one;
 tert-Butyl 3-[3-(2-oxoindolin-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-2-yl]azetidine-1-carboxylate;
 5-[2-(Azetidin-3-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;
 5-(2,5-Dimethylimidazo[4,5-b]pyridin-3-yl)indolin-2-one;
 2-Cyclopentyl-3-(1H-indol-5-yl)-5-piperazin-1-yl-imidazo[4,5-b]pyridine;
 Methyl 3-[3-(2-oxoindolin-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-2-yl]propanoate;
 3-(7-Bromo-1H-indazol-5-yl)-2-isopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 6-(2-Cyclobutyl-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridin-3-yl)-3-methylbenzo[d]thiazol-2(3H)-one;
 3-(7-3H-1H-indazol-5-yl)-2-isopropyl-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 3-(7-Bromo-1H-indazol-5-yl)-2,5-bis(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Phenyl-1H-indazol-5-yl)-2,5-bis(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 2,5-Bis(trifluoromethyl)-3-(7-vinyl-1H-indazol-5-yl)-3H-imidazo[4,5-b]pyridine;
 6-(5-(Trifluoromethyl)-3H-imidazo[4,5-b]pyridin-3-yl)benzo[d]thiazol-2(3H)-one;
 3-(3-Fluoro-1H-indazol-5-yl)-2-isopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 5-Chloro-3-(1H-indazol-5-yl)-2-(trifluoromethyl)imidazo[4,5-b]pyridine;
 5-Ethyl-3-(1H-indazol-5-yl)-2-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-(4-Fluorophenyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-Ethoxy-3-(3-fluoro-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-Cyclopropyl-3-(3-fluoro-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-Isopropyl-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;

3-(7-Chloro-1H-indazol-5-yl)-2-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-2-isopropyl-imidazo[4,5-b]pyridine;
 3-(1H-indazol-5-yl)-7-methyl-2-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-7-methyl-2-(trifluoromethyl)imidazo[4,5-b]pyridine;
 7-Methyl-3-(7-methyl-1H-indazol-5-yl)-2-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(1H-pyrazolo[3,4-b]pyridin-5-yl)-2,5-bis(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Oxido-1H-pyrazolo[3,4-b]pyridin-7-ium-5-yl)-2,5-bis(trifluoromethyl)imidazo[4,5-b]pyridine;
 6-[5-(difluoromethyl)-2-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 3-(7-Chloro-1H-indazol-5-yl)-2,5-bis(difluoromethyl)imidazo[4,5-b]pyridine;
 5-Cyclobutyl-3-(1H-indazol-5-yl)-2-(trifluoromethyl)imidazo[4,5-b]pyridine;
 5-(2-Ethyl-5-methyl-imidazo[4,5-b]pyridin-3-yl)indoline-2,3-dione;
 5-(Difluoromethyl)-3-(1H-indazol-5-yl)-2-isopropyl-imidazo[4,5-b]pyridine;
 5-(1,1-Difluoroethyl)-3-(1H-indazol-5-yl)-2-isopropyl-imidazo[4,5-b]pyridine;
 2,5-Bis(difluoromethyl)-3-(7-methyl-1H-indazol-5-yl)imidazo[4,5-b]pyridine;
 2-(2-Fluoro-4-pyridyl)-5-methyl-3-(7-methyl-1H-indazol-5-yl)imidazo[4,5-b]pyridine;
 N-(2-Fluoroethyl)-2-isopropyl-N-methyl-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-7-amine;
 5-[2-(2-Fluoro-4-pyridyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indoline-2,3-dione;
 Methyl 3-[3-(2,3-dioxoindolin-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-2-yl]propanoate;
 2-(2-Fluoro-4-pyridyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-7-(2-fluoroethoxy)-2,5-bis(trifluoromethyl)imidazo[4,5-b]pyridine;
 (E)-3-(5-(2,5-Bis(trifluoromethyl)-3H-imidazo[4,5-b]pyridin-3-yl)-1H-indazol-7-yl)prop-2-en-1-ol;
 3-(5-(2,5-Bis(trifluoromethyl)-3H-imidazo[4,5-b]pyridin-3-yl)-1H-indazol-7-yl)propan-1-ol;
 3-(7-Propyl-1H-indazol-5-yl)-2,5-bis(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 (E)-3-(3-(7-Methyl-1H-indazol-5-yl)-2-(trifluoromethyl)-3H-imidazo[4,5-b]pyridin-5-yl)prop-2-en-1-ol;
 3-(3-(7-Methyl-1H-indazol-5-yl)-2-(trifluoromethyl)-3H-imidazo[4,5-b]pyridin-5-yl)propan-1-ol;
 3-(7-Methyl-1H-indazol-5-yl)-5-propyl-2-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;

4-[3-(1H-Indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-2-yl]pyridin-2-ol;
 3-(1H-Indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-2-cyclopropyl-5-(difluoromethyl)imidazo[4,5-b]pyridine;
 5-(Difluoromethyl)-2-(4-fluorophenyl)-3-(7-methyl-1H-indazol-5-yl)imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-5-(difluoromethyl)-2-(4-fluorophenyl)imidazo[4,5-b]pyridine;
 6-[7-Morpholino-2,5-bis(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 4-[3-(1H-Indazol-5-yl)-2,5-bis(trifluoromethyl)imidazo[4,5-b]pyridin-7-yl]morpholine;
 2-(1,1-Difluoropropyl)-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 6-[2-(1,1,2,2,2-Pentafluoroethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 6-[2-(Difluoromethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 6-[2-(Difluoromethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzoxazol-2-one;
 6-[2,5-Bis(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzoxazol-2-one;
 3-(3-Fluoro-1H-indazol-5-yl)-2,5-bis(trifluoromethyl)imidazo[4,5-b]pyridine;
 5-(Difluoromethyl)-3-(1H-indazol-5-yl)-2-(trifluoromethyl)imidazo[4,5-b]pyridine;
 6-[2-Methoxy-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 6-[2-Ethoxy-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 2-Methoxy-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-Ethoxy-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 5-[2-Ethoxy-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;
 5-[2-Methoxy-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;
 3-(1H-indazol-5-yl)-2-(methylsulfonylmethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-(3-Fluorocyclobutyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-(3-Fluorocyclobutyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-2-(3-fluorocyclobutyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-2-(3-fluorocyclobutyl)-5-methyl-imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-2-(3-fluorocyclobutyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-(1-Methoxy-1-methyl-ethyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;

2-(1,1-Difluoroethyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-(1-Fluoro-1-methyl-ethyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-2-(1-fluoro-1-methyl-ethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-Cyclopropyl-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 (*R)-2-(1-Fluoroethyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 (*S)-2-(1-Fluoroethyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-2-(1-fluorocyclopropyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-(1-Fluorocyclopropyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(1H-Indazol-5-yl)-N-isopropyl-N-methyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine-2-carboxamide;
 2-(2-Chloro-4-pyridyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-(2-Bromo-4-pyridyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 5-(Difluoromethyl)-2-(2-fluoro-4-pyridyl)-3-(7-methyl-1H-indazol-5-yl)imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-5-(difluoromethyl)-2-(2-fluoro-4-pyridyl)imidazo[4,5-b]pyridine;
 3-(4-Chloro-1H-indazol-6-yl)-2,5-bis(trifluoromethyl)imidazo[4,5-b]pyridine;
 6-[2-(1,1-Difluoroethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one;
 3-(7-Chloro-1H-indazol-5-yl)-2-(1,1-difluoroethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-5-methyl-2-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-5-(difluoromethyl)-2-isopropyl-imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-2,5-bis(trifluoromethyl)imidazo[4,5-b]pyridine;
 5-[2,5-Bis(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-7-chloro-indolin-2-one;
 7-Chloro-5-[2-(difluoromethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;
 5-(Difluoromethyl)-2-isopropyl-3-(7-methyl-1H-indazol-5-yl)imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-5-(difluoromethyl)-2-methyl-imidazo[4,5-b]pyridine;
 5-[2,5-Bis(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-7-methyl-indolin-2-one;

5-[2-(1,1-Difluoroethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-7-methyl-indolin-2-one;
 3-(7-Chloro-1H-indazol-5-yl)-2-(difluoromethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-2-(difluoromethyl)-5-methyl-imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-6-fluoro-2-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Bromo-1H-indazol-5-yl)-2-(difluoromethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 6-[2,5-Bis(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-4-methyl-3H-1,3-benzothiazol-2-one;
 6-[2,5-Bis(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-4-chloro-3H-1,3-benzothiazol-2-one;
 6-[2,5-Bis(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-4-fluoro-3H-1,3-benzoxazol-2-one;
 Methyl 5-[2,5-bis(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-1H-indazole-7-carboxylate;
 Methyl 5-[2-(difluoromethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-1H-indazole-7-carboxylate;
 2-(Difluoromethyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 5-[2-(Difluoromethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-7-methyl-indolin-2-one;
 5-[2-(Difluoromethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-7-fluoro-indolin-2-one;
 3-(4-Methyl-1H-indazol-6-yl)-2,5-bis(trifluoromethyl)imidazo[4,5-b]pyridine;
 6-[2,5-Bis(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-4-bromo-3H-1,3-benzoxazol-2-one;
 3-(1H-Indazol-6-yl)-2,5-bis(trifluoromethyl)imidazo[4,5-b]pyridine;
 5-[2,5-Bis(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-1,3-dihydropyrrolo[2,3-b]pyridin-2-one;
 3-(1H-Pyrrolo[2,3-b]pyridin-5-yl)-2,5-bis(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Methyl-1H-indazol-5-yl)-2,5-bis(trifluoromethyl)imidazo[4,5-b]pyridine;
 5-[2,5-Bis(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-1H-indazole-3-carbonitrile;
 5-[2-(Difluoromethyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-1H-indazol-3-ol;
 6-[2-Cyclopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;
 3-(3-Bromo-1H-indazol-5-yl)-2-isopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 7-Chloro-5-[2-isopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;
 3-(7-Chloro-1H-indazol-5-yl)-6-fluoro-2-isopropyl-imidazo[4,5-b]pyridine;
 5-[2-Isopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-1,3-dihydropyrrolo[2,3-b]pyridin-2-one;
 2-Isopropyl-3-(1H-pyrazolo[3,4-b]pyridin-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-Isopropyl-3-(1H-pyrrolo[2,3-b]pyridin-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Allyl-1H-indazol-5-yl)-2,5-bis(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 3-(7-(Prop-1-en-2-yl)-1H-indazol-5-yl)-2,5-bis(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-2-cyclopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine;

3-(7-Chloro-1H-indazol-5-yl)-2-cyclobutyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 7-Methyl-5-[2-methyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;
 5-[2-Isopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-7-methyl-indolin-2-one;
 2-Isopropyl-3-(4-methyl-1H-indazol-6-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-2-methyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 7-Chloro-5-[2-methyl-5-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;
 3-(7-Chloro-1H-indazol-5-yl)-2-ethyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-Ethyl-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-2-isopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Methyl-1H-indazol-5-yl)-2-(trifluoromethyl)imidazo[4,5-b]pyridine;
 7-Methyl-5-[2-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one;
 2-Methyl-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(1H-Indazol-5-yl)-5-(2-pyridyl)-2-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-Cyclopropyl-5-(difluoromethyl)-3-(1H-indazol-5-yl)imidazo[4,5-b]pyridine;
 5-(Difluoromethyl)-2-(4-fluorophenyl)-3-(1H-indazol-5-yl)imidazo[4,5-b]pyridine;
 5-(Difluoromethyl)-3-(1H-indazol-5-yl)-2-phenyl-imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-5-(difluoromethyl)-2-(trifluoromethyl)imidazo[4,5-b]pyridine;
 5-[5-(Difluoromethyl)-2-(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-7-fluoro-indolin-2-one;
 5-(Difluoromethyl)-3-(7-methyl-1H-indazol-5-yl)-2-(trifluoromethyl)imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-2-(2-fluoro-4-pyridyl)-5-methyl-imidazo[4,5-b]pyridine;
 3-(7-Bromo-1H-indazol-5-yl)-2-(2-fluoro-4-pyridyl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 5-(2-(Hydroxymethyl)-6-(trifluoromethyl)-1H-pyrrolo[2,3-b]pyridin-1-yl)-7-methylindolin-2-one;
 (1-(1H-Indazol-5-yl)-6-(trifluoromethyl)-1H-pyrrolo[2,3-b]pyridin-2-yl)methanol;
 7-Methyl-5-(2-methyl-6-(trifluoromethyl)-1H-pyrrolo[2,3-b]pyridin-1-yl)indolin-2-one;
 5-(2-Isopropyl-1H-pyrrolo[2,3-b]pyridin-1-yl)-7-methyl-1H-indazole;
 1-(7-Chloro-1H-indazol-5-yl)-2-methyl-pyrrolo[2,3-b]pyridine;
 5-[6-(Difluoromethyl)-2-isopropyl-pyrrolo[2,3-b]pyridin-1-yl]-7-methyl-indolin-2-one;
 1-(1H-Indazol-5-yl)-2-isopropyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridine;
 5-[2-(Difluoromethyl)-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]-7-methyl-indolin-2-one;
 6-[2-(Difluoromethyl)-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]-3H-1,3-benzothiazol-2-one;
 7-Chloro-5-(2-methylpyrrolo[2,3-b]pyridin-1-yl)indolin-2-one;
 1-(7-Methyl-1H-indazol-5-yl)-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-3-ol;

3-(Difluoromethyl)-1-(7-methyl-1H-indazol-5-yl)-6-(trifluoromethyl)pyrrolo[2,3-b]pyridine;
 6-Methyl-1-(7-methyl-1H-indazol-5-yl)pyrrolo[2,3-b]pyridine;
 5-(2-Isopropyl-6-methyl-pyrrolo[2,3-b]pyridin-1-yl)indolin-2-one;
 2-(4-Fluorophenyl)-1-(1H-indol-5-yl)-6-methoxy-pyrrolo[2,3-b]pyridine;
 2-(4-Fluorophenyl)-1-indolin-5-yl-pyrrolo[2,3-b]pyridine;
 2-(4-Fluorophenyl)-1-(1H-indol-5-yl)pyrrolo[2,3-b]pyridine;
 5-[3-Bromo-2-(4-fluorophenyl)pyrrolo[2,3-b]pyridin-1-yl]indolin-2-one;
 5-[2-(4-Fluorophenyl)pyrrolo[2,3-b]pyridin-1-yl]indolin-2-one;
 6-Fluoro-2-(4-fluorophenyl)-1-(1H-indol-5-yl)pyrrolo[2,3-b]pyridine;
 5-[3-Bromo-6-fluoro-2-(4-fluorophenyl)pyrrolo[2,3-b]pyridin-1-yl]indolin-2-one;
 5-[6-Fluoro-2-(4-fluorophenyl)pyrrolo[2,3-b]pyridin-1-yl]indolin-2-one;
 1-(1H-Indol-5-yl)-2-methyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridine;
 5-[2-Methyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]indolin-2-one;
 7-Methyl-5-(2-methyl-1H-pyrrolo[2,3-b]pyridin-1-yl)indolin-2-one;
 5-(2-Methyl-6-(trifluoromethyl)-1H-pyrrolo[2,3-b]pyridin-1-yl)-1H-indazole;
 6-(2-Methyl-6-(trifluoromethyl)-1H-pyrrolo[2,3-b]pyridin-1-yl)benzo[d]thiazol-2(3H)-one;
 1-(7-Chloro-1H-indazol-5-yl)-2-isopropyl-pyrrolo[2,3-b]pyridine;
 7-Chloro-5-(2-isopropylpyrrolo[2,3-b]pyridin-1-yl)indolin-2-one;
 5-(2-Isopropylpyrrolo[2,3-b]pyridin-1-yl)-7-methyl-indolin-2-one;
 5-(2-Cyclopropylpyrrolo[2,3-b]pyridin-1-yl)-7-methyl-indolin-2-one;
 5-(2-Isopropyl-6-methyl-pyrrolo[2,3-b]pyridin-1-yl)-7-methyl-indolin-2-one;
 7-Fluoro-5-(2-isopropylpyrrolo[2,3-b]pyridin-1-yl)indolin-2-one;
 7-Fluoro-5-(2-isopropyl-6-methyl-pyrrolo[2,3-b]pyridin-1-yl)indolin-2-one;
 7-Fluoro-5-(2-methylpyrrolo[2,3-b]pyridin-1-yl)indolin-2-one;
 7-Fluoro-5-[2-methyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]indolin-2-one;
 (RS)-7-Fluoro-5-[2-tetrahydrofuran-3-yl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]indolin-2-one;
 7-Fluoro-5-[2-(methoxymethyl)-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]indolin-2-one;
 5-[2-Isopropyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]-7-methyl-indolin-2-one;
 (RS)-5-[2-(1-Methoxyethyl)pyrrolo[2,3-b]pyridin-1-yl]-7-methyl-indolin-2-one;
 7-Fluoro-5-[2-isopropyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]indolin-2-one;
 2-Isopropyl-1-(7-methyl-1H-indazol-5-yl)-6-(trifluoromethyl)pyrrolo[2,3-b]pyridine;
 2-(3-Fluoropropyl)-1-(7-methyl-1H-indazol-5-yl)-6-(trifluoromethyl)pyrrolo[2,3-b]pyridine;
 1-(7-Chloro-1H-indazol-5-yl)-2-(3-fluoropropyl)-6-(trifluoromethyl)pyrrolo[2,3-b]pyridine;

2-Methyl-1-(7-methyl-1H-indazol-5-yl)-6-(trifluoromethyl)pyrrolo[2,3-b]pyridine;
 1-(7-Chloro-1H-indazol-5-yl)-2-methyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridine;
 2-Methyl-1-(7-methyl-1H-indazol-5-yl)pyrrolo[2,3-b]pyridine;
 5-[2-Isopropyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]-1H-pyrazolo[3,4-b]pyridine;
 1-(7-Methyl-1H-indazol-5-yl)-6-(trifluoromethyl)pyrrolo[2,3-b]pyridine;
 7-Methyl-5-(6-methylpyrrolo[2,3-b]pyridin-1-yl)indolin-2-one;
 7-Fluoro-5-(6-methylpyrrolo[2,3-b]pyridin-1-yl)indolin-2-one;
 5-(2-Cyclopropyl-6-methyl-pyrrolo[2,3-b]pyridin-1-yl)indolin-2-one;
 2-(4-Fluorophenyl)-1-(1H-indol-5-yl)-6-methyl-pyrrolo[2,3-b]pyridine;
 5-[2-(4-Fluorophenyl)-6-methyl-pyrrolo[2,3-b]pyridin-1-yl]indolin-2-one;
 5-[6-Chloro-2-(4-fluorophenyl)pyrrolo[2,3-b]pyridin-1-yl]indolin-2-one;
 5-[2-(4-Fluorophenyl)-6-methoxy-pyrrolo[2,3-b]pyridin-1-yl]indolin-2-one;
 6-Chloro-2-(4-fluorophenyl)-1-(1H-indol-5-yl)pyrrolo[2,3-b]pyridine;
 6-tert-Butoxy-2-(4-fluorophenyl)-1-(1H-indol-5-yl)pyrrolo[2,3-b]pyridine;
 2-(4-Fluorophenyl)-1-(1H-indol-5-yl)-6-(trifluoromethyl)pyrrolo[2,3-b]pyridine;
 1-(1H-Indol-5-yl)-2-phenyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridine;
 5-[3-Bromo-2-cyclopropyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]indolin-2-one;
 6-Methyl-2-phenyl-1-(1H-pyrrolo[2,3-b]pyridin-5-yl)pyrrolo[2,3-b]pyridine;
 2-Isopropyl-1-(1H-pyrrolo[2,3-b]pyridin-5-yl)-6-(trifluoromethyl)pyrrolo[2,3-b]pyridine;
 2-Methyl-1-(1H-pyrrolo[2,3-b]pyridin-5-yl)-6-(trifluoromethyl)pyrrolo[2,3-b]pyridine;
 5-(3-Bromo-6-methyl-2-phenyl-pyrrolo[2,3-b]pyridin-1-yl)-1,3-dihydropyrrolo[2,3-b]pyridin-2-one;
 5-[3-Bromo-2-isopropyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]-1,3-dihydropyrrolo[2,3-b]pyridin-2-one;
 5-[3-Bromo-2-methyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]-1,3-dihydropyrrolo[2,3-b]pyridin-2-one;
 5-[2-Isopropyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]indolin-2-one;
 5-[2-Phenyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]indolin-2-one;
 5-[2-(4-Fluorophenyl)-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]indolin-2-one;
 5-[2-Cyclopropyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]indolin-2-one;
 5-(6-Methyl-2-phenyl-pyrrolo[2,3-b]pyridin-1-yl)-1,3-dihydropyrrolo[2,3-b]pyridin-2-one;
 5-[2-Isopropyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]-1,3-dihydropyrrolo[2,3-b]pyridin-2-one;

5-[2-Methyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]-1,3-dihydropyrrolo[2,3-b]pyridin-2-one;

5-(2-Ethylpyrrolo[2,3-b]pyridin-1-yl)-7-methyl-indolin-2-one;

(*R)-2-(sec-Butyl)-3-(7-chloro-1H-indazol-5-yl)-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;

(*S)-2-(sec-Butyl)-3-(7-chloro-1H-indazol-5-yl)-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;

(*R)-2-(sec-Butyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;

(*S)-2-(sec-Butyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;

(*R)-3-(7-Chloro-1H-indazol-5-yl)-2-(1-fluoroethyl)-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;

(*S)-3-(7-Chloro-1H-indazol-5-yl)-2-(1-fluoroethyl)-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;

3-(7-Chloro-1H-indazol-5-yl)-2-(1,1-difluoroethyl)-5-methyl-3H-imidazo[4,5-b]pyridine;

3-(7-Chloro-1H-indazol-5-yl)-2-(cyclopropylmethyl)-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;

3-(7-Chloro-1H-indazol-5-yl)-2-propyl-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;

3-(7-Chloro-1H-indazol-5-yl)-2-(methoxymethyl)-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;

3-(7-Chloro-1H-indazol-5-yl)-2-isobutyl-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;

3-(7-Chloro-1H-indazol-5-yl)-5-methoxy-2-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;

3-(7-Chloro-1H-indazol-5-yl)-2-(2,2,2-trifluoroethyl)-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;

2-(1,1-Difluoropropyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;

3-(7-Methyl-1H-indazol-5-yl)-5-(trifluoromethyl)-2-(3,3,3-trifluoropropyl)-3H-imidazo[4,5-b]pyridine;

3-(7-Chloro-1H-indazol-5-yl)-2,6-bis(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;

5-(5-Fluoro-2-isopropyl-1H-pyrrolo[2,3-b]pyridin-1-yl)-7-methylindolin-2-one;

5-(6-(Difluoromethyl)-2-methyl-1H-pyrrolo[2,3-b]pyridin-1-yl)-7-methylindolin-2-one;

1-(7-Methyl-2-oxoindolin-5-yl)-6-(trifluoromethyl)-1H-pyrrolo[2,3-b]pyridine-2-carbaldehyde;

2-(2-Chloro-4-pyridyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-(2-Bromo-4-pyridyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-(2-¹⁹Fluoro-4-pyridyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine;
 2-(2-[¹⁸F]fluoro-4-pyridyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine; and
 and pharmaceutically acceptable salts thereof.

24. A compound selected from the group consisting of:

3-(7-Ethyl-1H-indazol-5-yl)-2,5-bis(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 3-(7-Isopropyl-1H-indazol-5-yl)-2,5-bis(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 5-(2,5-Bis(trifluoromethyl)-3H-imidazo[4,5-b]pyridin-3-yl)-1H-indazole-7-carbonitrile;
 3-(7-Chloro-1H-indazol-5-yl)-2-isopropyl-6-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-6-methyl-2-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-7-methyl-2,5-bis(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 7-Methyl-3-(7-methyl-1H-indazol-5-yl)-2,5-bis(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-2-isopropyl-7-methyl-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-7-methoxy-2,5-bis(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-2-(1-cyclopropylethyl)-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-2-(1-methylcyclopropyl)-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 3-(7-Methyl-1H-indazol-5-yl)-2-(1-methylcyclopropyl)-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-2-(1-methoxyethyl)-5-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 6-Chloro-3-(7-chloro-1H-indazol-5-yl)-2-(trifluoromethyl)-3H-imidazo[4,5-b]pyridine;
 3-(7-Chloro-1H-indazol-5-yl)-5-(trifluoromethyl)-2-(1,1,1-trifluoropropan-2-yl)-3H-imidazo[4,5-b]pyridine;
 5-(4-(Dimethylamino)-2-methyl-1H-pyrrolo[2,3-b]pyridin-1-yl)-7-methylindolin-2-one;
 5-(4-(Azetidin-1-yl)-2-methyl-1H-pyrrolo[2,3-b]pyridin-1-yl)-7-methylindolin-2-one;

5-(4-Methoxy-2-methyl-1H-pyrrolo[2,3-b]pyridin-1-yl)-7-methylindolin-2-one; and
5-(2,4-Dimethyl-1H-pyrrolo[2,3-b]pyridin-1-yl)-7-methylindolin-2-one; and pharmaceutically acceptable salts, N-oxides or solvates thereof.

25. A compound of claim 23, wherein the compound is:

5-[2,5-Bis(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]indolin-2-one, and pharmaceutically acceptable salts, N-oxides or solvates thereof.

26. A compound of claim 23, wherein the compound is:

2-(Difluoromethyl)-3-(1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine,
and pharmaceutically acceptable salts, N-oxides or solvates thereof.

27. A compound of claim 23, wherein the compound is:

3-(1H-Indazol-5-yl)-2-isopropyl-5-(trifluoromethyl)imidazo[4,5-b]pyridine,
and pharmaceutically acceptable salts, N-oxides or solvates thereof.

28. A compound of claim 23, wherein the compound is:

6-[2,5-Bis(trifluoromethyl)imidazo[4,5-b]pyridin-3-yl]-3H-1,3-benzothiazol-2-one,
and pharmaceutically acceptable salts, N-oxides or solvates thereof.

29. A compound of claim 24, wherein the compound is:

2-Isopropyl-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine,
and pharmaceutically acceptable salts, N-oxides or solvates thereof.

30. A compound of claim 23, wherein the compound is:

2-(Difluoromethyl)-3-(7-methyl-1H-indazol-5-yl)-5-(trifluoromethyl)imidazo[4,5-b]pyridine,
and pharmaceutically acceptable salts, N-oxides or solvates thereof.

31. A compound of claim 23, wherein the compound is:

3-(7-Methyl-1H-indazol-5-yl)-2,5-bis(trifluoromethyl)imidazo[4,5-b]pyridine,
and pharmaceutically acceptable salts, N-oxides or solvates thereof.

32. A compound of claim 23, wherein the compound is:

7-Fluoro-5-[2-isopropyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]indolin-2-one;

and pharmaceutically acceptable salts, N-oxides or solvates thereof.

33. A compound of claim 23, wherein the compound is:


5-(Difluoromethyl)-3-(1H-indazol-5-yl)-2-(trifluoromethyl)imidazo[4,5-b]pyridine;
and pharmaceutically acceptable salts, N-oxides or solvates thereof.

34. A compound of claim 23, wherein the compound is:

5-[2-Isopropyl-6-(trifluoromethyl)pyrrolo[2,3-b]pyridin-1-yl]-7-methyl-indolin-2-one;
and pharmaceutically acceptable salts, N-oxides or solvates thereof.

35. A pharmaceutical composition comprising:

(A) an effective amount of at least one compound of Formula (I):




wherein

X is CR⁶;

R¹ is a member selected from the group consisting of:

H, -C₁₋₅alkyl, -C₁₋₅haloalkyl, -C₁₋₅alkoxy, -(CH₂)₂C(=O)OCH₃, -(CH₂)₁₋₃OH, -(CH₂)₁₋₂O-C₁₋₅alkyl, -CH(CH₃)OCH₃, -C(CH₃)₂OCH₃, -CH₂SO₂CH₃, -C(=O)H, -NH-C₁₋₅alkyl, -N(C₁₋₅alkyl)₂, -C(=O)N(H)C₁₋₅alkyl, -C(=O)N(C₁₋₅alkyl)₂, -C₃₋₈cycloalkyl, -(CH₂)-C₃₋₈cycloalkyl, -NH-C₃₋₈cycloalkyl, -C(=O)NH-cyclopropyl, -C(=O)-NH-phenyl, -C(=O)-azetidiny, -C(=O)-pyrrolidiny, azetidiny, phenyl, benzyl, oxetany, tetrahydrofurany, tetrahydropyrany, -CH₂-pyraziny, furany, thieny, and pyridiny, wherein the -C₃₋₈cycloalkyl, phenyl, oxetany, azetidiny, tetrahydrofurany, tetrahydropyrany, pyridiny, pyraziny, furany and thieny rings are each independently optionally substituted with 1-3 substituents selected from the group consisting of: halo, -C₁₋₅alkyl, -C₁₋₅haloalkyl, -C₁₋₅haloalkoxy, -OH, and -C(=O)OC₁₋₅alkyl;

R² is selected from the group consisting of:



independently optionally substituted with ^3H , halo, $-\text{C}_{1-5}\text{alkyl}$, $-\text{C}_{1-5}\text{alkenyl}$, $-\text{CN}$, $-\text{OH}$, $\text{CH}=\text{CHCH}_2\text{OH}$, $-(\text{CH}_2)_3\text{OH}$, $\text{C}(=\text{O})\text{OC}_{1-5}\text{alkyl}$, and phenyl;

R^3 is selected from the group consisting of: H, halo, $-\text{C}_{1-5}\text{alkyl}$, $-\text{S}-\text{C}_{1-5}\text{alkyl}$, $-\text{C}_{1-5}\text{haloalkyl}$, $-\text{C}_{1-5}\text{alkoxy}$, $-\text{NR}^{3a}\text{R}^{3b}$, $-\text{OH}$, $-(\text{CH}_2)_{1-3}\text{OH}$, $-\text{CH}=\text{CHCH}_2\text{OH}$, $-\text{C}_{3-8}\text{cycloalkyl}$, piperidinyl, piperazinyl, morpholinyl, and pyridyl;

each R^{3a} and R^{3b} are independently selected from the group consisting of H and $\text{C}_{1-5}\text{alkyl}$;

R^4 is selected from the group consisting of: H, halo, $-\text{CH}_3$, and $-\text{CF}_3$;

R^5 is selected from the group consisting of: H, $-\text{OH}$, $-\text{C}_{1-5}\text{alkyl}$, $-\text{C}_{1-5}\text{alkoxy}$, $-\text{C}_{1-5}\text{haloalkyl}$, $-\text{C}_{1-5}\text{haloalkoxy}$, $-\text{NR}^{5a}\text{R}^{5b}$, azetidiny, and morpholinyl; each R^{5a} and R^{5b} are independently selected from the group consisting of: $-\text{C}_{1-5}\text{alkyl}$, and $-\text{C}_{1-5}\text{haloalkyl}$;

R^6 is selected from the group consisting of: H, $-\text{OH}$, $-\text{CHF}_2$, and $-\text{Br}$; and

R^7 is H or $-\text{C}_{1-5}\text{alkyl}$;


and pharmaceutically acceptable salts, N-oxides or solvates of compounds of Formula (I).

(B) at least one pharmaceutically acceptable excipient.

36. A pharmaceutical composition comprising an effective amount of at least one compound of claim 33 and at least one pharmaceutically acceptable excipient.

37. A pharmaceutical composition comprising an effective amount of at least one compound of claim 34 and at least one pharmaceutically acceptable excipient.

38. An effective amount of at least one compound of Formula (I):




wherein

X is CR⁶;

R¹ is a member selected from the group consisting of:

H, -C₁₋₅alkyl, -C₁₋₅haloalkyl, -C₁₋₅alkoxy, -(CH₂)₂C(=O)OCH₃, -(CH₂)₁₋₃OH, -(CH₂)₁₋₂O-C₁₋₅alkyl, -CH(CH₃)OCH₃, -C(CH₃)₂OCH₃, -CH₂SO₂CH₃, -C(=O)H, -NH-C₁₋₅alkyl, -N(C₁₋₅alkyl)₂, -C(=O)N(H)C₁₋₅alkyl, -C(=O)N(C₁₋₅alkyl)₂, -C₃₋₈cycloalkyl, -(CH₂)-C₃₋₈cycloalkyl, -NH-C₃₋₈cycloalkyl, -C(=O)NH-cyclopropyl, -C(=O)-NH-phenyl, -C(=O)-azetidiny, -C(=O)-pyrrolidiny, azetidiny, phenyl, benzyl, oxetanyl, tetrahydrofuranyl, tetrahydropyranyl, -CH₂-pyrazinyl, furanyl, thienyl, and pyridinyl, wherein the -C₃₋₈cycloalkyl, phenyl, oxetanyl, azetidiny, tetrahydrofuranyl, tetrahydropyranyl, pyridinyl, pyrazinyl, furanyl and thienyl rings are each independently optionally substituted with 1-3 substituents selected from the group consisting of: halo, -C₁₋₅alkyl, -C₁₋₅haloalkyl, -C₁₋₅haloalkoxy, -OH, and -C(=O)OC₁₋₅alkyl;

R² is selected from the group consisting of:



independently optionally substituted with ³H, halo, -C₁₋₅alkyl, -C₁₋₅alkenyl, -CN, -OH, CH=CHCH₂OH, -(CH₂)₃OH, C(=O)OC₁₋₅alkyl, and phenyl;

R³ is selected from the group consisting of: H, halo, -C₁₋₅alkyl, -S-C₁₋₅alkyl, -C₁₋₅haloalkyl, -C₁₋₅alkoxy, -NR^{3a}R^{3b}, -OH, -(CH₂)₁₋₃OH, -CH=CHCH₂OH, -C₃₋₈cycloalkyl, piperidinyl, piperazinyl, morpholinyl, and pyridyl;

each R^{3a} and R^{3b} are independently selected from the group consisting of H and C_{1-5} alkyl;

R^4 is selected from the group consisting of: H, halo, $-CH_3$, and $-CF_3$;


R^5 is selected from the group consisting of: H, $-OH$, $-C_{1-5}$ alkyl, $-C_{1-5}$ alkoxy, $-C_{1-5}$ haloalkyl, $-C_{1-5}$ haloalkoxy, $-NR^{5a}R^{5b}$, azetidiny, and morpholinyl; each R^{5a} and R^{5b} are independently selected from the group consisting of: $-C_{1-5}$ alkyl, and $-C_{1-5}$ haloalkyl;

R^6 is selected from the group consisting of: H, $-OH$, $-CHF_2$, and $-Br$; and

R^7 is H or $-C_{1-5}$ alkyl;

or a pharmaceutically acceptable salt, N-oxide or solvate thereof, for use in the treatment of a disease, disorder, or medical condition mediated by AMPA receptor activity.

39. Use of at least one compound of Formula (I):




wherein

X is CR^6 ;

R^1 is a member selected from the group consisting of:

H, $-C_{1-5}$ alkyl, $-C_{1-5}$ haloalkyl, $-C_{1-5}$ alkoxy, $-(CH_2)_2C(=O)OCH_3$, $-(CH_2)_{1-3}OH$, $-(CH_2)_{1-2}O-C_{1-5}$ alkyl, $-CH(CH_3)OCH_3$, $-C(CH_3)_2OCH_3$, $-CH_2SO_2CH_3$, $-C(=O)H$, $-NH-C_{1-5}$ alkyl, $-N(C_{1-5}alkyl)_2$, $-C(=O)N(H)C_{1-5}alkyl$, $-C(=O)N(C_{1-5}alkyl)_2$, $-C_{3-8}$ cycloalkyl, $-(CH_2)-C_{3-8}$ cycloalkyl, $-NH-C_{3-8}$ cycloalkyl, $-C(=O)NH-cyclopropyl$, $-C(=O)-NH-phenyl$, $-C(=O)-azetidiny$, $-C(=O)-pyrrolidiny$, azetidiny, phenyl, benzyl, oxetany, tetrahydrofurany, tetrahydropyrany, $-CH_2-pyraziny$, furany, thienyl, and pyridiny, wherein the $-C_{3-8}$ cycloalkyl, phenyl, oxetany, azetidiny, tetrahydrofurany, tetrahydropyrany, pyridiny, pyraziny, furany and thienyl rings are each independently optionally substituted with 1-3 substituents selected from the group consisting of: halo, $-C_{1-5}$ alkyl, $-C_{1-5}$ haloalkyl, $-C_{1-5}$ haloalkoxy, $-OH$, and $-C(=O)OC_{1-5}alkyl$;

R^2 is selected from the group consisting of:



independently optionally substituted with ³H, halo, -C₁₋₅alkyl, -C₁₋₅alkenyl -CN, -OH, CH=CHCH₂OH, -(CH₂)₃OH, C(=O)OC₁₋₅alkyl, and phenyl;

R³ is selected from the group consisting of: H, halo, -C₁₋₅alkyl, -S-C₁₋₅alkyl, -C₁₋₅haloalkyl, -C₁₋₅alkoxy, -NR^{3a}R^{3b}, -OH, -(CH₂)₁₋₃OH, -CH=CHCH₂OH, -C₃₋₈cycloalkyl, piperidinyl, piperazinyl, morpholinyl, and pyridyl;

each R^{3a} and R^{3b} are independently selected from the group consisting of H and C₁₋₅alkyl;

R⁴ is selected from the group consisting of: H, halo, -CH₃, and -CF₃;

R⁵ is selected from the group consisting of: H, -OH, -C₁₋₅alkyl, -C₁₋₅alkoxy, -C₁₋₅haloalkyl, -C₁₋₅haloalkoxy, -NR^{5a}R^{5b}, azetidiny, and morpholinyl; each R^{5a} and R^{5b} are independently selected from the group consisting of: -C₁₋₅alkyl, and -C₁₋₅haloalkyl;

R⁶ is selected from the group consisting of: H, -OH, -CHF₂, and -Br; and

R⁷ is H or -C₁₋₅alkyl;

or a pharmaceutically acceptable salt, N-oxide or solvate thereof, in the manufacture of a medicament for the treatment of a disease, disorder, or medical condition mediated by AMPA receptor activity, wherein the AMPA receptor mediated disease, disorder, or medical condition is selected from cerebral ischemia, head injury, spinal cord injury, Alzheimer's disease, Parkinson's disease, amyotrophic lateral sclerosis (ALS), Huntington's chorea, AIDS nervous disturbance, epilepsy, mental disorder, mobility disturbance, pain, spasticity, nervous disturbance by toxin in food, various neurodegenerative diseases, various mental diseases, chronic pain, migraine, cancer pain, diabetic neuropathy, encephalitis, acute disseminated encephalomyelitis, acute demyelinating polyneuropathy (Guillain Barre syndrome), chronic inflammatory demyelinating polyneuropathy, multiple sclerosis, Marchifava-Bignami disease, central pontine myelinolysis, Devic syndrome, Balo disease, HIV- or HTLV- myelopathy, progressive multifocal leucoencephalopathy, a secondary demyelinating

disorder (for example, CNS lupus erythematoses, polyarteritis nodosa, Sjogren syndrome, sarcoidosis, isolated cerebral vasculitis, etc.), schizophrenia, prodromal schizophrenia, cognitive disorder, depression, anxiety disorders, anxious depression, and bipolar disorder.

40. The use of claim 39 wherein the AMPA receptor mediated disease, disorder or condition is depression, post-traumatic stress disorder, epilepsy, schizophrenia, prodromal schizophrenia, or a cognitive disorder.