
What is Claimed:

1. A compound of formula I:



or an enantiomer or diastereomer therof;

or a pharmaceutically acceptable salt thereof;

wherein

ring A is phenyl, naphthalenyl, pyridyl, quinolinyl, isoquinolinyl, imidazopyridyl, furanyl, thiazolyl, isoxazolyl, pyrazolyl, imidazothiazolyl, benzimidazolyl, or indazolyl;

R_1 is H, alkyl, alkoxy, hydroxyalkylene, OH, halo, phenyl, triazolyl, oxazolyl, isoxazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, piperazinyl, pyrazolyl, oxadiazolyl, pyrrolidinyl, thiophenyl, morpholinyl, or dialkylamino, wherein phenyl, triazolyl, oxazolyl, isoxazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, piperazinyl, pyrazolyl, oxadiazolyl, pyrrolidinyl, thiophenyl, or morpholinyl is optionally substituted with up to two substituents selected from halo and alkyl;

R_2 is H, alkyl, alkoxy, hydroxyalkylene, or halo;

Z is NH, N-alkyl, or O;

R_5 is pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, quinazolinyl, quinoxalinyl, pyrazolyl, thiazolyl, thiadiazolyl, benzoxazolyl, imidazopyrazinyl, or triazolopyrazinyl, optionally substituted with one or two substituents independently selected from the group consisting of alkyl, cyano, alkyl carboxylate, alkoxy, and halo; and

n is 0 or 1.

2. The compound of claim 1, wherein Z is NH.

3. The compound of claim 1, wherein Z is N-alkyl.

4. The compound of claim 3, wherein Z is N-CH_3.

5. The compound of claim 1, wherein Z is O.

6. The compound of any one of claims 1 to 5, wherein ring A is furanyl, thiazolyl, isoxazolyl, pyrazolyl, or imidazothiazolyl.

7. The compound of any one of claims 1 to 5, wherein ring A is phenyl or naphthalenyl.

8. The compound of any one of claims 1 to 5, wherein ring A is pyridyl, quinolinyl, isoquinolinyl, imidazopyridyl, benzimidazolyl, or indazolyl.

9. The compound of any one claims 1 to 8, wherein R_1 is alkyl.

10. The compound of any one of claims 1 to 8, wherein R_1 is alkoxy.

11. The compound of claim 10, wherein alkoxy is haloalkoxy.

12. The compound of any one of claims 1 to 8, wherein R_1 is hydroxyalkylene or OH.

13. The compound of any one of claims 1 to 8, wherein R_1 is halo.

14. The compound of any one of claims 1 to 8, wherein R_1 is phenyl.

15. The compound of claim 14, wherein phenyl is halo-phenyl.

16. The compound of any one of claims 1 to 8, wherein R_1 is triazolyl, oxazolyl, or isoxazolyl.

17. The compound of claim 16, wherein oxazolyl is methyl-oxazolyl.

18. The compound of claim 16, wherein isoxazolyl is methyl-isoxazolyl.

19. The compound of any one of claims 1 to 8, wherein R_1 is pyridyl.

20. The compound of claim 19, wherein pyridyl is methyl-pyridyl.

21. The compound of any one of claims 1 to 8, wherein R_1 is pyrimidinyl, pyrazinyl, or pyridazinyl.

22. The compound of any one of claims 1 to 8, wherein R_1 is piperazinyl, morpholinyl, pyrrolidinyl, or dialkyamino.

23. The compound of any one of claims 1 to 8, wherein R_1 is pyrazolyl, oxadiazolyl, or thiophenyl.

24. The compound of claim 23, wherein pyrazolyl is methyl-pyrazolyl or dimethyl-pyrazolyl.

25. The compound of claim 23, wherein oxadiazolyl is methyl-oxadiazolyl.

26. The compound of any one of claims 1 to 25, wherein R_2 is H.

27. The compound of any one of claims 1 to 25, wherein R_2 is alkyl.

28. The compound of any one of claims 1 to 25, wherein R_2 is alkoxy.

29. The compound of any one of claims 1 to 25, wherein R_2 is hydroxyalkylene.

30. The compound of any one of claims 1 to 25, wherein R_2 is halo.

31. The compound of any one of the preceding claims, wherein R_5 is pyridyl, pyrimidinyl, pyrazinyl, or pyridazinyl optionally substituted with a one or two substituents independently selected from the group consisting of alkyl, alkoxy, or halo.

32. The compound of claim 31, wherein alkyl is trihaloalkyl.

33. The compound of claim 32, wherein R_5 is pyridyl substituted with trifluoromethyl.

34. The compound of claim 32, wherein R_5 is pyrimidinyl substituted with trifluoromethyl.

35. The compound of claim 32, wherein R_5 is pyrazinyl substituted with trifluoromethyl.

36. The compound of claim 32, wherein R_5 is pyridazinyl substituted with trifluoromethyl.

37. The compound of any one of claims 1 to 30, wherein R_5 is quinazolinyl or quinoxalinyl, optionally substituted with a one or two substituents independently selected from the group consisting of alkyl, alkoxy, or halo.

38. The compound of claim 37, wherein alkyl is trihaloalkyl.

39. The compound of claim 38, wherein R_5 is quinazolinyl substituted with trifluoromethyl.

40. The compound of claim 38, wherein R_5 is quinoxalinyl substituted with trifluoromethyl.

41. The compound of any one of claims 1 to 30, wherein R_5 is pyrazolyl, benzoxazolyl, imidazopyrazinyl, or triazolopyrazinyl optionally substituted with a one or two substituents independently selected from the group consisting of alkyl, alkoxy, or halo.

42. The compound of claim 41, wherein pyrazolyl is methyl-pyrazolyl.

43. The compound of claim 41, wherein alkyl is trihaloalkyl.

44. The compound of claim 43, wherein R_5 is pyrazolyl substituted with trifluoromethyl.

45. The compound of claim 43, wherein R_5 is benzoxazolyl substituted with trifluoromethyl.




46. The compound of claim 43 wherein R_5 is imidazopyrazinyl substituted with trifluoromethyl.








47. The compound of claim 43, wherein R_5 is triazolopyrazinyl substituted with trifluoromethyl.







48. The compound of any one of the preceding claims, wherein n is 0.







49. The compound of any one of claims 1 to 47, wherein n is 1.








50. A compound selected from the group consisting of








Ex. No.	Compound	Compound Name
1		(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
2		(±)-(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
3A		(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S*,2R*,4R*)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone








3B		(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1R*,2S*,4S*)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
4		(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
5A		(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
5B		(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1R,2S,4S)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
6		(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
7		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
8A		((1S,2R,4R)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone







8B		((1R,2S,4S)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
9		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
10A		((1S,2R,4R)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
10B		((1R,2S,4S)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
11		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(thiophen-2-yl)phenyl)methanone
12A		((1S*,2R*,4R*)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(thiophen-2-yl)phenyl)methanone








12B		((1R*,2S*,4S*)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(thiophen-2-yl)phenyl)methanone
13		(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((4-(trifluoromethyl)pyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
14		(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
15		(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((3-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
16		(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((6-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
17		(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((4-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone







18		(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((6-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
19		(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
20		(±)-(2-(((3,6-dimethylpyrazin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
21		(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((3-(trifluoromethyl)quinoxalin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
22		(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
23		(±)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(quinolin-8-yl)methanone
24		(±)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(naphthalen-1-yl)methanone








25		(±)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-methylnaphthalen-1-yl)methanone
26		(±)-2-(1H-pyrazol-1-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
27		(±)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(3-phenylfuran-2-yl)methanone
28		(±)-(2-ethoxynaphthalen-1-yl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
29		(±)-(5-(2-fluorophenyl)-2-methylthiazol-4-yl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
30		(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
31		(±)-(2-fluoro-6-(pyrimidin-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone








32		(±)-(5-fluoro-2-(pyrimidin-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
33		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(pyrimidin-2-yl)phenyl)methanone
34		(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
35		(±)-(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
36		(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
37		(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
38		(±)-(5-methyl-2-(pyrimidin-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone







39		(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
40		(±)-2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-5-phenylisoxazol-4-yl)methanone
41		(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-ethoxynaphthalen-1-yl)methanone
42		(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-ethoxyphenyl)methanone)
43		(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-fluoro-6-(pyrimidin-2-yl)phenyl)methanone
44		(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-fluoro-2-(pyrimidin-2-yl)phenyl)methanone








45		(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(pyrimidin-2-yl)phenyl)methanone
46		(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(thiophen-2-yl)phenyl)methanone
47		(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(((5-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
48		(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-(((5-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
49		(±)-(2-(((5-bromopyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
50		(±)-(2-(((5-bromopyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-methoxyphenyl)methanone
51		(±)-(2-(((5-bromopyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(3-ethoxy-6-methylpyridin-2-yl)methanone







52		(±)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
53		(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridazin-3-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
54		(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(((2-methylpyridin-3-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
55		(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(((3-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
56		(±)-(2-(((1-methyl-1H-pyrazol-5-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
57		(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridin-4-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone







58		(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridin-3-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
59		(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyrimidin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
60		(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyrazin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
61		(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2- ((pyrimidin-4-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
62		(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(((6-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
63		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(oxazol-2-yl)pyridin-2-yl)methanone
64		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone








65		(±)-(3,6'-dimethyl-[2,3'-bipyridin]-2'-yl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
66		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(3-methyl-1,2,4-oxadiazol-5-yl)pyridin-2-yl)methanone
67		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(3-methyl-1H-pyrazol-1-yl)pyridin-2-yl)methanone
68		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrrolidin-1-yl)pyridin-2-yl)methanone
69		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(3-methylisoxazol-5-yl)pyridin-2-yl)methanone
70		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(1H-pyrazol-1-yl)pyridin-2-yl)methanone
71		(±)-(5-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone







72		(±)- (4-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
73		(=)-(3-(dimethylamino)-6-methylpyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
74		(±)-(3-(2H-1,2,3-triazol-2-yl)quinolin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
75		(=)-(7-ethoxyquinolin-8-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
76		(±)-(3,6-dimethylimidazo[1,2-a]pyridin-5-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
77		(±)-(1-methyl-4-phenyl-1H-pyrazol-3-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone







78		(±)-(1-methyl-3-phenyl-1H-pyrazol-4-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
79		(±)-((3,7-dimethylimidazo[1,2-a]pyridin-8-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
80		(±)-(7-methylimidazo[1,2-a]pyridin-8-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
81		(±)-(1-methyl-4-phenyl-1H-pyrazol-5-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
82		(±)-((6-methylimidazo[1,2-a]pyridin-5-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
83		(±)-(3-ethoxyisoquinolin-4-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
84		(±)-(1-methyl-5-phenyl-1H-pyrazol-4-yl)(-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone







85		(±)-(6-methyl-3-(4-methylpiperazin-1-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
86		(±)-(6-methyl-3-(piperazin-1-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
87		(±)-(6-methyl-3-morpholinopyridin-2-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
88		(±)-(7-methoxyquinolin-8-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
89		(±)-(2-ethoxynaphthalen-1-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
90		(±)-(3,6'-dimethyl-[2,3'-bipyridin]-2'-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone







91		(±)-(3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
92		(±)-(2-methyl-5-phenylthiazol-4-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
93		(±)-(6-methyl-3-(oxazol-2-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
94		(±)-(6-methyl-3-(3-methylisoxazol-5-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
95		(±)-(6-methyl-3-(1H-pyrazol-1-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
96		(±)-(6-methyl-3-(4-methyl-1H-pyrazol-1-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone







97		(±)-(6-methyl-3-(pyrrolidin-1-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
98		(±)-(3,6'-dimethyl-[2,3'-bipyridin]-2'-yl)(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
99		(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(3-methylisoxazol-5-yl)pyridin-2-yl)methanone
100		(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(oxazol-2-yl)pyridin-2-yl)methanone
101		(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrrolidin-yl)pyridin-2-methanone
102		(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
103		(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(4-methyl-1H-pyrazol-1-yl)pyridin-2-yl)methanone







104		(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(1H-pyrazol-1-yl)pyridin-2-yl)methanone
105		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
106		(±)-(2,6-dimethoxyphenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
107		(±)-((3-fluoro-2-methoxyphenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
108		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-zabicyclo[2.2.1]heptan-7-l)(2-methoxy-6-(2H-1,2,3-triazol-2-yl)henyl)methanone
109		(±)-(5-fluo 2-(1H-pyrazol-5-yl)p nyl)(2-(((5-fluoropyrid -2-yl)oxy)methyl)- azabicyclo[2.2.1]hepta -7-yl)methanone







110		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-methyl-6-(2H-1,2,3-triazol-2-yl)phenyl)methanone
111		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
112		(±)-(5-chloro-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
113		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methoxy-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
114		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methoxy-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
115		(±)-(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone








116		(±)-(4-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
117		(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
118		(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
119		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(4-methoxy-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
120		(±)-(5-chloro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
121		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone








122		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(4-methyl-2-(pyrimidin-2-yl)phenyl)methanone
123		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-methyl-6-(pyrimidin-2-yl)phenyl)methanone
124		(±)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)(-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
125		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
126		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-(hydroxymethyl)-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
127		(±)-(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone








128		(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
129		(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
130		(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
131		(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-(((4-(trifluoromethyl)pyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
132		(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-(((4-(trifluoromethyl)pyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
133		(±)-(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)(2-(((4-(trifluoromethyl)pyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone








134		(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((4-(trifluoromethyl)pyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
135		(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-(((5-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
136		(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-(((5-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
137		(±)-(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)(2-(((5-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
138		(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
139		(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-(((6-methylpyridin-3-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone








140		(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-(((6-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
141		(±)-(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)(2-(((6-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
142		(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((6-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
143		(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-(((6-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
144		(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-(((6-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
145		(±)-(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)(2-(((6-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






146		(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((6-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
147		(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
148		(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
149		(±)-(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
150		(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
151		(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)methanone
152		(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)methanone






153		(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)methanone
154		(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
155		(±)-(2-ethoxy-4-methylpyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
156		(±)-(6-methylimidazo[2,1-b]thiazol-5-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
157		(±)-(5-bromo-2-ethoxypyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
158		(±)-(2-ethoxy-6-methylpyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
159		(±)-(7-hydroxyquinolin-8-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






160		(±)-(2-ethoxy-5-phenylpyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
161		(±)-(4-bromo-2-ethoxypyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
162		(±)-(2-chloro-4-ethoxypyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
163		(±)-(2,4-diethoxypyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
164		(3-ethoxyisoquinolin-4-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
165		(±)-(2-ethoxyphenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
166		(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






167		(±)-5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
168		(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
169		(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((pyridin-2-ylamino)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
170		(±)-(2-(((4,6-dimethylpyrimidin-2-yl)amino)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
171		(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((4-(trifluoromethyl)pyrimidin-2-yl)amino)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
172		(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((6-(trifluoromethyl)pyridin-2-yl)amino)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
173		(±)-(3-fluoro-2-methoxyphenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






174		(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-ylamino)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
175		(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
176		(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(((3-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
177		(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(4-methyloxazol-2-yl)pyridin-2-yl)methanone
178		(6-methyl-3-(4-[illegible]thyloxazol-2-yl)pyridin-[illegible]yl)((1S,2R,4R)-2-((pyr[illegible]in-2-yloxy)methyl)-7-azab[illegible]cyclo[2.2.1]heptan-7-yl)methanone
179		((1S,2R,4R)-2-(((5-fluoropyrimid[illegible]2-yl)oxy)methyl)-azabicyclo[2.2.1]hept[illegible]7-yl)(6-methyl-3-(4-methyloxazol-2-yl)pyridin[illegible]2-yl)methanone
180		(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((6-methyl-2-(trifluoromethyl)pyrimidin-4-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






181		(2-(2H-1,2,3-triazol-2-yl)phenyl)(1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
182		(±)-((2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
183a		(2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
183b		(2-(2H-1,2,3-triazol-2-yl)phenyl)((1R,2S,4S)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
184		(±)-(5-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






185		(±)-(5-methyl-3-(1H-1,2,3-triazol-1-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
186		(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
187		(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
188		(±)-(5-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
189		(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






190		(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
191		(±)-(4-methoxy-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
192		(±)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
193		(±)-((3-fluoro-2-methoxyphenyl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
194		(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






195		(±)-(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
196		(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
197		(±)-(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
198		(±)-(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-aza[illegible]cyclo[2.2.1]heptan-7-yl)(2[illegible]uoro-6-(2H-1,2,3-[illegible]iazol-2-yl)phe[illegible])methanone
199		(±)-(2-((4,6-dimethylpyrimidin-[illegible]yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(4-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone





200		(±)-(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
201		(±)-(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
202		(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
203		(±)-(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-ethoxy-6-methylpyridin-2-yl)methanone
204		(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





205		(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
206		(±)-(3-fluoro-2-methoxyphenyl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
207		(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
208		(±)-(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
209		(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((6-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





210		(±)-((2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((4-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
211		(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-chloropyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
212		(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((6-(trifluoromethyl)pyridazin-3-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
213		(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-methoxypyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
214		(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-methylpyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






215		(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(pyridin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
216		(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-chlorobenzo[d]oxazol-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
217		(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
218		(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-methoxyphenyl)methanone
219		(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-ethoxy-6-methylpyridin-2-yl)methanone






220		(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
221		(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
222		(±)-(3-fluoro-2-methoxyphenyl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
223		(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
224		(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






225		(±)-(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
226		(±)-(3-fluoro-2-methoxyphenyl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
227		(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
228		(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






229		(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
230		(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
231		(±)-(3-fluoro-2-methoxyphenyl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
232		(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone






233		(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-ethoxy-6-methylpyridin-2-yl)methanone
234		(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-methoxyphenyl)methanone
235		(±)-((2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((4-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
236		(±)-(2-((5-fluoropyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone






237		(±)-(3-fluoro-2-methoxyphenyl)(2-((5-fluoropyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
238		(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
239		(2-ethoxynaphthalen-1-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
240		isoquinolin-4-yl((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
241		(4-methoxy-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






242		(2-methoxy-6-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
243		(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
244		(5-(4-fluorophenyl)-2-methylthiazol-4-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
245		(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
246		(3-ethoxyisoquinolin-4-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






247		(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
248		(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
249		(4-methoxy-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
250		(1H-benzo[d]imidazol-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
251		(1-methyl-1H-benzo[d]imidazol-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






252		(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
253		(4-(difluoromethoxy)-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
254		(3-fluoro-2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
255		(5-methoxy-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
256		(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





257		(4-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
258		(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
259		(6-methylimidazo[2,1-b]thiazol-5-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
260		(3-fluoro-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
261		(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-methoxyphenyl)methanone





262		(3-fluoro-2-(pyridazin-3-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
263		(3-methyl-2-(pyridazin-3-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
264		(3-fluoro-2-(pyridazin-4-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
265		fluoro-2-(pyrazin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
266		(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






267		(4-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
268		(3-fluoro-2-(pyridin-4-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
269		(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
270		((1S,2R,4R)-2-((3-bromoimidazo[1,2-a]pyrazin-8-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(pyrimidin-2-yl)phenyl)methanone
271		(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






272		(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
273		(3-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
274		(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((3-(trifluoromethyl)-[1,2,4]triazolo[4,3-a]pyrazin-8-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
275		meth[illegible]5-(((1S,2R,4R)-7-(3-flu[illegible]-2-(pyrimidin-2-yl)[illegible]nzoyl)-7-azabicyclo[illegible]2.1]heptan-2-yl)amino)[illegible]razine-2-carbox[illegible]te
276		(2-iodo-3-methylphenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






277		(3-fluoro-2-iodophenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
278		(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-methylpyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
279		(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
280		(4-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
281		(3-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






282		(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-(methyl(5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
283		(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
284		(3-fluoro-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
285		)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)(2-((5-(tri oromethyl)pyrimidin-2-yl)oxy)-7-azabicy o[2.2.1]heptan-7-yl) ethanone






286		(±)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
287		(3-ethoxy-6-methylpyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
288		(3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
289		(3-methoxy-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






290		(2-fluoro-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
291		(7-ethoxyquinolin-8-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
292		(2-(1,4-dimethyl-1H-pyrazol-5-yl)-6-methoxyphenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
293		(3-methyl-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
294		(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






295		(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
296		(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
297		(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1R,2S,4S)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
298		(3-fluoro-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
299		(3-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






300		(3-chloro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
301		((1S,2R,4R)-2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(oxazol-2-yl)phenyl)methanone
302		((1S,2R,4R)-2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(oxazol-2-yl)phenyl)methanone
303		((1S,2R,4R)-2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(pyrimidin-2-yl)phenyl)methanone
304		((1S,2R,4R)-2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(pyrimidin-2-yl)phenyl)methanone






305		((1S,2R,4R)-2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
306		((1S,2R,4R)-2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
307		((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(oxazol-2-yl)phenyl)methanone
308		((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(oxazol-2-yl)phenyl)methanone
309		((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(pyrimidin-2-yl)phenyl)methanone






310		((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(pyrimidin-2-yl)phenyl)methanone
311		((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
312		((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
313		((1S,2R,4R)-2-((5-bromopyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(oxazol-2-yl)phenyl)methanone
314		((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(oxazol-2-yl)phenyl)methanone






315		((1S,2R,4R)-2-((5-bromopyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(pyrimidin-2-yl)phenyl)methanone
316		((1S,2R,4R)-2-((5-bromopyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(pyrimidin-2-yl)phenyl)methanone
317		((1S,2R,4R)-2-((5-bromopyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
318		((1S,2R,4R)-2-((5-bromopyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
319		(3-methyl-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






320		(3-fluoro-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
321		(3-fluoro-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
322		(3-methyl-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
323		(3-fluoro-2-(pyridin-2-yl)phenyl)((2S)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
324		(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






325		(2-methoxy-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
326		(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
327		(4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
328		(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
329		(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






330		(2-fluoro-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
331		(2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
332		(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
333		(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
334		(3-methyl-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






335		(2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
336		(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
337		(5-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
338		(2-bromo-3-fluorophenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
339		(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






340		(2-methoxy-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
341		(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
342		(4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
343		(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-[illegible]rifluoromethyl)pyrazin-2-yl)oxy)-7-aza[illegible]cyclo[2.2.1]heptan-7-[illegible])methanone
344		(5-fluoro-2-(p[illegible]imidin-2-yl)phenyl)((1S,[illegible]4R)-2-((5-(trifluoromethyl)pyr[illegible]n-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-[illegible]yl)methanone





345		(2-fluoro-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
346		(2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
347		(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
348		(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
349		(3-methyl-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





350		(2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
351		(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
352		(5-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
353		(2-bromo-3-fluorophenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
354		(2-methoxy-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





355		(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
356		(4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
357		(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
358		(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
359		(2-fluoro-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





360		(2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
361		(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
362		(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
363		(3-methyl-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
364		(2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





365		(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
366		(5-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
367		(2-bromo-3-fluorophenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
368		(4-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
369		(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






370		(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
371		(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
372		(2-fluoro-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
373		-(pyrimidin-2-yl)phen)((1S,2R,4R)-2-5-(trifluorometh)pyridin-2-yl)amino)azabicyclo[2.2.1]he]n-7-yl)methanone





374		(2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
375		(3-fluoro-2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
376		(3-chloro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
377		(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-(methyl(5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





378		(5-methyl-2-(pyrimidin-2-yl)pyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
379		(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
380		(5-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
381		(3-pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





382		(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
383		((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
384		((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(pyrimidin-2-yl)phenyl)methanone
385		((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(5-fluoropyrimidin-2-yl)phenyl)methanone





386		((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(pyrimidin-2-yl)phenyl)methanone
387		((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-(pyrimidin-2-yl)pyridin-2-yl)methanone
388		((1S,2R,4R)-2-((5-(difluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
389		((1S,2R,4R)-2-((5-(difluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(pyrimidin-2-yl)phenyl)methanone






390		6-(((1S,2R,4R)-7-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)benzoyl)-7-azabicyclo[2.2.1]heptan-2-yl)amino)nicotinonitrile
391		6-(((1S,2R,4R)-7-(3-methyl-2-(2H-1,2,3-triazol-2-yl)benzoyl)-7-azabicyclo[2.2.1]heptan-2-yl)amino)nicotinonitrile
392		6-(((1S,2R,4R)-7-(3-fluoro-2-(pyrimidin-2-yl)benzoyl)-7-azabicyclo[2.2.1]heptan-2-yl)amino)nicotinonitrile
393		6-(((1S,2R,4R)-7-(3-methyl-2-(pyrimidin-2-yl)benzoyl)-7-azabicyclo[2.2.1]heptan-2-yl)amino)nicotinonitrile
394		6-(((1S,2R,4R)-7-(3-methyl-2-(oxazol-2-yl)benzoyl)-7-azabicyclo[2.2.1]heptan-2-yl)amino)nicotinonitrile





395		(3-fluoro-2-(pyrimidin-2-yl)phenyl) ((1S,2R,4R)-(2-^{2}H)-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
396		(4-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
397		(2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
398		(3-fluoro-2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





399		(2-(5-fluoropyrimidin-2-yl)-3-methylphenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
400		(2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
401		(5-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
402		(2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





403		(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
404		(5-methyl-2-(pyrimidin-2-yl)pyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
405		(5-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
406		(3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





407		[1,1'-biphenyl]-2-yl((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
408		(3-fluoro-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
409		(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
410		(5-fluoro-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
411		(2-fluoro-6-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-





		yl)methanone
		(4-fluoro-2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
413		(2-chloro-6-methoxypyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
414		fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
415		(5-fluoro-2-(pyrimidin-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





416		(2-fluoro-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
417		(2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
418		(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((4-(trifluoromethyl)thiazol-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
419		(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)-1,3,4-thiadiazol-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





420		((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(4-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
421		(R/S)-(2-(2H-1,2,3-triazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
422		(R/S)-(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
423		(R/S)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





424		(R/S)-(3-fluoro-2-(1H-1,2,3-triazol-1-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
425		(R/S)-(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
426		(R/S)-(2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
427		(R/S)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





428		(R/S)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
[illegible]9		(R/S)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
430		(R/S)-(4-fluoro-2-(pyrimidin-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
431		(R/S)-(2-fluoro-6-(pyr[illegible]din-2-yl)phenyl)-2-((5-(trifluoron[illegible]yl)pyridin-2-yl)ox[illegible]7-azabicyclo[2.2.1][illegible]ptan-7-yl)methanone






432		(R/S)-(2-(pyrimidin-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
433		(R/S)-(2-(5-fluoropyrimidin-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
434		(R/S)- (3-fluoro-2-(5-fluoropyrimidin-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
435		(R/S)-(3-methyl-2-(oxazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





436		(R/S)-(3-fluoro-2-(oxazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
437		(R/S)-(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)-2-((6-(trifluoromethyl)pyridin-3-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
438		(R/S)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)-2-((6-(trifluoromethyl)pyridin-3-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
439		(R/S)-(3-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)-2-((6-(trifluoromethyl)pyridin-3-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





440		(R/S)-2-((5-bromopyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
441		(R/S)-2-((5-bromopyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
442		(R/S)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)-2-(quinoxalin-2-yloxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
443		(R/S)-2-((5-bromo-2-chloropyridin-3-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone





444		(R/S)-(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
445		(R/S)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
446		(R/S)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
447		(R/S)-(3-fluoro-2-(pyridin-2-yl)phenyl)(2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






448		(2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
449		(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
450		((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
451		((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone





452		((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)methanone
453		((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)methanone
454		(3-fluoro-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
455		((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(pyrimidin-2-yl)pyridin-3-yl)methanone
456		((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone





457		((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
458		((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-(pyrimidin-2-yl)pyridin-2-yl)methanone
459		((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-fluoro-6-(pyrimidin-2-yl)phenyl)methanone
460		((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(5-fluoropyrimidin-2-yl)phenyl)methanone


461		((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(pyrimidin-2-yl)phenyl)methanone
462		((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(pyrimidin-2-yl)phenyl)methanone
463		(3-fluoro-2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
464		((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(pyrimidin-2-yl)phenyl)methanone

465		((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(5-fluoropyrimidin-2-yl)phenyl)methanone
466		((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-fluoro-6-(pyrimidin-2-yl)phenyl)methanone
467		((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(pyrimidin-2-yl)pyridin-3-yl)methanone
468		((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone

469		((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
470		(2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
471		((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
472		((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
473		((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)methanone

474		((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)methanone
475		((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(oxazol-2-yl)phenyl)methanone
476		(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]-(3-^{2}H,^{2}H)-heptan-7-yl)methanone
477		(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-(2-^{2}H-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]-(3-^{2}H,^{2}H)-heptan-7-yl)methanone

478		((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(4-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
479		(4-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
480		(4-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
481		(4-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

482		(4-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone


51. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to any one of the preceding claims and at least one pharmaceutically acceptable excipient.

52. A method of treating a subject suffering from or diagnosed with a disease, disorder, or medical condition mediated by orexin receptor activity, comprising administering to the subject an effective amount of a compound according to any one of claims 1 to 50.

53. The method of claim 52, wherein the disease, disorder, or medical condition mediated by orexin receptor activity is a disorder of the sleep-wake cycle, insomnia, restless legs syndrome, jet-lag, disturbed sleep, a sleep disorder secondary to neurological disorders, mania, depression, manic depression, schizophrenia, a pain syndromes, fibromyalgia, neuropathic pain, catatonia, Parkinson's disease, Tourette's syndrome, anxiety, delirium, dementia, overweight, obesity or a condition related to overweight or obesity, insulin resistance, type II diabetes, hyperlipidemia, gallstones, angina, hypertension, breathlessness, tachycardia, infertility, sleep apnea, back and joint pain, varicose veins, osteoarthritis, hypertension, tachycardia, arrhythmias, angina pectoris, acute heart failure, ulcers, irritable bowel syndrome, diarrhea, gastroesophageal reflux, post-traumatic stress disorder, panic disorders, attention deficit disorders, cognitive deficiencies, or substance abuse.


54. The method of claim 53 wherein the disease, disorder, or medical condition is mood disorders, post-traumatic stress disorder, panic disorders, attention deficit disorders, cognitive deficiencies, or substance abuse..

55. A compound of Formula IA:



IA

wherein ring A is



wherein

X is CR_6, N, or NR_6;

Y is CR_7, N, or NR_7;

R_6 is H, alkyl, alkoxy, OH, halo, triazolyl, oxazolyl, oxadiazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, pyrazolyl, or thiophenyl, wherein triazolyl, oxazolyl, oxadiazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, pyrazolyl, or thiophenyl is optionally substituted with one to two substituents selected from halo and alkyl;

R_7 is H, alkyl, alkoxy, or halo;

R_3 is H, alkyl, alkoxy, hydroxyalkylene, OH, halo, phenyl, triazolyl, oxazolyl, isoxazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, piperazinyl, pyrazolyl, oxadiazolyl, pyrrolidinyl, thiophenyl, morpholinyl, or dialkylamino, wherein phenyl, triazolyl, oxazolyl, isoxazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, piperazinyl, pyrazolyl, oxadiazolyl, pyrrolidinyl, thiophenyl, or morpholinyl is optionally substituted with up to two substituents selected from halo and alkyl;

R_4 is H, alkyl, alkoxy, or halo;

or

R_6 and R_7, together with the atoms to which they are attached, form a 5- or 6-membered heteroaryl ring optionally substituted with alkyl; or

R_3 and R_4, together with the atoms to which they are attached, form a 6-membered aryl or 6-membered heteroaryl ring; or

R_7 and R_4, together with the atoms to which they are attached, form a 6-membered aryl or 6-membered heteroaryl ring;

Z is NH, N-alkyl, or O;

R_5 is pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, quinazolinyl, quinoxalinyl, pyrazolyl, thiazolyl, thiadiazolyl, benzoxazolyl, imidazopyrazinyl, or triazolopyrazinyl, optionally substituted with one or two substituents independently selected from the group consisting of alkyl, cyano, alkyl carboxylate, alkoxy, and halo; and

n is 0 or 1.

56. The compound of claim 54, wherein X is CR_6 and Y is CR_7.

57. The compound of claim 54, wherein X is CR_6 and Y is N.

58. The compound of claim 54, wherein X is N and Y is CR_7.

59. The compound of any one of claims 55 to 57, wherein R_6 is H.

60. The compound of any one of claims 55 to 57, wherein R_6 is alkyl, alkoxy, OH, or halo.

61. The compound of any one of claims 55 to 57, wherein R_6 is triazolyl, oxazolyl, oxadiazolyl, pyrazolyl, or thiophenyl.

62. The compound of claim 61, wherein oxazolyl is methyl-oxazolyl.

63. The compound of claim 61, wherein pyrazolyl is methyl-pyrazolyl or dimethyl-pyrazolyl.

64. The compound of claim 61, wherein oxadiazolyl is methyl-oxadiazolyl.

65. The compound of any one of claims 54 to 57, wherein R_6 is pyridyl.

66. The compound of claim 65, wherein pyridyl is methyl-pyridyl.

67. The compound of any one of claims 55 to 57, wherein R_6 is pyrimidinyl, pyrazinyl, or pyridazinyl.

68. The compound of any one of claims 55, 56, or 58, wherein R_7 is H.

69. The compound of any one of claims 55, 56, or 58, wherein R_7 is alkyl, alkoxy, or halo.

70. The compound of claim 69, wherein alkoxy is haloalkoxy.

71. The compound of claim 55, wherein X is NR_6 and Y is CR_7.

72. The compound of claim 55, wherein X is CR_6 and Y is NR_7.

73. The compound of claim 47 or 48, wherein R_6 and R_7, together with the atoms to which they are attached, form a 5-membered heteroaryl ring optionally substituted with alkyl.

74. The compound of claim 71 or 72, wherein R_6 and R_7, together with the atoms to which they are attached, form a 6-membered heteroaryl ring optionally substituted with alkyl.

75. The compound of any one of claims 55, 56 or 58 to 67, wherein R_7 and R_4, together with the atoms to which they are attached, form a 6-membered aryl ring.

76. The compound of any one of claims 55, 56, or 58 to 67, wherein R_7 and R_4, together with the atoms to which they are attached, form a 6-membered heteroaryl ring.

77. The compound according to any one of claims 55 to 76, wherein R_3 is H.

78. The compound according to any one of claims 55 to 76, wherein R_3 is alkyl, alkoxy, hydroxyalkylene, OH, halo, or phenyl.

79. The compound of claim 78, wherein alkoxy is haloalkoxy.

80. The compound according to any one of claims 55 to 76, wherein R_3 is triazolyl, oxazolyl, isoxazolyl, oxadiazolyl, pyridyl, or pyrazolyl.

81. The compound of claim 80, wherein oxazolyl is methyl-oxazolyl.

82. The compound of claim 80, wherein isoxazolyl is methyl-isoxazolyl.

83. The compound of claim 80, wherein pyridyl is methyl-pyridyl.

84. The compound of claim 80, wherein pyrazolyl is methyl-pyrazolyl or dimethyl-pyrazolyl.

85. The compound of claim 80, wherein oxadiazolyl is methyl-oxadiazolyl.

86. The compound according to any one of claims 55 to 76, wherein R_3 is pyrimidinyl, pyrazinyl, or pyridazinyl.

87. The compound according to any one of claims 55 to 76, wherein R_3 is piperazinyl, pyrazolyl, pyrrolidinyl, thiophenyl, morpholinyl, or dialkylamino.




88. The compound of any one of claims 55 to 87, wherein R_4 is H.






89. The compound of any one of claims 55 to 87, wherein R_4 is alkyl, alkoxy, or halo.






90. The compound according to any one of claims 55 to 74, wherein R_3 and R_4, together with the atoms to which they are attached, form a 6-membered aryl ring.

91. The compound according to any one of claims 55 to 74, wherein R_3 and R_4, together with the atoms to which they are attached, form a 6-membered heteroaryl ring.

92. A compound of claim 55 selected from the following

Ex. No.	Compound	Compound Name
483		(3-fluoro-4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
484		(4,5-dimethyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
485		((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-6-methyl-2-(pyrimidin-2-yl)phenyl)methanone

486		(3-fluoro-4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
487		(4,5-dimethyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
488		(3-fluoro-6-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
489		(3-fluoro-4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
490		(4,5-dimethyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

491		(3-fluoro-6-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
492		(3-fluoro-4-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
493		(3-fluoro-4-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
494		(3-fluoro-5-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
495		(3-fluoro-5-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

93. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to any one of claims 55 to 92 and at least one pharmaceutically acceptable excipient.


94. A method of treating a subject suffering from or diagnosed with a disease, disorder, or medical condition mediated by orexin receptor activity, comprising administering to the subject an effective amount of a compound according to any one of claims 55 to 92.

95. The method of claim 94, wherein the disease, disorder, or medical condition mediated by orexin receptor activity is a disorder of the sleep-wake cycle, insomnia, restless legs syndrome, jet-lag, disturbed sleep, a sleep disorder secondary to neurological disorders, mania, depression, manic depression, schizophrenia, a pain syndromes, fibromyalgia, neuropathic pain, catatonia, Parkinson's disease, Tourette's syndrome, anxiety, delirium, dementia, overweight, obesity or a condition related to overweight or obesity, insulin resistance, type II diabetes, hyperlipidemia, gallstones, angina, hypertension, breathlessness, tachycardia, infertility, sleep apnea, back and joint pain, varicose veins, osteoarthritis, hypertension, tachycardia, arrhythmias, angina pectoris, acute heart failure, ulcers, irritable bowel syndrome, diarrhea, gastroesophageal reflux, post-traumatic stress disorder, panic disorders, attention deficit disorders, cognitive deficiencies, or substance abuse.

96. The method of claim 94 wherein the disease, disorder, or medical condition is mood disorders, post-traumatic stress disorder, panic disorders, attention deficit disorders, cognitive deficiencies, or substance abuse..

What is Claimed:

1. A compound of formula I:



I

or an enantiomer or diastereomer thereof;

or a pharmaceutically acceptable salt thereof;

wherein

ring A is phenyl, naphthalenyl, pyridyl, quinolinyl, isoquinolinyl, imidazopyridyl, furanyl, thiazolyl, isoxazolyl, pyrazolyl, imidazothiazolyl, benzimidazolyl, or indazolyl;

R_1 is H, alkyl, alkoxy, hydroxyalkylene, OH, halo, phenyl, triazolyl, oxazolyl, isoxazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, piperazinyl, pyrazolyl, oxadiazolyl, pyrrolidinyl, thiophenyl, morpholinyl, or dialkylamino, wherein phenyl, triazolyl, oxazolyl, isoxazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, piperazinyl, pyrazolyl, oxadiazolyl, pyrrolidinyl, thiophenyl, or morpholinyl is optionally substituted with up to two substituents selected from halo and alkyl;

R_2 is H, alkyl, alkoxy, hydroxyalkylene, or halo;

Z is NH, N-alkyl, or O;

R_5 is pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, quinazolinyl, quinoxalinyl, pyrazolyl, thiazolyl, thiadiazolyl, benzoxazolyl, imidazopyrazinyl, or triazolopyrazinyl, optionally substituted with one or two substituents independently selected from the group consisting of alkyl, cyano, alkyl carboxylate, alkoxy, and halo; and

n is 0 or 1.

2. The compound of claim 1, wherein Z is NH.

3. The compound of claim 1, wherein Z is N-alkyl.

4. The compound of claim 3, wherein Z is N-CH_3.

5. The compound of claim 1, wherein Z is O.

6. The compound of any one of claims 1 to 5, wherein ring A is furanyl, thiazolyl, isoxazolyl, pyrazolyl, or imidazothiazolyl.

7. The compound of any one of claims 1 to 5, wherein ring A is phenyl or naphthalenyl.

8. The compound of any one of claims 1 to 5, wherein ring A is pyridyl, quinolinyl, isoquinolinyl, imidazopyridyl, benzimidazolyl, or indazolyl.

9. The compound of any one claims 1 to 8, wherein R_1 is alkyl.

10. The compound of any one of claims 1 to 8, wherein R_1 is alkoxy.

11. The compound of claim 10, wherein alkoxy is haloalkoxy.

12. The compound of any one of claims 1 to 8, wherein R_1 is hydroxyalkylene or OH.

13. The compound of any one of claims 1 to 8, wherein R_1 is halo.

14. The compound of any one of claims 1 to 8, wherein R_1 is phenyl.

15. The compound of claim 14, wherein phenyl is halo-phenyl.

16. The compound of any one of claims 1 to 8, wherein R_1 is triazolyl, oxazolyl, or isoxazolyl.

17. The compound of claim 16, wherein oxazolyl is methyl-oxazolyl.

18. The compound of claim 16, wherein isoxazolyl is methyl-isoxazolyl.

19. The compound of any one of claims 1 to 8, wherein R_1 is pyridyl.

20. The compound of claim 19, wherein pyridyl is methyl-pyridyl.

21. The compound of any one of claims 1 to 8, wherein R_1 is pyrimidinyl, pyrazinyl, or pyridazinyl.

22. The compound of any one of claims 1 to 8, wherein R_1 is piperazinyl, morpholinyl, pyrrolidinyl, or dialkylamino.

23. The compound of any one of claims 1 to 8, wherein R_1 is pyrazolyl, oxadiazolyl, or thiophenyl.

24. The compound of claim 23, wherein pyrazolyl is methyl-pyrazolyl or dimethyl-pyrazolyl.

25. The compound of claim 23, wherein oxadiazolyl is methyl-oxadiazolyl.

26. The compound of any one of claims 1 to 25, wherein R_2 is H.

27. The compound of any one of claims 1 to 25, wherein R_2 is alkyl.

28. The compound of any one of claims 1 to 25, wherein R_2 is alkoxy.

29. The compound of any one of claims 1 to 25, wherein R_2 is hydroxyalkylene.

30. The compound of any one of claims 1 to 25, wherein R_2 is halo.

31. The compound of any one of the preceding claims, wherein R_5 is pyridyl, pyrimidinyl, pyrazinyl, or pyridazinyl optionally substituted with a one or two substituents independently selected from the group consisting of alkyl, alkoxy, or halo.

32. The compound of claim 31, wherein alkyl is trihaloalkyl.

33. The compound of claim 32, wherein R_5 is pyridyl substituted with trifluoromethyl.

34. The compound of claim 32, wherein R_5 is pyrimidinyl substituted with trifluoromethyl.

35. The compound of claim 32, wherein R_5 is pyrazinyl substituted with trifluoromethyl.

36. The compound of claim 32, wherein R_5 is pyridazinyl substituted with trifluoromethyl.

37. The compound of any one of claims 1 to 30, wherein R_5 is quinazolinyl or quinoxalinyl, optionally substituted with a one or two substituents independently selected from the group consisting of alkyl, alkoxy, or halo.

38. The compound of claim 37, wherein alkyl is trihaloalkyl.

39. The compound of claim 38, wherein R_5 is quinazolinyl substituted with trifluoromethyl.

40. The compound of claim 38, wherein R_5 is quinoxalinyl substituted with trifluoromethyl.

41. The compound of any one of claims 1 to 30, wherein R_5 is pyrazolyl, benzoxazolyl, imidazopyrazinyl, or triazolopyrazinyl optionally substituted with a one or two substituents independently selected from the group consisting of alkyl, alkoxy, or halo.

42. The compound of claim 41, wherein pyrazolyl is methyl-pyrazolyl.

43. The compound of claim 41, wherein alkyl is trihaloalkyl.

44. The compound of claim 43, wherein R_5 is pyrazolyl substituted with trifluoromethyl.

45. The compound of claim 43, wherein R_5 is benzoxazolyl substituted with trifluoromethyl.

46. The compound of claim 43 wherein R_5 is imidazopyrazinyl substituted with trifluoromethyl.







47. The compound of claim 43, wherein R_5 is triazolopyrazinyl substituted with trifluoromethyl.








48. The compound of any one of the preceding claims, wherein n is 0.







49. The compound of any one of claims 1 to 47, wherein n is 1.







50. A compound selected from the group consisting of








Compound	Compound Name








	(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S*,2R*,4R*)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1R*,2S*,4S*)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone








	(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1R,2S,4S)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	((1S,2R,4R)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	((1R,2S,4S)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone








	((1R,2S,4S)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(thiophen-2-yl)phenyl)methanone
	((1S*,2R*,4R*)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(thiophen-2-yl)phenyl)methanone
	((1R*,2S*,4S*)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(thiophen-2-yl)phenyl)methanone
	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((4-(trifluoromethyl)pyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone







	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((3-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((6-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((4-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((6-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((3,6-dimethylpyrazin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone








	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((3-(trifluoromethyl)quinoxalin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)- (2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(quinolin-8-yl)methanone
	(±)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(naphthalen-1-yl)methanone
	(±)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-methylnaphthalen-1-yl)methanone
	(±)-2-(1H-pyrazol-1-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(3-phenylfuran-2-yl)methanone








	(±)-(2-ethoxynaphthalen-1-yl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-(2-fluorophenyl)-2-methylthiazol-4-yl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-fluoro-6-(pyrimidin-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-fluoro-2-(pyrimidin-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(pyrimidin-2-yl)phenyl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone








	(±)-(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-methyl-2-(pyrimidin-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-5-phenylisoxazol-4-yl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-ethoxynaphthalen-1-yl)methanone








	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-ethoxyphenyl)methanone)
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-fluoro-6-(pyrimidin-2-yl)phenyl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-fluoro-2-(pyrimidin-2-yl)phenyl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(pyrimidin-2-yl)phenyl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(thiophen-2-yl)phenyl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(((5-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-(((5-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone







	(±)-(2-(((5-bromopyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-bromopyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-methoxyphenyl)methanone
	(±)-(2-(((5-bromopyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(3-ethoxy-6-methylpyridin-2-yl)methanone
	(±)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridazin-3-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(((2-methylpyridin-3-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone







	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(((3-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((1-methyl-1H-pyrazol-5-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridin-4-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridin-3-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyrimidin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyrazin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2- ((pyrimidin-4-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone








	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(((6-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(oxazol-2-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
	(±)-(3,6'-dimethyl-[2,3'-bipyridin]-2'-yl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(3-methyl-1,2,4-oxadiazol-5-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(3-methyl-1H-pyrazol-1-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrrolidin-1-yl)pyridin-2-yl)methanone







	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(3-methylisoxazol-5-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(1H-pyrazol-1-yl)pyridin-2-yl)methanone
	(±)-(5-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)- (4-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-(dimethylamino)-6-methylpyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-(2H-1,2,3-triazol-2-yl)quinolin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(7-ethoxyquinolin-8-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone







	(±)-(3,6-dimethylimidazo[1,2-a]pyridin-5-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(1-methyl-4-phenyl-1H-pyrazol-3-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(1-methyl-3-phenyl-1H-pyrazol-4-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-((3,7-dimethylimidazo[1,2-a]pyridin-8-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(7-methylimidazo[1,2-a]pyridin-8-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(1-methyl-4-phenyl-1H-pyrazol-5-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-((6-methylimidazo[1,2-a]pyridin-5-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone







	(±)-(3-ethoxyisoquinolin-4-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(1-methyl-5-phenyl-1H-pyrazol-4-yl)(-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(4-methylpiperazin-1-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(piperazin-1-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-morpholinopyridin-2-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(7-methoxyquinolin-8-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone







	(±)-(2-ethoxynaphthalen-1-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3,6'-dimethyl-[2,3'-bipyridin]-2'-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-methyl-5-phenylthiazol-4-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(oxazol-2-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(3-methylisoxazol-5-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone








	(±)-(6-methyl-3-(1H-pyrazol-1-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(4-methyl-1H-pyrazol-1-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(pyrrolidin-1-yl)pyridin-2-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3,6'-dimethyl-[2,3'-bipyridin]-2'-yl)(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(3-methylisoxazol-5-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(oxazol-2-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrrolidin-1-yl)pyridin-2-yl)methanone







	(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(4-methyl-1H-pyrazol-1-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(1H-pyrazol-1-yl)pyridin-2-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2,6-dimethoxyphenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-((3-fluoro-2-methoxyphenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone







	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-methoxy-6-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(5-fluoro-2-(1H-pyrazol-5-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-methyl-6-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	(±)-(5-chloro-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methoxy-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone








	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methoxy-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(4-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(4-methoxy-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone







	(±)-(5-chloro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(4-methyl-2-(pyrimidin-2-yl)phenyl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-methyl-6-(pyrimidin-2-yl)phenyl)methanone
	(±)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)(-2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone








	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-(hydroxymethyl)-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-(((4-(trifluoromethyl)pyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-(((4-(trifluoromethyl)pyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone








	(±)-(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)(2-(((4-(trifluoromethyl)pyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((4-(trifluoromethyl)pyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-(((5-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-(((5-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)(2-(((5-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone







	(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-(((6-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-(((6-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)(2-(((6-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((6-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-(((6-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-(((6-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone







	(±)-(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)(2-(((6-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((6-(trifluoromethyl)pyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)methanone






	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2-ethoxy-4-methylpyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methylimidazo[2,1-b]thiazol-5-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-bromo-2-ethoxypyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(±)-(2-ethoxy-6-methylpyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(7-hydroxyquinolin-8-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-ethoxy-5-phenylpyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(4-bromo-2-ethoxypyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-chloro-4-ethoxypyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2,4-diethoxypyridin-3-yl)(2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-ethoxyisoquinolin-4-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(±)-(2-ethoxyphenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((5-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-((quinoxalin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((pyridin-2-ylamino)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((4,6-dimethylpyrimidin-2-yl)amino)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((4-(trifluoromethyl)pyrimidin-2-yl)amino)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((6-(trifluoromethyl)pyridin-2-yl)amino)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-methoxyphenyl)(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((quinoxalin-2-ylamino)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(((3-methylpyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(((5-fluoropyridin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(4-methyloxazol-2-yl)pyridin-2-yl)methanone






	(6-methyl-3-(4-methyloxazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((pyridin-2-yloxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-(((5-fluoropyrimidin-2-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(4-methyloxazol-2-yl)pyridin-2-yl)methanone
	(±)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(((6-methyl-2-(trifluoromethyl)pyrimidin-4-yl)oxy)methyl)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(2H-1,2,3-triazol-2-yl)phenyl)(1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-((2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(2-(2H-1,2,3-triazol-2-yl)phenyl)((1R,2S,4S)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(5-methyl-3-(1H-1,2,3-triazol-1-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(±)-(5-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(4-methoxy-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(±)-((3-fluoro-2-methoxyphenyl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone





	(±)-(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(4-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(±)-(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
	(±)-(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(±)-(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-ethoxy-6-methylpyridin-2-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-methoxyphenyl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(±)-(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((6-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-((2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((4-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-chloropyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((6-(trifluoromethyl)pyridazin-3-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-methoxypyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-methylpyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-(pyridin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-chlorobenzo[d]oxazol-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone






	(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-methoxyphenyl)methanone
	(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-ethoxy-6-methylpyridin-2-yl)methanone
	(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	(±)-(2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-methoxyphenyl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-methoxyphenyl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-ethoxy-6-methylpyridin-2-yl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(±)-(3-fluoro-2-methoxyphenyl)(2-(quinoxalin-2-ylamino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-ethoxy-6-methylpyridin-2-yl)methanone
	(±)-(2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-methoxyphenyl)methanone






	(±)-((2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((4-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(2-((5-fluoropyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	(±)-(3-fluoro-2-methoxyphenyl)(2-((5-fluoropyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(2-ethoxynaphthalen-1-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	isoquinolin-4-yl((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-methoxy-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-methoxy-6-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(5-(4-fluorophenyl)-2-methylthiazol-4-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-ethoxyisoquinolin-4-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-2-(1H-1,2,3-triazol-1-yl)pyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(4-methoxy-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(1H-benzo[d]imidazol-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(1-methyl-1H-benzo[d]imidazol-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-(difluoromethoxy)-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(3-fluoro-2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-methoxy-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(6-methylimidazo[2,1-b]thiazol-5-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-((4,6-dimethylpyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-methoxyphenyl)methanone
	(3-fluoro-2-(pyridazin-3-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(pyridazin-3-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(3-fluoro-2-(pyridazin-4-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrazin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyridin-4-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-((3-bromoimidazo[1,2-a]pyrazin-8-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(pyrimidin-2-yl)phenyl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((3-(trifluoromethyl)-[1,2,4]triazolo[4,3-a]pyrazin-8-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	methyl 5-(((1S,2R,4R)-7-(3-fluoro-2-(pyrimidin-2-yl)benzoyl)-7-azabicyclo[2.2.1]heptan-2-yl)amino)pyrazine-2-carboxylate
	(2-iodo-3-methylphenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-iodophenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-methylpyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-(methyl(5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(3-fluoro-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(±)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)(2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-ethoxy-6-methylpyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-methoxy-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(7-ethoxyquinolin-8-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(1,4-dimethyl-1H-pyrazol-5-yl)-6-methoxyphenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(3-methyl-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1R,2S,4S)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(3-fluoro-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-chloro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(oxazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(oxazol-2-yl)phenyl)methanone






	((1S,2R,4R)-2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(oxazol-2-yl)phenyl)methanone






	((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(oxazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone






	((1S,2R,4R)-2-((5-bromopyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(oxazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(oxazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-bromopyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone






	((1S,2R,4R)-2-((5-bromopyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(3-methyl-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(3-fluoro-2-(pyridin-2-yl)phenyl)((2S)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-methoxy-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(2-bromo-3-fluorophenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-methoxy-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(2-bromo-3-fluorophenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-methoxy-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(3-methyl-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-bromo-3-fluorophenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(4-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(2-fluoro-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(3-chloro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-(methyl(5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-methyl-2-(pyrimidin-2-yl)pyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(5-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone





	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(5-fluoropyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-(pyrimidin-2-yl)pyridin-2-yl)methanone





	((1S,2R,4R)-2-((5-(difluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((5-(difluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(pyrimidin-2-yl)phenyl)methanone
	6-(((1S,2R,4R)-7-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)benzoyl)-7-azabicyclo[2.2.1]heptan-2-yl)amino)nicotinonitrile
	6-(((1S,2R,4R)-7-(3-methyl-2-(2H-1,2,3-triazol-2-yl)benzoyl)-7-azabicyclo[2.2.1]heptan-2-yl)amino)nicotinonitrile






	6-(((1S,2R,4R)-7-(3-fluoro-2-(pyrimidin-2-yl)benzoyl)-7-azabicyclo[2.2.1]heptan-2-yl)amino)nicotinonitrile
	6-(((1S,2R,4R)-7-(3-methyl-2-(pyrimidin-2-yl)benzoyl)-7-azabicyclo[2.2.1]heptan-2-yl)amino)nicotinonitrile
	6-(((1S,2R,4R)-7-(3-methyl-2-(oxazol-2-yl)benzoyl)-7-azabicyclo[2.2.1]heptan-2-yl)amino)nicotinonitrile
	(3-fluoro-2-(pyrimidin-2-yl)phenyl) ((1S,2R,4R)-(2-^{2}H)-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(4-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(5-fluoropyrimidin-2-yl)-3-methylphenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(5-methyl-2-(pyrimidin-2-yl)pyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	[1,1'-biphenyl]-2-yl((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(3-fluoro-2-(pyridin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-methyl-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(4-fluoro-2-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-chloro-6-methoxypyridin-3-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(5-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-fluoro-6-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((4-(trifluoromethyl)thiazol-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)-1,3,4-thiadiazol-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(4-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone





	(R/S)-(2-(2H-1,2,3-triazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(3-fluoro-2-(1H-1,2,3-triazol-1-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(R/S)-(2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(5-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(R/S)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(4-fluoro-2-(pyrimidin-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(2-fluoro-6-(pyrimidin-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(2-(pyrimidin-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(R/S)-(2-(5-fluoropyrimidin-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)- (3-fluoro-2-(5-fluoropyrimidin-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(3-methyl-2-(oxazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(3-fluoro-2-(oxazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(R/S)-(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)-2-((6-(trifluoromethyl)pyridin-3-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)-2-((6-(trifluoromethyl)pyridin-3-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)- (2-fluoro-6-(2H-1,2,3-triazol-2-yl)phenyl)-2-((6-(trifluoromethyl)pyridin-3-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-2-((5-bromopyridin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone





	(R/S)-2-((5-bromopyrimidin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(R/S)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)-2-(quinoxalin-2-yloxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-2-((5-bromo-2-chloropyridin-3-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	(R/S)-(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)-2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone





	(R/S)-(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)(2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)(2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(R/S)-(3-fluoro-2-(pyrimidin-2-yl)phenyl)(2-((5-(trifluoromethyl)pyrazin-2-yl)oxy)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone






	(3-fluoro-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)methanone





	(3-fluoro-2-(oxazol-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(pyrimidin-2-yl)pyridin-3-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone





	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-(pyrimidin-2-yl)pyridin-2-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-fluoro-6-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(5-fluoropyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-(pyrimidin-2-yl)phenyl)methanone

	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(pyrimidin-2-yl)phenyl)methanone
	(3-fluoro-2-(5-fluoropyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(5-fluoropyrimidin-2-yl)phenyl)methanone

	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(2-fluoro-6-(pyrimidin-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(pyrimidin-2-yl)pyridin-3-yl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone

	(2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(6-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)methanone
	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(5-methyl-2-(2H-1,2,3-triazol-2-yl)pyridin-3-yl)methanone

	((1S,2R,4R)-2-((3-chloro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-2-(oxazol-2-yl)phenyl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]-(3-^{2}H,^{2}H)-heptan-7-yl)methanone
	(3-fluoro-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-(2-^{2}H)-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]-(3-^{2}H,^{2}H)-heptan-7-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(4-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)methanone

	(4-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-methyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrimidin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4-methyl-3-(2H-1,2,3-triazol-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone


51. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to any one of the preceding claims and at least one pharmaceutically acceptable excipient.

52. The use of a compound according to any one of claims 1 to 50 in the manufacture of a medicament for the treatment of a disease, disorder, or medical condition mediated by orexin receptor activity.

53. The use according to claim 52, wherein the disease, disorder, or medical condition mediated by orexin receptor activity is a disorder of the sleep-wake cycle, insomnia, restless legs syndrome, jet-lag, disturbed sleep, a sleep disorder secondary to neurological disorders, mania, depression, manic depression, schizophrenia, a pain syndromes, fibromyalgia, neuropathic pain, catatonia, Parkinson's disease, Tourette's syndrome, anxiety, delirium, dementia, overweight, obesity or a condition related to overweight or obesity, insulin resistance, type II diabetes, hyperlipidemia, gallstones, angina, hypertension, breathlessness, tachycardia, infertility, sleep apnea, back and joint pain, varicose veins, osteoarthritis, hypertension, tachycardia, arrhythmias, angina pectoris, acute heart failure, ulcers, irritable bowel syndrome, diarrhea, gastroesophageal reflux, post-traumatic stress disorder, panic disorders, attention deficit disorders, cognitive deficiencies, or substance abuse.


54. The use according to claim 53 wherein the disease, disorder, or medical condition is mood disorders, post-traumatic stress disorder, panic disorders, attention deficit disorders, cognitive deficiencies, or substance abuse.

55. A compound of Formula IA:



IA

wherein ring A is



wherein

X is CR_6, N, or NR_6;

Y is CR_7, N, or NR_7;

R_6 is H, alkyl, alkoxy, OH, halo, triazolyl, oxazolyl, oxadiazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, pyrazolyl, or thiophenyl, wherein triazolyl, oxazolyl, oxadiazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, pyrazolyl, or thiophenyl is optionally substituted with up to two substituents selected from halo and alkyl;

R_7 is H, alkyl, alkoxy, or halo;

R_3 is H, alkyl, alkoxy, hydroxyalkylene, OH, halo, phenyl, triazolyl, oxazolyl, isoxazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, piperazinyl, pyrazolyl, oxadiazolyl, pyrrolidinyl, thiophenyl, morpholinyl, or dialkylamino, wherein phenyl, triazolyl, oxazolyl, isoxazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, piperazinyl, pyrazolyl, oxadiazolyl, pyrrolidinyl, thiophenyl, or morpholinyl is optionally substituted with up to two substituents selected from halo and alkyl;

R_4 is H, alkyl, alkoxy, or halo;

or

R_6 and R_7, together with the atoms to which they are attached, form a 5- or 6-membered heteroaryl ring optionally substituted with alkyl; or

R_3 and R_4, together with the atoms to which they are attached, form a 6-membered aryl or 6-membered heteroaryl ring; or

R_7 and R_4, together with the atoms to which they are attached, form a 6-membered aryl or 6-membered heteroaryl ring;

Z is NH, N-alkyl, or O;

R_5 is pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, quinazolinyl, quinoxalinyl, pyrazolyl, thiazolyl, thiadiazolyl, benzoxazolyl, imidazopyrazinyl, or triazolopyrazinyl, optionally substituted with one or two substituents independently selected from the group consisting of alkyl, cyano, alkyl carboxylate, alkoxy, and halo; and

n is 0 or 1.

56. The compound of claim 54, wherein X is CR_6 and Y is CR_7.

57. The compound of claim 54, wherein X is CR_6 and Y is N.

58. The compound of claim 54, wherein X is N and Y is CR_7.

59. The compound of any one of claims 55 to 57, wherein R_6 is H.

60. The compound of any one of claims 55 to 57, wherein R_6 is alkyl, alkoxy, OH, or halo.

61. The compound of any one of claims 55 to 57, wherein R_6 is triazolyl, oxazolyl, oxadiazolyl, pyrazolyl, or thiophenyl.

62. The compound of claim 61, wherein oxazolyl is methyl-oxazolyl.

63. The compound of claim 61, wherein pyrazolyl is methyl-pyrazolyl or dimethyl-pyrazolyl.

64. The compound of claim 61, wherein oxadiazolyl is methyl-oxadiazolyl.

65. The compound of any one of claims 54 to 57, wherein R_6 is pyridyl.

66. The compound of claim 65, wherein pyridyl is methyl-pyridyl.

67. The compound of any one of claims 55 to 57, wherein R_6 is pyrimidinyl, pyrazinyl, or pyridazinyl.

68. The compound of any one of claims 55, 56, or 58, wherein R_7 is H.

69. The compound of any one of claims 55, 56, or 58, wherein R_7 is alkyl, alkoxy, or halo.

70. The compound of claim 69, wherein alkoxy is haloalkoxy.

71. The compound of claim 55, wherein X is NR_6 and Y is CR_7.

72. The compound of claim 55, wherein X is CR_6 and Y is NR_7.

73. The compound of claim 47 or 48, wherein R_6 and R_7, together with the atoms to which they are attached, form a 5-membered heteroaryl ring optionally substituted with alkyl.

74. The compound of claim 71 or 72, wherein R_6 and R_7, together with the atoms to which they are attached, form a 6-membered heteroaryl ring optionally substituted with alkyl.

75. The compound of any one of claims 55, 56 or 58 to 67, wherein R_7 and R_4, together with the atoms to which they are attached, form a 6-membered aryl ring.

76. The compound of any one of claims 55, 56, or 58 to 67, wherein R_7 and R_4, together with the atoms to which they are attached, form a 6-membered heteroaryl ring.

77. The compound according to any one of claims 55 to 76, wherein R_3 is H.

78. The compound according to any one of claims 55 to 76, wherein R_3 is alkyl, alkoxy, hydroxyalkylene, OH, halo, or phenyl.

79. The compound of claim 78, wherein alkoxy is haloalkoxy.

80. The compound according to any one of claims 55 to 76, wherein R_3 is triazolyl, oxazolyl, isoxazolyl, oxadiazolyl, pyridyl, or pyrazolyl.

81. The compound of claim 80, wherein oxazolyl is methyl-oxazolyl.

82. The compound of claim 80, wherein isoxazolyl is methyl-isoxazolyl.

83. The compound of claim 80, wherein pyridyl is methyl-pyridyl.

84. The compound of claim 80, wherein pyrazolyl is methyl-pyrazolyl or dimethyl-pyrazolyl.

85. The compound of claim 80, wherein oxadiazolyl is methyl-oxadiazolyl.

86. The compound according to any one of claims 55 to 76, wherein R_3 is pyrimidinyl, pyrazinyl, or pyridazinyl.

87. The compound according to any one of claims 55 to 76, wherein R_3 is piperazinyl, pyrazolyl, pyrrolidinyl, thiophenyl, morpholinyl, or dialkylamino.




88. The compound of any one of claims 55 to 87, wherein R_4 is H.






89. The compound of any one of claims 55 to 87, wherein R_4 is alkyl, alkoxy, or halo.






90. The compound according to any one of claims 55 to 74, wherein R_3 and R_4, together with the atoms to which they are attached, form a 6-membered aryl ring.

91. The compound according to any one of claims 55 to 74, wherein R_3 and R_4, together with the atoms to which they are attached, form a 6-membered heteroaryl ring.

92. A compound of claim 55 selected from the following

Compound	Compound Name
	(3-fluoro-4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4,5-dimethyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	((1S,2R,4R)-2-((3-fluoro-5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)(3-fluoro-6-methyl-2-(pyrimidin-2-yl)phenyl)methanone

	(3-fluoro-4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4,5-dimethyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-6-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-4-methyl-2-(2H-1,2,3-triazol-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(4,5-dimethyl-3-(pyrimidin-2-yl)pyridin-2-yl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

	(3-fluoro-6-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-4-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-4-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-5-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyridin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone
	(3-fluoro-5-methyl-2-(pyrimidin-2-yl)phenyl)((1S,2R,4R)-2-((5-(trifluoromethyl)pyrazin-2-yl)amino)-7-azabicyclo[2.2.1]heptan-7-yl)methanone

93. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to any one of claims 55 to 92 and at least one pharmaceutically acceptable excipient.

94. The use of a compound according to any one of claims 55 to 92 in the manufacture of a medicament for the treatment of a disease, disorder, or medical condition mediated by orexin receptor activity.

95. The use according to claim 94, wherein the disease, disorder, or medical condition mediated by orexin receptor activity is a disorder of the sleep-wake cycle, insomnia, restless legs syndrome, jet-lag, disturbed sleep, a sleep disorder secondary to neurological disorders, mania, depression, manic depression, schizophrenia, a pain syndromes, fibromyalgia, neuropathic pain, catatonia, Parkinson's disease, Tourette's syndrome, anxiety, delirium, dementia, overweight, obesity or a condition related to overweight or obesity, insulin resistance, type II diabetes, hyperlipidemia, gallstones, angina, hypertension, breathlessness, tachycardia, infertility, sleep apnea, back and joint pain, varicose veins, osteoarthritis, hypertension, tachycardia, arrhythmias, angina pectoris, acute heart failure, ulcers, irritable bowel syndrome, diarrhea, gastroesophageal reflux, post-traumatic stress disorder, panic disorders, attention deficit disorders, cognitive deficiencies, or substance abuse.

96. The use according to claim 94 wherein the disease, disorder, or medical condition is mood disorders, post-traumatic stress disorder, panic disorders, attention deficit disorders, cognitive deficiencies, or substance abuse.