



1/9

FIG. 1



2/9

FIG. 2



3/9

FIG. 3




FIG. 4

[illegible]

5/9

FIG. 5

INTERNET CONNECTION SOFTWARE SF1

NAMES OF COMMUNICATION PARAMETERS	VALUES OF COMMUNICATION PARAMETERS
Content-Type	application/autoconf
DialupNumber	#1111 (CELLULAR PHONE NETWORK) #2222 (MOBILE PACKET COMMUNICATION NETWORK) #3333 (PERSONAL HANDYPHONE SYSTEM NETWORK)
DNSAddress1	210.229.247.001
DNSAddress2	210.229.247.002
SmtServerName	smtp abc ne jp.
PopServerName	pop abc ne jp.
ImapServerName	imap abc ne jp.
WebDefaultPageURL	http://www abc ne jp.
UserID	%%USER ID%%
UserPassword	%%PASSWORD%%
DialupType	%%PORTABLE DEVICE TYPE CODE%%
MailUserID	%%MAIL USER ID%%
MailAddress	%%MAIL ADDRESS%%
MailPassword	%%MAIL PASSWORD%%
MailProtocol	%%MAIL PROTOCOL%%

INTERNET CONNECTION SOFTWARE SF2

NAMES OF COMMUNICATION PARAMETERS	VALUES OF COMMUNICATION PARAMETERS
Content-Type	application/autoconf
DialupNumber	#1111 (CELLULAR PHONE NETWORK) #2222 (MOBILE PACKET COMMUNICATION NETWORK) #3333 (PERSONAL HANDYPHONE SYSTEM NETWORK)
DNS	210.229.247.001
DNS	210.229.247.002
Smt	smtp abc ne jp.
Pop	pop abc ne jp.
WebDefaultURL	http://www abc ne jp.
UserID?	%%USER ID%%
Password?	%%PASSWORD%%
DialupType?	%%PORTABLE DEVICE TYPE CODE%%
MailAddress?	%%MAIL USER ID%%
MailUserID?	%%MAIL ADDRESS%%
MailPassword?	%%MAIL PASSWORD%%
MailProtocol?	%%MAIL PROTOCOL%%

FIG. 6

Content-type : application/autoconf

DialupNumber : #1111

DNSAddress1 : 210.229.247.001

DNSAddress2 : 210.229.247.002

SmtpServerName : smtp.abc.ne.jp

PopServerName : pop.abc.ne.jp

ImapServerName : imap.abc.ne.jp

WebDefaultPageURL : http://www.abc.ne.jp

UserID : user00123

UserPassword : xyz111

DialupType : 1

MailUserID : user00123

MailAddress : user00123@abc.ne.jp

MailPassword : opq333

MailProtocol : pop3

7/9

FIG. 7




FIG. 8A




FIG. 8B




FIG. 8C




FIG. 8D





FIG. 8E



9/9

FIG. 9

