Claims:

1. A liquid composition comprising racecadotril and a sulfobutyl ether derivative of β-cyclodextrin;

wherein the racecadotril is present in an amount of from about 0.10 grams to about 0.30 grams per 100 ml of the liquid composition;

wherein the cyclodextrin is present in an amount of from about 5 grams to about 50 grams per 100 ml of the liquid composition;

further comprising a buffer selected from the group consisting of a citrate, an acetate, a phosphate, and mixtures thereof;

wherein chemical degradant products of racecadotril in the liquid composition are less than about 10% when stored at 3 months and 40ºC.

2. The composition of claim 1, wherein the racecadotril is an RS racemic form or an R form.

3. The composition of claim 1, wherein the composition comprises a sweetener selected from the group consisting of sorbitol, high fructose corn syrup, sucralose, aspartame, saccharine, sucrose, and mixtures thereof.

4. The composition of claim1, wherein the composition comprises a preservative selected from the group consisting of sodium benzoate, potassium benzoate, propyl paraben, methyl paraben, butyl paraben, and mixtures thereof.

5. A dosage form, wherein the dosage form, comprises the composition of claim 1 delivered via a soft shell solid dosage form, a hard shell solid dosage form or a tablet dosage form.

6. The composition of claim 1, further comprising a second active ingredient that is a digestive health active ingredient.

7. The composition of claim 1, wherein the composition has a pH of from about 3 to about 5 at 25°C.

8. A dosage form, wherein the dosage form comprises the composition of claim 7 delivered via a soft shell solid dosage form, a hard shell solid dosage form or a tablet dosage form.

9. The composition of claim 7, further comprising a second active ingredient that is a digestive health active ingredient.

10. A liquid composition comprising:

about 0.1 wt.% to about 0.3 wt.% racecadotril;

about 6 wt.% to about 8 wt.% a sulfobutyl ether derivative of β-cyclodextrin;

about 16 wt.% to about 19 wt.% sorbitol;

about 45 wt.% to about 55 wt.% high fructose corn syrup;

about 0.1 wt.% to about 0.4 wt.% sodium chloride;

about 0.1 wt.% to about 0.8 wt.% polyethylene glycol;

about 15 wt.% to about 30 wt.% water; and

about 0 wt.% to about 0.5 wt.% flavor,

wherein each wt.% is based upon 100 ml of the composition.

11. The composition of claim 6, wherein the digestive health active ingredient is simethicone.

12. The composition of claim 9, wherein the digestive health active ingredient is simethicone.

13. The composition of claim 6, wherein the digestive health active ingredient is loperamide.

14. The composition of claim 9, wherein the digestive health active ingredient is loperamide.

15. The composition of claim 1, wherein the racecadotril is present in an amount of from about 0.25 grams per 100 ml of the composition.

16. The composition of claim 1, wherein the cyclodextrin is present in an amount of about 7 grams per 100 ml of the composition.