



[図1]




[図2]



[図3]

	B0	B11	B12	B19	B20	B21	B24	B25	B26	B31	B32	B38	B39	
	AID12		RU Allocation		UL FEC Coding Type	UL EHT-MCS		Reserved	SS Allocation/RA-RU Information		UL Target Receive Power		PS160	Trigger Dependent User Info
Bits :	12		8		1	4		1	6		7		1	variable

[図4]




[図5]


Table 9-29c—Trigger Type subfield encoding

Trigger Type subfield value	Trigger frame variant
0	Basic
1	Beamforming Report Poll (BFRP)
2	MU-BAR
3	MU-RTS
4	Buffer Status Report Poll (BSRP)
5	GCR MU-BAR
6	Bandwidth Query Report Poll (BQRP)
7	NDP Feedback Report Poll (NFRP)
8-15	Reserved


[図6]

100

[図7]

200


[図8]




[図9]

Trigger Type subfield value	Trigger frame variant
0	Basic
1	Beamforming Report Poll (BFRP)
2	MU-BAR
3	MU-RTS
4	Buffer Status Report Poll (BSRP)
5	GCR MU-BAR
6	Bandwidth Query Report Poll (BQRP)
7	NDP Feedback Report Poll (NFRP)
8	Sounding NDP
9	Multi-AP coordination
10-15	Reserved


【図10】




[図11]



[図12]



[図13]




[図14]

	B26	B27	B28	B33	B34	B35	B36	B37	B39	B40	B52	B53	B54	B55
	UL STBC	LDPC Extra Symbol Segment	AP Tx Power	Pre-FEC Padding Factor	PE Disambiguation	Trigger Dependent Common Info2	Reserved	Do ppl er	HE/EHT P160	Special User Info Field Present				
Bits:	1	1	6	2	1	3	13	1	1	1	1			

[図15]

	B26	B27	B28	B33	B34	B35	B36	B37	B41	B42	B52	B53	B54	B55
	UL STBC	LDPC Extra Symbol Segment	AP Tx Power	Pre-FEC Padding Factor	PE Disambig- uity	Trigger Dependent Common Info2	Reserved	Do- ppl- er	HE/EHT P160	Special User Info Field Present				
Bits:	1	1	6	2	1	5	11	1	1	1	1			

[図16]




[図17]

Trigger Type 2 subfield value	Trigger frame variant
0	Follow the indication in Trigger type subfield
1	Sounding NDP
2	Multi-AP coordination
3-15	Reserved


[図18]

Trigger Type 2 subfield value	Trigger frame variant
0	Basic
1	Beamforming Report Poll (BFRP)
2	MU-BAR
3	MU-RTS
4	Buffer Status Report Poll (BSRP)
5	GCR MU-BAR
6	Bandwidth Query Report Poll (BQRP)
7	NDP Feedback Report Poll (NFRP)
8	Sounding NDP
9	Multi-AP coordination
10-15	Reserved


[図19]




[図20]



[図21]




[図22]



[図23]

Value	Description
0	Resource request
1	Acknowledgment
2-15	Reserved

[図24]



Starting AID	Reserved	Feedback Type	Feedback Type 2	TID	UL Target Receive Power	Multiplexing Flag
12	9	4	3	4	7	1
Bits:						