PH20 POLYPEPTIDE VARIANTS, FORMULATIONS AND USES THEREOF

RELATED APPLICATIONS

Benefit of priority is claimed to U.S. Provisional Application No. 61/631,313, filed December 30, 2011, and to U.S. Provisional Application No. 61/796,208 filed November 1, 2012, each entitled "PH20 Polypeptide Variants, Formulations and Uses Thereof."

This application is related to U.S. Application Serial No. 13/684,731, filed the same day herewith, entitled "PH20 Polypeptide Variants, Formulations and Uses Thereof," which claims priority to U.S. Provisional Application No. 61/631,313 and U.S. Provisional Application No. 61/796,208.

Where permitted, the subject matter of each of the above-noted related applications is incorporated by reference in its entirety.

INCORPORATION BY REFERENCE OF SEQUENCE LISTING PROVIDED ELECTRONICALLY

An electronic version of the Sequence Listing is filed herewith, the contents of which are incorporated by reference in their entirety. The electronic file was created on December 28, 2012, is 3.48 megabytes in size, and titled 3087seqPC1.txt.

FIELD OF THE INVENTION

Modified PH20 hyaluronidase polypeptides, including modified polypeptides that exhibit increased stability and/or increased activity, are provided. Also provided are compositions and formulations and uses thereof.

BACKGROUND

Hyaluronan (hyaluronic acid; HA) is a polypeptide that is found in the extracellular matrix of many cells, especially in soft connective tissues. HA also is found predominantly in skin, cartilage, and in synovial fluid in mammals. Hyaluronan also is the main constituent of the vitreous of the eye. HA has a role in various physiological processes, such as in water and plasma protein homeostasis (Laurent TC *et al.* (1992) *FASEB J* 6: 2397-2404). Certain diseases are associated with expression and/or production of hyaluronan. Hyaluronan-degrading enzymes, such as hyaluronidases, are enzymes that degrade hyaluronan. By catalyzing HA degradation, hyaluronan-degrading enzymes (*e.g.*, hyaluronidases) can be used to treat diseases or disorders associated with accumulation of HA or other glycosaminoglycans. Also, since HA is a major component of the interstitial barrier, hyaluronan-degrading enzymes (*e.g.*, hyaluronidase) increase tissue permeability and therefore can be used to increase the dispersion and delivery of therapeutic agents. Various hyaluronidases have been used therapeutically (*e.g.*, Hydase™, Vitrase™ and Wydase™), typically as dispersing and spreading agents in combination with other therapeutic agents.

Many of these are ovine or bovine forms, which can be immunogenic for treatment of humans. Improved hyaluronan-degrading enzymes, such as hyaluronidases, and compositions thereof that can be used for treatment are needed.

SUMMARY

Provided are modified PH20 polypeptides that have an altered property or properties compared to the PH20 polypeptide that do not have the modification(s). The modifications include amino acid replacement, deletion and/or insertions. Detailed structure/function of virtually each amino acid in a PH20 polypeptide is provided herein, as well as the identification of residues and loci that contribute to alteration of a property, such as stability in particular conditions, is provided. Hence, provided are modified PH20 polypeptides that contain one or more amino acid replacements that result in a PH20 polypeptide that retains activity and/or exhibits increased or altered stability under a variety of conditions. Activity retained can be, for example, hyaluronidase activity that is as least about 40% or more of the PH20 polypeptide that does not include the replacement. Exemplary modifications are amino acid replacements. For purposes herein, amino acid replacements are denoted by the single amino acid letter followed by the corresponding amino acid position in SEQ ID NO:3 in which the replacement occurs. Single amino acid abbreviations for amino acid residues are well known to a skilled artisan (*see e.g.* Table 1), and are used herein throughout the description and examples. For example, replacement with P at a position corresponding to position 204 in a PH20 polypeptide with reference to amino acid residue positions set forth in SEQ ID NO:3 means that the replacement encompasses F204P in a PH20 polypeptide set forth in SEQ ID NO:3, or the same replacement at the corresponding position in another PH20 polypeptide.

Provided are modified PH20 polypeptides that contain at least one amino acid replacement in a PH20 polypeptide, whereby the modified PH20 polypeptide exhibits increased stability compared to the PH20 polypeptide not containing the amino acid replacement. Increased stability can be manifested as increased resistance to one or more protein conditions that are denaturing to proteins. The stability of modified and unmodified PH20 is compared under the same conditions. Exemplary protein denaturation (or denaturing, used interchangeably herein) conditions include, but are not limited to, elevated temperature greater than 30 °C or about 30 °C, agitation, low salt, including essentially or substantially or no salt, and presence of excipients that tend to denature proteins. Exemplary of such excipients are antiadherent(s), binder(s), coating(s), filler(s) and diluent(s), flavor(s), color(s), lubricant(s), glidant(s), preservative(s), detergent(s), sorbent(s) and combinations thereof.

The modified PH20 polypeptide can be one in which the unmodified form thereof has at least about 68% sequence identity to SEQ ID NO: 3 and further contains modifications that alter stability and/or can be a PH20 polypeptide that includes as many as about up to 100, 110, 120, 130, 150 amino acid differences from PH20 but retains enzymatic activity, particularly, at least about 40% of the activity of the unmodified PH20 polypeptide and exhibits increased stability, such as stability under denaturing conditions. Thus, included are modified PH20 polypeptides that have at least 68% or about 68% amino acid sequence identity to the sequence of amino acids set forth in SEQ ID NO:3. Included are modified PH20 polypeptides that have at least 70%, 75%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% amino acid sequence identity to the sequence of amino acids set forth in SEQ ID NO:3. Exemplary of such modified PH20 polypeptides are polypeptides that contain amino acid replacement(s) in a PH20 polypeptide that contains the sequence of amino acid residues as set forth in any of SEQ ID NOS: 3, 7, 10, 12, 14, 24, 32-66, 69, 72, 857, 859, 861, 870 or a sequence of amino acids that is at least 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% identical to any of SEQ ID NOS: 3, 7, 10, 12, 14, 24, 32-66, 69, 72, 857, 859, 861, or 870.

For example, provided herein is a modified PH20 polypeptide that exhibits increased stability containing an amino acid replacement in a PH20 polypeptide that confers the increased stability, wherein increased stability is manifested as increased resistance to denaturation in the presence of one or more protein denaturation conditions, stability is increased compared to the PH20 polypeptide not containing the amino acid replacement, and the unmodified PH20 polypeptide consists of the sequence of amino acids set forth in SEQ ID NOS: 7 or is a C-terminal truncated fragment thereof that is a soluble PH20 polypeptide or has at least 85% sequence identity thereto. As above, the modified PH20 polypeptide that exhibits increased stability exhibits increased stability to a denaturation condition that is temperature greater than or about 30 °C; agitation; low or no a salt; or presence of an excipient or a denaturing agent, such as an antiadherent(s), binder(s), coating(s), filler(s) and diluent(s), flavor(s), color(s), lubricant(s), glidant(s), preservative(s), detergent(s), sorbent(s) or sweetener(s) and a combination thereof, and in particular a preservative. In some examples of such modified PH20 polypeptides that exhibit increased stability, the denaturation condition is temperature greater than 30°C, and the modified PH20 polypeptide exhibits greater hyaluronidase activity at the temperature compared to the unmodified PH20 polypeptide not containing the amino acid replacement(s) where the activities are compared under the same conditions. In other examples, the protein denaturation condition is the presence of low concentrations of salt of less than 100 mM, and the modified PH20

polypeptide exhibits increased hyaluronidase activity in the presence of low concentrations of salt compared to the unmodified PH20 polypeptide not containing the amino acid replacement(s) where the activities are compared under the same conditions.

In any of the above examples of a modified PH20 polypeptide that exhibits increased stability, stability can be assessed based on a variety of parameters including hyaluronidase activity, solubility, aggregation and/or crystallization. Stability can be assessed in the presence of a denaturing condition. When stability of two or more polypeptides is compared, stability is assessed under the same conditions. In some instances, among the PH20 polypeptides provided herein, the modified PH20 polypeptide exhibits at least 120%, 130%, 135%, 140%, 145%, 150%, 160%, 170%, 180%, 200%, 250%, 300%, 350%, 400%, 500%, 1500%, 2000%, 3000%, 4000%, 5000% or more of the hyaluronidase activity of the PH20 polypeptide not containing the amino acid replacement(s).

In any of the above examples of a modified PH20 polypeptide that exhibits increased stability, denaturing conditions include the presence of excipients that denature proteins. Exemplary of such conditions is the presence of a preservative, such as a phenolic preservative. Provided are modified PH20 polypeptides that exhibit increased stability in the presence of an anti-microbial effective amount of one or more phenolic preservatives. An anti-microbial effective amount is the total amount of one or more phenolic preservative agents, which can be expressed as a percentage (%) of mass concentration (w/v) that is or is between (or at least about or at about) 0.05% to 0.6%, 0.1% to 0.4%, 0.1% to 0.3%, 0.15% to 0.325%, 0.15% to 0.25%, 0.1% to 0.2%, 0.2% to 0.3% or 0.3% to 0.4%, inclusive. Exemplary phenolic preservatives include, but are not limited to, phenol, metacresol (m-cresol), benzyl alcohol, and a paraben, such as methylparaben propylparaben, m-cresol, phenol or m-cresol and phenol. Exemplary of the stability achieved by provided modified PH20 polypeptides are those that exhibit at least 15% or about 15% of the hyaluronidase activity for at least 4 hours in the presence of preservative(s) compared to the modified PH20 polypeptide in absence of preservative. Activity is compared under the same conditions except for the presence of preservative(s). For example, provided are modified PH20 polypeptides that exhibit at least (or at least about) 16%, 17%, 18%, 19%, 20%, 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 65%, 70%, 75%, 80%, 85%, 90%, 95% or more of the hyaluronidase activity in the presence of a phenolic preservative(s) compared to absence of the same preservative(s). Thus, provided, among the modified PH20 polypeptides provided herein, are PH20 polypeptides that, by virtue of amino acid replacement(s), are

phenophilic compared to PH20 polypeptides without such replacement. Included are modified PH20 polypeptides where the hyaluronidase activity is exhibited after at least 5 hours, 6 hours, 7 hours, 8 hours, 9 hours, 10 hours, 11 hours, 12 hours, 24 hours, 2 days, 3 days, 4 days, 5 days, 6 days, 7 days, 8 days, 9 days, 10 days, 11 days, 12 days, 13 days, 14 days, 3 weeks, 4 weeks or more in the presence of the preservative(s) compared to the hyaluronidase activity of the modified PH20 polypeptide in the absence of preservative for the same time period and under the same conditions except for the presence of preservative(s).

In examples of a modified PH20 polypeptide that exhibits increased stability to a phenolic preservative, increased stability in a phenolic preservative can be exhibited under temperature conditions that include any temperature between, for example, 0 °C and 40 °C, such as between or about between 0 °C to 40 °C, 2 °C to 6 °C, 24 °C to 32 °C and 35 °C to 40 °C. Exemplary polypeptides exhibit increased stability at temperatures of between or about between 30 °C to 45 °C, 35 °C to 45 °C, 30 °C to 37 °C, 35 °C to 37 °C or 37 °C to 42 °C, each inclusive. The particular modified PH20 polypeptide and conditions depend upon the intended formulation, conditions to which the formulation will be exposed and/or intended application.

Particular and exemplary modified PH20 polypeptides that exhibit increased stability, such as increased stability to a phenolic preservative, include those that contain a single amino acid modification, such as a replacement, and combinations of modifications, such as at least or 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 30, 40, 50, 60, 70, 80, 90, 100 and more modifications. These include modified PH20 polypeptides that contain one or more amino acid replacements, where at least one replacement is at an amino acid position corresponding (*i.e.*, by alignment) to a position selected from among 10, 12, 20, 22, 26, 34, 36, 46, 50, 52, 58, 68, 70, 74, 82, 83, 84, 86, 97, 127, 131, 138, 142, 143, 144, 166, 169, 174, 193, 195, 196, 204, 205, 206, 213, 219, 234, 237, 238, 240, 249, 261, 267, 277, 279, 291, 309, 310, 314, 315, 317, 318, 347, 367, 375, 376, 399, 401, 407, 416, 419, 421, 431, 433, 439, 440, 443 or 445 with reference to amino acid positions set forth in SEQ ID NO:3, wherein corresponding amino acid positions are identified by alignment of the PH20 polypeptide with the polypeptide set forth in SEQ ID NO:3. Exemplary of such modifications are at least one amino acid replacement selected from among replacement with: glycine (G) at a position corresponding to position 10; K at a position corresponding to position 12; S at a position corresponding to position 20; T at a position corresponding to position 22; M at a position corresponding to position 26; W at a position corresponding to position 34; N at a position corresponding to position 36; L at a position corresponding to position 46; M at a position

corresponding to position 50; T at a position corresponding to position 52; S at a position corresponding to position 52; C at a position corresponding to position 58; K at a position corresponding to position 58; R at a position corresponding to position 58; N at a position corresponding to position 58; Y at a position corresponding to position 58; P at a position corresponding to position 58; H at a position corresponding to position 58; P at a position corresponding to position 68; V at a position corresponding to position 70; E at a position corresponding to position 74; L at a position corresponding to position 82; N at a position corresponding to position 82; V at a position corresponding to position 83; Q at a position corresponding to position 83; S at a position corresponding to position 83; G at a position corresponding to position 83; N at a position corresponding to position 84; A at a position corresponding to position 86; K at a position corresponding to position 86; E at a position corresponding to position 97; L at a position corresponding to position 97; R at a position corresponding to position 127; R at a position corresponding to position 131; L at a position corresponding to position 138; K at a position corresponding to position 142; N at a position corresponding to position 142; P at a position corresponding to position 142; S at a position corresponding to position 142; T at a position corresponding to position 142; G at a position corresponding to position 143; K at a position corresponding to position 143; T at a position corresponding to position 144; Q at a position corresponding to position 166; T at a position corresponding to position 166; L at a position corresponding to position 169; G at a position corresponding to position 174; N at a position corresponding to position 174; Q at a position corresponding to position 193; T at a position corresponding to position 195; N at a position corresponding to position 195; E at a position corresponding to position 196; R at a position corresponding to position 196; P at a position corresponding to position 204; A at a position corresponding to position 205; E at a position corresponding to position 205; I at a position corresponding to position 206; A at a position corresponding to position 213; I at a position corresponding to position 219; M at a position corresponding to position 234; T at a position corresponding to position 237; H at a position corresponding to position 238; Q at a position corresponding to position 240; V at a position corresponding to position 249; A at a position corresponding to position 261; K at a position corresponding to position 261; T at a position corresponding to position 267; K at a position corresponding to position 277; H at a position corresponding to position 279; V at a position corresponding to position 279; V at a position corresponding to position 291; E at a position corresponding to position 309; Q at a position corresponding to position 310; Y at a position corresponding to position 314; Y at a position corresponding to position 315; N at a position corresponding to position 317; W at a position corresponding to position 317; D at a position corresponding to position 318; G at a position

corresponding to position 347; A at a position corresponding to position 367; R at a position corresponding to position 375; R at a position corresponding to position 376; V at a position corresponding to position 399; E at a position corresponding to position 401; A at a position corresponding to position 407; L at a position corresponding to position 416; K at a position corresponding to position 419; H at a position corresponding to position 421; E at a position corresponding to position 431; T at a position corresponding to position 433; V at a position corresponding to position 433; C at a position corresponding to position 439; P at a position corresponding to position 440; G at a position corresponding to position 443; N at a position corresponding to position 445, with reference to amino acid residue positions set forth in SEQ ID NO:3. For example, the modified PH20 polypeptide can contain at least one amino acid replacement selected from among replacement with: T at a position corresponding to position 52, K at a position corresponding to position 58, R at a position corresponding to position 58, P at a position corresponding to position 68, V at a position corresponding to position 83, P at a position corresponding to position 204, A at a position corresponding to position 261, T at a position corresponding to position 267, K at a position corresponding to position 277 and H at a position corresponding to position 421, with reference to amino acid residue positions set forth in SEQ ID NO:3. An exemplary modified PH20 polypeptide is one that includes P (or a conservative amino acid thereto) at a position corresponding to position 204 in a PH20 polypeptide with reference to amino acid residue positions set forth in SEQ ID NO:3.

Thus, provided herein are modified PH20 polypeptides that exhibit increased stability in the presence of a phenolic preservative containing an amino acid replacement in a PH20 polypeptide that confers the increased stability, wherein stability is increased compared to the unmodified polypeptide without the amino acid replacement, and the unmodified PH20 polypeptide has the sequence of amino acids set forth in SEQ ID NO: 7 or is a C-terminal truncated fragment thereof that is a soluble PH20 polypeptide or has at least 85% sequence identity thereto. For example, the unmodified PH20 polypeptide is a soluble PH20 polypeptide that has the sequence of amino acids set forth in any of SEQ ID NOS: 3 or 32-66. In particular examples, the modified PH20 polypeptide has at least 85% sequence identity to SEQ ID NO:3. In any of such examples of a modified PH20 polypeptide, the polypeptide contains 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48,49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75 or more amino acid replacements. In examples herein, the modified PH20 polypeptide is a human PH20.

The modified PH20 polypeptide exhibits stability in the presence of phenolic preservatives if it exhibits at least 15% of the hyaluronidase activity in the presence of a preservative(s) for at least 4 hours compared to the hyaluronidase activity in the absence of the phenolic preservative(s), wherein the activity is compared under the same conditions except for the presence of the phenolic preservative(s). In any of the above examples, the modified PH20 polypeptide is stable in the presence of an of an anti-microbial effective amount of one or more phenolic preservatives, such as a total amount of one or more phenolic preservative agents as a percentage (%) of mass concentration (w/v) that is from or from about 0.05% to 0.6%, 0.1% to 0.4%, 0.1% to 0.3%, 0.15% to 0.325%, 0.15% to 0.25%, 0.1% to 0.2%, 0.2% to 0.3% or 0.3% to 0.4%, inclusive. The phenolic preservative can be a phenol, metacresol (m-cresol), benzyl alcohol or a paraben, such as m-cresol, phenol, or m-cresol and phenol. The amino acid replacement can be at amino acid residue 204, 58, 10, 12, 20, 22, 26, 34, 36, 46, 50, 52, 68, 70, 74, 82, 83, 84, 86, 97, 127, 131, 138, 142, 143, 144, 166, 169, 174, 193, 195, 196, 205, 206, 213, 219, 234, 237, 238, 240, 249, 261, 267, 277, 279, 291, 309, 310, 314, 315, 317, 318, 347, 367, 375, 376, 399, 401, 407, 416, 419, 421, 431, 433, 439, 440, 443 or 445 with reference to amino acid positions set forth in SEQ ID NO:3, wherein corresponding amino acid positions are identified by alignment of the PH20 polypeptide with the polypeptide set forth in SEQ ID NO:3. For example, the amino acid replacement is G at a position corresponding to position 10; K at a position corresponding to position 12; S at a position corresponding to position 20; T at a position corresponding to position 22; M at a position corresponding to position 26; W at a position corresponding to position 34; N at a position corresponding to position 36; L at a position corresponding to position 46; M at a position corresponding to position 50; T at a position corresponding to position 52; S at a position corresponding to position 52; C at a position corresponding to position 58; K at a position corresponding to position 58; R at a position corresponding to position 58; N at a position corresponding to position 58; Y at a position corresponding to position 58; P at a position corresponding to position 58; H at a position corresponding to position 58; P at a position corresponding to position 68; V at a position corresponding to position 70; E at a position corresponding to position 74; L at a position corresponding to position 82; N at a position corresponding to position

82; V at a position corresponding to position 83; Q at a position corresponding to position 83; S at a position corresponding to position 83; G at a position corresponding to position 83; N at a position corresponding to position 84; A at a position corresponding to position 86; K at a position corresponding to position 86; E at a position corresponding to position 97; L at a position corresponding to position 97; R at a position corresponding to position 127; R at a position corresponding to position 131; L at a position corresponding to position 138; K at a position corresponding to position 142; N at a position corresponding to position 142; P at a position corresponding to position 142; S at a position corresponding to position 142; T at a position corresponding to position 142; G at a position corresponding to position 143; K at a position corresponding to position 143; T at a position corresponding to position 144; Q at a position corresponding to position 166; T at a position corresponding to position 166; L at a position corresponding to position 169; G at a position corresponding to position 174; N at a position corresponding to position 174; Q at a position corresponding to position 193; T at a position corresponding to position 195; N at a position corresponding to position 195; E at a position corresponding to position 196; R at a position corresponding to position 196; P at a position corresponding to position 204; A at a position corresponding to position 205; E at a position corresponding to position 205; I at a position corresponding to position 206; A at a position corresponding to position 213; I at a position corresponding to position 219; M at a position corresponding to position 234; T at a position corresponding to position 237; H at a position corresponding to position 238; Q at a position corresponding to position 240; V at a position corresponding to position 249; A at a position corresponding to position 261; K at a position corresponding to position 261; T at a position corresponding to position 267; K at a position corresponding to position 277; H at a position corresponding to position 279; V at a position corresponding to position 279; V at a position corresponding to position 291; E at a position corresponding to position 309; Q at a position corresponding to position 310; Y at a position corresponding to position 314; Y at a position corresponding to position 315; N at a position corresponding to position 317; W at a position corresponding to position 317; D at a position corresponding to position 318; G at a position corresponding to position 347; A at a

position corresponding to position 367; R at a position corresponding to position 375; R at a position corresponding to position 376; V at a position corresponding to position 399; E at a position corresponding to position 401; A at a position corresponding to position 407; L at a position corresponding to position 416; K at a position corresponding to position 419; H at a position corresponding to position 421; E at a position corresponding to position 431; T at a position corresponding to position 433; V at a position corresponding to position 433; C at a position corresponding to position 439; P at a position corresponding to position 440; G at a position corresponding to position 443; or N at a position corresponding to position 445, with reference to amino acid residue positions set forth in SEQ ID NO:3. In particular, the amino acid replacement is T at a position corresponding to position 52, K at a position corresponding to position 58, R at a position corresponding to position 58, P at a position corresponding to position 68, V at a position corresponding to position 83, P at a position corresponding to position 204, A at a position corresponding to position 261, T at a position corresponding to position 267, K at a position corresponding to position 277 or H at a position corresponding to position 421, with reference to amino acid residue positions set forth in SEQ ID NO:3, such as replacement with P at a position corresponding to position 204 or R at a position corresponding to position 58. The modified PH20 polypeptide that exhibits increased stability to phenolic preservatives can be substantially purified or isolated. The modified PH20 polypeptide that exhibits increased stability to phenolic preservatives can be modified by glycosylation, sialation, albumination, farnysylation, carboxylation, hydroxylation and phosphorylation, and generally is glycosylated, whereby the polypeptide comprises at least an N-acetylglucosamine moiety linked to each of at least three asparagine (N) residues, such as at amino acid residues corresponding to amino acid residues 200, 333 and 358 of SEQ ID NO:3. The modified PH20 polypeptide that exhibits increased stability to phenolic preservatives can be conjugated to a polymer, such as PEG or dextran and/or can be conjugated to a moiety that is a multimerization domain, a toxin, a detectable label or a drug.

Among modified PH20 polypeptides provided herein that exhibit increased stability are those that exhibit increased hyaluronidase activity at the elevated temperature compared to the PH20 polypeptide not containing the amino acid replacement(s), such as at least 110%,

120%, 130%, 140%, 150%, 160%, 170%, 180%, 190%, 200%, 300%, 400%, 500% or more hyaluronidase activity for at least 4 hours compared to the PH20 polypeptide not containing the amino acid replacement(s). Also among the polypeptides are those that exhibit activity, but also typically exhibit increased stability or other property at elevated temperatures, such as a modified PH20 polypeptide that exhibits at least 95%, 96%, 97%, 98%, 99%, 100%, 110%, 120%, 130%, 140%, 150%, 160%, 170%, 180%, 190%, 200%, 300%, 400%, 500% of the hyaluronidase activity for at least 4 hours at a temperature of between or about between 32 °C to 37 °C compared to the hyaluronidase activity of the modified PH20 polypeptide at a temperature of between or about between 2 °C to 8 °C, where activity is compared under the same conditions except for the differences in temperature. The hyaluronidase activity can be exhibited after at least 5 hours, 6 hours, 7 hours, 8 hours, 9 hours, 10 hours, 11 hours, 12 hours, 24 hours, 2 days, 3 days, 4 days, 5 days, 6 days, 7 days, 8 days, 9 days, 10 days, 11 days, 12 days, 13 days, 14 days, 3 weeks, 4 weeks or more at elevated temperatures of between or about between 32 °C to 37 °C compared to the hyaluronidase activity of the modified PH20 polypeptide at a temperature between or about between 2 °C to 8 °C, where activity is compared for the same time period and under the same conditions except for the difference in temperature. Exemplary of such modified polypeptides are those that contain at least one amino acid replacement at an amino acid position corresponding to a position selected from among 1, 11, 12, 14, 20, 26, 29, 34, 50, 58, 70, 82, 83, 84, 86, 87, 140, 142, 143, 147, 152, 166, 167, 172, 174, 178, 193, 195, 206, 212, 213, 219, 233, 237, 240, 267, 277, 291, 292, 309, 313, 314, 317, 318, 347, 367, 368, 371, 374, 389, 392, 395, 396, 406, 419, 421, 439 and 443 with reference to amino acid positions set forth in SEQ ID NO:3, wherein corresponding amino acid positions are identified by alignment of the PH20 polypeptide with the polypeptide set forth in SEQ ID NO:3. Exemplary mutations include, for example, replacement with R at a position corresponding to position 1; S at a position corresponding to position 11; I at a position corresponding to position 12; V at a position corresponding to position 14; S at a position corresponding to position 20; M at a position corresponding to position 26; with R at a position corresponding to position 29; W at a position corresponding to position 34; M at a position corresponding to position 50; K at a position corresponding to position 58; Q at a position corresponding to position 58; Q at a position corresponding to position 58; V at a position corresponding to position 70; L at a position corresponding to position 82; Q at a position corresponding to position 83; R at a position corresponding to position 84; A at a position corresponding to position 86; S at a position corresponding to position 87; K at a position corresponding to position 140; S at a position corresponding to position 142; T at a position corresponding to position 142; K at a position corresponding to

position 143; S at a position corresponding to position 147; T at a position corresponding to position 152; T at a position corresponding to position 166; D at a position corresponding to position 167; A at a position corresponding to position 172; G at a position corresponding to position 174; N at a position corresponding to position 174; R at a position corresponding to position 178; Q at a position corresponding to position 193; T at a position corresponding to position 195; I at a position corresponding to position 206; S at a position corresponding to position 212; A at a position corresponding to position 213; I at a position corresponding to position 219; G at a position corresponding to position 233; T at a position corresponding to position 237; A at a position corresponding to position 240; Q at a position corresponding to position 240; T at a position corresponding to position 267; E at a position corresponding to position 277; S at a position corresponding to position 291; H at a position corresponding to position 292; V at a position corresponding to position 292; S at a position corresponding to position 309; H at a position corresponding to position 313; S at a position corresponding to position 314; I at a position corresponding to position 317; T at a position corresponding to position 317; W at a position corresponding to position 317; R at a position corresponding to position 318; G at a position corresponding to position 347; A at a position corresponding to position 367; R at a position corresponding to position 368; S at a position corresponding to position 371; P at a position corresponding to position 374; A at a position corresponding to position 389; V at a position corresponding to position 392; A at a position corresponding to position 395; H at a position corresponding to position 396; N at a position corresponding to position 406; H at a position corresponding to position 419; K at a position corresponding to position 419; R at a position corresponding to position 421; S at a position corresponding to position 421; A at a position corresponding to position 439; C at a position corresponding to position 439; and G at a position corresponding to position 443, with reference to amino acid positions set forth in SEQ ID NO:3. In particular examples provided herein, any of such modified PH20 polypeptides contain a single amino acid modification, such as a replacement, and combinations of modifications, such as at least or 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 30, 40, 50, 60, 70, 80, 90, 100 and more modifications. The modification, such as replacement, can be in an unmodified PH20 polypeptide that has the sequence of amino acids set forth in SEQ ID NO: 7 or is a C-terminal truncated fragment thereof that is a soluble PH20 polypeptide, such as is set forth in any of SEQ ID NOS: 3 or 32-66, or has at least 85% sequence identity thereto. For example, any of such modified PH20 polypeptides has at least 85% sequence identity to SEQ ID NO:3.

Also provided are modified PH20 polypeptides that exhibit increased stability in low salt conditions, such as, for example, concentrations of NaCl of less than 100 mM, such as,

but not limited to concentrations of NaCl less than 90 mM, 80 mM, 70 mM, 60 mM, 50 mM, 40 mM, 30 mM, 25 mM, 20 mM, 15 mM, 10 mM, 5 mM or less. Among the modified PH20 polypeptides are those that exhibit increased hyaluronidase activity at lower concentrations of salt compared to the PH20 polypeptide not containing the amino acid replacement(s). Such activity includes, for example, at least more than 100%, or at least 110%, 120%, 130%, 140%, 150%, 160%, 170%, 180%, 190%, 200%, 300%, 400%, 500% or more hyaluronidase activity compared to the PH20 polypeptide not containing the amino acid replacement(s). Exemplary of such modified PH20 polypeptides are those that exhibit at least 60% of the hyaluronidase activity in low concentrations of salt, such as between or about between 10 mM NaCl and 100 mM NaCl, inclusive (or comparable concentrations of other salts or mixtures of salts), compared to the hyaluronidase activity of the modified PH20 polypeptide in 150 mM NaCl, where activities are compared under the same conditions except for the difference in salt concentration. In particular examples provided herein, any of such modified PH20 polypeptides contain a single amino acid modification, such as a replacement, and combinations of modifications, such as at least or 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 30, 40, 50, 60, 70, 80, 90, 100 and more modifications. The modification, such as replacement, can be in an unmodified PH20 polypeptide that has the sequence of amino acids set forth in SEQ ID NO: 7 or is a C-terminal truncated fragment thereof that is a soluble PH20 polypeptide, such as is set forth in any of SEQ ID NOS: 3 or 32-66, or has at least 85% sequence identity thereto. For example, any of such modified PH20 polypeptides has at least 85% sequence identity to SEQ ID NO:3.

Also provided are modified PH20 polypeptides that contain at least one amino acid replacement in a PH20 polypeptide, where the modified PH20 polypeptide exhibits increased hyaluronidase activity compared to the PH20 polypeptide not containing the amino acid replacement. When comparing activity among polypeptides, activity is compared under the same conditions. Among these are polypeptides, where the unmodified PH20 exhibits at least 68%, 70%, 75%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% amino acid sequence identity to the sequence of amino acids set forth in SEQ ID NO:3, or the resulting modified PH20 exhibits such sequence identity to the sequence of amino acids set forth in SEQ ID NO:3. Exemplary of such modified PH20 polypeptides are any that contain an amino acid replacement(s) in the sequence of amino acids set forth in any of SEQ ID NOS: 3, 7, 10, 12, 14, 24, 32-66, 69, or 72, or a sequence of amino acids that is at least 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% identical to any of SEQ ID NOS: 3, 7, 10, 12, 14, 24, 32-66, 69, or 72. The amino acid replacement(s) also can be made in the sequence of amino acids set

forth in any of SEQ ID NOS: 857, 859, 861 or 870, or a sequence of amino acids that is at least 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% identical to any of SEQ ID NOS: 857, 859, 861 or 870. In particular, provided are modified PH20 polypeptides that contain an amino acid replacement in the sequence of amino acids set forth in SEQ ID NOS: 3, 7, 32-66, 69 or 72. Among the modified PH20 polypeptides are those that that exhibit at least 120%, 130%, 135%, 140%, 145%, 150%, 160%, 170%, 180%, 200%, 250%, 300%, 350%, 400%, 500%, 1500%, 2000%, 3000%, 4000%, 5000% or more of the hyaluronidase activity of the PH20 polypeptide not containing the amino acid replacement. Activity can be assessed at any temperature, in particular such activity is present when the hyaluronidase is exposed to a temperature that is at a temperature between or about between 2 °C to 8 °C. These modified PH20 polypeptides contain at least one amino acid replacement at an amino acid position corresponding to a position selected from among 1, 12, 15, 24, 26, 27, 29, 30, 31, 32, 33, 37, 39, 46, 48, 52, 58, 63, 67, 68, 69, 70, 71, 72, 73, 74, 75, 84, 86, 87, 92, 93, 94, 97, 118, 120, 127, 131, 135, 141, 142, 147, 148, 150, 151, 152, 155, 156, 163, 164, 165, 166, 169, 170, 174, 198, 206, 209, 212, 213, 215, 219, 233, 234, 236, 238, 247, 257, 259, 260, 261, 263, 269, 271, 272, 276, 277, 278, 282, 291, 293, 305, 308, 309, 310, 313, 315, 317, 318, 320, 324, 325, 326, 328, 347, 353, 359, 371, 377, 380, 389, 392, 395, 399, 405, 407, 409, 410, 418, 419, 421, 425, 431, 433, 436, 437, 438, 439, 440, 441, 442, 443, 445, 446 and 447 with reference to amino acid positions set forth in SEQ ID NO:3, wherein corresponding amino acid positions are identified by alignment of the PH20 polypeptide with the polypeptide set forth in SEQ ID NO:3. Exemplary modifications include at least one amino acid replacement selected from among replacement with: histidine (H) at a position corresponding to position 1; Q at a position corresponding to position 1; E at a position corresponding to position 12; T at a position corresponding to position 12; V at a position corresponding to position 15; E at a position corresponding to position 24; H at a position corresponding to position 24; E at a position corresponding to position 26; K at a position corresponding to position 26; K at a position corresponding to position 27; R at a position corresponding to position 27; E at a position corresponding to position 29; I at a position corresponding to position 29; L at a position corresponding to position 29; M at a position corresponding to position 29; P at a position corresponding to position 29; S at a position corresponding to position 29; V at a position corresponding to position 29; G at a position corresponding to position 30; H at a position corresponding to position 30; K at a position corresponding to position 30; M at a position corresponding to position 30; R at a position corresponding to position 30; S at a position corresponding to position 30; A at a position corresponding to position 31; C at a position corresponding to position 31; H at a

position corresponding to position 31; I at a position corresponding to position 31; K at a position corresponding to position 31; L at a position corresponding to position 31; P at a position corresponding to position 31; R at a position corresponding to position 31; S at a position corresponding to position 31; T at a position corresponding to position 31; V at a position corresponding to position 31; F at a position corresponding to position 32; G at a position corresponding to position 32; H at a position corresponding to position 32; W at a position corresponding to position 33; F at a position corresponding to position 37; N at a position corresponding to position 39; T at a position corresponding to position 39; R at a position corresponding to position 46; F at a position corresponding to position 48; H at a position corresponding to position 48; N at a position corresponding to position 48; Q at a position corresponding to position 52; K at a position corresponding to position 58; Q at a position corresponding to position 58; W at a position corresponding to position 63; V at a position corresponding to position 67; H at a position corresponding to position 68; Q at a position corresponding to position 68; A at a position corresponding to position 69; C at a position corresponding to position 69; F at a position corresponding to position 69; G at a position corresponding to position 69; I at a position corresponding to position 69; L at a position corresponding to position 69; M at a position corresponding to position 69; P at a position corresponding to position 69; R at a position corresponding to position 69; W at a position corresponding to position 69; Y at a position corresponding to position 69; A at a position corresponding to position 70; C at a position corresponding to position 70; F at a position corresponding to position 70; G at a position corresponding to position 70; H at a position corresponding to position 70; K at a position corresponding to position 70; L at a position corresponding to position 70; N at a position corresponding to position 70; P at a position corresponding to position 70; R at a position corresponding to position 70; S at a position corresponding to position 70; T at a position corresponding to position 70; V at a position corresponding to position 70; R at a position corresponding to position 71; S at a position corresponding to position 71; M at a position corresponding to position 72; Q at a position corresponding to position 72; H at a position corresponding to position 73; L at a position corresponding to position 73; W at a position corresponding to position 73; A at a position corresponding to position 74; C at a position corresponding to position 74; G at a position corresponding to position 74; N at a position corresponding to position 74; P at a position corresponding to position 74; R at a position corresponding to position 74; S at a position corresponding to position 74; V at a position corresponding to position 74; W at a position corresponding to position 74; F at a position corresponding to position 75; L at a position corresponding to position 75; R at a position corresponding to position 75; T at a

position corresponding to position 75; G at a position corresponding to position 84; R at a position corresponding to position 84; A at a position corresponding to position 86; C at a position corresponding to position 87; T at a position corresponding to position 87; Y at a position corresponding to position 87; C at a position corresponding to position 92; I at a position corresponding to position 93; L at a position corresponding to position 93; R at a position corresponding to position 93; T at a position corresponding to position 93; R at a position corresponding to position 94; G at a position corresponding to position 97; Q at a position corresponding to position 118; F at a position corresponding to position 120; V at a position corresponding to position 120; Y at a position corresponding to position 120; H at a position corresponding to position 127; N at a position corresponding to position 127; G at a position corresponding to position 131; R at a position corresponding to position 131; V at a position corresponding to position 131; D at a position corresponding to position 135; G at a position corresponding to position 135; R at a position corresponding to position 135, with H at a position corresponding to position 141; Y at a position corresponding to position 141; R at a position corresponding to position 142; R at a position corresponding to position 147; V at a position corresponding to position 147; K at a position corresponding to position 148; G at a position corresponding to position 150; K at a position corresponding to position 151; L at a position corresponding to position 151; M at a position corresponding to position 151; Q at a position corresponding to position 151; R at a position corresponding to position 151; R at a position corresponding to position 152; G at a position corresponding to position 155; K at a position corresponding to position 155; D at a position corresponding to position 156; A at a position corresponding to position 163; E at a position corresponding to position 163; K at a position corresponding to position 163; R at a position corresponding to position 163; M at a position corresponding to position 164; D at a position corresponding to position 165; N at a position corresponding to position 165; A at a position corresponding to position 166; F at a position corresponding to position 166; H at a position corresponding to position 166; L at a position corresponding to position 166; Q at a position corresponding to position 166; R at a position corresponding to position 166; T at a position corresponding to position 166; Y at a position corresponding to position 166; L at a position corresponding to position 169; R at a position corresponding to position 170; K at a position corresponding to position 174; D at a position corresponding to position 198; K at a position corresponding to position 206; L at a position corresponding to position 206; N at a position corresponding to position 212; M at a position corresponding to position 213; N at a position corresponding to position 213; M at a position corresponding to position 215; S at a position corresponding to position 219; K at a position corresponding to position 233; R at a position corresponding to position 233; M

at a position corresponding to position 234; R at a position corresponding to position 236; E at a position corresponding to position 237; S at a position corresponding to position 238; I at a position corresponding to position 247; T at a position corresponding to position 257; P at a position corresponding to position 259; Y at a position corresponding to position 260; K at a position corresponding to position 261; N at a position corresponding to position 261; K at a position corresponding to position 263; R at a position corresponding to position 263; A at a position corresponding to position 269; L at a position corresponding to position 271; M at a position corresponding to position 271; T at a position corresponding to position 272; D at a position corresponding to position 276; S at a position corresponding to position 276; Y at a position corresponding to position 276; K at a position corresponding to position 277; R at a position corresponding to position 277; T at a position corresponding to position 277; H at a position corresponding to position 278; K at a position corresponding to position 278; N at a position corresponding to position 278; R at a position corresponding to position 278; S at a position corresponding to position 278; T at a position corresponding to position 278; Y at a position corresponding to position 278; M at a position corresponding to position 282; V at a position corresponding to position 291; A at a position corresponding to position 293; C at a position corresponding to position 293; F at a position corresponding to position 293; M at a position corresponding to position 293; P at a position corresponding to position 293; Q at a position corresponding to position 293; V at a position corresponding to position 293; E at a position corresponding to position 305; G at a position corresponding to position 308; N at a position corresponding to position 308; E at a position corresponding to position 309; L at a position corresponding to position 309; N at a position corresponding to position 309; Q at a position corresponding to position 309; R at a position corresponding to position 309; T at a position corresponding to position 309; A at a position corresponding to position 310; G at a position corresponding to position 310; K at a position corresponding to position 313; R at a position corresponding to position 313; H at a position corresponding to position 315; I at a position corresponding to position 317; K at a position corresponding to position 317; R at a position corresponding to position 317; M at a position corresponding to position 318; H at a position corresponding to position 320; K at a position corresponding to position 320; R at a position corresponding to position 320; R at a position corresponding to position 324; A at a position corresponding to position 325; D at a position corresponding to position 325; E at a position corresponding to position 325; G at a position corresponding to position 325; H at a position corresponding to position 325; K at a position corresponding to position 325; M at a position corresponding to position 325; N at a position corresponding to position 325; Q at a position corresponding to position 325; S at a position corresponding to position 325; V at a

position corresponding to position 326; I at a position corresponding to position 328; K at a position corresponding to position 328; L at a position corresponding to position 328; S at a position corresponding to position 328; Y at a position corresponding to position 328; G at a position corresponding to position 347; S at a position corresponding to position 347; V at a position corresponding to position 353; with T at a position corresponding to position 359; R at a position corresponding to position 371; P at a position corresponding to position 377; T at a position corresponding to position 377; W at a position corresponding to position 380; Y at a position corresponding to position 380; K at a position corresponding to position 389; M at a position corresponding to position 392; R at a position corresponding to position 395; M at a position corresponding to position 399; T at a position corresponding to position 399; W at a position corresponding to position 399; G at a position corresponding to position 405; D at a position corresponding to position 407; Q at a position corresponding to position 407; A at a position corresponding to position 409; Q at a position corresponding to position 409; T at a position corresponding to position 410; P at a position corresponding to position 418; F at a position corresponding to position 419; I at a position corresponding to position 419; K at a position corresponding to position 419; R at a position corresponding to position 419; S at a position corresponding to position 419; H at a position corresponding to position 421; K at a position corresponding to position 421; N at a position corresponding to position 421; Q at a position corresponding to position 421; R at a position corresponding to position 421; S at a position corresponding to position 421; K at a position corresponding to position 425; A at a position corresponding to position 431; H at a position corresponding to position 431; K at a position corresponding to position 431; Q at a position corresponding to position 431; R at a position corresponding to position 431; S at a position corresponding to position 431; V at a position corresponding to position 431; L at a position corresponding to position 433; R at a position corresponding to position 433; T at a position corresponding to position 433; V at a position corresponding to position 433; K at a position corresponding to position 436; I at a position corresponding to position 437; M at a position corresponding to position 437; T at a position corresponding to position 438; V at a position corresponding to position 439; H at a position corresponding to position 440; R at a position corresponding to position 440; F at a position corresponding to position 441; R at a position corresponding to position 442; A at a position corresponding to position 443; M at a position corresponding to position 443; M at a position corresponding to position 445; P at a position corresponding to position 445; A at a position corresponding to position 446; D at a position corresponding to position 447; N at a position corresponding to position 447; and/or with Q at a position corresponding to position 447, with reference to amino acid positions set forth in SEQ ID NO:3.

Among the polypeptides that exhibit increased hyaluronidase activity are those that exhibit at least 2.0-fold of the hyaluronidase activity of the PH20 polypeptide not containing the amino acid replacement. For example, among these are modified PH20 polypeptides that contain at least one amino acid replacement at an amino acid position corresponding to a position selected from among 24, 29, 31, 48, 58, 69, 70, 75, 84, 97, 165, 166, 271, 278, 317, 320, 325 and 326 with reference to positions set forth in SEQ ID NO:3, wherein corresponding amino acid positions are identified by alignment of the PH20 polypeptide with the polypeptide set forth in SEQ ID NO:3, such as modified PH20 polypeptides that contain at least one amino acid replacement selected from among replacement with: E at a position corresponding to position 24; E at a position corresponding to position 29; V at a position corresponding to position 31; N at a position corresponding to position 48; K at a position corresponding to position 58; Q at a position corresponding to position 58; A at a position corresponding to position 69; F at a position corresponding to position 69; G at a position corresponding to position 69; P at a position corresponding to position 69; R at a position corresponding to position 69; A at a position corresponding to position 70; F at a position corresponding to position 70; G at a position corresponding to position 70; H at a position corresponding to position 70; H at a position corresponding to position 70; N at a position corresponding to position 70; R at a position corresponding to position 70; T at a position corresponding to position 70; V at a position corresponding to position 70; L at a position corresponding to position 75; T at a position corresponding to position 75; G at a position corresponding to position 84; G at a position corresponding to position 97; D at a position corresponding to position 165; L at a position corresponding to position 166; R at a position corresponding to position 166; T at a position corresponding to position 166; L at a position corresponding to position 271; H at a position corresponding to position 278; R at a position corresponding to position 278; K at a position corresponding to position 317; K at a position corresponding to position 320; E at a position corresponding to position 325, with G at a position corresponding to position 325; K at a position corresponding to position 325; N at a position corresponding to position 325; Q at a position corresponding to position 325; and V at a position corresponding to position 326; with reference to amino acid positions set forth in SEQ ID NO:3.

Among any of the polypeptides provided herein that exhibit increased hyaluronidase activity, any of such modified PH20 polypeptides contain a single amino acid modification, such as a replacement, and combinations of modifications, such as at least or 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 30, 40, 50, 60, 70, 80, 90, 100 and more modifications. The modification, such as replacement, can be in an unmodified PH20

polypeptide that has the sequence of amino acids set forth in SEQ ID NO: 7 or is a C-terminal truncated fragment thereof that is a soluble PH20 polypeptide, such as is set forth in any of SEQ ID NOS: 3 or 32-66, or has at least 85% sequence identity thereto. For example, any of such modified PH20 polypeptides has at least 85% sequence identity to SEQ ID NO:3.

Also provided are modified PH20 polypeptides that contain at least one amino acid replacement in the PH20 polypeptide whose sequence is set forth in SEQ ID NO:7, a C-terminally truncated fragment thereof, a soluble fragment thereof, or in a PH20 polypeptide that has a sequence of amino acids that is at least 91% identical to the sequence of amino acids set forth in SEQ ID NO:7, where at least one amino replacement(s) is at an amino acid position corresponding to a position selected from among 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 14, 15, 20, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 54, 58, 59, 60, 61, 63, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 77, 79, 81, 82, 83, 84, 85, 86, 87, 89, 90, 91, 92, 93, 94, 96, 97, 98, 99, 102, 103, 104, 105, 106, 107, 108, 110, 114, 117, 118, 119, 120, 122, 124, 125, 127, 128, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 186, 192, 193, 195, 196, 197, 198, 200, 202, 204, 205, 206, 208, 209, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 224, 226, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 242, 245, 247, 248, 251, 253, 255, 256, 257, 258, 259, 260, 261, 263, 264, 265, 266, 267, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 297, 298, 300, 301, 302, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 320, 321, 323, 324, 325, 326, 327, 328, 331, 334, 335, 338, 339, 342, 343, 347, 348, 349, 351, 353, 356, 357, 358, 359, 360, 361, 367, 368, 369, 371, 373, 374, 375, 376, 377, 378, 379, 380, 381, 383, 385, 387, 388, 389, 391, 392, 393, 394, 395, 396, 397, 398, 399, 401, 403, 404, 405, 406, 407, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 425, 426, 427, 428, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446 and 447 with reference to amino acid positions set forth in SEQ ID NO:3 or 7, where corresponding amino acid positions are identified by alignment of the PH20 polypeptide with the polypeptide set forth in SEQ ID NO:3; and provided that if the modified PH20 polypeptide contains an amino acid replacement at a position corresponding to position 13, 47, 131, or 219 the replacement is not replacement with an Alanine (A). Among these modified PH20 polypeptides are those that exhibit at least 40% of the hyaluronidase activity of the PH20 polypeptide not containing the amino acid replacement, where, as in all instances herein activity is compared under the same conditions.

Included among these polypeptides are those that contain an amino acid replacement in the sequence of amino acids set forth in any of SEQ ID NOS: 3, 7, 32-66, 69 and 72, or in a sequence of amino acids that exhibits at least 91% sequence identity to any of SEQ ID NOS: 3, 7, 32-66, 69, or 72. In particular, the modified PH20 polypeptide contains amino acid replacements in SEQ ID NO: 3, 7, 32-66, 69, or 72, which are polypeptides that are a C-terminally truncated fragment of SEQ ID NO:7, or a PH20 polypeptide that has a sequence of amino acids that is at least 91% identical to the sequence of amino acids set forth in SEQ ID NO:7. In particular, among any of such modified PH20 polypeptides provided herein are any including those in which the amino acid replacement is an amino acid replacement set forth in Table 3 below. For example, such modified PH20 polypeptides include those that have at least one amino acid replacement at an amino acid position corresponding to a position selected from among 1, 6, 8, 9, 10, 11, 12, 14, 15, 20, 22, 24, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 46, 47, 48, 49, 50, 52, 58, 59, 63, 67, 68, 69, 70, 71, 72, 73, 74, 75, 79, 82, 83, 84, 86, 87, 89, 90, 92, 93, 94, 97, 102, 104, 107, 114, 118, 120, 127, 128, 130, 131, 132, 135, 138, 139, 140, 141, 142, 143, 144, 146, 147, 148, 149, 150, 151, 152, 155, 156, 158, 160, 162, 163, 164, 165, 166, 167, 169, 170, 172, 173, 174, 175, 178, 179, 193, 195, 196, 198, 204, 205, 206, 209, 212, 213, 215, 219, 220, 221, 222, 232, 233, 234, 235, 236, 237, 238, 240, 247, 248, 249, 257, 258, 259, 260, 261, 263, 267, 269, 271, 272, 273, 274, 276, 277, 278, 279, 282, 283, 285, 287, 289, 291, 292, 293, 298, 305, 307, 308, 309, 310, 313, 314, 315, 317, 318, 320, 321, 324, 325, 326, 328, 335, 347, 349, 351, 353, 356, 359, 367, 368, 369, 371, 373, 374, 375, 376, 377, 380, 381, 383, 385, 389, 392, 393, 395, 396, 399, 401, 404, 405, 406, 407, 409, 410, 412, 416, 418, 419, 421, 425, 427, 428, 431, 433, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446 or 447 with reference to amino acid positions set forth in SEQ ID NO:3. Exemplary of such replacements are those that contain at least one amino acid replacement selected from among replacement with: histidine (H) at a position corresponding to position 1; A at a position corresponding to position 1; E at a position corresponding to position 1; G at a position corresponding to position 1; K at a position corresponding to position 1; Q at a position corresponding to position 1; R at a position corresponding to position 1; A at a position corresponding to position 6; M at a position corresponding to position 8; Q at a position corresponding to position 9; G at a position corresponding to position 10; H at a position corresponding to position 10; S at a position corresponding to position 11; E at a position corresponding to position 12; I at a position corresponding to position 12; K at a position corresponding to position 12; T at a position corresponding to position 12; V at a position corresponding to position 14; V at a position corresponding to position 15; M at a position corresponding to position 15; S at a position corresponding to

position 20; T at a position corresponding to position 22; E at a position corresponding to position 24; H at a position corresponding to position 24; R at a position corresponding to position 24; A at a position corresponding to position 26; E at a position corresponding to position 26; K at a position corresponding to position 26; M at a position corresponding to position 26; Q at a position corresponding to position 26; R at a position corresponding to position 26; D at a position corresponding to position 27; K at a position corresponding to position 27; R at a position corresponding to position 27; R at a position corresponding to position 28; E at a position corresponding to position 29; I at a position corresponding to position 29; K at a position corresponding to position 29; L at a position corresponding to position 29; M at a position corresponding to position 29; P at a position corresponding to position 29; R at a position corresponding to position 29; S at a position corresponding to position 29; T at a position corresponding to position 29; V at a position corresponding to position 29; G at a position corresponding to position 30; H at a position corresponding to position 30; K at a position corresponding to position 30; L at a position corresponding to position 30; M at a position corresponding to position 30; R at a position corresponding to position 30; S at a position corresponding to position 30; A at a position corresponding to position 31; C at a position corresponding to position 31; G at a position corresponding to position 31; H at a position corresponding to position 31; I at a position corresponding to position 31; K at a position corresponding to position 31; L at a position corresponding to position 31; P at a position corresponding to position 31; R at a position corresponding to position 31; S at a position corresponding to position 31; T at a position corresponding to position 31; V at a position corresponding to position 31; W at a position corresponding to position 31; C at a position corresponding to position 32; F at a position corresponding to position 32; G at a position corresponding to position 32; H at a position corresponding to position 32; W at a position corresponding to position 33; G at a position corresponding to position 33; W at a position corresponding to position 34; Q at a position corresponding to position 35; V at a position corresponding to position 35; H at a position corresponding to position 36; N at a position corresponding to position 36; F at a position corresponding to position 37; M at a position corresponding to position 37; Y at a position corresponding to position 38; A at a position corresponding to position 39; L at a position corresponding to position 39; N at a position corresponding to position 39; T at a position corresponding to position 39; L at a position corresponding to position 40; T at a position corresponding to position 41; L at a position corresponding to position 46; R at a position corresponding to position 46; D at a position corresponding to position 47; F at a position corresponding to position 47; T at a position corresponding to position 47; W at a position corresponding to

position 47, with F at a position corresponding to position 48; H at a position corresponding to position 48; K at a position corresponding to position 48; N at a position corresponding to position 48; R at a position corresponding to position 49; D at a position corresponding to position 50; S at a position corresponding to position 50; M at a position corresponding to position 50; N at a position corresponding to position 52; Q at a position corresponding to position 52; R at a position corresponding to position 52; S at a position corresponding to position 52; T at a position corresponding to position 52; C at a position corresponding to position 58; K at a position corresponding to position 58; L at a position corresponding to position 58; P at a position corresponding to position 58; Q at a position corresponding to position 58; R at a position corresponding to position 58; H at a position corresponding to position 58; N at a position corresponding to position 58; Y at a position corresponding to position 58; N at a position corresponding to position 59; K at a position corresponding to position 63; L at a position corresponding to position 63; M at a position corresponding to position 63; R at a position corresponding to position 63; W at a position corresponding to position 63; V at a position corresponding to position 67; H at a position corresponding to position 68; P at a position corresponding to position 68; Q at a position corresponding to position 68; A at a position corresponding to position 69; C at a position corresponding to position 69; E at a position corresponding to position 69; F at a position corresponding to position 69; G at a position corresponding to position 69; I at a position corresponding to position 69; L at a position corresponding to position 69; M at a position corresponding to position 69; P at a position corresponding to position 69; R at a position corresponding to position 69; T at a position corresponding to position 69; W at a position corresponding to position 69; Y at a position corresponding to position 69; A at a position corresponding to position 70; C at a position corresponding to position 70; F at a position corresponding to position 70; G at a position corresponding to position 70; H at a position corresponding to position 70; K at a position corresponding to position 70; L at a position corresponding to position 70; N at a position corresponding to position 70; P at a position corresponding to position 70; R at a position corresponding to position 70; S at a position corresponding to position 70; T at a position corresponding to position 70; V at a position corresponding to position 70; Y at a position corresponding to position 70; G at a position corresponding to position 71; N at a position corresponding to position 71; R at a position corresponding to position 71; S at a position corresponding to position 71; K at a position corresponding to position 72; M at a position corresponding to position 72; Q at a position corresponding to position 72; A at a position corresponding to position 73; H at a position corresponding to position 73; K at a position corresponding to position 73; L at a position corresponding to

position 73; Q at a position corresponding to position 73; R at a position corresponding to position 73; T at a position corresponding to position 73; W at a position corresponding to position 73; A at a position corresponding to position 74; C at a position corresponding to position 74; E at a position corresponding to position 74; F at a position corresponding to position 74; G at a position corresponding to position 74; H at a position corresponding to position 74; K at a position corresponding to position 74; L at a position corresponding to position 74; M at a position corresponding to position 74; N at a position corresponding to position 74; P at a position corresponding to position 74; R at a position corresponding to position 74; S at a position corresponding to position 74; V at a position corresponding to position 74; W at a position corresponding to position 74; F at a position corresponding to position 75; L at a position corresponding to position 75; M at position corresponding to position 75; R at a position corresponding to position 75; T at a position corresponding to position 75; L at a position corresponding to position 79; L at a position corresponding to position 82; N at a position corresponding to position 82; V at a position corresponding to position 83; Q at a position corresponding to position 83; S at a position corresponding to position 83; G at a position corresponding to position 83; E at a position corresponding to position 84; F at a position corresponding to position 84; G at a position corresponding to position 84; N at a position corresponding to position 84; R at a position corresponding to position 84; A at a position corresponding to position 86; H at a position corresponding to position 86; K at a position corresponding to position 86; N at a position corresponding to position 86; S at a position corresponding to position 86; T at a position corresponding to position 86; W at a position corresponding to position 86; C at a position corresponding to position 87; G at a position corresponding to position 87; L at a position corresponding to position 87; M at a position corresponding to position 87; R at a position corresponding to position 87; S at a position corresponding to position 87; T at a position corresponding to position 87; V at a position corresponding to position 87; Y at a position corresponding to position 87; C at a position corresponding to position 89; A at a position corresponding to position 90; E at a position corresponding to position 90; H at a position corresponding to position 90; K at a position corresponding to position 90; N at a position corresponding to position 90; R at a position corresponding to position 90; C at a position corresponding to position 92; L at a position corresponding to position 92; I at a position corresponding to position 93; L at a position corresponding to position 93; Q at a position corresponding to position 93; R at a position corresponding to position 93; S at a position corresponding to position 93; T at a position corresponding to position 93; D at a position corresponding to position 94; Q at a position corresponding to position 94; R at a position corresponding to

position 94; A at a position corresponding to position 97; C at an amino acid residue corresponding to position 97; D at a position corresponding to position 97; E at a position corresponding to position 97; G at a position corresponding to position 97; L at a position corresponding to position 97; S at a position corresponding to position 97; S at a position corresponding to position 102; T at a position corresponding to position 102; R at a position corresponding to position 104; L at a position corresponding to position 107; A at a position corresponding to position 114; Q at a position corresponding to position 118; H at a position corresponding to position 120; F at a position corresponding to position 120; I at a position corresponding to position 120; S at a position corresponding to position 120; V at a position corresponding to position 120; Y at a position corresponding to position 120; E at a position corresponding to position 127; H at a position corresponding to position 127; N at a position corresponding to position 127; Q at a position corresponding to position 127; R at a position corresponding to position 127; I at a position corresponding to position 128; R at a position corresponding to position 130; G at a position corresponding to position 131; I at a position corresponding to position 131; M at a position corresponding to position 131; Q at a position corresponding to position 131; R at a position corresponding to position 131; V at a position corresponding to position 131; N at a position corresponding to position 132; L at a position corresponding to position 132; D at a position corresponding to position 135; G at a position corresponding to position 135; R at a position corresponding to position 135, with L at a position corresponding to position 138; T at a position corresponding to position 139; K at a position corresponding to position 140; H at a position corresponding to position 141; R at a position corresponding to position 141; S at a position corresponding to position 141; W at a position corresponding to position 141; Y at a position corresponding to position 141; D at a position corresponding to position 142; G at a position corresponding to position 142; K at a position corresponding to position 142; N at a position corresponding to position 142; P at a position corresponding to position 142; Q at a position corresponding to position 142; R at a position corresponding to position 142; S at a position corresponding to position 142; T at a position corresponding to position 142; G at a position corresponding to position 143; K at a position corresponding to position 143; R at a position corresponding to position 144; T at a position corresponding to position 144; P at a position corresponding to position 146; R at a position corresponding to position 146; A at a position corresponding to position 147; F at a position corresponding to position 147; L at a position corresponding to position 147; R at a position corresponding to position 147; S at a position corresponding to position 147; V at a position corresponding to position 147; H at a position corresponding to position 148; K at a position corresponding to position 148; Q at a position corresponding to position 148; T at a

position corresponding to position 149; V at a position corresponding to position 149; A at a position corresponding to position 150; D at a position corresponding to position 150; G at a position corresponding to position 150; N at a position corresponding to position 150; S at a position corresponding to position 150; W at a position corresponding to position 150; Y at a position corresponding to position 150; A at a position corresponding to position 151; H at a position corresponding to position 151; K at a position corresponding to position 151; L at a position corresponding to position 151; M at a position corresponding to position 151; Q at a position corresponding to position 151; R at a position corresponding to position 151; S at a position corresponding to position 151; T at a position corresponding to position 151; V at a position corresponding to position 151; W at a position corresponding to position 151; Y at a position corresponding to position 151; R at a position corresponding to position 152; T at a position corresponding to position 152; W at a position corresponding to position 152; D at a position corresponding to position 155; G at a position corresponding to position 155; K at a position corresponding to position 155; R at a position corresponding to position 155; D at a position corresponding to position 156; Q at a position corresponding to position 158; S at a position corresponding to position 158; S at a position corresponding to position 160; E at a position corresponding to position 162; A at a position corresponding to position 163; E at a position corresponding to position 163; K at a position corresponding to position 163; Q at a position corresponding to position 163; R at a position corresponding to position 163; S at a position corresponding to position 163; M at a position corresponding to position 164; V at a position corresponding to position 164; D at a position corresponding to position 165; F at a position corresponding to position 165; N at a position corresponding to position 165; S at a position corresponding to position 165; V at a position corresponding to position 165; A at a position corresponding to position 166; E at a position corresponding to position 166; F at a position corresponding to position 166; H at a position corresponding to position 166; L at a position corresponding to position 166; Q at a position corresponding to position 166; R at a position corresponding to position 166; T at a position corresponding to position 166; W at a position corresponding to position 166; Y at a position corresponding to position 166; D at a position corresponding to position 167; L at a position corresponding to position 169; R at a position corresponding to position 170; A at a position corresponding to position 172; R at a position corresponding to position 173; G at a position corresponding to position 174; K at a position corresponding to position 174; N at a position corresponding to position 174; R at a position corresponding to position 174; T at a position corresponding to position 174; T at a position corresponding to position 175; K at a position corresponding to position 178; R at a position corresponding to position 178; K at a position corresponding to position 179; Q at a

position corresponding to position 193; T at a position corresponding to position 195; N at a position corresponding to position 195; with E at a position corresponding to position 196; R at a position corresponding to position 196; with D at a position corresponding to position 198; P at a position corresponding to position 204; A at a position corresponding to position 205; E at a position corresponding to position 205; L at a position corresponding to position 205; T at a position corresponding to position 205; I at a position corresponding to position 206; K at a position corresponding to position 206; L at a position corresponding to position 206; R at a position corresponding to position 206; R at a position corresponding to position 209; N at a position corresponding to position 212; S at a position corresponding to position 212; A at a position corresponding to position 213; M at a position corresponding to position 213; N at a position corresponding to position 213; H at a position corresponding to position 215; M at a position corresponding to position 215; I at a position corresponding to position 219; K at a position corresponding to position 219; S at a position corresponding to position 219; H at a position corresponding to position 220; I at a position corresponding to position 220; L at a position corresponding to position 220; V at a position corresponding to position 220; Q at a position corresponding to position 221; G at a position corresponding to position 222; F at a position corresponding to position 232; G at a position corresponding to position 233; K at a position corresponding to position 233; R at a position corresponding to position 233; M at a position corresponding to position 234; A at a position corresponding to position 235; R at a position corresponding to position 236; C at a position corresponding to position 237; E at a position corresponding to position 237; H at a position corresponding to position 237; Q at a position corresponding to position 237; T at a position corresponding to position 237; E at a position corresponding to position 238; H at a position corresponding to amino acid position 238; S at a position corresponding to position 238; A at a position corresponding to position 240; Q at a position corresponding to position 240; I at a position corresponding to position 247; A at a position corresponding to position 248; V at a position corresponding to position 249; G at a position corresponding to position 257; T at a position corresponding to position 257; R at a position corresponding to position 257; N at a position corresponding to position 258; S at a position corresponding to position 258; P at a position corresponding to position 259; M at a position corresponding to position 260; Y at a position corresponding to position 260; A at a position corresponding to position 261; K at a position corresponding to position 261; N at a position corresponding to position 261; K at a position corresponding to position 263; R at a position corresponding to position 263; T at a position corresponding to position 267; A at a position corresponding to position 269; L at a position corresponding to position 271; M at a position corresponding to position 271; D at a position corresponding to

position 272; T at a position corresponding to position 272; H at a position corresponding to position 273; Y at a position corresponding to position 273; F at a position corresponding to position 274; D at a position corresponding to position 276; H at a position corresponding to position 276; M at a position corresponding to position 276; R at a position corresponding to position 276; S at a position corresponding to position 276; Y at a position corresponding to position 276; A at a position corresponding to position 277; E at a position corresponding to position 277; H at a position corresponding to position 277; K at a position corresponding to position 277; M at a position corresponding to position 277; N at a position corresponding to position 277; Q at a position corresponding to position 277; R at a position corresponding to position 277; S at a position corresponding to position 277; T at a position corresponding to position 277; E at a position corresponding to position 278; F at a position corresponding to position 278; G at a position corresponding to position 278; H at a position corresponding to position 278; K at a position corresponding to position 278; N at a position corresponding to position 278; R at a position corresponding to position 278; S at a position corresponding to position 278; T at a position corresponding to position 278; Y at a position corresponding to position 278; H at a position corresponding to position 279; M at a position corresponding to position 282; S at a position corresponding to position 283; H at a position corresponding to position 285; T at a position corresponding to position 287; S at a position corresponding to position 289; S at a position corresponding to position 291; V at a position corresponding to position 291; C at a position corresponding to position 292; F at a position corresponding to position 292; H at a position corresponding to position 292; K at a position corresponding to position 292; R at a position corresponding to position 292; V at a position corresponding to position 292; A at a position corresponding to position 293; C at a position corresponding to position 293; D at a position corresponding to position 293; F at a position corresponding to position 293; K at a position corresponding to position 293; M at a position corresponding to position 293; P at a position corresponding to position 293; Q at a position corresponding to position 293; V at a position corresponding to position 293; Y at a position corresponding to position 293; G at a position corresponding to position 298; E at a position corresponding to position 305; G at a position corresponding to position 307; D at a position corresponding to position 308; G at a position corresponding to position 308; K at a position corresponding to position 308; N at a position corresponding to position 308; R at a position corresponding to position 308; E at a position corresponding to position 309; G at a position corresponding to position 309; H at a position corresponding to position 309; L at a position corresponding to position 309; M at a position corresponding to position 309; N at a position corresponding to position 309; Q at a position corresponding to position 309; R at a position corresponding to

position 309; S at a position corresponding to position 309; T at a position corresponding to position 309; V at a position corresponding to position 309; A at a position corresponding to position 310; G at a position corresponding to position 310; Q at a position corresponding to position 310; S at a position corresponding to position 310; A at a position corresponding to position 313; G at a position corresponding to position 313; H at a position corresponding to position 313; K at a position corresponding to position 313; P at a position corresponding to position 313; R at a position corresponding to position 313; T at a position corresponding to position 313; Y at a position corresponding to position 313; with S at a position corresponding to position 314; Y at a position corresponding to position 314; A at a position corresponding to position 315; H at a position corresponding to position 315; Y at a position corresponding to position 315; A at a position corresponding to position 317; I at a position corresponding to position 317; K at a position corresponding to position 317; N at a position corresponding to position 317; Q at a position corresponding to position 317; R at a position corresponding to position 317; S at a position corresponding to position 317; T at a position corresponding to position 317; W at a position corresponding to position 317; D at a position corresponding to position 318; H at a position corresponding to position 318; K at a position corresponding to position 318; M at a position corresponding to position 318; R at a position corresponding to position 318; H at a position corresponding to position 320; K at a position corresponding to position 320; R at a position corresponding to position 320; R at a position corresponding to position 321; S at a position corresponding to position 321; N at a position corresponding to position 324; R at a position corresponding to position 324; A at a position corresponding to position 325; D at a position corresponding to position 325; E at a position corresponding to position 325; G at a position corresponding to position 325; H at a position corresponding to position 325; K at a position corresponding to position 325; M at a position corresponding to position 325; N at a position corresponding to position 325; Q at a position corresponding to position 325; S at a position corresponding to position 325; V at a position corresponding to position 325; L at a position corresponding to position 326; V at a position corresponding to position 326; C at a position corresponding to position 328; G at a position corresponding to position 328; I at a position corresponding to position 328; K at a position corresponding to position 328; L at a position corresponding to position 328; S at a position corresponding to position 328; Y at a position corresponding to position 328; S at a position corresponding to position 335; A at a position corresponding to position 347; G at a position corresponding to position 347; S at a position corresponding to position 347; M at a position corresponding to position 349; R at a position corresponding to position 349; S at a position corresponding to position 351; V at a position corresponding to position 353; with H at a

position corresponding to position 356; S at a position corresponding to position 356; E at a position corresponding to position 359; H at a position corresponding to position 359; T at a position corresponding to position 359; A at a position corresponding to position 367; G at a position corresponding to position 367; K at a position corresponding to position 367; S at a position corresponding to position 367; A at a position corresponding to position 368; E at a position corresponding to position 368; K at a position corresponding to position 368; L at a position corresponding to amino acid position 368; M at a position corresponding to amino acid position 368; R at a position corresponding to position 368; T at a position corresponding to amino acid position 368; H at a position corresponding to position 369; R at a position corresponding to position 369; F at a position corresponding to position 371; H at a position corresponding to position 371; K at a position corresponding to position 371; L at a position corresponding to position 371; R at a position corresponding to position 371; S at a position corresponding to position 371; M at a position corresponding to position 373; H at a position corresponding to position 374; P at a position corresponding to position 374; A at a position corresponding to position 375; G at a position corresponding to position 375; K at a position corresponding to position 375; R at a position corresponding to position 375; D at a position corresponding to position 376; E at a position corresponding to position 376; Q at a position corresponding to position 376; R at a position corresponding to position 376; T at a position corresponding to position 376; V at a position corresponding to position 376; Y at a position corresponding to position 376; D at a position corresponding to position 377; E at a position corresponding to position 377; H at a position corresponding to position 377; K at a position corresponding to position 377; P at a position corresponding to position 377; R at a position corresponding to position 377; S at a position corresponding to position 377; T at a position corresponding to position 377; W at a position corresponding to position 380; Y at a position corresponding to position 380; S at a position corresponding to position 381; I at a position corresponding to position 383; K at a position corresponding to position 383; L at a position corresponding to position 383; S at a position corresponding to position 383; A at a position corresponding to position 385; Q at a position corresponding to position 385; V at a position corresponding to position 385; A at a position corresponding to position 389; G at a position corresponding to position 389; L at a position corresponding to position 389; K at a position corresponding to position 389; Q at a position corresponding to position 389; S at a position corresponding to position 389; A at a position corresponding to position 392; F at a position corresponding to position 392; M at a position corresponding to position 392; Q at a position corresponding to position 392; R at a position corresponding to position 392; V at a position corresponding to position 392; F at a position corresponding to position 393; M at a position

corresponding to position 393; A at a position corresponding to position 395; H at a position corresponding to position 395; R at a position corresponding to position 395; A at a position corresponding to position 396; H at a position corresponding to position 396; Q at a position corresponding to position 396; S at a position corresponding to position 396; K at a position corresponding to position 399; M at a position corresponding to position 399; T at a position corresponding to position 399; V at a position corresponding to position 399; W at a position corresponding to position 399; A at a position corresponding to position 401; E at a position corresponding to position 401; A at a position corresponding to position 404; G at a position corresponding to position 405; F at a position corresponding to position 406; N at a position corresponding to position 406; A at a position corresponding to position 407; D at a position corresponding to position 407; E at a position corresponding to position 407; F at a position corresponding to position 407; H at a position corresponding to position 407; Q at a position corresponding to position 407; P at a position corresponding to position 407; A at a position corresponding to position 409; Q at a position corresponding to position 409; T at a position corresponding to position 410; Q at a position corresponding to position 412; R at a position corresponding to position 412; V at a position corresponding to position 412; L at a position corresponding to position 416; E at a position corresponding to position 418; L at a position corresponding to position 418; P at a position corresponding to position 418; R at a position corresponding to position 418; V at a position corresponding to position 418; F at a position corresponding to position 419; H at a position corresponding to position 419; I at a position corresponding to position 419; K at a position corresponding to position 419; R at a position corresponding to position 419; S at a position corresponding to position 419; Y at a position corresponding to position 419; A at a position corresponding to position 421; H at a position corresponding to position 421; K at a position corresponding to position 421; N at a position corresponding to position 421; Q at a position corresponding to position 421; R at a position corresponding to position 421; S at a position corresponding to position 421; G at a position corresponding to position 425; K at a position corresponding to position 425; Q at a position corresponding to position 427; T at a position corresponding to position 427; L at a position corresponding to position 428; A at a position corresponding to position 431; G at a position corresponding to position 431; E at a position corresponding to position 431; H at a position corresponding to position 431; K at a position corresponding to position 431; L at a position corresponding to position 431; N at a position corresponding to position 431; Q at a position corresponding to position 431; R at a position corresponding to position 431; S at a position corresponding to position 431; V at a position corresponding to position 431; A at a position corresponding to position 433; H at a position corresponding to position 433; I at a position

corresponding to position 433; K at a position corresponding to position 433; L at a position corresponding to position 433; R at a position corresponding to position 433; T at a position corresponding to position 433; V at a position corresponding to position 433; W at a position corresponding to position 433; K at a position corresponding to position 436; I at a position corresponding to position 437; M at a position corresponding to position 437; A at a position corresponding to position 438; D at a position corresponding to position 438; E at a position corresponding to position 438; L at a position corresponding to position 438; N at a position corresponding to position 438; T at a position corresponding to position 438; A at a position corresponding to position 439; C at a position corresponding to position 439; K at a position corresponding to position 439; P at a position corresponding to position 439; Q at a position corresponding to position 439; T at a position corresponding to position 439; V at a position corresponding to position 439; D at a position corresponding to position 440; H at a position corresponding to position 440; M at a position corresponding to position 440; P at a position corresponding to position 440; R at a position corresponding to position 440; S at a position corresponding to position 440; A at a position corresponding to position 441; F at a position corresponding to position 441; C at a position corresponding to position 442; G at a position corresponding to position 442; R at a position corresponding to position 442; A at a position corresponding to position 443; E at a position corresponding to position 443; F at a position corresponding to position 443; G at a position corresponding to position 443; M at a position corresponding to position 443; N at a position corresponding to position 443; E at a position corresponding to position 444; H at a position corresponding to position 444; V at a position corresponding to position 444; H at a position corresponding to position 445; M at a position corresponding to position 445; N at a position corresponding to position 445; P at a position corresponding to position 445; Q at a position corresponding to position 445; S at a position corresponding to position 445; T at a position corresponding to position 445; V at a position corresponding to position 445; W at a position corresponding to position 445; A at a position corresponding to position 446; M at a position corresponding to position 446; W at a position corresponding to position 446; D at a position corresponding to position 447; E at a position corresponding to position 447; G at a position corresponding to position 447; I at a position corresponding to position 447; N at a position corresponding to position 447; P at a position corresponding to position 447; Q at a position corresponding to position 447; T at a position corresponding to position 447, and/or replacement with V at a position corresponding to position 447, each with reference to amino acid positions set forth in SEQ ID NO:3. Among these modified PH20 polypeptides are those that exhibit at least 40% of the activity of the PH20 that does not contain the particular amino acid replacement. Activity can vary between,

for example, 40% to 5000%, 40% to 2000%, 40% to 1000%, 40% to 500%, 40% to 100%, 80% to 2000%, 80% to 600%, 80% to 200%, 80% to 300%, of the hyaluronidase activity of the PH20 polypeptide not containing the amino acid replacement. Such activity includes at least 50%, 60%, 70%, 80%, 90%, 100%, 120%, 130%, 140%, 150%, 160%, 170%, 180%, 190%, 200%, 300%, 400%, 500%, 600%, 700%, 800%, 900%, 1000%, 2000%, 3000% or more of the hyaluronidase activity of the PH20 polypeptide not containing the amino acid replacement, where, as in all instances herein, the activities are compared under the same conditions.

In particular, provided are modified PH20 polypeptides that contain at least one amino acid replacement in a PH20 polypeptide set forth in SEQ ID NO:7, a C-terminally truncated fragment thereof, or in a PH20 polypeptide that has a sequence of amino acids that is at least 91% identical to the sequence of amino acids set forth in SEQ ID NO:7 or a corresponding truncated fragment, where: the modified PH20 polypeptides exhibit less than 20% of the hyaluronidase activity of the PH20 polypeptide not containing the amino acid replacement, where activities are compared under the same conditions; the amino acid replacement(s) is at an amino acid position corresponding to a position selected from among 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 25, 27, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 94, 95, 96, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 143, 144, 145, 149, 150, 152, 153, 154, 155, 156, 157, 158, 159, 161, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 197, 198, 199, 200, 201, 202, 203, 204, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 278, 279, 280, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 331, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 408, 410, 411,

412, 413, 414, 415, 416, 417, 419, 420, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 434, 437, 438, 439, 440, 441, 442, 443, 444, or 447 with reference to amino acid positions set forth in SEQ ID NO:3 or 7; corresponding amino acid positions are identified by alignment of the PH20 polypeptide with the polypeptide set forth in SEQ ID NO:3; and provided that:

(i) if the modified PH20 polypeptide contains an amino acid replacement at a position corresponding to position 200, 333, 358 or 393 the replacement is not replacement with an Alanine (A).

(ii) if the modified PH20 polypeptide contains an amino acid replacement at a position corresponding to position 111 or 249 the replacement is not replacement with an asparagine (N);

(iii) if the modified PH20 polypeptide contains an amino acid replacement at a position corresponding to position 113 the replacement is not replacement with a glutamine (Q);

(iv) if the modified PH20 polypeptide contains an amino acid replacement at a position corresponding to position 176 the replacement is not replacement with a glycine (G); and

(v) if the modified PH20 polypeptide contains an amino acid replacement at a position corresponding to position 252 the replacement is not replacement with a threonine (T).

Exemplary of such modified PH20 polypeptides are any that contain amino acid replacement(s) in a PH20 polypeptide that has the sequence of amino acids set forth in any of SEQ ID NOS: 3, 7, 32-66, 69, or 72, or in a sequence of amino acids that exhibits at least 91% sequence identity to any of SEQ ID NOS: 3, 7, 32-66, 69, or 72. For example, the modified PH20 polypeptide contains amino acid replacement(s) in SEQ ID NOS: 3, 7, 32-66, 69, or 72, which are polypeptides that are a C-terminally truncated fragment of SEQ ID NO:7, or a PH20 polypeptide that has a sequence of amino acids that is at least 91% identical to the sequence of amino acids set forth in SEQ ID NO:7. In examples of such modified PH20 polypeptides provided herein, the modified PH20 polypeptides can exhibit similar or the same activity as the PH20 without the modification, or can exhibit increased activity or activity that is less than 15%, 10%, 9%, 8%, 7%, 6%, 5%, 4%, 3%, 2%, 1%, 0.9%, 0.8%, 0.7%, 0.6%, 0.5%, 0.4%, 0.3%, 0.2%, 0.1%, 0.05% or less of the hyaluronidase activity of the PH20 polypeptide not containing the amino acid replacement. Exemplary of such modified PH20 polypeptides are any set forth in Table 5.

Among any and all of the modified PH20 polypeptides provided herein and above, the modified PH20 polypeptide is one that does not consist of the sequence of amino acids set forth in any of SEQ ID NOS: 3, 6-66, 69-72, 856-861, 869 or 870. In particular, among any of the modified PH20 polypeptides provided herein above or elsewhere herein are any that contain an amino acid replacement(s) in a PH20 polypeptide having the sequence of amino acids set forth any of SEQ ID NO: 3, 7, 69 or 72 provided that: (i) where the modified PH20 polypeptide includes only a single amino acid replacement the replacement does not corresponds to amino acid replacements V12A, N47A, D111N, E113Q, N131A, R176G, N200A, N219A, E249Q, R252T, N333A or N358A, with reference to amino acid positions set forth in SEQ ID NO:3; (ii) where the modified PH20 polypeptide includes only two amino acid replacements the replacements do not correspond to amino acid replacements P13A/L464W, N47A/N131A, N47A/N219A, N131A/N219A or N333A/N358A with reference to positions set forth in SEQ ID NO:3; and (iii) where the modified PH20 polypeptide includes only three amino acid replacements the replacements do not correspond to amino acid replacements N47A/N131A/N219A, with reference to amino acid positions set forth in SEQ ID NO:3.

Any of the above modified PH20 polypeptides and any provided herein and described above and below can contain 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48,49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, or more of the amino acid replacements. The modified PH20 polypeptides can include a signal sequence, including the native sequence or a heterologous sequence or a modified sequence, and also include a mature PH20 polypeptide that lacks the signal sequence.

Among any of the modified PH20 polypeptides provided herein above or described below are modified PH20 polypeptides that contain or have the sequence of amino acids set forth in any of SEQ ID NOS: 73-855 or a sequence of amino acids that exhibits at least 75%, 80%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to a sequence of amino acids set forth in any of SEQ ID NOS: 73-855 and that contains at least one amino acid replacement, such as any described above or elsewhere herein, with reference to positions compared to the sequence of amino acids set forth in SEQ ID NO:3. In any of the examples of the modified PH20 polypeptides provided herein, the modified PH20 polypeptide does not have or contain the sequence of amino acids set forth in any of SEQ ID NOS: 8-31, 69-72, 856-861, 869 or 870.

The modified PH20 polypeptides provided herein can be substantially purified or isolated, can exhibit catalytic activity at neutral pH, can be secreted upon expression from cells and are soluble in the supernatant, and/or can include modified amino acids, such as a modification selected from among glycosylation, sialation, albumination, farnysylation, carboxylation, hydroxylation, conjugation to a polymer, such as PEGylation or conjugation to dextran, conjugation to another moiety, such as a multimerization domain, toxin, detectable label or drug, and phosphorylation. The modified PH20 polypeptide can be glycosylated, such as by containing at least an N-acetylglucosamine moiety linked to each of at least three asparagine (N) residues, where, for example, the three asparagine residues correspond to amino acid residues 200, 333 and 358 of SEQ ID NO:3. Multimerization domains include Fc domains.

Also provided are nucleic acid molecules that encode any of the modified PH20 polypeptides provided herein. Vectors, eukaryotic and prokaryotic, that contain the nucleic acid molecules are provided. The vectors include expression vectors and include mammalian vectors, including viral vectors. Viral vectors include adenovirus vectors, retrovirus vectors, vaccinia virus vectors, herpes simplex virus and cytomegalovirus vectors, and other such viral vectors. Of interest are oncolytic vectors that accumulate in or are targeted to tumors. Also provided are cells that contain the nucleic acid molecules and cells that contain the vectors. The cells can be prokaryotic or eukaryotic, particularly mammalian cells, such as Chinese Hamster Ovary (CHO) cells.

Also provided herein is a modified PH20 polypeptide that is produced by any of the provided cells. Thus, provided herein are methods of producing a modified PH20 polypeptide by culturing any of the cells provided herein under conditions whereby an encoded modified PH20 polypeptide is produced and secreted by the cell, and recovering the expressed polypeptide. Also provided herein is a method of producing a modified PH20 polypeptide by introducing any of the nucleic acids provided herein or any of the vectors provided herein into a cell capable of incorporating N-linked sugar moieties into the polypeptide, culturing the cell under conditions whereby an encoded modified PH20 polypeptide is produced and secreted by the cell, and recovering the expressed polypeptide. In such examples, the nucleic acid is operably linked to a promoter. The cultured cell can be a eukaryotic cell, such as a mammalian cell, for example, a Chinese hamster ovary (CHO) cell.

Also provided are pharmaceutical compositions that contain any of the modified PH20 polypeptides provided herein or any of the nucleic acids or vectors provided herein. The compositions can be formulated with other agents and/or with other components, such as preservatives. The compositions can be formulated so that the components, particularly the

PH20 and any other active agent, remain active or are stable under preselected conditions. In addition, as described herein, the PH20 polypeptides are modified so that they exhibit increased stability under various conditions. For example, provided are compositions in which the modified PH20 polypeptide is stable (*i.e.*, retains activity as described herein) at a temperature from or from about 2 °C to 8 °C, inclusive, for at least 1 month or is stable at a temperature from or from about 30 °C to 42 °C, inclusive, for at least 3 days. Provided are compositions in which the modified PH20 polypeptide in the composition is stable at a temperature from or from about 2 °C to 8 °C, inclusive, for at least 2 months, 3 months, 4 months, 5 months, 6 months, 7 months, at least 8 months, at least 9 months, at least 10 months, at least 11 months, at least 12 months, 13 months, 14 months, 15 months, 16 months, 17 months, 18 months, 19 months, 20 months, 21 months, 22 months, 23 months, 24 months, 25 months, 26 months, 27 months, 28 months, 29 months or 30 months. Also provided are compositions in which the modified PH20 polypeptide in the composition is stable at a temperature from or from about 30 °C to 42 °C, inclusive, for at least 3 days, at least 4 days, 5 days, 6 days, 7 days, 8 days, 9 days, 10 days, 11 days, 12 days, 13 days, 14 days, 15 days, 20 days, 21 days, 22 days, 23 days, 24 days, 25 days, 26 days, 27 days, 28 days, 29 days, 30 days, 35 days, 40 days, 45 days, 50 days, 60 days or more. The pharmaceutical compositions can contain a pharmaceutically acceptable excipient.

The conditions, formulations, components, and modified PH20 polypeptide are chosen to achieve a desired stability. The pharmaceutical compositions can be formulated for direct administration or can require dilution. They can be formulated for multiple or single dosage administration. Exemplary compositions include concentrations of modified PH20 between or about between 0.1 μg/mL to 100 μg/mL, 1 μg/mL to 50 μg/mL or 1 μg/mL to 20 μg/mL, or 10 U/mL to 5000 U/mL, 50 U/mL to 4000 U/mL, 100 U/mL to 2000 U/mL, 300 U/mL to 2000 U/mL, 600 U/mL to 2000 U/mL, or 100 U/mL to 1000 U/mL. Exemplary salts include NaCl at a concentration, for example, of less than or about or 200 mM, 180 mM, 150 mM, 140 mM, 130 mM, 120 mM, 110 mM, 100 mM, 90 mM, 80mM, 70mM, 60 mM, 50 mM, 40 mM, 30 mM, 25 mM, 20 mM, 15 mM, 10 mM, 5 mM or less, or between or about between 0.1 mM to 200 mM, 0.1mM to 100 mM, 120 mM to 200 mM, 10 mM to 50 mM, 10 mM to 90 mM, 80 mM to 200 mM, 80 mM to 140 mM, 50 mM to 100 mM, 80 mM to 100 mM, 50 mM to 80 mM, 100 mM to 140 mM or 120 mM to 140 mM.

The pharmaceutical compositions can contain an anti-microbially effective amount of a preservative or mixture of preservatives, such as one, two, three, four or more of a phenolic preservative(s), a non-phenolic preservative(s) or a phenolic preservative(s) and a non-phenolic preservative(s), such as, but not limited to, phenol, m-cresol, methylparaben,

benzyl alcohol, thimerosal, benzalkonium chloride, 4-chloro-1-butanol, chlorhexidine dihydrochloride, chlorhexidine digluconate, L-phenylalanine, EDTA, bronopol, phenylmercuric acetate, glycerol, imidurea, chlorhexidine, sodium dehydroacetate, o-cresol, p-cresol, chlorocresol, cetrimide, benzethonium chloride, ethyl paraben, propylparaben, butylparaben and any combinations thereof. Phenols include, for example, phenol, metacresol (m-cresol), benzyl alcohol, and parabens, such as methylparaben or propylparaben. Anti-microbial effective concentrations of one or more preservative agents (as a percentage (%) of mass concentration (w/v)) can be between 0.05% to 0.6%, 0.1% to 0.4%, 0.1% to 0.3%, 0.15% to 0.325%, 0.15% to 0.25%, 0.1% to 0.2%, 0.2% to 0.3% or 0.3% to 0.4% inclusive. Examples thereof are pharmaceutical compositions where the preservatives are phenol, m-cresol or phenol and m-cresol and the amount as a % of mass concentration (w/v) in the formulation is between or about between 0.1% to 0.25% phenol and between or about between 0.05% to 0.2% m-cresol, is between or about between 0.10% to 0.2% phenol and between or about between 0.6% to 01.8% m-cresol, between or about between 0.1% to 0.15% phenol and 0.8% t 0.15% m-cresol, is between or about between 0.10% to 0.15% phenol and between or about between 0.06 to 0.09% m-cresol or is between or about between 0.12% to 0.18% phenol and between or about between 0.14 to 0.22% m-cresol.

The pharmaceutical compositions can contain a further therapeutically active agent. The active agent can be formulated in the composition or provided as a combination with the PH20-containing composition, but in a separate composition for administration separately, sequentially, intermittently, simultaneously or together. Therapeutically active agents include, for example, an agent selected from among a chemotherapeutic agent, an analgesic agent, an anti-inflammatory agent, an antimicrobial agent, an amoebicidal agent, a trichomonacidal agent, an anti-parkinson agent, an anti-malarial agent, an anticonvulsant agent, an anti-depressant agent, and antiarthritics agent, an anti-fungal agent, an antihypertensive agent, an antipyretic agent, an anti-parasite agent, an antihistamine agent, an alpha-adrenergic agonist agent, an alpha blocker agent, an anesthetic agent, a bronchial dilator agent, a biocide agent, a bactericide agent, a bacteriostat agent, a beta adrenergic blocker agent, a calcium channel blocker agent, a cardiovascular drug agent, a contraceptive agent, a decongestant agent, a diuretic agent, a depressant agent, a diagnostic agent, a electrolyte agent, a hypnotic agent, a hormone agent, a hyperglycemic agent, a muscle relaxant agent, a muscle contractant agent, an ophthalmic agent, a parasympathomimetic agent, a psychic energizer agent, a sedative agent, a sympathomimetic agent, a tranquilizer agent, an urinary agent, a vaginal agent, a viricide agent, a vitamin agent, a non-steroidal anti-inflammatory agent, an angiotensin

converting enzyme inhibitor agent, a polypeptide, a protein, a nucleic acid, a drug, an organic molecule and a sleep inducer. Exemplary of such agents are antibodies, particularly monoclonal antibodies, an Immune Globulin preparation, a bisphosphonate, a cytokine, a chemotherapeutic agent, a coagulation factor and an insulin. Insulins include, for example, basal insulins and fast-acting insulin, such as regular insulin, particularly recombinant human insulin, and insulin analogs, such as insulin lispro, insulin aspart or insulin glulisine. Particular fast-acting insulins are those with an A chain having a sequence of amino acids set forth in SEQ ID NO:862 and a B chain having a sequence of amino acids set forth in SEQ ID NO:863 or an insulin with an A chain with a sequence of amino acids set forth as amino acid residue positions 88-108 of SEQ ID NO:864 and a B chain with a sequence of amino acids set forth as amino acid residue positions 25-54 of SEQ ID NO:864 or an insulin analog that is selected from among an insulin having an A chain with a sequence of amino acids set forth in SEQ ID NO:862 and a B chain having a sequence of amino acids set forth in any of SEQ NOS:865-867. The amount of fast-acting insulin in the compositions can be empirically determined, but typically can be 10 U/mL to 1000 U/mL, 50 U/mL to 500 U/mL, 100 U/mL to 1000 U/mL or 500 U/mL to 1000 U/mL, inclusive.

In particular examples, provided herein is a pharmaceutical composition containing any of the modified PH20 polypeptides provided herein that exhibit increased stability to a phenolic preservative and an insulin, such as a fast-acting insulin. The modified PH20 polypeptides and insulin can be provided in therapeutically effective amounts. For example, provided herein is a pharmaceutical composition that contains any of the modified PH20 polypeptides provided herein that exhibits increased stability to a phenolic preservative in an mount that is from or from about 100 U/mL to 1000 U/mL and a fast-acting insulin in an amount that is from or from about 10 U/mL to 1000 U/mL. For example, the fast-acting insulin can be an insulin analog, such as insulin lispro, insulin aspart or insulin glulisine or other analog. Any of such pharmaceutical compositions can be formulated at a pH that is from or from about 7.0 to 7.6. Any of such pharmaceutical compositions also can be formulated to contain salt, such as NaCl, at a concentration that is from or from about 0.1 mM to 200 mM and/or an anti-microbial effective amount of at least one preservative where the composition generally contains at least one phenolic preservative. The anti-microbial effective amount is a total amount of one or more preservative agents as a percentage (%) of mass concentration (w/v) that is or is between 0.05% to 0.6%. The phenolic preservative(s) can be a phenol, metacresol (m-cresol), benzyl alcohol, or a paraben. In any of the above examples of a pharmaceutical composition, the composition also can contain a surfactant, such as a polypropylene glycol, polyethylene glycol, glycerin, sorbitol, poloxamer or polysorbate, in an amount as a % of

mass concentration (w/v) in the formulation that is at least or at least about 0.001%; a buffering agent that is a non-metal binding agent or is a metal binding agent, such as Tris, histidine, phosphate or citrate, wherein the concentration of the buffering agent is between or between about 1 mM to 100 mM; glycerin in a concentration less than 60 mM; an antioxidant, such as cysteine, tryptophan or methionine, at a concentration between or from about between 2 mM to 50 mM, inclusive; and/or zinc at a concentration of between or about between 0.001 to 0.1 mg per 100 units of insulin (mg/100U). Also provided herein are closed loop systems, insulin pumps including continuous subcutaneous infusion insulin (CSII) pumps and insulin pens that contain any of the pharmaceutical compositions. The pharmaceutical compositions can be used in methods or uses for treating diabetes, such as type 1 diabetes mellitus, type 2 diabetes mellitus or gestational diabetes.

Other therapeutic agents in any of the pharmaceutical compositions provided herein include, but are not limited to Adalimumabs, Agalsidase Betas, Alefacepts, Ampicillins, Anakinras, Antipoliomyelitic Vaccines, Anti-Thymocytes, Azithromycins, Becaplermins, Caspofungins, Cefazolins, Cefepimes, Cefotetans, Ceftazidimes, Ceftriaxones, Cetuximabs, Cilastatins, Clavulanic Acids, Clindamycins, Darbepoetin Alfas, Daclizumabs, Diphtheria, Diphtheria antitoxins, Diphtheria Toxoids, Efalizumabs, Epinephrines, Erythropoietin Alphas, Etanercepts, Filgrastims, Fluconazoles, Follicle-Stimulating Hormones, Follitropin Alphas, Follitropin Betas, Fosphenytoins, Gadodiamides, Gadopentetates, Gatifloxacins, Glatiramers, GM-CSF's, Goserelins, Goserelin acetates, Granisetrons, Haemophilus Influenza B's, Haloperidols, Hepatitis vaccines, Hepatitis A Vaccines, Hepatitis B Vaccines, Ibritumomab Tiuxetans, Ibritumomabs, Tiuxetans, Immunoglobulins, Hemophilus influenza vaccines, Influenza Virus Vaccines, Infliximabs, Insulin lispro, 75% neutral protamine lispro (NPL)/25% insulin lispro, 50% neutral protamine Hagedorn (NPH)/ 50% regular insulin, 70% NPH/30% regular insulin; Regular insulin, NPH insulin, Ultra insulin, Ultralente insulin, and Insulin Glargines, Interferons, Interferon alpha, Interferon Betas, Interferon Gammas, Interferon alpha-2a, Interferon alpha 2-b, Interferon Alphacon, Interferon alpha-n, Interferon Betas, Interferon Beta-1a's, Interferon Gammas, Interferon alpha-con, Iodixanols, Iohexols, Iopamidols, Ioversols, Ketorolacs, Laronidases, Levofloxacins, Lidocaines, Linezolids, Lorazepams, Measles Vaccines, Measles virus, Mumps viruses, Measles-Mumps-Rubella Virus Vaccines, Rubella vaccines, Medroxyprogesterones, Meropenems, Methylprednisolones, Midazolams, Morphines, Octreotides, Omalizumabs, Ondansetrons, Palivizumabs, Pantoprazoles, Pegaspargases, Pegfilgrastims, Peg-Interferon Alpha-2a's, Peg-Interferon Alpha-2b's, Pegvisomants, Pertussis vaccines, Piperacillins, Pneumococcal Vaccines and Pneumococcal Conjugate Vaccines, Promethazines, Reteplases, Somatropins,

Sulbactams, Sumatriptans, Tazobactams, Tenecteplases, Tetanus Purified Toxoids, Ticarcillins, Tositumomabs, Triamcinolones, Triamcinolone Acetonides, Triamcinolone hexacetonides, Vancomycins, Varicella Zoster immunoglobulins, Varicella vaccines, other vaccines, Alemtuzumabs, Alitretinoins, Allopurinols, Altretamines, Amifostines, Anastrozoles, Arsenics, Arsenic Trioxides, Asparaginases, Bacillus Calmette-Guerin (BCG) vaccines, BCG Live, Bexarotenes, Bleomycins, Busulfans, Busulfan intravenous, Busulfan orals, Calusterones, Capecitabines, Carboplatins, Carmustines, Carmustines with Polifeprosans, Celecoxibs, Chlorambucils, Cisplatins, Cladribines, Cyclophosphamides, Cytarabines, Cytarabine liposomals, Dacarbazines, Dactinomycins, Daunorubicin liposomals, Daunorubicins, Daunomycins, Denileukin Diftitoxes, Dexrazoxanes, Docetaxels, Doxorubicins, Doxorubicin liposomals, Dromostanolone propionates, Elliott's B Solutions, Epirubicins, Epoetin alfas, Estramustines, Etoposides, Etoposide phosphates, Etoposide VP-16s, Exemestanes, Floxuridines, Fludarabines, Fluorouracils, 5-Fluorouracils, Fulvestrants, Gemcitabines, Gemtuzumabs, Ozogamicins, Gemtuzumab ozogamicins, Hydroxyureas, Idarubicins, Ifosfamides, Imatinib mesylates, Irinotecans, Letrozoles, Leucovorins, Levamisoles, Lomustines, CCNUs, Mechlorethamines, Nitrogen mustards, Megestrols, Megestrol acetates, Melphalans, L-PAMs, Mercaptopurines, 6-Mercaptopurines, Mesnas, Methotrexates, Methoxsalens, Mitomycins, Mitomycin C's, Mitotanes, Mitoxantrones, Nandrolones, Nandrolone Phenpropionates, Nofetumomabs, Oprelvekins, Oxaliplatins, Paclitaxels, Pamidronates, Pegademases, Pentostatins, Pipobromans, Plicamycins, Mithramycins, Porfimers, Porfimer sodiums, Procarbazines, Quinacrines, Rasburicases, Rituximabs, Sargramostims, Streptozocins, Talcs, Tamoxifens, Temozolomides, Teniposides, Testolactones, Thioguanines, 6-Thioguanines, Triethylenethiophosphoramides (Thiotepas), Topotecans, Toremifenes, Trastuzumabs, Tretinoins, Uracil Mustards, Valrubicins, Vinblastines, Vincristines, Vinorelbines, Zoledronates, Acivicins, Aclarubicins, Acodazoles, Acronines, Adozelesins, Aldesleukins, Retinoic Acids, Alitretinoins, 9-Cis-Retinoic Acids, Alvocidibs, Ambazones, Ambomycins, Ametantrones, Aminoglutethimides, Amsacrines, Anaxirones, Ancitabines, Anthramycins, Apaziquones, Argimesnas, Asperlins, Atrimustines, Azacitidines, Azetepas, Azotomycins, Banoxantrones, Batabulins, Batimastats, Benaxibines, Bendamustines, Benzodepas, Bicalutamides, Bietaserpines, Biricodars, Bisantrenes, Bisnafide Dimesylates, Bizelesins, Bortezomibs, Brequinars, Bropirimines, Budotitanes, Cactinomycins, Canertinibs, Caracemides, Carbetimers, Carboquones, Carmofurs, Carubicins, Carzelesins, Cedefingols, Cemadotins, Chlorambucils, Cioteronels, Cirolemycins, Clanfenurs, Clofarabines, Crisnatols, Decitabines, Dexniguldipines, Dexormaplatins, Dezaguanines, Diaziquones, Dibrospidiums, Dienogests, Dinalins, Disermolides,

Dofequidars, Doxifluridines, Droloxifenes, Duazomycins, Ecomustines, Edatrexates, Edotecarins, Eflornithines, Elacridars, Elinafides, Elsamitrucins, Emitefurs, Enloplatins, Enpromates, Enzastaurins, Epipropidines, Eptaloprosts, Erbulozoles, Esorubicins, Etanidazoles, Etoglucids, Etoprines, Exisulinds, Fadrozoles, Fazarabines, Fenretinides, Fluoxymesterones, Flurocitabines, Fosquidones, Fostriecins, Fotretamines, Galarubicins, Galocitabines, Geroquinols, Gimatecans, Gimeracils, Gloxazones, Glufosfamides, Ilmofosines, Ilomastats, Imexons, Improsulfans, Indisulams, Inproquones, Interleukins, Interleukin-2s, recombinant Interleukins, Intoplicines, Iobenguanes, Iproplatins, Irsogladines, Ixabepilones, Ketotrexates, L-Alanosines, Lanreotides, Lapatinibs, Ledoxantrones, Leuprolides, Leuprorelins, Lexacalcitols, Liarozoles, Lobaplatins, Lometrexols, Lonafarnibs, Losoxantrones, Lurtotecans, Mafosfamides, Mannosulfans, Marimastats, Masoprocols, Maytansines, Mechlorethamines, Melengestrols, Melphalans, Menogarils, Mepitiostanes, Metesinds, Metomidates, Metoprines, Meturedepas, Miboplatins, Miproxifenes, Misonidazoles, Mitindomides, Mitocarcins, Mitocromins, Mitoflaxones, Mitogillins, Mitoguazones, Mitomalcins, Mitonafides, Mitoquidones, Mitospers, Mitozolomides, Mivobulins, Mizoribines, Mofarotenes, Mopidamols, Mubritinibs, Mycophenolic Acids, Nedaplatins, Neizarabines, Nemorubicins, Nitracrines, Nocodazoles, Nogalamycins, Nolatrexeds, Nortopixantrones, Ormaplatins, Ortataxels, Oteracils, Oxisurans, Oxophenarsines, Patupilones, Peldesines, Peliomycins, Pelitrexols, Pemetrexeds, Pentamustines, Peplomycins, Perfosfamides, Perifosines, Picoplatins, Pinafides, Piposulfans, Pirfenidones, Piroxantrones, Pixantrones, Plevitrexeds, Plomestanes, Porfiromycins, Prednimustines, Propamidines, Prospidiums, Pumitepas, Puromycins, Pyrazofurins, Ranimustines, Riboprines, Ritrosulfans, Rogletimides, Roquinimexs, Rufocromomycins, Sabarubicins, Safingols, Satraplatins, Sebriplatins, Semustines, Simtrazenes, Sizofirans, Sobuzoxanes, Sorafenibs, Sparfosates, Sparfosic Acids, Sparsomycins, Spirogermaniums, Spiromustines, Spiroplatins, Squalamines, Streptonigrins, Streptovarycins, Sufosfamides, Sulofenurs, Tacedinalines, Talisomycins, Tallimustines, Tariquidars, Tauromustines, Tecogalans, Tegafurs, Teloxantrones, Temoporfins, Teroxirones, Thiamiprines, Tiamiprines, Tiazofurins, Tilomisoles, Tilorones, Timcodars, Timonacics, Tirapazamines, Topixantrones, Trabectedins, Ecteinascidin 743, Trestolones, Triciribines, Trilostanes, Trimetrexates, Triplatin Tetranitrates, Triptorelins, Trofosfamides, Tubulozoles, Ubenimexs, Uredepas, Valspodars, Vapreotides, Verteporfins, Vinblastines, Vindesines, Vinepidines, Vinflunines, Vinformides, Vinglycinates, Vinleucinols, Vinleurosines, Vinrosidines, Vintriptols, Vinzolidines, Vorozoles, Xanthomycin A's, Guamecyclines, Zeniplatins, Zilascorbs [2-H], Zinostatins, Zorubicins, Zosuquidars, Acetazolamides, Acyclovirs, Adipiodones,

Alatrofloxacins, Alfentanils, Allergenic extracts, Alpha 1-proteinase inhibitors, Alprostadils, Amikacins, Amino acids, Aminocaproic acids, Aminophyllines, Amitriptylines, Amobarbitals, Amrinones, Analgesics, Anti-poliomyelitic vaccines, Anti-rabic serums, Anti-tetanus immunoglobulins, tetanus vaccines, Antithrombin IIIs, Antivenom serums, Argatrobans, Arginines, Ascorbic acids, Atenolols, Atracuriums, Atropines, Aurothioglucoses, Azathioprines, Aztreonams, Bacitracins, Baclofens, Basiliximabs, Benzoic acids, Benztropines, Betamethasones, Biotins, Bivalirudins, Botulism antitoxins, Bretyliums, Bumetanides, Bupivacaines, Buprenorphines, Butorphanols, Calcitonins, Calcitriols, Calciums, Capreomycins, Carboprosts, Carnitines, Cefamandoles, Cefoperazones, Cefotaximes, Cefoxitins, Ceftizoximes, Cefuroximes, Chloramphenicols, Chloroprocaines, Chloroquines, Chlorothiazides, Chlorpromazines, Chondroitinsulfuric acids, Choriogonadotropin alfas, Chromiums, Cidofovirs, Cimetidines, Ciprofloxacins, Cisatracuriums, Clonidines, Codeines, Colchicines, Colistins, Collagens, Corticorelin ovine triflutates, Corticotrophins, Cosyntropins, Cyanocobalamins, Cyclosporines, Cysteines, Dacliximabs, Dalfopristins, Dalteparins, Danaparoids, Dantrolenes, Deferoxamines, Desmopressins, Dexamethasones, Dexmedetomidines, Dexpanthenols, Dextrans, Iron dextrans, Diatrizoic acids, Diazepams, Diazoxides, Dicyclomines, Digibinds, Digoxins, Dihydroergotamines, Diltiazems, Diphenhydramines, Dipyridamoles, Dobutamines, Dopamines, Doxacuriums, Doxaprams, Doxercalciferols, Doxycyclines, Droperidols, Dyphyllines, Edetic acids, Edrophoniums, Enalaprilats, Ephedrines, Epoprostenols, Ergocalciferols, Ergonovines, Ertapenems, Erythromycins, Esmolols, Estradiols, Estrogenics, Ethacrynic acids, Ethanolamines, Ethanols, Ethiodized oils, Etidronic acids, Etomidates, Famotidines, Fenoldopams, Fentanyls, Flumazenils, Fluoresceins, Fluphenazines, Folic acids, Fomepizoles, Fomivirsens, Fondaparinuxs, Foscarnets, Fosphenytoins, Furosemides, Gadoteridols, Gadoversetamides, Ganciclovirs, Gentamicins, Glucagons, Glucoses, Glycines, Glycopyrrolates, Gonadorelins, Gonadotropin chorionics, Haemophilus B polysaccharides, Hemins, Herbals, Histamines, Hydralazines, Hydrocortisones, Hydromorphones, Hydroxocobalamins, Hydroxyzines, Hyoscyamines, Ibutilides, Imiglucerases, Indigo carmines, Indomethacins, Iodides, Iopromides, Iothalamic acids, Ioxaglic acids, Ioxilans, Isoniazids, Isoproterenols, Japanese encephalitis vaccines, Kanamycins, Ketamines, Labetalols, Lepirudins, Levobupivacaines, Levothyroxines, Lincomycins, Liothyronines, Luteinizing hormones, Lyme disease vaccines, Mangafodipirs, Manthtols, Meningococcal polysaccharide vaccines, Meperidines, Mepivacaines, Mesoridazines, Metaraminols, Methadones, Methocarbamols, Methohexitals, Methyldopates, Methylergonovines, Metoclopramides, Metoprolols, Metronidazoles, Minocyclines, Mivacuriums, Morrhuic acids,

Moxifloxacins, Muromonab-CD3s, Mycophenolate mofetils, Nafcillins, Nalbuphines, Nalmefenes, Naloxones, Neostigmines, Niacinamides, Nicardipines, Nitroglycerins, Nitroprussides, Norepinephrines, Orphenadrines, Oxacillins, Oxymorphones, Oxytetracyclines, Oxytocins, Pancuroniums, Panthenols, Pantothenic acids, Papaverines, Peginterferon alpha 2As, Penicillin Gs, Pentamidines, Pentazocines, Pentobarbitals, Perflutrens, Perphenazines, Phenobarbitals, Phentolamines, Phenylephrines, Phenytoins, Physostigmines, Phytonadiones, Polymyxin, Pralidoximes, Prilocaines, Procainamides, Procaines, Prochlorperazines, Progesterones, Propranolols, Pyridostigmine hydroxides, Pyridoxines, Quinidines, Quinupristins, Rabies immunoglobulins, Rabies vaccines, Ranitidines, Remifentanils, Riboflavins, Rifampins, Ropivacaines, Samariums, Scopolamines, Seleniums, Sermorelins, Sincalides, Somatrems, Spectinomycins, Streptokinases, Streptomycins, Succinylcholines, Sufentanils, Sulfamethoxazoles, Tacrolimuses, Terbutalines, Teriparatides, Testosterones, Tetanus antitoxins, Tetracaines, Tetradecyl sulfates, Theophyllines, Thiamines, Thiethylperazines, Thiopentals, Thyroid stimulating hormones, Tinzaparins, Tirofibans, Tobramycins, Tolazolines, Tolbutamides, Torsemides, Tranexamic acids, Treprostinils, Trifluoperazines, Trimethobenzamides, Trimethoprims, Tromethamines, Tuberculins, Typhoid vaccines, Urofollitropins, Urokinases, Valproic acids, Vasopressins, Vecuroniums, Verapamils, Voriconazoles, Warfarins, Yellow fever vaccines, Zidovudines, Zincs, Ziprasidone hydrochlorides, Aclacinomycins, Actinomycins, Adriamycins, Azaserines, 6-Azauridines, Carzinophilins, Chromomycins, Denopterins, 6 Diazo 5 Oxo-L-Norleucines, Enocitabines, Floxuridines, Olivomycins, Pirarubicins, Piritreximes, Pteropterins, Tegafurs, Tubercidins, Alteplases, Arcitumomabs, bevacizumabs, Botulinum Toxin Type A's, Botulinum Toxin Type B's, Capromab Pendetides, Daclizumabs, Dornase alphas, Drotrecogin alphas, Imciromab Pentetates, Iodine-131's, an antibiotic agent; an angiogenesis inhibitor; anti-cataract and anti-diabetic retinopathy substances; carbonic anhydrase inhibitors; mydriatics; photodynamic therapy agents; prostaglandin analogs; growth factor; anti-neoplastics; anti-metabolites; anti-viral; amebicides and anti-protozoals; anti-tuberculosis and anti-leprotic; antitoxins and antivenins; antihemophilic factor, anti-inhibitor coagulant complex, antithrombin III, coagulations Factor V, coagulation Factor IX, plasma protein fraction, von Willebrand factor; antiplatelet agent a colony stimulating factor (CSF); an erythropoiesis stimulator; hemostatics and albumins; Immune Globulins; thrombin inhibitors; anticoagulants; a steroidal anti-inflammatory drug selected from among alclometasones, algestones, beclomethasones, betamethasones, budesonides, clobetasols, clobetasones, clocortolones, cloprednols, corticosterones, cortisones, cortivazols, deflazacorts, desonides, desoximetasones, dexamethasones, diflorasones, diflucortolones, difluprednates,

enoxolones, fluazacorts, flucloronides, flumethasones, flunisolides, fluocinolones, fluocinonides, fluocortins, fluocortolones, fluorometholones, fluperolones, fluprednidenes, fluprednisolones, flurandrenolides, fluticasones, formocortals, halcinonides, halobetasols, halometasones, halopredones, hydrocortamates, hydrocortisones, loteprednol etabonate, mazipredones, medrysones, meprednisones, methylprednisolones, mometasone furoate, paramethasones, prednicarbates, prednisolones, prednisones, prednivals, prednylidenes, rimexolones, tixocortols and triamcinolones; Docosanols, prostaglandins, prostaglandin analogs, antiprostaglandins and prostaglandin precursors; miotics, cholinergics and anti-cholinesterase; and anti-allergenics.

The compositions and modified PH20 polypeptides can be used to treat any condition normally treated by the PH20 polypeptide or the therapeutically active agent. These include, for example, conditions in which hyaluronan plays a role or is associated with the etiology of the disease due to, for example, accumulation or overproduction of hyaluronan. Hence provided are methods, uses of the compositions and modified PH20 polypeptides for treating a hyaluronan-associated disease or condition by administering any of the modified PH20 polypeptides or compositions provided herein. Hyaluronan-associated diseases and conditions include, for example, inflammatory disease and tumors or cancers, including a late-stage cancer, metastatic cancers and undifferentiated cancers, such as ovarian cancer, in situ carcinoma (ISC), squamous cell carcinoma (SCC), prostate cancer, pancreatic cancer, non-small cell lung cancer, breast cancer and colon cancer. The PH20 polypeptide can be modified to exhibit increased half-life for such treatments. For example, the PH20 polypeptide can be modified with a polymer such as a PEG moiety for such treatments.

Also provided are methods for increasing delivery of a therapeutic agent to a subject by: administering to a subject any of the modified PH20 polypeptides or compositions provided herein, and administering the therapeutic agent. The therapeutic agent can be administered in the same composition or separately, and can be administered before or after, simultaneously, or intermittently, with administration of the PH20 polypeptide(s). Administration includes any route, including intravenous and subcutaneous administration, such as simultaneously with, intermittently with, or subsequent to administration of the therapeutic agent. The therapeutic agents include any of those set forth above, elsewhere herein and/or known to those of skill in the art.

Also provided are methods for treating an excess of glycosaminoglycans; for treating a tumor; for treating glycosaminoglycan accumulation in the brain; for treating a cardiovascular disorder; for treating an ophthalmic disorder; for treating pulmonary disease; for increasing penetration of chemotherapeutic agents into solid tumors; for treating cellulite;

for treating a proliferative disorder; or for increasing bioavailability of drugs and other therapeutic agents by administering the modified PH20 polypeptides or compositions provided herein.

Also provided are pharmaceutical compositions for use in treating a hyaluronan-associated disease or disorder; for use in delivering a therapeutic agent to a subject; for treating an excess of glycosaminoglycans; for treating a tumor; for treating glycosaminoglycan accumulation in the brain; for treating a cardiovascular disorder; for treating an ophthalmic disorder; for treating pulmonary disease; for increasing penetration of chemotherapeutic agents into solid tumors; for treating cellulite; for treating a proliferative disorder; or for increasing bioavailability of drugs and other therapeutic agents; and for any other use of compositions containing PH20 polypeptides.

Provided herein is a method for identifying or selecting a modified hyaluronan-degrading enzyme that exhibits stability under a denaturation condition that includes the steps of: a) testing the activity of a modified hyaluronan-degrading enzyme in a composition containing a denaturing agent and/or under a denaturing condition; b) testing the activity of the modified hyaluronan-degrading enzyme in the same composition and/or under the same conditions as a) except absent the denaturing agent or condition; and c) selecting or identifying a modified hyaluronan-degrading enzyme that exhibits activity in a) that is at least 5% of the activity in b). In such an example, the activity is hyaluronidase activity. In some examples of the methods, a modified hyaluronan-degrading enzyme is selected or identified if the activity in a) is at least 10%, 15%, 20%, 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95% or more of the activity in b), for example, a modified hyaluronan-degrading enzyme is selected or identified if the activity in a) is at least 40% or more of the activity in b). The method also can include steps of: d) comparing the activity of the modified hyaluronan-degrading enzyme in a) to the activity of the unmodified hyaluronan-degrading enzyme tested under the same conditions; and e) identifying or selecting a modified hyaluronan-degrading enzyme that exhibits at least 120%, 130%, 135%, 140%, 145%, 150%, 160%, 170%, 180%, 200%, 250%, 300%, 350%, 400%, 500%, 1500%, 2000%, 3000%, 4000%, 5000% or more of the hyaluronidase activity compared to the unmodified hyaluronan-degrading enzyme.

Also provide herein is a method for identifying or selecting a modified hyaluronan-degrading enzyme that exhibits stability, such as increased stability, under a denaturation condition, that includes the steps of: a) testing the activity of a modified hyaluronan-degrading enzyme in a composition containing a denaturing agent and/or under a denaturing condition; b) testing the activity of the corresponding unmodified hyaluronan-degrading

enzyme in a composition containing the same denaturing agent and/or under the same denaturing condition as a), whereby the activity is tested under the same conditions as a); and c) selecting or identifying a modified hyaluronan-degrading enzyme that exhibits greater activity than the unmodified hyaluronan-degrading enzyme, thereby identifying or selecting a modified hyaluronan-degrading enzyme that exhibits increased stability under a denaturation condition. In such an example, the activity can be a hyaluronidase activity. In examples of the method, a modified hyaluronan-degrading enzyme is selected or identified if the activity is at least 120%, 130%, 135%, 140%, 145%, 150%, 160%, 170%, 180%, 200%, 250%, 300%, 350%, 400%, 500%, 1500%, 2000%, 3000%, 4000%, 5000% or more of the activity compared to the unmodified hyaluronan-degrading enzyme. In such an example, the method also can include additional steps of: d) testing the activity of the selected or identified modified hyaluronan-degrading enzyme in a composition containing a denaturing agent and/or under a denaturing condition; e) testing the activity of the same selected or identified modified hyaluronan-degrading enzyme in the same composition and/or under the same conditions as d) except absent the denaturing agent or condition; and f) selecting or identifying a modified hyaluronan-degrading enzyme that exhibits activity in d) that is at least 5% of the activity in e). In such an example, the activity is hyaluronidase activity. In some examples of the methods, a modified hyaluronan-degrading enzyme is selected or identified if the activity in d) is at least 10%, 15%, 20%, 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95% or more of the activity in e), for example, a modified hyaluronan-degrading enzyme is selected or identified if the activity in d) is at least 40% or more of the activity in e).

In any of the methods provided herein for identifying or selecting a modified hyaluronan-degrading enzyme, the denaturing agent or condition is caused by temperature, agitation, no or low salt or the presence of an excipient. For example, the denaturing agent or condition is caused by elevated temperature that is from or from about 30 °C to 42 °C, such as greater than or greater than about 30 °C, 31 °C, 32 °C, 33 °C, 34 °C, 35 °C, 36 °C, 37 °C, 38 °C, 39 °C, 40 °C, 41 °C or 42 °C. In other examples, the denaturing agent or condition is the absence of salt or low salt less than 100 mM, such as low salt less than 90 mM, 80mM, 70mM, 60 mM, 50 mM, 40 mM, 30 mM, 25 mM, 20 mM, 15 mM, 10 mM, 5 mM. In further examples, the denaturing agent or condition is a denaturing excipient selected from among an antiadherents, binders, coatings, fillers and diluents, flavors, colors, lubricants, glidants, preservatives, sorbents and sweeteners.

In particular examples of any of the methods provided herein for identifying or selecting a modified hyaluronan-degrading enzyme, the denaturing agent or condition is a

preservative(s), for example, a phenolic preservative(s). The phenolic preservative(s) can be a phenol, metacresol (m-cresol), benzyl alcohol, or a paraben. For example, the denaturing agent or condition is a preservative(s) that is phenol and/or m-cresol. In such examples, the total amount of phenolic preservative in the composition, as a percentage (%) of mass concentration (w/v), is from or from about 0.05% to 0.6%, 0.1% to 0.4%, 0.1% to 0.3%, 0.15% to 0.325%, 0.15% to 0.25%, 0.1% to 0.2%, 0.2% to 0.3% or 0.3% to 0.4% inclusive.

In any of the methods provided herein for identifying or selecting a modified hyaluronan-degrading enzyme, prior to testing the activity of a hyaluronan-degrading enzyme composition in a) and/or b), the hyaluronan-degrading enzyme is exposed to the denaturation condition or denaturing agent for a predetermined time. The predetermined time is a time period that is user selected depending on the particular hyaluronan-degrading enzyme that is being evolved or selected, the particular denaturation condition or denaturing agent, the amount or extent of the denaturation condition or denaturing agent, the application or use of the hyaluronan-degrading enzyme and other similar factors. For example, the predetermined time can be from or from about 1 minute to 1 month, 1 minute to 3 weeks, 1 minute to 2 weeks, 1 minute to 1 week, 1 minute to 24 hours, 1 minute to 12 hours, 30 minutes to 6 hours or 1 hour to 4 hours, such as at least or about at least 30 minutes, 1 hour, 2 hours, 3 hours, 4 hours, 5 hours, 6 hours, 7 hours, 8 hours, 9 hours, 10 hours, 11 hours, 12 hours, 24 hours, two days, three days, four days, five days, six days, 7 days, two weeks or one month.

In any of the methods provided herein for identifying or selecting a modified hyaluronan-degrading enzyme, the modified hyaluronan-degrading enzyme is one that contains an amino acid replacement, insertion or deletion of amino acids compared to an unmodified hyaluronan-degrading enzyme. For example, the modified hyaluronan-degrading enzyme contains an amino acid replacement, such as a single amino acid replacement or two, three, four, five, six, seven, eight, nine or more amino acid replacements compared to an unmodified form of the hyaluronan-degrading enzyme. In particular aspects of the method, a library or collection of modified hyaluronan-degrading enzymes are screened in order to evolve or identify or select a modified hyaluronan-degrading enzyme that exhibits stability, such as increased stability, under a denaturation condition. Thus, in examples of the methods herein, a plurality of modified hyaluronan-degrading enzymes are tested in a) and/or b). In such examples, the plurality of modified hyaluronan-degrading enzymes are modified compared to the corresponding unmodified hyaluronan-degrading enzyme to generate a collection of modified hyaluronan-degrading enzymes, whereby each modified protein in the collection is tested in each of a) and/or b). In the collection or library, each modified hyaluronan-degrading enzyme contains a single amino acid replacement compared to the

unmodified form of the hyaluronan-degrading enzyme, such that the plurality of modified enzymes are such that the amino acid at each modified position is replaced by up to 1-19 other amino acids other than the original amino acid at the position, whereby each modified hyaluronan-degrading enzyme contains a different amino acid replacement, and every amino acid along the length of the hyaluronan-degrading enzyme, or a selected portion thereof, is replaced.

In any of the methods provided herein, the modified hyaluronan-degrading enzyme is modified compared to an unmodified hyaluronan-degrading enzyme by insertion, deletion or replacement of an amino acid(s). The unmodified hyaluronan-degrading enzyme can be a chondroitinase or can be a hyaluronidase. In examples herein, the unmodified hyaluronidase is a PH20 hyaluronidase or truncated form thereof lacking a C-terminal glycosylphosphatidylinositol (GPI) anchor attachment site or a portion of the GPI anchor attachment site, whereby the truncated form exhibits hyaluronidase activity. PH20 hyaluronidase can be a human, monkey, bovine, ovine, rat, fox, mouse or guinea pig PH20. In particular examples, the PH20 hyaluronidase is a human PH20 or a C-terminal truncated form thereof. For example, the unmodified hyaluronan-degrading enzyme is one that has the sequence of amino acids set forth in any of SEQ ID NOS: 3, 7, 10, 12, 14, 24, 32-66, 69, 72, 857, 859, 861, 870 or a sequence of amino acids that is at least 80% sequence identity to any of SEQ ID NOS: 3, 7, 10, 12, 14, 24, 32-66, 69, 72, 857, 859, 861, 870, such as at least 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% sequence identity to any of SEQ ID NOS: 3, 7, 10, 12, 14, 24, 32-66, 69, 72, 857, 859, 861, or 870. In particular examples, the unmodified hyaluronan-degrading enzyme is a PH20 hyaluronidase having the sequence of amino acids set forth in any of SEQ ID NOS: 3, 7, 32-66, 69 or 72, or a sequence of amino acids that exhibits at least 85% sequence identity to any of SEQ ID NOS: 3, 7, 32-66, 69 or 72, such as a sequence of amino acids that exhibits at least 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to any of SEQ ID NOS: 3, 7, 32-66, 69 or 72.

In any of the methods provided herein for identifying or selecting a modified hyaluronan-degrading enzyme that exhibits stability, the method is performed *in vitro*. Also provided are any of the methods that are iterative, whereby the steps of the method are repeated a plurality of times, wherein in each repetition, further modified hyaluronan-degrading enzymes of a selected modified hyaluronan-degrading enzyme are generated and tested, whereby the modified hyaluronan-degrading enzyme is evolved to exhibit increased stability under a denaturation condition. Also provided herein is a modified hyaluronan-degrading enzyme identified by any of the methods provided herein.

BRIEF DESCRIPTION OF THE FIGURES

Figure 1 depicts the amino acid sequence of full-length human PH20 (set forth in SEQ ID NO:7) and soluble C-terminal truncated variants thereof. The C-terminal amino acid residue of exemplary C-terminal truncated variants of full-length PH20 are indicated by bold font. The complete amino acid sequences of exemplary C-terminal truncated variants of full-length PH20 also are provided in SEQ ID NOS: 3 and 32-66. The C-terminal amino acid residue of an exemplary soluble PH20, whose complete sequence is set forth in SEQ ID NO:3, also is indicated by underline. Exemplary, non-limiting, positions for amino acid replacements are indicated by highlighting. Corresponding positions can be identified by alignment of a sequence of interest with any of SEQ ID NOS: 3, 7 or 32-66, and in particular with SEQ ID NO:3.

Figure 2 depicts exemplary alignments of human soluble PH20 set forth in SEQ ID NO:3 with other PH20 polypeptides. A "*" means that the aligned residues are identical, a ":" means that aligned residues are not identical, but are similar and contain conservative amino acids residues at the aligned position, and a "." means that the aligned residues are similar and contain semi-conservative amino acid residues at the aligned position. Exemplary, non-limiting, corresponding positions for amino acid replacements are indicated by highlighting. For example, **Figure 2A** depicts the alignment of a human soluble PH20 set forth in SEQ ID NO:3 with chimpanzee PH20 set forth in SEQ ID NO:10. **Figure 2B** depicts the alignment of a human soluble PH20 set forth in SEQ ID NO:3 with Rhesus monkey PH20 set forth in SEQ ID NO:12. **Figure 2C** depicts the alignment of a human soluble PH20 set forth in SEQ ID NO:3 with Cynomolgus monkey PH20 set forth in SEQ ID NO:14. **Figure 2D** depicts the alignment of human soluble PH20 set forth in SEQ ID NO:3 with bovine PH20 set forth in SEQ ID NO:16. **Figure 2E** depicts the alignment of a human soluble PH20 set forth in SEQ ID NO:3 with mouse PH20 set forth in SEQ ID NO:20. **Figure 2F** depicts the alignment of a human soluble PH20 set forth in SEQ ID NO:3 with rat PH20 set forth in SEQ ID NO:22. **Figure 2G** depicts the alignment of a human soluble PH20 set forth in SEQ ID NO:3 with rabbit PH20 set forth in SEQ ID NO:24. **Figure 2H** depicts the alignment of a human soluble PH20 set forth in SEQ ID NO:3 with guinea pig PH20 set forth in SEQ ID NO:29. **Figure 2I** depicts the alignment of a human soluble PH20 set forth in SEQ ID NO:3 with Fox PH20 set forth in SEQ ID NO:31. **Figure 2J** depicts the alignment of a human soluble PH20 set forth in SEQ ID NO:3 with Gibbon PH20 set forth in SEQ ID NO:857. **Figure 2K** depicts the alignment of a human soluble PH20 set forth in SEQ ID NO:3 with Marmoset PH20 set forth in SEQ ID NO:859. **Figure 2L** depicts the alignment of a human soluble PH20 set forth in SEQ ID NO:3 with Orangutan PH20 set forth in SEQ ID NO:861.

DETAILED DESCRIPTION

Outline

A. Definitions
B. PH20 Hyaluronidase
1. Structure
2. Function
3. Soluble PH20 Polypeptides
C. Modified PH20 Polypeptides
1. Active Mutants
a. Increased Activity
b. Increased Stability
i. Phenophiles
ii. Thermophiles
iii. Absence of Salt
2. Inactive Mutants
3. Additional Modifications
a. Decreased Immunogenicity
b. Conjugation to Polymers
D. Methods for Identifying Modified Hyaluronan-Degrading Enzymes with Altered properties or Activities
1. Hyaluronan-Degrading Enzymes and Libraries of Modified Hyaluronan-Degrading Enzymes
2. Screening or Testing for a Desired Activity or Property
3. Selection or Identification
4. Iterative Methods
E. Production of Modified Polypeptides and Encoding Nucleic Acid Molecules
1. Isolation or Preparation of Nucleic Acids Encoding PH20 Polypeptides
2. Generation of Mutant or Modified Nucleic Acid and Encoding Polypeptides
3. Vectors and Cells
4. Expression
a. Prokaryotic Cells
b. Yeast Cells
c. Insects and Insect Cells
d. Mammalian expression
e. Plants and plant cells
5. Purification
6. Modification of Polypeptides by PEGylation
F. Pharmaceutical Compositions and Formulations, Dosages and Administration
1. Formulations (liquids, injectables, solutions and emulsions)
a. Lyophilized
b. Exemplary Formulations
i. NaCl
ii. pH and Buffer
iii. Preservatives
iv. Stabilizers
2. Compositions for Other Routes of Administration
3. Dosages and Administration
4. Exemplary PH20-Insulin Co-Formulations
5. Packaging, Articles of Manufacture and Kits
G. Methods of Assessing Hyaluronidase Activity

1. Hyaluronidase Activity
2. Solubility
3. Purity, Crystallization or Aggregation
4. Pharmacodynamics/Pharmacokinetics

H. Methods of Treatment and Combination Therapy
1. Methods of Delivering Therapeutic Agents
Delivery of Insulin
2. Methods of Treating Hyaluronan-Associated Disease and Conditions
3. Other Uses
4. Contraception

I. Examples

A. DEFINITIONS

Unless defined otherwise, all technical and scientific terms used herein have the same meaning as is commonly understood by one of skill in the art to which the invention(s) belong. All patents, patent applications, published applications and publications, GenBank sequences, databases, websites and other published materials referred to throughout the entire disclosure herein, unless noted otherwise, are incorporated by reference in their entirety. In the event that there are a plurality of definitions for terms herein, those in this section prevail. Where reference is made to a URL or other such identifier or address, it understood that such identifiers can change and particular information on the internet can come and go, but equivalent information can be found by searching the internet. Reference thereto evidences the availability and public dissemination of such information.

As used herein, a hyaluronan-degrading enzyme refers to an enzyme that catalyzes the cleavage of a hyaluronan polymer (also referred to as hyaluronic acid or HA) into smaller molecular weight fragments. Exemplary hyaluronan-degrading enzymes are hyaluronidases, and particular chondroitinases and lyases that have the ability to depolymerize hyaluronan. Exemplary chondroitinases that are hyaluronan-degrading enzymes include, but are not limited to, chondroitin ABC lyase (also known as chondroitinase ABC), chondroitin AC lyase (also known as chondroitin sulfate lyase or chondroitin sulfate eliminase) and chondroitin C lyase. Chondroitin ABC lyase contains two enzymes, chondroitin-sulfate-ABC endolyase (EC 4.2.2.20) and chondroitin-sulfate-ABC exolyase (EC 4.2.2.21). An exemplary chondroitin-sulfate-ABC endolyases and chondroitin-sulfate-ABC exolyases include, but are not limited to, those from *Proteus vulgaris* and *Pedobacter heparinus* (the *Proteus vulgaris* chondroitin-sulfate-ABC endolyase is set forth in SEQ ID NO:922; Sato *et al.* (1994) *Appl. Microbiol. Biotechnol.* 41(1):39-46). Exemplary chondroitinase AC enzymes from bacteria include, but are not limited to, those from *Pedobacter heparinus*, set for th in SEQ ID NO: 923, *Victivallis vadensis*, set forth in SEQ ID NO:924, and *Arthrobacter aurescens* (Tkalec *et al.* (2000) *Applied and Environmental Microbiology* 66(1):29-35; Ernst *et al.*

(1995) *Critical Reviews in Biochemistry and Molecular Biology* 30(5):387-444). Exemplary chondroitinase C enzymes from bacteria include, but are not limited to, those from *Streptococcus* and *Flavobacterium* (Hibi *et al.* (1989) *FEMS-Microbiol-Lett.* 48(2):121-4; Michelacci *et al.* (1976) *J. Biol. Chem.* 251:1154-8; Tsuda *et al.* (1999) *Eur. J. Biochem.* 262:127-133).

As used herein, hyaluronidase refers to a class of enzymes that degrade hyaluronan. Hyaluronidases include, but are not limited to, bacterial hyaluronidases (EC 4.2.2.1 or EC 4.2.99.1), hyaluronidases from leeches, other parasites and crustaceans (EC 3.2.1.36), and mammalian-type hyaluronidases (EC 3.2.1.35). Hyaluronidases include any of non-human origin including, but not limited to, murine, canine, feline, leporine, avian, bovine, ovine, porcine, equine, piscine, ranine, bacterial, and any from leeches, other parasites, and crustaceans. Exemplary human hyaluronidases include HYAL1, HYAL2, HYAL3, HYAL4, and PH20. Also included amongst hyaluronidases are soluble hyaluronidases, including, ovine and bovine PH20, and soluble PH20. Exemplary hyaluronidases include any set forth in SEQ ID NOS: 6, 7-31, 69, 70, 71, 72, 856-861, 869-921, mature forms thereof (lacking the signal sequence), or allelic or species variants thereof. Hyaluronidases also include truncated forms thereof that exhibit hyaluronidase activity, including C-terminal truncated variants that are soluble.

As used herein, PH20 refers to a type of hyaluronidase that occurs in sperm and is neutral-active. PH-20 occurs on the sperm surface, and in the lysosome-derived acrosome, where it is bound to the inner acrosomal membrane. PH20 includes those of any origin including, but not limited to, human, chimpanzee, Cynomolgus monkey, Rhesus monkey, murine, bovine, ovine, guinea pig, rabbit and rat origin. Exemplary PH20 polypeptides, including precursor and mature forms, include those from human (SEQ ID NO:6 and 7), chimpanzee (SEQ ID NO:8, 9, 10, 869 and 870), Rhesus monkey (SEQ ID NO:11 and 12), Cynomolgus monkey (SEQ ID NO:13 and 14), cow (*e.g.*, SEQ ID NOS:15-18); mouse (SEQ ID NO:19 and 20); rat (SEQ ID NO:21 and 22); rabbit (SEQ ID NO:23 and 24); sheep (SEQ ID NOS:25-27), guinea pig (SEQ ID NO:28 and 29); fox (SEQ ID NO: 30 and 31); Gibbon (SEQ ID NO:856 and 857), Marmoset (SEQ ID NO:858 and 859) and orangutan (SEQ ID NO:860 and 861) . Reference to PH20 includes precursor PH20 polypeptides and mature PH20 polypeptides (such as those in which a signal sequence has been removed), truncated forms thereof that have activity, and includes allelic variants and species variants, variants encoded by splice variants, and other variants, including polypeptides that have at least 40%, 45%, 50%, 55%, 65%, 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or more sequence identity to the precursor polypeptides set forth in SEQ ID NO:7, or the mature

forms thereof. PH20 polypeptides also include those that contain chemical or posttranslational modifications and those that do not contain chemical or posttranslational modifications. Such modifications include, but are not limited to, PEGylation, albumination, glycosylation, farnysylation, carboxylation, hydroxylation, phosphorylation, and other polypeptide modifications known in the art. Examples of commercially available bovine or ovine soluble hyaluronidases are Vitrase® hyaluronidase (ovine hyaluronidase) and Amphadase® hyaluronidase (bovine hyaluronidase).

As used herein, a soluble PH20 refers to a polypeptide characterized by its solubility under physiological conditions. Generally, a soluble PH20 lacks all or a portion of a glycophosphatidyl anchor (GPI) attachment sequence, or does not otherwise sufficiently anchor to the cell membrane. For example, a soluble PH20 can be a C-terminally truncated variant of a PH20 lacking a contiguous sequence of amino acids that corresponds to all or a portion of a glycophosphatidyl anchor (GPI) attachment sequence. Hence, upon expression from a cell, a soluble PH20 is secreted into the medium. Soluble PH20 proteins can be distinguished, for example, by its partitioning into the aqueous phase of a Triton X-114 solution warmed to 37 °C (Bordier et al., (1981) *J. Biol. Chem.*, 256:1604-7). Membrane-anchored, such as lipid anchored hyaluronidases, will partition into the detergent rich phase, but will partition into the detergent-poor or aqueous phase following treatment with Phospholipase-C. Included among soluble PH20 hyaluronidases are membrane anchored hyaluronidases in which one or more regions associated with anchoring of the hyaluronidase to the membrane has been removed or modified, where the soluble form retains hyaluronidase activity. Soluble hyaluronidases include recombinant soluble hyaluronidases and those contained in or purified from natural sources, such as, for example, testes extracts from sheep or cows. Exemplary of such soluble hyaluronidases are soluble human PH20 (SEQ ID NO: 3 or 32-66). Other soluble hyaluronidases include ovine (SEQ ID NO:25-27) and bovine (SEQ ID NO:16 or 18) PH20.

As used herein, soluble human PH20 (sHuPH20) includes human PH20 polypeptides that lack a contiguous sequence of amino acids from the C-terminus of human PH20 that includes all or a portion of the glycosylphosphatidylinositol (GPI) anchor sequence (C-terminally truncated PH20 polypeptides) such that upon expression, the polypeptides are soluble under physiological conditions. For example, soluble human PH20 polypeptides are C-terminally truncated polypeptides of human PH20 set forth as SEQ ID NO:6 in its precursor form or in SEQ ID NO:7 in its mature form lacking the signal sequence, or allelic variants thereof (*e.g.* set forth in any of SEQ ID NOS: 68-72). Solubility can be assessed by any suitable method that demonstrates solubility under physiologic conditions. Exemplary of

such methods is the Triton® X-114 assay, that assesses partitioning into the aqueous phase and that is described above. In addition, a soluble human PH20 polypeptide is, if produced in CHO cells, such as CHO-S cells, a polypeptide that is expressed and is secreted into the cell culture medium. Soluble human PH20 polypeptides, however, are not limited to those produced in CHO cells, but can be produced in any cell or by any method, including recombinant expression and polypeptide synthesis. Reference to secretion in CHO cells is definitional. Hence, if a polypeptide could be expressed and secreted in CHO cells and is soluble in the media, *i.e.*, partitions into the aqueous phase when extracted with Triton® X-114, it is a soluble PH20 polypeptide whether or not it is so-produced. The precursor polypeptides for sHuPH20 polypeptides can include a signal sequence, such as a heterologous or non-heterologous (*i.e.*, native) signal sequence. Exemplary of the precursors are those that include a signal sequence, such as the native 35 amino acid signal sequence at amino acid positions 1-35 (see, *e.g.*, amino acids 1-35 of SEQ ID NO:6).

As used herein, "native" or "wildtype" with reference to a PH20 polypeptide refers to a PH20 polypeptide encoded by a native or naturally occurring PH20 gene, including allelic variants, that is present in an organism, including a human and other animals, in nature. Reference to wild-type PH20 without reference to a species is intended to encompass any species of a wild-type PH20. Included among wild-type PH20 polypeptides are the encoded precursor polypeptide, fragments thereof, and processed forms thereof, such as a mature form lacking the signal peptide as well as any pre- or post-translationally processed or modified forms thereof. Also included among native PH20 polypeptides are those that are post-translationally modified, including, but not limited to, those that are modified by glycosylation, carboxylation and/or hydroxylation. The amino acid sequences of exemplary wild-type human PH20 are set forth in SEQ ID NOS: 6 and 7 and those of allelic variants, including mature forms thereof, are set forth in SEQ ID NOS:68-72 . Other animals produce native PH20, including, but not limited to, native or wildtype sequences set forth in any of SEQ ID NOS: 8-31, 856-861, 869 or 870.

As used herein, modification is in reference to modification of a sequence of amino acids of a polypeptide or a sequence of nucleotides in a nucleic acid molecule and includes deletions, insertions, and replacements of amino acids and nucleotides, respectively. Modifications also can include post-translational modifications or other changes to the molecule that can occur due to conjugation or linkage, directly or indirectly, to another moiety. Methods of modifying a polypeptide are routine to those of skill in the art, such as by using recombinant DNA methodologies.

As used herein, a "modified hyaluronan-degrading enzyme" refers to a hyaluronan-degrading enzyme that contains a modification compared to a reference or unmodified hyaluronan-degrading enzyme. The modification can be an amino acid replacement (substitution), insertion (addition) or deletion of one or more amino acid residues. The amino acid residue can be a natural or non-natural amino acid. In some cases, the modification can be a post-translational modification. A modified hyaluronan-degrading enzyme can have up to 150 amino acid differences compared to a reference or unmodified hyaluronan-degrading enzyme, so long as the resulting modified hyaluronan-degrading enzyme exhibits hyaluronidase activity. Typically, a modified hyaluronan-degrading enzyme contains 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, or 50 amino acid modifications.

As used herein, an unmodified hyaluronan-degrading enzyme refers to a starting polypeptide that is selected for modification as provided herein. The starting polypeptide can be a naturally-occurring, wild-type form of a polypeptide. In addition, the starting polypeptide can be altered or mutated, such that it differs from a native wild type isoform but is nonetheless referred to herein as a starting unmodified polypeptide relative to the subsequently modified polypeptides produced herein. Thus, existing proteins known in the art that have been modified to have a desired increase or decrease in a particular activity or property compared to an unmodified reference protein can be selected and used as the starting unmodified polypeptide. For example, a protein that has been modified from its native form by one or more single amino acid changes and possesses either an increase or decrease in a desired property, such as a change in an amino acid residue or residues to alter glycosylation, can be selected for modification, and hence referred to herein as unmodified, for further modification. An unmodified hyaluronan-degrading enzyme includes human and non-human hyaluronan-degrading enzymes, including hyaluronan-degrading enzymes from non-human mammals and bacteria. Exemplary unmodified hyaluronan-degrading enzyme are any set forth in SEQ ID NOS: 2, 3, 6, 7-66, 68-72, 856-861, 869-924 or mature, C-terminally truncated forms thereof that exhibit hyaluronidase activity, or a hyaluronan-degrading enzyme that exhibits at least 75%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99% sequence identity to any of SEQ ID NOS: 2, 3, 6, 7-66, 68-72, 856-861, 869-924. It is understood that an unmodified hyaluronan-degrading enzyme generally is one that does not contain the modification(s), such as amino acid replacement(s) of a modified hyaluronan-degrading enzyme.

As used herein, "modified PH20 polypeptide" or "variant PH20 polypeptide" refers to a PH20 polypeptide that contains at least one amino acid modification, such as at least one amino acid replacement as described herein, in its sequence of amino acids compared to a reference unmodified PH20 polypeptide. A modified PH20 polypeptide can have up to 150 amino acid replacements, so long as the resulting modified PH20 polypeptide exhibits hyaluronidase activity. Typically, a modified PH20 polypeptide contains 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, or 50 amino acid replacements. It is understood that a modified PH20 polypeptide also can include any one or more other modifications, in addition to at least one amino acid replacement as described herein.

As used herein, an unmodified PH20 polypeptide refers to a starting PH20 polypeptide that is selected for modification as provided herein. The starting polypeptide can be a naturally-occurring, wild-type form of a polypeptide. In addition, the starting polypeptide can be altered or mutated, such that it differs from a native wild type isoform but is nonetheless referred to herein as a starting unmodified polypeptide relative to the subsequently modified polypeptides produced herein. Thus, existing proteins known in the art that have been modified to have a desired increase or decrease in a particular activity or property compared to an unmodified reference protein can be selected and used as the starting unmodified polypeptide. For example, a protein that has been modified from its native form by one or more single amino acid changes and possesses either an increase or decrease in a desired property, such as a change in an amino acid residue or residues to alter glycosylation, can be selected for modification, and hence referred to herein as unmodified, for further modification. Exemplary unmodified PH20 polypeptides is a human PH20 polypeptide or allelic or species variants thereof or other variants, including mature and precursor polypeptides. For example, exemplary reference PH20 polypeptides is a mature full length PH20 polypeptide set forth in SEQ ID NOS: 7, 69 or 72, or in C-terminally truncated forms thereof such as set forth in any of SEQ ID NOS: 3 and 32-66, or in a PH20 polypeptide that exhibits at least 68%, 69%, 70%, 75%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99% sequence identity to any of SEQ ID NOS: 3, 7, 32-66, 69 or 72. A reference PH20 polypeptide also can include the corresponding precursor form such as set forth in any of SEQ ID NOS: 2, 6, 68, 70, 71 or other precursor forms, or in a PH20 polypeptide that exhibits at least 68%, 69%, 70%, 75%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99% sequence identity to any of SEQ ID NOS: 2, 6, 68, 70, 71. It is understood that an unmodified hyaluronan-degrading

enzyme generally is one that does not contain the modification(s), such as amino acid replacement(s) of a modified hyaluronan-degrading enzyme.

As used herein, an N-linked moiety refers to an asparagine (N) amino acid residue of a polypeptide that is capable of being glycosylated by post-translational modification of a polypeptide. Exemplary N-linked moieties of human PH20 include amino acids N47, N131, N200, N219, N333, N358 and N365 of the sequence of amino acids set forth in SEQ ID NO: 3 or 7 (corresponding to amino acid residues N82, N166, N235, N254, N368, N393 and N490 of human PH20 set forth in SEQ ID NO: 6).

As used herein, an N-glycosylated polypeptide refers to a PH20 polypeptide containing oligosaccharide linkage of at least three N-linked amino acid residues, for example, N-linked moieties corresponding to amino acid residues N200, N333 and N358 of SEQ ID NO:3 or 7. An N-glycosylated polypeptide can include a polypeptide where three, four, five and up to all of the N-linked moieties are linked to an oligosaccharide. The N-linked oligosaccharides can include oligomannose, complex, hybrid or sulfated oligosaccharides, or other oligosaccharides and monosaccharides.

As used herein, an N-partially glycosylated polypeptide refers to a polypeptide that minimally contains an N-acetylglucosamine glycan linked to at least three N-linked moieties. A partially glycosylated polypeptide can include various glycan forms, including monosaccharides, oligosaccharides, and branched sugar forms, including those formed by treatment of a polypeptide with EndoH, EndoF1, EndoF2 and/or EndoF3.

As used herein, "conditions" refers to any parameter that can influence the activity or properties of a protein or agent. For purposes herein, conditions generally refer to the presence, including amount, of excipients, carriers or other components in a formulation other than the active agent (*e.g.*, modified PH20 hyaluronidase); temperature; time (*e.g.*, time of storage or exposure); storage vessel; properties of storage (*e.g.*, agitation) and/or other conditions associated with exposure or use.

As used herein, "denaturation" or "denaturing" or grammatical variations thereof with reference to a protein refers to a biochemical change in a protein so that a property or activity of the protein is diminished or eliminated. The biochemical change can be a change in the tertiary structure of the protein to unfold. The property or activity can be completely abolished or can be reduced by 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or more.

As used herein, property refers to a physical or structural property, such as the three-dimensional structure, pI, half-life, conformation and other such physical characteristics. For

example, a change in a property can be manifested as the solubility, aggregation or crystallization of a protein.

As used herein, activity refers to a functional activity or activities of a polypeptide or portion thereof associated with a full-length (complete) protein. Functional activities include, but are not limited to, biological activity, catalytic or enzymatic activity, antigenicity (ability to bind or compete with a polypeptide for binding to an anti-polypeptide antibody), immunogenicity, ability to form multimers, and the ability to specifically bind to a receptor or ligand for the polypeptide.

As used herein, hyaluronidase activity refers to the ability to enzymatically catalyze the cleavage of hyaluronic acid. The United States Pharmacopeia (USP) XXII assay for hyaluronidase determines hyaluronidase activity indirectly by measuring the amount of higher molecular weight hyaluronic acid, or hyaluronan, (HA) substrate remaining after the enzyme is allowed to react with the HA for 30 min at 37 °C (USP XXII-NF XVII (1990) 644-645 United States Pharmacopeia Convention, Inc, Rockville, MD). A Reference Standard solution can be used in an assay to ascertain the relative activity, in units, of any hyaluronidase. *In vitro* assays to determine the hyaluronidase activity of hyaluronidases, such as PH20, including modified PH20 polypeptides, are known in the art and described herein. Exemplary assays include the microturbidity assay described herein that measures cleavage of hyaluronic acid by hyaluronidase indirectly by detecting the insoluble precipitate formed when the uncleaved hyaluronic acid binds with serum albumin. Reference Standards can be used, for example, to generate a standard curve to determine the activity in Units of the hyaluronidase being tested.

As used herein, neutral active refers to the ability of a PH20 polypeptide to enzymatically catalyze the cleavage of hyaluronic acid at neutral pH, such as at a pH between or about between pH 6.0 to pH 7.8.

As used herein, "increased activity" with reference to a modified PH20 hyaluronidase means that, when tested under the same conditions, the modified PH20 hyaluronidase exhibits greater hyaluronidase activity compared to an unmodified PH20 hyaluronidase not containing the amino acid replacement(s). For example, a modified PH20 hyaluronidase exhibits at least or about at least 110%, 120%, 130%, 140%, 150%, 160%, 170%, 180%, 190%, 200%, 250%, 300%, 400%, 500% , 600%, 700%, 800%, 900%, 1000% or more of the activity of the unmodified or reference PH20 hyaluronidase.

As used herein, "solubility" with reference to a protein refers to a protein that is homogenous in an aqueous solution, whereby protein molecules diffuse and do not sediment spontaneously. Hence a soluble protein solution is one in which there is an absence of a

visible or discrete particle in a solution containing the protein, such that the particles cannot be easily filtered. Generally, a protein is soluble if there are no visible or discrete particles in the solution. For example, a protein is soluble if it contains no or few particles that can be removed by a filter with a pore size of 0.22 μm.

As used herein, aggregation or crystallization with reference to a protein refers to the presence of visible or discrete particles in a solution containing the protein. Typically, the particles are greater than 10 μm in size, such as greater than 15 μm, 20 μm, 25 μm, 30 μm, 40 μm, 50 μm or greater. Aggregation or crystallization can arise due to reduced solubility, increased denaturation of a protein or the formation of covalent bonds.

As used herein, "denaturing condition" or "denaturation condition" refers to any condition or agent that, when exposed to a protein, affects or influences the degradation or denaturation of the protein, generally as a result of a loss or partial loss of the tertiary or secondary structure of the protein. Denaturing conditions can result in effects such as loss or reduction in activity, loss or reduction of solubility, aggregation and/or crystallization. The denaturing condition need not be one that is completely deadly to the protein, but nevertheless is one that leads to a reduction in the activity of the protein over time. Thus, a condition is denaturing if the activity of the protein is reduced by at least 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or more in the presence of the condition than in its absence. A denaturing condition can be due to an external stress or physical condition (*e.g.*, agitation, temperature, time of storage, absence of a stabilizer) or can be due to the presence of a denaturing agent. For example, the denaturing condition can be caused by heat, acid or a chemical denaturant. Exemplary denaturing conditions include, but are not limited to, the presence of a strong acid or base, a concentrated inorganic salt, an organic solvent (*e.g.*, alcohol or chloroform), urea, high or low pH (extremes of pH), elevated temperature (*e.g.*, heat), the presence of excipients that can be denaturing (*e.g.*, phenolic preservatives or detergent), and low or substantially no stabilizing agent that otherwise is required for stability of the protein (*e.g.*, NaCl).

As used herein, "denaturing agent" or "denaturant" refers to any substance, molecule or compound that causes denaturation. For example, a denaturing agent can include a strong acid or base, a concentrated inorganic salt, an organic solvent (*e.g.*, alcohol or chloroform), a preservative, detergent or other excipient.

As used herein, "resistance to a denaturation condition" refers to any amount of decreased reduction or elimination of a property or activity of the protein associated with or caused by denaturation. For example, denaturation is associated with or causes increased crystallization or aggregation, reduced solubility or decreased activity. Hence, resistance to

denaturation means that the protein exhibits decreased aggregation or crystallization, increased solubility or increased or greater activity (*e.g.*, hyaluronidase activity) when exposed to a denaturing condition compared to a reference protein (*e.g.* unmodified enzyme). The resistance to a denaturation condition need not be absolute or permanent, but can be achieved because the denaturation of the modified hyaluronan-degrading enzyme occurs more slowly than the unmodified enzyme in the denaturation condition such that an activity or property of the modified hyaluronan-degrading enzyme is achieved for longer. For example, a modified hyaluronan-degrading enzyme, such as a modified PH20 hyaluronidase, exhibits resistance to a denaturation condition if it exhibits, for example, 1%, 2%, 3%, 4%, 5%, 6%, 7%, 8%, 9%, 10%, ... 20%, ... 30%, ... 40%, ... 50%, ... 60%, ..., 70%, ... 80%, ... 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% more resistance to denaturation in the presence of a denaturation condition or denaturing agent than an unmodified polypeptide. In some instances, a modified polypeptide exhibits 105%, 110%, 120%, 130%, 140%, 150%, 200%, 300%, 400%, 500%, or more increased resistance to denaturation compared to an unmodified polypeptide.

As used herein, stability of a modified PH20 hyaluronidase means that it exhibits resistance to denaturation caused by a denaturation condition or denaturing agent. A modified PH20 polypeptide exhibits stability if it retains some activity in the presence of a denaturation condition or denaturing agent, such as at least 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90% or more of the original or initial hyaluronidase activity prior to exposure to the denaturing condition(s). Generally, a modified PH20 hyaluronidase is stable if it retains at least 50% or more of the hyaluronidase activity under a denaturation condition compared to the absence of the denaturation condition. Assays to assess hyaluronidase activity are known to one of skill in the art and described herein. It is understood that the stability of the enzyme need not be permanent or long term, but is manifested for a duration of time in which activity is desired. For example, a modified PH20 hyaluronidase is stable if it exhibits an activity for at least 2 hours, 3 hours, 4 hours, 6 hours, 12 hours, 24 hours, one day, two days, three days, four days, five days, six days, one week, one month, six months or one year upon exposure, or during exposure, to one or more denaturing condition(s) or agent(s) (*e.g.*, presence of a denaturing excipient such as a preservative). For example, a modified PH20 hyaluronidase is stable if it exhibits an activity upon or during exposure to one or more denaturing condition(s) or agent(s) (*e.g.*, presence of a denaturing excipient such as a preservative) for at least 1 month at temperatures from or from about 2 °C to 8 °C, inclusive or for at least 3 days at a temperature from or from about 30 °C to 42 °C, inclusive.

Hence, "stable" or "stability," with reference to a formulation or a co-formulation provided herein, refers to one in which a modified hyaluronan-degrading enzyme, such as a modified PH20 hyaluronidase, therein is stable upon exposure to one or more denaturing condition(s) or agent(s) therein (*e.g.*, presence of a denaturing excipient such as a preservative) for at least 1 month at temperatures from or from about 2 °C to 8 °C, inclusive or for at least 3 days at a temperature from or from about 30 °C to 42 °C, inclusive.

As used herein, "increased stability" with reference to a modified PH20 hyaluronidase means that, in the presence of the same denaturing or denaturation condition(s) (*e.g.*, presence of a denaturing excipient such as a preservative), the modified PH20 hyaluronidase exhibits greater hyaluronidase activity compared to an unmodified PH20 hyaluronidase not containing the amino acid replacement(s). For example, a modified PH20 hyaluronidase exhibits increased stability if it exhibits at least or about at least 110%, 120%, 130%, 140%, 150%, 160%, 170%, 180%, 190%, 200%, 250%, 300%, 400%, 500% , 600%, 700%, 800%, 900%, 1000% or more of the activity of the unmodified or reference PH20 hyaluronidase in the presence of a denaturing or denaturation condition(s) (*e.g.*, in the presence of a denaturing excipient such as a preservative).

As used herein, "elevated temperatures" refers to temperatures that are greater than room temperature or ambient temperature. Generally, an elevated temperature is a temperature that is at least, greater than, or about 30 °C, such as 30 °C to 42 °C, and generally 32 °C to 37 °C or 35 °C to 37 °C, inclusive.

As used herein, room temperature refers to a range generally from about or at to 18 °C to about or at 32 °C. Those of skill in the art appreciate that room temperature varies by location and prevailing conditions. For example, room temperatures can be higher in warmer climates such as Italy or Texas.

As used herein, recitation that proteins are "compared under the same conditions" means that different proteins are treated identically or substantially identically such that any one or more conditions that can influence the activity or properties of a protein or agent are not varied or not substantially varied between the test agents. For example, when the hyaluronidase activity of a modified PH20 polypeptide is compared to an unmodified PH20 polypeptide any one or more conditions such as the amount or concentration of the polypeptide; presence, including amount, of excipients, carriers or other components in a formulation other than the active agent (*e.g.*, modified PH20 hyaluronidase); temperature; time of storage; storage vessel; properties of storage (*e.g.*, agitation) and/or other conditions associated with exposure or use are identical or substantially identical between and among the compared polypeptides.

As used herein, "predetermined time" refers to a time that is established or decided in advance. For example, the predetermined time can be a time chosen in advance that is associated with the desired duration of activity of a hyaluronan-degrading enzyme depending on the desired application or use of the protein. A predetermined time can be hours, days, months or years. For example, a predetermined time can be at least about or about 2 hours, 3 hours, 4 hours, five hours, six hours, 12 hours, 24 hours, 2 days, three days, four days, five days, six days, one week, two weeks, three weeks, one month, six months, one year or more.

As used herein, "storage" means that a formulation is not immediately administered to a subject once prepared, but is kept for a period of time under particular conditions (*e.g.*, particular temperature; time, and/or form (*e.g.*, liquid or lyophilized form)) prior to use. For example, a liquid formulation can be kept for days, weeks, months or years, prior to administration to a subject under varied temperatures such as refrigerated (0 °C to 10 °C, such as 2 ° to 8 °C), room temperature (*e.g.*, temperature up to 32 °C, such as 18 °C to about or at 32 °C), or elevated temperature (*e.g.*, 30 °C to 42 °C, such as 32 °C to 37 °C or 35 °C to 37 °C).

As used herein, an "excipient" refers to a compound in a formulation of an active agent that does not provide the biological effect of the active agent when administered in the absence of the active agent. Exemplary excipients include, but are not limited to, salts, buffers, stabilizers, tonicity modifiers, metals, polymers, surfactants, preservatives, amino acids and sugars.

As used herein, a stabilizing agent refers to compound added to the formulation to protect the modified PH20 polypeptide or other active agent from degradation, if necessary, such as due to denaturation conditions to which a formulation herein is exposed when handled, stored or used. Thus, included are agents that prevent proteins from degradation from other components in the compositions. Exemplary of such agents are amino acids, amino acid derivatives, amines, sugars, polyols, salts and buffers, surfactants, inhibitors or substrates and other agents as described herein.

As used herein, an antimicrobial effectiveness test or preservative effectiveness test (PET) demonstrates the effectiveness of the preservative system in a product. A product is inoculated with a controlled quantity of specific organisms. The test then compares the level of microorganisms found on a control sample versus the test sample over a period of 28 days. Generally, target markets have differing PET requirements. For example, the PET requirements of the United States Pharmacopoeia (USP) and the European Pharmacopoeia (EP) differ. Parameters for performing an antimicrobial effectiveness test, including in different markets, are known to one of skill in the art as described herein.

As used herein, an anti-microbially or anti-microbial effective amount of a preservative refers to an amount of the preservative that kills or inhibits the propagation of microbial organisms in a sample that may be introduced from storage or use. For example, for multiple-dose containers, an anti-microbially effective amount of a preservative inhibits the growth of microorganisms that may be introduced from repeatedly withdrawing individual doses. USP and EP (EPA and EPB) have anti-microbial requirements that determine preservative effectiveness, and that vary in stringency. For example, an anti-microbial effective amount of a preservative is an amount such that at least a 1.0 $\log_{10}$ unit reduction in bacterial organisms occurs at 7 days following inoculation in an antimicrobial preservative effectiveness test (APET). In a particular example, an anti-microbial effective amount of a preservative is an amount such that at least a 1.0 $\log_{10}$ unit reduction in bacterial organisms occurs at 7 days following inoculation, at least a 3.0 $\log_{10}$ unit reduction of bacterial organisms occurs at 14 days following inoculation, at least no further increase in bacterial organisms occurs after 28 days following inoculation, and at least no increase in fungal organisms occurs after 7 days following inoculation. In a further example, an anti-microbial effective amount of a preservative is an amount such that at least a 1.0 $\log_{10}$ unit reduction of bacterial organisms occurs at 24 hours following inoculation, at least a 3.0 $\log_{10}$ unit reduction of bacterial organisms occurs at 7 days following inoculation, no further increase in bacterial organisms occurs after 28 days following inoculation, at least a 1.0 $\log_{10}$ unit reduction of fungal organisms occurs at 14 days following inoculation, and at least no further increase in fungal organisms occurs after 28 days following inoculation. In an additional example, an anti-microbial effective amount of a preservative is an amount such that at least a 2.0 $\log_{10}$ unit reduction of bacterial organisms occurs at 6 hours following inoculation, at least a 3.0 $\log_{10}$ unit reduction of bacterial organisms occurs at 24 hours following inoculation, no recovery of bacterial organisms occurs after 28 days following inoculation of the composition with the microbial inoculum, at least a 2.0 $\log_{10}$ unit reduction of fungal organisms occurs at 7 days following inoculation, and at least no further increase in fungal organisms occurs after 28 days following inoculation.

As used herein, "preservative" refers to a naturally occurring or synthetically or recombinantly produced substance that, when added to a molecule or protein composition, prevents microbial growth, including bacterial or fungal growth, in the composition.

As used herein, a "phenolic preservative" refers to a preservative that contains one hydroxyl group attached to an aromatic carbon ring, such as a benzene ring. Exemplary phenolic preservatives, include but are not limited to, phenol, m-cresol, p-hydroxybenzoic

acid, methylparaben, ethylparaben, and propylparaben. For example, cresols, including meta-cresol (m-cresol), has a methyl group substituted onto the benzene ring of a phenol molecule.

As used herein, a "phenophile" refers to a protein, such as a modified PH20 polypeptide, that exhibits stability in the presence of an anti-microbially effective amount of a preservative(s). The term "phenolphile" can be used interchangeably herein with "phenophile" and has the same meaning. For example, a modified PH20 polypeptide that is a phenophile or phenolphile typically exhibits increased stability compared to an unmodified PH20 hyaluronidase not containing the amino acid replacement(s) when tested under the same denaturing condition(s) containing a phenolic preservative(s). For example, a modified PH20 hyaluronidase exhibits at least or about at least 110%, 120%, 130%, 140%, 150%, 160%, 170%, 180%, 190%, 200%, 250%, 300%, 400%, 500% , 600%, 700%, 800%, 900%, 1000% or more of the activity of the unmodified or reference PH20 hyaluronidase in the presence of a phenolic preservative(s).

As used herein, a "thermophile" refers to a protein, such as a modified PH20 polypeptide, that exhibits stability under elevated temperatures greater than or about 30 °C, such as 30 °C to 42 °C, and generally 32 °C to 37 °C or 35 °C to 37 °C. For example, a modified PH20 polypeptide that is a thermophile typically exhibits increased stability compared to an unmodified PH20 hyaluronidase not containing the amino acid replacement(s) when tested under the same elevated temperature denaturing condition(s). For example, a modified PH20 hyaluronidase exhibits at least or about at least 110%, 120%, 130%, 140%, 150%, 160%, 170%, 180%, 190%, 200%, 250%, 300%, 400%, 500% , 600%, 700%, 800%, 900%, 1000% or more of the activity of the unmodified or reference PH20 hyaluronidase under elevated temperatures.

As used herein, the term "detergent" is used interchangeably with the term "surfactant" or "surface acting agent." Surfactants are typically organic compounds that are amphiphilic, *i.e.*, containing both hydrophobic groups ("tails") and hydrophilic groups ("heads"), which render surfactants soluble in both organic solvents and water. A surfactant can be classified by the presence of formally charged groups in its head. A non-ionic surfactant has no charge groups in its head, whereas an ionic surfactant carries a net charge in its head. A zwitterionic surfactant contains a head with two oppositely charged groups. Some examples of common surfactants include: Anionic (based on sulfate, sulfonate or carboxylate anions): perfluorooctanoate (PFOA or PFO), perfluorooctane sulfonate (PFOS), sodium dodecyl sulfate (SDS), ammonium lauryl sulfate, and other alkyl sulfate salts, sodium laureth sulfate (also known as sodium lauryl ether sulfate, or SLES), alkyl benzene sulfonate; cationic (based on quaternary ammonium cations): cetyl trimethylammonium bromide

(CTAB) a.k.a. hexadecyl trimethyl ammonium bromide, and other alkyltrimethylammonium salts, cetylpyridinium chloride (CPC), polyethoxylated tallow amine (POEA), benzalkonium chloride (BAC), benzethonium chloride (BZT); Zwitterionic (amphoteric): dodecyl betaine; cocamidopropyl betaine; coco ampho glycinate; nonionic: alkyl poly(ethylene oxide), alkylphenol poly(ethylene oxide), copolymers of poly(ethylene oxide) and poly(propylene oxide) (commercially known as Poloxamers or Poloxamines), alkyl polyglucosides, including octyl glucoside, decyl maltoside, fatty alcohols (*e.g.*, cetyl alcohol and oleyl alcohol), cocamide MEA, cocamide DEA, polysorbates (Tween 20, Tween 80, *etc.*), Triton detergents, and dodecyl dimethylamine oxide.

As used herein, a "buffer" refers to a substance, generally a solution, that can keep its pH constant, despite the addition of strong acids or strong bases and external influences of temperature, pressure, volume or redox potential. A buffer prevents change in the concentration of another chemical substance, *e.g.*, proton donor and acceptor systems that prevent marked changes in hydrogen ion concentration (pH). The pH values of all buffers are temperature and concentration dependent. The choice of buffer to maintain a pH value or range can be empirically determined by one of skill in the art based on the known buffering capacity of known buffers. Exemplary buffers include but are not limited to, bicarbonate buffer, cacodylate buffer, phosphate buffer or Tris buffer. For example, Tris buffer (tromethamine) is an amine based buffer that has a pKa of 8.06 and has an effective pH range between 7.9 and 9.2. For Tris buffers, pH increases about 0.03 unit per °C temperature decrease, and decreases 0.03 to 0.05 unit per ten-fold dilution.

As used herein, the residues of naturally occurring α-amino acids are the residues of those 20 α-amino acids found in nature which are incorporated into protein by the specific recognition of the charged tRNA molecule with its cognate mRNA codon in humans.

As used herein, nucleic acids include DNA, RNA and analogs thereof, including peptide nucleic acids (PNA) and mixtures thereof. Nucleic acids can be single or double-stranded. When referring to probes or primers, which are optionally labeled, such as with a detectable label, such as a fluorescent or radiolabel, single-stranded molecules are contemplated. Such molecules are typically of a length such that their target is statistically unique or of low copy number (typically less than 5, generally less than 3) for probing or priming a library. Generally a probe or primer contains at least 14, 16 or 30 contiguous nucleotides of sequence complementary to or identical to a gene of interest. Probes and primers can be 10, 20, 30, 50, 100 or more nucleic acids long.

As used herein, a peptide refers to a polypeptide that is from 2 to 40 amino acids in length.

As used herein, the amino acids which occur in the various sequences of amino acids provided herein are identified according to their known, three-letter or one-letter abbreviations (Table 1). The nucleotides which occur in the various nucleic acid fragments are designated with the standard single-letter designations used routinely in the art.

As used herein, an "amino acid" is an organic compound containing an amino group and a carboxylic acid group. A polypeptide contains two or more amino acids. For purposes herein, amino acids include the twenty naturally-occurring amino acids, non-natural amino acids and amino acid analogs (*i.e.*, amino acids wherein the α-carbon has a side chain).

As used herein, "amino acid residue" refers to an amino acid formed upon chemical digestion (hydrolysis) of a polypeptide at its peptide linkages. The amino acid residues described herein are presumed to be in the "L" isomeric form. Residues in the "D" isomeric form, which are so designated, can be substituted for any L-amino acid residue as long as the desired functional property is retained by the polypeptide. NH_2 refers to the free amino group present at the amino terminus of a polypeptide. COOH refers to the free carboxy group present at the carboxyl terminus of a polypeptide. In keeping with standard polypeptide nomenclature described in *J. Biol. Chem.*, 243: 3557-3559 (1968), and adopted 37 C.F.R. §§ 1.821-1.822, abbreviations for amino acid residues are shown in Table 1:

Table 1 – Table of Correspondence

SYMBOL		
1-Letter	**3-Letter**	**AMINO ACID**
Y	Tyr	Tyrosine
G	Gly	Glycine
F	Phe	Phenylalanine
M	Met	Methionine
A	Ala	Alanine
S	Ser	Serine
I	Ile	Isoleucine
L	Leu	Leucine
T	Thr	Threonine
V	Val	Valine
P	Pro	Proline
K	Lys	Lysine
H	His	Histidine
Q	Gln	Glutamine
E	Glu	Glutamic Acid
Z	Glx	Glu and/or Gln
W	Trp	Tryptophan
R	Arg	Arginine
D	Asp	Aspartic Acid
N	Asn	Asparagine
B	Asx	Asn and/or Asp

SYMBOL		
1-Letter	3-Letter	AMINO ACID
C	Cys	Cysteine
X	Xaa	Unknown or Other

It should be noted that all amino acid residue sequences represented herein by formulae have a left to right orientation in the conventional direction of amino-terminus to carboxyl-terminus. In addition, the phrase "amino acid residue" is broadly defined to include the amino acids listed in the Table of Correspondence (Table 1) and modified and unusual amino acids, such as those referred to in 37 C.F.R. §§ 1.821-1.822, and incorporated herein by reference. Furthermore, it should be noted that a dash at the beginning or end of an amino acid residue sequence indicates a peptide bond to a further sequence of one or more amino acid residues, to an amino-terminal group such as NH_2 or to a carboxyl-terminal group such as COOH.

As used herein, "naturally occurring amino acids" refer to the 20 L-amino acids that occur in polypeptides.

As used herein, "non-natural amino acid" refers to an organic compound that has a structure similar to a natural amino acid but has been modified structurally to mimic the structure and reactivity of a natural amino acid. Non-naturally occurring amino acids thus include, for example, amino acids or analogs of amino acids other than the 20 naturally-occurring amino acids and include, but are not limited to, the D-stereoisomers of amino acids. Exemplary non-natural amino acids are described herein and are known to those of skill in the art.

As used herein, an isokinetic mixture is one in which the molar ratios of amino acids has been adjusted based on their reported reaction rates (see, *e.g.*, Ostresh et al., (1994) Biopolymers 34:1681).

As used herein, suitable conservative substitutions of amino acids are known to those of skill in this art and can be made generally without altering the biological activity of the resulting molecule. Those of skill in the art recognize that, in general, single amino acid substitutions in non-essential regions of a polypeptide do not substantially alter biological activity (see, *e.g.*, Watson *et al.* Molecular Biology of the Gene, 4th Edition, 1987, The Benjamin/Cummings Pub. co., p.224). Such substitutions can be made in accordance with those set forth in TABLE 2 as follows:

TABLE 2

Original residue	Exemplary conservative substitution
Ala (A)	Gly; Ser

Original residue	Exemplary conservative substitution
Arg (R)	Lys
Asn (N)	Gln; His
Cys (C)	Ser
Gln (Q)	Asn
Glu (E)	Asp
Gly (G)	Ala; Pro
His (H)	Asn; Gln
Ile (I)	Leu; Val
Leu (L)	Ile; Val
Lys (K)	Arg; Gln; Glu
Met (M)	Leu; Tyr; Ile
Phe (F)	Met; Leu; Tyr
Ser (S)	Thr
Thr (T)	Ser
Trp (W)	Tyr
Tyr (Y)	Trp; Phe
Val (V)	Ile; Leu

Other substitutions also are permissible and can be determined empirically or in accord with known conservative substitutions.

As used herein, a DNA construct is a single or double stranded, linear or circular DNA molecule that contains segments of DNA combined and juxtaposed in a manner not found in nature. DNA constructs exist as a result of human manipulation, and include clones and other copies of manipulated molecules.

As used herein, a DNA segment is a portion of a larger DNA molecule having specified attributes. For example, a DNA segment encoding a specified polypeptide is a portion of a longer DNA molecule, such as a plasmid or plasmid fragment, which, when read from the 5' to 3' direction, encodes the sequence of amino acids of the specified polypeptide.

As used herein, the term polynucleotide means a single- or double-stranded polymer of deoxyribonucleotides or ribonucleotide bases read from the 5' to the 3' end. Polynucleotides include RNA and DNA, and can be isolated from natural sources, synthesized *in vitro*, or prepared from a combination of natural and synthetic molecules. The length of a polynucleotide molecule is given herein in terms of nucleotides (abbreviated "nt") or base pairs (abbreviated "bp"). The term nucleotides is used for single- and double-stranded molecules where the context permits. When the term is applied to double-stranded molecules it is used to denote overall length and will be understood to be equivalent to the term base pairs. It will be recognized by those skilled in the art that the two strands of a double-stranded polynucleotide can differ slightly in length and that the ends thereof can be staggered; thus all nucleotides within a double-stranded polynucleotide molecule cannot be paired. Such unpaired ends will, in general, not exceed 20 nucleotides in length.

As used herein, "at a position corresponding to" or recitation that nucleotides or amino acid positions "correspond to" nucleotides or amino acid positions in a disclosed sequence, such as set forth in the Sequence listing, refers to nucleotides or amino acid positions identified upon alignment with the disclosed sequence to maximize identity using a standard alignment algorithm, such as the GAP algorithm. For purposes herein, alignment of a PH20 sequence is to the amino acid sequence set forth in any of SEQ ID NOS: 3, 7 or 32-66, and in particular SEQ ID NO:3. Hence, reference herein that a position or amino acid replacement corresponds to positions with reference to SEQ ID NO:3 also means that the position or amino acid replacement corresponds to positions with reference to any of SEQ ID NOS: 7 or 32-66, since the sequences therein are identical to the corresponding residues as set forth in SEQ ID NO:3. By aligning the sequences, one skilled in the art can identify corresponding residues, for example, using conserved and identical amino acid residues as guides. In general, to identify corresponding positions, the sequences of amino acids are aligned so that the highest order match is obtained (see, *e.g.*: *Computational Molecular Biology*, Lesk, A.M., ed., Oxford University Press, New York, 1988; *Biocomputing: Informatics and Genome Projects*, Smith, D.W., ed., Academic Press, New York, 1993; *Computer Analysis of Sequence Data, Part I*, Griffin, A.M., and Griffin, H.G., eds., Humana Press, New Jersey, 1994; *Sequence Analysis in Molecular Biology*, von Heinje, G., Academic Press, 1987; and *Sequence Analysis Primer*, Gribskov, M. and Devereux, J., eds., M Stockton Press, New York, 1991; Carrillo *et al.* (1988) *SIAM J Applied Math* 48:1073). Figure 2 exemplifies exemplary alignments and identification of exemplary corresponding residues for replacement.

As used herein, "sequence identity" refers to the number of identical or similar amino acids or nucleotide bases in a comparison between a test and a reference polypeptide or polynucleotide. Sequence identity can be determined by sequence alignment of nucleic acid or protein sequences to identify regions of similarity or identity. For purposes herein, sequence identity is generally determined by alignment to identify identical residues. Alignment can be local or global, but for purposes herein alignment is generally a global alignment where the full-length of each sequence is compared. Matches, mismatches and gaps can be identified between compared sequences. Gaps are null amino acids or nucleotides inserted between the residues of aligned sequences so that identical or similar characters are aligned. Generally, there can be internal and terminal gaps. Sequence identity can be determined by taking into account gaps as the number of identical residues/ length of the shortest sequence x 100. When using gap penalties, sequence identity can be determined with no penalty for end gaps (*e.g.*, terminal gaps are not penalized). Alternatively, sequence identity can be

determined without taking into account gaps as the number of identical positions/length of the total aligned sequence x 100.

As used herein, a "global alignment" is an alignment that aligns two sequences from beginning to end, aligning each letter in each sequence only once. An alignment is produced, regardless of whether or not there is similarity or identity between the sequences. For example, 50% sequence identity based on "global alignment" means that in an alignment of the full sequence of two compared sequences each of 100 nucleotides in length, 50% of the residues are the same. It is understood that global alignment also can be used in determining sequence identity even when the length of the aligned sequences is not the same. The differences in the terminal ends of the sequences will be taken into account in determining sequence identity, unless the "no penalty for end gaps" is selected. Generally, a global alignment is used on sequences that share significant similarity over most of their length. Exemplary algorithms for performing global alignment include the Needleman-Wunsch algorithm (Needleman *et al. J. Mol. Biol.* 48: 443 (1970). Exemplary programs for performing global alignment are publicly available and include the Global Sequence Alignment Tool available at the National Center for Biotechnology Information (NCBI) website (ncbi.nlm.nih.gov/), and the program available at deepc2.psi.iastate.edu/aat/align/align.html.

As used herein, a "local alignment" is an alignment that aligns two sequence, but only aligns those portions of the sequences that share similarity or identity. Hence, a local alignment determines if sub-segments of one sequence are present in another sequence. If there is no similarity, no alignment will be returned. Local alignment algorithms include BLAST or Smith-Waterman algorithm (*Adv. Appl. Math.* 2: 482 (1981)). For example, 50% sequence identity based on "local alignment" means that in an alignment of the full sequence of two compared sequences of any length, a region of similarity or identity of 100 nucleotides in length has 50% of the residues that are the same in the region of similarity or identity.

For purposes herein, sequence identity can be determined by standard alignment algorithm programs used with default gap penalties established by each supplier. Default parameters for the GAP program can include: (1) a unary comparison matrix (containing a value of 1 for identities and 0 for non identities) and the weighted comparison matrix of Gribskov *et al. Nucl. Acids Res.* 14: 6745 (1986), as described by Schwartz and Dayhoff, eds., *Atlas of Protein Sequence and Structure*, National Biomedical Research Foundation, pp. 353-358 (1979); (2) a penalty of 3.0 for each gap and an additional 0.10 penalty for each symbol in each gap; and (3) no penalty for end gaps. Whether any two nucleic acid molecules have nucleotide sequences or any two polypeptides have amino acid sequences that are at least

80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% "identical," or other similar variations reciting a percent identity, can be determined using known computer algorithms based on local or global alignment (see *e.g.*, wikipedia.org/wiki/Sequence_alignment_software, providing links to dozens of known and publicly available alignment databases and programs). Generally, for purposes herein sequence identity is determined using computer algorithms based on global alignment, such as the Needleman-Wunsch Global Sequence Alignment tool available from NCBI/BLAST (blast.ncbi.nlm.nih.gov/Blast.cgi?CMD=Web&Page_TYPE=BlastHome); LAlign (William Pearson implementing the Huang and Miller algorithm (*Adv. Appl. Math.* (1991) 12:337-357)); and program from Xiaoqui Huang available at deepc2.psi.iastate.edu/aat/align/align.html. Generally, when comparing nucleotide sequences herein, an alignment with penalty for end gaps is used. Local alignment also can be used when the sequences being compared are substantially the same length.

Therefore, as used herein, the term "identity" represents a comparison or alignment between a test and a reference polypeptide or polynucleotide. In one non-limiting example, "at least 90% identical to" refers to percent identities from 90 to 100% relative to the reference polypeptide or polynucleotide. Identity at a level of 90% or more is indicative of the fact that, assuming for exemplification purposes a test and reference polypeptide or polynucleotide length of 100 amino acids or nucleotides are compared, no more than 10% (*i.e.*, 10 out of 100) of amino acids or nucleotides in the test polypeptide or polynucleotide differs from that of the reference polypeptides. Similar comparisons can be made between a test and reference polynucleotides. Such differences can be represented as point mutations randomly distributed over the entire length of an amino acid sequence or they can be clustered in one or more locations of varying length up to the maximum allowable, *e.g.*, 10/100 amino acid difference (approximately 90% identity). Differences also can be due to deletions or truncations of amino acid residues. Differences are defined as nucleic acid or amino acid substitutions, insertions or deletions. Depending on the length of the compared sequences, at the level of homologies or identities above about 85-90%, the result can be independent of the program and gap parameters set; such high levels of identity can be assessed readily, often without relying on software.

As used herein, an allelic variant or allelic variation references any of two or more alternative forms of a gene occupying the same chromosomal locus. Allelic variation arises naturally through mutation, and can result in phenotypic polymorphism within populations. Gene mutations can be silent (no change in the encoded polypeptide) or can encode polypeptides having altered amino acid sequence. The term "allelic variant" also is used herein to denote a protein encoded by an allelic variant of a gene. Typically the reference

form of the gene encodes a wildtype form and/or predominant form of a polypeptide from a population or single reference member of a species. Typically, allelic variants, which include variants between and among species typically have at least 80%, 90% or greater amino acid identity with a wildtype and/or predominant form from the same species; the degree of identity depends upon the gene and whether comparison is interspecies or intraspecies. Generally, intraspecies allelic variants have at least about 80%, 85%, 90% or 95% identity or greater with a wildtype and/or predominant form, including 96%, 97%, 98%, 99% or greater identity with a wildtype and/or predominant form of a polypeptide. Reference to an allelic variant herein generally refers to variations in proteins among members of the same species.

As used herein, "allele," which is used interchangeably herein with "allelic variant" refers to alternative forms of a gene or portions thereof. Alleles occupy the same locus or position on homologous chromosomes. When a subject has two identical alleles of a gene, the subject is said to be homozygous for that gene or allele. When a subject has two different alleles of a gene, the subject is said to be heterozygous for the gene. Alleles of a specific gene can differ from each other in a single nucleotide or several nucleotides, and can include modifications such as substitutions, deletions and insertions of nucleotides. An allele of a gene also can be a form of a gene containing a mutation.

As used herein, species variants refer to variants in polypeptides among different species, including different mammalian species, such as mouse and human. Exemplary of species variants provided herein are primate PH20, such as, but not limited to, human, chimpanzee, macaque, cynomolgus monkey, gibbon, orangutan, or marmoset. Generally, species variants have 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, or 98% sequence identity. Corresponding residues between and among species variants can be determined by comparing and aligning sequences to maximize the number of matching nucleotides or residues, for example, such that identity between the sequences is equal to or greater than 95%, equal to or greater than 96%, equal to or greater than 97%, equal to or greater than 98% or equal to greater than 99%. The position of interest is then given the number assigned in the reference nucleic acid molecule. Alignment can be effected manually or by eye, particularly where sequence identity is greater than 80%.

As used herein, substantially pure means sufficiently homogeneous to appear free of readily detectable impurities, as determined by standard methods of analysis, such as thin layer chromatography (TLC), gel electrophoresis and high performance liquid chromatography (HPLC), used by those of skill in the art to assess such purity, or sufficiently pure such that further purification would not detectably alter the physical and chemical properties, such as enzymatic and biological activities, of the substance. Methods for

purification of the compounds to produce substantially chemically pure compounds are known to those of skill in the art. A substantially chemically pure compound can, however, be a mixture of stereoisomers or isomers. In such instances, further purification might increase the specific activity of the compound.

As used herein, isolated or purified polypeptide or protein or biologically-active portion thereof is substantially free of cellular material or other contaminating proteins from the cell or tissue from which the protein is derived, or substantially free from chemical precursors or other chemicals when chemically synthesized. Preparations can be determined to be substantially free if they appear free of readily detectable impurities as determined by standard methods of analysis, such as thin layer chromatography (TLC), gel electrophoresis and high performance liquid chromatography (HPLC), used by those of skill in the art to assess such purity, or sufficiently pure such that further purification would not detectably alter the physical and chemical properties, such as enzymatic and biological activities, of the substance. Methods for purification of the compounds to produce substantially chemically pure compounds are known to those of skill in the art. A substantially chemically pure compound, however, can be a mixture of stereoisomers. In such instances, further purification might increase the specific activity of the compound.

Hence, reference to a substantially purified polypeptide, such as a substantially purified PH20 polypeptide refers to preparations of PH20 proteins that are substantially free of cellular material, includes preparations of proteins in which the protein is separated from cellular components of the cells from which it is isolated or recombinantly-produced. In one embodiment, the term substantially free of cellular material includes preparations of enzyme proteins having less than about 30% (by dry weight) of non-enzyme proteins (also referred to herein as contaminating proteins), generally less than about 20% of non-enzyme proteins or 10% of non-enzyme proteins or less than about 5% of non-enzyme proteins. When the enzyme protein is recombinantly produced, it also is substantially free of culture medium, *i.e.*, culture medium represents less than about or at 20%, 10% or 5% of the volume of the enzyme protein preparation.

As used herein, the term substantially free of chemical precursors or other chemicals includes preparations of enzyme proteins in which the protein is separated from chemical precursors or other chemicals that are involved in the synthesis of the protein. The term includes preparations of enzyme proteins having less than about 30% (by dry weight), 20%, 10%, 5% or less of chemical precursors or non-enzyme chemicals or components.

As used herein, synthetic, with reference to, for example, a synthetic nucleic acid molecule or a synthetic gene or a synthetic peptide refers to a nucleic acid molecule or

polypeptide molecule that is produced by recombinant methods and/or by chemical synthesis methods.

As used herein, production by recombinant means or using recombinant DNA methods means the use of the well known methods of molecular biology for expressing proteins encoded by cloned DNA.

As used herein, vector (or plasmid) refers to discrete elements that are used to introduce a heterologous nucleic acid into cells for either expression or replication thereof. The vectors typically remain episomal, but can be designed to effect integration of a gene or portion thereof into a chromosome of the genome. Also contemplated are vectors that are artificial chromosomes, such as yeast artificial chromosomes and mammalian artificial chromosomes. Selection and use of such vehicles are well known to those of skill in the art.

As used herein, an expression vector includes vectors capable of expressing DNA that is operatively linked with regulatory sequences, such as promoter regions, that are capable of effecting expression of such DNA fragments. Such additional segments can include promoter and terminator sequences, and optionally can include one or more origins of replication, one or more selectable markers, an enhancer, a polyadenylation signal, and the like. Expression vectors are generally derived from plasmid or viral DNA, or can contain elements of both. Thus, an expression vector refers to a recombinant DNA or RNA construct, such as a plasmid, a phage, recombinant virus or other vector that, upon introduction into an appropriate host cell, results in expression of the cloned DNA. Appropriate expression vectors are well known to those of skill in the art and include those that are replicable in eukaryotic cells and/or prokaryotic cells and those that remain episomal or those which integrate into the host cell genome.

As used herein, vector also includes "virus vectors" or "viral vectors." Viral vectors are engineered viruses that are operatively linked to exogenous genes to transfer (as vehicles or shuttles) the exogenous genes into cells. Viral vectors include, but are not limited to, adenoviral vectors, retroviral vectors and vaccinia virus vectors.

As used herein, "operably" or "operatively linked" when referring to DNA segments means that the segments are arranged so that they function in concert for their intended purposes, *e.g.*, transcription initiates downstream of the promoter and upstream of any transcribed sequences. The promoter is usually the domain to which the transcriptional machinery binds to initiate transcription and proceeds through the coding segment to the terminator.

As used herein, a conjugate refers to a modified PH20 polypeptide linked directly or indirectly to one or more other polypeptides or chemical moieties. Such conjugates include

fusion proteins, those produced by chemical conjugates and those produced by any other method whereby at least one modified PH20 polypeptide is linked, directly or indirectly to another polypeptide or chemical moiety so long as the conjugate retains hyaluronidase activity. Exemplary of conjugates provided herein include PH20 polypeptides linked directly or indirectly to a multimerization domain (*e.g.* an Fc moiety), a toxin, a label or a drug.

As used herein, a fusion protein refers to a polypeptide encoded by a nucleic acid sequence containing a coding sequence from one nucleic acid molecule and the coding sequence from another nucleic acid molecule in which the coding sequences are in the same reading frame such that when the fusion construct is transcribed and translated in a host cell, the protein is produced containing the two proteins. The two molecules can be adjacent in the construct or separated by a linker polypeptide that contains, 1, 2, 3, or more, but typically fewer than 10, 9, 8, 7, or 6 amino acids. The protein product encoded by a fusion construct is referred to as a fusion polypeptide. Examples of fusion polypeptides include Fc fusions.

As used herein, a polymer that is conjugated to a modified PH20 polypeptide refers to any polymer that is covalently or otherwise stably linked, directly or via a linker, to such polypeptide. Such polymers, typically increase serum half-life, and include, but are not limited to, sialic moieties, polyethylene glycol (PEG) moieties, dextran, and sugar and other moieties, such as for glycosylation.

As used herein, the term assessing or determining is intended to include quantitative and qualitative determination in the sense of obtaining an absolute value for the activity of a product, and also of obtaining an index, ratio, percentage, visual or other value indicative of the level of the activity. Assessment can be direct or indirect.

As used herein, a "composition" refers to any mixture of two or more products or compounds. It can be a solution, a suspension, liquid, powder, a paste, aqueous, non-aqueous, or any combination thereof.

As used herein, a formulation refers to a composition containing at least one active pharmaceutical or therapeutic agent and one or more excipients.

As used herein, a co-formulation refers to a composition containing two or more active or pharmaceutical or therapeutic agents and one or more excipients. For example, a co-formulation of a fast-acting insulin and a hyaluronan degrading enzyme contains a fast-acting insulin, a hyaluronan degrading enzyme, and one or more excipients.

As used herein, "a combination" refers to any association between two or among more items or elements. Exemplary combinations include, but are not limited to, two or more pharmaceutical compositions, a composition containing two or more active ingredients, such as two modified PH20 polypeptides; a modified PH20 polypeptide and an anticancer

agent, such as a chemotherapeutic compound; a modified PH20 polypeptide and a therapeutic agent (e.g. an insulin); a modified PH20 polypeptide and a plurality therapeutic and/or imaging agents, or any association thereof. Such combinations can be packaged as kits.

As used herein, a kit is a packaged combination, optionally, including instructions for use of the combination and/or other reactions and components for such use.

As used herein, "disease or disorder" refers to a pathological condition in an organism resulting from cause or condition including, but not limited to, infections, acquired conditions, genetic conditions, and characterized by identifiable symptoms.

As used herein, a hyaluronan-associated disease, disorder or condition refers to any disease or condition in which hyaluronan levels are elevated as cause, consequence or otherwise observed in the disease or condition. Hyaluronan-associated diseases and conditions are associated with elevated hyaluronan expression in a tissue or cell, increased interstitial fluid pressure, decreased vascular volume, and/or increased water content in a tissue. Hyaluronan-associated diseases, disorders or conditions can be treated by administration of a composition containing a hyaluronan degrading enzyme, such as a hyaluronidase, for example, a soluble hyaluronidase, either alone or in combination with or in addition to another treatment and/or agent. Exemplary diseases and conditions, include, but are not limited to, hyaluronan-rich cancers, for example, tumors, including solid tumors such as late-stage cancers, metastatic cancers, undifferentiated cancers, ovarian cancer, in situ carcinoma (ISC), squamous cell carcinoma (SCC), prostate cancer, pancreatic cancer, non-small cell lung cancer, breast cancer, colon cancer and other cancers. Exemplary hyaluronan-associated diseases and conditions also are diseases that are associated with elevated interstitial fluid pressure, such as diseases associated with disc pressure, and edema, for example, edema caused by organ transplant, stroke, brain trauma or other injury. Exemplary hyaluronan-associated diseases and conditions include diseases and conditions associated with elevated interstitial fluid pressure, decreased vascular volume, and/or increased water content in a tissue, including cancers, disc pressure and edema. In one example, treatment of the hyaluronan-associated condition, disease or disorder includes amelioration, reduction, or other beneficial effect on one or more of increased interstitial fluid pressure (IFP), decreased vascular volume, and increased water content in a tissue.

As used herein, "treating" a subject with a disease or condition means that the subject's symptoms are partially or totally alleviated, or remain static following treatment. Hence treatment encompasses prophylaxis, therapy and/or cure. Prophylaxis refers to prevention of a potential disease and/or a prevention of worsening of symptoms or

progression of a disease. Treatment also encompasses any pharmaceutical use of a modified interferon and compositions provided herein.

As used herein, a pharmaceutically effective agent or therapeutic agent includes any bioactive agent that can exhibit a therapeutic effect to treat a disease or disorder. Exemplary therapeutic agents are described herein. Therapeutic agents include, but are not limited to, anesthetics, vasoconstrictors, dispersing agents, conventional therapeutic drugs, including small molecule drugs, including, but not limited to, bisphosphonates, and therapeutic proteins, including, but not limited to, insulin, IgG molecules, antibodies, cytokines and coagulation factors.

As used herein, "insulin" refers to a hormone, precursor or a synthetic or recombinant analog thereof that acts to increase glucose uptake and storage and/or decrease endogenous glucose production. Insulin and analogs thereof are well known to one of skill in the art, including in human and allelic and species variants thereof. Insulin is translated as a precursor polypeptide designated preproinsulin (110 amino acid for human insulin), containing a signal peptide that directs the protein to the endoplasmic reticulum (ER) wherein the signal sequence is cleaved, resulting in proinsulin. Proinsulin is processed further to release a C- or connecting chain peptide (a 31 amino acid C-chain in human insulin). The resulting insulin contains an A-chain (21 amino acid in length in human insulin; set forth in SEQ ID NO:862) and a B-chain (30 amino acid in length in human insulin; set forth in SEQ ID NO:863) which are cross-linked by disulfide bonds. A fully cross-linked human insulin contains three disulfide bridges: one between position 7 of the A-chain and position 7 of the B-chain, a second between position 20 of the A-chain and position 19 of the B-chain, and a third between positions 6 and 11 of the A-chain. Reference to an insulin includes monomeric and multimeric insulins, including hexameric insulins, as well as humanized insulins. Exemplary insulin polypeptides are those of mammalian, including human, origin. Reference to insulin includes preproinsulin, proinsulin and insulin polypeptides in single-chain or two-chain forms, truncated forms thereof that have activity, and includes allelic variants and species variants of human insulin, variants encoded by splice variants, and other variants, such as insulin analogs. An exemplary insulin is human insulin having a sequence of amino acids of the A- and B- chains of human insulin are set forth in SEQ ID NOS: 862 and 863, respectively, and variants or analogs thereof that exhibit at least 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% sequence identity thereto to one or both of the A-chain or B-chain and that acts to increase glucose uptake and storage and/or decrease endogenous glucose production. A further exemplary insulin is porcine insulin having a sequence of amino acids for the preproinsulin as set forth in SEQ ID NO:864, whereby the A

chain corresponds to amino acid residue positions 88-108 and the B-chain correspond to amino acid, and variants or analogs thereof that exhibit at least 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% sequence identity thereto to one or both of the A-chain or B-chain and that acts to increase glucose uptake and storage and/or decrease endogenous glucose production.

As used herein, "fast-acting insulin" refers to any insulin that exhibits peak insulin levels at or about not more than four hours following subcutaneous administration to a subject. Fast-acting insulins include any insulin or any fast-acting insulin composition for acute administration to a diabetic subject in response to an actual, perceived, or anticipated hyperglycemic condition in the subject arising at the time of, or within about four hours following, administration of the fast-acting insulin (such as a prandial hyperglycemic condition resulting or anticipated to result from, consumption of a meal), whereby the fast-acting insulin is able to prevent, control or ameliorate the acute hyperglycemic condition. Fast-acting insulins include recombinant insulins and isolated insulins (also referred to as "regular" insulins) such as the insulin sold as human insulin, porcine insulins and bovine insulins, as well as rapid acting insulin analogs (also termed fast-acting insulin analogs herein) designed to be rapid acting by virtue of amino acid changes. Exemplary regular insulin preparations include, but are not limited to, human regular insulins, such as those sold under the trademarks Humulin® R, Novolin® R and Velosulin®, Insulin Human, USP and Insulin Human Injection, USP, as well as acid formulations of insulin, such as, for example, Toronto Insulin, Old Insulin, and Clear Insulin, and regular pig insulins, such as Iletin II® (porcine insulin). Regular insulins typically have an onset of action of between 30 minutes to an hour, and a peak insulin level of 2-5 hours post administration.

As used herein, rapid acting insulin analogs (also called fast-acting insulin analogs) are insulins that have a rapid onset of action. Rapid insulins typically are insulin analogs that have been engineered, such as by the introduction of one or more amino acid substitutions, to be more rapid acting than regular insulins. Rapid acting insulin analogs typically have an onset of action of 10-30 minutes post injection, with peak insulin levels observed 30-90 minutes post injection. Exemplary rapid acting insulin analogs are analogs of human insulin containing one or more amino acid changes in the A-chain and/or B-chain of human insulin set forth in SEQ ID NO:862 or 863, respectively, and that exhibit an onset of action 10-30 minutes post injection with peak insulin levels observed 30-90 minutes post injection. Exemplary rapid acting insulin analogs include, but are not limited to, for example, insulin lispro (*e.g.*, Humalog® insulin), insulin aspart (*e.g.*, NovoLog® insulin), and insulin glulisine (*e.g.*, Apidra® insulin) the fast-acting insulin composition sold as VIAject® and VIAtab®

(see, *e.g.*, U.S. Pat. No. 7,279,457). The amino acid sequence of exemplary rapid acting insulin analogs have an A chain with a sequence of amino acids set forth in SEQ ID NO:862 and a B chain having a sequence of amino acids set forth in any of SEQ ID NOS:865-867. Also included are any other insulins that have an onset of action of 30 minutes or less and a peak level before 90 minutes, typically 30-90 minutes, post injection.

As used herein, a human insulin refers to an insulin that is synthetic or recombinantly produced based upon the human polypeptide, including allelic variants and analogs thereof.

As used herein, fast-acting human insulins or human fast-acting insulin compositions include any human insulin or composition of a human insulin that is fast-acting, but excludes non-human insulins, such as regular pig insulin.

As used herein, the terms "basal-acting insulins," or "basal insulins" refer to insulins administered to maintain a basal insulin level as part of an overall treatment regimen for treating a chronic condition such diabetes. Typically, a basal-acting insulin is formulated to maintain an approximately steady state insulin level by the controlled release of insulin when administered periodically (*e.g.*, once or twice daily). Basal-acting insulins include crystalline insulins (*e.g.*, NPH and Lente®, protamine insulin, surfen insulin), basal insulin analogs (insulin glargine, HOE 901, NovoSol Basal) and other chemical formulations of insulin (*e.g.*, gum arabic, lecithin or oil suspensions) that retard the absorption rate of regular insulin. As used herein, the basal-acting insulins can include insulins that are typically understood as long-acting (typically reaching a relatively low peak concentration, while having a maximum duration of action over about 20-30 hours) or intermediate-acting (typically causing peak insulin concentrations at about 4-12 hours after administration).

As used herein, treatment means any manner in which the symptoms of a condition, disorder or disease or other indication, are ameliorated or otherwise beneficially altered.

As used herein, therapeutic effect means an effect resulting from treatment of a subject that alters, typically improves or ameliorates the symptoms of a disease or condition or that cures a disease or condition. A therapeutically effective amount refers to the amount of a composition, molecule or compound which results in a therapeutic effect following administration to a subject.

As used herein, the term "subject" refers to an animal, including a mammal, such as a human being.

As used herein, a patient refers to a human subject exhibiting symptoms of a disease or disorder.

As used herein, amelioration of the symptoms of a particular disease or disorder by a treatment, such as by administration of a pharmaceutical composition or other therapeutic,

refers to any lessening, whether permanent or temporary, lasting or transient, of the symptoms that can be attributed to or associated with administration of the composition or therapeutic.

As used herein, prevention or prophylaxis refers to methods in which the risk of developing a disease or condition is reduced.

As used herein, a "therapeutically effective amount" or a "therapeutically effective dose" refers to the quantity of an agent, compound, material, or composition containing a compound that is at least sufficient to produce a therapeutic effect. Hence, it is the quantity necessary for preventing, curing, ameliorating, arresting or partially arresting a symptom of a disease or disorder.

As used herein, unit dose form refers to physically discrete units suitable for human and animal subjects and packaged individually as is known in the art.

As used herein, a single dosage formulation refers to a formulation containing a single dose of therapeutic agent for direct administration. Single dosage formulations generally do not contain any preservatives.

As used herein, a multi-dose formulation refers to a formulation that contains multiple doses of a therapeutic agent and that can be directly administered to provide several single doses of the therapeutic agent. The doses can be administered over the course of minutes, hours, weeks, days or months. Multidose formulations can allow dose adjustment, dose-pooling and/or dose-splitting. Because multi-dose formulations are used over time, they generally contain one or more preservatives to prevent microbial growth.

As used herein, an "article of manufacture" is a product that is made and sold. As used throughout this application, the term is intended to encompass a therapeutic agent with a soluble PH20, such as esPH20, or an esPH20 alone, contained in the same or separate articles of packaging.

As used herein, fluid refers to any composition that can flow. Fluids thus encompass compositions that are in the form of semi-solids, pastes, solutions, aqueous mixtures, gels, lotions, creams and other such compositions.

As used herein, a "control" or "standard" refers to a sample that is substantially identical to the test sample, except that it is not treated with a test parameter, or, if it is a plasma sample, it can be from a normal volunteer not affected with the condition of interest. A control also can be an internal control. For example, a control can be a sample, such as a virus, that has a known property or activity.

As used herein, the singular forms "a," "an" and "the" include plural referents unless the context clearly dictates otherwise. Thus, for example, reference to "an" agent includes one or more agents.

As used herein, the term "or" is used to mean "and/or" unless explicitly indicated to refer to alternatives only or the alternatives are mutually exclusive.

As used herein, ranges and amounts can be expressed as "about" a particular value or range. About also includes the exact amount. Hence "about 5 bases" means "about 5 bases" and also "5 bases."

As used herein, "optional" or "optionally" means that the subsequently described event or circumstance does or does not occur, and that the description includes instances where said event or circumstance occurs and instances where it does not. For example, an optionally substituted group means that the group is unsubstituted or is substituted.

As used herein, the abbreviations for any protective groups, amino acids and other compounds, are, unless indicated otherwise, in accord with their common usage, recognized abbreviations, or the IUPAC-IUB Commission on Biochemical Nomenclature (see, (1972) *Biochem.* 11:1726).

For clarity of disclosure, and not by way of limitation, the detailed description is divided into the subsections that follow.

B. PH20 Hyaluronidase

Provided herein are modified PH20 polypeptides. PH20 (also known as sperm surface protein, sperm adhesion molecule 1 or SPAM1) is a hyaluronidase that hydrolyzes hyaluronan (also called hyaluronic acid, hyaluronate or HA) found in connective tissues such as the extracellular matrix. Hyaluronan polymers are composed of repeating disaccharide units, D-glucuronic acid (GlcA) and N-acetyl-D-glucosamine (GlcNAc), linked together via alternating β-1→4 and β-1→3 glycosidic bonds. Hyaluronan chains can reach about 25,000 disaccharide repeats or more in length, and polymers of hyaluronan can range in size from about 5,000 to 20,000,000 Da *in vivo*. Hyaluronan, also called hyaluronic acid or hyaluronate, is a non-sulfated glycosaminoglycan that is widely distributed throughout connective, epithelial, and neural tissues. Hyaluronan is an essential component of the extracellular matrix and a major constituent of the interstitial barrier. PH20 is an endo-β-N-acetyl-hexosaminidase that hydrolyzes the β1→4 glycosidic bond of hyaluronic acid into various oligosaccharide lengths such as tetrasaccharides and hexasaccharides. PH20 has both hydrolytic and transglycosidase activities. In addition to degrading hyaluronic acid, PH20 also can degrade chondroitin sulfates, such as C4-S and C6-S. PH20 can exhibit hyaluronidase activity at acidic pH and neutral pH.

1. Structure

PH20 cDNA has been cloned from numerous mammalian species. Exemplary PH20 precursor polypeptides include, but are not limited to, human (SEQ ID NO:6), bovine (SEQ

ID NOS:15 or 17), rabbit (SEQ ID NO:23), Cynomolgus monkey (SEQ ID NO:13), guinea pig (SEQ ID NO:28), rat (SEQ ID NO:21), mouse (SEQ ID NO:19), chimpanzee (SEQ ID NO:8, SEQ ID NO:9 or SEQ ID NO:869) Rhesus monkey (SEQ ID NO:11), Fox (SEQ ID NO:30), Gibbon (SEQ ID NO:856), Marmoset (SEQ ID NO:858) or orangutan (SEQ ID NO:860) PH20 polypeptides. The mRNA transcript is typically translated to generate a precursor protein containing a 35 amino acid signal sequence at the N-terminus. Following transport to the ER, the signal peptide is removed to yield a mature PH20 polypeptide. Exemplary mature PH20 polypeptides include, but are not limited to, human (SEQ ID NO:7), bovine (SEQ ID NOS:16 or 18), rabbit (SEQ ID NO:24), Cynomolgus monkey (SEQ ID NO:14), guinea pig (SEQ ID NO:29), rat (SEQ ID NO:22), mouse (SEQ ID NO:20), chimpanzee (SEQ ID NO:10 or SEQ ID NO:870), Rhesus monkey (SEQ ID NO:12), Fox (SEQ ID NO:31), Gibbon (SEQ ID NO:857), Marmoset (SEQ ID NO:859) or orangutan (SEQ ID NO:861) PH20 polypeptides. For example, the human PH20 mRNA transcript is normally translated to generate a 509 amino acid precursor protein (SEQ ID NO:6) containing a 35 amino acid signal sequence at the N-terminus (amino acid residue positions 1-35 of SEQ ID NO:6). Thus, following transport to the ER and removal of the signal peptide, a 474 amino acid mature polypeptide with an amino acid sequence set forth in SEQ ID NO:7 is produced. Sequences of PH20 from ovine are also known (see *e.g.*, SEQ ID NOS: 25-27).

In particular, human PH20 has the sequence of amino acids set forth in SEQ ID NO:6. The mature human PH20 lacking a signal sequence is set forth in SEQ ID NO:7. Allelic variants and other variants of PH20 are known. Other sequences of PH20 have been reported. For example, a PH20 variant is known as set forth in the precursor sequence set forth in SEQ ID NO:68 that contains an Ala at position 48 and a Trp at position 499, or the mature sequence thereof set forth in SEQ ID NO:69 containing the corresponding differences at positions 13 and 464, respectively, compared to the sequence set forth in SEQ ID NO:7 (see *e.g.*, Gmachl et al. (1993) FEBS Lett., 336:545-548; GenBank Accession No. AAC60607). Further, a natural variant of PH20 has been identified containing a Glutamine (Gln; Q) at position 5 as compared to the precursor sequence of amino acids set forth in SEQ ID NO:6 (see *e.g.*, SEQ ID NO:70, see also Varela et al. (2011) Nature, 469:539-542). Another natural variant contains an Alanine (Ala; A) at position 47 compared to the sequence of amino acids set forth in SEQ ID NO:6 (as set forth in SEQ ID NO: 71) and corresponding to position 12 compared to the sequence of amino acids set forth in SEQ ID NO: 3 or 7 (as set forth in SEQ ID NO:72).

The sequence and structure of PH20 polypeptides is highly conserved. Sequence identity between and among PH20 proteins from various species is about 50% to 90%. The hydrophobic N-terminal signal sequence of 35 amino acids in length is generally conserved among PH20 hyaluronidase polypeptides. PH20 hyaluronidases contain a common core hyaluronidase domain region of about 340 amino acids in length that corresponds to amino acid residues 38-374 of the precursor human PH20 sequence set forth in SEQ ID NO:6. A mature PH20 polypeptide lacking the signal sequence and containing a contiguous sequence of amino acids having a C-terminal amino acid residue corresponding to amino acid residue 464 of SEQ ID NO:6 (*e.g.*, amino acid residues corresponding to positions 36-464 of the amino acid sequence set forth in SEQ ID NO:6) is the minimal sequence required for hyaluronidase activity (see *e.g.*, U.S. Patent Application No. 10/795,095,which is issued as U.S. Patent No. 7,767,429; see also U.S. Publication No. US20100143457).

Within the common hyaluronidase domain region, at least 57 amino acids are conserved between and among species (see *e.g.*, Arming *et al.* (1997) *Eur. J. Biochem.*, 247:810-814; ten Have *et al.* (1998) *Reprod. Fertil. Dev.*, 10:165-72; Chowpongpang *et al.* (2004) *Biotechnology Letters*, 26:1247-1252). For example, PH20 hyaluronidases contain 12 conserved cysteine residues corresponding to amino acid residue 25, 189, 203, 316, 341, 346, 352, 400, 402, 408, 423 and 429 of the sequence of amino acids of a mature PH20 lacking the signal sequence such as set forth in SEQ ID NO: 3 or 7 (corresponding to amino acid residues 60, 224, 238, 351, 376, 381, 387, 435, 437, 443, 458 or 464 of full-length human PH20 set forth in SEQ ID NO:6). Cysteine residues corresponding to 25 and 316 and cysteine residues corresponding to 189 and 203 form disulfide bridges. The other cysteine residues also form disulfide bridges, are involved in posttranslational protein maturation and/or in activity modulation. For example, further four disulfide bonds are formed between the cysteine residues C376 and C387; between C381 and C435; between C437 and C443; and between C458 and C464 of the polypeptide exemplified in SEQ ID NO:6 (corresponding to positions C341 and C352; between C346 and C400; between C402 and C408; and between C423 and C429 of the mature polypeptide set forth in SEQ ID NO:3 or 7, respectively).

Amino acid residues corresponding to amino acid residue D111, E113 and E249 of the sequence of amino acids set forth in SEQ ID NO: 3 or 7 are acidic residues part of the enzyme active site and are conserved between and among PH20 species. Amino acid residues R176, R246, R252 of the sequence of amino acids set forth in SEQ ID NO: 3 or 7 are also conserved between and among species and contribute to substrate binding and/or hyaluronidase activity. Amino acid mutations D111N, E113Q, R176G, E249N and R252T

result in enzymes that have no detectable enzymatic activity or residual enzymatic activity (see *e.g.*, Arming *et al.* (1997) *Eur. J. Biochem.*, 247:810-814).

The results herein confirm the requirement of PH20 amino acid residues corresponding to positions 25, 111, 113, 176, 189, 203, 246, 249, 252, 316, 341, 346, 352, 400, 402, 408, 423 and 429 of the sequence of amino acids set forth in a mature PH20 lacking the signal sequence such as set forth in SEQ ID NO: 3 or 7 for hyaluronidase activity, since mutagenesis of these residues results in an enzyme that is not active (*e.g.*, it is not expressed or is inactive when expressed, see *e.g.*, Tables 5 and 10). The exception is that amino acid replacement corresponding to R176K and C316D resulted in mutants that generated some residual hyaluronidase activity.

Glycosylation also is required for PH20 hyaluronidase activity based on the recognition motif NxS or NxT. There are six N-linked oligosaccharides at amino acid residues corresponding to positions N47, N131, N200, N219, N333 and N358 of the sequence of amino acids set forth in SEQ ID NO: 3 or 7 (corresponding to amino acid residues N82, N166, N235, N254, N368 and N393 of human PH20 set forth in SEQ ID NO: 6). In particular, at least N-linked glycosylation sites corresponding to amino acid residues N200, N333 and N358 are required for secretion and/or activity of the enzyme (see *e.g.*, U.S. Publication No. US20100143457). For example, a PH20 polypeptide containing amino acid mutations N200A, N333A, N358A or N333A/N393A result in inactive proteins. Single mutations of glycosylation sites N47A, N131A, N219A, N47A/N131A, N47A/N219A, N131A/N291A retain activity. The N-linked glycosylation site corresponding to amino acid residue N368 of human PH20 set forth in SEQ ID NO:6 is conserved between and among species (see *e.g.*, Chowpongpang *et al.* (2004) *Biotechnology Letters*, 26:1247-1252). PH20 hyaluronidases also contains O-linked glycosylation sites. For example, human PH20 has one O-linked oligosaccharide at the amino acid residue corresponding to amino acid T440 of the sequence of amino acids set forth in SEQ ID NO:3 or 7 (corresponding to amino acid residue T475 in SEQ ID NO:6).

In addition to the catalytic sites, PH20 also contains a hyaluronan-binding site. This site is located in the Peptide 2 region, which corresponds to amino acid positions 205-235 of the precursor polypeptide set forth in SEQ ID NO:6 and positions 170-200 of the mature polypeptide set forth in SEQ ID NO:3 or 7. This region is highly conserved among hyaluronidases and is similar to the heparin binding motif. Mutation of the arginine residue at position 176 (corresponding to the mature PH20 polypeptide set forth in SEQ ID NO:3 or 7) to a glycine results in a polypeptide with only about 1% of the hyaluronidase activity of the wild type polypeptide (Arming *et al.*, (1997) *Eur. J. Biochem.* 247:810-814).

PH20 polypeptides contain a glycosyl phosphatidylinositol (GPI) anchor attached to the C-terminus of the protein that anchors the protein to the extracellular leaflet of the plasma membrane of cells. At least human, monkey, mouse and guinea pig PH20 are strongly attached to the plasma membrane via the GPI anchor, which can be released by treating with phosphatidylinositol-specific phospholipase C (PI-PLC; see *e.g.*, Lin *et al.* (1994) *Journal of Cell Biology*, 125:1157-1163; Lin *et al.* (1993) *Proc. Natl. Acad. Sci.*, 90:10071-10075). Other PH20 enzymes, such as bovine PH20, are loosely attached to the plasma membrane and are not anchored via a phospholipase sensitive anchor. As discussed below, soluble active forms that, when expressed, are not attached to the membrane but are secreted can be generated by removal of all of a portion of the GPI anchor attachment signal site (see *also* U.S. Patent No. 7,767,429; U.S. Publication No. US20100143457) . These include, for example, soluble PH20 polypeptides set forth in any of SEQ ID NOS: 3 or 32-66, or precursor forms thereof containing a signal sequence.

GPI-anchored proteins, for example human PH20, are translated with a cleavable N-terminal signal peptide that directs the protein to the endoplasmic reticulum (ER). At the C-terminus of these proteins is another signal sequence that directs addition of a preformed GPI-anchor to the polypeptide within the lumen of the ER. Addition of the GPI anchor occurs following cleavage of the C-terminal portion at a specific amino acid position, called the ω-site (typically located approximately 20-30 amino acids from the C-terminus). Although there appears to be no consensus sequence to identify the location of the ω-site, GPI anchored proteins contain a C-terminal GPI-anchor attachment signal sequence or domain that typically contains a predominantly hydrophobic region of 8-20 amino acids, preceded by a hydrophilic spacer region of 8-12 amino acids immediately downstream of the ω-site. This hydrophilic spacer region often is rich in charged amino acids and proline (White *et al.* (2000) *J. Cell Sci.* 113(Pt.4):721-727). There is generally a region of approximately 11 amino acids before the ω-1 position that is characterized by a low amount of predicted secondary structure, a region around the cleavage site (ω-site), from ω-1 to ω+2 that is characterized by the presence of small side chain residues, the spacer region between positions ω+3 and ω+9, and a hydrophobic tail from ω+10 to the C-terminal end (Pierleoni *et al.*, (2008) *BMC Bioinformatics* 9:392).

Although there is no GPI-anchor attachment signal consensus sequence, various *in silico* methods and algorithms have been developed that can be used to identify such sequences in polypeptides (see, *e.g.*, Udenfriend *et al.* (1995) *Methods Enzymol.* 250:571-582; Eisenhaber *et al.* (1999) *J. Mol. Chem.* 292: 741-758; Kronegg and Buloz, (1999), "Detection/prediction of GPI cleavage site (GPI-anchor) in a protein (DGPI),"

129.194.185.165/dgpi/; Fankhauser *et al.* (2005) *Bioinformatics* 21:1846-1852; Omaetxebarria *et al.* (2007) *Proteomics* 7:1951-1960; Pierleoni *et al.* (2008) *BMC Bioinformatics* 9:392), including those that are readily available on bioinformatic websites, such as the ExPASy Proteomics tools site (expasy.ch/tools/). Thus, one of skill in the art can determine whether a PH20 polypeptide likely contains a GPI-anchor attachment signal sequence, and, therefore, whether the PH20 polypeptide is a GPI-anchored protein.

The covalent attachment of a GPI-anchor to the C-terminus of human PH20 and, therefore, the membrane-bound nature of PH20, has been confirmed using phosphatidylinositol-specific phospholipase C (PI-PLC) hydrolysis studies (see *e.g.*, Lin *et al.*, (1994) *J. Biol. Chem.* 125:1157-1163). Phosphatidylinositol-specific phospholipase C (PI-PLC) and D (PI-PLD) hydrolyze the GPI anchor, releasing the PH20 polypeptide from the cell membrane. The prior art literature reports that a ω-site cleavage site of human PH20 is identified between Ser-490 and Ala-491 and for monkey PH20 is identified between Ser491 and Thr492 (Lin *et al.* (1993) *Proc. Natl. Acad. Sci*, (1993) 90:10071-10075). Thus, the literature reports that a GPI-anchor attachment signal sequence of human PH20 is located at amino acid positions 491-509 of the precursor polypeptide set forth in SEQ ID NO:6, and the ω-site is amino acid position 490. Thus, in this modeling of human PH20, amino acids 491-509 are cleaved following transport to the ER and a GPI anchor is covalently attached to the serine residue at position 490.

2. Function

PH20 is normally expressed in sperm from a single testis-specific gene. PH20 is a sperm-associated protein involved in fertilization. PH20 is normally localized on the sperm surface, and in the lysosome-derived acrosome, where it is bound to the inner acrosomal membrane. PH20 is multifunctional and exhibits hyaluronidase activity, hyaluronan (HA)–mediated cell-signaling activity, and acts as a sperm receptor for the zona pellucida surrounding the oocyte when present on acrosome reacted (AR) sperm. For example, PH20 is naturally involved in sperm-egg adhesion and aids penetration by sperm of the layer of cumulus cells by digesting hyaluronic acid. In addition to being a hyaluronidase, PH20 also appears to be a receptor for HA-induced cell signaling, and a receptor for the zona pellucida surrounding the oocyte. Due to the role of PH20 in fertilization, PH20 can be used as an antigen for immunocontraception.

PH20 is a neutral active hyaluronidase, although it can exhibit acid-active activity in some cases. The hyaluronidase activity of PH20 is exhibited by the plasma membrane- and inner acrosomal membrane-associated PH20. The plasma membrane PH20 exhibits hyaluronidase activity only at neutral pH, while the inner acrosomal membrane-associated

PH20 exhibits acid-active enzyme activity. The structural basis for these differences is due to the presence of two catalytic sites in PH20. A first catalytic site is designated the Peptide 1 region, corresponding to amino acid residues 142-172 of SEQ ID NO:6, which is involved in enzyme activity of PH20 at neutral pH. A second catalytic site is designated the peptide 3 region, corresponding to amino acid residues 277-297 of SEQ ID NO:6, which is involved in enzyme activity at lower pH. A change in the structure of the inner acrosomal membrane-associated PH20 occurs after the acrosome reaction, whereby PH20 is endoproteolytically cleaved but held together by disulfide bonds. The result of the endoproteolysis is that the peptide 3 region is activated and can thus effect neutral and acid-activity to PH20 (see *e.g.*, Cherr *et al.* (2001) *Matrix Biology*, 20:515-525. Also, after the acrosome reaction, lower molecular weight forms are generated by release from the inner acrosomal membrane (*e.g.*, a 53 kDa soluble form of PH20 is generated in monkey). The lower molecular weight form(s) also is acid active.

The hyaluronidase activity of PH20 accounts for the spreading activity observed in animal testes extracts that have been used clinically for decades to increase the dispersion and absorption of drugs (see *e.g.*, Bookbinder *et al.* (2006) *J Controlled Release*, 114:230-241). For example, pharmaceutical preparations containing hyaluronidase were developed as fractionated extracts from bovine testes for therapeutic use as spreading agents and in other applications (Schwartzman (1951) *J. Pediat.*, 39:491-502). Original bovine testicular extract preparations included, for example, extracts sold under the trademarks Wydase®, Hylase®, "Dessau," Neopermease®, Alidase® and Hyazyme®. It is now known that the spreading activity of testicular extract preparations are due to PH20 hyaluronidase activity. For example, in 2001 a sperm hyaluronidase in bull was identified as the hyaluronidase PH20 (Lalancette *et al.* (2001) *Biol. Reprod.*, 65:628-36). By catalyzing the hydrolysis of hyaluronic acid, PH20 hyaluronidase lowers the viscosity of hyaluronic acid, thereby increasing tissue permeability. Hence, soluble forms of PH20 are used as a spreading or dispersing agent in conjunction with other agents, drug and proteins to enhance their dispersion and delivery, and to improve the pharmacokinetic and pharmacodynamic profile of the coadministered agent, drug or protein (see *e.g.*, U.S. Patent No. 7,767,429; Bookbinder *et al.* (2006) *J Controlled Release*, 114:230-241).

3. Soluble PH20 Polypeptides

PH20 can exist in membrane-bound or membrane-associated form, or can be secreted into the media when expressed from cells, and thereby can exist in soluble form. Soluble PH20 can be detected and discriminated from insoluble, membrane-bound PH20 using methods well known in the art, including, but not limited to, those using a Triton® X-114

assay. In this assay, soluble PH20 hyaluronidases partition into the aqueous phase of a Triton® X-114 solution warmed to 37 °C (Bordier *et al.*, (1981) *J. Biol. Chem.*, 256:1604-7) while membrane-anchored PH20 hyaluronidases partition into the detergent rich phase. Thus, in addition to using algorithms to assess whether a PH20 polypeptide is naturally GPI-anchored and hence membrane-bound, solubility experiments also can be performed.

Soluble PH20 enzymes include hyaluronidases that contain a GPI-anchor attachment signal sequence, but that are loosely attached to the membrane such that they do not contain a phospholipase sensitive anchor. For example, soluble PH20 polypeptides include ovine or bovine PH20. Various forms of such soluble PH20 hyaluronidases have been prepared and approved for therapeutic use in subjects, including humans. For example, animal-derived hyaluronidase preparations include Vitrase® (ISTA Pharmaceuticals), a purified ovine testicular hyaluronidase, and Amphadase® (Amphastar Pharmaceuticals), a bovine testicular hyaluronidase. Soluble PH20 enzymes also include truncated forms of non-human or human membrane-associated PH20 hyaluronidases that lack one or more amino acid residues of a glycosylphosphatidylinositol (GPI) anchor attachment signal sequence and that retain hyaluronidase activity (see *e.g.*, U.S. Patent No. 7,767,429; U.S. Publication No. US20100143457). Thus, instead of having a GPI-anchor covalently attached to the C-terminus of the protein in the ER and being anchored to the extracellular leaflet of the plasma membrane, these polypeptides are secreted when expressed from cells and are soluble. In instances where the soluble hyaluronan degrading enzyme retains a portion of the GPI anchor attachment signal sequence, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more amino acid residues in the GPI-anchor attachment signal sequence can be retained, provided the polypeptide is soluble (*i.e.*, secreted when expressed from cells) and active.

Exemplary soluble hyaluronidases that are C-terminally truncated and lack all or a portion of the GPI anchor attachment signal sequence include, but are not limited to, PH20 polypeptides of primate origin, such as, for example, human and chimpanzee PH20 polypeptides. For example, soluble PH20 polypeptides can be made by C-terminal truncation of a polypeptide set forth in SEQ ID NOS:7, 10, 12, 14, 69, 72, 857, 859, 861 or 870 or variants thereof that exhibit at least 80%, 85%, 90%, 95% or more sequence identity to any of SEQ ID NO: 7, 10, 12, 14, 69, 72, 857, 859, 861 or 870, wherein the resulting polypeptide is active, soluble and lacks all or a portion of amino acid residues from the GPI-anchor attachment signal sequence.

Exemplary soluble PH20 polypeptides are C-terminal truncated human PH20 polypeptides that are mature (lacking a signal sequence), soluble and exhibit neutral activity, and that contain a contiguous sequence of amino acids set forth in SEQ ID NO:6 or SEQ ID

NO:7 that minimally has a C-terminal truncated amino acid residue at or after amino acid residue 464 of the sequence of amino acids set forth in SEQ ID NO:6. For example, soluble PH20 polypeptides include C-terminal truncated polypeptides that minimally contain a contiguous sequence of amino acids 36-464 of SEQ ID NO:6, or includes a sequence of amino acids that has at least 85%, for example at least 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% sequence identity to a contiguous sequence of amino acids that has a C-terminal amino acid residue after amino acid 464 of SEQ ID NO:6 and retains hyaluronidase activity. Exemplary C-terminally truncated human PH20 polypeptides are mature polypeptides (lacking a signal sequence) that include a contiguous sequence of amino acids set forth in SEQ ID NO:6 with a C-terminal residue after 464 such as after amino acid position 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499 or 500 of the sequence of amino acids set forth in SEQ ID NO:6, or a variant thereof that exhibits at least 85% sequence identity, such as at least 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% sequence identity thereto and retains hyaluronidase activity. For example, exemplary C-terminal PH20 polypeptides have a sequence of amino acids 36 to 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499 or 500 of the sequence of amino acids set forth in SEQ ID NO:6, or a variant thereof that exhibits at least 85% sequence identity, such as at least 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% sequence identity thereto and retains hyaluronidase activity. Soluble PH20 polypeptides include any that has the sequence of amino acids set forth in SEQ ID NOS: 3 or 32-66 or a sequence of amino acids that exhibits at least 85% sequence identity, such as at least 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% sequence identity to the sequence of amino acids set forth in any of SEQ ID NOS: 3 or 32-66.

In particular, a soluble human PH20 polypeptide is a polypeptide that is truncated after amino acid 482 of the sequence set forth in SEQ ID NO:6. Such a polypeptide can be generated from a nucleic acid molecule containing a signal sequence and encoding amino acids 36-482, for example, as set forth in SEQ ID NO:1 (containing an IgG kappa signal sequence) or SEQ ID NO:67 (containing the native signal sequence). Post translational processing removes the signal sequence, leaving a 447 amino acid soluble recombinant human PH20 (SEQ ID NO:3). A product produced upon expression of a vector set forth in SEQ ID NO:4 or 5, and containing a nucleic acid molecule set forth in SEQ ID NO:67, results in a secreted product, designated rHuPH20, in the culture medium that exhibits heterogeneity

at the C-terminus such that the product includes a mixture of species that can include any one or more of SEQ ID NOS: 3 and 44-48 in various abundance. Typically, rHuPH20 is produced in cells that facilitate correct N-glycosylation to retain activity, such as mammalian cells, for example CHO cells (*e.g.*, DG44 CHO cells). Hylenex® (Halozyme) is a human recombinant hyaluronidase produced by genetically engineered Chinese Hamster Ovary (CHO) cells containing nucleic acid encoding a truncated human PH20 polypeptide (designated rHuPH20).

C. MODIFIED PH20 POLYPEPTIDES

Provided herein are modified or variant PH20 polypeptides. The modified PH20 polypeptides provided herein exhibit altered activities or properties compared to a wildtype, native or reference PH20 polypeptide. Included among the modified PH20 polypeptides provided herein are PH20 polypeptide that are active mutants, whereby the polypeptides exhibit at least 40% of the hyaluronidase activity of the corresponding PH20 polypeptide not containing the amino acid modification (*e.g.*, amino acid replacement). In particular, provided herein are PH20 polypeptides that exhibit hyaluronidase activity and that exhibit increased stability compared to the PH20 not containing the amino acid modification. Also provided are modified PH20 polypeptides that are inactive, and that can be used, for example, as antigens in contraception vaccines.

The modifications can be a single amino acid modification, such as single amino acid replacements (substitutions), insertions or deletions, or multiple amino acid modifications, such as multiple amino acid replacements, insertions or deletions. Exemplary modifications are amino acid replacements, including single or multiple amino acid replacements. The amino acid replacement can be a conservative substitution, such as set forth in Table 2, or a non-conservative substitution, such as any described herein. Modified PH20 polypeptides provided herein can contain at least or 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, or more modified positions compared to the PH20 polypeptide not containing the modification.

The modifications described herein can be in any PH20 polypeptide, including, including precursor, mature, or C-terminal truncated forms, so long as the modified form exhibits hyaluronidase activity. For example, the PH20 polypeptides contain modifications compared to a wildtype, native or reference PH20 polypeptide set forth in any of SEQ ID NOS: 2, 3, 6-66, 68-72, 856-861, 869 or 870, or in a polypeptide that has a sequence of amino acids that is at least 65%, 70%, 75%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% identical to any of SEQ ID NOS: 3, 6-66, 68-72, 856-861, 869 or 870. For example, the modifications are made in a human PH20

polypeptide having the sequence of amino acids including or set forth in SEQ ID NO:7, SEQ ID NO:69 or SEQ ID NO:72; a bovine PH20 polypeptide having a sequence of amino acids including or set forth in SEQ ID NOS:16 or 18; a rabbit PH20 polypeptide having a sequence of amino acids including or set forth in SEQ ID NO:24; a Cynomolgus monkey PH20 polypeptide having a sequence of amino acids including or set forth in SEQ ID NO:14; a guinea pig PH20 polypeptide having a sequence of amino acids including or set forth in SEQ ID NO:29; a rat PH20 polypeptide having a sequence of amino acids including or set forth in SEQ ID NO:22; a mouse PH20 polypeptide having a sequence of amino acids including or set forth in SEQ ID NO:20; a chimpanzee PH20 polypeptide having a sequence of amino acids including or set forth in SEQ ID NO:10 or 870; a Rhesus monkey PH20 polypeptide having a sequence of amino acids including or set forth in SEQ ID NO:12; a Fox PH20 polypeptide having a sequence of amino acids including or set forth in SEQ ID NO:31; a Gibbon PH20 polypeptide having a sequence of amino acids including or set forth in SEQ ID NO:857; a Marmoset PH20 polypeptide having a sequence of amino acids including or set forth in SEQ ID NO: 859; an Orangutan PH20 polypeptide having a sequence of amino acids including or set forth in SEQ ID NO:861; or a sheep PH20 polypeptide having a sequence of amino acids including or set forth in any of SEQ ID NOS: 25-27; or in sequence variants or truncated variants that exhibit at least 65%, 70%, 75%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to any of SEQ ID NOS: 7, 10, 12, 14, 16, 18, 20, 22, 24-27, 29, 31, 69, 72, 857, 859, 861 or 870.

In particular, provided herein are PH20 polypeptides that contain modifications compared to a PH20 polypeptide set forth in SEQ ID NO: 3, 7, 32-66, 69 or 72, or a polypeptide that has a sequence of amino acids that is at least 68%, 70%, 75%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% identical to any of SEQ ID NOS: 3, 7, 32-66, 69 or 72. For example, the modifications provided herein also can be made in a PH20 polypeptide set forth as SEQ ID NO: 10, 12, 14, 24, 857, 859, 861 or 870.

In particular, provided herein are modified soluble PH20 polypeptides that are PH20 polypeptides containing a modification provided herein, and that when expressed from cells are secreted into the media as a soluble protein. For example, the modifications are made in a soluble PH20 polypeptide that is C-terminally truncated within or near the C-terminus portion containing the GPI-anchor signal sequence of a PH20 polypeptide that contains a GPI-anchor signal sequence. The C-terminal truncation can be a truncation or deletion of 8 contiguous amino acids at the C-terminus, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50

or more amino acids at the C-terminus, so long as the resulting C-terminally truncated polypeptide exhibits hyaluronidase activity and is secreted from cells *(e.g.*, into the media) when expressed. In some examples, the modifications provided herein are made in a soluble PH20 polypeptide that is a C-terminally truncated polypeptide of SEQ ID NO:7, 10, 12, 14, 69, 72, 857, 859, 861 or 870 or a variant thereof that exhibits at least 70%, 75%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to any of SEQ ID NOS: 7, 10, 12, 14, 69, 72, 857, 859, 861 or 870. In particular, the modifications provided herein are made in a soluble or C-terminally truncated human PH20 polypeptide having the sequence of amino acids set forth in SEQ ID NOS: 3 or 32-66 or a sequence of amino acids that exhibits at least 70%, 75%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% sequence identity to the sequence of amino acids set forth in any of SEQ ID NOS: 3 or 32-66. For example, modified PH20 polypeptides provided herein contain amino acid replacements or substitutions, additions or deletions, truncations or combinations thereof with reference to the PH20 polypeptide set forth in SEQ ID NO:3.

Modifications also can be made in the corresponding precursor form containing a signal peptide of any of SEQ ID NOS: 3, 7, 10, 12, 14, 16, 18, 20, 22, 24-27, 29, 31, 32-66, 69, 72, 857, 859, 861 or 870. For example, modifications provided herein can be made in a precursor form set forth in any of SEQ ID NOS: 2, 6, 8, 9, 11, 13, 15, 17, 19, 21, 23, 28, 30, 856, 858, 860 or 869 or in a variant thereof that exhibits at least 70%, 75%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to any of SEQ ID NOS: 2, 6, 8, 9, 11, 13, 15, 17, 19, 21, 23, 28, 30, 856, 858, 860 or 869.

In examples of modified PH20 polypeptides provided herein, the modified PH20 polypeptide does not contain the sequence of amino acids set forth in any of SEQ ID NOS: 3-66, 68-72, 856-861, 869 or 870. Typically, the modified PH20 polypeptide is a human PH20 polypeptide, and does not contain the sequence of amino acids set forth in any of SEQ ID NOS: 8-31, 856-861, 869 or 870.

Generally, any modification, such as amino acid replacement, deletion or substitution, can be made in a PH20 polypeptide, with the proviso that the modification is not an amino acid replacement where the only modification is a single amino acid replacement that is V12A, N47A, D111N, E113Q, N131A, R176G, N200A, N219A, E249Q , R252T, N333A or N358A. Also, where the modified PH20 polypeptide contains only two amino acid replacements, the amino acid replacements are not P13A/L464W, N47A/N131A, N47A/N219A, N131A/N219A or N333A/N358A. In a further example, where the modified

PH20 polypeptide contains only three amino acid replacements, the amino acid replacements are not N47A/N131A/N219A. Exemplary modifications provided herein are described in detail below.

For purposes herein, reference to positions and amino acids for modification herein, including amino acid replacement or replacements, are with reference to the PH20 polypeptide set forth in SEQ ID NO:3. It is within the level of one of skill in the art to make any of the modifications provided herein in another PH20 polypeptide by identifying the corresponding amino acid residue in another PH20 polypeptide, such as any set forth in SEQ ID NOS: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24-27, 28, 29, 30, 31, 32-66, 68-72, 856, 857, 858, 859, 860, 861, 869 or 870 or a variant thereof that exhibits at least 70%, 75%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to any of SEQ ID NOS: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24-27, 28, 29, 30, 31, 32-66, 68-72, 856, 857, 858, 859, 860, 861, 869 or 870. Corresponding positions in another PH20 polypeptide can be identified by alignment of the PH20 polypeptide with the reference to the PH20 polypeptide set forth in SEQ ID NO:3. For example, Figure 2 depicts alignment of exemplary PH20 polypeptides with SEQ ID NO:3, and identification of exemplary corresponding positions. Also, since SEQ ID NOS: 3, 7, 32-66, 69 and 72 are all forms of a mature human PH20 with a different C-terminal amino acid residue, the numbering of amino acid residues in any of SEQ ID NOS: 7, 32-66, 69 and 72 is the same as SEQ ID NO:3, and hence the corresponding residues of each are identical to that set forth in SEQ ID NO:3 (see *e.g.*, Figure 1). Further, SEQ ID NOS set forth in any of SEQ ID NOS: 2, 6, 70 or 71 are precursor forms thereof that differ by only the presence of a signal sequence. For purposes of modification (*e.g.*, amino acid replacement), the corresponding amino acid residue can be any amino acid residue, and need not be identical to the residue set forth in SEQ ID NO:3. Typically, the corresponding amino acid residue identified by alignment with residues in SEQ ID NO:3 is an amino acid residue that is identical to SEQ ID NO:3, or is a conservative or semi-conservative amino acid residue thereto (see *e.g.*, Figure 2). It is also understood that the exemplary replacements provided herein can be made at the corresponding residue in a PH20 polypeptide, so long as the replacement is different than exists in the unmodified form of the PH20 polypeptide. Based on this description and the description elsewhere herein, it is within the level of one of skill in the art to generate a modified PH20 polypeptide containing any one or more of the described mutation, and test each for a property or activity as described herein.

Modifications in a PH20 polypeptide also can be made to a PH20 polypeptide that also contains other modifications, including modifications of the primary sequence and

modifications not in the primary sequence of the polypeptide. For example, modifications described herein can be in a PH20 polypeptide that is a fusion polypeptide or chimeric polypeptide. The modified PH20 polypeptides provided herein also include polypeptides that are conjugated to a polymer, such as a PEG reagent.

Also provided herein are nucleic acid molecules that encode any of the modified PH20 polypeptides provided herein. In particular examples, the nucleic acid sequence can be codon optimized, for example, to increase expression levels of the encoded sequence. The particular codon usage is dependent on the host organism in which the modified polypeptide is expressed. One of skill in the art is familiar with optimal codons for expression in mammalian or human cells, bacteria or yeast, including for example *E. coli* or *Saccharomyces cerevisiae*. For example, codon usage information is available from the Codon Usage Database available at kazusa.or.jp.codon (see Richmond (2000) Genome Biology, 1:reports241 for a description of the database). See also, Forsburg (1994) Yeast, 10:1045-1047; Brown et al. (1991) Nucleic Acids Research, 19:4298; Sharp et al. (1988) Nucleic Acids Res., 12:8207-8211; Sharp et al. (1991) Yeast, 657-78). In some examples, the encoding nucleic acid molecules also can be modified to contain a heterologous signal sequence to alter (*e.g.*, increased) expression and secretion of the polypeptide. Exemplary of a heterologous signal sequence is a nucleic acid encoding the IgG kappa signal sequence (set forth in SEQ ID NO:868).

The modified polypeptides and encoding nucleic acid molecules provided herein can be produced by standard recombinant DNA techniques known to one of skill in the art. Any method known in the art to effect mutation of any one or more amino acids in a target protein can be employed. Methods include standard site-directed or random mutagenesis of encoding nucleic acid molecules, or solid phase polypeptide synthesis methods. For example, nucleic acid molecules encoding a PH20 polypeptide can be subjected to mutagenesis, such as random mutagenesis of the encoding nucleic acid, error-prone PCR, site-directed mutagenesis, overlap PCR, gene shuffling, or other recombinant methods. The nucleic acid encoding the polypeptides can then be introduced into a host cell to be expressed heterologously. Hence, also provided herein are nucleic acid molecules encoding any of the modified polypeptides provided herein. In some examples, the modified PH20 polypeptides are produced synthetically, such as using solid phase or solutions phase peptide synthesis.

In the subsections below, exemplary modified PH20 polypeptide exhibiting altered properties and activities, and encoding nucleic acid molecules, provided herein are described.

1. Active Mutants

Provided herein are modified PH20 polypeptides that contain one or more amino acid replacements in a PH20 polypeptide and that exhibit hyaluronidase activity. The modified PH20 polypeptides can exhibit 40% to 5000% of the hyaluronidase activity of a wildtype or reference PH20 polypeptide, such as the polypeptide set forth in SEQ ID NOS: 3 or 7. For example, modified PH20 polypeptides provided herein exhibit at least 40% of the hyaluronidase activity, such as at least 50%, 60%, 70%, 80%, 90%, 100%, 120%, 130%, 140%, 150%, 160%, 170%, 180%, 190%, 200%, 300%, 400%, 500%, 600%, 700%, 800%, 900%, 1000%, 2000%, 3000% or more of the hyaluronidase activity of a wildtype or reference PH20 polypeptide, such as the corresponding polypeptide not containing the amino acid modification (*e.g.*, amino acid replacement), for example, a polypeptide set forth in SEQ ID NO:3 or 7. For example, exemplary positions that can be modified, for example by amino acid replacement or substitution, include, but are not limited to, any of positions corresponding to position 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 14, 15, 20, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 54, 58, 59, 60, 61, 63, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 77, 79, 81, 82, 83, 84, 85, 86, 87, 89, 90, 91, 92, 93, 94, 96, 97, 98, 99, 102, 103, 104, 105, 106, 107, 108, 110, 114, 117, 118, 119, 120, 122, 124, 125, 127, 128, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 186, 192, 193, 195, 196, 197, 198, 200, 202, 204, 205, 206, 208, 209, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 224, 226, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 242, 245, 247, 248, 251, 253, 255, 256, 257, 258, 259, 260, 261, 263, 264, 265, 266, 267, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 297, 298, 300, 301, 302, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 320, 321, 323, 324, 325, 326, 327, 328, 331, 334, 335, 338, 339, 342, 343, 347, 348, 349, 351, 353, 356, 357, 358, 359, 360, 361, 367, 368, 369, 371, 373, 374, 375, 376, 377, 378, 379, 380, 381, 383, 385, 387, 388, 389, 391, 392, 393, 394, 395, 396, 397, 398, 399, 401, 403, 404, 405, 406, 407, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 425, 426, 427, 428, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446 or 447 with reference to amino acid positions set forth in SEQ ID NO:3. Typically, the amino acid residue that is modified (*e.g.*, replaced with another amino acid) at the position corresponding to any of the above positions in a PH20 polypeptide is an identical residue, a conservative residue or a semi-conservative amino acid residue to the amino acid residue set forth in SEQ ID NO:3.

To retain hyaluronidase activity, modifications typically are not made at those positions that are less tolerant to change or required for hyaluronidase activity. For example, generally modifications are not made at a position corresponding to position 7, 16, 17, 18, 19, 21, 25, 53, 55, 56, 57, 62, 64, 76, 78, 80, 88, 95, 100, 101, 109, 111, 112, 113, 115, 116, 121, 123, 126, 129, 185, 187, 188, 189, 190, 191, 194, 199, 201, 203, 207, 210, 223, 225, 227, 228, 229, 241, 243, 244, 246, 249, 250, 252, 254, 262, 268, 282, 295, 296, 298, 299, 303, 319, 322, 329, 330, 332, 333, 336, 337, 340, 341, 344, 345, 346, 350, 352, 354, 355, 362, 363, 364, 365, 366, 370, 372, 382, 384, 386, 390, 400, 402, 408, 423, 424, 429, 430, 431, with reference to amino acid positions set forth in SEQ ID NO:3. Also, in examples where modifications are made at any of positions 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 14, 15, 20, 22, 23, 27, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 54, 58, 59, 60, 61, 63, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 77, 79, 81, 82, 83, 84, 85, 86, 87, 89, 90, 91, 92, 94, 96, 98, 99, 102, 103, 104, 105, 106, 107, 108, 110, 114, 117, 118, 119, 122, 124, 125, 127, 128, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 143, 144, 145, 149, 150, 152, 153, 154, 155, 156, 157, 158, 159, 161, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 186, 192, 193, 195, 197, 198, 200, 202, 204, 206, 208, 209, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 224, 226, 230, 231, 232, 233, 234, 235, 236, 238, 239, 240, 242, 245, 247, 248, 251, 253, 255, 256, 257, 258, 260, 261, 263, 264, 265, 266, 267, 269, 270, 271, 272, 273, 274, 275, 276, 278, 279, 280, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 297, 298, 300, 301, 302, 304, 305, 306, 307, 308, 310, 311, 312, 313, 314, 315, 316, 317, 318, 320, 321, 323, 324, 325, 326, 327, 331, 334, 335, 338, 339, 342, 343, 347, 348, 349, 351, 353, 356, 357, 358, 359, 360, 361, 367, 368, 369, 371, 373, 374, 375, 376, 377, 378, 379, 380, 381, 383, 385, 387, 388, 389, 391, 392, 393, 394, 395, 396, 397, 398, 399, 401, 403, 404, 405, 406, 410, 411, 412, 413, 414, 415, 416, 417, 419, 420, 422, 425, 426, 427, 428, 431, 432, 434, 437, 438, 439, 440, 441, 442, 443, 444, or 447 with reference to amino acid positions set forth in SEQ ID NO:3, the modification(s) is/are not the corresponding amino acid replacement(s) set forth in Table 5 or 10 herein, which are amino acid replacements that result in an inactive polypeptide. For example, if the modification is a modification at a position corresponding to position 2 with reference to SEQ ID NO:3, the modification is not replacement to a histidine (H), lysine (K), tryptophan (W) or tyrosine (Y).

Exemplary amino acid replacements at any of the above corresponding positions are set forth in Table 3. Reference to the corresponding amino acid position in Table 3 is with reference to positions set forth in SEQ ID NO:3. It is understood that the replacements can be made in the corresponding position in another PH20 polypeptide by alignment therewith with the sequence set forth in SEQ ID NO:3 (see *e.g.*, Figure 1 and 2), whereby the corresponding

position is the aligned position. In particular examples, the amino acid replacement(s) can be at the corresponding position in a PH20 polypeptide as set forth in any of SEQ ID NOS: 2, 3, 6-66, 68-72, 856-861, 869 or 870 or a variant thereof having at least 75%, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 86%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity thereto, so long as the resulting modified PH20 polypeptide exhibits at least 40% of the hyaluronidase activity of the corresponding PH20 polypeptide not containing the amino acid replacement. In particular, the replacement(s) can be in a corresponding position in a human PH20 polypeptide, for example, any set forth in any of SEQ ID NOS: 3, 7, 32-66, 69 or 72, or a variant thereof that exhibits at least 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to any of SEQ ID NOS: 3, 7, 32-66, 69 or 72. In one example, any one or more of the replacements are in SEQ ID NO:3, so long as the resulting modified PH20 polypeptide exhibits at least 40% of the hyaluronidase activity of the PH20 polypeptide set forth in SEQ ID NO:3.

TABLE 3: Active Mutants

Corresponding Position	Replacement	Corresponding Position	Replacement	Corresponding Position	Replacement
1	ACEFGH KNP QRSTVW	2	ACGILPQST V	3	EHLY
4	AISTV	5	H	6	AHKLNQR
7	M	8	ILMP	9	KLQRSV
10	DEGHNQRSW	11	DGHK S	12	AEIKLNRST
13	HST Y	14	DIMV	15	AMV
20	S	22	HMTY	23	D
24	AEGHIKLMN RTVY	26	AEGHIKMPQ RSTVWY	27	ADEFHIKLP QRSTW
28	ADEFILMNP RSTVW	29	AEGHIKLMP RSTVW	30	AFGHKLMP QRSTVW
31	ACGHIKLPRS TVWY	32	ACFGHKLMN QRSTVWY	33	GMPQRSTW
34	AEHKQRW	35	FHLQTVY	36	ADGHKLNR T
37	FIKMPRWV	38	Y	39	ALNQRTY
40	LW	41	ACDEGHNTV W	42	A
43	NT	44	E	45	IK
46	ACEFHLMNR STVY	47	ADFGHKMQ RSTWY	48	FGHIKMNQR SVY
49	IKRSV	50	ACDEHLMQR SVY	51	ANRS
52	NPQRST	54	AFNQSV	58	CGHIKLNPQ RSWY
59	QN	60	K	61	FIMV
63	AHIKLMNRS TVW	65	R	66	HR
67	FLRVY	68	EGHKLPQRS T	69	ACEFGILMP RTWY
70	ACFGHKLNP	71	ADGHLMNQ	72	ADEHKLMQ

TABLE 3: Active Mutants					
Corres-ponding Position	Replacement	Corres-ponding Position	Replacement	Corres-ponding Position	Replacement
	R S T V Y		R S		R S Y
73	A C D G H K L M Q R S T W	74	A C E F G H K L M N P R S V W	75	A C F H L M N Q R S T Y
77	H K				
79	L T V	81	P	82	A E G H I L M N Q R S T V
83	F G H K L N Q R S T V	84	D E F G H I L M N P Q R T W Y	85	V
86	A D E F G H I K L M N P R S T V W	87	A C E G H I L M P Q R S T V Y	89	C K M P R W
90	A E G H I K L N Q R S T W	91	A Q R	92	C H L M T V
93	D E F G H I L M N P Q R S T V	94	A C D E F H L M N Q R S T	96	D L V
97	A C D E F G I L N P Q R S W Y	98	A C D E H I L M Q R S V W	99	A R S
102	A C E G H K L M N Q R S T W				
103	N	104	A C G I K M R S T	105	A C G H I P Q R S T W V
106	V				
107	F I L	108	G	110	V
114	A G H M S	117	D	118	H K L M N Q V
119	F P Q Y	120	D F G H I L N P R S T V W Y	122	M
124	H L R	125	A H R S	127	A E G H L M N Q R S T V W
128	A C G I K L Q R S W	130	I R	131	C E F G H I L M Q R S T V Y
132	A C E F H I K L N Q S T V Y	133	I	134	L T V
135	A C D F G H K L N Q R S W Y	136	A C D F H I M N Q R S T W	137	A C I T A C H I L M N R S W Y
139	A C D E F G H K L M R S T V	140	A C D F G H I K L M R V W Y	141	A D E F G H L M Q R S T V W Y
142	C D E G H I K L M N P Q R S T	143	C E G I K L N V	144	R T W
145	A C D E G H L M N P R	146	A C E G H I K N P Q R S T V Y	147	A C D F G I L M P Q R S V W Y
148	C F G H I K L Q R S T V W Y	149	C G K L M Q R S T V	150	A C D E F G I L N P R S W Y
151	A C G H K L M N Q R S T V W Y	152	A C F I M R T V W Y	153	I L S
154	I R T V	155	A C D F G H K L M R S T V W	156	A C D G I L M Q R S T V W
157	W	158	A F G H L Q S	159	A D E G H L M N Q R S V
160	C F G H I K L M N Q R S W V Y	161	A C D E R S V	162	A D E G H L M P Q R S V W Y
163	A E G K L Q R S T V W	164	L M V W	165	A C D F N R S V W Y
166	A C E F G H L N Q	167	A D G H K M N P	168	H

TABLE 3: Active Mutants					
Corres-ponding Position	Replacement	Corres-ponding Position	Replacement	Corres-ponding Position	Replacement
	RTWY		RSTY		
169	LRV	170	AQNRV	171	IV
172	AC	173	QNR	174	AGHKMNQR STVWY
175	EHTVY	176	KL	177	V
178	GKMR				
179	ACEGIKLMN PRSTV	180	FGIKM	181	KMQ
182	L	183	EL	184	W
186	Y				
192	ST	193	FGQRSY	195	AGHILNQRS TWV
196	EGLNRSTWY	197	ADEFGHKLM QRSTW	198	ADEHLNQRS TWY
200	DT	202	M	204	PW
205	LRSTVWY	206	HIKLMQRST	208	ACKLMQRS TV
209	AEFGLNRST	211	LW		
212	NST	213	AEGHKLMN QRVWY		
214	Q	215	ADEGHKLM QRTVWY	217	M
218	FMV	219	ACDEHIKLM RSTW	220	ADHILMSTV
221	ACIMQTV	222	DFGIKLNRS V	224	I
226	W				
230	I	231	T	232	S
233	AFGKLRY	234	LM	235	AEGHKT
236	AGHKRS	237	ACEFHLNQR STW	238	DEHKQRST
239	N				
240	KAMPQRSV	242	F	245	H
247	ILM	248	AHWY	251	LMY
253	I	255	AGNQRS	256	AHLV
257	ACGIKLMNQ RTV	258	GHNRS	259	EGIKLNPQR STVWY
260	ADEGHLMQR SY	261	AFKMNQRTV W	263	AHKMRTV
264	AH	265	I	266	Y
267	MT	269	ACDS	270	MNST
271	FGLMSV	272	DMRST	273	HTY
274	AFS				
275	LV	276	CDEGHILMR SY	277	ACDEGHKM NQRSTY
278	AEFGHIKNR STVY	279	AHQRT	280	GQ
282	DGMQ	283	EPRST	284	AEGHLMNQ STY
285	AFGHMNQY	286	RSW	287	INT
288	LW	289	KS	290	IM

TABLE 3: Active Mutants					
Corresponding Position	Replacement	Corresponding Position	Replacement	Corresponding Position	Replacement
291	C Q R S V	292	A C F G H K N P R V W	293	A C D F G K L M P Q S V Y
294	M				
297	A	298	G I	300	R
301	A V	302	I W	303	D V
304	G I	305	D E N	306	D E S
307	G K N Q S T V W Y	308	D G H K N P R T	309	D E G H K L M N Q R S T V W
310	A F G Q R S V Y	311	G H K Q S T	312	G K L N T
313	A E G H K L P R S T V Y	314	A D H I N Q R S T Y	315	A E G H K L M R T Y
316	D	317	A D H I K M N Q R S T W	318	D F G H I K M N Q R S T
320	E G H I K L M N R S W V Y	321	A D H K R S T Y	323	F I L
324	A D H M N R S	325	A D E G H K M N Q S V W	326	C K L V Y
327	M	328	A C G H I K L Q R S T V W Y	331	C E V
334	P T	335	S	338	Q
339	M	342	A	343	T V
347	A E G L M R S	348	D G S	349	A E K M N R T
351	A C I Q S	353	T V	356	A D H S
357	A C K S T	358	C G L T	359	D E H K M T V
360	T				
361	H	367	A C G K R S	368	A E G H K L M R S T V H R S
371	E F G H I K L M R S V	373	A E F K L M R S V	374	A H I M N P R S T V W Y
375	A G I K L M N R S T	376	A D E L M Q R S T V Y	377	D E H K P R S T
378	K N R	379	G H R S T	380	I L P T V W Y
381	E H K N Q R S V	383	A E H I K L M N S T V	385	A G H N Q R S T V
387	S	388	F H I M R T V W Y	389	A G H K L M P Q R S T Y
391	C	392	A F G K L M Q R S T V W Y	393	A D F H K L M N R S T
394	L W	395	A G H K R T W	396	A D H L Q R S T
397	R	398	L		
399	A C E K M N Q R S T V W	401	A E G Q N	403	F
404	A P T	405	A F G K M P Q R S W Y	406	A C E F G I N Q S T V Y
407	A D E F G H L M N P Q R V W	409	A D E G H I P Q R S T V	410	D K M N P Q R S T V Y
411	A H N P R S T V	412	D G H I L N Q P R S V W Y	413	A E H K N Q R S T
414	I K L M	415	G S W V Y	416	F G H I K L N Q R T V Y
417	I	418	A E F G I L M N P Q R S V Y	419	E F G H I K L N R S W Y

TABLE 3: Active Mutants					
Corres-ponding Position	Replacement	Corres-ponding Position	Replacement	Corres-ponding Position	Replacement
420	I P	421	A E G H I K L M N Q R S T Y	422	I T
425	G I K M N R S Y	426	E G K N P Q S Y	427	H I K Q S T
428	L M P T	431	A E G H I K L N Q R S V W Y	432	E G H N S V
433	A C D E G H I K L P R S T V W	434	F G I M V	435	A C E G H R S T V Y
436	C D E G H I K L M Q R S T W Y	437	A D G H I K L M Q R S Y	438	A C D E G L N P Q R S T V W
439	A C F G H K L P Q S T V W	440	A D E F G H I L M P R S V Y	441	A D F G H K L N Q S T V Y
442	C G H K L P Q R T V W Y	443	A E F G H L M N Q R S T W	444	D E F G H I K M N R V W Y
445	A G H L M N P Q R S T V W Y	446	A C D E G H I K L M Q R T V W	447	D E F G I L M N P Q R T V W

In particular examples, provided herein is a modified PH20 polypeptide containing an amino acid replacement or replacements at a position or positions corresponding to 1, 6, 8, 9, 10, 11, 12, 14, 15, 20, 22, 24, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 46, 47, 48, 49, 50, 52, 58, 59, 63, 67, 68, 69, 70, 71, 72, 73, 74, 75, 79, 82, 83, 84, 86, 87, 89, 90, 92, 93, 94, 97, 102, 104, 107, 114, 118, 120, 127, 128, 130, 131, 132, 135, 138, 139, 140, 141, 142, 143, 144, 146, 147, 148, 149, 150, 151, 152, 155, 156, 158, 160, 162, 163, 164, 165, 166, 167, 169, 170, 172, 173, 174, 175, 178, 179, 193, 195, 196, 198, 204, 205, 206, 209, 212, 213, 215, 219, 220, 221, 222, 232, 233, 234, 235, 236, 237, 238, 240, 247, 248, 249, 257, 258, 259, 260, 261, 263, 267, 269, 271, 272, 273, 274, 276, 277, 278, 279, 282, 283, 285, 287, 289, 291, 292, 293, 298, 305, 307, 308, 309, 310, 313, 314, 315, 317, 318, 320, 321, 324, 325, 326, 328, 335, 347, 349, 351, 353, 356, 359, 367, 368, 369, 371, 373, 374, 375, 376, 377, 380, 381, 383, 385, 389, 392, 393, 395, 396, 399, 401, 404, 405, 406, 407, 409, 410, 412, 416, 418, 419, 421, 425, 427, 428, 431, 433, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446 or 447 with reference to amino acid positions set forth in SEQ ID NO:3. For example, the amino acid positions can be replacements at positions corresponding to replacement of Leucine (L) at position 1 (L1), P6, V8, I9, P10, N11, V12, F14, L15, A20, S22, F24, L26, G27, K28, F29, D30, E31, P32, L33, D34, M35, S36, L37, F38, S39, F40, I41, I46, N47, A48, T49, G50, G52, V58, D59, Y63, I67, D68, S69, I70, T71, G72, V73, T74, V75, I79, K82, I83, S84, G86, D87, L89, D90, A92, K93, K94, T97, V102, N104, M107, E114, T118, A120, D127, V128, K130, N131, R132, E135, Q138, Q139, Q140, N141, V142, Q143, L144, L146, T147, E148, A149, T150, E151, K152, Q155, E156, E158, A160, K162, D163, F164, L165, V166, E167, I169, K170, G172, K173, L174, L175, N178, H179, H193, K195, K196, G198, F204, N205,

V206, K209, D212, D213, S215, N219, E220, S221, T222, T232, Q233, Q234, S235, P236, V237, A238, T240, V247, R248, E249, P257, D258, A259, K260, S261, L263, A267, T269, I271, V272, F273, T274, Q276, V277, L278, K279, S282, Q283, E285, V287, T289, G291, E292, T293, A298, G305, L307, S308, I309, M310, M313, K314, S315, L317, L318, D320, N321, E324, T325, I326, N328, T335, Q347, Q349, V351, I353, N356, S359, P367, D368, N369, A371, Q373, L374, E375, K376, G377, F380, T381, R383, K385, E389, E392, Q393, S395, E396, Y399, S401, S404, T405, L406, S407, K409, E410, A412, D416, D418, A419, D421, A425, G427, A428, D431, F433, P436, P437, M438, E439, T440, E441, E442, P443, Q444, I445, F446 or Y447 with reference to amino acid positions set forth in SEQ ID NO:3.

Exemplary amino acid replacements in the modified PH20 polypeptides provided herein include, but are not limited, replacement with: histidine (H) at a position corresponding to position 1; A at a position corresponding to position 1; E at a position corresponding to position 1; G at a position corresponding to position 1; K at a position corresponding to position 1; Q at a position corresponding to position 1; R at a position corresponding to position 1; A at a position corresponding to position 6; M at a position corresponding to position 8; Q at a position corresponding to position 9; G at a position corresponding to position 10; H at a position corresponding to position 10; S at a position corresponding to position 11; E at a position corresponding to position 12; I at a position corresponding to position 12; K at a position corresponding to position 12; T at a position corresponding to position 12; V at a position corresponding to position 14; V at a position corresponding to position 15; M at a position corresponding to position 15; S at a position corresponding to position 20; T at a position corresponding to position 22; E at a position corresponding to position 24; H at a position corresponding to position 24; R at a position corresponding to position 24; A at a position corresponding to position 26; E at a position corresponding to position 26; K at a position corresponding to position 26; M at a position corresponding to position 26; Q at a position corresponding to position 26; R at a position corresponding to position 26; D at a position corresponding to position 27; K at a position corresponding to position 27; R at a position corresponding to position 27; R at a position corresponding to position 28; E at a position corresponding to position 29; I at a position corresponding to position 29; K at a position corresponding to position 29; L at a position corresponding to position 29; M at a position corresponding to position 29; P at a position corresponding to position 29; R at a position corresponding to position 29; S at a position corresponding to position 29; T at a position corresponding to position 29; V at a position corresponding to position 29; G at a position corresponding to position 30; H at a position corresponding to position 30; K at a position corresponding to position 30; L at a position corresponding to

position 30; M at a position corresponding to position 30; R at a position corresponding to position 30; S at a position corresponding to position 30; A at a position corresponding to position 31; C at a position corresponding to position 31; G at a position corresponding to position 31; H at a position corresponding to position 31; I at a position corresponding to position 31; K at a position corresponding to position 31; L at a position corresponding to position 31; P at a position corresponding to position 31; R at a position corresponding to position 31; S at a position corresponding to position 31; T at a position corresponding to position 31; V at a position corresponding to position 31; W at a position corresponding to position 31; C at a position corresponding to position 32; F at a position corresponding to position 32; G at a position corresponding to position 32; H at a position corresponding to position 32; W at a position corresponding to position 33; G at a position corresponding to position 33; W at a position corresponding to position 34; Q at a position corresponding to position 35; V at a position corresponding to position 35; H at a position corresponding to position 36; N at a position corresponding to position 36; F at a position corresponding to position 37; M at a position corresponding to position 37; Y at a position corresponding to position 38; A at a position corresponding to position 39; L at a position corresponding to position 39; N at a position corresponding to position 39; T at a position corresponding to position 39; L at a position corresponding to position 40; T at a position corresponding to position 41; L at a position corresponding to position 46; R at a position corresponding to position 46; D at a position corresponding to position 47; F at a position corresponding to position 47; T at a position corresponding to position 47; W at a position corresponding to position 47, with F at a position corresponding to position 48; H at a position corresponding to position 48; K at a position corresponding to position 48; N at a position corresponding to position 48; R at a position corresponding to position 49; D at a position corresponding to position 50; S at a position corresponding to position 50; M at a position corresponding to position 50; N at a position corresponding to position 52; Q at a position corresponding to position 52; R at a position corresponding to position 52; S at a position corresponding to position 52; T at a position corresponding to position 52; C at a position corresponding to position 58; K at a position corresponding to position 58; L at a position corresponding to position 58; P at a position corresponding to position 58; Q at a position corresponding to position 58; R at a position corresponding to position 58; H at a position corresponding to position 58; N at a position corresponding to position 58; Y at a position corresponding to position 58; N at a position corresponding to position 59; K at a position corresponding to position 63; L at a position corresponding to position 63; M at a position corresponding to position 63; R at a position corresponding to position 63; W at a position corresponding to

position 63; V at a position corresponding to position 67; H at a position corresponding to position 68; P at a position corresponding to position 68; Q at a position corresponding to position 68; A at a position corresponding to position 69; C at a position corresponding to position 69; E at a position corresponding to position 69; F at a position corresponding to position 69; G at a position corresponding to position 69; I at a position corresponding to position 69; L at a position corresponding to position 69; M at a position corresponding to position 69; P at a position corresponding to position 69; R at a position corresponding to position 69; T at a position corresponding to position 69; W at a position corresponding to position 69; Y at a position corresponding to position 69; A at a position corresponding to position 70; C at a position corresponding to position 70; F at a position corresponding to position 70; G at a position corresponding to position 70; H at a position corresponding to position 70; K at a position corresponding to position 70; L at a position corresponding to position 70; N at a position corresponding to position 70; P at a position corresponding to position 70; R at a position corresponding to position 70; S at a position corresponding to position 70; T at a position corresponding to position 70; V at a position corresponding to position 70; Y at a position corresponding to position 70; G at a position corresponding to position 71; N at a position corresponding to position 71; R at a position corresponding to position 71; S at a position corresponding to position 71; K at a position corresponding to position 72; M at a position corresponding to position 72; Q at a position corresponding to position 72; A at a position corresponding to position 73; H at a position corresponding to position 73; K at a position corresponding to position 73; L at a position corresponding to position 73; Q at a position corresponding to position 73; R at a position corresponding to position 73; T at a position corresponding to position 73; W at a position corresponding to position 73; A at a position corresponding to position 74; C at a position corresponding to position 74; E at a position corresponding to position 74; F at a position corresponding to position 74; G at a position corresponding to position 74; H at a position corresponding to position 74; K at a position corresponding to position 74; L at a position corresponding to position 74; M at a position corresponding to position 74; N at a position corresponding to position 74; P at a position corresponding to position 74; R at a position corresponding to position 74; S at a position corresponding to position 74; V at a position corresponding to position 74; W at a position corresponding to position 74; F at a position corresponding to position 75; L at a position corresponding to position 75; M at position corresponding to position 75; R at a position corresponding to position 75; T at a position corresponding to position 75; L at a position corresponding to position 79; L at a position corresponding to position 82; N at a position corresponding to position 82; V at a position corresponding to

position 83; Q at a position corresponding to position 83; S at a position corresponding to position 83; G at a position corresponding to position 83; E at a position corresponding to position 84; F at a position corresponding to position 84; G at a position corresponding to position 84; N at a position corresponding to position 84; R at a position corresponding to position 84; A at a position corresponding to position 86; H at a position corresponding to position 86; K at a position corresponding to position 86; N at a position corresponding to position 86; S at a position corresponding to position 86; T at a position corresponding to position 86; W at a position corresponding to position 86; C at a position corresponding to position 87; G at a position corresponding to position 87; L at a position corresponding to position 87; M at a position corresponding to position 87; R at a position corresponding to position 87; S at a position corresponding to position 87; T at a position corresponding to position 87; V at a position corresponding to position 87; Y at a position corresponding to position 87; C at a position corresponding to position 89; A at a position corresponding to position 90; E at a position corresponding to position 90; H at a position corresponding to position 90; K at a position corresponding to position 90; N at a position corresponding to position 90; R at a position corresponding to position 90; C at a position corresponding to position 92; L at a position corresponding to position 92; I at a position corresponding to position 93; L at a position corresponding to position 93; Q at a position corresponding to position 93; R at a position corresponding to position 93; S at a position corresponding to position 93; T at a position corresponding to position 93; D at a position corresponding to position 94; Q at a position corresponding to position 94; R at a position corresponding to position 94; A at a position corresponding to position 97; C at an amino acid residue corresponding to position 97; D at a position corresponding to position 97; E at a position corresponding to position 97; G at a position corresponding to position 97; L at a position corresponding to position 97; S at a position corresponding to position 97; S at a position corresponding to position 102; T at a position corresponding to position 102; R at a position corresponding to position 104; L at a position corresponding to position 107; A at a position corresponding to position 114; Q at a position corresponding to position 118; H at a position corresponding to position 120; F at a position corresponding to position 120; I at a position corresponding to position 120; S at a position corresponding to position 120; V at a position corresponding to position 120; Y at a position corresponding to position 120; E at a position corresponding to position 127; H at a position corresponding to position 127; N at a position corresponding to position 127; Q at a position corresponding to position 127; R at a position corresponding to position 127; I at a position corresponding to position 128; R at a position corresponding to position 130; G at a position corresponding to position 131; I at a position

corresponding to position 131; M at a position corresponding to position 131; Q at a position corresponding to position 131; R at a position corresponding to position 131; V at a position corresponding to position 131; N at a position corresponding to position 132; L at a position corresponding to position 132; D at a position corresponding to position 135; G at a position corresponding to position 135; R at a position corresponding to position 135, with L at a position corresponding to position 138; T at a position corresponding to position 139; K at a position corresponding to position 140; H at a position corresponding to position 141; R at a position corresponding to position 141; S at a position corresponding to position 141; W at a position corresponding to position 141; Y at a position corresponding to position 141; D at a position corresponding to position 142; G at a position corresponding to position 142; K at a position corresponding to position 142; N at a position corresponding to position 142; P at a position corresponding to position 142; Q at a position corresponding to position 142; R at a position corresponding to position 142; S at a position corresponding to position 142; T at a position corresponding to position 142; G at a position corresponding to position 143; K at a position corresponding to position 143; R at a position corresponding to position 144; T at a position corresponding to position 144; P at a position corresponding to position 146; R at a position corresponding to position 146; A at a position corresponding to position 147; F at a position corresponding to position 147; L at a position corresponding to position 147; R at a position corresponding to position 147; S at a position corresponding to position 147; V at a position corresponding to position 147; H at a position corresponding to position 148; K at a position corresponding to position 148; Q at a position corresponding to position 148; T at a position corresponding to position 149; V at a position corresponding to position 149; A at a position corresponding to position 150; D at a position corresponding to position 150; G at a position corresponding to position 150; N at a position corresponding to position 150; S at a position corresponding to position 150; W at a position corresponding to position 150; Y at a position corresponding to position 150; A at a position corresponding to position 151; H at a position corresponding to position 151; K at a position corresponding to position 151; L at a position corresponding to position 151; M at a position corresponding to position 151; Q at a position corresponding to position 151; R at a position corresponding to position 151; S at a position corresponding to position 151; T at a position corresponding to position 151; V at a position corresponding to position 151; W at a position corresponding to position 151; Y at a position corresponding to position 151; R at a position corresponding to position 152; T at a position corresponding to position 152; W at a position corresponding to position 152; D at a position corresponding to position 155; G at a position corresponding to position 155; K at a position corresponding to position 155; R at a position corresponding to position 155; D at a

position corresponding to position 156; Q at a position corresponding to position 158; S at a position corresponding to position 158; S at a position corresponding to position 160; E at a position corresponding to position 162; A at a position corresponding to position 163; E at a position corresponding to position 163; K at a position corresponding to position 163; Q at a position corresponding to position 163; R at a position corresponding to position 163; S at a position corresponding to position 163; M at a position corresponding to position 164; V at a position corresponding to position 164; D at a position corresponding to position 165; F at a position corresponding to position 165; N at a position corresponding to position 165; S at a position corresponding to position 165; V at a position corresponding to position 165; A at a position corresponding to position 166; E at a position corresponding to position 166; F at a position corresponding to position 166; H at a position corresponding to position 166; L at a position corresponding to position 166; Q at a position corresponding to position 166; R at a position corresponding to position 166; T at a position corresponding to position 166; W at a position corresponding to position 166; Y at a position corresponding to position 166; D at a position corresponding to position 167; L at a position corresponding to position 169; R at a position corresponding to position 170; A at a position corresponding to position 172; R at a position corresponding to position 173; G at a position corresponding to position 174; K at a position corresponding to position 174; N at a position corresponding to position 174; R at a position corresponding to position 174; T at a position corresponding to position 174; T at a position corresponding to position 175; K at a position corresponding to position 178; R at a position corresponding to position 178; K at a position corresponding to position 179; Q at a position corresponding to position 193; T at a position corresponding to position 195; N at a position corresponding to position 195; with E at a position corresponding to position 196; R at a position corresponding to position 196; with D at a position corresponding to position 198; P at a position corresponding to position 204; A at a position corresponding to position 205; E at a position corresponding to position 205; L at a position corresponding to position 205; T at a position corresponding to position 205; I at a position corresponding to position 206; K at a position corresponding to position 206; L at a position corresponding to position 206; R at a position corresponding to position 206; R at a position corresponding to position 209; N at a position corresponding to position 212; S at a position corresponding to position 212; A at a position corresponding to position 213; M at a position corresponding to position 213; N at a position corresponding to position 213; H at a position corresponding to position 215; M at a position corresponding to position 215; A at a position corresponding to position 219; I at a position corresponding to position 219; K at a position corresponding to position 219; S at a position corresponding to position 219; H at a position corresponding to position

220; I at a position corresponding to position 220; L at a position corresponding to position 220; V at a position corresponding to position 220; Q at a position corresponding to position 221; G at a position corresponding to position 222; F at a position corresponding to position 232; G at a position corresponding to position 233; K at a position corresponding to position 233; R at a position corresponding to position 233; M at a position corresponding to position 234; A at a position corresponding to position 235; R at a position corresponding to position 236; C at a position corresponding to position 237; E at a position corresponding to position 237; H at a position corresponding to position 237; Q at a position corresponding to position 237; T at a position corresponding to position 237; E at a position corresponding to position 238; H at a position corresponding to amino acid position 238; S at a position corresponding to position 238; A at a position corresponding to position 240; Q at a position corresponding to position 240; I at a position corresponding to position 247; A at a position corresponding to position 248; V at a position corresponding to position 249; G at a position corresponding to position 257; T at a position corresponding to position 257; R at a position corresponding to position 257; N at a position corresponding to position 258; S at a position corresponding to position 258; P at a position corresponding to position 259; M at a position corresponding to position 260; Y at a position corresponding to position 260; A at a position corresponding to position 261; K at a position corresponding to position 261; N at a position corresponding to position 261; K at a position corresponding to position 263; R at a position corresponding to position 263; T at a position corresponding to position 267; A at a position corresponding to position 269; L at a position corresponding to position 271; M at a position corresponding to position 271; D at a position corresponding to position 272; T at a position corresponding to position 272; H at a position corresponding to position 273; Y at a position corresponding to position 273; F at a position corresponding to position 274; D at a position corresponding to position 276; H at a position corresponding to position 276; M at a position corresponding to position 276; R at a position corresponding to position 276; S at a position corresponding to position 276; Y at a position corresponding to position 276; A at a position corresponding to position 277; E at a position corresponding to position 277; H at a position corresponding to position 277; K at a position corresponding to position 277; M at a position corresponding to position 277; N at a position corresponding to position 277; Q at a position corresponding to position 277; R at a position corresponding to position 277; S at a position corresponding to position 277; T at a position corresponding to position 277; E at a position corresponding to position 278; F at a position corresponding to position 278; G at a position corresponding to position 278; H at a position corresponding to position 278; K at a position corresponding to position 278; N at a position corresponding to position 278; R at a position corresponding to

position 278; S at a position corresponding to position 278; T at a position corresponding to position 278; Y at a position corresponding to position 278; H at a position corresponding to position 279; M at a position corresponding to position 282; S at a position corresponding to position 283; H at a position corresponding to position 285; T at a position corresponding to position 287; S at a position corresponding to position 289; S at a position corresponding to position 291; V at a position corresponding to position 291; C at a position corresponding to position 292; F at a position corresponding to position 292; H at a position corresponding to position 292; K at a position corresponding to position 292; R at a position corresponding to position 292; V at a position corresponding to position 292; A at a position corresponding to position 293; C at a position corresponding to position 293; D at a position corresponding to position 293; F at a position corresponding to position 293; K at a position corresponding to position 293; M at a position corresponding to position 293; P at a position corresponding to position 293; Q at a position corresponding to position 293; V at a position corresponding to position 293; Y at a position corresponding to position 293; G at a position corresponding to position 298; E at a position corresponding to position 305; G at a position corresponding to position 307; D at a position corresponding to position 308; G at a position corresponding to position 308; K at a position corresponding to position 308; N at a position corresponding to position 308; R at a position corresponding to position 308; E at a position corresponding to position 309; G at a position corresponding to position 309; H at a position corresponding to position 309; L at a position corresponding to position 309; M at a position corresponding to position 309; N at a position corresponding to position 309; Q at a position corresponding to position 309; R at a position corresponding to position 309; S at a position corresponding to position 309; T at a position corresponding to position 309; V at a position corresponding to position 309; A at a position corresponding to position 310; G at a position corresponding to position 310; Q at a position corresponding to position 310; S at a position corresponding to position 310; A at a position corresponding to position 313; G at a position corresponding to position 313; H at a position corresponding to position 313; K at a position corresponding to position 313; P at a position corresponding to position 313; R at a position corresponding to position 313; T at a position corresponding to position 313; Y at a position corresponding to position 313; with S at a position corresponding to position 314; Y at a position corresponding to position 314; A at a position corresponding to position 315; H at a position corresponding to position 315; Y at a position corresponding to position 315; A at a position corresponding to position 317; I at a position corresponding to position 317; K at a position corresponding to position 317; N at a position corresponding to position 317; Q at a position corresponding to position 317; R at a position corresponding to position 317; S at a position

corresponding to position 317; T at a position corresponding to position 317; W at a position corresponding to position 317; D at a position corresponding to position 318; H at a position corresponding to position 318; K at a position corresponding to position 318; M at a position corresponding to position 318; R at a position corresponding to position 318; H at a position corresponding to position 320; K at a position corresponding to position 320; R at a position corresponding to position 320; R at a position corresponding to position 321; S at a position corresponding to position 321; N at a position corresponding to position 324; R at a position corresponding to position 324; A at a position corresponding to position 325; D at a position corresponding to position 325; E at a position corresponding to position 325; G at a position corresponding to position 325; H at a position corresponding to position 325; K at a position corresponding to position 325; M at a position corresponding to position 325; N at a position corresponding to position 325; Q at a position corresponding to position 325; S at a position corresponding to position 325; V at a position corresponding to position 325; L at a position corresponding to position 326; V at a position corresponding to position 326; C at a position corresponding to position 328; G at a position corresponding to position 328; I at a position corresponding to position 328; K at a position corresponding to position 328; L at a position corresponding to position 328; S at a position corresponding to position 328; Y at a position corresponding to position 328; S at a position corresponding to position 335; A at a position corresponding to position 347; G at a position corresponding to position 347; S at a position corresponding to position 347; M at a position corresponding to position 349; R at a position corresponding to position 349; S at a position corresponding to position 351; V at a position corresponding to position 353; with H at a position corresponding to position 356; S at a position corresponding to position 356; E at a position corresponding to position 359; H at a position corresponding to position 359; T at a position corresponding to position 359; A at a position corresponding to position 367; G at a position corresponding to position 367; K at a position corresponding to position 367; S at a position corresponding to position 367; A at a position corresponding to position 368; E at a position corresponding to position 368; K at a position corresponding to position 368; L at a position corresponding to amino acid position 368; M at a position corresponding to amino acid position 368; R at a position corresponding to position 368; T at a position corresponding to amino acid position 368; H at a position corresponding to position 369; R at a position corresponding to position 369; F at a position corresponding to position 371; H at a position corresponding to position 371; K at a position corresponding to position 371; L at a position corresponding to position 371; R at a position corresponding to position 371; S at a position corresponding to position 371; M at a position corresponding to position 373; H at a position corresponding to position 374; P at a position

corresponding to position 374; A at a position corresponding to position 375; G at a position corresponding to position 375; K at a position corresponding to position 375; R at a position corresponding to position 375; D at a position corresponding to position 376; E at a position corresponding to position 376; Q at a position corresponding to position 376; R at a position corresponding to position 376; T at a position corresponding to position 376; V at a position corresponding to position 376; Y at a position corresponding to position 376; D at a position corresponding to position 377; E at a position corresponding to position 377; H at a position corresponding to position 377; K at a position corresponding to position 377; P at a position corresponding to position 377; R at a position corresponding to position 377; S at a position corresponding to position 377; T at a position corresponding to position 377; W at a position corresponding to position 380; Y at a position corresponding to position 380; S at a position corresponding to position 381; I at a position corresponding to position 383; K at a position corresponding to position 383; L at a position corresponding to position 383; S at a position corresponding to position 383; A at a position corresponding to position 385; Q at a position corresponding to position 385; V at a position corresponding to position 385; A at a position corresponding to position 389; G at a position corresponding to position 389; L at a position corresponding to position 389; K at a position corresponding to position 389; Q at a position corresponding to position 389; S at a position corresponding to position 389; A at a position corresponding to position 392; F at a position corresponding to position 392; M at a position corresponding to position 392; Q at a position corresponding to position 392; R at a position corresponding to position 392; V at a position corresponding to position 392; F at a position corresponding to position 393; M at a position corresponding to position 393; A at a position corresponding to position 395; H at a position corresponding to position 395; R at a position corresponding to position 395; A at a position corresponding to position 396; H at a position corresponding to position 396; Q at a position corresponding to position 396; S at a position corresponding to position 396; K at a position corresponding to position 399; M at a position corresponding to position 399; T at a position corresponding to position 399; V at a position corresponding to position 399; W at a position corresponding to position 399; A at a position corresponding to position 401; E at a position corresponding to position 401; A at a position corresponding to position 404; G at a position corresponding to position 405; F at a position corresponding to position 406; N at a position corresponding to position 406; A at a position corresponding to position 407; D at a position corresponding to position 407; E at a position corresponding to position 407; F at a position corresponding to position 407; H at a position corresponding to position 407; Q at a position corresponding to position 407; P at a position corresponding to position 407; A at a position corresponding to position 409; Q at a position

corresponding to position 409; T at a position corresponding to position 410; Q at a position corresponding to position 412; R at a position corresponding to position 412; V at a position corresponding to position 412; L at a position corresponding to position 416; E at a position corresponding to position 418; L at a position corresponding to position 418; P at a position corresponding to position 418; R at a position corresponding to position 418; V at a position corresponding to position 418; F at a position corresponding to position 419; H at a position corresponding to position 419; I at a position corresponding to position 419; K at a position corresponding to position 419; R at a position corresponding to position 419; S at a position corresponding to position 419; Y at a position corresponding to position 419; A at a position corresponding to position 421; H at a position corresponding to position 421; K at a position corresponding to position 421; N at a position corresponding to position 421; Q at a position corresponding to position 421; R at a position corresponding to position 421; S at a position corresponding to position 421; G at a position corresponding to position 425; K at a position corresponding to position 425; Q at a position corresponding to position 427; T at a position corresponding to position 427; L at a position corresponding to position 428; A at a position corresponding to position 431; G at a position corresponding to position 431; E at a position corresponding to position 431; H at a position corresponding to position 431; K at a position corresponding to position 431; L at a position corresponding to position 431; N at a position corresponding to position 431; Q at a position corresponding to position 431; R at a position corresponding to position 431; S at a position corresponding to position 431; V at a position corresponding to position 431; A at a position corresponding to position 433; H at a position corresponding to position 433; I at a position corresponding to position 433; K at a position corresponding to position 433; L at a position corresponding to position 433; R at a position corresponding to position 433; T at a position corresponding to position 433; V at a position corresponding to position 433; W at a position corresponding to position 433; K at a position corresponding to position 436; I at a position corresponding to position 437; M at a position corresponding to position 437; A at a position corresponding to position 438; D at a position corresponding to position 438; E at a position corresponding to position 438; L at a position corresponding to position 438; N at a position corresponding to position 438; T at a position corresponding to position 438; A at a position corresponding to position 439; C at a position corresponding to position 439; K at a position corresponding to position 439; P at a position corresponding to position 439; Q at a position corresponding to position 439; T at a position corresponding to position 439; V at a position corresponding to position 439; D at a position corresponding to position 440; H at a position corresponding to position 440; M at a position corresponding to position 440; P at a position corresponding to position 440; R at a position

corresponding to position 440; S at a position corresponding to position 440; A at a position corresponding to position 441; F at a position corresponding to position 441; C at a position corresponding to position 442; G at a position corresponding to position 442; R at a position corresponding to position 442; A at a position corresponding to position 443; E at a position corresponding to position 443; F at a position corresponding to position 443; G at a position corresponding to position 443; M at a position corresponding to position 443; N at a position corresponding to position 443; E at a position corresponding to position 444; H at a position corresponding to position 444; V at a position corresponding to position 444; H at a position corresponding to position 445; M at a position corresponding to position 445; N at a position corresponding to position 445; P at a position corresponding to position 445; Q at a position corresponding to position 445; S at a position corresponding to position 445; T at a position corresponding to position 445; V at a position corresponding to position 445; W at a position corresponding to position 445; A at a position corresponding to position 446; M at a position corresponding to position 446; W at a position corresponding to position 446; D at a position corresponding to position 447; E at a position corresponding to position 447; G at a position corresponding to position 447; I at a position corresponding to position 447; N at a position corresponding to position 447; P at a position corresponding to position 447; Q at a position corresponding to position 447; T at a position corresponding to position 447, and/or replacement with V at a position corresponding to position 447, each with reference to amino acid positions set forth in SEQ ID NO:3.

Exemplary of such modified PH20 polypeptides are any having the sequence of amino acids set forth in any of SEQ ID NOS: 74-855, or having a sequence of amino acids that exhibits at least 68%, 70%, 75%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to any of SEQ ID NOS:74-855 and contains the amino acid replacement and exhibits hyaluronidase activity.

Any of the above modified PH20 polypeptides provided herein can exhibit altered, such as improved or increased, properties or activities compared to the corresponding PH20 polypeptide not containing the amino acid modification (*e.g.*, amino acid replacement). For example, the altered activities or properties can be an increased catalytic activity and/or an increased stability under denaturing conditions.

a. Increased Activity

Provided herein are modified or variant PH20 polypeptides that contain one or more amino acid replacements in a PH20 polypeptide and that exhibit increased hyaluronidase activity compared to the corresponding PH20 polypeptide not containing the amino acid replacement(s), for example, the PH20 polypeptide set forth in any of SEQ ID NOS: 2, 3, 6-

66, 68-72, 856-861, 869 or 870 or a variant thereof having at least 75%, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 86%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity thereto. In particular, the modified or variant PH20 polypeptides provided herein exhibit increased hyaluronidase activity compared to the corresponding PH20 polypeptide not containing the amino acid replacement, for example, the PH20 polypeptide set forth in any of SEQ ID NOS: 3, 7, 32-66, 69 or 72 and in particular the PH20 polypeptide set forth in SEQ ID NO:3.

The modified PH20 polypeptide can exhibit hyaluronidase activity that is at least or about at least or 120%, 130%, 135%, 140%, 145%, 150%, 160%, 170%, 180%, 200%, 250%, 300%, 350%, 400%, 500%, 1500%, 2000%, 3000%, 4000%, 5000% of the hyaluronidase activity of the corresponding PH20 polypeptide not containing the amino acid replacement(s), for example the PH20 polypeptide set forth in any of any of SEQ ID NOS: 2, 3, 6-66, 68-72, 856-861, 869 or 870 or a variant thereof, under the same conditions. For example, the hyaluronidase activity is increased at least or about at least 1.2-fold, 1.5-fold, 2-fold, 3-fold, 4-fold, 5-fold, 6-fold, 7-fold, 8-fold, 9-fold, 10-fold, 11-fold, 12-fold, 13-fold, 14-fold, 15-fold, 16-fold, 17-fold, 18-fold, 19-fold, 20-fold, 25-fold, 30-fold, 40-fold, 50-fold, 60-fold, 70-fold, 80-fold, 90-fold, 100-fold, 200-fold, 300-fold, 400-fold or more.

In particular examples, the modified PH20 polypeptides contain an amino acid replacement at one or more amino acid positions identified as being associated with increased hyaluronidase activity. As described herein, such positions have been identified using mutagenesis and selection or screening methods to identify those positions that result in increased hyaluronidase activity. The PH20 polypeptide also can contain other modifications, such as other amino acid replacements, that alone are not associated with increased activity so long as the resulting modified PH20 polypeptide exhibits increased hyaluronidase activity compared to the PH20 not containing the amino acid modification(s), such as amino acid replacement(s). The modified PH20 polypeptide provided herein can contain 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48,49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, or more amino acid replacements. Additional modifications, such as insertions or deletions, also can be included. The amino acid replacement can be in a PH20 polypeptide as set forth in any of SEQ ID NOS: 2,3, 6-66, 68-72, 856-861, 869 or 870 or a variant thereof having at least 75%, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 86%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity

thereto. For example, the replacement(s) can be in a human PH20 polypeptide, for example, any set forth in any of SEQ ID NOS: 3, 7, 32-66, 69 or 72 or a variant thereof.

For example, the modified PH20 polypeptides provided herein contain an amino acid replacement (substitution) at one or more amino acid positions corresponding to positions 1, 12, 15, 24, 26, 27, 29, 30, 31, 32, 33, 37, 39, 46, 48, 52, 58, 63, 67, 68, 69, 70, 71, 72, 73, 74, 75, 84, 86, 87, 92, 93, 94, 97, 118, 120, 127, 131, 135, 141, 142, 147, 148, 150, 151, 152, 155, 156, 163, 164, 165, 166, 169, 170, 174, 198, 206, 209, 212, 213, 215, 219, 233, 234, 236, 238, 247, 257, 259, 260, 261, 263, 269, 271, 272, 276, 277, 278, 282, 291, 293, 305, 308, 309, 310, 313, 315, 317, 318, 320, 324, 325, 326, 328, 347, 353, 359, 371, 377, 380, 389, 392, 395, 399, 405, 407, 409, 410, 418, 419, 421, 425, 431, 433, 436, 437, 438, 439, 440, 441, 442, 443, 445, 446 or 447 with reference to amino acid positions set forth in SEQ ID NO:3. For example, the amino acid positions can be replacements at positions corresponding to replacement of Leucine (L) at position 1 (L1), V12, L15, F24, L26, G27, F29, D30, E31, P32, L33, L37, S39, I46, A48, G52, V58, Y63, I67, D68, S69, I70, T71, G72, V73, T74, V75, S84, G86, D87, A92, K93, K94, T97, T118, A120, D127, N131, E135, N141, V142, T147, E148, T150, E151, K152, Q155, E156, D163, F164, L165, V166, I169, K170, L174, G198, V206, K209, D212, D213, S215, N219, Q233, Q234, P236, A238, V247, P257, A259, K260, S261, L263, T269, I271, V272, Q276, V277, L278, S282, G291, T293, G305, S308, I309, M310, M313, S315, L317, L318, D320, E324, T325, I326, N328, Q347, I353, S359, A371, G377, F380, E389, E392, S395, Y399, T405, S407, K409, E410, D418, A419, D421, A425, D431, F433, P436, P437, M438, E439, T440, E441, E442, P443, I445, F446 or Y447 with reference to amino acid positions set forth in SEQ ID NO:3. Exemplary of such modified PH20 polypeptides are polypeptides that exhibit at least 1.5-fold or more the activity of the corresponding PH20 polypeptide not containing the amino acid replacement.

Exemplary of amino acid replacements in the modified PH20 polypeptides provided herein include, but are not limited, replacement: with histidine (H) at a position corresponding to position 1; Q at a position corresponding to position 1; E at a position corresponding to position 12; T at a position corresponding to position 12; V at a position corresponding to position 15; E at a position corresponding to position 24; H at a position corresponding to position 24; E at a position corresponding to position 26; K at a position corresponding to position 26; K at a position corresponding to position 27; R at a position corresponding to position 27; E at a position corresponding to position 29; I at a position corresponding to position 29; L at a position corresponding to position 29; M at a position corresponding to position 29; P at a position corresponding to position 29; S at a position corresponding to position 29; V at a position corresponding to position 29; G at a position corresponding to

position 30; H at a position corresponding to position 30; K at a position corresponding to position 30; M at a position corresponding to position 30; R at a position corresponding to position 30; S at a position corresponding to position 30; A at a position corresponding to position 31; C at a position corresponding to position 31; H at a position corresponding to position 31; I at a position corresponding to position 31; K at a position corresponding to position 31; L at a position corresponding to position 31; P at a position corresponding to position 31; R at a position corresponding to position 31; S at a position corresponding to position 31; T at a position corresponding to position 31; V at a position corresponding to position 31; F at a position corresponding to position 32; G at a position corresponding to position 32; H at a position corresponding to position 32; W at a position corresponding to position 33; F at a position corresponding to position 37; N at a position corresponding to position 39; T at a position corresponding to position 39; R at a position corresponding to position 46; F at a position corresponding to position 48; H at a position corresponding to position 48; N at a position corresponding to position 48; Q at a position corresponding to position 52; K at a position corresponding to position 58; Q at a position corresponding to position 58; W at a position corresponding to position 63; V at a position corresponding to position 67; H at a position corresponding to position 68; Q at a position corresponding to position 68; A at a position corresponding to position 69; C at a position corresponding to position 69; F at a position corresponding to position 69; G at a position corresponding to position 69; I at a position corresponding to position 69; L at a position corresponding to position 69; M at a position corresponding to position 69; P at a position corresponding to position 69; R at a position corresponding to position 69; W at a position corresponding to position 69; Y at a position corresponding to position 69; A at a position corresponding to position 70; C at a position corresponding to position 70; F at a position corresponding to position 70; G at a position corresponding to position 70; H at a position corresponding to position 70; K at a position corresponding to position 70; L at a position corresponding to position 70; N at a position corresponding to position 70; P at a position corresponding to position 70; R at a position corresponding to position 70; S at a position corresponding to position 70; T at a position corresponding to position 70; V at a position corresponding to position 70; R at a position corresponding to position 71; S at a position corresponding to position 71; M at a position corresponding to position 72; Q at a position corresponding to position 72; H at a position corresponding to position 73; L at a position corresponding to position 73; W at a position corresponding to position 73; A at a position corresponding to position 74; C at a position corresponding to position 74; G at a position corresponding to position 74; N at a position corresponding to position 74; P at a position corresponding to

position 74; R at a position corresponding to position 74; S at a position corresponding to position 74; V at a position corresponding to position 74; W at a position corresponding to position 74; F at a position corresponding to position 75; L at a position corresponding to position 75; R at a position corresponding to position 75; T at a position corresponding to position 75; G at a position corresponding to position 84; R at a position corresponding to position 84; A at a position corresponding to position 86; C at a position corresponding to position 87; T at a position corresponding to position 87; Y at a position corresponding to position 87; C at a position corresponding to position 92; I at a position corresponding to position 93; L at a position corresponding to position 93; R at a position corresponding to position 93; T at a position corresponding to position 93; R at a position corresponding to position 94; G at a position corresponding to position 97; Q at a position corresponding to position 118; F at a position corresponding to position 120; V at a position corresponding to position 120; Y at a position corresponding to position 120; H at a position corresponding to position 127; N at a position corresponding to position 127; G at a position corresponding to position 131; R at a position corresponding to position 131; V at a position corresponding to position 131; D at a position corresponding to position 135; G at a position corresponding to position 135; R at a position corresponding to position 135, with H at a position corresponding to position 141; Y at a position corresponding to position 141; R at a position corresponding to position 142; R at a position corresponding to position 147; V at a position corresponding to position 147; K at a position corresponding to position 148; G at a position corresponding to position 150; K at a position corresponding to position 151; L at a position corresponding to position 151; M at a position corresponding to position 151; Q at a position corresponding to position 151; R at a position corresponding to position 151; R at a position corresponding to position 152; G at a position corresponding to position 155; K at a position corresponding to position 155; D at a position corresponding to position 156; A at a position corresponding to position 163; E at a position corresponding to position 163; K at a position corresponding to position 163; R at a position corresponding to position 163; M at a position corresponding to position 164; D at a position corresponding to position 165; N at a position corresponding to position 165; A at a position corresponding to position 166; F at a position corresponding to position 166; H at a position corresponding to position 166; L at a position corresponding to position 166; Q at a position corresponding to position 166; R at a position corresponding to position 166; T at a position corresponding to position 166; Y at a position corresponding to position 166; L at a position corresponding to position 169; R at a position corresponding to position 170; K at a position corresponding to position 174; D at a position corresponding to position 198; K at a position corresponding to position 206; L at a position

corresponding to position 206; N at a position corresponding to position 212; M at a position corresponding to position 213; N at a position corresponding to position 213; M at a position corresponding to position 215; S at a position corresponding to position 219; K at a position corresponding to position 233; R at a position corresponding to position 233; M at a position corresponding to position 234; R at a position corresponding to position 236; E at a position corresponding to position 237; S at a position corresponding to position 238; I at a position corresponding to position 247; T at a position corresponding to position 257; P at a position corresponding to position 259; Y at a position corresponding to position 260; K at a position corresponding to position 261; N at a position corresponding to position 261; K at a position corresponding to position 263; R at a position corresponding to position 263; A at a position corresponding to position 269; L at a position corresponding to position 271; M at a position corresponding to position 271; T at a position corresponding to position 272; D at a position corresponding to position 276; S at a position corresponding to position 276; Y at a position corresponding to position 276; K at a position corresponding to position 277; R at a position corresponding to position 277; T at a position corresponding to position 277; H at a position corresponding to position 278; K at a position corresponding to position 278; N at a position corresponding to position 278; R at a position corresponding to position 278; S at a position corresponding to position 278; T at a position corresponding to position 278; Y at a position corresponding to position 278; M at a position corresponding to position 282; V at a position corresponding to position 291; A at a position corresponding to position 293; C at a position corresponding to position 293; F at a position corresponding to position 293; M at a position corresponding to position 293; P at a position corresponding to position 293; Q at a position corresponding to position 293; V at a position corresponding to position 293; E at a position corresponding to position 305; G at a position corresponding to position 308; N at a position corresponding to position 308; E at a position corresponding to position 309; L at a position corresponding to position 309; N at a position corresponding to position 309; Q at a position corresponding to position 309; R at a position corresponding to position 309; T at a position corresponding to position 309; A at a position corresponding to position 310; G at a position corresponding to position 310; K at a position corresponding to position 313; R at a position corresponding to position 313; H at a position corresponding to position 315; I at a position corresponding to position 317; K at a position corresponding to position 317; R at a position corresponding to position 317; M at a position corresponding to position 318; H at a position corresponding to position 320; K at a position corresponding to position 320; R at a position corresponding to position 320; R at a position corresponding to position 324; A at a position corresponding to position 325; D at a position corresponding to position 325; E at a position

corresponding to position 325; G at a position corresponding to position 325; H at a position corresponding to position 325; K at a position corresponding to position 325; M at a position corresponding to position 325; N at a position corresponding to position 325; Q at a position corresponding to position 325; S at a position corresponding to position 325; V at a position corresponding to position 326; I at a position corresponding to position 328; K at a position corresponding to position 328; L at a position corresponding to position 328; S at a position corresponding to position 328; Y at a position corresponding to position 328; G at a position corresponding to position 347; S at a position corresponding to position 347; V at a position corresponding to position 353; with T at a position corresponding to position 359; R at a position corresponding to position 371; P at a position corresponding to position 377; T at a position corresponding to position 377; W at a position corresponding to position 380; Y at a position corresponding to position 380; K at a position corresponding to position 389; M at a position corresponding to position 392; R at a position corresponding to position 395; M at a position corresponding to position 399; T at a position corresponding to position 399; W at a position corresponding to position 399; G at a position corresponding to position 405; D at a position corresponding to position 407; Q at a position corresponding to position 407; A at a position corresponding to position 409; Q at a position corresponding to position 409; T at a position corresponding to position 410; P at a position corresponding to position 418; F at a position corresponding to position 419; I at a position corresponding to position 419; K at a position corresponding to position 419; R at a position corresponding to position 419; S at a position corresponding to position 419; H at a position corresponding to position 421; K at a position corresponding to position 421; N at a position corresponding to position 421; Q at a position corresponding to position 421; R at a position corresponding to position 421; S at a position corresponding to position 421; K at a position corresponding to position 425; A at a position corresponding to position 431; H at a position corresponding to position 431; K at a position corresponding to position 431; Q at a position corresponding to position 431; R at a position corresponding to position 431; S at a position corresponding to position 431; V at a position corresponding to position 431; L at a position corresponding to position 433; R at a position corresponding to position 433; T at a position corresponding to position 433; V at a position corresponding to position 433; K at a position corresponding to position 436; I at a position corresponding to position 437; M at a position corresponding to position 437; T at a position corresponding to position 438; V at a position corresponding to position 439; H at a position corresponding to position 440; R at a position corresponding to position 440; F at a position corresponding to position 441; R at a position corresponding to position 442; A at a position corresponding to position 443; M at a position corresponding to position 443; M at a

position corresponding to position 445; P at a position corresponding to position 445; A at a position corresponding to position 446; D at a position corresponding to position 447; N at a position corresponding to position 447; and/or with Q at a position corresponding to position 447, each with reference to amino acid positions set forth in SEQ ID NO:3. The modified PH20 polypeptides can contain any one or more of the recited amino acid substitutions, in any combination, with or without additional modifications, so long at the PH20 polypeptide exhibits hyaluronidase activity, such as increased hyaluronidase activity compared to the PH20 polypeptide not containing the modification(s) , for example, at least 1.5-fold increased hyaluronidase activity.

In some examples, the modified PH20 polypeptides provided herein contain one or more amino acid replacement(s) at a position(s) corresponding to position(s) 24, 29, 31, 48, 58, 69, 70, 75, 84, 97, 165, 166, 271, 278, 317, 320, 325, and/or 326 with reference to positions set forth in SEQ ID NO:3. For example, exemplary amino acid replacements include, but are not limited to, replacement with: E at a position corresponding to position 24; E at a position corresponding to position 29; V at a position corresponding to position 31; N at a position corresponding to position 48; K at a position corresponding to position 58; Q at a position corresponding to position 58; A at a position corresponding to position 69; F at a position corresponding to position 69; G at a position corresponding to position 69; P at a position corresponding to position 69; R at a position corresponding to position 69; A at a position corresponding to position 70; F at a position corresponding to position 70; G at a position corresponding to position 70; H at a position corresponding to position 70; H at a position corresponding to position 70; N at a position corresponding to position 70; R at a position corresponding to position 70; T at a position corresponding to position 70; V at a position corresponding to position 70; L at a position corresponding to position 75; T at a position corresponding to position 75; G at a position corresponding to position 84; G at a position corresponding to position 97; D at a position corresponding to position 165; L at a position corresponding to position 166; R at a position corresponding to position 166; T at a position corresponding to position 166; L at a position corresponding to position 271; H at a position corresponding to position 278; R at a position corresponding to position 278; K at a position corresponding to position 317; K at a position corresponding to position 320; E at a position corresponding to position 325, with G at a position corresponding to position 325; K at a position corresponding to position 325; N at a position corresponding to position 325; Q at a position corresponding to position 325; V at a position corresponding to position 326; each with reference to amino acid positions set forth in SEQ ID NO:3. The modified PH20 polypeptides can contain any one or more of the recited amino acid substitutions, in any

combination, with or without additional modifications, so long at the PH20 polypeptide exhibits hyaluronidase activity, such as increased hyaluronidase activity compared PH20 polypeptide not containing the modification(s), for example, at least 2.0-fold increased hyaluronidase activity.

Exemplary modified PH20 polypeptides that exhibit increased activity compared to the unmodified PH20 polypeptide (*e.g.*, set forth in SEQ ID NO:3) are any having the sequence of amino acids set forth in any of SEQ ID NOS: 73, 78, 86, 89, 91, 95, 96, 99, 100, 105, 106, 108, 109, 111, 112, 113, 115, 117, 118, 119, 120, 123-126, 128-136, 139-141, 149, 154, 155, 159, 164, 165, 167, 173, 178, 181, 191-193, 195-197, 199-205, 207-221, 225, 226, 228, 229, 231, 233, 237-239, 242, 247-254, 256, 257, 267, 269, 270, 277, 283, 293, 295, 296, 298, 300, 303, 308, 316, 318, 321, 322, 324, 325, 330, 334, 335, 338-340, 344, 348, 355, 367, 369, 371, 377, 384-388, 394, 398, 399, 401, 406-408, 410, 412, 414, 416, 419, 421-426, 428, 430, 431, 435, 448, 455, 456, 459, 462, 463, 465, 469, 478-480, 482, 484, 490, 493, 497, 501, 503, 505, 506-508, 510-512, 514, 518, 522, 523, 527, 531, 533, 537-543, 545, 551, 558, 559, 561, 563-566, 569, 572, 574, 576, 579, 581-583, 585, 587, 588, 594, 596, 602, 605, 606, 609, 613, 618-620, 624-634, 637, 640-644, 647, 648, 652, 657, 675, 695, 698, 699, 700, 712, 717, 725, 731, 732, 734, 738, 742, 746, 748-750, 757, 760, 762-765, 768-773, 775, 779, 782, 783, 786-789, 794-797, 799-801, 807, 814, 816, 819, 822, 825, 826, 830, 836, 838, 844, 847, 851, 853 or having a sequence of amino acids that exhibits at least 68%, 70%, 75%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to any of SEQ ID NOS: 73, 78, 86, 89, 91, 95, 96, 99, 100, 105, 106, 108, 109, 111, 112, 113, 115, 117, 118, 119, 120, 123-126, 128-136, 139-141, 149, 154, 155, 159, 164, 165, 167, 173, 178, 181, 191-193, 195-197, 199-205, 207-221, 225, 226, 228, 229, 231, 233, 237-239, 242, 247-254, 256, 257, 267, 269, 270, 277, 283, 293, 295, 296, 298, 300, 303, 308, 316, 318, 321, 322, 324, 325, 330, 334, 335, 338-340, 344, 348, 355, 367, 369, 371, 377, 384-388, 394, 398, 399, 401, 406-408, 410, 412, 414, 416, 419, 421-426, 428, 430, 431, 435, 448, 455, 456, 459, 462, 463, 465, 469, 478-480, 482, 484, 490, 493, 497, 501, 503, 505, 506-508, 510-512, 514, 518, 522, 523, 527, 531, 533, 537-543, 545, 551, 558, 559, 561, 563-566, 569, 572, 574, 576, 579, 581-583, 585, 587, 588, 594, 596, 602, 605, 606, 609, 613, 618-620, 624-634, 637, 640-644, 647, 648, 652, 657, 675, 695, 698, 699, 700, 712, 717, 725, 731, 732, 734, 738, 742, 746, 748-750, 757, 760, 762-765, 768-773, 775, 779, 782, 783, 786-789, 794-797, 799-801, 807, 814, 816, 819, 822, 825, 826, 830, 836, 838, 844, 847, 851, 853 and contains the amino acid replacement and exhibits increased hyaluronidase activity compared to the corresponding unmodified polypeptide.

b. Increased Stability

Provided herein are PH20 polypeptides that exhibit increased stability. In particular, the PH20 polypeptides exhibit increased stability *in vivo* and/or *in vitro*. For example, the PH20 polypeptides can exhibit increased stability under various storage conditions. The modified PH20 polypeptides provided herein that exhibit increased stability display, among other parameters, increased resistance to denaturation conditions, including but not limited to, denaturation conditions caused by temperature (*e.g.*, elevated temperature such as heat), agitation, no or low salt, and/or presence of excipients. Exemplary excipients include, but are not limited to, antiadherents, binders, coatings, fillers and diluents, flavors, colors, lubricants, glidants, preservatives, sorbents or sweeteners. For example, various excipients, such as preservatives, can act as protein denaturing agents. Modified PH20 polypeptides provided herein that exhibit increased protein stability exhibit reduced aggregation, reduced precipitation and/or increased activity when exposed to a denaturation condition compared to the corresponding PH20 not containing the amino acid replacement. For example, modified PH20 polypeptides provided herein exhibit at least or at least about or 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 100%, 110%, 120%, 130%, 140%, 150%, 200%, 250%, 300%, 350%, 400%, 450%, 500% or more increased activity when exposed to a denaturation condition compared to the corresponding PH20 polypeptide not containing the amino acid replacement when exposed to the same denaturation condition.

The PH20 polypeptides provided herein that exhibit increased stability are modified or variant PH20 polypeptides that contain an amino acid replacement (substitution), deletion or insertion or other modification. Typically, the PH20 polypeptides provided herein that exhibit increased stability contain one or more amino acid replacements in a PH20 polypeptide compared to the corresponding PH20 polypeptide not containing the amino acid replacement(s), for example, the PH20 polypeptide set forth in any of SEQ ID NOS: 2, 3, 6-66, 68-72, 856-861, 869 or 870 or a variant thereof having at least 75%, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 86%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity thereto. In particular, the modified or variant PH20 polypeptides provided herein exhibit increased stability compared to the corresponding PH20 polypeptide not containing the amino acid replacement, for example, the PH20 polypeptide set forth in any of SEQ ID NOS: 3, 7, 32-66, 69 or 72 and in particular the PH20 polypeptide set forth in SEQ ID NO:3.

In particular examples, the modified PH20 polypeptides contain an amino acid replacement at one or more amino acid positions identified as being associated with increased stability. As described herein, such positions can be identified using mutagenesis and

selection or screening methods to identify those positions that result in stability (*e.g.*, increased activity) of the polypeptide compared to the corresponding PH20 not containing the modification upon exposure to one or more denaturation conditions. The PH20 polypeptide also can contain other modifications, such as other amino acid replacements, that alone are not associated with conferring stability, so long as the resulting modified PH20 polypeptide exhibits increased stability under one or more denaturation conditions compared to the PH20 not containing the amino acid modification(s), such as amino acid replacement(s), and exhibits hyaluronidase activity. The modified PH20 polypeptide provided herein can contain 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48,49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, or more amino acid replacements. Additional modifications, such as insertions or deletions, also can be included. The amino acid replacement can be in a PH20 polypeptide as set forth in any of SEQ ID NOS: 2, 3, 6-66, 68-72, 856-861, 869 or 870 or a variant thereof having at least 75%, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 86%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity thereto. For example, the replacements can be in a human PH20 polypeptide, for example, any set forth in any of SEQ ID NOS: 3, 7, 32-66, 69 or 72 or a variant thereof.

Exemplary of modified PH20 polypeptides provided herein are PH20 polypeptides that exhibit increased stability upon exposure to phenol compounds, high temperature (heat), and/or lack of NaCl.

i. Phenophiles

Provided herein are modified PH20 polypeptides that exhibit increased stability in the presence of phenolic compounds. Multidose formulations must contain antimicrobial preservatives to protect them from microbial contamination. For parenteral drug products, including insulin and other therapeutic agents, the most common preservatives are phenolic compounds, such as phenol, metacresol (m-cresol), benzyl alcohol, and parabens including methylparaben and propylparaben. The preservatives typically must be present at sufficient concentrations to satisfy regulatory rules. For example, regulatory requirements assert that the antimicrobial efficacy of the formulation must satisfy the preservative efficacy test (PET) requirements of the target markets. Currently different regulatory agencies have different pharmacopeial criteria for antimicrobial effectiveness for pharmaceutical products designed for multiple dosing. The PET requirements of the United States Pharmacopoeia (USP) and the European Pharmacopoeia (EP) differ considerably, imposing additional constraints in

developing multidose formulations. Table 4 shows the criteria for injectable drugs to meet USP and EP criteria. Typically, formulations that meet EP (EPA or EPB) anti-microbial requirements contain more preservative than those formulated only to meet USP anti-microbial requirements.

Table 4. USP and EP requirement for antimicrobial effectiveness testing

Requirement		United States	Europe	
	Time point	USP	EPB (Minimum)	EPA (Preferred)
Bacterial Log Reduction*	6 h			2
	24 h		1	3
	7 d	1.0	3	No recovery
	14 d	3.0	No increase	No recovery
	28 d	No increase	No increase	No recovery
Fungal Log Reduction*	7 d	No increase		2
	14 d	No increase	1	No increase
	28 d	No increase	No increase	No increase

* Log_{10} unit reduction from initial measured inoculum; No increase: not more than 0.5 log_{10} unit increase than previously measured value.

Anti-microbial preservatives can interact with proteins resulting in aggregations and negative effects on stability. Thus, although a necessary component, preservatives pose a significant problem in the development of stable, multidose formulations of proteins because they typically induce aggregation of the protein in aqueous solution. In particular, increasing or high amounts of preservatives can negatively impact the stability of a protein, including effects on physical stability (aggregation or precipitation) that can impact protein activity. For example, to meet the EP preservative efficacy requirements, relatively high amounts of phenolic compounds, such as phenol or m-cresol, can be required, which can influence stability of the protein formulation. For example, preservatives such as phenol, m-cresol, and benzyl alcohol have been shown to induce aggregation of human growth hormone (Maa and Hsu (1996) *Int. J. Pharm.*140:155–168), recombinant interleukin-1 receptor (Remmele (1998) *Pharm. Res.*15:200–208), human insulin-like growth factor I (Fransson (1997) *Pharm. Res.* 14:606–612), rhIFN-γ (Lam (1997) *Pharm. Res.* 14:725–729) and cytochrome c (Singh *et al.* (2011) *J. Pharm Sci.*, 100:1679-89). The destabilizing effect that preservatives have on

proteins in solution has been a limiting factor in the development of multidose formulations, and to date, most protein therapeutics have been formulated for single use only.

PH20 hyaluronidase, such as rHuPH20, rapidly loses activity in the presence of preservatives, likely due to unfolding of the protein and subsequent aggregate formation. For example, as shown in the Examples herein, preservatives reduce PH20 enzymatic activity, particularly at elevated temperatures (see also U.S. Provisional Appl. No.61/520,962; and U.S. Application Nos. 13/507,263 and 13/507,262). For example, following incubation with 0.4% m-cresol for 4 hours, PH20 (*e.g.*, rHuPH20) retains only about 10% of its activity (see *e.g.*, Example 5). When incubated in the presence of 0.1% phenol and 0.15% or 0.315% m-cresol for 6 days at 37 °C, PH20 (*e.g.*, rHuPH20) retains about 0% to 15% activity, depending on the presence of other excipients or amounts of other excipients in the formulation (see *e.g.*, Examples 9 and 10). For example, the presence of a higher concentration of salt generally increases the stability of PH20. In particular, the melting temperature of PH20, such as rHuPH20, is reduced significantly when phenolic preservatives, such as m-Cresol, are added to the formulation. For example, the unfolding temperature of rHuPH20 is reduced from 44 °C to 24 °C. The lower PH20 unfolding temperatures leads to increased PH20 aggregation, especially at elevated temperatures, and reduced enzyme activity. The destabilizing effect is likely due to the hydrophobic nature of the phenolic preservatives. The hydrophobicity of the phenolic compounds can lead to interaction with rHuPH20 through nonspecific binding to the protein, ultimately perturbing the structural integrity of rHuPH20. This translates to a significant loss of rHuPH20 enzymatic activity in the presence of preservatives.

The modified PH20 polypeptides provided herein that exhibit increased stability in the presence of phenolic preservatives exhibit more than 15% enzymatic activity in the presence of at least one phenolic preservative for at least 4 hours, 5 hours, 6 hours, 7 hours, 8 hours, 9 hours, 10 hours, 11 hours, 12 hours, 24 hours, 2 days, 3 days, 4 days, 5 days, 6 days, 7 days, 8 days, 9 days, 10 days, 11 days, 12 days, 13 days, 14 days, 3 weeks, 4 weeks or more compared to the enzymatic activity of the modified PH20 polypeptide in the absence of preservative for the same time period and under the same conditions (except for the presence of preservative). In some examples, the modified PH20 polypeptides provided herein exhibit at least 16%, 17%, 18%, 19%, 20%, 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 65%, 70%, 75%, 80%, 85%, 90%, 95% or more enzymatic activity in the presence of a phenolic preservative compared to in the absence of preservative. For example, the phenolic preservative compound can be phenol, metacresol (m-cresol), benzyl alcohol, and/or parabens including methylparaben or propylparaben.

In particular examples, the increased stability in the presence of preservative is exhibited under temperature conditions of between or about between 0 °C to 40 °C, such as between or about between 2 °C to 6 °C, 24 °C to 32 °C or 35 °C to 40 °C, and generally at or about at 4 °C or 5 °C, 30 °C or 37 °C. It is understood that since high temperature also can have a destabilizing effect on PH20 activity (see below), the percentage of enzymatic activity of a modified PH20 polypeptide provided herein in the presence of preservative is greater at lower temperatures than at higher temperatures.

Generally, the modified PH20 polypeptides provided herein exhibit increased stability, and the noted enzymatic activities, in the presence of an anti-microbial effective amount of preservative that kills or inhibits the propagation of microbial organisms in a sample of the composition. For example, the modified PH20 polypeptides provided herein exhibit increased stability in the presence of an anti-microbial effective amount of preservative that kills or inhibits the propagation of microbial organisms such that at least a 1.0 log10 unit reduction in bacterial organisms occurs at 7 days following inoculation. In some examples, the modified PH20 polypeptides provided herein exhibit increased stability in the presence of an anti-microbial effective amount of preservative that kills or inhibits the propagation of microbial organisms such that, when tested in an antimicrobial preservative effectiveness test (APET), following inoculation of the composition with a microbial inoculum there is at least a 1.0 log10 unit reduction in bacterial organisms at 7 days following inoculation, at least a 3.0 log10 unit reduction of bacterial organisms at 14 days following inoculation, at least no further increase in bacterial organisms after 28 days following inoculation, and at least no increase in fungal organisms after 7 days following inoculation. In other examples, the modified PH20 polypeptides provided herein exhibit increased stability in the presence of an anti-microbial effective amount of preservative that kills or inhibits the propagation of microbial organisms such that, when tested in an antimicrobial preservative effectiveness test (APET), following inoculation of the composition with a microbial inoculum there is at least a 1.0 log10 unit reduction of bacterial organisms at 24 hours following inoculation, at least a 3.0 log10 unit reduction of bacterial organisms at 7 days following inoculation, no further increase in bacterial organisms after 28 days following inoculation, at least a 1.0 log10 unit reduction of fungal organisms at 14 days following inoculation, and at least no further increase in fungal organisms after 28 days following inoculation. In yet another example, the modified PH20 polypeptides provided herein exhibit increased stability in the presence of an anti-microbial effective amount of the preservative that kills or inhibits the propagation of microbial organisms such that, when tested in an antimicrobial preservative effectiveness test (APET), following inoculation of the

composition with a microbial inoculum there is at least a 2.0 log10 unit reduction of bacterial organisms at 6 hours following inoculation, at least a 3.0 log10 unit reduction of bacterial organisms at 24 hours following inoculation, no recovery of bacterial organisms after 28 days following inoculation of the composition with the microbial inoculum, at least a 2.0 log10 unit reduction of fungal organisms at 7 days following inoculation, and at least no further increase in fungal organisms after 28 days following inoculation.

For example, the modified PH20 polypeptides provided herein exhibit increased stability, and above recited enzymatic activity, in the presence of a total amount of one or more phenolic preservative agents as a percentage (%) of mass concentration (w/v) that is or is between 0.05% to 0.6%, 0.1% to 0.4%, 0.1% to 0.3%, 0.15% to 0.325%, 0.15% to 0.25%, 0.1% to 0.2%, 0.2% to 0.3% or 0.3% to 0.4% inclusive.

Generally, modified PH20 polypeptides provided herein exhibit increased stability in the presence of m-cresol and/or phenol. For example, modified PH20 polypeptides provided herein exhibit increased stability in the presence of m-cresol in an amount as a % of mass concentration (w/v) in a formulation containing the modified PH20 polypeptide of between or about between 0.05% to 0.6%, 0.1% to 0.4%, 0.1% to 0.3%, 0.15% to 0.325%, 0.15% to 0.25%, 0.1% to 0.2%, 0.2% to 0.3% or 0.3% to 0.4%. In other examples, modified PH20 polypeptides provided herein exhibit increased stability in the presence of phenol in an amount at a % of mass concentration (w/v) in a formulation containing the modified PH20 polypeptide of between or about between 0.05% to 0.6%, 0.1% to 0.4%, 0.1% to 0.3%, 0.15% to 0.325%, 0.15% to 0.25%, 0.1% to 0.2%, 0.2% to 0.3% or 0.3% to 0.4% m-cresol. In further examples, modified PH20 polypeptides provided herein exhibit increased stability in the presence of phenol and m-cresol in an amount as a % of mass concentration (w/v) in a formulation containing the modified PH20 polypeptide of between or about between 0.05% to 0.25% phenol and between or about between 0.05% to 0.3% m-cresol, between or about between 0.10% to 0.2% phenol and between or about between 0.6% to 0.18% m-cresol, between or about between 0.1% to 0.15% phenol and 0.8% t 0.15% m-cresol, between or about between 0.10% to 0.15% phenol and between or about between 0.06% to 0.09% m-cresol, or between or about between 0.12% to 0.18% phenol and between or about between 0.14% to 0.22% m-cresol.

In examples herein, modified PH20 polypeptides exhibit more than 15%, such as at least 16%, 17%, 18%, 19%, 20%, 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 65%, 70%, 75%, 80%, 85%, 90%, 95% or more enzymatic activity in the presence of at least about between or between 0.3% to 0.4%, inclusive, m-cresol and/or phenol for at least 4 hours at 37 °C compared to the enzymatic activity of the modified PH20 polypeptide in the absence of the

preservative for the same time period and under the same conditions (except for the presence of preservative). For example, modified PH20 polypeptides exhibit more than 15%, such as at least 16%, 17%, 18%, 19%, 20%, 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 65%, 70%, 75%, 80%, 85%, 90%, 95% or more enzymatic activity in the presence of about or 0.4% m-cresol for at least 4 hours at 37°C compared to the enzymatic activity of the modified PH20 polypeptide in the absence of the preservative for the same time period and under the same conditions (except for the presence of preservative). Modified PH20 polypeptides provided herein also exhibit more than 15%, such as at least 16%, 17%, 18%, 19%, 20%, 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 65%, 70%, 75%, 80%, 85%, 90%, 95% or more enzymatic activity in the presence of at least about between or between 0.2% to 0.4%, inclusive, m-cresol and/or phenol for at least 1 day, 2 days, 3 days, 4 days, 5 days or 6 days at 37 °C compared to the enzymatic activity of the modified PH20 polypeptide in the absence of preservative for the same time period and under the same conditions (except for the presence of preservative). For example, modified PH20 polypeptides provided herein exhibit more than 15%, such as at least 16%, 17%, 18%, 19%, 20%, 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 65%, 70%, 75%, 80%, 85%, 90%, 95% or more enzymatic activity in the presence of about or 0.10% phenol and about or 0.15% m-cresol for at least 1 day, 2 days, 3 days, 4 days, 5 days or 6 days at 37 °C compared to the enzymatic activity of the modified PH20 polypeptide in the absence of preservative for the same time period and under the same conditions (except for the presence of preservative). In other examples, modified PH20 polypeptides provided herein exhibit more than 15%, such as at least 16%, 17%, 18%, 19%, 20%, 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 65%, 70%, 75%, 80%, 85%, 90%, 95% or more enzymatic activity in the presence of about or 0.315% m-cresol for at least 1 day, 2 days, 3 days, 4 days, 5 days or 6 days, generally for at least 6 days, at 37 °C compared to the enzymatic activity of the modified PH20 polypeptide in the absence of preservative for the same time period and under the same conditions (except for the presence of preservative).

For example, such modified PH20 polypeptides provided herein that exhibit increased stability to phenol compounds contain an amino acid replacement (substitution) at one or more amino acid positions corresponding to positions 10, 12, 20, 22, 26, 34, 36, 46, 50, 52, 58, 68, 70, 74, 82, 83, 84, 86, 97, 127, 131, 138, 142, 143, 144, 166, 169, 174, 193, 195, 196, 204, 205, 206, 213, 219, 234, 237, 238, 240, 249, 261, 267, 277, 279, 291, 309, 310, 314, 315, 317, 318, 347, 367, 375, 376, 399, 401, 407, 416, 419, 421, 431, 433, 439, 440, 443 or 445 with reference to amino acid positions set forth in SEQ ID NO:3. For example, the amino acid positions can be replacements at one or more positions corresponding to replacement of

(P) at position 10 (P10), V12, A20, S22, L26, D34, S36, I46, G50, G52, V58, D68, I70, T74, K82, I83, S84, Q86, T97, D127, N131, Q138, V142, Q143, L144, V166, I169, L174, H193, K195, K196, F204, N205, V206, D213, N219, Q234, V237, A238, T240, E249, S261, A267, V277K279, G291, I309, M310, K314, S315, L317, Q347, P367, E375, K376, Y399, S401, S407, D416, A419, D421, D431, F433, E439, T440, P443 or I445 with reference to amino acid positions set forth in SEQ ID NO:3.

Exemplary of amino acid replacements in the modified PH20 polypeptides provided herein include, but are not limited to, replacement with: glycine (G) at a position corresponding to position 10; K at a position corresponding to position 12; S at a position corresponding to position 20; T at a position corresponding to position 22; M at a position corresponding to position 26; W at a position corresponding to position 34; N at a position corresponding to position 36; L at a position corresponding to position 46; M at a position corresponding to position 50; T at a position corresponding to position 52; S at a position corresponding to position 52; C at a position corresponding to position 58; K at a position corresponding to position 58; R at a position corresponding to position 58; N at a position corresponding to position 58; Y at a position corresponding to position 58; P at a position corresponding to position 58; H at a position corresponding to position 58; P at a position corresponding to position 68; V at a position corresponding to position 70; E at a position corresponding to position 74; L at a position corresponding to position 82; N at a position corresponding to position 82; V at a position corresponding to position 83; Q at a position corresponding to position 83; S at a position corresponding to position 83; G at a position corresponding to position 83; N at a position corresponding to position 84; A at a position corresponding to position 86; K at a position corresponding to position 86; E at a position corresponding to position 97; L at a position corresponding to position 97; R at a position corresponding to position 127; R at a position corresponding to position 131; L at a position corresponding to position 138; K at a position corresponding to position 142; N at a position corresponding to position 142; P at a position corresponding to position 142; S at a position corresponding to position 142; T at a position corresponding to position 142; G at a position corresponding to position 143; K at a position corresponding to position 143; T at a position corresponding to position 144; Q at a position corresponding to position 166; T at a position corresponding to position 166; L at a position corresponding to position 169; G at a position corresponding to position 174; N at a position corresponding to position 174; Q at a position corresponding to position 193; T at a position corresponding to position 195; N at a position corresponding to position 195; E at a position corresponding to position 196; R at a position corresponding to position 196; P at a position corresponding to position 204; A at a position

corresponding to position 205; E at a position corresponding to position 205; I at a position corresponding to position 206; A at a position corresponding to position 213; I at a position corresponding to position 219; M at a position corresponding to position 234; T at a position corresponding to position 237; H at a position corresponding to position 238; Q at a position corresponding to position 240; V at a position corresponding to position 249; A at a position corresponding to position 261; K at a position corresponding to position 261; T at a position corresponding to position 267; K at a position corresponding to position 277; H at a position corresponding to position 279; V at a position corresponding to position 279; V at a position corresponding to position 291; E at a position corresponding to position 309; Q at a position corresponding to position 310; Y at a position corresponding to position 314; Y at a position corresponding to position 315; N at a position corresponding to position 317; W at a position corresponding to position 317; D at a position corresponding to position 318; G at a position corresponding to position 347; A at a position corresponding to position 367; R at a position corresponding to position 375; R at a position corresponding to position 376; V at a position corresponding to position 399; E at a position corresponding to position 401; A at a position corresponding to position 407; L at a position corresponding to position 416; K at a position corresponding to position 419; H at a position corresponding to position 421; E at a position corresponding to position 431; T at a position corresponding to position 433; V at a position corresponding to position 433; C at a position corresponding to position 439; P at a position corresponding to position 440; G at a position corresponding to position 443; N at a position corresponding to position 445, each with reference to amino acid residue positions set forth in SEQ ID NO:3.

The amino acid replacement(s) can be in a PH20 polypeptide as set forth in any of SEQ ID NOS: 2, 3, 6-66, 68- 72, 856-861, 869 or 870 or a variant thereof having at least 75%, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 86%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity thereto. For example, the replacement(s) can be in a human PH20 polypeptide, for example, any set forth in any of SEQ ID NOS: 3, 7, 32-66, 69 or 72 or a variant thereof.

Exemplary modified PH20 polypeptides that exhibit increased stability to phenol compounds compared to the unmodified PH20 polypeptide (*e.g.*, set forth in SEQ ID NO:3) are any having the sequence of amino acids set forth in any of SEQ ID NOS: 83, 88, 93, 94, 101, 144, 148, 158, 171, 176, 175, 177, 178, 180, 182, 183, 184, 185, 194, 221, 240, 259, 260, 261, 262, 263, 264, 268, 270, 272, 307, 309, 327, 334, 341, 351, 352, 353, 356, 357, 358, 359, 361, 424, 426, 430, 434, 436, 443, 444, 445, 446, 447, 449, 450, 451, 454, 461, 467, 480, 487, 489, 492, 495, 504, 505, 509, 527, 544, 576, 589, 600, 603, 607, 612, 614, 647, 658, 683, 687,

733, 736, 741, 754, 763, 768, 781, 796, 797, 809, 818, 829 or 837 or having a sequence of amino acids that exhibits at least 68%, 70%, 75%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to any of SEQ ID NOS: 83, 88, 93, 94, 101, 144, 148, 158, 171, 176, 175, 177, 178, 180, 182, 183, 184, 185, 194, 221, 240, 259, 260, 261, 262, 263, 264, 268, 270, 272, 307, 309, 327, 334, 341, 351, 352, 353, 356, 357, 358, 359, 361, 424, 426, 430, 434, 436, 443, 444, 445, 446, 447, 449, 450, 451, 454, 461, 467, 480, 487, 489, 492, 495, 504, 505, 509, 527, 544, 576, 589, 600, 603, 607, 612, 614, 647, 658, 683, 687, 733, 736, 741, 754, 763, 768, 781, 796, 797, 809, 818, 829 or 837 and contains the amino acid replacement, exhibits hyaluronidase activity and exhibits increased stability in the presence phenol compounds compared to the corresponding unmodified polypeptide.

In particular, provided herein is a modified PH20 polypeptide that contains an amino acid replacement with P at a position corresponding to amino acid residue 204 with reference to SEQ ID NO:3. Typically, the modified PH20 polypeptide is a human polypeptide. For example, provided herein is a modified PH20 polypeptide that contains an amino acid replacement F204P in a sequence of amino acids set forth in any of SEQ ID NOS: 3, 7, 69, 72 or 32-66, or a sequence of amino acids that exhibits at least 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to any of SEQ ID NOS:3, 7, 69, 72 or 32-66 so long as the modified polypeptide contains the amino acid replacement corresponding to F204P. In other cases, the modified PH20 polypeptide is a non-human polypeptide. For example, provided herein is a modified PH20 polypeptide that contains an amino acid replacement F204P in a sequence of amino acids set forth in SEQ ID NO:10, 12, 14, 857, 859, 861 or 870 or a sequence that exhibits at least 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to any of SEQ ID NOS: 10, 12, 14, 857, 859, 861 or 870 so long as the modified polypeptide contains the amino acid replacement corresponding to F204P. In a further example, provided herein is a modified PH20 polypeptide that contains an amino acid replacement F205P in a sequence of amino acids set forth in SEQ ID NO:24 or Y204P in SEQ ID NO:31, or a sequence that exhibits at least 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to SEQ ID NO:24 or 31. Exemplary of such a modified PH20 polypeptide is a polypeptide having the sequence of amino acids set forth in SEQ ID NO:449, or having a sequence of amino acids that exhibits at least 68%, 70%, 75%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to SEQ ID NO:449 and contains the amino acid replacement F204P, exhibits increased hyaluronidase activity and exhibits increased stability to phenol compounds compared to the

corresponding unmodified polypeptide (*e.g.*, SEQ ID NO:3). In any of the above examples, the modified PH20 polypeptide that contains an amino acid replacement with P at a position corresponding to amino acid residue 204 with reference to SEQ ID NO:3 does not have the sequence of amino acids set forth in SEQ ID NO:15-22, 28 or 29.

In another example, provided herein is a modified PH20 polypeptide that contains an amino acid replacement at a position corresponding to amino acid residue 58 with reference to SEQ ID NO:3. Exemplary of amino acid replacements are replacement with lysine (K) or with arginine (R) at a position corresponding to amino acid residue 58 with reference to SEQ ID NO:3. Typically, the modified PH20 polypeptide is a human polypeptide. For example, provided herein is a modified PH20 polypeptide that contains an amino acid replacement V58K or V58R in a sequence of amino acids set forth in any of SEQ ID NOS: 3, 7, 69, 72 or 32-66, or a sequence of amino acids that exhibits at least 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to any of SEQ ID NOS:3, 7, 69, 72 or 32-66. In other cases, the modified PH20 polypeptide is a non-human polypeptide. For example, provided herein is a modified PH20 polypeptide that contains an amino acid replacement V58K or V58R in a sequence of amino acids set forth in SEQ ID NO:10, 12, 14, 20, 22, 24, 29, 857, 859, 861 or 870 or a sequence that exhibits at least 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to any of SEQ ID NOS: 10, 12, 14, 20, 22, 24, 29, 857, 859, 861 or 870. In a further example, provided herein is a modified PH20 polypeptide that contains an amino acid replacement A58R in a sequence of amino acids set forth in SEQ ID NO:16 or 31, or a sequence that exhibits at least 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to SEQ ID NO:16 or 31. Exemplary of such a modified PH20 polypeptide is a polypeptide having the sequence of amino acids set forth in SEQ ID NO:182, or having a sequence of amino acids that exhibits at least 68%, 70%, 75%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to SEQ ID NO:182, which contains the amino acid replacement V58R and exhibits increased hyaluronidase activity and exhibits increased stability in the presence of phenol compounds compared to the corresponding unmodified polypeptide (*e.g.*, SEQ ID NO:3).

ii. Thermophiles

At elevated temperatures, PH20 hyaluronidases can lose activity. Provided herein are modified PH20 polypeptides that exhibit increased stability at elevated temperatures of between or about between 30 °C to 45 °C, inclusive, such as between or about between 35 °C to 42 °C, in particular at or about 37 °C. For example, provided

herein are modified PH20 polypeptides that are stable at elevated temperatures greater than 32 °C such as 35 °C to 45 °C, 37 °C to 42 °C and in particular at or about 37 °C for at least 3 hours, 4 hours, 5 hours, 6 hours, 12 hours, 1 day, 2 days, 3 days, 4 days, at least 5 days, at least 6 days or at least 7 days. Modified PH20 polypeptides that exhibit stability at elevated temperatures can be used in applications where temperatures are elevated, can fluctuate or can increase. This can occur, for example, in methods of administration utilizing pumps or other continuous infusion devices.

In particular, modified PH20 polypeptides provided herein that exhibit stability at elevated temperatures exhibit increased hyaluronidase activity at elevated temperature compared to the corresponding PH20 polypeptide not containing the modification, *e.g.*, amino acid replacement. The PH20 polypeptides can exhibit increased hyaluronidase activity upon incubation at elevated temperatures greater than 32 °C such as 35 °C to 45 °C or 37 °C to 42 °C, in particular at or about 37 °C for at least 4 hours, 5 hours, 6 hours, 12 hours, 1 day, 2 days, 3 hours, 4 hours, 5 hours, 6 hours, 12 hours, 1 day, 2 days, 3 days, 4 days, at least 5 days, at least 6 days or at least 7 days compared to the corresponding PH20 polypeptide not containing the modification incubated under the same conditions. For example, the hyaluronidase activity can be increased at least 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 100%, 200%, 300%, 400%, 500% or more compared to the corresponding PH20 polypeptide not containing the modification incubated under the same conditions. For example, the hyaluronidase activity can be increased at least 1.1-fold, 1.2-fold, 1.3-fold, 1.4-fold, 1.5-fold, 1.6-fold, 1.7-fold, 1.8-fold, 1.9-fold, 2-fold, 3-fold, 4-fold, 5-fold or more compared to the corresponding PH20 polypeptide not containing the modification incubated under the same conditions.

In other examples, modified PH20 polypeptides provided herein that exhibit stability at elevated temperatures retain hyaluronidase activity at elevated temperatures compared to the activity of the modified PH20 polypeptide incubated at non-elevated temperatures under the same conditions (except for the differences in temperature). For example, modified PH20 polypeptides exhibit greater than or about 50%, such as greater than or at least 55%, 60%, 65%, 70%, 80%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or 100% of the activity at elevated temperatures greater than 32 °C such as 35 °C to 45 °C or 37 °C to 42 °C, in particular at or about 37 °C compared to the activity of the PH20 at non-elevated temperatures of between or about between 2 °C to 8 °C. In some examples, modified PH20 polypeptides provided herein that exhibit stability at elevated temperatures exhibit increased activity at elevated temperatures compared to the activity of the modified PH20 polypeptide incubated at non-elevated temperatures under the same conditions (except for the difference

in temperature). For example, modified PH20 polypeptides exhibit greater than or about 10% increased activity, such as greater than or at least 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 100%, 200%, 300%, 400%, 500% or more of activity at elevated temperatures greater than 32 °C such as 35 °C to 45 °C or 37 °C to 42 °C, in particular at or about 37 °C compared to the activity of the PH20 at non-elevated temperatures of between or about between 2 °C to 8 °C. For example, modified PH20 polypeptides exhibit greater than or at least about 1.1-fold the hyaluronidase activity, such as greater than or at least 1.2-fold, 1.3-fold, 1.4-fold, 1.5-fold, 1.6-fold, 1.7-fold, 1.8-fold, 1.9-fold, 2-fold, 3-fold, 4-fold, 5-fold or more of activity at elevated temperatures greater than 32 °C such as 35 °C to 45 °C or 37 °C to 42 °C, in particular at or about 37 °C compared to the activity of the PH20 at non-elevated temperatures of between or about between 2 °C to 8 °C.

For example, such modified PH20 polypeptides provided herein that exhibit increased stability at elevated temperatures contain an amino acid replacement (substitution) at one or more amino acid positions corresponding to positions 1, 11, 12, 14, 20, 26, 29, 34, 50, 58, 70, 82, 83, 84, 86, 87, 140, 142, 143, 147, 152, 166, 167, 172, 174, 178, 193, 195, 206, 212, 213, 219, 233, 237, 240, 267, 277, 291, 292, 309, 313, 314, 317, 318, 347, 367, 368, 371, 374, 389, 392, 395, 396, 406, 419, 421, 439 or 443 with reference to amino acid positions set forth in SEQ ID NO:3. For example, the amino acid positions can be replacements at one or more positions corresponding to replacement of (L) at position 1 (L1), N11, V12, F14, A20, L26, F29, D34, G50, V58, I70, K82, I83, S84, Q86, D87, Q140, V142, Q143, T147, K152, V166, E167, G172, L174, N178, H193, K195, V206, D212, D213, N219, Q233, V237, T240, A267, V277, G291, E292, I309, M313, K314, L317, L318, Q347, P367,D368, A371, L374, E389, E392, S395, E396, L406, A419, D421, E439 or P443, with reference to amino acid positions set forth in SEQ ID NO:3. The resulting modified PH20 polypeptide exhibits increased stability at elevated temperatures greater than 32 °C such as 35 °C to 45 °C, 37 °C to 42 °C and in particular at or about 37 °C for at least 3 hours, 4 hours, 5 hours, 6 hours, 12 hours, 1 day, 2 days, 3 days, 4 days, at least 5 days, at least 6 days, at least 7 days or more.

Exemplary amino acid replacements in the modified PH20 polypeptides provided herein include, but are not limited, replacement with: R at a position corresponding to position 1; S at a position corresponding to position 11; I at a position corresponding to position 12; V at a position corresponding to position 14; S at a position corresponding to position 20; M at a position corresponding to position 26; with R at a position corresponding to position 29; W at a position corresponding to position 34; M at a position corresponding to position 50; K at a position corresponding to position 58; Q at a position corresponding to position 58; Q at a position corresponding to position 58; V at a position corresponding to

position 70; L at a position corresponding to position 82; Q at a position corresponding to position 83; R at a position corresponding to position 84; A at a position corresponding to position 86; S at a position corresponding to position 87; K at a position corresponding to position 140; S at a position corresponding to position 142; T at a position corresponding to position 142; K at a position corresponding to position 143; S at a position corresponding to position 147; T at a position corresponding to position 152; T at a position corresponding to position 166; D at a position corresponding to position 167; A at a position corresponding to position 172; G at a position corresponding to position 174; N at a position corresponding to position 174; R at a position corresponding to position 178; Q at a position corresponding to position 193; T at a position corresponding to position 195; I at a position corresponding to position 206; S at a position corresponding to position 212; A at a position corresponding to position 213; I at a position corresponding to position 219; G at a position corresponding to position 233; T at a position corresponding to position 237; A at a position corresponding to position 240; Q at a position corresponding to position 240; T at a position corresponding to position 267; E at a position corresponding to position 277; S at a position corresponding to position 291; H at a position corresponding to position 292; V at a position corresponding to position 292; S at a position corresponding to position 309; H at a position corresponding to position 313; S at a position corresponding to position 314; I at a position corresponding to position 317; T at a position corresponding to position 317; W at a position corresponding to position 317; R at a position corresponding to position 318; G at a position corresponding to position 347; A at a position corresponding to position 367; R at a position corresponding to position 368; S at a position corresponding to position 371; P at a position corresponding to position 374; A at a position corresponding to position 389; V at a position corresponding to position 392; A at a position corresponding to position 395; H at a position corresponding to position 396; N at a position corresponding to position 406; H at a position corresponding to position 419; K at a position corresponding to position 419; R at a position corresponding to position 421; S at a position corresponding to position 421; A at a position corresponding to position 439; C at a position corresponding to position 439; or G at a position corresponding to position 443, each with reference to amino acid residue positions set forth in SEQ ID NO:3.

The amino acid replacement(s) can be in a PH20 polypeptide as set forth in any of SEQ ID NOS: 2, 3, 6-66, 68-72, 856-861, 869 or 870 or a variant thereof having at least 75%, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 86%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity thereto. For example, the replacement(s)

can be in a human PH20 polypeptide, for example, any set forth in any of SEQ ID NOS: 3, 7, 32-66, 69 or 72 or a variant thereof.

Exemplary modified PH20 polypeptides that exhibit increased stability to phenol compounds compared to the unmodified PH20 polypeptide (*e.g.*, set forth in SEQ ID NO:3) are any having the sequence of amino acids set forth in any of SEQ ID NOS: 79, 85, 87, 90, 93, 101, 114, 144, 171, 178, 181, 221, 259, 262, 269, 270, 282, 343, 356, 357, 359, 368, 395, 426, 429, 432, 434, 436, 441, 443, 444, 454, 460, 461, 467, 477, 487, 491, 492, 509, 525, 550, 554, 557, 584, 593, 599, 605, 611, 612, 617, 647, 658, 667, 676, 679, 709, 720, 723, 727, 740, 761, 763, 772, 773, 808, 809, or 829 or having a sequence of amino acids that exhibits at least 68%, 70%, 75%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to any of SEQ ID NOS: 79, 85, 87, 90, 93, 101, 114, 144, 171, 178, 181, 221, 259, 262, 269, 270, 282, 343, 356, 357, 359, 368, 395, 426, 429, 432, 434, 436, 441, 443, 444, 454, 460, 461, 467, 477, 487, 491, 492, 509, 525, 550, 554, 557, 584, 593, 599, 605, 611, 612, 617, 647, 658, 667, 676, 679, 709, 720, 723, 727, 740, 761, 763, 772, 773, 808, 809, or 829 and contains the amino acid replacement, exhibits hyaluronidase activity and exhibits increased stability to elevated temperatures compared to the corresponding unmodified polypeptide.

iii. Absence of Salt

PH20 denatures in the presence of low salt or no salt. Thus, PH20 requires a high salt concentration of between or about between 140 mM to 200 mM to maintain stability. Other therapeutic agents, for example insulin, exhibit decreased solubility and increased crystallization/aggregation in the presence of high salt. Thus, the high salt requirements of PH20 can affect the solubility and/or activity of co-formulated therapeutic agents, while the presence of low salt can decrease the activity of PH20. This can create problems for generating PH20 co-formulations.

Provided herein are modified PH20 polypeptides that exhibit increased stability in the presence of low concentrations of salt (e.g. NaCl) less than 100 mM, for example, less than 90 mM, 80mM, 70mM, 60 mM, 50 mM, 40 mM, 30 mM, 25 mM, 20 mM, 15 mM, 10 mM, 5 mM or less. Generally, the modified PH20 polypeptides provided herein exhibit stability in the presence of low concentrations of salt, for example, low concentrations of NaCl of between or about between 10 mM NaCl and 100 mM NaCl, such as between or about between 15 mM to 80 mM NaCl. The modified PH20 polypeptides provided herein that exhibit stability at low concentrations of salt, such as low concentrations of NaCl (*i.e.*, less than 100 mM or less), exhibit increased hyaluronidase activity compared to the corresponding PH20 not containing the modification(s) (*e.g.*, amino acid replacements). For example,

modified PH20 polypeptides exhibit greater than or about 10% increased activity, such as greater than or at least 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 100%, 200%, 300%, 400%, 500% or more of activity at low concentrations of salt, such as low concentrations of NaCl (*i.e.*, less than 100 mM), compared to the activity of the corresponding PH20 not containing the amino acid modification(s) (*e.g.*, amino acid replacement(s) under the same conditions). For example, modified PH20 polypeptides exhibit greater than or at least about 1.1-fold the hyaluronidase activity, such as greater than or at least 1.2-fold, 1.3-fold, 1.4-fold, 1.5-fold, 1.6-fold, 1.7-fold, 1.8-fold, 1.9-fold, 2-fold, 3-fold, 4-fold, 5-fold or more of activity at low concentrations of NaCl less than 100 mM compared to the activity of the corresponding PH20 not containing the amino acid modification(s) (*e.g.*, amino acid replacement(s) under the same conditions.

2. Inactive Mutants

Provided herein are modified PH20 polypeptides that contain one or more amino acid replacements in a PH20 polypeptide and that are inactive, whereby the polypeptides do not exhibit hyaluronidase activity or exhibit low or diminished hyaluronidase activity. The modified PH20 polypeptides provided herein that are inactive generally exhibit less than 20%, such as less than 10%, of the hyaluronidase activity of a wildtype or reference PH20 polypeptide, such as the polypeptide set forth in SEQ ID NO: 3 or 7. For example, modified PH20 polypeptides provided herein that are inactive exhibit less than 9%, 8%, 7%, 6%, 5%, 4%, 3%, 2%, 1%, 0.9%, 0.8%, 0.7%, 0.6%, 0.5%, 0.4%, 0.3%, 0.2%, 0.1%, 0.05% or less of the hyaluronidase activity of a wildtype or reference PH20 polypeptide, such as the corresponding polypeptide not containing the amino acid modification (*e.g.*, amino acid replacement), for example, a polypeptide set forth in SEQ ID NO:3 or 7.

For example, provided herein are PH20 polypeptides that are inactive and that are modified, for example by amino acid replacement or substitution, compared to a wildtype or reference PH20 polypeptide. For example, a modified PH20 polypeptide provided herein that is inactive contains one or more amino acid replacements at position(s) corresponding to position 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 25, 27, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 94, 95, 96, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 143, 144, 145, 149, 150, 152, 153, 154, 155, 156, 157, 158, 159, 161, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194,

195, 197, 198, 199, 200, 201, 202, 203, 204, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 278, 279, 280, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 331, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 408, 410, 411, 412, 413, 414, 415, 416, 417, 419, 420, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 434, 437, 438, 439, 440, 441, 442, 443, 444, or 447 with reference to amino acid positions set forth in SEQ ID NO:3, so long as the resulting modified PH20 polypeptide is inactive and exhibits less than 20%, and generally less than 10%, of the hyaluronidase activity of the corresponding PH20 polypeptide not containing the amino acid replacement. Typically, the amino acid residue that is modified (*e.g.*, replaced) at the position corresponding to any of the above positions in a PH20 polypeptide is an identical residue, a conservative residue or a semi-conservative amino acid residue to the amino acid residue set forth in SEQ ID NO:3.

Exemplary amino acid replacements at any of the above corresponding positions are set forth in Table 5. Reference to corresponding position in Table 5 is with reference to positions set forth in SEQ ID NO:3. It is understood that the replacements can be made in the corresponding position in another PH20 polypeptide by alignment therewith with the sequence set forth in SEQ ID NO:3 (see *e.g.*, Figures 1 and 2), whereby the corresponding position is the aligned position. The amino acid replacement(s) can be at the corresponding position in a PH20 polypeptide as set forth in any of SEQ ID NOS: 2, 3, 6-66, 68-72, 856-861, 869 or 870 or a variant thereof having at least 75%, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 86%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity thereto, so long as the resulting modified PH20 polypeptide is inactive. For example, the replacement(s) can be in a corresponding position in a human PH20 polypeptide, for example, any set forth in any of SEQ ID NOS: 3, 7, 32-66, 69 or 72, or a variant thereof. In particular, any one or more of the replacements are in SEQ ID NO:3, so long as the resulting modified PH20 polypeptide is inactive and exhibits less than 20%, and generally less than 10%, of the hyaluronidase activity of the PH20 polypeptide set forth in SEQ ID NO:3

TABLE 5: Inactive Mutants					
Corresponding Position	Replacement	Corresponding Position	Replacement	Corresponding Position	Replacement
2	HKWY	3	AGKPTV	4	DEFGLPWY
5	DGILMNPQRTVWY	6	EFTVY	7	CDFGHIKLQRSTWY
8	DEGHNRSW	9	CDEGNP	10	FILMY
11	ACFILPTWY	12	GHW	13	EGILMV
14	AEGHKNPQW	15	EFGKNPQRSY	16	ACDEFGHKMPRSTY
17	DEGHILNPQRSTVWY	18	CDFGHILMPQSTVY	19	ACFGHILMPQRSVWY
20	DEFHKLNPRTVY	21	ACDEGHILMRSTVW	22	CEGKP
23	AFLMNPRSTV	25	DEFGHIKLNPRSTVY	27	C
33	CDHNVY	34	ILNSTV	35	ADGPRS
36	CFVWY	37	CEGNS	38	EGKLNQRTW
39	CDFW	40	ADEGKNRSTV	41	Q
42	DEHIKLMPQRSTV	43	AEFGIKLQRV	44	ACFGHILNQRSTWY
45	ADFGPW	46	PW	47	V
48	P	49	CDGHP	50	V
51	CFIMPTWY	52	CEFWY	53	ACDEGHLNPQRSTWY
54	DEGPRY	55	ADGHNPQRTVY	56	ACEGHIKLPRSTVW
57	ADFGIMPQRVW	58	A	59	AEILMPRTVWY
60	ADFGHILNPQSTVY	61	AEFGHNPQRTWY	62	ACDFIKLMPQRSTVY
63	CGP	64	ACDEFGHIKLPQRSTVW	65	ACDGHIKNRSTVWY
66	ACDEGIKLNPSTV	67	DEGPRTW	68	ACGILPVY
69	NT	70	Q	71	P
72	CFHIPVW	73	P	75	DGP
76	ACFGIKLPQRSTVW	77	DELPQRTV	78	ADIMPTY
79	ADFGHKNPSWY	80	ADEFGIKLMNRSTVY	81	ACEGHLNPSVWY
82	YEK	84	Y	85	ACDEFGHNQST
86	CP	87	P	88	ACEFGIKLMPRSTVY
89	ADEGQSTWY	90	CG	91	DEFGHILT
92	EFHKPQRWY	94	GP	95	ACEFGHKLMPQSVWY
96	SVHPRSTW	98	P	99	CEGINPVW
100	CEFGNPRSTWY	101	ACFHIKLMNQRST	102	P

103	AEFGHILQRT VWY	104	FPW	105	CMN
106	ACDFHLMNP SWY	107	ACHKPQSVW	108	DEFKLMPQT VY
109	CDELMRTW	110	FKLMPW	111	HIQ
112	CEGHLNPS	113	RV	114	ILPTV
115	ACDFGHIKL MRSVY	116	ACDEGHILN PQSVW	117	DGIKNQRSV W
118	CDEGPRWY	119	AKILNPR	121	ACEFGHKL MPWY
122	A CEFIKQRS TV	123	ACDEHLMPQ RSTVY	124	CDEFN
125	CDGLNW	126	FHILNPY	127	K
128	EP	129	ACDEGHLPQ STVW	130	CDGHLNST WY
131	P	132	P	133	DEFGHLMNP RTVW
134	ACDFGHKPQ RSW	135	P	136	P
137	FGHNPRWY	138	V	139	P
143	CHPRST	144	AEFIKPQSV Y	145	TW
149	E	149	P	150	V
152	L	153	EFMPRTV	154	DEGPSWY
155	PY	156	P	157	ACDEGHIKL M PQRSTV
158	DKPRY	159	WY	161	W
163	CP	164	ACDEGHNPQ R	165	CHPT
166	D	167	V	168	ACDEFGKLP RSVWY
169	ADFGHKNPQ STY	170	CDEGMPWY	171	CDHMNRSW Y
172	DEILPQTVW Y	173	DEGHILMPS VWY	174	P
175	CDGKPRS	176	ACEFGHIPQ STVW	177	ACDFGHLM QRSTVW
178	EILVW	180	ACEPRS	181	ACDEFHIKL RS
182	ACDEHNPQR STVY	183	CDEGIKNPQ RSV	184	ACDEFGHKL MPRSV
185	ADEFGIKPRS TVWY	186	ADGHIKLNP QRSVW	187	AFGHILMNQ RSTVWY
188	ACFGHLMNP QRSTVW	189	AEGHKLMNP RSTVWY	190	CEFGHKLNQ RSTVW
191	AEFGKLMPQ RSTVWY	192	CFGKLMNPQ RVWY	193	ADKLMPV
194	ACILPSTV	195	S	197	C
198	VW	199	EGHIKLPRS W	200	AFGHKLMP QRSWY
201	AFLMNPRST VW	202	AEFGHKNPQ RVWY	203	ADEGHLMN QRSTV
204	ACEGHIKQR ST	206	CDFGPY	207	AFGMPQRST VW
208	DGPW	209	CP	210	ACDEGKMN PSTVWY

211	CFGHIKMPR STVW	212	AGHIKLMPV W	213	PS
214	ACDEGHKNP RSTY	215	CP	216	DEGHIKLMN PQRTV
217	ACGHPQSTV W	218	AIKLPSV	219	P
220	GKNPRW	221	DEHKPR	222	PY
223	CDEGHKLPQ RSTVWY	224	ADEFGMPQR STWY	225	ADEGHKPQ RTVW
226	ACDEFGLNQ RSTVWY	227	AFGHIKLMP QRTVWY	228	AEFGHLMNP RSTW
229	EFGKLPQTV W	230	AEGHKMNPR STVWY	231	ACDFGHIKL PQRSV
232	CGHKLNPQV Y	233	DIPST	234	ADEGHNPST VW
235	FLMRWY	236	CILNQTY	238	FGLPVWY
239	CFGHILPRST VWY	240	EFGNWY	241	ACDEGIPRS TVW
242	ACDGILMPR STVW	243	CDFGHLMPQ RSWY	244	ADGIVY
245	ACFLPQRST V	246	ACDEGHIKL MPSTVW	247	ACFHNPQRS TWY
248	CDEGIMPT	249	AGHIKMQSY	250	CFGHKLMN PQRSTVW
251	DFGHKPSTW	252	ADEFGHIKL NPSTY	253	ADEGHLMN QRSW
254	CDEGIKLPQ RTVWY	255	CDLPVW	256	CDEG[
257	D	258	LPVW	260	CP
261	P	262	ADE GHIKQR STVWY	263	EFPQW
264	DEFG LMRTV WY	265	ADFGHKLM NQRS	266	ACGHMPQR STVW
267	DGHIKNRSW	268	ACFGHKLNP QSTVW	269	EKLMNPQR
270	ACEFGHIPY	271	ADEHKTW	272	HLNPW
273	ACDGILPQS VW	274	CEGHNQWY	275	AFGIKLMQT VW
276	FPW	278	MP	279	ACFGLWY
280	DI MNRSTVW	281	ADGHIKNPQ RSVW	282	FLVWY
283	ACDFW	284	CDFW	284	CIP
285	KPRTV	286	ACDFHKMPT Y	287	ACDEGKLNP QRS
288	DEFGHIKPRT	289	ACEGHLPQR SY	290	DQY
291	ACDEFMNTW Y	292	ILT	293	EN
294	AEGHKLNPQ RSTW	295	CGHILNPTV Y	296	CFGIKMQRS TVWY
297	CEHLNPQRS TY	298	CELMNPQST WY	299	ACDFGHLM PQT
300	ACDEFLMNP QSTVW	301	EGHKMNPQR SWY	302	CDEFGHLMP RSTY
303	ACDEFGKLM RWY	304	ACDGIMNPQ STVY	305	LPQRSTVY

306	ACHILVWY	307	CIP	308	CFLMVWY
310	CEFKL	311	CEFILPVW	312	CEMVW
313	C	314	CLW	315	CIV
316	EGIKLMPRSTVWY	317	GP	318	CPW
319	CEFGHIKMPQRSVWY	320	CPV	321	EMP
322	CDEGILNPRSTVW	323	ACEGHKNRSTV	324	CFPVWY
325	CREGHNW	327	AEFGHNQRSTVWY	329	CFGHIKLNQRSTVWY
330	ACDEGILMNPRSVW	331	ACDEFHKQRSTWY	332	ACDEFGHKLNPRSTY
333	GHIKPRSTWY	334	ACDEGMNRS	335	FGHIKLPVWY
336	AEFGKNPRSTVWY	337	CFGIKLMRTW	338	CDEFGHIKLPRTV
339	DEFGHLNPSTVWY	340	ACDEFGHKPRSTVW	341	AEGHKLMNQRST VY
342	DEFHKLMPQRTY	343	CDFIPW	344	FGHLMNPQRSTWY
345	ACEHKNQRTVY	346	ADFGIKLMPRSTVW	347	CFIPTVW
348	CHILPQRTVWY	349	DFGPVWY	350	ADEFHKLMNPRSTVY
351	CDEFHNRWY	352	ADEFGKMPQRSTVWY	353	CFGHKLMQRSW
354	CDEGHIKLMPQSVWY	355	DFGHLMNPQRSTVWY	356	CGKLPRTVW
357	DEFGLMQR	358	EHIKPQRW	359	AFGLPW
360	ACEFGIKLMPQRV	361	ACEGMNPQRSVW	362	ACEGHKLMNPRSTVW
363	ACDEFGHIPQRSTVW	364	ACDEFGKLMPRSTVY	365	ACDEGMNPQRSTWY
366	ACEFGKMPQRTW	367	EFILMQV	368	CPW
369	CEFIKLPQVW	370	ADEGHKLNPQRSVY	371	P
372	ADEFGHKLNPRSTVW	373	CPW	374	DE
375	CFPVY	376	IPW	377	CILV
378	DEFILMQTWY	379	ACEFILMW	380	CDEGQRS
381	GLPWY	382	EGHKLMNPQRSTWY	383	GP
384	CFMQST	385	CLMPWY	386	ACFGHILMNQRSTVY
387	CEFGHILMNVWY	388	CGPQ	389	FV
390	ACEFGHLNPRSTVWY	391	ADGHKNPQRSTVWY	392	CP
393	CP	394	ADEGIKNPQRSTV	395	C;,[
396	CFGIPY	397	ACEFGILMPQTV	398	ACEGHILNPRSTVWY
399	DP	400	ADEFGILMP	401	CFHKRWY

			QRSTVY		
402	ADEFLMPQR STVWY	403	ACEGHKLM NPQRT	404	CDFGHLMN RVWY
405	CIV	406	PR	408	AEFGIKLPR STVWY
410	W	411	DEFG	412	EH
413	HIKLP	414	ADEGHKRST	415	CDEP
416	CS	417	ADEFGHKMP QR	419	DP
420	ADFGHKLNR STWY	422	CDGHLMNQ RSY	423	ADEFGHLMP QRSTVW
424	ACEGHNQRS WY	425	ELPWY	426	CFMR
427	ACFLPVWY	428	ACDEGHNRS Y	429	ADKLNPSTV WY
430	ADELMNSTV	431	P	432	CFIKLMPY
434	HKPQRW	437	T	438	Y
439	NR	440	Q	441	R
442	MNS	443	D		

3. Additional Modifications and Conjugates

The modified PH20 polypeptides include those that contain chemical or posttranslational modifications. In some examples, modified PH20 polypeptides provided herein do not contain chemical or posttranslational modifications. Chemical and post-translational modifications include, but are not limited to, PEGylation, sialation, albumination, glycosylation, farnysylation, carboxylation, hydroxylation, phosphorylation, and other polypeptide modifications known in the art.

Also, in addition to any one or more amino acid modifications, such as amino acid replacements, provided herein, modified PH20 polypeptides provided herein can be conjugated or fused to any moiety using any method known in the art, including chemical and recombinant methods, provided the resulting polypeptide retains hyaluronidase activity. For example, in addition to any one or more amino acid modifications, such as amino acid replacements, provided herein, modified PH20 polypeptides provided herein also can contain other modifications that are or are not in the primary sequence of the polypeptide, including, but not limited to, modification with a carbohydrate moiety, a polyethylene glycol (PEG) moiety, a sialic acid moiety, an Fc domain from immunoglobulin G, or any other domain or moiety. For example, such additional modifications can be made to increase the stability or serum half-life of the protein.

In some instances, the domain or other moiety is a targeted agent, including any agent that targets the conjugate to one or more cell types by selectively binding to a cell surface receptor or other cell surface moiety. For example, the domain or other moiety is a targeted agent that targets the conjugate to tumor cells. In such examples, a modified PH20

polypeptide, such as any provided herein, is linked directly or indirectly to a targeted agent. Such targeting agents include, but are not limited to, growth factors, cytokines, chemokines, antibodies, and hormones, or allelic variants, muteins, or fragments thereof so long as the targeting agent is internalized by a cell surface receptor. Exemplary, non-limiting, additional modifications are described below.

a. Decreased immunogenicity

The modified PH20 polypeptides provided herein can be made to have decreased immunogenicity. Decreased immunogenicity can be effected by sequence changes that elimiminate antigenic epitopes from the polypeptide or by altering post-translational modifications. One of skill in the art is familiar with methods of identifiying antigenic epitopes in a polypeptide (see *e.g.*, Liang *et al.* (2009) *BMC Bioinformatics*, 10:302; Yang *et al.* (2009) *Rev. Med. Virol.*, 19:77-96). In some examples, one or more amino acids can be modified in order to remove or alter an antigenic epitope.

In another example, altering the glycosylation of a protein also can effect immunogenecity. For example, altering the glycosylation of the peptide is contemplated, so long as the polypeptides minimally contain at least N-acetylglucosamine at amino acid residues corresponding to amino acid residues set forth as N200, N333 and N358 of SEQ ID NO:3 or 7.

For example, the PH20 polypeptides can be modified such that they lack fucose, particularly bifucosylation. In particular, the PH20 polypeptides provided herein are not bifucosylated. This can be achieved by expressing and producing the PH20 polypeptide in host cells that do not effect bifucosylation. Fucose is a deoxyhexose that is present in a wide variety of organisms, including mammals, insects and plants. Fucosylated glycans are synthesized by fucosyl-transferases; see, *e.g.*, Ma et al., *Glycobiology*, 16(12):158R-184R, (2006); Nakayama et al., *J. Biol. Chem.*, 276:16100-16106 (2001); and Sturla et al., *Glycobiology*, 15(10):924-935 (2005). In humans, fucose frequently exists as a terminal modification to glycan structures, and the presence of fucose α1,6-linked to N-acetylglucosamine has been shown to be important in glycoprotein processing and recognition. In insects, N-glycan core structures exhibit bifucosylation with α1,6- and α1,3-linkages. Insect cell core fucosylation with α1,3-linkages generates a carbohydrate epitope that is immunogenic in humans (see, *e.g.*, US Publication No. 20070067855). For example, PH20 polypeptides provided herein can be generated in host cells that are incapable of bifucosylating the polypeptide. Thus, while insect cells or other cells that bifucosylate can be used for expression of the polypeptides, typically mammalian cells, such as CHO cells, are used.

In some examples, defucosylated, or fucose-deficient PH20 polypeptides can be generated in insect cells with modified glycosylation pathways, through the use of baculovirus expression vectors containing eukaryotic oligosaccharide processing genes, thereby creating "mammalianized" insect cell expression systems (see, *e.g.*, US Patent No. 6,461,863). Alternatively, antigenicity can be eliminated by expression of PH20 polypeptides in insect cells lacking α1,3-fucosylatransferase (FT3) (see, *e.g.*, US Publication No. 20070067855). In other examples, defucosylated or fucose-deficient PH20 polypeptides can be generated, for example, in cell lines that produce defucosylated proteins, including Lec13 CHO cells deficient in protein fucosylation (Ripka et al. *Arch. Biochem. Biophys.* 249:533-545 (1986); U.S. Pat. Pub. No. 2003/0157108; and WO 2004/056312), and knockout cell lines, such as alpha-1,6-fucosyltransferase gene, FUT8, knockout CHO cells (Yamane-Ohnuki et al. *Biotech. Bioeng.* 87: 614 (2004)).

b. Conjugation to polymers

In some examples, the modified PH20 polypeptides provided herein are conjugated to polymers. Exemplary polymers that can be conjugated to the PH20 polypeptides, include natural and synthetic homopolymers, such as polyols (*i.e.*, poly-OH), polyamines (*i.e.*, poly-NH_2) and polycarboxylic acids (*i.e.*, poly-COOH), and further heteropolymers, *i.e.*, polymers containing one or more different coupling groups, *e.g.*, hydroxyl groups and amine groups. Examples of suitable polymeric molecules include polymeric molecules selected from among polyalkylene oxides (PAO), such as polyalkylene glycols (PAG), including polyethylene glycols (PEG), methoxypolyethylene glycols (mPEG) and polypropylene glycols, PEG-glycidyl ethers (Epox-PEG), PEG-oxycarbonylimidazole (CDI-PEG), branched polyethylene glycols (PEGs), polyvinyl alcohol (PVA), polycarboxylates, polyvinylpyrrolidone, poly-D,L-amino acids, polyethylene-co-maleic acid anhydride, polystyrene-co-maleic acid anhydride, dextrans including carboxymethyl-dextrans, heparin, homologous albumin, celluloses, including methylcellulose, carboxymethylcellulose, ethylcellulose, hydroxyethylcellulose, carboxyethylcellulose and hydroxypropylcellulose, hydrolysates of chitosan, starches such as hydroxyethyl-starches and hydroxypropyl-starches, glycogen, agaroses and derivatives thereof, guar gum, pullulan, inulin, xanthan gum, carrageenan, pectin, alginic acid hydrolysates and bio-polymers.

Typically, the polymers are polyalkylene oxides (PAO), such as polyethylene oxides, such as PEG, typically mPEG, which have few reactive groups capable of cross-linking. Typically, the polymers are non-toxic polymeric molecules such as (methoxy)polyethylene glycol (mPEG) which can be covalently conjugated to the PH20 polypeptides (*e.g.*, to attachment groups on the protein surface) using a relatively simple chemistry.

Suitable polymeric molecules for attachment to the PH20 polypeptides include, but are not limited to, polyethylene glycol (PEG) and PEG derivatives such as methoxy-polyethylene glycols (mPEG), PEG-glycidyl ethers (Epox-PEG), PEG-oxycarbonylimidazole (CDI-PEG), branched PEGs, and polyethylene oxide (PEO) (see *e.g.*, Roberts et al., *Advanced Drug Delivery Review* 2002, 54:459-476; Harris and Zalipsky (eds.) "Poly(ethylene glycol), Chemistry and Biological Applications" ACS Symposium Series 680, 1997; Mehvar et al., *J. Pharm. Pharmaceut. Sci.*, 3(1):125-136, 2000; Harris and Chess (2003) *Nat Rev Drug Discov.* 2(3):214-21; and Tsubery, *J Biol. Chem* 279(37):38118-24, 2004). The polymeric molecule can be of a molecular weight typically ranging from about 3 kDa to about 60 kDa. In some embodiments the polymeric molecule that is conjugated to a PH20 polypeptide provided herein has a molecular weight of 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60 or more than 60 kDa.

Various methods of modifying polypeptides by covalently attaching (conjugating) a PEG or PEG derivative (*i.e.*, "PEGylation") are known in the art (see *e.g.*, U.S. 2006/0104968; U.S. 5,672,662; U.S. 6,737,505; and U.S. 2004/0235734). Techniques for PEGylation include, but are not limited to, specialized linkers and coupling chemistries (see *e.g.*, Roberts, *Adv. Drug Deliv. Rev.* 54:459-476, 2002), attachment of multiple PEG moieties to a single conjugation site (such as via use of branched PEGs; see *e.g.*, Guiotto et al., *Bioorg. Med. Chem. Lett.* 12:177-180, 2002), site-specific PEGylation and/or mono-PEGylation (see *e.g.*, Chapman et al., Nature Biotech. 17:780-783, 1999), and site-directed enzymatic PEGylation (see *e.g.*, Sato, *Adv. Drug Deliv. Rev.*, 54:487-504, 2002) (see, also, for example, Lu and Felix (1994) *Int. J. Peptide Protein Res.* 43:127-138; Lu and Felix (1993) *Peptide Res.* 6:140-6, 1993; Felix *et al.* (1995) *Int. J. Peptide Res.* 46:253-64; Benhar *et al.* (1994) *J. Biol. Chem.* 269:13398-404; Brumeanu *et al.* (1995) *J Immunol.* 154:3088-95; see also, Caliceti *et al.* (2003) *Adv. Drug Deliv. Rev.* 55(10):1261-77 and Molineux (2003) *Pharmacotherapy* 23 (8 Pt 2):3S-8S). Methods and techniques described in the art can produce proteins having 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more than 10 PEG or PEG derivatives attached to a single protein molecule (see *e.g.*, U.S. 2006/0104968).

Numerous reagents for PEGylation have been described in the art. Such reagents include, but are not limited to, N-hydroxysuccinimidyl (NHS) activated PEG, succinimidyl mPEG, mPEG2-N-hydroxysuccinimide, mPEG succinimidyl alpha-methylbutanoate, mPEG succinimidyl propionate, mPEG succinimidyl butanoate, mPEG carboxymethyl 3-hydroxybutanoic acid succinimidyl ester, homobifunctional PEG-succinimidyl propionate, homobifunctional PEG propionaldehyde, homobifunctional PEG butyraldehyde, PEG maleimide, PEG hydrazide, p-nitrophenyl-carbonate PEG, mPEG-benzotriazole carbonate,

propionaldehyde PEG, mPEG butryaldehyde, branched mPEG2 butyraldehyde, mPEG acetyl, mPEG piperidone, mPEG methylketone, mPEG "linkerless" maleimide, mPEG vinyl sulfone, mPEG thiol, mPEG orthopyridylthioester, mPEG orthopyridyl disulfide, Fmoc-PEG-NHS, Boc-PEG-NHS, vinylsulfone PEG-NHS, acrylate PEG-NHS, fluorescein PEG-NHS, and biotin PEG-NHS (see *e.g.*, Monfardini et al., Bioconjugate Chem. 6:62-69, 1995; Veronese et al., *J. Bioactive Compatible Polymers* 12:197-207, 1997; U.S. 5,672,662; U.S. 5,932,462; U.S. 6,495,659; U.S. 6,737,505; U.S. 4,002,531; U.S. 4,179,337; U.S. 5,122,614; U.S. 5,324,844; U.S. 5,446,090; U.S. 5,612,460; U.S. 5,643,575; U.S. 5,766,581; U.S. 5,795,569; U.S. 5,808,096; U.S. 5,900,461; U.S. 5,919,455; U.S. 5,985,263; U.S. 5,990,237; U.S. 6,113,906; U.S. 6,214,966; U.S. 6,258,351; U.S. 6,340,742; U.S. 6,413,507; U.S. 6,420,339; U.S. 6,437,025; U.S. 6,448,369; U.S. 6,461,802; U.S. 6,828,401; U.S. 6,858,736; U.S. 2001/0021763; U.S. 2001/0044526; U.S. 2001/0046481; U.S. 2002/0052430; U.S. 2002/0072573; U.S. 2002/0156047; U.S. 2003/0114647; U.S. 2003/0143596; U.S. 2003/0158333; U.S. 2003/0220447; U.S. 2004/0013637; US 2004/0235734;; U.S. 2005/0114037; U.S. 2005/0171328; U.S. 2005/0209416; EP 1064951; EP 0822199; WO 01076640; WO 0002017; WO 0249673; WO 9428024; WO 0187925; and WO 2005000360).

D. METHODS FOR IDENTIFYING MODIFIED HYALURONAN-DEGRADING ENZYMES WITH ALTERED PROPERTIES OR ACTIVITIES

Provided herein are methods for identifying a modified or variant hyaluronan-degrading enzyme, such as a modified hyaluronidase or modified PH20 polypeptide, that exhibits an altered activity or property compared to an unmodified hyaluronan-degrading enzyme. In particular, the methods provided herein can be used to screen for one or more modified hyaluronan-degrading enzymes, such as one or more modified hyaluronidase or PH20 polypeptide, that exhibits increased activity and/or increased stability in the presence of a denaturation agent or condition. For example, the methods can be used to identify a modified or variant hyaluronan-degrading enzyme, such as a modified or variant hyaluronidase or modified or variant PH20 polypeptide, that exhibits increased stability by virtue of increased resistance to denaturation conditions, including but not limited to, denaturation conditions caused by temperature (*e.g.*, elevated temperature such as heat), agitation, no or low salt, presence of an excipient and/or a denaturing agent. Exemplary denaturing agents or excipients include, but are not limited to, antiadherents, binders, coatings, fillers and diluents, flavors, colors, lubricants, glidants, preservatives, sorbents or sweeteners. For example, various excipients, such as preservatives, can act as protein denaturing agents. In the method, the activity also can be compared to an unmodified hyaluronan-degrading enzyme under the same denaturation condition, and a modified

hyaluronan-degrading enzyme identified or selected that exhibits greater activity than the corresponding unmodified hyaluronan-degrading enzyme.

In the method, one or more modified hyaluronan-degrading enzymes are provided. In some examples, a library of modified molecules is prepared. Methods of mutagenesis and generation of libraries or collections of variant molecules is described herein and is known to one of skill in the art using standard recombinant DNA techniques. In one example, the enzymes that are tested can be pooled and screened, whereby the method permits selection of only those enzymes that exhibit a desired activity. In another example, the tested enzymes can be physically separated and screened individually, such as by formatting in arrays, such as addressable arrays.

In one aspect of the method, the modified hyaluronan-degrading enzymes are tested or screened for hyaluronidase activity in the presence and absence of one or more denaturation conditions or denaturing agent. After testing under both sets of conditions, the activities are assessed in order to identify modified hyaluronan-degrading enzymes that exhibit activity in the presence of the denaturation condition. The desired level or amount of activity selected as a cut-off in the methods can be empirically determined by the user, and is dependent on factors such as the particular hyaluronan-degrading enzyme, the desired application or use of the hyaluronan-degrading enzyme, the particular denaturation condition or denaturing agent and other similar factors. Typically, a modified hyaluronan-degrading enzyme is identified that exhibits at least 5% or 10% of the activity in the presence of a denaturing agent or condition compared to in its absence, and generally at least 15%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90%, 95% or more, for example at least 40% of the activity.

Additionally or alternatively, the activity of the modified hyaluronan-degrading enzyme in the presence of one or more denaturation conditions or denaturing agents is compared to the activity of the corresponding unmodified hyaluronan-degrading enzyme in the presence of the same denaturation agent(s) or condition(s). In such examples, it is understood that the activity of the modified and unmodified enzyme are tested under the same conditions (*e.g.*, time, temperature, composition), except for the difference in the particular enzyme tested (unmodified versus modified). A modified hyaluronan-degrading enzyme is identified that exhibits greater activity, such as at least 110%, 120%, 130%, 140%, 150%, 160%, 170%, 180%, 190%, 200%, 250%, 300%, 400%, 500% or more of the activity of the unmodified hyaluronan-degrading enzyme.

The method can be performed a plurality of times, whereby the steps of the method are repeated 1, 2, 3, 4, or 5 times. The method provided herein also is iterative. In one

example, after the method is performed, any identified modified hyaluronan-degrading enzyme can be modified or further modified to increase or optimize the activity.

A description of the steps of the method and components of the method are provided in the subsections that follow.

1. Hyaluronan-Degrading Enzymes and Libraries of Modified Hyaluronan-Degrading Enzymes

In the methods herein, one or more modified hyaluronan-degrading enzymes, such as a hyaluronidase or a PH20 polypeptide, are tested for a desired activity or property, such as increased stability (*e.g.*, increased resistance to a denaturation condition). The modified hyaluronan-degrading enzyme can be modified compared to an unmodified hyaluronan-degrading enzyme, such as any hyaluronan-degrading enzyme known in the art. Hyaluronan-degrading enzymes are a family of enzymes that degrade hyaluronic acid, which is an essential component of the extracellular matrix and a major constituent of the interstitial barrier. Hyaluronan-degrading enzymes act to degrade hyaluronan by cleaving hyaluronan polymers, which are composed of repeating disaccharides units: D-glucuronic acid (GlcA) and N-acetyl-D-glucosamine (GlcNAc), linked together via alternating β-1→4 and β-1→3 glycosidic bonds. By catalyzing the hydrolysis of hyaluronic acid, a major constituent of the interstitial barrier, hyaluronan-degrading enzymes lower the viscosity of hyaluronic acid, thereby increasing tissue permeability. Accordingly, hyaluronan-degrading enzymes for the uses and methods provided herein include any enzyme having the ability to catalyze the cleavage of a hyaluronan disaccharide chain or polymer. In some examples, the hyaluronan-degrading enzyme cleaves the β-1→4 glycosidic bond in the hyaluronan chain or polymer. In other examples, the hyaluronan-degrading enzyme catalyzes the cleavage of the β-1→3 glycosidic bond in the hyaluronan chain or polymer.

Hyaluronan-degrading enzymes include enzymes that are membrane-bound or that are soluble forms that are secreted from cells. Thus, where hyaluronan-degrading enzymes include a glycosylphosphatidylinositol (GPI) anchor signal sequence and/or are otherwise membrane-anchored or insoluble, such hyaluronan-degrading enzymes can be provided in soluble form by C-terminal truncation or deletion of all or a portion of the GPI anchor signal sequence to render the enzyme secreted and soluble. Thus, hyaluronan-degrading enzymes include C-terminally truncated variants, *e.g.*, truncated to remove all or a portion of a GPI anchor signal sequence. Examples of such soluble hyaluronidases are soluble PH20 hyaluronides, such as any set forth in U.S. Patent No. 7,767,429; U.S. Publication Nos. US 2004/0268425 and US 2010/0143457.

Exemplary hyaluronan-degrading enzymes are non-human animal or human hyaluronidases, bacterial hyaluronidases, hyaluronidases from leeches or chondroitinases that exhibit hyaluronan-degrading activity, including soluble or truncated forms thereof that are active. Exemplary non-human animal hyaluronidases are any set forth in any of SEQ ID NOS: 8-31, 856-861, 869, 870, 871-886, or mature, C-terminally truncated variants that are soluble and active, or active forms thereof. Exemplary human hyaluronidases are any set forth in any of SEQ ID NOS: 2, 3, 6, 7, 32-66, 68-72 or 887-890, or mature, C-terminally truncated variants that are soluble and active, or active forms thereof, and in particular any of SEQ ID NOS: 3, 7, 32-66, 69 or 72. Exemplary bacterial hyaluronidases are any set forth in any of SEQ ID NOS: 891-919 or mature, C-terminally truncated variants that are soluble and active, or active forms thereof. Exemplary hyaluronidases from leeches are set forth in SEQ ID NO:920 or 921, or mature, C-terminally truncated variants that are soluble and active, or active forms thereof. Exemplary chondroitinases that have hyaluronan-degrading enzyme activity are set forth in SEQ ID NO:922-924, or mature, C-terminally truncated variants that are soluble and active, or active forms thereof.

For example, one or more modified PH20 polypeptides are tested for a desired activity or property, such as increased stability (*e.g.*, increased resistance to a denaturation condition). The modified PH20 polypeptide can be modified compared to an unmodified PH20 polypeptide, such as any known PH20 polypeptide native, wildtype or reference polypeptide. For example, the modified PH20 polypeptide is modified compared to a full-length, soluble or active form of a PH20 polypeptide, such as any set forth in any of SEQ ID NOS: 3, 7, 32-66, 69 or 72, or a polypeptide that exhibits at least 85%, such as at least 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to any of SEQ ID NOS: 3, 7, 32-66, 69 or 72. In particular examples of the method herein, the starting or unmodified PH20 polypeptide has the sequence of amino acids set forth in SEQ ID NO:3.

Libraries or collections of modified hyaluronan-degrading enzymes can be screened. Hyaluronan-degrading enzymes can be modified by any process known to one of skill in the art that can alter the structure of a protein. Examples of modifications include replacement, addition, and deletion of one or more amino acids of the protein to form libraries or collections of modified hyaluronan-degrading enzymes. It is within the level of one of skill in the art to generate modified or variant proteins for use in the methods herein. Methods of mutagenesis are well known in the art and include, for example, site-directed mutagenesis such as for example QuikChange (Stratagene) or saturation mutagenesis. Mutagenesis methods include, but are not limited to, site-mediated mutagenesis, PCR mutagenesis, cassette

mutagenesis, site-directed mutagenesis, random point mutagenesis, mutagenesis using uracil containing templates, oligonucleotide-directed mutagenesis, phosphorothioate-modified DNA mutagenesis, mutagenesis using gapped duplex DNA, point mismatch repair, mutagenesis using repair-deficient host strains, restriction-selection and restriction-purification, deletion mutagenesis, mutagenesis by total gene synthesis, double-strand break repair, and many others known to persons of skill. In the methods herein, mutagenesis can be effected across the full length of a protein or within a region of a protein. The mutations can be made rationally or randomly.

In some examples, the methods provided herein are performed such that the identity of each mutant protein is known *a priori* before the protein is tested. For example, the methods provided herein can be conducive to mutagenesis and screening or testing methods that are addressable. This can permit the ease of comparisons between the activities of tested proteins without the need for sequencing of identified proteins. For example, site-directed mutagenesis methods can be used to individually generate mutant proteins. Mutagenesis can be performed by the replacement of single amino acid residues at specific target positions one-by-one, such that each individual mutant generated is the single product of each single mutagenesis reaction. Mutant DNA molecules can be designed, generated by mutagenesis and cloned individually, such as in addressable arrays, such that they are physically separated from each other and each one is the single product of an independent mutagenesis reaction. The amino acids selected to replace the target positions on the particular protein being optimized can be either all of the remaining 19 amino acids, or a more restricted group containing only selected amino acids. In some methods provided herein, each amino acid that is replaced is independently replaced by 19 of the remaining amino acids or by less than 19 of the remaining amino acids, such as 10, 11, 12, 13, 14, 15, 16, 17 or 18 of the remaining amino acids.

2. Screening or Testing For A Desired Activity or Property

The hyaluronidase activity or other activity of a composition containing a modified hyaluronan-degrading enzyme is screened or tested under conditions that expose the hyaluronan-degrading enzyme to a denaturation condition or a denaturing agent (presence of denaturation condition or denaturing agent). The denaturing condition or denaturing agent need not be a condition or agent that is completely deadly to the enzyme, but generally is any condition or agent that destabilizes enzyme activity over time. For example, the denaturation condition can be a condition caused by temperature (*e.g.*, elevated temperature such as greater than or about or 30 °C, for example, 30 °C to 42 °C such as or about 37 °C), agitation, no or

low salt (*e.g.*, NaCl), and/or caused by the presence of a denaturing agent, such as the presence of excipients (*e.g.*, presence of preservatives).

For purposes of selecting or identifying a modified hyaluronan-degrading enzyme that exhibits stability or increased stability under the denaturation condition, activity can be compared to activity of the modified hyaluronan-degrading enzyme in the absence of the denaturation condition and/or activity of the corresponding unmodified hyaluronan-degrading enzyme in the presence of the denaturation condition. For example, the modified hyaluronan-degrading enzyme also can be screened or tested under the same conditions, except not including a denaturing condition or denaturing agent (absence of denaturation condition or denaturing agent). If desired, the activity of the corresponding unmodified hyaluronan-degrading enzyme (*e.g.*, the hyaluronan-degrading enzyme not containing the amino acid replacement(s)) can also be tested under the same conditions that expose the hyaluronan-degrading enzyme to the same denaturation condition or a denaturing agent.

For example, each member of a library or collection of modified hyaluronan-degrading enzymes is incubated under or exposed to one or more denaturation conditions. The incubation or exposure can occur *in vivo* or *in vitro*. Typically, the assay is performed *in vitro*. The same modified enzyme also is exposed or incubated to a reference or control condition that does not contain the denaturation condition. The activities under both conditions are compared in order to identify modified hyaluronan-degrading enzymes that exhibit stability upon exposure to a denaturation condition or conditions. Further, in screening or identifying the activity of the enzyme under the two different sets of conditions, generally the only conditions that are varied in the assay relate to the presence or absence of one or more denaturation conditions. The other conditions of the assay, including but not limited to, time, temperature and/or other incubation conditions, can be the same for both sets of conditions.

For example, exposure can be achieved by incubation of a modified hyaluronan-degrading enzyme in an assay buffer or composition that has been modified or adjusted to contain a denaturing agent such as an excipient or low or no salt. Exemplary denaturing agents or excipients include, but are not limited to, antiadherents, binders, coatings, fillers and diluents, flavors, colors, lubricants, glidants, preservatives, sorbents or sweeteners. The choice of buffer that is used can be empirically determined by one skilled in the art depending on the particular parameter or parameters being modified. Exemplary assay buffers are Good's buffers (see *e.g.*, Good et al. (1966) Biochemistry, 5:467-477). Examples of such buffers include, but are not limited to ACES, ADA, BES, Bicine, BIS-TRIS, CAPS, HEPES, MES, MOPS, PIPES, TRIS or Trizma® buffers. Further , the amount or concentration of the

excipient or salt can be empirically determined by one of skill in the art depending on the choice of excipient or salt and the desired level or activity of the modified hyaluronan-degrading enzyme.

In one example, the assay buffer or composition is modified by inclusion of an amount of a denaturing agent or denaturing excipient that is a preservative, for example, a phenolic preservative. The phenolic preservative can be phenol, metacresol (m-cresol), benzyl alcohol, and parabens including methylparaben and propylparaben. In particular, the phenolic preservative is phenol and/or m-cresol. The total amount of one or more phenolic preservative agents as a percentage (%) of mass concentration (w/v) can be between 0.05% to 0.6%, 0.1% to 0.4%, 0.1% to 0.3%, 0.15% to 0.325%, 0.15% to 0.25%, 0.1% to 0.2%, 0.2% to 0.3% or 0.3% to 0.4% inclusive. In such an example, the activity of the modified hyaluronan-degrading enzyme is tested or assessed in the presence of such a total amount (*e.g.*, between or about between 0.05% to 0.6%) of one or more preservatives, for example, one or more phenolic preservatives. In some examples, the modified hyaluronan-degrading enzyme also can be tested or assessed under a control or reference condition in which the assay buffer or composition is not modified to contain a preservative. In certain instances, as a control, the activity of modified hyaluronan-degrading enzymes also can be compared to the corresponding unmodified hyaluronan-degrading enzyme not containing the modification(s) under conditions that contain a preservative agent and/or under conditions that do not contain a preservative agent.

In another example, the assay buffer is modified by the presence of a denaturation condition that is low or no salt. As discussed elsewhere herein, hyaluronan-degrading enzymes, such as PH20, generally require salt (*e.g.*, NaCl, Lys-Lys or $MgCl_2$) for activity. Hence, the absence of salt or low salt is denaturing to the enzyme. In one example, the assay buffer is modified by inclusion of an amount of salt that is less than 100 mM, for example, less than 90 mM, 80 mM, 70 mM, 60 mM, 50 mM, 40 mM, 30 mM, 25 mM, 20 mM, 15 mM, 10 mM, 5 mM or less. In such an example, the activity of the modified hyaluronan-degrading enzyme is tested in the absence of salt or in the presence of salt that is less than 100 mM. In some examples, the modified hyaluronan-degrading enzyme also can be tested or assessed under a control or reference condition in which the assay buffer contains a higher salt concentration, generally between or about between 140 mM to 200 mM. In certain instances, as a control, the activity of modified hyaluronan-degrading enzymes also can be compared to the corresponding unmodified hyaluronan-degrading enzyme not containing the modification(s) under conditions that contain low or no salt, such as less than 100 mM and/or

under conditions that contain salt in an amount that is between or about between 140 mM to 200 mM.

Exposure of a hyaluronan-degrading enzyme to a denaturation condition also can be achieved by incubation of a modified hyaluronan-degrading enzyme under conditions that are known to be denaturing, such as under conditions of elevated temperature such as a temperature greater than or about or 30 °C (*e.g.*, 30 °C to 42 °C such as or about 37 °C) or agitation. For example, the activity of the modified hyaluronan-degrading enzyme is tested at elevated temperatures greater than or about or 30 °C to 42 °C. In some examples, the modified hyaluronan-degrading enzyme also can be tested or assessed under a control or reference condition where the temperatures is less than 30 °C, such as between or about between 0 °C to 25 °C, for example, 0 °C to 5 °C or 18 °C to 25 °C. In certain instances, as a control, the activity of modified hyaluronan-degrading enzymes also can be compared to the corresponding unmodified hyaluronan-degrading enzyme not containing the modification(s) under elevated temperatures greater than or about or 30 °C to 42 °C and/or temperatures is less than 30 °C, such as between or about between 0 °C to 25 °C, for example, 0 °C to 5 °C or 18 °C to 25 °C.

The modified hyaluronan-degrading enzyme can be exposed to one or more than one of the conditions. The exposure to one condition can occur simultaneously, subsequently, intermittently or periodically to exposure to one or more other conditions.

In one example, in the method herein, the modified hyaluronan-degrading enzyme is incubated or exposed to the denaturation condition or denaturing agent prior to performing an assay for hyaluronidase activity. For example, the modified hyaluronan-degrading enzyme is incubated in the presence of a denaturing agent or exposed to one or more denaturation conditions or control conditions, such as one or more of the denaturation conditions or control conditions as described above. The incubation or exposure can be for any desired length of time, and can be empirically determined by one of skill in the art. For example, the modified hyaluronan-degrading enzyme can be incubated or exposed to one or more denaturation conditions, denaturing agents or control conditions for or about for1 minute to 1 month, such as 1 minute to 3 weeks, 1 minute to 2 weeks, 1 minute to 1 week, 1 minute to 24 hours, 1 minute to 12 hours, such as 30 minutes to 6 hours or 1 hour to 4 hours, and generally at least or about at least 30 minutes, 1 hour, 2 hours, 3 hours, 4 hours, 5 hours, 6 hours, 7 hours, 8 hours, 9 hours, 10 hours, 11 hours or 12 hours. After the time of incubation or exposure, the sample or composition containing the modified hyaluronan-degrading enzyme (or control unmodified enzyme) is assessed for hyaluronidase assay. In another example, the modified hyaluronan-degrading enzyme is exposed or incubated under one or more denaturation

conditions and is simultaneously or concurrently assessed for hyaluronidase activity. In any examples where a modified hyaluronan-degrading enzyme is assessed, it is understood that an unmodified hyaluronan-degrading enzyme not containing the modifications(s) also can be assessed under similar assay conditions for comparison.

Assays to assess hyaluronidase activity are well known in the art. Examples of such assays are described in Section G. In one example, hyaluronidase activity can be assessed in a microturbidity assay, wherein the amount of undegraded HA is measured by the addition of a reagent that precipitates HA (*e.g.*, Cetylpyridinium chloride (CPC) or acidified serum) after the enzyme is allowed to react with HA. In another example, hyaluronidase activity can be assessed using a microtiter assay in which residual biotinylated hyaluronic acid is measured following incubation with hyaluronidase (see *e.g.*, Frost and Stern (1997) *Anal. Biochem.* 251:263-269, U.S. Pat. Publication No. 20050260186). The resulting activities under each of the tested conditions is determined and compared.

3. Selection or Identification

In the method, after screening modified hyaluronan-degrading enzymes under one or more denaturation conditions, the hyaluronidase activities of the tested enzymes are compared. The method is practiced in order to identify a modified hyaluronan-degrading enzyme that is more resistant to denaturation by a condition or a denaturing agent, whereby the activity of the enzyme is indicative of the stability of the enzyme as a measure of its resistance to denaturation. It is understood that some reduction of enzyme activity, as a result of denaturation, can be tolerated in various applications, and thus the method can be practiced to select for a modified hyaluronan-degrading enzymes that exhibits a requisite activity upon exposure to a denaturation condition to permit its use or application (*e.g.*, therapeutic activity). For example, a modified enzyme can be selected that loses activity more slowly than the corresponding unmodified or reference hyaluronan-degrading enzyme, but whose retained activity is sufficient for a particular application or purpose.

In examples of the methods herein, the activity of the modified hyaluronan degrading enzyme is assessed upon exposure to a first denaturation condition and also assessed upon exposure to a second condition that is a control or non-denaturation condition, and the resulting hyaluronidase activities compared. For comparison, in some examples, the activity can be represented as a ratio of activity or a percentage of activity under a denaturation condition compared to under a control or non-denaturation condition. For example, where the parameter that differs between the first and second condition is the presence of preservative (*e.g.*, phenolic preservative), activity can be represented as a ratio of activity or percentage of activity observed in the presence of preservative (*e.g.*, phenolic preservative) versus activity

in the absence of preservative (*e.g.*, phenolic preservative). In another example, where the parameter that differs between the first and second condition is temperature, activity can be represented as a ratio of activity or percentage of activity observed in the presence of elevated temperature (*e.g.*, 30 °C to 42 °C) compared to activity in the presence of a lower temperature such as 0 °C to 25 °C, for example 0 °C to 5 °C or 18 °C to 25 °C.

A modified hyaluronan-degrading enzyme is selected or identified that retains or exhibits any desired activity in the presence of the denaturation condition compared to in its absence. The particular cut-off of activity for selection of enzymes herein is dependent on the particular user and/or practice of the method and can be empirically determined depending on factors such as the particular denaturation condition or denaturing agent, the particular modified hyaluronan-degrading enzyme, the desired application of the identified or selected hyaluronan-degrading enzyme and other similar factors. Generally, a selected or identified modified hyaluronan-degrading enzyme exhibits stability if any detectable activity is measured or assessed upon exposure or incubation with a denaturation condition or denaturing agent. For example, a selected or identified modified hyaluronan-degrading enzyme exhibits stability, or resistance to a denaturation condition or denaturing agent, if it exhibits at least 5% or 10% of the activity of the same enzyme in the absence of the denaturation condition or denaturing agent, and generally if the modified hyaluronan-degrading enzyme exhibits an activity that is at least 15% of the initial hyaluronidase activity prior to incubation in the presence of the denaturation condition. For example, a modified hyaluronan-degrading enzyme is selected or identified that exhibits at least (or at least about) 16%, 17%, 18%, 19%, 20%, 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95%, 100%, 110%, 120%, 130%, 140%, 150%, 200%, 300%, 400%, 500% or more of the initial hyaluronidase activity of the modified hyaluronan-degrading enzyme tested under a control or non-denaturation condition.

In other examples of the methods herein, the activity of the modified hyaluronan degrading enzyme is assessed upon exposure to a denaturation condition and the activity of the unmodified or reference hyaluronan-degrading enzyme also is assessed upon exposure to the same denaturation conditions. In such examples, the activities are compared when the enzymes are exposed to the same conditions. For comparison, the activity under a denaturation condition can be represented as a ratio of activity or a percentage of activity of a modified hyaluronan-degrading enzyme compared to an unmodified or reference hyaluronan-degrading enzyme. In such examples, a modified hyaluronan-degrading enzyme is selected that exhibits greater activity under a denaturation condition than the unmodified or reference hyaluronan-degrading enzyme. Thus, the modified hyaluronan-degrading enzyme is one that

is more resistant to the condition. For example, where the denaturation condition is the presence of preservative (*e.g.*, phenolic preservative), the activity observed in the presence of preservative (*e.g.*, phenolic preservative) can be represented as a ratio of activity or percentage of activity of the modified hyaluronan-degrading enzyme compared to the unmodified or reference hyaluronan-degrading enzyme. In another example, where the denaturation condition is high temperature, activity observed in the presence of elevated temperature (*e.g.*, 30 °C to 42 °C) can be represented as a ratio of activity or percentage of activity of the modified hyaluronan-degrading enzyme compared to the unmodified or reference hyaluronan-degrading enzyme.

In such examples, a modified hyaluronan-degrading enzyme, such as a modified PH20, is identified or selected that exhibits a ratio of activity that is greater than or at least 1.1, such that the enzyme exhibits greater activity than the unmodified or reference hyaluronan-degrading enzyme under the denaturation condition. For example, the ratio is at least or at least about 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 2.0, 2.5, 3.0, 3.5, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0 or greater. A modified hyaluronan-degrading enzyme (*e.g.*, a modified PH20) can be selected if its activity is at least 120%, 130%, 140%, 150%, 160%, 170%, 180%, 190%, 200%, 250%, 300%, 400%, 500% or more of the activity of the unmodified or reference hyaluronan-degrading enzyme when tested under the same conditions. Thus, modified hyaluronan-degrading enzymes are identified that exhibit greater or improved stability compared to the unmodified hyaluronan-degrading enzyme or a reference hyaluronan-degrading enzyme as manifested by increased resistance to a denaturation condition or denaturing agent.

4. Iterative Methods

The method provided herein also is iterative. In one example, after the method is performed, any modified hyaluronan-degrading enzymes identified as exhibiting stability, such as increased stability, under a denaturation condition can be modified or further modified to increase or optimize the stability. A secondary library can be created by introducing additional modifications in a first identified modified hyaluronan-degrading enzyme. For example, modifications that were identified as conferring stability, such as increasing stability, can be combined to generate a combinatorial library. The secondary library can be tested using the assays and methods described herein.

In another example of an iterative aspect of the method, modified hyaluronan-degrading enzymes that are identified as not exhibiting stability such as increased stability (*e.g.*, such that they are not active or do not have increased activity under the a denaturation condition), can be further modified and retested for stability under a denaturation condition.

The further modifications can be targeted near particular regions (*e.g.*, particular amino acid residues) associated with activity and/or stability of the molecule. For example, residues that are associated with activity and/or stability of the molecule generally are critical residues that are involved in the structural folding or other activities of the molecule. Hence, such residues are required for activity, generally under any condition. Critical residues can be identified because, when mutated, a normal activity of the protein is ablated or reduced. For example, critical residues can be identified that, when mutated in a hyaluronan-degrading enzyme, exhibit reduced or ablated hyaluronidase activity under a normal or control assay condition. A further library of modified proteins can be generated with amino acid mutations targeted at or near to the identified critical amino acid residues, such as adjacent to the identified critical amino acid residues. In some examples, the mutations can be amino acid replacement to any other of up to 19 other amino acid residues. The secondary library can be tested using the assays and methods described herein.

E. PRODUCTION OF MODIFIED PH20 POLYPEPTIDES AND ENCODING NUCLEIC ACID MOLECULES

Polypeptides of a modified PH20 polypeptide set forth herein can be obtained by methods well known in the art for protein purification and recombinant protein expression. Polypeptides also can be synthesized chemically. Modified or variant, including truncated, forms can be engineered from a wildtype polypeptide using standard recombinant DNA methods. For example, modified PH20 polypeptides can be engineered from a wildtype polypeptide, such as by site-directed mutagenesis.

1. Isolation or Preparation of Nucleic Acids Encoding PH20 Polypeptides

Polypeptides can be cloned or isolated using any available methods known in the art for cloning and isolating nucleic acid molecules. Such methods include PCR amplification of nucleic acids and screening of libraries, including nucleic acid hybridization screening, antibody-based screening and activity-based screening.

For example, when the polypeptides are produced by recombinant means, any method known to those of skill in the art for identification of nucleic acids that encode desired genes can be used. Any method available in the art can be used to obtain a full length or partial (*i.e.*, encompassing the entire coding region) cDNA or genomic DNA clone encoding a PH20, such as from a cell or tissue source.

Methods for amplification of nucleic acids can be used to isolate nucleic acid molecules encoding a desired polypeptide, including for example, polymerase chain reaction (PCR) methods. Examples of such methods include use of a Perkin-Elmer Cetus thermal cycler and Taq polymerase (Gene Amp). A nucleic acid containing material can be used as a

starting material from which a desired polypeptide-encoding nucleic acid molecule can be isolated. For example, DNA and mRNA preparations, cell extracts, tissue extracts, fluid samples (*e.g.*, blood, serum, saliva), samples from healthy and/or diseased subjects can be used in amplification methods. The source can be from any eukaryotic species including, but not limited to, vertebrate, mammalian, human, porcine, bovine, feline, avian, equine, canine, and other primate sources. Nucleic acid libraries also can be used as a source of starting material. Primers can be designed to amplify a desired polypeptide. For example, primers can be designed based on expressed sequences from which a desired polypeptide is generated. Primers can be designed based on back-translation of a polypeptide amino acid sequence. If desired, degenerate primers can be used for amplification. Oligonucleotide primers that hybridize to sequences at the 3' and 5' termini of the desired sequence can be uses as primers to amplify by PCR sequences from a nucleic acid sample. Primers can be used to amplify the entire full-length PH20, or a truncated sequence thereof, such as a nucleic acid encoding any of the soluble PH20 polypeptides provided herein. Nucleic acid molecules generated by amplification can be sequenced and confirmed to encode a desired polypeptide.

Additional nucleotide sequences can be joined to a polypeptide-encoding nucleic acid molecule, including linker sequences containing restriction endonuclease sites for the purpose of cloning the synthetic gene into a vector, for example, a protein expression vector or a vector designed for the amplification of the core protein coding DNA sequences. Furthermore, additional nucleotide sequences specifying functional DNA elements can be operatively linked to a polypeptide-encoding nucleic acid molecule. Examples of such sequences include, but are not limited to, promoter sequences designed to facilitate intracellular protein expression, and secretion sequences, for example heterologous signal sequences, designed to facilitate protein secretion. Such sequences are known to those of skill in the art. For example, exemplary heterologous signal sequences include, but are not limited to, human and mouse kappa IgG heterologous signal sequences set forth in SEQ ID NO: 868. Additional nucleotide residue sequences such as sequences of bases specifying protein binding regions also can be linked to enzyme-encoding nucleic acid molecules. Such regions include, but are not limited to, sequences of residues that facilitate or encode proteins that facilitate uptake of an enzyme into specific target cells, or otherwise alter pharmacokinetics of a product of a synthetic gene.

In addition, tags or other moieties can be added, for example, to aid in detection or affinity purification of the polypeptide. For example, additional nucleotide residue sequences such as sequences of bases specifying an epitope tag or other detectable marker also can be

linked to enzyme-encoding nucleic acid molecules. Examples of such sequences include nucleic acid sequences encoding a His tag or Flag Tag.

The identified and isolated nucleic acids can then be inserted into an appropriate cloning vector. A large number of vector-host systems known in the art can be used. Possible vectors include, but are not limited to, plasmids or modified viruses, but the vector system must be compatible with the host cell used. Such vectors include, but are not limited to, bacteriophages such as lambda derivatives, or plasmids such as pCMV4, pBR322 or pUC plasmid derivatives or the Bluescript vector (Stratagene, La Jolla, CA). Other expression vectors include the HZ24 expression vector exemplified herein (see *e.g.*, SEQ ID NOS:4 and 5). The insertion into a cloning vector can, for example, be accomplished by ligating the DNA fragment into a cloning vector which has complementary cohesive termini. Insertion can be effected using TOPO cloning vectors (Invitrogen, Carlsbad, CA).

If the complementary restriction sites used to fragment the DNA are not present in the cloning vector, the ends of the DNA molecules can be enzymatically modified. Alternatively, any site desired can be produced by ligating nucleotide sequences (linkers) onto the DNA termini; these ligated linkers can contain specific chemically synthesized oligonucleotides encoding restriction endonuclease recognition sequences. In an alternative method, the cleaved vector and protein gene can be modified by homopolymeric tailing.

Recombinant molecules can be introduced into host cells via, for example, transformation, transfection, infection, electroporation and sonoporation, so that many copies of the gene sequence are generated. In specific embodiments, transformation of host cells with recombinant DNA molecules that incorporate the isolated protein gene, cDNA, or synthesized DNA sequence enables generation of multiple copies of the gene. Thus, the gene can be obtained in large quantities by growing transformants, isolating the recombinant DNA molecules from the transformants and, when necessary, retrieving the inserted gene from the isolated recombinant DNA.

In addition to recombinant production, modified PH20 polypeptides provided herein can be produced by direct peptide synthesis using solid-phase techniques (see *e.g.*, Stewart *et al.* (1969) *Solid-Phase Peptide Synthesis*, WH Freeman Co., San Francisco; Merrifield J (1963) *J Am Chem Soc.*, 85:2149-2154). *In vitro* protein synthesis can be performed using manual techniques or by automation. Automated synthesis can be achieved, for example, using Applied Biosystems 431A Peptide Synthesizer (Perkin Elmer, Foster City CA) in accordance with the instructions provided by the manufacturer. Various fragments of a polypeptide can be chemically synthesized separately and combined using chemical methods.

2. Generation of Mutant or Modified Nucleic Acid and Encoding Polypeptides

The modifications provided herein can be made by standard recombinant DNA techniques such as are routine to one of skill in the art. Any method known in the art to effect mutation of any one or more amino acids in a target protein can be employed. Methods include standard site-directed mutagenesis (using *e.g.*, a kit, such as QuikChange available from Stratagene) of encoding nucleic acid molecules, or by solid phase polypeptide synthesis methods.

3. Vectors and Cells

For recombinant expression of one or more of the desired proteins, such as any modified PH20 polypeptide described herein, the nucleic acid containing all or a portion of the nucleotide sequence encoding the protein can be inserted into an appropriate expression vector, *i.e.*, a vector that contains the necessary elements for the transcription and translation of the inserted protein coding sequence. The necessary transcriptional and translational signals also can be supplied by the native promoter for enzyme genes, and/or their flanking regions.

Also provided are vectors that contain a nucleic acid encoding the enzyme. Cells containing the vectors also are provided. The cells include eukaryotic and prokaryotic cells, and the vectors are any suitable for use therein. Generally, the cell is a cell that is capable of effecting glyosylation of the encoded protein.

Prokaryotic and eukaryotic cells containing the vectors are provided. Such cells include bacterial cells, yeast cells, fungal cells, Archea, plant cells, insect cells and animal cells. The cells are used to produce a protein thereof by growing the above-described cells under conditions whereby the encoded protein is expressed by the cell, and recovering the expressed protein. For purposes herein, for example, the enzyme can be secreted into the medium.

A host cell strain can be chosen for its ability to modulate the expression of the inserted sequences or to process the expressed protein in the desired fashion. Such modifications of the polypeptide include, but are not limited to, acetylation, carboxylation, glycosylation, phosphorylation, lipidation and acylation. Post-translational processing can impact the folding and/or function of the polypeptide. Different host cells, such as, but not limited to, CHO (DG44, DXB11, CHO-K1), HeLa, MCDK, 293 and WI38 have specific cellular machinery and characteristic mechanisms for such post-translational activities and can be chosen to ensure the correct modification and processing of the introduced protein. Generally, the choice of cell is one that is capable of introducing N-linked glycosylation into the expressed polypeptide. Hence, eukaryotic cells containing the vectors are provided.

Exemplary eukaryotic cells are mammalian Chinese Hamster Ovary (CHO) cells. For example, CHO cells deficient in dihydrofolate reductase (*e.g.*, DG44 cells) are used to produce polypeptides provided herein. Note that bacterial expression of an PH20 polypepyideprovided herein will not result in a catalytically active polypeptide, but when combined with proper glycosylation machinery, the PH20 can be artificially glycosylated.

Provided are vectors that contain a sequence of nucleotides that encodes the modified PH20 polypeptide, coupled to the native or heterologous signal sequence, as well as multiple copies thereof. The vectors can be selected for expression of the enzyme protein in the cell or such that the enzyme protein is expressed as a secreted protein.

A variety of host-vector systems can be used to express the protein encoding sequence. These include but are not limited to mammalian cell systems infected with virus (*e.g.*, vaccinia virus, adenovirus and other viruses); insect cell systems infected with virus (*e.g.*, baculovirus); microorganisms such as yeast containing yeast vectors; or bacteria transformed with bacteriophage, DNA, plasmid DNA, or cosmid DNA. The expression elements of vectors vary in their strengths and specificities. Depending on the host-vector system used, any one of a number of suitable transcription and translation elements can be used.

Any methods known to those of skill in the art for the insertion of DNA fragments into a vector can be used to construct expression vectors containing a chimeric gene containing appropriate transcriptional/translational control signals and protein coding sequences. These methods can include *in vitro* recombinant DNA and synthetic techniques and *in vivo* recombinants (genetic recombination). Expression of nucleic acid sequences encoding protein, or domains, derivatives, fragments or homologs thereof, can be regulated by a second nucleic acid sequence so that the genes or fragments thereof are expressed in a host transformed with the recombinant DNA molecule(s). For example, expression of the proteins can be controlled by any promoter/enhancer known in the art. In a specific embodiment, the promoter is not native to the genes for a desired protein. Promoters which can be used include, but are not limited to, the SV40 early promoter (Bernoist and Chambon, *Nature 290*:304-310 (1981)), the promoter contained in the 3' long terminal repeat of Rous sarcoma virus (Yamamoto *et al. Cell 22*:787-797 (1980)), the herpes thymidine kinase promoter (Wagner *et al., Proc. Natl. Acad. Sci. USA 78*:1441-1445 (1981)), the regulatory sequences of the metallothionein gene (Brinster *et al., Nature* 296:39-42 (1982)); prokaryotic expression vector promoters, such as the β-lactamase promoter (Jay *et al.*, (1981) *Proc. Natl. Acad. Sci. USA 78*:5543) or the *tac* promoter (DeBoer *et al., Proc. Natl. Acad. Sci. USA 80*:21-25 (1983); see also Gilbert and Villa-Komaroff, "Useful Proteins from Recombinant

Bacteria," Scientific American 242:74-94 (1980)); plant expression vector promoters, such as the nopaline synthetase promoter (Herrera-Estrella *et al.*, *Nature 303*:209-213 (1984)) or the cauliflower mosaic virus 35S RNA promoter (Gardner *et al.*, *Nucleic Acids Res. 9*:2871 (1981)), and the promoter of the photosynthetic enzyme ribulose bisphosphate carboxylase (Herrera-Estrella *et al.*, *Nature 310*:115-120 (1984)); promoter elements from yeast and other fungi such as the Gal4 promoter, the alcohol dehydrogenase promoter, the phosphoglycerol kinase promoter, the alkaline phosphatase promoter, and the following animal transcriptional control regions that exhibit tissue specificity and have been used in transgenic animals: elastase I gene control region which is active in pancreatic acinar cells (Swift *et al.*, *Cell 38*:639-646 (1984); Ornitz *et al.*, *Cold Spring Harbor Symp. Quant. Biol. 50*:399-409 (1986); MacDonald, *Hepatology 7*:425-515 (1987)); insulin gene control region which is active in pancreatic beta cells (Hanahan *et al.*, *Nature 315*:115-122 (1985)), immunoglobulin gene control region which is active in lymphoid cells (Grosschedl *et al.*, *Cell 38*:647-658 (1984); Adams *et al.*, *Nature 318*:533-538 (1985); Alexander *et al.*, *Mol. Cell Biol. 7*:1436-1444 (1987)), mouse mammary tumor virus control region which is active in testicular, breast, lymphoid and mast cells (Leder *et al.*, *Cell 45*:485-495 (1986)), albumin gene control region which is active in liver (Pinkert *et al.*, *Genes and Devel. 1*:268-276 (1987)), alpha-fetoprotein gene control region which is active in liver (Krumlauf *et al.*, *Mol. Cell. Biol. 5*:1639-1648 (1985); Hammer *et al.*, *Science 235*:53-58 1987)), alpha-1 antitrypsin gene control region which is active in liver (Kelsey *et al.*, *Genes and Devel. 1*:161-171 (1987)), beta globin gene control region which is active in myeloid cells (Magram *et al.*, *Nature 315*:338-340 (1985); Kollias *et al.*, *Cell 46*:89-94 (1986)), myelin basic protein gene control region which is active in oligodendrocyte cells of the brain (Readhead *et al.*, *Cell 48*:703-712 (1987)), myosin light chain-2 gene control region which is active in skeletal muscle (Shani, *Nature 314*:283-286 (1985)), and gonadotrophic releasing hormone gene control region which is active in gonadotrophs of the hypothalamus (Mason *et al.*, *Science 234*:1372-1378 (1986)).

In a specific embodiment, a vector is used that contains a promoter operably linked to nucleic acids encoding a desired protein, or a domain, fragment, derivative or homolog thereof, one or more origins of replication, and optionally, one or more selectable markers (*e.g.*, an antibiotic resistance gene). Depending on the expression system, specific initiation signals also are required for efficient translation of a PH20 sequence. These signals include the ATG initiation codon and adjacent sequences. In cases where the initiation codon and upstream sequences of PH20 or soluble forms thereof are inserted into the appropriate expression vector, no additional translational control signals are needed. In cases where only a coding sequence, or a portion thereof, is inserted, exogenous transcriptional control signals

including the ATG initiation codon must be provided. Furthermore, the initiation codon must be in the correct reading frame to ensure transcription of the entire insert. Exogenous transcriptional elements and initiation codons can be of various origins, both natural and synthetic. The efficiency of expression can be enhanced by the inclusion of enhancers appropriate to the cell system in use (Scharf *et al.* (1994) *Results Probl Cell Differ* 20:125-62; Bittner *et al.* (1987) *Methods in Enzymol*, 153:516-544).

Exemplary plasmid vectors for transformation of *E. coli* cells include, for example, the pQE expression vectors (available from Qiagen, Valencia, CA; see also literature published by Qiagen describing the system). pQE vectors have a phage T5 promoter (recognized by *E. coli* RNA polymerase) and a double lac operator repression module to provide tightly regulated, high-level expression of recombinant proteins in *E. coli*, a synthetic ribosomal binding site (RBS II) for efficient translation, a 6xHis tag coding sequence, t_0 and T1 transcriptional terminators, ColE1 origin of replication, and a beta-lactamase gene for conferring ampicillin resistance. The pQE vectors enable placement of a 6xHis tag at either the N- or C-terminus of the recombinant protein. Such plasmids include pQE 32, pQE 30, and pQE 31 which provide multiple cloning sites for all three reading frames and provide for the expression of N-terminally 6xHis-tagged proteins. Other exemplary plasmid vectors for transformation of *E. coli* cells, include, for example, the pET expression vectors (see, U.S. patent 4,952,496; available from Novagen, Madison, WI; see, also literature published by Novagen describing the system). Such plasmids include pET 11a, which contains the T7lac promoter, T7 terminator, the inducible *E. coli* lac operator, and the lac repressor gene; pET 12a-c, which contains the T7 promoter, T7 terminator, and the *E. coli* ompT secretion signal; and pET 15b and pET19b (Novagen, Madison, WI), which contain a His-Tag™ leader sequence for use in purification with a His column and a thrombin cleavage site that permits cleavage following purification over the column, the T7-lac promoter region and the T7 terminator.

Typically, vectors can be plasmids, viral vectors, or others known in the art, used for expression of the modified PH20 polypeptide *in vivo* or *in vitro*. For example, the modified PH20 polypeptide is expressed in mammalian cells, including, for example, Chinese Hamster Ovary (CHO) cells. An exemplary vector for mammalian cell expression is the HZ24 expression vector. The HZ24 expression vector was derived from the pCI vector backbone (Promega). It contains DNA encoding the Beta-lactamase resistance gene (AmpR), an F1 origin of replication, a Cytomegalovirus immediate-early enhancer/promoter region (CMV), and an SV40 late polyadenylation signal (SV40). The expression vector also has an internal

ribosome entry site (IRES) from the ECMV virus (Clontech) and the mouse dihydrofolate reductase (DHFR) gene.

Viral vectors, such as adenovirus, retrovirus or vaccinia virus vectors, can be employed. In some examples, the vector is a defective or attenuated retroviral or other viral vector (see U. S. Patent No. 4,980,286). For example, a retroviral vector can be used (see Miller et al., Meth. Enzymol. 217: 581-599 (1993)). These retroviral vectors have been modified to delete retroviral sequences that are not necessary for packaging of the viral genome and integration into host cell DNA.

In some examples, viruses armed with a nucleic acid encoding a modified PH20 polypeptide can facilitate their replication and spread within a target tissue for example. The target tissue can be a cancerous tissue whereby the virus is capable of selective replication within the tumor. The virus can also be a non-lytic virus wherein the virus selectively replicates under a tissue specific promoter. As the viruses replicate, the coexpression of the PH20 polypeptide with viral genes will facilitate the spread of the virus in vivo.

4. Expression

Modified PH20 polypeptides can be produced by any method known to those of skill in the art including *in vivo* and *in vitro* methods. Desired proteins can be expressed in any organism suitable to produce the required amounts and forms of the proteins, such as for example, those needed for administration and treatment. Expression hosts include prokaryotic and eukaryotic organisms such as *E.coli*, yeast, plants, insect cells, mammalian cells, including human cell lines and transgenic animals. Expression hosts can differ in their protein production levels as well as the types of post-translational modifications that are present on the expressed proteins. The choice of expression host can be made based on these and other factors, such as regulatory and safety considerations, production costs and the need and methods for purification.

Many expression vectors are available and known to those of skill in the art and can be used for expression of proteins. The choice of expression vector will be influenced by the choice of host expression system. In general, expression vectors can include transcriptional promoters and optionally enhancers, translational signals, and transcriptional and translational termination signals. Expression vectors that are used for stable transformation typically have a selectable marker which allows selection and maintenance of the transformed cells. In some cases, an origin of replication can be used to amplify the copy number of the vector.

Modified PH20 polypeptides also can be utilized or expressed as protein fusions. For example, an enzyme fusion can be generated to add additional functionality to an enzyme. Examples of enzyme fusion proteins include, but are not limited to, fusions of a signal

sequence, a tag such as for localization, *e.g.*, a 6xHis or His_6 tag or a myc tag, or a tag for purification, for example, a GST fusion, and a sequence for directing protein secretion and/or membrane association.

For long-term, high-yield production of recombinant proteins, stable expression is desired. For example, cell lines that stably express a modified PH20 polypeptide can be transformed using expression vectors that contain viral origins of replication or endogenous expression elements and a selectable marker gene. Following the introduction of the vector, cells can be allowed to grow for 1-2 days in an enriched medium before they are switched to selective media. The purpose of the selectable marker is to confer resistance to selection, and its presence allows growth and recovery of cells that successfully express the introduced sequences. Resistant cells of stably transformed cells can be proliferated using tissue culture techniques appropriate to the cell types.

Any number of selection systems can be used to recover transformed cell lines. These include, but are not limited to, the herpes simplex virus thymidine kinase (Wigler, M et al. (1977) Cell, 11:223-32) and adenine phosphoribosyltransferase (Lowy, I et al. (1980) Cell, 22:817-23) genes, which can be employed in TK- or APRT- cells, respectively. Also, antimetabolite, antibiotic or herbicide resistance can be used as the basis for selection. For example, DHFR, which confers resistance to methotrexate (Wigler, M et al. (1980) Proc. Natl. Acad. Sci, 77:3567-70); npt, which confers resistance to the aminoglycosides neomycin and G-418 (Colbere-Garapin, F et al. (1981) J. Mol. Biol., 150:1-14); and als or pat, which confer resistance to chlorsulfuron and phosphinotricin acetyltransferase, respectively, can be used. Additional selectable genes have been described, for example, trpB, which allows cells to utilize indole in place of typtophan or hisD, which allows cells to utilize histinol in place of histidine (Hartman SC and RC Mulligan (1988) Proc. Natl. Acad. Sci, 85:8047-51). Visible markers, such as but not limited to, anthocyanins, beta glucuronidase and its substrate, GUS, and luciferase and its substrate luciferin, also can be used to identify transformants and also to quantify the amount of transient or stable protein expression attributable to a particular vector system (Rhodes CA et al. (1995) Methods Mol. Biol. 55:121-131).

The presence and expression of PH20 polypeptides can be monitored. For example, detection of a functional polypeptide can be determined by testing the conditioned media for hyaluronidase enzyme activity under appropriate conditions. Exemplary assays to assess the solubility and activity of expressed proteins are provided herein.

a. Prokaryotic Cells

Prokaryotes, especially *E. coli*, provide a system for producing large amounts of proteins. Transformation of *E. coli* is a simple and rapid technique well known to those of

skill in the art. Expression vectors for *E.coli* can contain inducible promoters. Such promoters are useful for inducing high levels of protein expression and for expressing proteins that exhibit some toxicity to the host cells. Examples of inducible promoters include the lac promoter, the trp promoter, the hybrid tac promoter, the T7 and SP6 RNA promoters and the temperature regulated λPL promoter.

Proteins, such as any provided herein, can be expressed in the cytoplasmic environment of *E. coli*. The cytoplasm is a reducing environment, and for some molecules, this can result in the formation of insoluble inclusion bodies. Reducing agents such as dithiothreotol and β-mercaptoethanol and denaturants, such as guanidine-HCl and urea can be used to resolubilize the proteins. An alternative approach effects protein expression in the periplasmic space of bacteria which provides an oxidizing environment and chaperonin-like and disulfide isomerases, which can aid in the production of soluble protein. Typically, a leader sequence is fused to the protein to be expressed which directs the protein to the periplasm. The leader is then removed by signal peptidases inside the periplasm. Examples of periplasmic-targeting leader sequences include the pelB leader from the pectate lyase gene and the leader derived from the alkaline phosphatase gene. In some cases, periplasmic expression allows leakage of the expressed protein into the culture medium. The secretion of proteins allows quick and simple purification from the culture supernatant. Proteins that are not secreted can be obtained from the periplasm by osmotic lysis. Similar to cytoplasmic expression, in some cases proteins can become insoluble and denaturants and reducing agents can be used to facilitate solubilization and refolding. Temperature of induction and growth also can influence expression levels and solubility, typically temperatures between 25 °C and 37 °C are used. Typically, bacteria produce aglycosylated proteins. Thus, if proteins require glycosylation for function, glycosylation can be added *in vitro* after purification from host cells.

b. Yeast Cells

Yeasts such as *Saccharomyces cerevisae*, *Schizosaccharomyces pombe*, *Yarrowia lipolytica*, *Kluyveromyces lactis* and *Pichia pastoris* are well known yeast expression hosts that can be used for production of proteins, such as any described herein. Yeast can be transformed with episomal replicating vectors or by stable chromosomal integration by homologous recombination. Typically, inducible promoters are used to regulate gene expression. Examples of such promoters include GAL1, GAL7 and GAL5 and metallothionein promoters, such as CUP1, AOX1 or other *Pichia* or other yeast promoters. Expression vectors often include a selectable marker such as LEU2, TRP1, HIS3 and URA3 for selection and maintenance of the transformed DNA. Proteins expressed in yeast are often

soluble. Co-expression with chaperonins such as Bip and protein disulfide isomerase can improve expression levels and solubility. Additionally, proteins expressed in yeast can be directed for secretion using secretion signal peptide fusions such as the yeast mating type alpha-factor secretion signal from *Saccharomyces cerevisae* and fusions with yeast cell surface proteins such as the Aga2p mating adhesion receptor or the *Arxula adeninivorans* glucoamylase. A protease cleavage site such as for the Kex-2 protease, can be engineered to remove the fused sequences from the expressed polypeptides as they exit the secretion pathway. Yeast also is capable of glycosylation at Asn-X-Ser/Thr motifs.

c. Insects and Insect Cells

Insect cells, particularly using baculovirus expression, are useful for expressing polypeptides such as PH20 polypeptides. Insect cells express high levels of protein and are capable of most of the post-translational modifications used by higher eukaryotes. Baculoviruses have a restrictive host range which improves the safety and reduces regulatory concerns of eukaryotic expression. Typical expression vectors use a promoter for high level expression such as the polyhedrin promoter of baculovirus. Commonly used baculovirus systems include a baculovirus, such as the Autographa californica nuclear polyhedrosis virus (AcNPV)or the bombyx mori nuclear polyhedrosis virus (BmNPV), and an insect cell line, such as Sf9 derived from Spodoptera frugiperda, Pseudaletia unipuncta (A7S) and Danaus plexippus (DpN1). For high-level expression, the nucleotide sequence of the molecule to be expressed is fused immediately downstream of the polyhedrin initiation codon of the virus. Mammalian secretion signals are accurately processed in insect cells and can be used to secrete the expressed protein into the culture medium. In addition, the cell lines Pseudaletia unipuncta (A7S) and Danaus plexippus (DpN1) produce proteins with glycosylation patterns similar to mammalian cell systems. Exemplary insect cells are those that have been altered to reduce immunogenicity, including those with "mammalianized" baculovirus expression vectors and those lacking the enzyme FT3.

An alternative expression system in insect cells employs stably transformed cells. Cell lines such as the Schnieder 2 (S2) and Kc cells (*Drosophila melanogaster*) and C7 cells (*Aedes albopictus*) can be used for expression. The Drosophila metallothionein promoter can be used to induce high levels of expression in the presence of heavy metal induction with cadmium or copper. Expression vectors are typically maintained by the use of selectable markers such as neomycin and hygromycin.

d. Mammalian expression

Mammalian expression systems can be used to express proteins including PH20 polypeptides. Expression constructs can be transferred to mammalian cells by viral infection

such as by adenovirus or by direct DNA transfer such as liposomes, calcium phosphate, DEAE-dextran and by physical means such as electroporation and microinjection. Expression vectors for mammalian cells typically include an mRNA cap site, a TATA box, a translational initiation sequence (Kozak consensus sequence) and polyadenylation elements. IRES elements also can be added to permit bicistronic expression with another gene, such as a selectable marker. Such vectors often include transcriptional promoter-enhancers for high-level expression, for example the SV40 promoter-enhancer, the human cytomegalovirus (CMV) promoter and the long terminal repeat of Rous sarcoma virus (RSV). These promoter-enhancers are active in many cell types. Tissue and cell-type promoters and enhancer regions also can be used for expression. Exemplary promoter/enhancer regions include, but are not limited to, those from genes such as elastase I, insulin, immunoglobulin, mouse mammary tumor virus, albumin, alpha fetoprotein, alpha 1 antitrypsin, beta globin, myelin basic protein, myosin light chain 2, and gonadotropic releasing hormone gene control. Selectable markers can be used to select for and maintain cells with the expression construct. Examples of selectable marker genes include, but are not limited to, hygromycin B phosphotransferase, adenosine deaminase, xanthine-guanine phosphoribosyl transferase, aminoglycoside phosphotransferase, dihydrofolate reductase (DHFR) and thymidine kinase. For example, expression can be performed in the presence of methotrexate to select for only those cells expressing the DHFR gene. Fusion with cell surface signaling molecules such as TCR-ζ and $Fc_{\varepsilon}RI$-γ can direct expression of the proteins in an active state on the cell surface.

Many cell lines are available for mammalian expression including mouse, rat human, monkey, chicken and hamster cells. Exemplary cell lines include but are not limited to CHO, Balb/3T3, HeLa, MT2, mouse NS0 (nonsecreting) and other myeloma cell lines, hybridoma and heterohybridoma cell lines, lymphocytes, fibroblasts, Sp2/0, COS, NIH3T3, HEK293, 293S, 2B8, and HKB cells. Cell lines also are available adapted to serum-free media which facilitates purification of secreted proteins from the cell culture media. Examples include CHO-S cells (Invitrogen, Carlsbad, CA, cat # 11619-012) and the serum free EBNA-1 cell line (Pham *et al.*, (2003) *Biotechnol. Bioeng. 84*:332-42.). Cell lines also are available that are adapted to grow in special mediums optimized for maximal expression. For example, DG44 CHO cells are adapted to grow in suspension culture in a chemically defined, animal product-free medium.

e. Plants

Transgenic plant cells and plants can be used to express proteins such as any described herein. Expression constructs are typically transferred to plants using direct DNA transfer such as microprojectile bombardment and PEG-mediated transfer into protoplasts,

and with agrobacterium-mediated transformation. Expression vectors can include promoter and enhancer sequences, transcriptional termination elements and translational control elements. Expression vectors and transformation techniques are usually divided between dicot hosts, such as *Arabidopsis* and tobacco, and monocot hosts, such as corn and rice. Examples of plant promoters used for expression include the cauliflower mosaic virus promoter, the nopaline syntase promoter, the ribose bisphosphate carboxylase promoter and the ubiquitin and UBQ3 promoters. Selectable markers such as hygromycin, phosphomannose isomerase and neomycin phosphotransferase are often used to facilitate selection and maintenance of transformed cells. Transformed plant cells can be maintained in culture as cells, aggregates (callus tissue) or regenerated into whole plants. Transgenic plant cells also can include algae engineered to produce hyaluronidase polypeptides. Because plants have different glycosylation patterns than mammalian cells, this can influence the choice of protein produced in these hosts.

5. Purification

Host cells transformed with a nucleic acid sequence encoding a modified PH20 polypeptide can be cultured under conditions suitable for the expression and recovery of the encoded protein from cell culture. The protein produced by a recombinant cell is generally secreted, but may be contained intracellularly depending on the sequence and/or the vector used. As will be understood by those of skill in the art, expression vectors containing nucleic acid encoding PH20 can be designed with signal sequences that facilitate direct secretion of PH20 through prokaryotic or eukaryotic cell membranes.

Thus, methods for purification of polypeptides from host cells will depend on the chosen host cells and expression systems. For secreted molecules, proteins are generally purified from the culture media after removing the cells. For intracellular expression, cells can be lysed and the proteins purified from the extract. When transgenic organisms such as transgenic plants and animals are used for expression, tissues or organs can be used as starting material to make a lysed cell extract. Additionally, transgenic animal production can include the production of polypeptides in milk or eggs, which can be collected, and if necessary, the proteins can be extracted and further purified using standard methods in the art.

Proteins, such as modified PH20 polypeptides, can be purified using standard protein purification techniques known in the art including but not limited to, SDS-PAGE, size fractionation and size exclusion chromatography, ammonium sulfate precipitation and ionic exchange chromatography, such as anion exchange chromatography. Affinity purification techniques also can be utilized to improve the efficiency and purity of the preparations. For example, antibodies, receptors and other molecules that bind PH20 hyaluronidase enzymes

can be used in affinity purification. For example, soluble PH20 can be purified from conditioned media.

Expression constructs also can be engineered to add an affinity tag to a protein such as a myc epitope, GST fusion or His_6 and affinity purified with myc antibody, glutathione resin or Ni-resin, respectively. Such tags can be joined to the nucleotide sequence encoding a soluble PH20 as described elsewhere herein, which can facilitate purification of soluble proteins. For example, a modified PH20 polypeptide can be expressed as a recombinant protein with one or more additional polypeptide domains added to facilitate protein purification. Such purification facilitating domains include, but are not limited to, metal chelating peptides such as histidine-tryptophan modules that allow purification on immobilized metals, protein A domains that allow purification on immobilized immunoglobulin and the domain utilized in the FLAGS extension/affinity purification system (Immunex Corp., Seattle Wash.). The inclusion of a cleavable linker sequence such as Factor XA or enterokinase (Invitrogen, San Diego, CA) between the purification domain and the expressed PH20 polypeptide is useful to facilitate purification. One such expression vector provides for expression of a fusion protein containing a PH20 polypeptide in and an enterokinase cleavage site. The histidine residues facilitate purification on IMIAC (immobilized metal ion affinity chromatography), while the enterokinase cleavage site provides a means for purifying the polypeptide from the fusion protein.

Purity can be assessed by any method known in the art including gel electrophoresis, orthogonal HPLC methods, staining and spectrophotometric techniques. The expressed and purified protein can be analyzed using any assay or method known to one of skill in the art, for example, any described in Section G. These include assays based on the physical and/or functional properties of the protein, including, but not limited to, analysis by gel electrophoresis, immunoassay and assays of hyaluronidase activity.

Depending on the expression system and host cells used, the resulting polypeptide can be heterogeneous due to peptidases present in the culture medium upon production and purification. For example, culture of soluble PH20 in CHO cells can result in a mixture of heterogeneous polypeptides.

6. Modification of Polypeptides by PEGylation

Polyethylene glycol (PEG) has been widely used in biomaterials, biotechnology and medicine primarily because PEG is a biocompatible, nontoxic, water-soluble polymer that is typically nonimmunogenic (Zhao and Harris, *ACS Symposium Series* 680: 458-72, 1997). In the area of drug delivery, PEG derivatives have been widely used in covalent attachment (*i.e.*, "PEGylation") to proteins to reduce immunogenicity, proteolysis and kidney clearance and to

enhance solubility (Zalipsky, Adv. Drug Del. Rev. 16:157-82, 1995). Similarly, PEG has been attached to low molecular weight, relatively hydrophobic drugs to enhance solubility, reduce toxicity and alter biodistribution. Typically, PEGylated drugs are injected as solutions.

A closely related application is synthesis of crosslinked degradable PEG networks or formulations for use in drug delivery since much of the same chemistry used in design of degradable, soluble drug carriers can also be used in design of degradable gels (Sawhney *et al.*, *Macromolecules* 26: 581-87, 1993). It also is known that intermacromolecular complexes can be formed by mixing solutions of two complementary polymers. Such complexes are generally stabilized by electrostatic interactions (polyanion-polycation) and/or hydrogen bonds (polyacid-polybase) between the polymers involved, and/or by hydrophobic interactions between the polymers in an aqueous surrounding (Krupers *et al.*, *Eur. Polym J.* 32:785-790, 1996). For example, mixing solutions of polyacrylic acid (PAAc) and polyethylene oxide (PEO) under the proper conditions results in the formation of complexes based mostly on hydrogen bonding. Dissociation of these complexes at physiologic conditions has been used for delivery of free drugs (*i.e.*, non-PEGylated). In addition, complexes of complementary polymers have been formed from both homopolymers and copolymers.

Numerous reagents for PEGylation have been described in the art. Such reagents include, but are not limited to, reaction of the polypeptide with N-hydroxysuccinimidyl (NHS) activated PEG, succinimidyl mPEG, $mPEG_2$-N-hydroxysuccinimide, mPEG succinimidyl alpha-methylbutanoate, mPEG succinimidyl propionate, mPEG succinimidyl butanoate, mPEG carboxymethyl 3-hydroxybutanoic acid succinimidyl ester, homobifunctional PEG-succinimidyl propionate, homobifunctional PEG propionaldehyde, homobifunctional PEG butyraldehyde, PEG maleimide, PEG hydrazide, p-nitrophenyl-carbonate PEG, mPEG-benzotriazole carbonate, propionaldehyde PEG, mPEG butryaldehyde, branched $mPEG_2$ butyraldehyde, mPEG acetyl, mPEG piperidone, mPEG methylketone, mPEG "linkerless" maleimide, mPEG vinyl sulfone, mPEG thiol, mPEG orthopyridylthioester, mPEG orthopyridyl disulfide, Fmoc-PEG-NHS, Boc-PEG-NHS, vinylsulfone PEG-NHS, acrylate PEG-NHS, fluorescein PEG-NHS, and biotin PEG-NHS (see *e.g.*, Monfardini *et al.*, *Bioconjugate Chem.* 6:62-69, 1995; Veronese *et al.*, *J. Bioactive Compatible Polymers* 12:197-207, 1997; U.S. 5,672,662; U.S. 5,932,462; U.S. 6,495,659; U.S. 6,737,505; U.S. 4,002,531; U.S. 4,179,337; U.S. 5,122,614; U.S. 5,324, 844; U.S. 5,446,090; U.S. 5,612,460; U.S. 5,643,575; U.S. 5,766,581; U.S. 5,795, 569; U.S. 5,808,096; U.S. 5,900,461; U.S. 5,919,455; U.S. 5,985,263; U.S. 5,990, 237; U.S. 6,113,906; U.S.

6,214,966; U.S. 6,258,351; U.S. 6,340,742; U.S. 6,413,507; U.S. 6,420,339; U.S. 6,437,025; U.S. 6,448,369; U.S. 6,461,802; U.S. 6,828,401; U.S. 6,858,736; U.S. 2001/0021763; U.S. 2001/0044526; U.S. 2001/0046481; U.S. 2002/0052430; U.S. 2002/0072573; U.S. 2002/0156047; U.S. 2003/0114647; U.S. 2003/0143596; U.S. 2003/0158333; U.S. 2003/0220447; U.S. 2004/0013637; US 2004/0235734; WO05000360; U.S. 2005/0114037; U.S. 2005/0171328; U.S. 2005/0209416; EP 1064951; EP 0822199; WO 01076640; WO 0002017; WO 0249673; WO 9428024; and WO 0187925).

In one example, the polyethylene glycol has a molecular weight ranging from about 3 kD to about 50 kD, and typically from about 5 kD to about 30 kD. Covalent attachment of the PEG to the drug (known as "PEGylation") can be accomplished by known chemical synthesis techniques. For example, the PEGylation of protein can be accomplished by reacting NHS-activated PEG with the protein under suitable reaction conditions.

While numerous reactions have been described for PEGylation, those that are most generally applicable confer directionality, utilize mild reaction conditions, and do not necessitate extensive downstream processing to remove toxic catalysts or bi-products. For instance, monomethoxy PEG (mPEG) has only one reactive terminal hydroxyl, and thus its use limits some of the heterogeneity of the resulting PEG-protein product mixture. Activation of the hydroxyl group at the end of the polymer opposite to the terminal methoxy group is generally necessary to accomplish efficient protein PEGylation, with the aim being to make the derivatised PEG more susceptible to nucleophilic attack. The attacking nucleophile is usually the epsilon-amino group of a lysyl residue, but other amines also can react (*e.g.*, the N-terminal alpha-amine or the ring amines of histidine) if local conditions are favorable. A more directed attachment is possible in proteins containing a single lysine or cysteine. The latter residue can be targeted by PEG-maleimide for thiol-specific modification. Alternatively, PEG hydrazide can be reacted with a periodate oxidized hyaluronan-degrading enzyme and reduced in the presence of $NaCNBH_3$. More specifically, PEGylated CMP sugars can be reacted with a hyaluronan-degrading enzyme in the presence of appropriate glycosyl-transferases. One technique is the "PEGylation" technique where a number of polymeric molecules are coupled to the polypeptide in question. When using this technique, the immune system has difficulties in recognizing the epitopes on the polypeptide's surface responsible for the formation of antibodies, thereby reducing the immune response. For polypeptides introduced directly into the circulatory system of the human body to give a particular physiological effect (*i.e.*, pharmaceuticals) the typical potential immune response is an IgG and/or IgM response, while polypeptides which are inhaled through the respiratory system (*i.e.*, industrial polypeptide) potentially can cause an IgE response (*i.e.*, allergic

response). One of the theories explaining the reduced immune response is that the polymeric molecule(s) shield(s) epitope(s) on the surface of the polypeptide responsible for the immune response leading to antibody formation. Another theory or at least a partial factor is that the heavier the conjugate is, the more reduced the resulting immune response is.

Typically, to make the PEGylated PH20 polypeptide provided herein, PEG moieties are conjugated, via covalent attachment, to the polypeptides. Techniques for PEGylation include, but are not limited to, specialized linkers and coupling chemistries (see *e.g.*, Roberts, *Adv. Drug Deliv. Rev.* 54:459-476, 2002), attachment of multiple PEG moieties to a single conjugation site (such as via use of branched PEGs; see *e.g.*, Guiotto *et al.*, *Bioorg. Med. Chem. Lett.* 12:177-180, 2002), site-specific PEGylation and/or mono-PEGylation (see *e.g.*, Chapman *et al.*, *Nature Biotech.* 17:780-783, 1999), and site-directed enzymatic PEGylation (see *e.g.*, Sato, *Adv. Drug Deliv. Rev.*, 54:487-504, 2002). Methods and techniques described in the art can produce proteins having 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 or more than 10 PEG or PEG derivatives attached to a single protein molecule (see *e.g.*, U.S. 2006/0104968).

As an exemplary illustrative method for making a PEGylated PH20 polypeptide, PEG aldehydes, succinimides and carbonates have each been applied to conjugate PEG moieties, typically succinimidyl PEGs, to rHuPH20. For example, rHuPH20 has been conjugated with exemplary succinimidyl monoPEG (mPEG) reagents including mPEG-Succinimidyl Propionates (mPEG-SPA), mPEG-Succinimidyl Butanoates (mPEG-SBA), and (for attaching "branched" PEGs) mPEG2-N-Hydroxylsuccinimide. These PEGylated succinimidyl esters contain different length carbon backbones between the PEG group and the activated cross-linker, and either a single or branched PEG group. These differences can be used, for example, to provide for different reaction kinetics and to potentially restrict sites available for PEG attachment to rHuPH20 during the conjugation process.


Succinimidyl PEGs (as above) containing either linear or branched PEGs can be conjugated to PH20. PEGs can used to generate PH20s reproducibly containing molecules having, on the average, between about three to six or three to six PEG molecules per hyaluronidase. Such PEGylated rHuPH20 compositions can be readily purified to yield compositions having specific activities of approximately 25,000 or 30,000 Unit/mg protein hyaluronidase activity, and being substantially free of non-PEGylated PH20 (less than 5% non-PEGylated).


Using various PEG reagents, exemplary versions of a PEGylated PH20 polypeptide can be prepared, for example, using mPEG-SBA (30 kD), mPEG-SMB (30 kD), and branched versions based on mPEG2-NHS (40 kD) and mPEG2-NHS (60 kD). PEGylated versions of PH20 can be generated using NHS chemistries, as well as carbonates, and aldehydes, using

each of the following reagents: mPEG2-NHS-40K branched, mPEG-NHS-10K branched, mPEG-NHS-20K branched, mPEG2-NHS-60K branched; mPEG-SBA-5K, mPEG-SBA-20K, mPEG-SBA-30K; mPEG-SMB-20K, mPEG-SMB-30K; mPEG-butyrldehyde; mPEG-SPA-20K, mPEG-SPA-30K; and PEG-NHS-5K-biotin. PEGylated PH20 also can be prepared using PEG reagents available from Dowpharma, a division of Dow Chemical Corporation; including PH20 polypeptides PEGylated with Dowpharma's p-nitrophenyl-carbonate PEG (30 kDa) and with propionaldehyde PEG (30 kDa).

In one example, the PEGylation includes conjugation of mPEG-SBA, for example, mPEG-SBA-30K (having a molecular weight of about 30 kDa) or another succinimidyl ester of a PEG butanoic acid derivative, to a PH20 polypeptide. Succinimidyl esters of PEG butanoic acid derivatives, such as mPEG-SBA-30K readily couple to amino groups of proteins. For example, covalent conjugation of m-PEG-SBA-30K and rHuPH20 (which is approximately 60 KDa in size) provides stable amide bonds between rHuPH20 and mPEG, as shown in Scheme 1, below.

Scheme 1





PEGylated rHuPH20

Typically, the mPEG-SBA-30K or other PEG is added to the PH20 polypeptide at a PEG:polypeptide molar ratio of 10:1 in a suitable buffer, *e.g.*, 130 mM NaCl /10 mM HEPES at pH 6.8 or 70 mM phosphate buffer, pH 7, followed by sterilization, *e.g.*, sterile filtration, and continued conjugation, for example, with stirring, overnight at 4 °C in a cold room. In one example, the conjugated PEG- PH20 is concentrated and buffer-exchanged.

Other methods of coupling succinimidyl esters of PEG butanoic acid derivatives, such as mPEG-SBA-30K are known in the art (see *e.g.*, U.S. 5,672,662; U.S. 6,737,505; and U.S. 2004/0235734). For example, a polypeptide, such as a PH20 polypeptide, can be coupled to an NHS activated PEG derivative by reaction in a borate buffer (0.1 M, pH 8.0) for one hour at 4 °C. The resulting PEGylated protein can be purified by ultrafiltration. Another

method reacts polypeptide with mPEG-SBA in deionized water to which triethylamine is added to raise the pH to 7.2-9. The resulting mixture is stirred at room temperature for several hours to complete the PEGylation.

Methods for PEGylation of PH20 polypeptides, including, for example, animal-derived hyaluronidases and bacterial hyaluronan-degrading enzymes, are known to one of skill in the art. See, for example, European Patent No. EP 0400472, which describes the PEGylation of bovine testes hyaluorindase and chondroitin ABC lyase. Also, U.S. Publication No. 2006014968 describes PEGylation of a human hyaluronidase derived from human PH20. For example, the PEGylated hyaluronan-degrading enzyme generally contains at least 3 PEG moieties per molecule. In some examples, the PH20 polypeptide contains three to six PEG molecules. In other examples, the enzyme can have a PEG to protein molar ratio between 5:1 and 9:1, for example, 7:1.

F. Pharmaceutical Compositions and Formulations, Dosages and Administration

Pharmaceutical compositions of any of the modified PH20 polypeptides are provided herein for administration. Pharmaceutically acceptable compositions are prepared in view of approvals for a regulatory agency or other agency prepared in accordance with generally recognized pharmacopeia for use in animals and in humans. Typically, the compounds are formulated into pharmaceutical compositions using techniques and procedures well known in the art (see *e.g.*, Ansel *Introduction to Pharmaceutical Dosage Forms*, Fourth Edition, 1985, 126).

In particular, provided herein are pharmaceutical compositions that are stable as a liquid formulation for prolonged periods of time for at least 1 month at temperatures from or from about 2 °C to 8 °C, inclusive or for at least 3 days at a temperature from or from about 30 °C to 42 °C, inclusive. Pharmaceutical compositions, in particular liquid formulations, can be limited by the stability of the active agent, which can be susceptible to effects of storage conditions (time or length of storage, temperature and/or agitation) and/or formulation components contained in the composition. Hence, the stable pharmaceutical compositions generally contain a modified PH20 polypeptide as described in Section C.1.b that exhibits increased stability manifested as an increased resistance to one or more protein denaturation conditions. Such protein denaturation conditions can include, but are not limited to, elevated temperature greater than or equal to or about 30 °C, agitation, low or no salt, and presence of excipients. The increased stability is characterized by improved storage time, decreased fragmentation, and/or decreased aggregate formation, while still retaining the activity of the active agent(s), *e.g.*, the PH20 hyaluronidase. Such formulations can be provided as "ready-to use" liquid formulations without further reconstitution and/or without any requirement for

further dilution. In some examples, the formulations also can be prepared in a lyophilized or concentrated form.

Pharmaceutical compositions containing a modified PH20 polypeptide can be co-administered with another therapeutic agent. In such examples, the modified PH20 polypeptides can be formulated separately as a pharmaceutical composition and administered prior to, simultaneously with, intermittently with, or subsequent to a second composition containing an active therapeutic agent. In other examples, modified PH20 polypeptides can be co-formulated with pharmaceutical formulations of other therapeutic agents.

In particular, provided herein are co-formulations containing a modified PH20 polypeptide as described herein and a therapeutic agent that is a chemotherapeutic agent, an analgesic agent, an anti-inflammatory agent, an antimicrobial agent, an amoebicidal agent, a trichomonacidal agent, an anti-parkinson agent, an anti-malarial agent, an anticonvulsant agent, an anti-depressant agent, and antiarthritics agent, an anti-fungal agent, an antihypertensive agent, an antipyretic agent, an anti-parasite agent, an antihistamine agent, an alpha-adrenergic agonist agent, an alpha blocker agent, an anesthetic agent, a bronchial dilator agent, a biocide agent, a bactericide agent, a bacteriostat agent, a beta adrenergic blocker agent, a calcium channel blocker agent, a cardiovascular drug agent, a contraceptive agent, a decongestant agent, a diuretic agent, a depressant agent, a diagnostic agent, a electrolyte agent, a hypnotic agent, a hormone agent, a hyperglycemic agent, a muscle relaxant agent, a muscle contractant agent, an ophthalmic agent, a parasympathomimetic agent, a psychic energizer agent, a sedative agent, a sympathomimetic agent, a tranquilizer agent, an urinary agent, a vaginal agent, a viricide agent, a vitamin agent, a non-steroidal anti-inflammatory agent, an angiotensin converting enzyme inhibitor agent, a polypeptide, a protein, a nucleic acid, a drug, an organic molecule or a sleep inducer. For example, modified PH20 polypeptides provided herein can be co-formulated with an antibody such as a monoclonal antibody, an Immune Globulin, an antibiotic, a bisphosphonate, a cytokine, a chemotherapeutic agent, a coagulation factor or an insulin. Exemplary therapeutic agents that can be co-formulated with a modified PH20 polypeptide are described in described in Section H. In particular, provided herein are co-formulations containing a modified PH20 polypeptide and an insulin, such as a fast-acting insulin, for example, a regular insulin or a fast-acting (rapid-acting) insulin analog. The co-formulations provided herein include stable co-formulations, whereby the active agents, *i.e.*, the modified PH20 polypeptide and the therapeutic agent, exhibit increased stability and retain activity for prolonged periods as described herein.

Formulations containing PH20 provided herein, including separate formulations thereof and co-formulations, are stable for prolonged periods of time, including at varied temperatures and under varied storage or use conditions such as agitation. For example, the formulations provided herein are stable and retain activity of active agent(s) (*e.g.*, PH20 hyaluronidase) at "refrigerator" conditions, for example, at 2 °C to 8 °C, such as at or about 4 °C, for at least at least 2 months, 3 months, 4 months, 5 months, 6 months, 7 months, at least 8 months, at least 9 months, at least 10 months, at least 11 months, at least 12 months, 13 months, 14 months, 15 months, 16 months, 17 months, 18 months, 19 months, 20 months, 21 months, 22 months, 23 months, 24 months, 25 months, 26 months, 27 months, 28 months, 29 months or 30 months or more. In another example, the formulations provided herein are stable and retain activity of active agent(s) (*e.g.*, PH20 hyaluronidase) at room temperature for example at 18 °C to 32 °C, generally 20 °C to 32 °C, such as 28 °C to 32 °C, for at least 2 weeks to 1 year, for example, at least 3 weeks, 4 weeks, 2 months, 3 months, 4 months, 5 months, 6 months, at least 7 months, at least 8 months, at least 9 months, or at least 1 year or more. In a further example, the formulations provided herein are stable and retain activity of active agent(s) (*e.g.*, PH20 hyaluronidase) at elevated temperatures of about or greater than 30 °C, generally from or from about 30 °C to 42 °C, such as 32 °C to 37 °C or 35 °C to 37 °C or about or 37 °C for at least 4 days, 5 days, 6 days, 7 days, 8 days, 9 days, 10 days, 11 days, 12 days, 13 days, 14 days, 15 days, 20 days, 21 days, 22 days, 23 days, 24 days, 25 days, 26 days, 27 days, 28 days, 29 days, 30 days, 35 days, 40 days, 45 days, 50 days, 60 days or more.

Compositions can take the form of solutions, suspensions, emulsions, tablets, pills, capsules, powders, and sustained release formulations. A composition can be formulated as a suppository, with traditional binders and carriers such as triglycerides. Oral formulation can include standard carriers such as pharmaceutical grades of mannitol, lactose, starch, magnesium stearate, sodium saccharine, cellulose, magnesium carbonate, and other such agents. Topical formulations also are contemplated. The formulation should suit the mode of administration.

1. Formulations – liquids, injectables, emulsions

The formulation generally is made to suit the route of administration. Parenteral administration, generally characterized by injection or infusion, either subcutaneously, intramuscularly, intravenously or intradermally is contemplated herein. Preparations for parenteral administration include sterile solutions ready for injection, sterile dry soluble products, such as lyophilized powders, ready to be combined with a solvent just prior to use, including hypodermic tablets, sterile suspensions ready for injection, sterile dry insoluble products ready to be combined with a vehicle just prior to use and sterile emulsions.

Injectables can be prepared in conventional forms, either as liquid solutions or suspensions, solid forms suitable for solution or suspension in liquid prior to injection, or as emulsions. For example, the compositions containing a modified PH20 polypeptide, formulated separately or co-formulated with another therapeutic agent, can be provided as a pharmaceutical preparation in liquid form as a solution, syrup or suspension. In liquid form, the pharmaceutical preparations can be provided as a concentrated preparation to be diluted to a therapeutically effective concentration before use. Generally, the preparations are provided in a dosage form that does not require dilution for use. In another example, pharmaceutical preparations can be presented in lyophilized form for reconstitution with water or other suitable vehicle before use.

Injectables are designed for local and systemic administration. For purposes herein, local administration is desired for direct administration to the affected interstitium. The solutions can be either aqueous or nonaqueous. If administered intravenously, suitable carriers include physiological saline or phosphate buffered saline (PBS), and solutions containing thickening and solubilizing agents, such as glucose, polyethylene glycol, and polypropylene glycol and mixtures thereof.

The concentration of the pharmaceutically active compound is adjusted so that an injection or infusion provides an effective amount to produce the desired pharmacological effect. The exact dose depends on the age, weight and condition of the patient or animal as is known in the art. The unit-dose parenteral preparations can be packaged in, for example, an ampoule, a cartridge, a vial or a syringe with a needle. The volume of liquid solution or reconstituted powder preparation, containing the pharmaceutically active compound, is a function of the disease to be treated and the particular article of manufacture chosen for package. All preparations for parenteral administration must be sterile, as is known and practiced in the art. The percentage of active compound contained in such parenteral compositions is highly dependent on the specific nature thereof, as well as the activity of the compound and the needs of the subject.

Pharmaceutical compositions can include carriers or other excipients. For example, pharmaceutical compositions provided herein can contain any one or more of a diluents(s), adjuvant(s), antiadherent(s), binder(s), coating(s), filler(s), flavor(s), color(s), lubricant(s), glidant(s), preservative(s), detergent(s), sorbent(s) or sweetener(s) and a combination thereof or vehicle with which a modified PH20 polypeptide is administered. For example, pharmaceutically acceptable carriers or excipients used in parenteral preparations include aqueous vehicles, nonaqueous vehicles, antimicrobial agents, isotonic agents, buffers, antioxidants, local anesthetics, suspending and dispersing agents, emulsifying agents,

sequestering or chelating agents and other pharmaceutically acceptable substances. Formulations, including liquid preparations, can be prepared by conventional means with pharmaceutically acceptable additives or excipients.

Examples of suitable pharmaceutical carriers are described in "Remington's Pharmaceutical Sciences" by E. W. Martin. Such compositions will contain a therapeutically effective amount of the compound, generally in purified form, together with a suitable amount of carrier so as to provide the form for proper administration to the patient. Such pharmaceutical carriers can be sterile liquids, such as water or oils, including those of petroleum, animal, vegetable or synthetic origin, such as peanut oil, soybean oil, mineral oil, and sesame oil. Water is a typical carrier when the pharmaceutical composition is administered intravenously. Saline solutions and aqueous dextrose and glycerol solutions also can be employed as liquid carriers, particularly for injectable solutions. Examples of aqueous vehicles include Sodium Chloride Injection, Ringers Injection, Isotonic Dextrose Injection, Sterile Water Injection, Dextrose and Lactated Ringers Injection. Nonaqueous parenteral vehicles include fixed oils of vegetable origin, cottonseed oil, corn oil, sesame oil and peanut oil. Suspending and dispersing agents include, but are not limited to, sorbitol syrup, cellulose derivatives or hydrogenated edible fats, sodium carboxymethylcellulose, hydroxypropyl methylcellulose and polyvinylpyrrolidone. Emulsifying agents include, but are not limited to, lecithin or acacia. Detergents include, but are not limited to, Polysorbate 80 (TWEEN 80). Non-aqueous vehicles include, but are not limited to, almond oil, oily esters, or fractionated vegetable oils. Anti-microbial agents or preservatives include, but are not limited to, methyl or propyl-p-hydroxybenzoates or sorbic acid, m-cresol, phenol. A diluent includes, but is not limited to, lactose, sucrose, dicalcium phosphate, or carboxymethylcellulose. A lubricant includes, but is not limited to, magnesium stearate, calcium stearate or talc. A binder includes, but is not limited to, starch, natural gums, such as gum acacia, gelatin, glucose, molasses, polyvinylpyrrolidine, celluloses and derivatives thereof, povidone, crospovidones and other such binders known to those of skill in the art. Isotonic agents include, but are not limited to, sodium chloride and dextrose. Buffers include, but are not limited to, phosphate and citrate. Antioxidants include sodium bisulfate. Local anesthetics include procaine hydrochloride. A sequestering or chelating agent of metal ions includes EDTA. Other suitable pharmaceutical excipients include, but are not limited to, starch, glucose, lactose, dextrose, sucrose, gelatin, malt, rice, flour, chalk, silica gel, sodium stearate, glycerol monostearate, talc, sodium chloride, dried skim milk, glycerol, propylene, glycol, saline, water, and ethanol. Pharmaceutical carriers also include ethyl alcohol, polyethylene glycol and propylene glycol for water miscible vehicles and sodium hydroxide,

hydrochloric acid, citric acid or lactic acid for pH adjustment. A composition, if desired, also can contain minor amounts of non-toxic auxiliary substances such as wetting or emulsifying agents, or pH buffering agents, for example, acetate, sodium citrate, cyclodextrin derivatives, sorbitan monolaurate, triethanolamine sodium acetate, triethanolamine oleate, stabilizers, solubility enhancers, and other such agents such as for example, sodium acetate, sodium phosphate, sorbitan monolaurate, triethanolamine oleate and cyclodextrins.

In particular, antimicrobial agents (*e.g.*, preservatives) in bacteriostatic or fungistatic concentrations (*e.g.*, an anti-microbial effective amount) can be added to parenteral preparations packaged in multiple-dose containers, which include phenols or cresols, mercurials, benzyl alcohol, chlorobutanol, methyl and propyl p-hydroxybenzoic acid esters, thimerosal, benzalkonium chloride and benzethonium chloride.

The volume of the formulations, including the separately formulated or co-formulated PH20-containing formulations provided herein, can be any volume suitable for the container in which it is provided. In some examples, the formulations are provided in a vial, syringe, pen, reservoir for a pump or a closed loop system, or any other suitable container. For example, the formulations provided herein are between or about between 0.1 mL to 500 mL, such as 0.1 mL to 100 mL, 1 mL to 100 mL, 0.1 mL to 50 mL, such as at least or about at least or about or 0.1 mL, 1 mL, 2 mL, 3 mL, 4 mL, 5 mL, 10 mL, 15 mL, 20 mL, 30 mL, 40 mL, 50 mL or more.

a. Lyophilized Powders

Of interest herein are lyophilized powders, which can be reconstituted for administration as solutions, emulsions and other mixtures. They may also be reconstituted and formulated as solids or gels.

The sterile, lyophilized powder is prepared by dissolving a compound of enzyme in a buffer solution. The buffer solution may contain an excipient which improves the stability or other pharmacological component of the powder or reconstituted solution, prepared from the powder. Subsequent sterile filtration of the solution followed by lyophilization under standard conditions known to those of skill in the art provides the desired formulation. A liquid formulation as described herein above can be prepared. The resulting mixture is sterile filtered or treated to remove particulates and to insure sterility, and apportioned into vials for lyophilization. For example, the lyophilized powder can be prepared by dissolving an excipient, such as dextrose, sorbitol, fructose, corn syrup, xylitol, glycerin, glucose, sucrose or other suitable agent, in a suitable buffer, such as citrate, sodium or potassium phosphate or other such buffer known to those of skill in the art. Then, a selected enzyme is added to the resulting mixture, and stirred until it dissolves.

Each vial is made to contain a single dosage or multiple dosages of the compound. The lyophilized powder can be stored under appropriate conditions, such as at about 4 °C to room temperature. Reconstitution of this lyophilized powder with an appropriate buffer solution provides a formulation for use in parenteral administration.

b. Exemplary Formulations

Single dose formulations of PH20 are known in the art. For example, Hylenex® recombinant (hyaluronidase human injection) contains, per mL, 8.5 mg NaCl (145 mM), 1.4 mg dibasic sodium phosphate (9.9 mM), 1.0 mg human albumin, 0.9 mg edetate disodium (2.4 mM), 0.3 mg $CaCl_2$ (2.7 mM) and NaOH to adjust the pH to 7.4. Other formulations of human soluble hyaluronidase, such as the rHuPH20 formulations described in U.S. Pat. Pub. No. US2011/0053247, include 130 mM NaCl, 10 mM Hepes, pH 7.0; or 10 mM histidine, 130 mM NaCl, pH 6.0. Any of the modified PH20 polypeptides provided herein can be similarly formulated.

In addition to a therapeutically effective amount of a modified PH20 polypeptide and/or other therapeutic agent, exemplary pharmaceutical compositions provided herein, including separately formulated- and co-formulated-PH20 containing formulations, can contain a concentration of NaCl and are prepared at a requisite pH to maintain the stability of the active agent(s) (*e.g.*, PH20 hyaluronidase and/or other co-formulated therapeutic agent). For multi-dose formulations and other formulations stored for a prolonged time, the compositions generally also contain one or more preservatives. Further stabilizing agents and other excipients also can be included. Exemplary components are described below.

i. Salt (e.g. NaCl)

In examples herein, the pharmaceutical compositions provided herein contain a concentration of salt, such as sodium chloride (NaCl), to maintain the stability of the active agent(s) (*e.g.*, PH20 hyaluronidase). Salt, such as NaCl, is generally required to retain PH20 stability and activity. Low salt concentrations of generally less than 120 mM can have deleterious effects on PH20 activity over time and depending on temperature conditions. Hence, the absence of salt (*e.g.* NaCl) or a low concentration of salt (*e.g.* NaCl) can result in instability of the protein. In some examples herein, however, modified PH20 polypeptides that exhibit increased stability in the absence of low or no salt, such as low or no NaCl (see *e.g.*, Section C.1.b.iii), are not susceptible to denaturation. Also, the presence of salt (*e.g.* NaCl) can have differing effects on other therapeutic agents. For example, the solubility of insulin and insulin analogs tends to increase with lower salt concentration (*e.g.*, <140 mM) and high salt concentrations can result in crystallization/aggregation of insulin, especially at lower temperatures (see *e.g.*, U.S. Provisional Appl. No. 61/520,962; U.S. Application Serial

Nos. 13/507,263 and 13/507,262; and International PCT Application No. PCT/US2012/042816). Thus, pharmaceutical compositions provided herein are prepared in accordance with the requirements of the active agent(s). It is within the level of one of skill in the art to assess the stability of the active agent(s) in the formulation and under various storage conditions (see *e.g.*, Section G). In particular examples herein, the pharmaceutical compositions, including the separately formulated or co-formulated PH20-containing formulations provided herein, contain NaCl at a concentration of between or about between 10 mM to 200 mM, such as 10 mM to 50 mM, 50 mM to 200 mM, 50 mM to 120 mM, 50 mM to 100 mM, 50 mM to 90 mM, 120 mM to 160 mM, 130 mM to 150 mM, 80 mM to 140 mM, 80 mM to 120 mM, 80 mM to 100 mM, 80 mM to 160 mM, 100 mM to 140 mM, 120 mM to 120 mM or 140 mM to 180 mM.

ii. pH and Buffer

In examples herein, the pharmaceutical compositions provided herein are prepared at a pH to maintain the stability of the active agent(s) (*e.g.*, PH20 hyaluronidase). For example, the pharmaceutical compositions provided herein are prepared at a pH of between or about between 6.5 to 7.8 such as between or about between 6.5 to 7.2, 7.0 to 7.8, 7.0 to 7.6 or 7.2 to 7.4. Reference to pH herein is based on measurement of pH at room temperature. It is understood that the pH can change during storage over time, but typically will remain between or between about pH 6.5 to or to about 7.8. For example, the pH can vary by ± 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9, 1.0, 1.2, 1.3, 1.4, 1.5 or more. Exemplary co-formulations provided herein have a pH of or of about 7.0 ± 0.2, 7.1 ± 0.2, 7.2 ± 0.2, 7.3 ± 0.2, 7.4 ± 0.2, 7.5 ± 0.2 or 7.6 ± 0.2 when prepared. If necessary, pH can be adjusted using acidifying agents to lower the pH or alkalizing agents to increase the pH. Exemplary acidifying agents include, but are not limited to, acetic acid, citric acid, sulfuric acid, hydrochloric acid, monobasic sodium phosphate solution, and phosphoric acid. Exemplary alkalizing agents include, but are not limited to, dibasic sodium phosphate solution, sodium carbonate, or sodium hydroxide.

The compositions are generally prepared using a buffering agent that maintains the pH range. Any buffer can be used in formulations provided herein so long as it does not adversely affect the stability of the active agent(s) (*e.g.*, PH20 hyaluronidase), and supports the requisite pH range required. Examples of particularly suitable buffers include Tris, succinate, acetate, phosphate buffers, citrate, aconitate, malate and carbonate. Those of skill in the art, however, will recognize that formulations provided herein are not limited to a particular buffer, so long as the buffer provides an acceptable degree of pH stability, or "buffer capacity" in the range indicated. Generally, a buffer has an adequate buffer capacity

within about 1 pH unit of its pK (Lachman *et al.* In: The Theory and Practice of Industrial Pharmacy 3rd Edn. (Lachman, L., Lieberman, HA. and Kanig, J.L., Eds.), Lea and Febiger, Philadelphia, p. 458-460, 1986). Buffer suitability can be estimated based on published pK tabulations or can be determined empirically by methods well known in the art. The pH of the solution can be adjusted to the desired endpoint within the range as described above, for example, using any acceptable acid or base.

Buffers that can be included in the co-formulations provided herein include, but are not limited to, Tris (Tromethamine), histidine, phosphate buffers, such as dibasic sodium phosphate, and citrate buffers. Such buffering agents can be present in the co-formulations at concentrations between or about between 1 mM to 100 mM, such as 10 mM to 50 mM or 20 mM to 40 mM, such as at or about 30 mM. For example, such buffering agents can be present in the co-formulations in a concentration of or about 1 mM, 2 mM, 3 mM, 4 mM, 5 mM, 6 mM, 7 mM, 8 mM, 9 mM, 10 mM, 11 mM, 12 mM, 13 mM, 14 mM, 15 mM, 16 mM, 17 mM, 18 mM, 19 mM, 20 mM, 25 mM, 30 mM, 35 mM, 40 mM, 45 mM, 50 mM, 55 mM, 60 mM, 65 mM, 70 mM, 75 mM, or more.

iii. Preservative(s)

In examples herein, multi-dose formulations or formulations stored for prolonged periods contain an anti-microbially effective amount of preservative or mixture of preservatives in an amount to have a bacteriostatic or fungistatic effect. In particular examples, the preservatives are present in a sufficient concentration to provide the anti-microbial requirements of, for example, the United States Pharmacopoeia (USP) and the European Pharmacopoeia (EP), including the EP anti-microbial requirements (EPA) and the preferred EP anti-microbial requirements (EPB) (see Table 4). Since the presence of preservatives, and in particular phenolic preservatives, can have deleterious effects on the stability of PH20, such formulations typically contain a modified PH20 polypeptide that exhibits increased stability in the presence of preservatives, such as any described in Section C.1.b.i herein. Generally, the amount maintains the stability of the active agent(s) (*e.g.*, PH20 hyaluronidase).

An anti-microbial effective amount of preservative is an amount that exhibits anti-microbial activity by killing or inhibiting the propagation of microbial organisms in a sample of the composition as assessed in an antimicrobial preservative effectiveness test (APET). One of skill in the art is familiar with the antimicrobial preservative effectiveness test and standards to be meet under the USP and EPA or EPB in order to meet minimum requirements. In general, the antimicrobial preservative effectiveness test involves challenging a composition with prescribed inoculums of suitable microorganisms, *i.e.*, bacteria, yeast and

fungi, storing the inoculated preparation at a prescribed temperature, withdrawing samples at specified intervals of time and counting the organisms in the sample (see, Sutton and Porter, (2002) *PDA Journal of Pharmaceutical Science and Technology* 56(4):300-311; The United States Pharmacopeial Convention, Inc., (effective January 1, 2002), *The United States Pharmacopeia 25th Revision*, Rockville, MD, Chapter <51> Antimicrobial Effectiveness Testing; and European Pharmacopoeia, Chapter 5.1.3, Efficacy of Antimicrobial Preservation). The microorganisms used in the challenge generally include three strains of bacteria, namely *E. coli* (ATCC No. 8739), *Pseudomonas aeruginosa* (ATCC No. 9027) and *Staphylococcus aureus* (ATCC No. 6538), yeast (*Candida albicans* ATCC No. 10231) and fungus (*Aspergillus niger* ATCC No. 16404), all of which are added such that the inoculated composition contains 10^5 or 10^6 colony forming units (cfu) of microorganism per mL of composition. The preservative properties of the composition are deemed adequate if, under the conditions of the test, there is a significant fall or no increase, as specified in Table 3 in the number of microorganisms in the inoculated composition after the times and at the temperatures prescribed. The criteria for evaluation are given in terms of the log reduction in the number of viable microorganism as compared to the initial sample or the previous time point.

Non-limiting examples of preservatives that can be included in the co-formulations provided herein include, but are not limited to, phenol, meta-cresol (m-cresol), methylparaben, benzyl alcohol, thimerosal, benzalkonium chloride, 4-chloro-I-butanol, chlorhexidine dihydrochloride, chlorhexidine digluconate, L-phenylalanine, EDTA, bronopol (2-bromo-2-nitropropane-1,3-diol), phenylmercuric acetate, glycerol (glycerin), imidurea, chlorhexidine, sodium dehydroacetate, ortho-cresol (o-cresol), para-cresol (p-cresol), chlorocresol, cetrimide, benzethonium chloride, ethylparaben, propylparaben or butylparaben and any combination thereof. For example, formulations provided herein can contain a single preservative. In other examples, the formulations contain at least two different preservatives or at least three different preservatives. For example, formulations provided herein can contain two preservatives such as L-phenylalanine and m-cresol, L-phenylalanine and methylparaben, L-phenylalanine and phenol, m-cresol and methylparaben, phenol and methylparaben, m-cresol and phenol or other similar combinations. In one example, the preservative in the formulation contains at least one phenolic preservative. For example, the formulation contains phenol, m-cresol or phenol and m-cresol.

In the formulations provided herein, the total amount of the one or more preservative agents as a percentage (%) of mass concentration (w/v) in the formulation can be, for example, between from or between about from 0.1% to 0.4%, such as 0.1% to 0.3%, 0.15% to

0.325%, 0.15% to 0.25%, 0.1% to 0.2%, 0.2% to 0.3%, or 0.3% to 0.4%. Generally, the formulations contain less than 0.4% (w/v) preservative. For example, the co-formulations provided herein contain at least or about at least 0.1% , 0.12%, 0.125%, 0.13%, 0.14%, 0.15%, 0.16% 0.17%, 0.175%, 0.18%, 0.19%, 0.2%, 0.25%, 0.3%, 0.325%, 0.35% but less than 0.4% total preservative.

In some examples, the formulations provided herein contain between or between about 0.1% to 0.25% phenol and between or about between 0.05% to 0.2% m-cresol, such as between or about between 0.10% to 0.2% phenol and between or about between 0.06% to 0.18% m-cresol, or between or about between 0.1% to 0.15% phenol and between or about between 0.08% to 0.15% m-cresol. For example, formulations provided herein contain or contain about 0.1% phenol and 0.075% m-cresol; 0.1% phenol and 0.15% m-cresol; 0.125% phenol and 0.075% m-cresol; 0.13% phenol and 0.075% m-cresol; 0.13% phenol and 0.08% m-cresol; 0.15% phenol and 0.175% m-cresol; or 0.17% phenol and 0.13% m-cresol.

iv. Stabilizers

In examples herein, the pharmaceutical compositions provided herein optionally can contain one or more other stabilizing agent to maintain the stability of the active agent(s) (*e.g.*, PH20 hyaluronidase). Included among the types of stabilizers that can be contained in the formulations provided herein are amino acids, amino acid derivatives, amines, sugars, polyols, salts and buffers, surfactants, and other agents. The formulations provided herein contain at least one stabilizer. For example, the formulations provided herein contain at least one, two, three, four, five, six or more stabilizers. Hence, any one or more of an amino acids, amino acid derivatives, amines, sugars, polyols, salts and buffers, surfactants, and other agents can be included in the formulations herein. Generally, the formulations herein contain at least contain a surfactant and an appropriate buffer. Optionally, the formulations provided herein can contain other additional stabilizers. Other components include, for example, one or more tonicity modifiers, one or more anti-oxidation agents, or other stabilizer.

Exemplary amino acid stabilizers, amino acid derivatives or amines include, but are not limited to, L-Arginine, Glutamine, Glycine, Lysine, Methionine, Proline, Lys-Lys, Gly-Gly, Trimethylamine oxide (TMAO) or betaine. Exemplary sugars and polyols include, but are not limited to, glycerol, sorbitol, mannitol, inositol, sucrose or trehalose. Exemplary salts and buffers include, but are not limited to, magnesium chloride, sodium sulfate, Tris such as Tris (100 mM), or sodium Benzoate. Exemplary surfactants include, but are not limited to, poloxamer 188 (*e.g.*, Pluronic® F68), polysorbate 80 (PS80), polysorbate 20 (PS20). Other stabilizers include, but are not limited to, hyaluronic acid (HA), human serum albumin (HSA), phenyl butyric acid, taurocholic acid, polyvinylpyrolidone (PVP) or zinc.

In particular examples herein, the formulations contain one or more detergents, such as surfactants, to maintain the stability of the active agent(s) (*e.g.*, PH20 hyaluronidase). For example, surfactants can inhibit aggregation of PH20 and minimize absorptive loss. The surfactants generally are non-ionic surfactants. Surfactants that can be included in the formulations herein include, but are not limited to, partial and fatty acid esters and ethers of polyhydric alcohols such as of glycerol, or sorbitol, poloxamers and polysorbates. For example, exemplary surfactants in the -formulations herein include any one or more of poloxamer 188 (PLURONICS® such as PLURONIC® F68), TETRONICS®, polysorbate 20, polysorbate 80, PEG 400, PEG 3000, Tween® (*e.g.*, Tween® 20 or Tween® 80), Triton® X-100, SPAN®, MYRJ®, BRIJ®, CREMOPHOR®, polypropylene glycols or polyethylene glycols. In some examples, the formulations herein contain poloxamer 188, polysorbate 20, polysorbate 80, generally poloxamer 188 (pluronic F68). The formulations provided herein generally contain at least one surfactant, such as 1, 2 or 3 surfactants.

In the formulations provided herein, the total amount of the one or more surfactants as a percentage (%) of mass concentration (w/v) in the formulation can be, for example, between from or between about from 0.005% to 1.0%, such as between from or between about from 0.01% to 0.5%, such as 0.01% to 0.1% or 0.01% to 0.02%. Generally, the formulations contain at least 0.01% surfactant and contain less than 1.0%, such as less than 0.5% or less than 0.1% surfactant. For example, the formulations provided herein can contain at or about 0.001%, 0.005%, 0.01%, 0.015%, 0.02%, 0.025%, 0.03%, 0.035%, 0.04%, 0.045%, 0.05%, 0.055%, 0.06%, 0.065%, 0.07%, 0.08%, or 0.09% surfactant. In particular examples, the formulations provided herein contain or contain about 0.01% to or to about 0.05% surfactant.

Tonicity modifiers can be included in the formulation provided herein to produce a solution with the desired osmolality. The formulations provided herein have an osmolality of between or about between 245 mOsm/kg to 305 mOsm/kg. For example, the osmolality is or is about 245 mOsm/kg, 250 mOsm/kg, 255 mOsm/kg, 260 mOsm/kg, 265 mOsm/kg, 270 mOsm/kg, 275 mOsm/kg, 280 mOsm/kg, 285 mOsm/kg, 290 mOsm/kg, 295 mOsm/kg, 300 mOsm/kg or 305 mOsm/kg. In some examples, the formulations have an osmolality of or of about 275 mOsm/kg. Tonicity modifiers include, but are not limited to, glycerin, NaCl, amino acids, polyalcohols, trehalose, and other salts and/or sugars. The particular amount can be empirically determined in order to retain enzyme activity, and/or tonicity.

In other instances, glycerin (glycerol) is included in the formulations. For example, formulations provided herein typically contain less than 60 mM glycerin, such as less than 55 mM, less than 50 mM, less than 45 mM, less than 40 mM, less than 35 mM, less than 30 mM,

less than 25 mM, less than 20 mM, less than 15 mM, 10 mM or less. The amount of glycerin typically depends on the amount of NaCl present: the more NaCl present in the formulation, the less glycerin is required to achieve the desired osmolality or osmolarity. Thus, for example, in formulations containing higher NaCl concentrations, little or no glycerin need be included in the formulation. In contrast, in formulations containing slightly lower NaCl concentrations, glycerin can be included. For example, formulations provided herein can contain glycerin at a concentration of 40 mM to 60 mM, such as less than 50 mM, such as 20 mM to 50 mM, for example at or about 50 mM.

The formulations provided herein also can contain antioxidants to reduce or prevent oxidation, in particular oxidation of the PH20 polypeptide. For example, oxidation can be effected by high concentrations of surfactant or hyaluronan oligomers. Exemplary antioxidants include, but are not limited to, cysteine, tryptophan and methionine. In particular examples, the anti-oxidant is methionine. The formulations provided herein can include an antioxidant at a concentration from between or from about between 5 mM to or to about 50 mM, such as 5 mM to 40 mM, 5 mM to 20 mM or 10 mM to 20 mM. For example, methionine can be provided in the formulations herein at a concentration from between or from about between 5 mM to or to about 50 mM, such as 5 mM to 40 mM, 5 mM to 20 mM or 10 mM to 20 mM. For example, an antioxidant, for example methionine, can be included at a concentration that is or is about 5 mM, 10 mM, 11 mM, 12 mM, 13 mM, 14 mM, 15 mM, 16 mM, 17 mM, 18 mM, 19 mM, 20 mM, 21 mM, 22 mM, 23 mM, 24 mM, 25 mM, 26 mM, 27 mM, 28 mM, 29 mM, 30 mM, 35 mM, 40 mM, 45 mM or 50 mM. In some examples, the formulations contain 10 mM to 20 mM methionine, such as or about 10 mM or 20 mM methionine.

The formulations provided herein also can contain an amino acid stabilizer, which contributes to the stability of the preparation. The stabilizer can be a non-polar or basic amino acid. Exemplary non-polar and basic amino acids include, but are not limited to, alanine, histidine, arginine, lysine, ornithine, isoleucine, valine, methionine, glycine and proline. For example, the amino acid stabilizer is glycine or proline, typically glycine. The stabilizer can be a single amino acid or it can be a combination of 2 or more such amino acids. The amino acid stabilizers can be natural amino acids, amino acid analogues, modified amino acids or amino acid equivalents. Generally, the amino acid is an L-amino acid. For example, when proline is used as the stabilizer, it is generally L-proline. It is also possible to use amino acid equivalents, for example, proline analogues. The concentration of amino acid stabilizer, for example glycine, included in the formulation ranges from 0.1 M to 1 M amino acid, typically 0.1 M to 0.75 M, generally 0.2 M to 0.5 M, for example, at least at or about 0.1 M, 0.15 M,

0.2 M, 0.25 M, 0.3 M, 0.35 M, 0.4 M, 0.45 M, 0.5 M, 0.6 M, 0.7 M, 0.75 M or more amino acid. The amino acid, for example glycine, can be used in a form of a pharmaceutically acceptable salt, such as hydrochloride, hydrobromide, sulfate, acetate, etc. The purity of the amino acid, for example glycine, should be at least 98%, at least 99%, or at least 99.5% or more.

In examples herein, if necessary, hyaluronidase inhibitors are included in a formulation to stabilize PH20, in particular to reduce the effects of otherwise destabilizing agents and conditions, such as, for example, low salt, high pH, the presence of preservatives and elevated temperatures, present in the formulation. Such a component generally is not required for pharmaceutical compositions containing a modified PH20 polypeptide as provided herein that exhibits increased stability under such conditions. When provided, the hyaluronidase inhibitor is provided at least at its equilibrium concentration. One of skill in the art is familiar with various classes of hyaluronidase inhibitors (see *e.g.*, Girish *et al.* (2009) *Current Medicinal Chemistry*, 16:2261-2288, and references cited therein). One of skill in the art knows or can determine by standard methods in the art the equilibrium concentration of a hyaluronidase inhibitor in a reaction or stable composition herein.

An exemplary hyaluronidase inhibitor for use in the compositions herein is hyaluronan (HA). Hyaluronic acid (HA, also known as hyaluronan and hyaluronate) is the natural substrate for PH20. HA is a non-sulfated glycosaminoglycan that is widely distributed throughout connective, epithelial, and neural tissues. It is a polymer of up to 25,000 disaccharide units, themselves composed of D-glucuronic acid and D-N-acetylglucosamine. The molecular weight of HA ranges from about 5 kDa to 200,000 kDa. Any size HA can be used in the compositions as a stabilizer. In some examples, the HA is a disaccharide, composed of D-glucuronic acid and D-N-acetylglucosamine. In other examples, the HA is an oligosaccharide, such as a tetrasaccharide, containing 2 repeating disaccharide units, or alternatively, the HA used in the co-formulations provided herein can contain multiple repeating disaccharide units, such as 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 25, 30 or more disaccharide units. In another example, the HA used in the formulations provided herein has a molecular weight that is from or from about 5 kDa to or to about 5,000 kDa; from or from about 5 kDa to or to about 1,000 kDa; from or from about 5 kDa to or to about 500 kDa; or from or from about 5 kDa to or to about 200 kDa. Exemplary HA oligosaccharides for use in the formulations herein have a molecular weight of or of about 6.4 kDa, 74.0 kDa. or 234.4 kDa. The formulations can contain 1 mg/mL to 20 mg/mL HA, 8 mg/mL to 12 mg/mL, such as at least or about 1 mg/mL, 2 mg/mL, 3 mg/mL, 4 mg/mL, 5 mg/mL, 6 mg/mL, 7 mg/mL, 8 mg/mL, 9 mg/mL, 10 mg/mL, 11 mg/mL, 12 mg/mL, 13

mg/mL, 14 mg/mL, 15 mg/mL, 16 mg/mL, 17 mg/mL, 18 mg/mL, 19 mg/mL or 20 mg/mL or more HA. In some examples, the molar ratio of HA to PH20 is or is about 100,000:1, 95,000:1, 90,000:1, 85,000:1, 80,000:1, 75,000:1, 70,000:1, 65,000:1, 60,000:1, 55,000:1, 50,000:1, 45,000:1, 40,000:1, 35,000:1, 30,000:1, 25,000:1, 20,000:1, 15,000:1, 10,000:1, 5,000:1, 1,000:1, 900:1, 800:1, 700:1, 600:1, 500:1, 400:1, 300:1, 200:1, or 100:1 or less.

In some examples, a nicotinic compound is used as a stabilizing agent. Nicotinic compounds include, but are not limited to, nicotinamide, nicotinic acid, niacin, niacinamide, vitamin B3 and/or salts thereof and/or any combination thereof. In particular applications, the stabilizing agent can include a nicotinic compound an amino acid or amino acids (see *e.g.*, International Publication No. WO2010149772). For example, the amino acid can be arginine, glutamic acid and/or salts thereof or combinations thereof.

2. Compositions for Other Routes of Administration

Depending upon the condition treated other routes of administration, such as topical application, transdermal patches, oral and rectal administration are also contemplated herein.

For example, pharmaceutical dosage forms for rectal administration are rectal suppositories, capsules and tablets for systemic effect. Rectal suppositories include solid bodies for insertion into the rectum which melt or soften at body temperature releasing one or more pharmacologically or therapeutically active ingredients. Pharmaceutically acceptable substances utilized in rectal suppositories are bases or vehicles and agents to raise the melting point. Examples of bases include cocoa butter (theobroma oil), glycerin-gelatin, carbowax (polyoxyethylene glycol) and appropriate mixtures of mono-, di- and triglycerides of fatty acids. Combinations of the various bases may be used. Agents to raise the melting point of suppositories include spermaceti and wax. Rectal suppositories may be prepared either by the compressed method or by molding. The typical weight of a rectal suppository is about 2 to 3 gm. Tablets and capsules for rectal administration are manufactured using the same pharmaceutically acceptable substance and by the same methods as for formulations for oral administration. Formulations suitable for rectal administration can be provided as unit dose suppositories. These can be prepared by admixing the active compound with one or more conventional solid carriers, for example, cocoa butter, and then shaping the resulting mixture.

For oral administration, pharmaceutical compositions can take the form of, for example, tablets or capsules prepared by conventional means with pharmaceutically acceptable excipients such as binding agents (*e.g.*, pregelatinized maize starch, polyvinyl pyrrolidone or hydroxypropyl methylcellulose); fillers (*e.g.*, lactose, microcrystalline cellulose or calcium hydrogen phosphate); lubricants (*e.g.*, magnesium stearate, talc or silica);

disintegrants (*e.g.*, potato starch or sodium starch glycolate); or wetting agents (*e.g.*, sodium lauryl sulphate). The tablets can be coated by methods well-known in the art.

Formulations suitable for buccal (sublingual) administration include, for example, lozenges containing the active compound in a flavored base, usually sucrose and acacia or tragacanth; and pastilles containing the compound in an inert base such as gelatin and glycerin or sucrose and acacia.

Topical mixtures are prepared as described for the local and systemic administration. The resulting mixtures can be solutions, suspensions, emulsion or the like and are formulated as creams, gels, ointments, emulsions, solutions, elixirs, lotions, suspensions, tinctures, pastes, foams, aerosols, irrigations, sprays, suppositories, bandages, dermal patches or any other formulations suitable for topical administration.

The compounds or pharmaceutically acceptable derivatives thereof may be formulated as aerosols for topical application, such as by inhalation (see, *e.g.*, U. S. Patent Nos. 4,044,126, 4,414,209, and 4,364,923, which describe aerosols for delivery of a steroid useful for treatment of inflammatory diseases, particularly asthma). These formulations, for administration to the respiratory tract, can be in the form of an aerosol or solution for a nebulizer, or as a microfine powder for insufflation, alone or in combination with an inert carrier such as lactose. In such a case, the particles of the formulation will typically have diameters of less than 50 microns, or less than 10 microns.

The compounds can be formulated for local or topical application, such as for topical application to the skin and mucous membranes, such as in the eye, in the form of gels, creams, and lotions and for application to the eye or for intracisternal or intraspinal application. Topical administration is contemplated for transdermal delivery and also for administration to the eyes or mucosa, or for inhalation therapies. Nasal solutions of the active compound alone or in combination with other pharmaceutically acceptable excipients also can be administered.

Formulations suitable for transdermal administration are provided. They can be provided in any suitable format, such as discrete patches adapted to remain in intimate contact with the epidermis of the recipient for a prolonged period of time. Such patches contain the active compound in an optionally buffered aqueous solution of, for example, 0.1 to 0.2 M concentration with respect to the active compound. Formulations suitable for transdermal administration also can be delivered by iontophoresis (see, *e.g.*, Tyle, P, *Pharmaceutical Research* 3(6):318-326 (1986)) and typically take the form of an optionally buffered aqueous solution of the active compound.

Pharmaceutical compositions also can be administered by controlled release formulations and/or delivery devices (see *e.g.*, in U.S. Patent Nos. 3,536,809; 3,598,123; 3,630,200; 3,845,770;; 3,916,899; 4,008,719;; 4,769,027; 5,059,595; 5,073,543; 5,120,548; 5,591,767; 5,639,476; 5,674,533 and 5,733,566).

3. Dosages and Administration

The modified PH20 polypeptides provided herein can be formulated as pharmaceutical compositions for single dosage or multiple dosage administration. The PH20 polypeptide is included in an amount sufficient to exert a therapeutically useful effect in the absence of undesirable side effects on the patient treated. The therapeutically effective concentration can be determined empirically by testing the polypeptides in known *in vitro* and *in vivo* systems such as by using the assays provided herein or known in the art (see *e.g.*, Taliani et al. (1996) *Anal. Biochem.*, 240: 60-67; Filocamo et al. (1997) *J Virology*, 71: 1417-1427; Sudo et al. (1996) *Antiviral Res.* 32: 9-18; Bouffard et al. (1995) *Virology*, 209:52-59; Bianchi et al. (1996) *Anal. Biochem.*, 237: 239-244; Hamatake et al. (1996) *Intervirology* 39:249-258; Steinkuhler et al. (1998) *Biochem.*, 37:8899-8905; D'Souza et al. (1995) *J Gen. Virol.*, 76:1729-1736; Takeshita et al. (1997) *Anal. Biochem.*, 247:242-246; see also *e.g.*, Shimizu et al. (1994) *J. Virol.* 68:8406-8408; Mizutani et al. (1996) *J. Virol.* 70:7219-7223; Mizutani et al. (1996) *Biochem. Biophys. Res. Commun.*, 227:822-826; Lu et al. (1996) *Proc. Natl. Acad. Sci (USA)*, 93:1412-1417; Hahm et al., (1996) *Virology*, 226:318-326; Ito et al. (1996) *J. Gen. Virol.*, 77:1043-1054; Mizutani et al. (1995) *Biochem. Biophys. Res. Commun.*, 212:906-911; Cho et al. (1997) *J. Virol. Meth.* 65:201-207 and then extrapolated therefrom for dosages for humans.

The amount of a modified PH20 to be administered for the treatment of a disease or condition can be determined by standard clinical techniques. In addition, *in vitro* assays and animal models can be employed to help identify optimal dosage ranges. The precise dosage, which can be determined empirically, can depend on the particular enzyme, the route of administration, the type of disease to be treated and the seriousness of the disease.

Hence, it is understood that the precise dosage and duration of treatment is a function of the disease being treated and can be determined empirically using known testing protocols or by extrapolation from *in vivo* or *in vitro* test data. It is to be noted that concentrations and dosage values also can vary with the severity of the condition to be alleviated. It is to be further understood that for any particular subject, specific dosage regimens should be adjusted over time according to the individual need and the professional judgment of the person administering or supervising the administration of the compositions, and that the concentration ranges set forth herein are exemplary only and are not intended to limit the

scope or use of compositions and combinations containing them. The compositions can be administered hourly, daily, weekly, monthly, yearly or once. Generally, dosage regimens are chosen to limit toxicity. It should be noted that the attending physician would know how to and when to terminate, interrupt or adjust therapy to lower dosage due to toxicity, or bone marrow, liver or kidney or other tissue dysfunctions. Conversely, the attending physician would also know how to and when to adjust treatment to higher levels if the clinical response is not adequate (precluding toxic side effects).

Typically, a therapeutically effective dose of a modified PH20 enzyme is at or about 10 Unit (U) to 500,000 Units, 100 Units to 100,000 Units, 500 Units to 50,000 Units, 1000 Units to 10,000 Units, 5000 Units to 7500 Units, 5000 Units to 50,000 Units, or 1,000 Units to 10,000 Units, generally 1,000 to 50,000 Units, in a stabilized solution or suspension or a lyophilized form. For example, a PH20 polypeptide, can be administered at a dose of at least or about at least or 10 U, 20 U, 30 U, 40 U, 50 U, 100 U, 150 U, 200 U, 250 U, 300 U, 350 U, 400 U, 450 U, 500 U, 600 U, 700 U, 800 U, 900 U, 1000 U, 2,000 U, 3,000 U, 4,000 Units, 5,000 U or more. The formulations can be provided in unit-dose forms such as, but not limited to, ampoules, syringes and individually packaged tablets or capsules.

The PH20 enzyme can be administered alone, or with other pharmacologically effective agent(s) or therapeutic agent(s), in a total volume of 0.1 -100 mL, 1 -50 mL, 10- 50 mL, 10-30 mL, 1-20 mL, or 1-10 mL, typically 10-50 mL. Typically, volumes of injections or infusions of a PH20-containing composition are at least or at least about 0.01 mL, 0.05 mL, 0.1 mL, 0.2 mL, 0.3 mL, 0.4 mL, 0.5 mL, 1 mL, 2 mL, 3 mL, 4 mL, 5 mL, 6 mL, 7 mL, 8 mL, 9 mL, 10 mL, 20 mL, 30 mL, 40 mL, 50 mL or more. The formulations provided herein contain a modified PH20 polypeptide in an amount between or about between 30 Units/mL to 3000 U/mL, 300 U/mL to 2000 U/mL or 600 U/mL to 2000 U/mL or 600 U/mL to 1000 U/mL, such as at least or about at least 30 U/mL, 35 U/mL, 40 U/mL, 50 U/mL, 100 U/mL, 200 U/mL, 300 U/mL, 400 U/mL, 500 U/mL, 600 U/mL, 700 U/mL, 800 U/mL, 900 U/mL, 1000 U/mL, 2000 U/mL or 3000 U/mL. For example, the formulations provided herein contain a PH20 that is in an amount that is at least 100 U/mL to 1000 U/mL, for example at least or about at least or about or 600 U/mL.

The PH20 polypeptide can be provided as a solution in an amount that is at least or about or is 100 U/mL, 150 U/mL, 200 U/mL, 300 U/mL, 400 U/mL, 500 U/mL, 600 U/mL, 800 U/mL or 1000 U/mL, or can be provided in a more concentrated form, for example in an amount that is at least or about or is 2000 U/mL, 3000 Units/mL, 4000 U/mL, 5000 U/mL, 8000 U/mL, 10,000 U/mL or 20,000 U/mL for use directly or for dilution to the effective

concentration prior to use. The PH20 polypeptide compositions can be provided as a liquid or lyophilized formulation.

When the PH20 is co-formulated with a therapeutic agent, dosages can be provided as a ratio of the amount of a PH20 polypeptide to the amount of therapeutic agent administered. For example, a PH20 polypeptide can be administered at 1 hyaluronidase U/therapeutic agent U (1:1) to 50:1 or more, for example, at or about 1:1, 2:1, 3:1, 4:1, 5:1, 6:1, 7:1, 8:1, 9:1, 10:1, 11:1, 12:1, 13:1, 14:1, 15:1, 20:1, 25:1, 30:1, 35:1, 40:1, 45:1, 50:1 or more.

The formulations provided herein, including co-formulations and/or stable formulations, can be prepared for single dose administration, multiple dose administration or continuous infusion administrations. Implantation of a slow-release or sustained-release system, such that a constant level of dosage is maintained (see *e.g.*, U. S. Patent No. 3,710,795), is also contemplated herein.

For example, formulations of pharmaceutically therapeutically active compounds and derivatives thereof are provided for administration to humans and animals in unit dosage forms or multiple dosage forms. For example, compounds can be formulated as tablets, capsules, pills, powders, granules, sterile parenteral solutions or suspensions, oral solutions or suspensions, or oil–water emulsions containing suitable quantities of the compounds or pharmaceutically acceptable derivatives thereof. Each unit dose contains a predetermined quantity of therapeutically active compound(s) sufficient to produce the desired therapeutic effect, in association with the required pharmaceutical carrier, vehicle or diluent. Examples of unit dose forms include ampoules and syringes and individually packaged tablets or capsules. Unit dose forms can be administered in fractions or multiples thereof. A multiple dose form is a plurality of identical unit dosage forms packaged in a single container to be administered in segregated unit dose forms. Examples of multiple dose forms include vials, bottles of tablets or capsules or bottles of pints or gallons. Hence, multiple dose form is a multiple of unit doses that are not segregated in packaging. Generally, dosage forms or compositions containing active ingredient in the range of 0.005% to 100% with the balance made up from non-toxic carrier can be prepared.

Compositions provided herein typically are formulated for administration by subcutaneous route, although other routes of administration are contemplated, such as any route known to those of skill in the art including intramuscular, intraperitoneal, intravenous, intradermal, intralesional, intraperitoneal injection, epidural, vaginal, rectal, local, otic, transdermal administration or any route of administration. Formulations suited for such routes are known to one of skill in the art. Administration can be local, topical or systemic depending upon the locus of treatment. Local administration to an area in need of treatment

can be achieved by, for example, but not limited to, local infusion during surgery, topical application, *e.g.*, in conjunction with a wound dressing after surgery, by injection, by means of a catheter, by means of a suppository, or by means of an implant. Compositions also can be administered with other biologically active agents, either sequentially, intermittently or in the same composition.

The most suitable route in any given case depends on a variety of factors, such as the nature of the disease, the tolerance of the subject to a particular administration route, the severity of the disease, and the particular composition that is used. Typically, the compositions provided herein are administered parenterally. In some examples, modified PH20 polypeptide compositions are administered so that they reach the interstitium of skin or tissues, thereby degrading the interstitial space for subsequent delivery of a therapeutic agent. Thus, in some examples, direct administration under the skin, such as by subcutaneous administration methods, is contemplated. Thus, in one example, local administration can be achieved by injection, such as from a syringe or other article of manufacture containing an injection device such as a needle. In another example, local administration can be achieved by infusion, which can be facilitated by the use of a pump or other similar device. Other modes of administration also are contemplated. For example, modified PH20 polypeptides, included conjugated forms with increased half-life such as PEGylated forms thereof, can be administered intravenously. Pharmaceutical compositions can be formulated in dosage forms appropriate for each route of administration.

Administration methods can be employed to decrease the exposure of selected modified PH20 polypeptides to degradative processes, such as proteolytic degradation and immunological intervention via antigenic and immunogenic responses. Examples of such methods include local administration at the site of treatment. PEGylation of therapeutics increases resistance to proteolysis, increases plasma half-life, and decreases antigenicity and immunogenicity. Examples of PEGylation methodologies are known in the art (see for example, Lu and Felix, Int. J. Peptide Protein Res., 43: 127-138, 1994; Lu and Felix, Peptide Res., 6: 140-6, 1993; Felix et al., Int. J. Peptide Res., 46 : 253-64, 1995; Benhar et al., J. Biol. Chem., 269: 13398-404, 1994; Brumeanu et al., J Immunol., 154: 3088-95, 1995; see also, Caliceti et al. (2003) Adv. Drug Deliv. Rev. 55(10):1261-77 and Molineux (2003) Pharmacotherapy 23 (8 Pt 2):3S-8S). PEGylation also can be used in the delivery of nucleic acid molecules in vivo. For example, PEGylation of adenovirus can increase stability and gene transfer (see, *e.g.*, Cheng et al. (2003) Pharm. Res. 20(9): 1444-51).

Various other delivery systems are known and can be used to administer selected PH20 polypeptides, such as but not limited to, encapsulation in liposomes, microparticles,

microcapsules, recombinant cells capable of expressing the compound, receptor mediated endocytosis, and delivery of nucleic acid molecules encoding selected PH20 polypeptides such as retrovirus delivery systems.

Hence, in certain embodiments, liposomes and/or nanoparticles also can be employed with administration of soluble PH20 polypeptides. Liposomes are formed from phospholipids that are dispersed in an aqueous medium and spontaneously form multilamellar concentric bilayer vesicles (also termed multilamellar vesicles (MLVs)). MLVs generally have diameters of from 25 nm to 4 μm. Sonication of MLVs results in the formation of small unilamellar vesicles (SUVs) with diameters in the range of 200 to 500 angstroms containing an aqueous solution in the core.

Phospholipids can form a variety of structures other than liposomes when dispersed in water, depending on the molar ratio of lipid to water. At low ratios of lipid to water, liposomes form. Physical characteristics of liposomes depend on the pH, ionic strength and the presence of divalent cations. Liposomes can show low permeability to ionic and polar substances, but at elevated temperatures undergo a phase transition which markedly alters their permeability. The phase transition involves a change from a closely packed, ordered structure, known as the gel state, to a loosely packed, less-ordered structure, known as the fluid state. This occurs at a characteristic phase-transition temperature and results in an increase in permeability to ions, sugars and drugs.

Liposomes interact with cells via different mechanisms: endocytosis by phagocytic cells of the reticuloendothelial system such as macrophages and neutrophils; adsorption to the cell surface, either by nonspecific weak hydrophobic or electrostatic forces, or by specific interactions with cell-surface components; fusion with the plasma cell membrane by insertion of the lipid bilayer of the liposome into the plasma membrane, with simultaneous release of liposomal contents into the cytoplasm; and by transfer of liposomal lipids to cellular or subcellular membranes, or vice versa, without any association of the liposome contents. Varying the liposome formulation can alter which mechanism is operative, although more than one can operate at the same time. Nanocapsules can generally entrap compounds in a stable and reproducible way. To avoid side effects due to intracellular polymeric overloading, such ultrafine particles (sized around 0.1 μm) should be designed using polymers able to be degraded *in vivo*. Biodegradable polyalkyl-cyanoacrylate nanoparticles that meet these requirements are contemplated for use herein, and such particles can be easily made.

4. Exemplary PH20-Insulin Co-Formulation

Provided herein are stable co-formulations of a fast acting insulin, such as a rapid acting (fast-acting) insulin analog, and a modified PH20 polypeptide. Any of the modified

PH20 polypeptides provided herein can be included in a co-formulation with insulin, such as any of the co-formulations described in U.S. Application Serial Nos. 13/507,263 or 13/507,262 or in International PCT Application Serial No. PCT/US2012/042816.

In particular, the modified PH20 polypeptide is a modified PH20 polypeptide that exhibits increased stability under denaturation conditions, such as any set forth in Sections C.1.b. In particular, the PH20 polypeptide is a modified PH20 polypeptide that exhibits increased stability to one or more phenolic preservatives, such as any set forth in Section C.1.b.i. For example, the PH20 polypeptide is a modified PH20 polypeptide that contains an amino acid replacement with P at a position corresponding to position 204 with reference to amino acid positions set forth in SEQ ID NO:3, such as F204P with reference to any of SEQ ID NOS: 3, 7 or 32-66. In other examples, the PH20 polypeptide is a modified PH20 polypeptide that contains an amino acid replacement with R at a position corresponding to position 58 with reference to amino acid positions set forth in SEQ ID NO:3, such as V58R with reference to any of SEQ ID NOS: 3, 7 or 32-66.

The fast acting insulin can be a regular insulin or a rapid acting (fast-acting) insulin analog. Insulin is a polypeptide that when processed is composed of 51 amino acids containing an A- and B- chain. Generally, insulin contains an A-chain of about 21 amino acids and a B-chain of about 30 amino acids. The A- and B- chains are linked by disulfide bridges. Exemplary regular insulins include, for example, a human insulin (with an A chain having a sequence of amino acids set forth in SEQ ID NO:862 and a B chain having a sequence of amino acids set forth in SEQ ID NO:863) or a porcine insulin (with an A chain having a sequence of amino acids set forth as amino acid residue positions 88-108 of SEQ ID NO:864 and a B chain having a sequence of amino acids set forth as amino acid residue positions 25-54 of SEQ ID NO:864). Exemplary fast-acting insulin analogs are insulin variants that contain one or more amino acid modifications compared to a human insulin set forth in SEQ ID NO: 862 and 863 (A and B chains). For example, exemplary insulin analogs are known to one of skill in the art, and include, but are not limited to, glulisine having an A-chain set forth in SEQ ID NO:862 and a B- chain that is a variant of SEQ ID NO:863 (B-chain; LysB3, GluB29), HMR-1 153 having an A-chain set forth in SEQ ID NO:862 and a B-chain that is a variant of SEQ ID NO:863 (B-chain; LysB3, IleB28), insulin aspart having an A-chain set forth in SEQ ID NO:862 and a B-chain that is a variant of SEQ ID NO:863 (B-chain; AspB28), and insulin lispro having an A-chain set forth in SEQ ID NO:862 and a B-chain that is a variant of SEQ ID NO:863 (B-chain; LysB28, ProB29). In every instance above, the nomenclature of the analogs is based on a description of the amino acid substitution at specific positions on the A or B chain of insulin, numbered from the N-

terminus of the chain, in which the remainder of the sequence is that of natural human insulin. Exemplary of such analog forms, are set forth in SEQ ID NOS:862 (A-chain) and having a B-chain set forth in any of SEQ ID NOS: 865-867.

The co-formulations are stable as a liquid formulation for prolonged periods of time for at least 1 month at temperatures from or from about 2 °C to 8 °C, inclusive, or for at least 3 days at a temperature from or from about 30 °C to 42 °C, inclusive. For example, the co-formulations are stable and retain activity of the PH20 hyaluronidase and insulin at "refrigerator" conditions, for example, at 2 °C to 8 °C, such as at or about 4 °C, for at least at least 2 months, 3 months, 4 months, 5 months, 6 months, or 7 months, at least 8 months, at least 9 months, at least 10 months, at least 11 months, at least 12 months, 13 months, 14 months, 15 months, 16 months, 17 months, 18 months, 19 months, 20 months, 21 months, 22 months, 23 months, 24 months, 25 months, 26 months, 27 months, 28 months, 29 months or 30 months or more. In another example, the formulations provided herein are stable and retain activity of the PH20 hyaluronidase and insulin at room temperature for example at 18 °C to 32 °C, generally 20 °C to 32 °C, such as 28 °C to 32 °C, for at least 2 weeks to 1 year, for example, at least 3 weeks, 4 weeks, 2 months, 3 months, 4 months, 5 months, 6 months, at least 7 months, at least 8 months, at least 9 months, or at least 1 year or more. In a further example, the formulations provided herein are stable and retain activity of the PH20 hyaluronidase and insulin at elevated temperatures of about or greater than 30 °C, generally from or from about 30 °C to 42 °C, such as 32 °C to 37 °C or 35 °C to 37 °C or about or 37 °C for at least 4 days, 5 days, 6 days, 7 days, 8 days, 9 days, 10 days, 11 days, 12 days, 13 days, 14 days, 15 days, 20 days, 21 days, 22 days, 23 days, 24 days, 25 days, 26 days, 27 days, 28 days, 29 days, 30 days, 35 days, 40 days, 45 days, 50 days, 60 days or more.

Assays to assess stability of active agents are well-known to one of skill in the art. Section G provides exemplary assays to asses stability of PH20 hyaluronidase. The stability of insulin can be assessed using similar methods well-known to one of skill in the art. For example, insulin stability and solubility can be assessed by visual assessment (*e.g.*, including changes in color, clarity, presence of aggregates or clumping and material adhesion, or frosting), acid clarification, optical microscopy, reversed phase high performance liquid chromatography (RP-HPLC), *in vitro* or *in vivo* bioassays and denaturing and non-denaturing size exclusion chromatography (SEC). *In vitro* or *in vivo* bioassays for insulin activity include, but are not limited to, a competitive binding assay using cells expressing insulin receptors (*e.g.*, human placental cell membranes) and a radiolabeled insulin (see *e.g.*, Weiss *et al.*, (2001) *J. Biol. Chem.* 276:40018-40024; Duttaroy *et al.*, (2005) *Diabetes* 54:251-258); insulin-stimulated glucose uptake (Louveau *et al.*, (2004) *J Endocrin.* 181:271-280, Duttaroy

et al., (2005) *Diabetes* 54:251-258); assays to assess glucose production in the presence of insulin (Wang *et al.*, (2000) *J. Biochem.*, 275:14717-14721, Duttaroy *et al.*, (2005) *Diabetes* 54:251-258); and studies using diabetic and/or healthy animal models (Atkinson *et al.*, (1999) *Nature Med.* 5:601-604; Nagoya-Shibata-Yasuda (NSY) mice, Zucker diabetic fatty (ZDF) rats and Gato-Katazaki (GK) rats (Cefalu (2006) *ILAR Journal* 47:186-198).

Examples of such formulations contain 100 U/mL to 1000 U/mL of a modified PH20 polypeptide, and in particular at or about or at least 600 U/mL; 10 U/mL to 1000 U/mL of a fast-acting insulin, and in particular at or at least or about 100 U/mL; NaCl at a concentration of between or about between 80-140 mM; a pH of between or about between 7.0 to 7.8; a buffering agent that maintains the pH range of between or about between 7.0 to 7.8; 0.1% to 0.4% preservative as a mass concentration (w/v). Optionally, a further stabilizing agent can be included. For example, the co-formulations provided herein contain 1 mM to 100 mM of a buffering agent. For example, the co-formulations provided herein contain 0.005% to 0.5% surfactant. Exemplary co-formulations provided herein also can contain less than 60 mM glycerin (glycerol) and 2 mM to or to about 50 mM of an antioxidant.

The following stable formulations are exemplary only and provide a platform from which minor adjustments can be made. It is understood that very small changes in the concentrations of the various excipients and other components (*e.g.*, ± 15% of the stated concentrations), or small changes in pH, can be made while retaining some if not all of the insulin solubility and stability and PH20 stability. Further changes also can be made by adding or removing excipients. For example, the type of stabilizing surfactant can be changed.

For example, the exemplary co-formulations herein contain 100 U/mL to 1000 U/mL of a modified PH20 polypeptide, and in particular at least or about at least or about 600 U/mL of a modified PH20 polypeptide; 10 U/mL to 1000 U/mL of a fast-acting insulin, and in particular at least or about at least or about 100 U/mL of a fast-acting insulin; from or from about 10 mM to or to about 50 mM Tris (*e.g.*, from or from about 20 mM to 40 mM Tris, such as or as about 20 mM, 25 mM, 30 mM, 35 mM or 40 mM Tris); from or from about 80 mM to or to about 160 mM NaCl (*e.g.*, at or about 80 mM, 90 mM, 100 mM, 110 mM 120 mM, 130 mM, 140 mM, 150 mM or 160 mM NaCl); from or from about 2 mM to or to about 50 mM methionine (*e.g.*, at or about 5 mM, 10 mM, 20 mM, 30 mM, 40 mM or 50 mM methionine); from or from about 0 mM to or to about 50 mM glycerin (*e.g.*, at or about 5 mM, 10 mM, 20 mM, 30 mM, 40 mM or 50 mM glycerin); from or from about 0.005% to or to about 0.5% poloxamer 188, such as 0.01% to 0.05% (*e.g.*, at or about 0.01%, 0.02%, 0.03%, 0.04% or 0.05% poloxamer 188); from or from about 0.05% to or to about 0.25% phenol

(*e.g.*, at or about 0.1%, 0.12%, 0.125%, 0.13%, 0.14%, 0.15%, 0.16% or 0.17% phenol); and from or from about 0.05% to or to about 0.4% m-cresol (*e.g.*, at or about 0.075%, 0.08%, 0.09%, 0.1%, 0.12%, 0.13%, 0.14%, 0.15%, 0.16% or 0.17% m-cresol). The formulations are prepared with a pH from or from about 7.0 to or to about 7.6 (*e.g.*, at or about pH 7.0, 7.1, 7.2, 7.3, 7.4, 7.5 or 7.6). In further examples, zinc is included at a concentration of or about 0.017 mg/100 U, 0.018 mg/100 U, 0.02 mg/100 U, 0.022 mg/100 U or 0.024 mg/100 U insulin.

In particular examples, the fast acting insulin is insulin aspart, insulin lispro or insulin glulisine. Exemplary co-formulations provided herein that contain a modified PH20 polypeptide and insulin lispro are those that contain from or about 25 mM to or to about 35 mM Tris (*e.g.*, at or about 30 mM Tris); from or from about 70 mM to or to about 100 mM NaCl (*e.g.*, at or about 80 mM or 100 mM NaCl); from or from about 10 mM to or to about 30 mM methionine (*e.g.*, at or about 10 mM or 20 mM methionine); from or from about 40 mM to or to about 60 mM glycerin (*e.g.*, at or about 50 mM glycerin); from or from about 0.005% to or to about 0.05% poloxamer 188 (*e.g.*, at or about 0.01% poloxamer 188); from or from about 0.017 mg zinc/100 U insulin to or to about 0.024 mg zinc/100 U insulin (*e.g.*, 0.017 mg zinc/100 U insulin, 0.018 mg/100 U, 0.02 mg/100 U, 0.022 mg/100 U or 0.024 mg zinc/100 U insulin); from or from about 0.08% to or to about 0.17% phenol (*e.g.*, 0.1%, 0.125% or 0.13% phenol); and from or from about 0.07% to or to about 0.17% m-cresol (*e.g.*, 0.075%, 0.08%, 0.13% or 0.15% m-cresol). For example, the co-formulations can contain at or about 0.1% phenol and 0.015% m-cresol; at or about 0.125% phenol and 0.075% m-cresol; at or about 0.13% phenol and 0.075% m-cresol; at or about 0.13% phenol and 0.08% m-cresol; or at or about 0.17% phenol and 0.13% m-cresol. Such formulations of insulin lispro and a modified PH20 polypeptide are prepared with a pH of or about 7.0 to or to about 7.5 (typically a pH of or about pH 7.2).

Exemplary co-formulations provided herein that contain a modified PH20 polypeptide and insulin aspart are those that contain from or from about 25 mM to or to about 35 mM Tris (*e.g.*, at or about 30 mM Tris); from or from about 70 mM to or to about 120 mM NaCl (*e.g.*, at or about 80 mM or 100 mM NaCl); from or from about 2 mM to or to about 30 mM methionine, such as 2 mM to 10 mM or 5 mM to 30 mM methionine (*e.g.*, at or about 5 mM, 10 mM or 20 mM methionine); from or from about 0.005% to or to about 0.05% poloxamer 188 (*e.g.*, at or about 0.01% poloxamer 188); from or from about 0.08% to or to about 0.17% phenol (*e.g.*, 0.1%, 0.125% or 0.13% phenol); and from or from about 0.07% to or to about 0.17% m-cresol (*e.g.*, 0.075%, 0.08%, 0.13% or 0.15% m-cresol). For example, the co-formulations can contain at or about 0.1% phenol and 0.015% m-cresol; at or about

0.125% phenol and 0.075% m-cresol; at or about 0.13% phenol and 0.075% m-cresol; at or about 0.13% phenol and 0.08% m-cresol; or at or about 0.17% phenol and 0.13% m-cresol. Such formulations of insulin aspart and a modified PH20 polypeptide are prepared with a pH of or about 7.0 to or to about 7.6 (typically a pH of or about pH 7.4 or 7.3).

Further exemplary formulations provided herein that contain a modified PH20 polypeptide and insulin aspart are those that do not contain phenol. Such exemplary formulations contain from or from about 25 mM to or to about 35 mM Tris (*e.g.*, at or about 30 mM Tris); from or from about 70 mM to or to about 120 mM NaCl (*e.g.*, at or about 80 mM or 100 mM NaCl); from or from about 2 mM to or to about 30 mM methionine, such as 2 mM to 10 mM or 5 mM to 30 mM methionine (*e.g.*, at or about 5 mM, 10 mM or 20 mM methionine); from or from about 0.005% to or to about 0.05% poloxamer 188 (*e.g.*, at or about 0.01% poloxamer 188); and from or from about 0.07% to or to about 0.4% m-cresol, such as from or from about 0.2% to 0.4% m-cresol (*e.g.*, 0.3%, 0.315%, 0.35%, 0.4% m-cresol). Such formulations of insulin aspart and a modified PH20 polypeptide are prepared with a pH of or about 7.0 to or to about 7.6 (typically a pH of or about pH 7.4 or 7.3).

Exemplary co-formulations provided herein that contain a modified PH20 polypeptide and insulin glulisine are those that contain from or from about 25 mM to or to about 35 mM Tris (*e.g.*, at or about 30 mM Tris); from or from about 100 mM to or to about 150 mM NaCl (*e.g.*, at or about 100 mM or 140 mM NaCl); from or from about 10 mM to or to about 30 mM methionine (*e.g.*, at or about 10 mM or 20 mM methionine); from or from about 40 mM to or to about 60 mM glycerin (*e.g.*, at or about 50 mM glycerin); from or from about 0.005% to or to about 0.05% poloxamer 188 (*e.g.*, at or about 0.01% poloxamer 188); from or from about 0.08% to or to about 0.17% phenol (*e.g.*, 0.1%, 0.125% or 0.13% phenol); and from or from about 0.07% to or to about 0.17% m-cresol (*e.g.*, 0.075%, 0.08%, 0.13% or 0.15% m-cresol). For example, the co-formulations can contain at or about 0.1% phenol and 0.015% m-cresol; at or about 0.125% phenol and 0.075% m-cresol; at or about 0.13% phenol and 0.075% m-cresol; at or about 0.13% phenol and 0.08% m-cresol; or at or about 0.17% phenol and 0.13% m-cresol. Such formulations of insulin glulisine and a modified PH20 polypeptide are prepared with a pH of or about 7.0 to or to about 7.6 (typically a pH of or about pH 7.4).

5. Packaging, Articles of Manufacture and Kits

Pharmaceutical compounds of modified PH20 polypeptides, or nucleic acids encoding such polypeptides, or derivatives or variants thereof can be packaged as articles of manufacture containing packaging material, a pharmaceutical composition which is effective for treating a disease or disorder, and a label that indicates that the pharmaceutical

composition or therapeutic molecule is to be used for treating the disease or disorder. Combinations of a selected modified PH20 polypeptide, or a derivative or variant thereof and an therapeutic agent also can be packaged in an article of manufacture.

The articles of manufacture provided herein contain packaging materials. Packaging materials for use in packaging pharmaceutical products are well known to those of skill in the art. See, for example, U.S. Patent Nos. 5,323,907, 5,052,558 and 5,033,252, each of which is incorporated herein in its entirety. Examples of pharmaceutical packaging materials include, but are not limited to, blister packs, bottles, tubes, inhalers, pumps, bags, vials, containers, syringes, bottles, and any packaging material suitable for a selected formulation and intended mode of administration and treatment. The articles of manufacture can include a needle or other injection device so as to facilitate administration (*e.g.*, sub-epidermal administration) for local injection purposes. A wide array of formulations of the compounds and compositions provided herein are contemplated including a modified PH20 polypeptide and a therapeutic agent, such as a fast-acting insulin, known to treat a particular disease or disorder. The choice of package depends on the PH20 and/or therapeutic agent, and whether such compositions will be packaged together or separately. In one example, the PH20 can be packaged as a mixture with the therapeutic agent. In another example, the components can be packaged as separate compositions

Modified PH20 polypeptides, therapeutic agents and/or articles of manufacture thereof also can be provided as kits. Kits can include a pharmaceutical composition described herein and an item for administration provided as an article of manufacture. For example a PH20 polypeptide can be supplied with a device for administration, such as a syringe, an inhaler, a dosage cup, a dropper, or an applicator. The compositions can be contained in the item for administration or can be provided separately to be added later. The kit can, optionally, include instructions for application including dosages, dosing regimens and instructions for modes of administration. Kits also can include a pharmaceutical composition described herein and an item for diagnosis. For example, such kits can include an item for measuring the concentration, amount or activity of the selected protease in a subject.

G. Methods of Assessing PH20 Activity and Stability

Assays can be used to assess the stability and activity of the PH20 polypeptides provided herein. The assays can be used to assess the hyaluronidase activity of the PH20 polypeptide under particular conditions, temperature, and/or over time. Such assays can be used, for example, to determine the stability of the PH20 polypeptide under specific denaturation conditions, including, but not limited to, elevated temperatures greater than or about or 30 °C (*e.g.*, 30 °C to 42 °C such as or about 37 °C), agitation, presence of excipients

(*e.g.*, preservative), or low or no NaCl (salt). For example, stability under specific conditions can be monitored by assessing activity, solubility, and stability (*e.g.*, formation of aggregates, etc.) in the absence of exposure to the denaturation condition and then at various time points thereafter in the presence of the condition. Hence, stability can be assessed over time. Stability also can be assessed by comparing any one or more of activity, solubility or aggregation in the presence of one or more denaturation conditions compared to a native, wildtype or reference PH20 polypeptide. The assays also can be used make minor adjustments to the formulations provided herein while retaining the stability of both active agents.

1. Hyaluronidase Activity

The activity of a modified PH20 polypeptide can be assessed using methods well known in the art. For example, the USP XXII assay for hyaluronidase determines activity indirectly by measuring the amount of undegraded hyaluronic acid, or hyaluronan, (HA) substrate remaining after the enzyme is allowed to react with the HA for 30 min at 37 °C (USP XXII-NF XVII (1990) 644-645 United States Pharmacopeia Convention, Inc, Rockville, MD). A Hyaluronidase Reference Standard (USP) or National Formulary (NF) Standard Hyaluronidase solution can be used in an assay to ascertain the activity, in units, of any hyaluronidase. In one example, activity is measured using a microturbidity assay. This is based on the formation of an insoluble precipitate when hyaluronic acid binds with a reagent that precipitates it, such as acidified serum or cetylpyridinium chloride (CPC). The activity is measured by incubating hyaluronidase with sodium hyaluronate (hyaluronic acid) for a set period of time (*e.g.*, 10 minutes) and then precipitating the undigested sodium hyaluronate with the addition of acidified serum or CPC. The turbidity of the resulting sample is measured at 640 nm after an additional development period. The decrease in turbidity resulting from hyaluronidase activity on the sodium hyaluronate substrate is a measure of hyaluronidase enzymatic activity.

In another example, hyaluronidase activity is measured using a microtiter assay in which residual biotinylated hyaluronic acid is measured following incubation with hyaluronidase (see *e.g.*, Frost and Stern (1997) *Anal. Biochem.* 251:263-269, U.S. Pat. Publication No. 20050260186). The free carboxyl groups on the glucuronic acid residues of hyaluronic acid are biotinylated, and the biotinylated hyaluronic acid substrate is covalently coupled to a microtiter plate. Following incubation with hyaluronidase, the residual biotinylated hyaluronic acid substrate is detected using an avidin-peroxidase reaction, and compared to that obtained following reaction with hyaluronidase standards of known activity.

Other assays to measure hyaluronidase activity also are known in the art and can be used in the methods herein (see *e.g.*, Delpech *et al.*, (1995) *Anal. Biochem.* 229:35-41; Takahashi *et al.*, (2003) *Anal. Biochem.* 322:257-263).

Many hyaluronidase assays have been based upon the measurement of the generation of new reducing N-acetylamino groups (Bonner and Cantey, Clin. Chim. Acta 13:746-752, 1966), or loss of viscosity (De Salegui et al., Arch. Biochem. Biophys.121:548-554, 1967) or turbidity (Dorfman and Ott, J. Biol. Chem. 172:367, 1948). With purified substrates all of these methods suffice for determination of the presence or absence of endoglycosidase activity.

Substantially purified glycosaminoglycan substrates can also be used in a Gel Shift Assay. Glycosaminoglycans are mixed with recombinant PH20, such as a soluble PH20, to test for endoglycosidase activity that results in a shift in substrate mobility within the gel. Examples of such substrates include, but are not limited to, chondroitin-4 and 6 sulfate, dermatan sulfate, heparan-sulfate, which can be obtained from Sigma Chemical. Human umbilical cord Hyaluronan can be obtained from ICN. For example, each test substrate can be diluted to at or about 0.1 mg/mL in a buffer range from pH 3.5-7.5. In such an exemplary assay, at or about 10 µl samples of purified soluble PH20 or conditioned media from PH20 expressing cells can be mixed with at or about 90 µl of test substrate in desired buffer and incubated for 3 hours at 37 °C. Following incubation, samples are neutralized with sample buffer (Tris EDTA pH 8.0, Bromophenol Blue and glycerol) followed by electrophoresis. Glycosaminoglycans can be detected using any method known in the art, for example, glycosaminoglycans can be detected by staining the gels using 0.5% Alcian Blue in 3% Glacial Acetic Acid overnight followed by destaining in 7% Glacial Acetic Acid. Degradation is determined by comparison of substrate mobility in the presence and absence of enzyme.

Hyaluronidase activity can also be detected by substrate gel zymography (Guentenhoner *et al.* (1992) *Matrix* 12:388-396). In this assay, a sample is applied to an SDS-PAGE gel containing hyaluronic acid and the proteins in the sample separated by electrophoresis. The gel is then incubated in an enzyme assay buffer and subsequently stained to detect the hyaluronic acid in the gel. Hyaluronidase activity is visualized as a cleared zone in the substrate gel.

The ability of a PH20 polypeptide, including a modified PH20 polypeptide provided herein, to act as a spreading or diffusing agent also can be assessed. For example, trypan blue dye can be injected subcutaneously with or without a PH20 polypeptide into the lateral skin on each side of nude mice. The dye area is then measured, such as with a microcaliper, to

determine the ability of the PH20 polypeptide to act as a spreading agent (U.S. Pat. Pub. No. 20060104968).

The functional activity of a PH20 polypeptide can be compared and/or normalized to a reference standard using any of these assays. This can be done to determine what a functionally equivalent amount of a PH20 polypeptide is. For example, the ability of a PH20 polypeptide to act as a spreading or diffusing agent can be assessed by injecting it into the lateral skin of mice with trypan blue, and the amount required to achieve the same amount of diffusion as, for example, 100 units of a Hyaluronidase Reference Standard, can be determined. The amount of PH20 polypeptide required is, therefore, functionally equivalent to 100 hyaluronidase units.

2. Solubility

The solubility of a PH20 polypeptide can be determined by any method known to one of the skill in the art. One method for determining solubility is detergent partitioning. For example, a soluble PH20 polypeptide can be distinguished, for example, by its partitioning into the aqueous phase of a Triton® X-114 solution at 37 °C (Bordier et al., (1981) *J. Biol. Chem.*, 256:1604-1607). Membrane-anchored polypeptides, such as lipid-anchored hyaluronidases, including GPI-anchored hyaluronidases, will partition into the detergent-rich phase, but will partition into the detergent-poor or aqueous phase following treatment with Phospholipase C. Phospholipase C is an enzyme that cleaves the phospho-glycerol bond found in GPI-anchored proteins. Treatment with PLC will cause release of GPI-linked proteins from the outer cell membrane.

3. Purity, Crystallization or Aggregation

The stability of a PH20 polypeptide provided herein also can be assessed using other methods and assays known in the art. In addition to assessing stability based on hyaluronidase activity, stability can be assessed by visual inspection, percent recovery, protein purity and apparent melting temperature.

For example, protein purity can be measured by reversed phase high performance liquid chromatography (RP-HPLC). Protein purity, as determined by RP-HPLC, is the percent of the main PH20 protein peak present, as compared to all of the protein species present. Thus, RP-HPLC, and similar methods known to one of skill in the art, can assess degradation of the enzyme. Protein purity can be assessed over time. Protein purity also can be assessed in the presence of one or more denaturation conditions and in varying amounts thereof. Percent recovery also can be determined as the relative percentage of the polypeptide under various conditions (denaturation conditions, time of storage, mode of storage such as vessel or container, or other similar parameters that can be altered) as compared to a reference

sample. PH20 polypeptide stability also can be determined by measuring the oxidation of the hyaluronidase by RP-HPLC. Percent oxidation is a measure of sum of the peak areas of the major (ox-1) and minor (ox-2) peaks.

In one example, the melting temperature of a PH20 polypeptide, such as a modified PH20 polypeptide, can be determined by measuring the hydrodynamic radius of particles by dynamic light scattering under various conditions (*e.g.*, denaturation conditions or other storage conditions). An increase in particle size and a decrease in the melting temperature indicates denaturation and subsequent aggregation of the hyaluronidase.

Other methods known to one of skill in the art that can be used to determine the stability of the hyaluronidase in the co-formulations provided herein, include polyacrylamide gel electrophoresis (PAGE), immunoblotting, nuclear magnetic resonance (NMR) spectroscopy, mass spectrometry, circular dichroism (CD) and dye-based fluorescence assays.

4. Pharmacodynamics/Pharmacokinetics

The effect of administration of a PH20 polypeptide, such as a modified PH20 polypeptide, alone or in combination with another therapeutic agent, on the pharmacokinetic and pharmacodynamic properties of any administered agent also can be assessed *in vivo* using animal models and/or human subjects, such as in the setting of a clinical trial. Pharmacokinetic or pharmacodynamic studies can be performed using animal models or can be performed during studies with patients administered with a PH20 polypeptide or modified PH20 polypeptide.

Animal models include, but are not limited to, mice, rats, rabbits, dogs, guinea pigs and non-human primate models, such as cynomolgus monkeys or rhesus macaques. In some instances, pharmacokinetic or pharmacodynamic studies are performed using healthy animals. In other examples, the studies are performed using animal models of a disease for which therapy with hyaluronan is considered, such as animal models of any hyaluronan-associated disease or disorder, for example a tumor model.

The pharmacokinetic properties of a PH20 polypeptide, such as a modified PH20 polypeptide, can be assessed by measuring such parameters as the maximum (peak) concentration (C_{max}), the peak time (*i.e.*, when maximum concentration occurs; T_{max}), the minimum concentration (*i.e.*, the minimum concentration between doses; C_{min}), the elimination half-life ($T_{1/2}$) and area under the curve (*i.e.*, the area under the curve generated by plotting time versus concentration; AUC), following administration. The absolute bioavailability of the hyaluronidase can be determined by comparing the area under the curve of hyaluronidase following subcutaneous delivery (AUCsc) with the AUC of hyaluronidase following intravenous delivery (AUC_{iv}). Absolute bioavailability (F), can be calculated using

the formula: $F = ([AUC]_{sc} \times dose_{sc}) / ([AUC]_{iv} \times dose_{iv})$. A range of doses and different dosing frequency of dosing can be administered in the pharmacokinetic studies to assess the effect of increasing or decreasing concentrations enzyme, such as modified PH20 polypeptide, in the dose.

H. Methods of Treatment and Combination Therapy

Provided herein are methods and uses of any of the modified PH20 polypeptides provided herein that exhibit hyaluronidase activity based on its ability to degrade glycosaminoglycan(s) such as hyaluronan. Due to such activity, the modified PH20 polypeptides can be used as a spreading factor to increase the delivery and/or bioavailability of subcutaneously administered therapeutic agents. Delivery of any therapeutic agent, including but not limited to, peptides, proteins, small molecule drugs, nucleic acids, or viruses can be facilitated or enhanced by co-administration with a modified PH20 polypeptide provided herein. For example, modified PH20 polypeptides can be used to increase the delivery of therapeutic agents such as antibodies (*e.g.*, monoclonal antibodies), cytokines, Immune Globulin, an Insulin, or coagulation factors, to a desired locus, such as by increasing penetration of chemotherapeutic agents into solid tumors. The modified PH20 polypeptides also can be used to treat a hyaluronan-disease or disorder that is characterized by an excess or accumulation of hyaluronan. For example, modified PH20 polypeptides provided herein can be used to for treating a tumor; for treating glycosaminoglycan accumulation in the brain; for treating a cardiovascular disorder; for treating an ophthalmic disorder; for treating pulmonary disease; for treating cellulite; and/or for treating a proliferative disorder.

Other methods and uses of a modified PH20 polypeptide include any that are known to one of skill in the art. For example, various forms of PH20 hyaluronidases have been prepared and approved for therapeutic use in humans. For example, animal-derived hyaluronidase preparations include Vitrase® (ISTA Pharmaceuticals), a purified ovine testicular hyaluronidase, and Amphadase® (Amphastar Pharmaceuticals), a bovine testicular hyaluronidase. Hylenex® (Halozyme Therapeutics) is a human recombinant hyaluronidase produced by genetically engineered Chinese Hamster Ovary (CHO) cells containing nucleic acid encoding for soluble rHuPH20 (see *e.g.*, U.S. Patent No. 7,767,429). Approved therapeutic uses for hyaluronidases include use as an adjuvant to increase the absorption and dispersion of other therapeutic agents for hypodermoclysis (subcutaneous fluid administration), and as an adjunct in subcutaneous urography for improving resorption of radiopaque agents. In addition to these indications, hyaluronidases can be used as a therapeutic or cosmetic agent for the treatment of additional diseases and conditions. For example, hyaluronidase is commonly used, for example, for peribulbar block in local

anesthesia prior ophthalmic surgery. The presence of the enzyme prevents the need for additional blocks and reduces the time to the onset of akinesia (loss of eye movement). Peribulbar and sub-Tenon's block are the most common applications of hyaluronidase for ophthalmic procedures. Hyaluronidase also can promote akinesia in cosmetic surgery, such as blepharoplasties and face lifts. It is understood that soluble PH20 hyaluronidases provided herein, including esPH20 hyaluronidases, can be used in any method of treatment or combination therapy for which a PH20 hyaluronidase is used (see *e.g.*, U.S. Publication Nos. US20040268425; US20050260186; US20060104968; and U.S. Appl. Serial Nos. 12/381,844, published as U.S. Publication No. US20100074885; 12/386,249, published as U.S. Publication No. US20090311237; 12/387,225, published as U.S. Publication No. US20090304665; and 12/386,222, published as U.S. Publication No. US2010003238, each incorporated by reference in their entirety).

Exemplary, non-limiting, methods and uses are described in the following subsections.

1. Methods of Delivering Therapeutic Agents

As noted above, hyaluronidase is a spreading or diffusing substance that modifies the permeability of connective tissue through the hydrolysis of hyaluronic acid, a polysaccharide found in the intercellular ground substance of connective tissue, and of certain specialized tissues, such as the umbilical cord and vitreous humor. When no spreading factor is present, materials injected subcutaneously, such as drugs, proteins, peptides and nucleic acid, spread very slowly. Co-injection with hyaluronidase, however, can cause rapid spreading. The rate of diffusion is proportional to the amount of enzyme, and the extent of diffusion is proportional to the volume of solution.

Modified PH20 polypeptides provided herein can be used to promote or enhance the delivery agents and molecules to any of a variety of mammalian tissues *in vivo*. It can be used to facilitate the diffusion and, therefore, promote the delivery, of small molecule pharmacologic agents as well as larger molecule pharmacologic agents, such as proteins, nucleic acids and ribonucleic acids, and macromolecular compositions than can contain a combination of components including, but not limited to, nucleic acids, proteins, carbohydrates, lipids, lipid-based molecules and drugs (see *e.g.*, U.S. Publication Nos. US20040268425; US20050260186; and US20060104968). Modified PH20 polypeptides can be co-administered and/or co-formulated with a therapeutic agent to improve the bioavailability as well as pharmacokinetic (PK) and/or pharmacodynamic (PD) characteristics of co-formulated or co-administered agents. PK/PD parameters that can be improved by using soluble PH20, such as esPH20, include such measures as C_{max} (the maximal

concentration of agent achieved following absorption in, *e.g.*, the bloodstream), T_{max} (the time required to achieve maximal concentration), $T_{1/2}$ (the time required for the concentration to fall by half), C_{min} (the minimal concentration of agent following metabolism and excretion), AUC (area under the curve of concentration versus time, a measure of the overall amount of bioavailability), concentrations in various tissues of interest (including, *e.g.*, the rate of achieving desired concentrations, the overall levels, and the duration of maintaining desired levels), and E_{max} (the maximal effect achieved).

The methods of treatment provided herein include combination therapies with a therapeutic agent for the treatment of a disease or disorder for which the therapeutic agent threats. Any therapeutic agent that ameliorates and or otherwise lessens the severity of a disease or condition can be combined with a modified PH20 polypeptide provided herein in order to increase the bioavailability of such therapeutic agent. In particular, modified PH20 polypeptides provided herein can be used in each and all of the combinations described in applications see *e.g.*, U.S. Publication Nos. US20040268425; US20050260186; US20060104968 and U.S. Appl. Serial Nos. 12/381,844, published as U.S. Publication No. US20100074885; 12/386,249, published as U.S. Publication No. US20090311237; 12/387,225, published as U.S. Publication No. US20090304665; and 12/386,222, published as U.S. Publication No. US2010003238 in place of the disclosed hyaluronidase or hyaluronidase degrading enzyme.

Modified PH20 polypeptides can be administered prior to, subsequent to, intermittently with or simultaneously with the therapeutic agent preparation. Generally, the modified PH20 polypeptide is administered prior to or simultaneously with administration of the therapeutic agent preparation to permit the PH20 to degrade the hyaluronic acid in the interstitial space. The PH20 can be administered at a site different from the site of administration of the therapeutic molecule or the soluble PH20 can be administered at a site the same as the site of administration of the therapeutic molecule.

Examples of pharmaceutical, therapeutic and cosmetic agents and molecules that can be administered with hyaluronidase include, but are not limited to, a chemotherapeutic or anticancer agent, an analgesic agent, an antibiotic agent, an anti-inflammatory agent, an antimicrobial agent, an amoebicidal agent, a trichomonacidal agent, an anti-parkinson agent, an anti-malarial agent, an anticonvulsant agent, an anti-depressant agent, an anti-arthritic agent, an anti-fungal agent, an antihypertensive agent, an antipyretic agent, an anti-parasitic agent, an antihistamine agent, an alpha-adrenergic agonist agent, an alpha blocker agent, an anesthetic agent, a bronchial dilator agent, a biocide agent, a bactericide agent, a bacteriostatic agent, a beta adrenergic blocker agent, a calcium channel blocker agent, a cardiovascular drug

agent, a contraceptive agent, a cosmetic or esthetic agent, a decongestant agent, a diuretic agent, a depressant agent, a diagnostic agent, an electrolyte agent, a hypnotic agent, a hormone agent, a hyperglycemic agent, a muscle relaxant agent, a muscle contractant agent, an ophthalmic agent, a parasympathomimetic agent, a psychic energizer agent, a sedative agent, a sleep inducer, a sympathomimetic agent, a tranquilizer agent, a urinary agent, a vaginal agent, a viricide agent, a vitamin agent, a non-steroidal anti-inflammatory agent, or an angiotensin converting enzyme inhibitor agent, and any combination thereof. In particular, therapeutic agents include antibodies, including monoclonal antibodies, bisphosphonates, insulins, coagulation factors, cytokines and Immun Globulins.

For example, modified PH20 polypeptides provided herein can be used to increase the delivery of chemotherapeutic agents. Hyaluronidases have also been used to enhance the activity of chemotherapeutics and/or the accessibility of tumors to chemotherapeutics (Schuller et al., 1991, *Proc. Amer. Assoc. Cancer Res.* 32:173, abstract no. 1034; Czejka et al., 1990, *Pharmazie* 45:H.9; Baumgartner et al. (1988) *Reg. Cancer Treat.* 1:55-58; Zanker et al. (1986) *Proc. Amer. Assoc. Cancer Res.* 27:390). Combination chemotherapy with hyaluronidase is effective in the treatment of a variety of cancers including urinary bladder cancer (Horn et al., 1985, *J. Surg. Oncol.* 28:304-307), squamous cell carcinoma (Kohno et al., 94, *J. Cancer Res. Oncol.* 120:293-297), breast cancer (Beckenlehner et al., 1992, *J. Cancer Res. Oncol.* 118:591-596), and gastrointestinal cancer (Scheithauer et al., 1988, *Anticancer Res.* 8:391-396). In this example, the modified PH20 hyaluronidase enhances penetration of chemotherapeutic or other anti-cancer agents into solid tumors, thereby treating the disease.

Compositions containing soluble PH20 can be injected intratumorally with anti-cancer agents or intravenously for disseminated cancers or hard to reach tumors. The anticancer agent can be a chemotherapeutic, an antibody, a peptide, or a gene therapy vector, virus or DNA. Additionally, hyaluronidase can be used to recruit tumor cells into the cycling pool for sensitization in previously chemorefractory tumors that have acquired multiple drug resistance (St Croix et al., (1998) *Cancer Lett* September 131(1): 35-44).

Exemplary anti-cancer agents that can be administered after, coincident with or before administration of a soluble PH20, such as an esPH20, include, but are not limited to Acivicins; Aclarubicins; Acodazoles; Acronines; Adozelesins; Aldesleukins; Alemtuzumabs; Alitretinoins (9-Cis-Retinoic Acids); Allopurinols; Altretamines; Alvocidibs; Ambazones; Ambomycins; Ametantrones; Amifostines; Aminoglutethimides; Amsacrines; Anastrozoles; Anaxirones; Ancitabines; Anthramycins; Apaziquones; Argimesnas; Arsenic Trioxides; Asparaginases; Asperlins; Atrimustines; Azacitidines; Azetepas; Azotomycins;

Banoxantrones; Batabulins; Batimastats; BCG Live; Benaxibines; Bendamustines; Benzodepas; Bexarotenes; Bevacizumab; Bicalutamides; Bietaserpines; Biricodars; Bisantrenes; Bisantrenes; Bisnafide Dimesylates; Bizelesins; Bleomycins; Bortezomibs; Brequinars; Bropirimines; Budotitanes; Busulfans; Cactinomycins; Calusterones; Canertinibs; Capecitabines; Caracemides; Carbetimers; Carboplatins; Carboquones; Carmofurs; Carmustines with Polifeprosans; Carmustines; Carubicins; Carzelesins; Cedefingols; Celecoxibs; Cemadotins; Chlorambucils; Cioteronels; Ciplactin; Cirolemycins; Cisplatins; Cladribines; Clanfenurs; Clofarabines; Crisnatols; Cyclophosphamides; Cytarabine liposomals; Cytarabines; Dacarbazines; Dactinomycins; Darbepoetin Alfas; Daunorubicin liposomals; Daunorubicins/Daunomycins; Daunorubicins; Decitabines; Denileukin Diftitoxes; Dexniguldipines; Dexonas; Dexrazoxanes; Dezaguanines; Diaziquones; Dibrospidiums; Dienogests; Dinalins; Disermolides; Docetaxels; Dofequidars; Doxifluridines; Doxorubicin liposomals; Doxorubicin HCL; Doxorubicin HCL liposome injection; Doxorubicins; Droloxifenes; Dromostanolone Propionates; Duazomycins; Ecomustines; Edatrexates; Edotecarins; Eflornithines; Elacridars; Elinafides; Elliott's B Solutions; Elsamitrucins; Emitefurs; Enloplatins; Enpromates; Enzastaurins; Epipropidines; Epirubicins; Epoetin alfas; Eptaloprosts; Erbulozoles; Esorubicins; Estramustines; Etanidazoles; Etoglucids; Etoposide phosphates; Etoposide VP-16s; Etoposides; Etoprines; Exemestanes; Exisulinds; Fadrozoles; Fazarabines; Fenretinides; Filgrastims; Floxuridines; Fludarabines; Fluorouracils; 5-fluorouracils; Fluoxymesterones; Flurocitabines; Fosquidones; Fostriecins; Fostriecins; Fotretamines; Fulvestrants; Galarubicins; Galocitabines; Gemcitabines; Gemtuzumabs/Ozogamicins; Geroquinols; Gimatecans; Gimeracils; Gloxazones; Glufosfamides; Goserelin acetates; Hydroxyureas; Ibritumomabs/Tiuxetans; Idarubicins; Ifosfamides; Ilmofosines; Ilomastats; Imatinib mesylates; Imexons; Improsulfans; Indisulams; Inproquones; Interferon alfa-2as; Interferon alfa-2bs; Interferon Alfas; Interferon Betas; Interferon Gammas; Interferons; Interleukin-2s and other Interleukins (including recombinant Interleukins); Intoplicines; Iobenguanes [131-I]; Iproplatins; Irinotecans; Irsogladines; Ixabepilones; Ketotrexates; L-Alanosines; Lanreotides; Lapatinibs; Ledoxantrones; Letrozoles; Leucovorins; Leuprolides; Leuprorelins (Leuprolides); Levamisoles; Lexacalcitols; Liarozoles; Lobaplatins; Lometrexols; Lomustines/CCNUs; Lomustines; Lonafarnibs; Losoxantrones; Lurtotecans; Mafosfamides; Mannosulfans; Marimastats; Masoprocols; Maytansines; Mechlorethamines; Mechlorethamines/Nitrogen mustards; Megestrol acetates; Megestrols; Melengestrols; Melphalans; Melphalan L-PAMs; Menogarils; Mepitiostanes; Mercaptopurines; 6-Mecaptopurine; Mesnas; Metesinds; Methotrexates; Methoxsalens; Metomidates; Metoprines; Meturedepas; Miboplatins; Miproxifenes;

Misonidazoles; Mitindomides; Mitocarcins; Mitocromins; Mitoflaxones; Mitogillins; Mitoguazones; Mitomalcins; Mitomycin Cs; Mitomycins; Mitonafides; Mitoquidones; Mitospers; Mitotanes; Mitoxantrones; Mitozolomides; Mivobulins; Mizoribines; Mofarotenes; Mopidamols; Mubritinibs; Mycophenolic Acids; Nandrolone Phenpropionates; Nedaplatins; Nelarabines; Nemorubicins; Nitracrines; Nocodazoles; Nofetumomabs; Nogalamycins; Nolatrexeds; Nortopixantrones; Octreotides; Oprelvekins; Ormaplatins; Ortataxels; Oteracils; Oxaliplatins; Oxisurans; Oxophenarsines; Paclitaxels; Pamidronates; Patupilones; Pegademases; Pegaspargases; Pegfilgrastims; Peldesines; Peliomycins; Pelitrexols; Pemetrexeds; Pentamustines; Pentostatins; Peplomycins; Perfosfamides; Perifosines; Picoplatins; Pinafides; Pipobromans; Piposulfans; Pirfenidones; Piroxantrones; Pixantrones; Plevitrexeds; Plicamycin Mithramycins; Plicamycins; Plomestanes; Plomestanes; Porfimer sodiums; Porfimers; Porfiromycins; Prednimustines; Procarbazines; Propamidines; Prospidiums; Pumitepas; Puromycins; Pyrazofurins; Quinacrines; Ranimustines; Rasburicases; Riboprines; Ritrosulfans; Rituximabs; Rogletimides; Roquinimexs; Rufocromomycins; Sabarubicins; Safingols; Sargramostims; Satraplatins; Sebriplatins; Semustines; Simtrazenes; Sizofirans; Sobuzoxanes; Sorafenibs; Sparfosates; Sparfosic Acids; Sparsomycins; Spirogermaniums; Spiromustines; Spiroplatins; Spiroplatins; Squalamines; Streptonigrins; Streptovarycins; Streptozocins; Sufosfamides; Sulofenurs; Sunitinib Malate; 6-TG; Tacedinalines; Talcs; Talisomycins; Tallimustines; Tamoxifens; Tariquidars; Tauromustines; Tecogalans; Tegafurs; Teloxantrones; Temoporfins; Temozolomides; Teniposides/VM-26s; Teniposides; Teroxirones; Testolactones; Thiamiprines; Thioguanines; Thiotepas; Tiamiprines; Tiazofurins; Tilomisoles; Tilorones; Timcodars; Timonacics; Tirapazamines; Topixantrones; Topotecans; Toremifenes; Tositumomabs; Trabectedins (Ecteinascidin 743); Trastuzumabs; Trestolones; Tretinoins/ATRA; Triciribines; Trilostanes; Trimetrexates; Triplatin Tetranitrates; Triptorelins; Trofosfamides; Tubulozoles; Ubenimexs; Uracil Mustards; Uredepas; Valrubicins; Valspodars; Vapreotides; Verteporfins; Vinblastines; Vincristines; Vindesines; Vinepidines; Vinflunines; Vinformides; Vinglycinates; Vinleucinols; Vinleurosines; Vinorelbines; Vinrosidines; Vintriptols; Vinzolidines; Vorozoles; Xanthomycin A's (Guamecyclines); Zeniplatins; Zilascorbs [2-H]; Zinostatins; Zoledronate; Zorubicins; and Zosuquidars, for example:

Aldesleukins (*e.g.*, PROLEUKIN®); Alemtuzumabs (*e.g.*, CAMPATH®); Alitretinoins (*e.g.*, PANRETIN®); Allopurinols (*e.g.*, ZYLOPRIM®); Altretamines (*e.g.*, HEXALEN®); Amifostines (*e.g.*, ETHYOL®); Anastrozoles (*e.g.*, ARIMIDEX®); Arsenic Trioxides (*e.g.*, TRISENOX®); Asparaginases (*e.g.*, ELSPAR®); BCG Live (*e.g.*, TICE®

BCG); Bexarotenes (*e.g.*, TARGRETIN®); Bevacizumab (AVASTIN®); Bleomycins (*e.g.*, BLENOXANE®); Busulfan intravenous (*e.g.*, BUSULFEX®); Busulfan orals (*e.g.*, MYLERAN™); Calusterones (*e.g.*, METHOSARB®); Capecitabines (*e.g.*, XELODA®); Carboplatins (*e.g.*, PARAPLATIN®); Carmustines (*e.g.*, BCNU®, BiCNU®); Carmustines with Polifeprosans (*e.g.*, GLIADEL® Wafer); Celecoxibs (*e.g.*, CELEBREX®); Chlorambucils (*e.g.*, LEUKERAN®); Cisplatins (*e.g.*, PLATINOL®); Cladribines (*e.g.*, LEUSTATIN®, 2-CdA®); Cyclophosphamides (*e.g.*, CYTOXAN®, NEOSAR®); Cytarabines (*e.g.*, CYTOSAR-U®); Cytarabine liposomals (*e.g.*, DepoCyt®); Dacarbazines (*e.g.*, DTIC-Domeu): Dactinomycins (*e.g.*, COSMEGEN®); Darbepoetin Alfas (*e.g.*, ARANESP®); Daunorubicin liposomals (e. g. DAUNOXOME®); Daunorubicins/Daunomycins (*e.g.*, CERUBIDINE®); Denileukin Diftitoxes (*e.g.*, ONTAK®); Dexrazoxanes (*e.g.*, ZINECARD®); Docetaxels (*e.g.*, TAXOTERE®); Doxorubicins (*e.g.*, ADRIAMYCIN®, RUBEX®); Doxorubicin liposomals, including Doxorubicin HCL liposome injections (*e.g.*, DOXIL®); Dromostanolone propionates (*e.g.*, DROMOSTANOLONE® and MASTERONE® Injection); Elliott's B Solutions (*e.g.*, Elliott's B Solution®); Epirubicins (*e.g.*, ELLENCE®); Epoetin alfas (*e.g.*, EPOGEN®); Estramustines (*e.g.*, EMCYT®); Etoposide phosphates (*e.g.*, ETOPOPHOS®); Etoposide VP-16s (*e.g.*, VEPESID®); Exemestanes (*e.g.*, AROMASIN®); Filgrastims (*e.g.*, NEUPOGEN®); Floxuridines (*e.g.*, FUDR®); Fludarabines (*e.g.*, FLUDARA®); Fluorouracils incl. 5-FUs (*e.g.*, ADRUCIL®); Fulvestrants (*e.g.*, FASLODEX®); Gemcitabines (*e.g.*, GEMZAR®); Gemtuzumabs/Ozogamicins (*e.g.*, MYLOTARG®); Goserelin acetates (*e.g.*, ZOLADEX®); Hydroxyureas (*e.g.*, HYDREA®); Ibritumomabs/Tiuxetans (*e.g.*, ZEVALIN®); Idarubicins (*e.g.*, IDAMYCIN®); Ifosfamides (*e.g.*, IFEX®); Imatinib mesylates (*e.g.*, GLEEVEC®); Interferon alfa-2as (*e.g.*, ROFERON-A®); Interferon alfa-2bs (*e.g.*, INTRON A®); Irinotecans (*e.g.*, CAMPTOSAR®); Letrozoles (*e.g.*, FEMARA®); Leucovorins (*e.g.*, WELLCOVORIN®, LEUCOVORIN®); Levamisoles (*e.g.*, ERGAMISOL®); Lomustines/CCNUs (*e.g.*, CeeNU®); Mechlorethamines/Nitrogen mustards (*e.g.*, MUSTARGEN®); Megestrol acetates (*e.g.*, MEGACE®); Melphalans/L-PAMs (*e.g.*, ALKERAN®); Mercaptopurine incl. 6-MPs (*e.g.*, PURINETHOL®); Mesnas (*e.g.*, MESNEX®); Methotrexates; Methoxsalens (*e.g.*, UVADEX®); Mitomycin Cs (*e.g.*, MUTAMYCIN®, MITOZYTREX®); Mitotanes (*e.g.*, LYSODREN®); Mitoxantrones (*e.g.*, NOVANTRONE®); Nandrolone Phenpropionates (*e.g.*, DURABOLIN-50®); Nofetumomabs (*e.g.*, VERLUMA®); Oprelvekins (*e.g.*, NEUMEGA®); Oxaliplatins (*e.g.*, ELOXATIN®); Paclitaxels (*e.g.*, PAXENE®, TAXOL®); Pamidronates (*e.g.*, AREDIA®); Pegademases (*e.g.*, ADAGEN®); Pegaspargases (*e.g.*, ONCASPAR®); Pegfilgrastims (*e.g.*,

NEULASTA®); Pentostatins (*e.g.*, NIPENT®); Pipobromans (*e.g.*, VERCYTE®); Plicamycin/Mithramycins (*e.g.*, MITHRACIN®); Porfimer sodiums (*e.g.*, PHOTOFRIN®); Procarbazines (*e.g.*, MATULANE®); Quinacrines (*e.g.*, ATABRINE®); Rasburicases (*e.g.*, ELITEK®); Rituximabs (*e.g.*, RITUXAN®); Sargramostims (*e.g.*, PROKINE®); Streptozocins (*e.g.*, ZANOSAR®); Sunitinib Malates (*e.g.*, SUTENT®); Talcs (*e.g.*, SCLEROSOL®); Tamoxifens (*e.g.*, NOLVADEX®); Temozolomides (*e.g.*, TEMODAR®); Teniposides/VM-26s (*e.g.*, VUMON®); Testolactones (*e.g.*, TESLAC®); Thioguanines incl. 6-TG; Thiotepas (*e.g.*, THIOPLEX®); Topotecans (*e.g.*, HYCAMTIN®); Toremifenes (*e.g.*, FARESTON®); Tositumomabs (*e.g.*, BEXXAR®); Trastuzumabs (*e.g.*, HERCEPTIN®); Tretinoins/ATRA (*e.g.*, VESANOID®); Uracil Mustards; Valrubicins (*e.g.*, VALSTAR®); Vinblastines (*e.g.*, VELBAN®); Vincristines (*e.g.*, ONCOVIN®); Vinorelbines (*e.g.*, NAVELBINE®); and Zoledronates (*e.g.*, ZOMETA®).

For example, exemplary antibiotic agents include, but are not limited to, Aminoglycosides; Amphenicols; Ansamycins; Carbacephems; Carbapenems; Cephalosporins or Cephems; Cephamycins; Clavams; Cyclic lipopeptides; Diaminopyrimidines; Ketolides; Lincosamides; Macrolides; Monobactams; Nitrofurans; Oxacephems; Oxazolidinones; Penems, thienamycins and miscellaneous beta-lactams; Penicillins; Polypeptides antibiotics; Quinolones; Sulfonamides; Sulfones; Tetracyclines; and other antibiotics (such as Clofoctols, Fusidic acids, Hexedines, Methenamines, Nitrofurantoins Nitroxolines, Ritipenems, Taurolidines, Xibomols).

Also included among exemplary therapeutic agents are coagulation factors or other blood modifiers such as antihemophilic factors, anti-inhibitor coagulant complexes, antithrombin III, coagulation Factor V, coagulation Factor VIII, coagulation Factor IX, plasma protein fractions, von Willebrand factors; antiplatelet agents (including, for example, abciximabs, anagrelides, cilostazols, clopidogrel bisulfates, dipyridamoles, epoprostenols, eptifibatides, tirofibans; colony stimulating factors (CSFs) (including, for example, Granulocyte CSFs and Granulocyte Macrophage CSFs); erythropoiesis stimulators (including, for example, erythropoietins such as darbepoetin alfas) and epoetin alfas; hemostatics and albumins (including, for example, aprotinins, combinations of antihemophilic factors and plasma, Desmopressin Acetates, and albumins); immune globulins, as well as hepatitis B immune globulins; thrombin inhibitors (including for example direct thrombin inhibitors and lepirudin), and drotrecogin alfas; anticoagulants (including, for example, dalteparins, enoxaparins and other heparins, and warfarins).

Exemplary antibodies or other therapeutic agents include, but are not limited to, Cetuximab (IMC-C225; Erbitux®); Trastuzumab (Herceptin®); Rituximab (Rituxan®;

MabThera®); Bevacizumab (Avastin®); Alemtuzumab (Campath®; Campath-1H®; Mabcampath®); Panitumumab (ABX-EGF; Vectibix®); Ranibizumab (Lucentis®); Ibritumomab; Ibritumomab tiuxetan (Zevalin ®); Tositumomab; Iodine I 131 Tositumomab (BEXXAR®); Catumaxomab (Removab®); Gemtuzumab; Gemtuzumab ozogamicin (Mylotarg®); Abatacept (CTLA4-Ig; Orencia®); Belatacept (L104EA29YIg; LEA29Y; LEA); Ipilimumab (MDX-010; MDX-101); Tremelimumab (ticilimumab; CP-675,206); PRS-010 (see *e.g.*, US20090042785); PRS-050 (US7585940; US20090305982); Aflibercept (VEGF Trap, AVE005; Holash *et al.*, (2002) *PNAS* 99:11393-11398); Volociximab (M200); F200 (Chimeric (human/murine) IgG4 Fab fragment of Volociximab (M200)); MORAb-009 Mouse/human chimeric IgG1(US20050054048); Soluble fusion protein:Anti-mesothelin Fv linked to a truncated Pseudomonas exotoxin A (SS1P (CAT-5001); US20070189962); Cixutumumab (IMC-A12); Nimotuzumab (h-R3) (Spicer (2005) *Curr Opin Mol Ther* 7:182-191); Zalutumumab (HuMax-EGFR; Lammerts van Bueren *et al.* (2008) *PNAS* 105:6109-14); Necitumumab IMC-11F8 (Li *et al.* (2008) *Structure* 16:216-227); Sym004 (Pedersen *et al.* 2010 *Cancer Res* 70:588-597); and mAb-425.

In particular, therapeutic agents include, but are not limited to, immunoglobulins, Interferon beta, Interferon alpha-2as, Interferon alpha-1s, Interferon alpha-n3s, Interferon beta-1, Interferon beta-1as, Interferon gamma-lbs, Peg-interferon alpha-2 and Peginterferon alpha-2bs, insulin, a bisphosphate (*e.g.*, Pamidronates or Zoledronates), Docetaxels, Doxorubicins, Doxorubicin liposomals and bevacizumabs.

Other exemplary therapeutic agents that can be combined by co-administration and/or co-formulation with a modified PH20 polypeptide provided herein, include, but are not limited to, Adalimumabs, Agalsidase Betas, Alefacepts, Ampicillins, Anakinras, Antipoliomyelitic Vaccines, Anti-Thymocytes, Azithromycins, Becaplermins, Caspofungins, Cefazolins, Cefepimes, Cefotetans, Ceftazidimes, Ceftriaxones, Cetuximabs, Cilastatins, Clavulanic Acids, Clindamycins, Darbepoetin Alfas, Daclizumabs, Diphtheria, Diphtheria antitoxins, Diphtheria Toxoids, Efalizumabs, Epinephrines, Erythropoietin Alphas, Etanercepts, Filgrastims, Fluconazoles, Follicle-Stimulating Hormones, Follitropin Alphas, Follitropin Betas, Fosphenytoins, Gadodiamides, Gadopentetates, Gatifloxacins, Glatiramers, GM-CSF's, Goserelins, Goserelin acetates, Granisetrons, *Haemophilus Influenza* B's, Haloperidols, Hepatitis vaccines, Hepatitis A Vaccines, Hepatitis B Vaccines, Ibritumomab Tiuxetans, Ibritumomabs, Tiuxetans, Immunoglobulins, Hemophilus influenza vaccines, Influenza Virus Vaccines, Infliximabs, Insulins, Insulin Glargines, Interferons, Interferon alphas, Interferon Betas, Interferon Gammas, Interferon alpha-2a's, Interferon alpha-2b's, Interferon alpha-1's, Interferon alpha-n3's, Interferon Betas, Interferon Beta-1a's, Interferon

Gammas, Interferon alpha-consensus, Iodixanols, Iohexols, Iopamidols, Ioversols, Ketorolacs, Laronidases, Levofloxacins, Lidocaines, Linezolids, Lorazepams, Measles Vaccines, Measles virus, Mumps viruses, Measles-Mumps-Rubella Virus Vaccines, Rubella vaccines, Medroxyprogesterones, Meropenems, Methylprednisolones, Midazolams, Morphines, Octreotides, Omalizumabs, Ondansetrons, Palivizumabs, Pantoprazoles, Pegaspargases, Pegfilgrastims, Peg-Interferon Alfa-2a's, Peg-Interferon Alfa-2b's, Pegvisomants, Pertussis vaccines, Piperacillins, Pneumococcal Vaccines and Pneumococcal Conjugate Vaccines, Promethazines, Reteplases, Somatropins, Sulbactams, Sumatriptans, Tazobactams, Tenecteplases, Tetanus Purified Toxoids, Ticarcillins, Tositumomabs, Triamcinolones, Triamcinolone Acetonides, Triamcinolone hexacetonides, Vancomycins, Varicella Zoster immunoglobulins, Varicella vaccines, other vaccines, Alemtuzumabs, Alitretinoins, Allopurinols, Altretamines, Amifostines, Anastrozoles, Arsenics, Arsenic Trioxides, Asparaginases, Bacillus Calmette-Guerin (BCG) vaccines, BCG Live, Bexarotenes, Bleomycins, Busulfans, Busulfan intravenous, Busulfan orals, Calusterones, Capecitabines, Carboplatins, Carmustines, Carmustines with Polifeprosans, Celecoxibs, Chlorambucils, Cisplatins, Cladribines, Cyclophosphamides, Cytarabines, Cytarabine liposomals, Dacarbazines, Dactinomycins, Daunorubicin liposomals, Daunorubicins, Daunomycins, Denileukin Diftitoxes, Dexrazoxanes, Docetaxels, Doxorubicins, Doxorubicin liposomals, Dromostanolone propionates, Elliott's B Solutions, Epirubicins, Epoetin alfas, Estramustines, Etoposides, Etoposide phosphates, Etoposide VP-16s, Exemestanes, Floxuridines, Fludarabines, Fluorouracils, 5-Fluorouracils, Fulvestrants, Gemcitabines, Gemtuzumabs, Ozogamicins, Gemtuzumab ozogamicins, Hydroxyureas, Idarubicins, Ifosfamides, Imatinib mesylates, Irinotecans, Letrozoles, Leucovorins, Levamisoles, Lomustines, CCNUs, Mechlorethamines, Nitrogen mustards, Megestrols, Megestrol acetates, Melphalans, L-PAMs, Mercaptopurines, 6-Mercaptopurines, Mesnas, Methotrexates, Methoxsalens, Mitomycins, Mitomycin C's, Mitotanes, Mitoxantrones, Nandrolones, Nandrolone Phenpropionates, Nofetumomabs, Oprelvekins, Oxaliplatins, Paclitaxels, Pamidronates, Pegademases, Pentostatins, Pipobromans, Plicamycins, Mithramycins, Porfimers, Porfimer sodiums, Procarbazines, Quinacrines, Rasburicases, Rituximabs, Sargramostims, Streptozocins, Talcs, Tamoxifens, Temozolomides, Teniposides, Testolactones, Thioguanines, 6-Thioguanines, Triethylenethiophosphoramides (Thiotepas), Topotecans, Toremifenes, Trastuzumabs, Tretinoins, Uracil Mustards, Valrubicins, Vinblastines, Vincristines, Vinorelbines, Zoledronates, Acivicins, Aclarubicins, Acodazoles, Acronines, Adozelesins, Aldesleukins, Retinoic Acids, Alitretinoins, 9-Cis-Retinoic Acids, Alvocidibs, Ambazones, Ambomycins, Ametantrones, Aminoglutethimides, Amsacrines,

Anaxirones, Ancitabines, Anthramycins, Apaziquones, Argimesnas, Asperlins, Atrimustines, Azacitidines, Azetepas, Azotomycins, Banoxantrones, Batabulins, Batimastats, Benaxibines, Bendamustines, Benzodepas, Bicalutamides, Bietaserpines, Biricodars, Bisantrenes, Bisnafide Dimesylates, Bizelesins, Bortezomibs, Brequinars, Bropirimines, Budotitanes, Cactinomycins, Canertinibs, Caracemides, Carbetimers, Carboquones, Carmofurs, Carubicins, Carzelesins, Cedefingols, Cemadotins, Chlorambucils, Cioteronels, Cirolemycins, Clanfenurs, Clofarabines, Crisnatols, Decitabines, Dexniguldipines, Dexormaplatins, Dezaguanines, Diaziquones, Dibrospidiums, Dienogests, Dinalins, Disermolides, Dofequidars, Doxifluridines, Droloxifenes, Duazomycins, Ecomustines, Edatrexates, Edotecarins, Eflomithines, Elacridars, Elinafides, Elsamitrucins, Emitefurs, Enloplatins, Enpromates, Enzastaurins, Epipropidines, Eptaloprosts, Erbulozoles, Esorubicins, Etanidazoles, Etoglucids, Etoprines, Exisulinds, Fadrozoles, Fazarabines, Fenretinides, Fluoxymesterones, Flurocitabines, Fosquidones, Fostriecins, Fotretamines, Galarubicins, Galocitabines, Geroquinols, Gimatecans, Gimeracils, Gloxazones, Glufosfamides, Ilmofosines, Ilomastats, Imexons, Improsulfans, Indisulams, Inproquones, Interleukins, Interleukin-2s, recombinant Interleukins, Intoplicines, Iobenguanes, Iproplatins, Irsogladines, Ixabepilones, Ketotrexates, L-Alanosines, Lanreotides, Lapatinibs, Ledoxantrones, Leuprolides, Leuprorelins, Lexacalcitols, Liarozoles, Lobaplatins, Lometrexols, Lonafarnibs, Losoxantrones, Lurtotecans, Mafosfamides, Mannosulfans, Marimastats, Masoprocols, Maytansines, Mechlorethamines, Melengestrols, Melphalans, Menogarils, Mepitiostanes, Metesinds, Metomidates, Metoprines, Meturedepas, Miboplatins, Miproxifenes, Misonidazoles, Mitindomides, Mitocarcins, Mitocromins, Mitoflaxones, Mitogillins, Mitoguazones, Mitomalcins, Mitonafides, Mitoquidones, Mitospers, Mitozolomides, Mivobulins, Mizoribines, Mofarotenes, Mopidamols, Mubritinibs, Mycophenolic Acids, Nedaplatins, Neizarabines, Nemorubicins, Nitracrines, Nocodazoles, Nogalamycins, Nolatrexeds, Nortopixantrones, Ormaplatins, Ortataxels, Oteracils, Oxisurans, Oxophenarsines, Patupilones, Peldesines, Peliomycins, Pelitrexols, Pemetrexeds, Pentamustines, Peplomycins, Perfosfamides, Perifosines, Picoplatins, Pinafides, Piposulfans, Pirfenidones, Piroxantrones, Pixantrones, Plevitrexeds, Plomestanes, Porfiromycins, Prednimustines, Propamidines, Prospidiums, Pumitepas, Puromycins, Pyrazofurins, Ranimustines, Riboprines, Ritrosulfans, Rogletimides, Roquinimexs, Rufocromomycins, Sabarubicins, Safingols, Satraplatins, Sebriplatins, Semustines, Simtrazenes, Sizofirans, Sobuzoxanes, Sorafenibs, Sparfosates, Sparfosic Acids, Sparsomycins, Spirogermaniums, Spiromustines, Spiroplatins, Squalamines, Streptonigrins, Streptovarycins, Sufosfamides, Sulofenurs, Tacedinalines, Talisomycins, Tallimustines, Tariquidars, Tauromustines,

Tecogalans, Tegafurs, Teloxantrones, Temoporfins, Teroxirones, Thiamiprines, Tiamiprines, Tiazofurins, Tilomisoles, Tilorones, Timcodars, Timonacics, Tirapazamines, Topixantrones, Trabectedins, Ecteinascidin 743, Trestolones, Triciribines, Trilostanes, Trimetrexates, Triplatin Tetranitrates, Triptorelins, Trofosfamides, Tubulozoles, Ubenimexs, Uredepas, Valspodars, Vapreotides, Verteporfins, Vinblastines, Vindesines, Vinepidines, Vinflunines, Vinformides, Vinglycinates, Vinleucinols, Vinleurosines, Vinrosidines, Vintriptols, Vinzolidines, Vorozoles, Xanthomycin A's, Guamecyclines, Zeniplatins, Zilascorbs [2-H], Zinostatins, Zorubicins, Zosuquidars, Acetazolamides, Acyclovirs, Adipiodones, Alatrofloxacins, Alfentanils, Allergenic extracts, Alpha 1-proteinase inhibitors, Alprostadils, Amikacins, Amino acids, Aminocaproic acids, Aminophyllines, Amitriptylines, Amobarbitals, Amrinones, Analgesics, Anti-poliomyelitic vaccines, Anti-rabic serums, Anti-tetanus immunoglobulins, tetanus vaccines, Antithrombin IIIs, Antivenom serums, Argatrobans, Arginines, Ascorbic acids, Atenolols, Atracuriums, Atropines, Aurothioglucoses, Azathioprines, Aztreonams, Bacitracins, Baclofens, Basiliximabs, Benzoic acids, Benztropines, Betamethasones, Biotins, Bivalirudins, Botulism antitoxins, Bretyliums, Bumetanides, Bupivacaines, Buprenorphines, Butorphanols, Calcitonins, Calcitriols, Calciums, Capreomycins, Carboprosts, Carnitines, Cefamandoles, Cefoperazones, Cefotaximes, Cefoxitins, Ceftizoximes, Cefuroximes, Chloramphenicols, Chloroprocaines, Chloroquines, Chlorothiazides, Chlorpromazines, Chondroitinsulfuric acids, Choriogonadotropin alfas, Chromiums, Cidofovirs, Cimetidines, Ciprofloxacins, Cisatracuriums, Clonidines, Codeines, Colchicines, Colistins, Collagens, Corticorelin ovine triflutates, Corticotrophins, Cosyntropins, Cyanocobalamins, Cyclosporines, Cysteines, Dacliximabs, Dalfopristins, Dalteparins, Danaparoids, Dantrolenes, Deferoxamines, Desmopressins, Dexamethasones, Dexmedetomidines, Dexpanthenols, Dextrans, Iron dextrans, Diatrizoic acids, Diazepams, Diazoxides, Dicyclomines, Digibinds, Digoxins, Dihydroergotamines, Diltiazems, Diphenhydramines, Dipyridamoles, Dobutamines, Dopamines, Doxacuriums, Doxaprams, Doxercalciferols, Doxycyclines, Droperidols, Dyphyllines, Edetic acids, Edrophoniums, Enalaprilats, Ephedrines, Epoprostenols, Ergocalciferols, Ergonovines, Ertapenems, Erythromycins, Esmolols, Estradiols, Estrogenics, Ethacrynic acids, Ethanolamines, Ethanols, Ethiodized oils, Etidronic acids, Etomidates, Factor VIIIs, Famotidines, Fenoldopams, Fentanyls, Flumazenils, Fluoresceins, Fluphenazines, Folic acids, Fomepizoles, Fomivirsens, Fondaparinuxs, Foscarnets, Fosphenytoins, Furosemides, Gadoteridols, Gadoversetamides, Ganciclovirs, Gentamicins, Glucagons, Glucoses, Glycines, Glycopyrrolates, Gonadorelins, Gonadotropin chorionics, Haemophilus B polysaccharides, Hemins, Herbals, Histamines, Hydralazines,

Hydrocortisones, Hydromorphones, Hydroxocobalamins, Hydroxyzines, Hyoscyamines, Ibutilides, Imiglucerases, Indigo carmines, Indomethacins, Iodides, Iopromides, Iothalamic acids, Ioxaglic acids, Ioxilans, Isoniazids, Isoproterenols, Japanese encephalitis vaccines, Kanamycins, Ketamines, Labetalols, Lepirudins, Levobupivacaines, Levothyroxines, Lincomycins, Liothyronines, Luteinizing hormones, Lyme disease vaccines, Mangafodipirs, Manthtols, Meningococcal polysaccharide vaccines, Meperidines, Mepivacaines, Mesoridazines, Metaraminols, Methadones, Methocarbamols, Methohexitals, Methyldopates, Methylergonovines, Metoclopramides, Metoprolols, Metronidazoles, Minocyclines, Mivacuriums, Morrhuic acids, Moxifloxacins, Muromonab-CD3s, Mycophenolate mofetils, Nafcillins, Nalbuphines, Nalmefenes, Naloxones, Neostigmines, Niacinamides, Nicardipines, Nitroglycerins, Nitroprussides, Norepinephrines, Orphenadrines, Oxacillins, Oxymorphones, Oxytetracyclines, Oxytocins, Pancuroniums, Panthenols, Pantothenic acids, Papaverines, Peginterferon-alpha (*e.g.*, interferon alpha 2a or 2b), Penicillin Gs, Pentamidines, Pentazocines, Pentobarbitals, Perflutrens, Perphenazines, Phenobarbitals, Phentolamines, Phenylephrines, Phenytoins, Physostigmines, Phytonadiones, Polymyxin bs, Pralidoximes, Prilocaines, Procainamides, Procaines, Prochlorperazines, Progesterones, Propranolols, Pyridostigmine hydroxides, Pyridoxines, Quinidines, Quinupristins, Rabies immunoglobulins, Rabies vaccines, Ranitidines, Remifentanils, Riboflavins, Rifampins, Ropivacaines, Samariums, Scopolamines, Seleniums, Sermorelins, Sincalides, Somatrems, Spectinomycins, Streptokinases, Streptomycins, Succinylcholines, Sufentanils, Sulfamethoxazoles, Tacrolimuses, Terbutalines, Teriparatides, Testosterones, Tetanus antitoxins, Tetracaines, Tetradecyl sulfates, Theophyllines, Thiamines, Thiethylperazines, Thiopentals, Thyroid stimulating hormones, Tinzaparins, Tirofibans, Tobramycins, Tolazolines, Tolbutamides, Torsemides, Tranexamic acids, Treprostinils, Trifluoperazines, Trimethobenzamides, Trimethoprims, Tromethamines, Tuberculins, Typhoid vaccines, Urofollitropins, Urokinases, Valproic acids, Vasopressins, Vecuroniums, Verapamils, Voriconazoles, Warfarins, Yellow fever vaccines, Zidovudines, Zincs, Ziprasidone hydrochlorides, Aclacinomycins, Actinomycins, Adriamycins, Azaserines, 6-Azauridines, Carzinophilins, Chromomycins, Denopterins, 6-Diazo-5-Oxo-L-Norleucines, Enocitabines, Floxuridines, Olivomycins, Pirarubicins, Piritrexims, Pteropterins, Tegafurs, Tubercidins, Alteplases, Arcitumomabs, bevacizumabs, Botulinum Toxin Type A's, Botulinum Toxin Type B's, Capromab Pendetides, Daclizumabs, Dornase alfas, Drotrecogin alfas, Imciromab Pentetates, and Iodine-131's.

Delivery of Insulin

Methods provided herein include methods of co-administering a modified PH20 polypeptide and an insulin to increase subcutaneous delivery of the insulin, such as a fast-

acting insulin (see *e.g.*, U.S. Patent No. 7,767,429; U.S. Patent No. 7,846,431; U.S. Publication No. US20090304665; and U.S. Application Serial Nos. 13/507,263; 13/507,262 and 13/507,261). Such methods include methods of direct administration, and pump and continuous infusion methods, including open and closed pump systems. For example, exemplary insulins that can be administered with a modified PH20 hyaluronidase provided herein are fast-acting insulins or insulin analogs. For example, a co-administered insulin includes a regular insulin, insulin aspart, insulin lispro, insulin glulisine or other similar analog variants. Exemplary insulins are insulins that contain an A chain set forth in SEQ ID NO:862 and a B chain set forth in SEQ ID NO:863 or variants that contain one or more amino acid modifications compared to a human insulin set forth in SEQ ID NO: 862 and 863 (A and B chains). For example, exemplary insulin analogs are known to one of skill in the art, and include, but are not limited to, those set forth in SEQ ID NOS:862 (A-chain) and having a B-chain set forth in any of SEQ ID NOS: 865-867.

The co-formulations can be administered subcutaneously to treat any condition that is amenable to treatment with insulin. Therapeutic uses include, but are not limited to, treatment for type 1 diabetes mellitus, type 2 diabetes mellitus, gestational diabetes, and for glycemic control in critically ill patients. For example, the co-formulations of a fast acting insulin and hyaluronan degrading enzyme can be administered subcutaneously in discrete doses, such as via a syringe or insulin pen, prior to a meal as prandial insulin therapy in subjects with diabetes to achieve glycemic control. The co-formulations also can be administered subcutaneously or intraperitoneally using an insulin pump or in the context of a closed loop system to continuously control blood glucose levels throughout the day and night and/or to control post-prandial glycemic excursions. It is within the skill of a treating physician to identify such diseases or conditions.

For any disease or condition, including all those exemplified above, for which a fast-acting insulin is indicated or has been used and for which other agents and treatments are available, the co-formulations can be used in combination therewith. Depending on the disease or condition to be treated, exemplary combinations include, but are not limited to, combinations with anti-diabetic drugs, including, but not limited to, sulfonylureas, biguanides, meglitinides, thiazolidinediones, alpha-glucosidase inhibitors, peptide analogs, including glucagon-like peptide (GLP) analogs and, gastric inhibitory peptide (GIP) analogs and DPP-4 inhibitors. In another example, the co-formulations of a fast acting insulin and modified PH20 polypeptide described herein can be administered in combination with, prior to, intermittently with, or subsequent to, one or more other insulins, including fast-acting insulin, and basal-acting insulins.

2. Methods of Hyaluronan-Associated Diseases and Conditions (*e.g.*, Tumors)

In particular, PH20 hyaluronidase can be used to treat hyaluronan-associated diseases or conditions. Typically, hyaluronan-associated diseases and conditions are associated with elevated hyaluronan expression in a tissue, cell, or body fluid (*e.g.*, tumor tissue or tumor-associated tissue, blood, or interstitial space) compared to a control, *e.g.*, another tissue, cell or body fluid. The elevated hyaluronan expression can be elevated compared to a normal tissue, cell or body fluid, for example, a tissue, cell or body fluid that is analogous to the sample being tested, but isolated from a different subject, such as a subject that is normal (*i.e.*, does not have a disease or condition, or does not have the type of disease or condition that the subject being tested has), for example, a subject that does not have a hyaluronan-associated disease or condition. The elevated hyaluronan expression can be elevated compared to an analogous tissue from another subject that has a similar disease or condition, but whose disease is not as severe and/or is not hyaluronan-associated or expresses relatively less hyaluronan and thus is hyaluronan-associated to a lesser degree. For example, the subject being tested can be a subject with a hyaluronan-associated cancer, where the HA amounts in the tissue, cell or fluid are relatively elevated compared to a subject having a less severe cancer, such as an early stage, differentiated or other type of cancer. In another example, the cell, tissue or fluid contains elevated levels of hyaluronan compared to a control sample, such as a fluid, tissue, extract (*e.g.*, cellular or nuclear extract), nucleic acid or peptide preparation, cell line, biopsy, standard or other sample, with a known amount or relative amount of HA, such as a sample, for example a tumor cell line, known to express relatively low levels of HA, such as exemplary tumor cell lines described herein that express low levels of HA, for example, the HCT 116 cell line, the HT29 cell line, the NCI H460 cell line, the DU145 cell line, the Capan-1 cell line, and tumors from tumor models generated using such cell lines.

Hyaluronan- associated diseases and conditions include those associated with high interstitial fluid pressure, such as disc pressure, proliferative disorders, such as cancer and benign prostatic hyperplasia, and edema. Edema can result from or be manifested in, for example, organ transplant, stroke or brain trauma. Proliferative disorders include, but are not limited to, cancer, smooth muscle cell proliferation, systemic sclerosis, cirrhosis of the liver, adult respiratory distress syndrome, idiopathic cardiomyopathy, lupus erythematosus, retinopathy, *e.g.*, diabetic retinopathy or other retinopathies, cardiac hyperplasia, reproductive system associated disorders, such as benign prostatic hyperplasia (BPH) and ovarian cysts, pulmonary fibrosis, endometriosis, fibromatosis, hamartomas, lymphangiomatosis, sarcoidosis, desmoid tumors. Cancers include solid and lymphatic/blood tumors and

metastatic disease, and undifferentiated tumors. The tumors amenable to treatment typically exhibit cellular and/or stromal expression of a hyaluronan, compared to a non-cancerous tissue of the same tissue type or compared to a non-metastatic tumor of the same tumor-type. Cancers include any one or more of ovarian cancer, in situ carcinoma (ISC), squamous cell carcinoma (SCC), prostate cancer, pancreatic cancer, other gastric cancers, non-small cell lung cancer, breast cancer, brain cancer and colon cancer.

Modified PH20 polypeptides provided herein, such as PEGylated forms thereof, can be used to treat tumors. Thus, in addition to its indirect anticancer effects, hyaluronidases also have direct anticarcinogenic effects. Hyaluronidase prevents growth of tumors transplanted into mice (De Maeyer et al., 1992, *Int. J. Cancer* 51:657-660) and inhibits tumor formation upon exposure to carcinogens (Pawlowski et al., 1979, *Int. J. Cancer* 23:105-109; Haberman et al., 1981, Proceedings of the 17th Annual Meeting of the American Society of Clinical Oncology, Washington, D.C., 22:105, abstract no. 415). PH20 hyaluronidase has been shown to treat various tumors (see *e.g.*, U.S. Publication No. US2010/0003238 and U.S. Application Serial No. 13/135,817, published as U.S. Publication No. US20120020951).

The hyaluronan-rich cancer can be a cancer in which the cancer cells produce HALOs, cancers that have elevated expression of hyaluronan (as determined by immunostaining, *e.g.*, histological staining of sections from the tumor), cancers that have elevated HAS2 (Hyaluronan synthase 2), cancers that do not produce hyaluronidase (HYAL1) *in vitro*. Hyaluronan-rich cancers can be identified by any method for assessing hyaluronan expression, and other known methods for assaying protein/mRNA expression.

Several hyaluronan-rich cancers have been identified. In some cases, hyaluronan expression correlates with poor prognosis, for example, decreased survival rate and/or recurrence-free survival rate, metastases, angiogenesis, cancer cell invasion into other tissues/areas, and other indicators of poor prognosis. Such correlation has been observed, for example, in hyaluronan-rich tumors including ovarian cancer, SCC, ISC, prostate cancer, lung cancer, including non-small-cell lung cancer (NSCLC), breast cancer, colon cancer and pancreatic cancer (see, for example, Anttila et al., *Cancer Research*, 60:150-155 (2000); Karvinen et al., *British Journal of Dermatology*, 148:86-94 (2003); Lipponen et al., *Eur. Journal of Cancer*, 849-856 (2001); Pirinen et al., *Int. J. Cancer*: 95: 12-17 (2001); Auvinen et al., *American Journal of Pathology*, 156(2):529-536 (2000); Ropponen et al., *Cancer Research*, 58: 342-347 (1998)). Thus, hyaluronan-rich cancers can be treated by administration of a hyaluronidase, such as a soluble PH20, to treat one or more symptoms of the cancer. Hyaluronan-rich tumors include, but are not limited to those of the prostate, breast, colon, ovarian, stomach, head and neck and other tumors and cancers.

Other hyaluronan-associated diseases or conditions that are associated with excess glycosaminoglycans and that can be treated with a modified PH20 polypeptide provided herein include, but are not limited to, cardiovascular disease (*e.g.*, following ischemia reperfusion; in arteriosclerosis); vitrectomy and ophthalmic disorders and conditions (*e.g.*, in methods to liquefy the vitreous humor of the eye; reduce postoperative pressure; other ocular surgical procedures such as glaucoma, vitreous and retina surgery and in corneal transplantation); in hypodermoclysis (*i.e.*, infusion of fluids and electrolytes into the hypodermis of the skin); cosmetic applications (*e.g.*, in the treatment of cellulite, "pigskin" edema or "orange peel" edema); organ transplantation (*e.g.*, associated with interstitial edemas in connection with grafting of an organ); pulmonary disease.

3. Other uses

In further examples of its therapeutic use, modified PH20 polypeptides provided herein, can be used for such purposes as an antidote to local necrosis from paravenous injection of necrotic substances such as vinca alkaloids (Few et al. (1987) *Amer. J. Matern. Child Nurs.* 12, 23-26), treatment of ganglion cysts (Paul et al. (1997) *J Hand Surg.* 22 (2): 219-21) and treatment of tissue necrosis due to venous insufficiency (Elder et al. (1980) *Lancet* 648-649). Modified PH20 polypeptides also can be used to treat ganglion cysts (also known as a wrist cyst, Bible cyst, or dorsal tendon cyst), which are the most common soft tissue mass of the hand and are fluid filled sacs that can be felt below the skin.

Modified PH20 polypeptides can be used in the treatment of spinal cord injury by degrading chondroitin sulfate proteoglycans (CSPGs). Following spinal cord injury, glial scars containing CSPGs are produced by astrocytes. CSPGs play a crucial role in the inhibition of axon growth. In addition, the expression of CSPG has been shown to increase following injury of the central nervous system (CNS). Soluble PH20 also can be utilized for the treatment of herniated disks in a process known as chemonucleolysis. Chondroitinase ABC, an enzyme cleaving similar substrates as hyaluronidase, can induce the reduction of intradiscal pressure in the lumbar spine. There are three types of disk injuries. A protruded disk is one that is intact but bulging. In an extruded disk, the fibrous wrapper has torn and the NP has oozed out, but is still connected to the disk. In a sequestered disk, a fragment of the NP has broken loose from the disk and is free in the spinal canal. Chemonucleolysis is typically effective on protruded and extruded disks, but not on sequestered disk injuries.

4. Contraception

Modified PH20 polypeptides provided herein can be used as vaccines in contraceptive applications. PH20 is present in the male reproductive tract, and is expressed in both the testis and epididymis and is present in sperm. PH20 plays a role in fertilization by

facilitating entry of the sperm through the cumulus layer surrounding the unfertilized egg. PH20 also is able to bind to hyaluronic acid (HA) on the zona pellucida during early phases of fertilization. This binding also initiates intracellular signaling that aids in the acrosome reaction. Immunization with PH20 has been show to be an effective contraceptive in male guinea pigs (Primakoff et al. (1988) *Nature* 335:543-546, Tung et al. (1997) *Biol. Reprod.* 56:1133-1141). It also has been shown to be an effective contraceptive in female guinea pigs due to the generation of anti-PH20 antibodies that prevent sperm and egg binding. In examples herein, the modified PH20 polypeptides can be inactive enzymes, such as any described in Sections C.2. The polypeptides can be administered directly or can be administered as a recombinant virus to deliver the antigen.

I. EXAMPLES

The following examples are included for illustrative purposes only and are not intended to limit the scope of the invention.

EXAMPLE 1

GENERATION OF RECOMBINANT HUMAN PH20 HYALURONIDASE (rHuPH20)

A. Generation of a soluble rHuPH20-expressing cell line

A recombinant human PH20 hyaluronidase designated rHuPH20 was generated as described in published U.S. Publication No. US20110053247. Briefly, the pCI-PH20-IRES-DHFR-SV40pa (HZ24) plasmid (set forth in SEQ ID NO:5) was used to transfect Chinese Hamster Ovary (CHO cells) (see *e.g.*, U.S. Patent Nos. 7,767,429 and 7,781,607 and U.S. Publication No. 2006-0104968). The HZ24 plasmid vector for expression of soluble rHuPH20 contains a pCI vector backbone (Promega), DNA encoding amino acids 1-482 of human PH20 hyaluronidase (SEQ ID NO:2), an internal ribosomal entry site (IRES) from the ECMV virus (Clontech), and the mouse dihydrofolate reductase (DHFR) gene. The pCI vector backbone also includes DNA encoding the Beta-lactamase resistance gene (AmpR), an f1 origin of replication, a Cytomegalovirus immediate-early enhancer/promoter region (CMV), a chimeric intron, and an SV40 late polyadenylation signal (SV40). The DNA encoding the soluble rHuPH20 construct contains an NheI site and a Kozak consensus sequence prior to the DNA encoding the methionine at amino acid position 1 of the native 35 amino acid signal sequence of human PH20, and a stop codon following the DNA encoding the tyrosine corresponding to amino acid position 482 of the human PH20 hyaluronidase set forth in SEQ ID NO:2, followed by a BamHI restriction site.

Non-transfected DG44 CHO cells growing in GIBCO Modified CD-CHO media for DHFR(-) cells, supplemented with 4 mM Glutamine and 18 mL/L Plurionic F68/L (Gibco), were seeded at 0.5 x 10^6 cells/mL in a shaker flask in preparation for transfection. Cells were

grown at 37 °C in 5% CO_2 in a humidified incubator, shaking at 120 rpm. Exponentially growing non-transfected DG44 CHO cells were tested for viability prior to transfection.

Sixty million viable cells of the non-transfected DG44 CHO cell culture were pelleted and resuspended to a density of 2×10^7 cells in 0.7 mL of 2x transfection buffer (2x HeBS: 40 mM Hepes, pH 7.0, 274 mM NaCl, 10 mM KCl, 1.4 mM Na_2HPO_4, 12 mM dextrose). To each aliquot of resuspended cells, 0.09 mL (250 µg) of the linear HZ24 plasmid (linearized by overnight digestion with Cla I (New England Biolabs) was added, and the cell/DNA solutions were transferred into 0.4 cm gap BTX (Gentronics) electroporation cuvettes at room temperature. A negative control electroporation was performed with no plasmid DNA mixed with the cells. The cell/plasmid mixes were electroporated with a capacitor discharge of 330 V and 960 µF or at 350 V and 960 µF.

The cells were removed from the cuvettes after electroporation and transferred into 5 mL of Modified CD-CHO media for DHFR(-) cells, supplemented with 4 mM Glutamine and 18 mL/L Plurionic F68/L (Gibco), and allowed to grow in a well of a 6-well tissue culture plate without selection for 2 days at 37 °C in 5% CO_2 in a humidified incubator.

Two days post-electroporation, 0.5 mL of tissue culture media was removed from each well and tested for the presence of hyaluronidase activity, using the microturbidity assay described in Example 8. The results are set forth in Table 6.

Table 6: Initial Hyaluronidase Activity of HZ24 Transfected DG44 CHO cells at 40 hours post-transfection

	Dilution	Activity (Units/mL)
Transfection 1 330V	1 to 10	0.25
Transfection 2 350V	1 to 10	0.52
Negative Control	1 to 10	0.015

Cells from Transfection 2 (350V) were collected from the tissue culture well, counted and diluted to 1×10^4 to 2×10^4 viable cells per mL. A 0.1 mL aliquot of the cell suspension was transferred to each well of five, 96 well round bottom tissue culture plates. One hundred microliters of CD-CHO media (GIBCO) containing 4 mM GlutaMAX™-1 supplement (GIBCO™, Invitrogen Corporation) and without hypoxanthine and thymidine supplements were added to the wells containing cells (final volume 0.2 mL). Ten clones were identified from the 5 plates grown without methotrexate (Table 7).

Table 7. Hyaluronidase activity of identified clones

Plate/Well ID	Relative Hyaluronidase
1C3	261
2C2	261
3D3	261
3E5	243
3C6	174

2G8	103
1B9	304
2D9	273
4D10	302

Six HZ24 clones were expanded in culture and transferred into shaker flasks as single cell suspensions. Clones 3D3, 3E5, 2G8, 2D9, 1E11, and 4D10 were plated into 96-well round bottom tissue culture plates using a two-dimensional infinite dilution strategy in which cells were diluted 1:2 down the plate, and 1:3 across the plate, starting at 5000 cells in the top left hand well. Diluted clones were grown in a background of 500 non-transfected DG44 CHO cells per well, to provide necessary growth factors for the initial days in culture. Ten plates were made per subclone, with 5 plates containing 50 nM methotrexate and 5 plates without methotrexate.

Clone 3D3 produced 24 visual subclones (13 from the no methotrexate treatment, and 11 from the 50 nM methotrexate treatment). Significant hyaluronidase activity was measured in the supernatants from 8 of the 24 subclones (>50 Units/mL), and these 8 subclones were expanded into T-25 tissue culture flasks. Clones isolated from the methotrexate treatment protocol were expanded in the presence of 50 nM methotrexate. Clone 3D35M was further expanded in 500 nM methotrexate giving rise to clones producing hyaluronidase activity in excess of 1,000 Units/mL in shaker flasks (clone 3D35M; or Gen1 3D35M). A master cell bank (MCB) of the 3D35M cells was then prepared.

B. Production Gen2 Cells Containing Soluble human PH20 (rHuPH20)

The Gen1 3D35M cell line described in Example 1.A was adapted to higher methotrexate levels to produce generation 2 (Gen2) clones. 3D35M cells were seeded from established methotrexate-containing cultures into CD CHO medium containing 4 mM GlutaMAX-1™ and 1.0 µM methotrexate. The cells were adapted to a higher methotrexate level by growing and passaging them 9 times over a period of 46 days in a 37 °C, 7% CO_2 humidified incubator. The amplified population of cells was cloned out by limiting dilution in 96-well tissue culture plates containing medium with 2.0 µM methotrexate. After approximately 4 weeks, clones were identified and clone 3E10B was selected for expansion. 3E10B cells were grown in CD CHO medium containing 4 mM GlutaMAX-1™ and 2.0 µM methotrexate for 20 passages. A master cell bank (MCB) of the 3E10B cell line was created and frozen and used for subsequent studies.

Amplification of the cell line continued by culturing 3E10B cells in CD CHO medium containing 4 mM GlutaMAX-1™ and 4.0 µM methotrexate. After the 12th passage, cells were frozen in vials as a research cell bank (RCB). One vial of the RCB was thawed

and cultured in medium containing 8.0 μM methotrexate. After 5 days, the methotrexate concentration in the medium was increased to 16.0 μM, then 20.0 μM 18 days later. Cells from the 8th passage in medium containing 20.0 μM methotrexate were cloned out by limiting dilution in 96-well tissue culture plates containing CD CHO medium containing 4 mM GlutaMAX-1™ and 20.0 μM methotrexate. Clones were identified 5-6 weeks later and clone 2B2 was selected for expansion in medium containing 20.0 μM methotrexate. After the 11th passage, 2B2 cells were frozen in vials as a research cell bank (RCB).

The resultant 2B2 cells are dihydrofolate reductase deficient (dhfr-) DG44 CHO cells that express soluble recombinant human PH20 (rHuPH20). The soluble PH20 is present in 2B2 cells at a copy number of approximately 206 copies/cell. Southern blot analysis of Spe I-, Xba I- and BamH I/Hind III-digested genomic 2B2 cell DNA using a rHuPH20-specific probe revealed the following restriction digest profile: one major hybridizing band of ~7.7 kb and four minor hybridizing bands (~13.9, ~6.6, ~5.7 and ~4.6 kb) with DNA digested with Spe I; one major hybridizing band of ~5.0 kb and two minor hybridizing bands (~13.9 and ~6.5 kb) with DNA digested with Xba I; and one single hybridizing band of ~1.4 kb observed using 2B2 DNA digested with BamH I/Hind III.

C. Production of Gen2 soluble rHuPH20 in 300 L Bioreactor Cell Culture

A vial of HZ24-2B2 was thawed and expanded from shaker flasks through 36 L spinner flasks in CD-CHO media (Invitrogen, Carlsbad, CA) supplemented with 20 μM methotrexate and GlutaMAX-1™ (Invitrogen). Briefly, the vial of cells was thawed in a 37 °C water bath, medium was added and the cells were centrifuged. The cells were re-suspended in a 125 mL shake flask with 20 mL of fresh medium and placed in a 37 °C, 7% CO_2 incubaor. The cells were expanded up to 40 mL in the 125 mL shake flask. When the cell density reached greater than 1.5 x 10^6 cells/mL, the culture was expanded into a 125 mL spinner flask in a 100 mL culture volume. The flask was incubated at 37 °C, 7% CO_2. When the cell density reached greater than 1.5 x 10^6 cells/mL, the culture was expanded into a 250 mL spinner flask in 200 mL culture volume, and the flask was incubated at 37 °C, 7% CO_2. When the cell density reached greater than 1.5 x 10^6 cells/mL, the culture was expanded into a 1 L spinner flask in 800 mL culture volume and incubated at 37 °C, 7% CO_2. When the cell density reached greater than 1.5 x 10^6 cells/mL the culture was expanded into a 6 L spinner flask in 5000 mL culture volume and incubated at 37 °C, 7% CO_2. When the cell density reached greater than 1.5 x 10^6 cells/mL the culture was expanded into a 36 L spinner flask in 32 L culture volume and incubated at 37 °C, 7% CO_2.

A 400 L reactor was sterilized and 230 mL of CD-CHO media were added. Before use, the reactor was checked for contamination. Approximately 30 L cells were transferred

from the 36 L spinner flasks to the 400 L bioreactor (Braun) at an inoculation density of 4.0 × 10^5 viable cells per mL and a total volume of 260 L. Parameters were: temperature setpoint, 37 °C; Impeller Speed 40-55 RPM; Vessel Pressure: 3 psi; Air Sparge 0.5- 1.5 L/Min.; Air Overlay: 3 L/min. The reactor was sampled daily for cell counts, pH verification, media analysis, protein production and retention. Also, during the run nutrient feeds were added. At 120 hrs (day 5), 10.4L of Feed #1 Medium (4× CD-CHO + 33 g/L Glucose + 160 mL/L Glutamax-1™ + 83 mL/L Yeastolate + 33 mg/L rHuInsulin) was added. At 168 hours (day 7), 10.8 L of Feed #2 (2× CD-CHO + 33 g/L Glucose + 80 mL/L Glutamax-1™ + 167 mL/L Yeastolate + 0.92 g/L Sodium Butyrate) was added, and culture temperature was changed to 36.5 °C. At 216 hours (day 9), 10.8 L of Feed #3 (1× CD-CHO + 50 g/L Glucose + 50 mL/L Glutamax-1™ + 250 mL/L Yeastolate + 1.80 g/L Sodium Butyrate) was added, and culture temperature was changed to 36 °C. At 264 hours (day 11), 10.8 L of Feed #4 (1× CD-CHO + 33 g/L Glucose + 33 mL/L Glutamax-1™ + 250 mL/L Yeastolate + 0.92 g/L Sodium Butyrate) was added, and culture temperature was changed to 35.5 °C. The addition of the feed media was observed to dramatically enhance the production of soluble rHuPH20 in the final stages of production. The reactor was harvested at 14 or 15 days or when the viability of the cells dropped below 40%. The process resulted in a final productivity of 17,000 Units per mL with a maximal cell density of 12 million cells/mL. At harvest, the culture was sampled for mycoplasma, bioburden, endotoxin and virus *in vitro* and *in vivo*, by Transmission Electron Microscopy (TEM) and enzyme activity.

The culture was pumped by a peristaltic pump through four Millistak filtration system modules (Millipore) in parallel, each containing a layer of diatomaceous earth graded to 4-8 μm and a layer of diatomaceous earth graded to 1.4-1.1 μm, followed by a cellulose membrane, then through a second single Millistak filtration system (Millipore) containing a layer of diatomaceous earth graded to 0.4-0.11 μm and a layer of diatomaceous earth graded to <0.1 μm, followed by a cellulose membrane, and then through a 0.22 μm final filter into a sterile single use flexible bag with a 350 L capacity. The harvested cell culture fluid was supplemented with 10 mM EDTA and 10 mM Tris to a pH of 7.5. The culture was concentrated 10× with a tangential flow filtration (TFF) apparatus using four Sartoslice TFF 30 kDa molecular weight cut-off (MWCO) polyether sulfone (PES) filter (Sartorious), followed by a 10× buffer exchange with 10 mM Tris, 20 mM Na_2SO_4, pH 7.5 into a 0.22 μm final filter into a 50 L sterile storage bag.

The concentrated, diafiltered harvest was inactivated for virus. Prior to viral inactivation, a solution of 10% Triton® X-100, 3% tri (n-butyl) phosphate (TNBP) was prepared. The concentrated, diafiltered harvest was exposed to 1% Triton® X-100, 0.3%

TNBP for 1 hour in a 36 L glass reaction vessel immediately prior to purification on the Q column.

D. Purification of Gen2 soluble rHuPH20

A Q Sepharose (Pharmacia) ion exchange column (9 L resin, H= 29 cm, D= 20 cm) was prepared. Wash samples were collected for a determination of pH, conductivity and endotoxin (LAL assay). The column was equilibrated with 5 column volumes of 10 mM Tris, 20 mM Na_2SO_4, pH 7.5. Following viral inactivation, the concentrated, diafiltered harvest was loaded onto the Q column at a flow rate of 100 cm/hr. The column was washed with 5 column volumes of 10 mM Tris, 20 mM Na_2SO_4, pH 7.5 and 10 mM Hepes, 50 mM NaCl, pH7.0. The protein was eluted with 10 mM Hepes, 400 mM NaCl, pH 7.0 into a 0.22 μm final filter into sterile bag. The eluate sample was tested for bioburden, protein concentration and hyaluronidase activity. A_{280} absorbance readings were taken at the beginning and end of the exchange.

Phenyl-Sepharose (Pharmacia) hydrophobic interaction chromatography was next performed. A Phenyl-Sepharose (PS) column (19-21 L resin, H=29 cm, D= 30 cm) was prepared. The wash was collected and sampled for pH, conductivity and endotoxin (LAL assay). The column was equilibrated with 5 column volumes of 5 mM potassium phosphate, 0.5 M ammonium sulfate, 0.1 mM $CaCl_2$, pH 7.0. The protein eluate from the Q sepharose column was supplemented with 2M ammonium sulfate, 1 M potassium phosphate and 1 M $CaCl_2$ stock solutions to yield final concentrations of 5 mM, 0.5 M and 0.1 mM, respectively. The protein was loaded onto the PS column at a flow rate of 100 cm/hr and the column flow thru collected. The column was washed with 5 mM potassium phosphate, 0.5 M ammonium sulfate and 0.1 mM $CaCl_2$ pH 7.0 at 100 cm/hr and the wash was added to the collected flow thru. Combined with the column wash, the flow through was passed through a 0.22 μm final filter into a sterile bag. The flow through was sampled for bioburden, protein concentration and enzyme activity.

An aminophenyl boronate column (Prometics) was prepared. The wash was collected and sampled for pH, conductivity and endotoxin (LAL assay). The column was equilibrated with 5 column volumes of 5 mM potassium phosphate, 0.5 M ammonium sulfate. The PS flow through containing purified protein was loaded onto the aminophenyl boronate column at a flow rate of 100 cm/hr. The column was washed with 5 mM potassium phosphate, 0.5 M ammonium sulfate, pH 7.0. The column was washed with 20 mM bicine, 0.5 M ammonium sulfate, pH 9.0. The column was washed with 20 mM bicine, 100 mM sodium chloride, pH 9.0. The protein was eluted with 50 mM Hepes, 100 mM NaCl, pH 6.9 and passed through a

sterile filter into a sterile bag. The eluted sample was tested for bioburden, protein concentration and enzyme activity.

The hydroxyapatite (HAP) column (Biorad) was prepared. The wash was collected and tested for pH, conductivity and endotoxin (LAL assay). The column was equilibrated with 5 mM potassium phosphate, 100 mM NaCl, 0.1 mM $CaCl_2$, pH 7.0. The aminophenyl boronate purified protein was supplemented to final concentrations of 5 mM potassium phosphate and 0.1 mM $CaCl_2$ and loaded onto the HAP column at a flow rate of 100 cm/hr. The column was washed with 5 mM potassium phosphate, pH 7, 100 mM NaCl, 0.1 mM $CaCl_2$. The column was next washed with 10 mM potassium phosphate, pH 7, 100 mM NaCl, 0.1 mM $CaCl_2$. The protein was eluted with 70 mM potassium phosphate, pH 7.0 and passed through a 0.22μm sterile filter into a sterile bag. The eluted sample was tested for bioburden, protein concentration and enzyme activity.

The HAP purified protein was then passed through a virus removal filter. The sterilized Viosart filter (Sartorius) was first prepared by washing with 2 L of 70 mM potassium phosphate, pH 7.0. Before use, the filtered buffer was sampled for pH and conductivity. The HAP purified protein was pumped via a peristaltic pump through the 20 nM virus removal filter. The filtered protein in 70 mM potassium phosphate, pH 7.0 was passed through a 0.22 μm final filter into a sterile bag. The filtered sample was tested for protein concentration, enzyme activity, oligosaccharide, monosaccharide and sialic acid profiling. The sample also was tested for process related impurities.

The protein in the filtrate was then concentrated to 10 mg/mL using a 10 kDa molecular weight cut off (MWCO) Sartocon Slice tangential flow filtration (TFF) system (Sartorius). The filter was first prepared by washing with 10 mM histidine, 130 mM NaCl, pH 6.0 and the permeate was sampled for pH and conductivity. Following concentration, the concentrated protein was sampled and tested for protein concentration and enzyme activity. A 6× buffer exchange was performed on the concentrated protein into the final buffer: 10 mM histidine, 130 mM NaCl, pH 6.0. Following buffer exchange, the concentrated protein was passed though a 0.22 μm filter into a 20 L sterile storage bag. The protein was sampled and tested for protein concentration, enzyme activity, free sulfydryl groups, oligosaccharide profiling and osmolality. Lot number WRS2 was used as a standard in the assays described below, the results showed that the test description for appearance was clear and colorless; the pH was 7.4; the endotoxin level was <0.01 EU/mL; the osmolality was 308 mOsm/Kg; the density was 1.005 g/mL; the rHuPH20 content was 1.3 ppm; and the hyaluronidase activity was 145 USP U/mL.

The sterile filtered bulk protein was then asceptically dispensed at 20 mL into 30 mL sterile Teflon vials (Nalgene). The vials were then flash frozen and stored at -20 ± 5 °C.

EXAMPLE 2

GENERATION OF PH20 MUTANT LIBRARY

A. Cloning and Mutagenesis

In this example, a human hyaluronidase PH20 library was created by cloning DNA encoding human PH20 into a plasmid followed by transfection and protein expression.

The library was created by mutagenesis of a PH20 template that is a codon optimized version of PH20 with an Ig Kappa leader sequence. Specifically, for generating the library of variants, the HZ24-PH20(OHO)-IRES-SEAP expression vector (set forth in SEQ ID NO:4) was used as a template, which contains the sequence of nucleotides encoding PH20 set forth in SEQ ID NO:1, which encodes a precursor PH20 set forth in SEQ ID NO:2 or a mature PH20 set forth in SEQ ID NO:3 lacking residues 1-22 corresponding to the IgK signal sequence. The backbone of the vector was derived from the original HZ24 vector containing the DHFR selection marker (see Example 1 and SEQ ID NO:5) with the addition of an IgK leader sequence and codon optimization. The expression vector also was modified to contain the gene for secreted alkaline phosphatase (SEAP). Hence, in addition to sequence encoding PH20, the HZ24-PH20(OHO)-IRES-SEAP expression vector also contains an internal ribosome entry site (EMCV IRES) that is linked to the coding sequence for the gene for secreted alkaline phosphatase (SEAP), and a single CMV promoter that drives expression of PH20 and SEAP in the construct. It also contains a gene for ampilcillin resistance. With reference to the sequence of nucleotides set forth in SEQ ID NO:4, the sequence of nucleotides encoding PH20 corresponds to nucleotides 1058-2464 (including the IgK leader sequence), the sequence of nucleotides encoding SEAP corresponds to nucleotides 2970-4529, and the ampicillin resistance gene corresponds to nucleotides 5778-6635.

The first library was made to generate encoded variant proteins wherein each of residues 23-469 of SEQ ID NO:2 (corresponding to residues 1-447 of SEQ ID NO:3 or residues 36-482 of SEQ ID NO:6) was changed to one of about 15 amino acid residues, such that each member contained a single amino change. The resulting library contained 6753 variant members, each containing a single amino acid mutation compared to residues 23-469 of SEQ ID NO:2 (corresponding to residues 1-447 of SEQ ID NO:3 or residues 36-482 of SEQ ID NO:6). Glycerol stocks of the resulting library were prepared and stored at -80 °C. The amino acid replacements (mut) in each member are listed in Table 8 below, and correspond to amino acid replacements with reference to the sequence of amino acids of

PH20 set forth in SEQ ID NO:3 (and SEQ ID NOS: 7 or 32-66, which are the mature sequence of PH20 or other C-terminally truncated fragments thereof). The corresponding mutated codons (cod) of each PH20 variant in the library are also listed in Table 8, and correspond to nucleotide residue changes in the corresponding encoding nucleotide for PH20 set forth as 1058-2464 of SEQ ID NO:4. Each member was expressed and screened for hyaluoridase activity as described below.

TABLE 8: PH20 Variants

mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
L001A	GCG	Y066S	AGT	R132N	AAT	G198T	ACT	V265G	GGT	I331K	AAG
L001C	TGT	Y066T	ACG	R132P	CCT	G198V	GTT	V265H	CAT	I331L	CTG
L001D	GAT	Y066V	GTG	R132Q	CAG	G198W	TGG	V265I	ATT	I331Q	CAG
L001E	GAG	I067C	TGT	R132S	AGT	G198Y	TAT	V265K	AAG	I331R	CGT
L001F	TTT	I067D	GAT	R132T	ACT	Y199A	GCG	V265L	CTG	I331S	AGT
L001G	GGT	I067E	GAG	R132V	GTG	Y199C	TGT	V265M	ATG	I331T	ACT
L001H	CAT	I067F	TTT	R132Y	TAT	Y199E	GAG	V265N	AAT	I331W	TGG
L001K	AAG	I067G	GGG	S133A	GCT	Y199G	GGG	V265P	CCT	I331Y	TAT
L001N	AAT	I067H	CAT	S133D	GAT	Y199H	CAT	V265Q	CAG	I332A	GCT
L001P	CCG	I067L	TTG	S133E	GAG	Y199I	ATT	V265R	AGG	I332C	TGT
L001Q	CAG	I067N	AAT	S133F	TTT	Y199K	AAG	V265S	TCT	I332D	GAT
L001R	CGG	I067P	CCG	S133G	GGG	Y199L	CTT	V265W	TGG	I332E	GAG
L001S	TCT	I067Q	CAG	S133H	CAT	Y199N	AAT	V265Y	TAT	I332F	TTT
L001T	ACG	I067R	CGG	S133I	ATT	Y199P	CCT	F266A	GCG	I332G	GGT
L001V	GTG	I067T	ACG	S133L	CTG	Y199Q	CAG	F266C	TGT	I332H	CAT
L001W	TGG	I067V	GTT	S133M	ATG	Y199R	AGG	F266D	GAT	I332K	AAG
N002A	GCT	I067W	TGG	S133N	AAT	Y199S	TCG	F266G	GGG	I332L	CTG
N002C	TGT	I067Y	TAT	S133P	CCT	Y199T	ACG	F266H	CAT	I332N	AAT
N002F	TTT	D068A	GCT	S133R	CGG	Y199W	TGG	F266L	CTT	I332P	CCT
N002G	GGG	D068C	TGT	S133T	ACT	N200A	GCT	F266M	CCG	I332R	AGG
N002H	CAT	D068E	GAG	S133V	GTT	N200D	GAT	F266P	ATG	I332S	AGT
N002I	ATT	D068G	GGG	S133W	TGG	N200F	CAG	F266Q	CAG	I332T	ACT
N002K	AAG	D068H	CAC	I134A	GCT	N200G	GGT	F266R	CGG	I332Y	TAT
N002L	TTG	D068I	ATT	I134C	TGT	N200H	CAT	F266S	TCG	N333A	GCT
N002P	CCG	D068K	AAG	I134D	GAT	N200K	AAG	F266T	ACG	N333E	GAG
N002Q	CAG	D068L	TTG	I134F	TTT	N200L	CTG	F266V	GTG	N333G	GGT
N002S	AGT	D068P	CCT	I134G	GGG	N200M	ATG	F266W	TGG	N333H	CAT
N002T	ACG	D068Q	CAG	I134H	CAT	N200P	CCT	F266Y	TAT	N333I	ATT
N002V	GTT	D068R	CGG	I134K	AAG	N200Q	CAG	A267D	GAT	N333K	AAG
N002W	TGG	D068S	TCG	I134L	TTG	N200R	AGG	A267E	GAG	N333L	CTG
N002Y	TAT	D068T	ACT	I134P	CCT	N200S	TCT	A267G	GGT	N333M	ATG
F003A	GCT	D068V	GTG	I134Q	CAG	N200T	ACT	A267H	CAT	N333P	CCT
F003E	GAG	D068Y	TAT	I134R	CGT	N200V	GTG	A267I	ATT	N333R	CGG

TABLE 8: PH20 Variants											
mut	**cod**	**mut**	**cod**	**mut**	**cod**	**mut**	**cod**	**mut**	**cod**	**mut**	**cod**
F003G	GGG	S069A	GCT	I134S	TCG	N200W	TGG	A267K	AAG	N333S	AGT
F003H	CAT	S069C	TGT	I134T	ACT	N200Y	TAT	A267L	CTT	N333T	ACT
F003I	ATT	S069E	GAG	I134V	GTG	G201A	GCG	A267M	ATG	N333V	GTT
F003K	AAG	S069F	TTT	I134W	TGG	G201E	GAG	A267N	AAT	N333W	TGG
F003L	TTG	S069G	GGG	E135A	GCT	G201F	TTT	A267P	CCG	N333Y	TAT
F003M	ATG	S069I	ATT	E135C	TGT	G201H	CAT	A267R	AGG	V334A	GCT
F003N	AAT	S069L	CTT	E135D	GAT	G201K	AAG	A267S	TCT	V334C	TGT
F003P	CCT	S069M	ATG	E135F	TTT	G201L	CTT	A267T	GTG	V334D	GAT
F003R	CGT	S069N	AAT	E135G	GGG	G201M	ATG	A267V	ACT	V334E	GAG
F003S	TCG	S069P	CCT	E135H	CAT	G201N	AAT	A267W	TGG	V334G	GGG
F003T	ACT	S069R	CGT	E135K	AAG	G201P	CCT	Y268A	GCT	V334H	CAT
F003V	GTG	S069T	ACG	E135L	TTG	G201Q	CAG	Y268C	TGT	V334L	TTG
F003Y	TAT	S069V	GTT	E135N	AAT	G201R	CGT	Y268F	TTT	V334M	ATG
R004A	GCG	S069W	TGG	E135P	CCT	G201S	TCG	Y268G	GGG	V334N	AAT
R004D	GAT	S069Y	TAT	E135Q	CAG	G201T	ACG	Y268H	CAT	V334P	CCT
R004E	GAG	I070A	GCT	E135R	CGG	G201V	GTG	Y268K	AAG	V334Q	CAG
R004F	TTT	I070C	TGT	E135S	TCT	G201W	TGG	Y268L	CTT	V334R	AGG
R004G	GGG	I070F	TTT	E135W	TGG	S202A	GCG	Y268N	AAT	V334S	TCT
R004I	ATT	I070G	GGG	E135Y	TAT	S202E	GAG	Y268P	CCT	V334T	ACT
R004L	TTG	I070H	CAT	L136A	GCT	S202F	TTT	Y268Q	CAG	V334Y	TAT
R004M	ATG	I070K	AAG	L136C	TGT	S202G	GGT	Y268R	CGT	T335A	GCT
R004N	AAT	I070L	TTG	L136D	GAT	S202H	CAT	Y268S	TCG	T335C	TGT
R004P	CCT	I070N	AAT	L136F	TTT	S202K	AAG	Y268T	ACT	T335F	TTT
R004S	TCT	I070P	CCG	L136G	GGT	S202M	ATG	Y268V	GTG	T335G	GGT
R004T	ACG	I070Q	CAG	L136H	CAT	S202N	AAT	Y268W	TGG	T335H	CAT
R004V	GTG	I070R	CGT	L136I	ATT	S202P	CCT	T269A	GCT	T335I	ATT
R004W	TGG	I070S	TCT	L136M	ATG	S202Q	CAG	T269C	TGT	T335K	AAG
R004Y	TAT	I070T	ACT	L136N	AAT	S202R	CGT	T269D	GAT	T335L	TTG
A005D	GAT	I070V	GTT	L136P	CCT	S202T	ACG	T269E	GAG	T335N	AAT
A005G	GGG	I070Y	TAT	L136Q	CAG	S202V	GTT	T269G	GGT	T335P	CCT
A005H	CAT	T071A	GCT	L136R	CGT	S202W	TGG	T269K	AAG	T335Q	CAG
A005I	ATT	T071C	TGT	L136S	TCG	S202Y	TAT	T269L	CTG	T335S	TCT
A005L	CTT	T071D	GAT	L136T	ACT	C203A	GCG	T269M	ATG	T335V	GTG
A005M	ATG	T071E	GAG	L136W	TGG	C203D	GAT	T269N	AAT	T335W	TGG
A005N	AAT	T071G	GGG	V137A	GCT	C203E	GAG	T269P	CCG	T335Y	TAT
A005P	CCG	T071H	CAT	V137C	TGT	C203G	GGG	T269Q	CAG	L336A	GCT
A005Q	CAG	T071L	TTG	V137E	GAG	C203H	CAT	T269R	AGG	L336E	GAG
A005R	AGG	T071M	ATG	V137F	TTT	C203L	CTT	T269S	TCG	L336F	TTT
A005S	TCG	T071N	AAT	V137G	GGG	C203M	ATG	T269V	GTG	L336G	GGG
A005T	ACG	T071P	CCT	V137H	CAT	C203N	AAT	T269Y	TAT	L336H	CAT

TABLE 8: PH20 Variants

mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
A005V	GTG	T071Q	CAG	V137I	ATT	C203P	CCG	R270A	GCT	L336K	AAG
A005W	TGG	T071R	CGG	V137L	TTG	C203Q	CAG	R270C	TGT	L336M	ATG
A005Y	TAT	T071S	TCG	V137N	AAT	C203R	AGG	R270D	GAT	L336N	AAT
P006A	GCG	T071V	GTG	V137P	CCT	C203S	AGT	R270E	GAG	L336P	CCT
P006D	GAT	T071Y	TAT	V137Q	CAG	C203T	ACT	R270F	TTT	L336R	AGG
P006E	GAG	G072A	GCT	V137R	CGT	C203V	GTG	R270G	GGG	L336S	TCT
P006F	TTT	G072C	TGT	V137S	TCT	C203W	TGG	R270H	CAT	L336T	ACT
P006G	GGG	G072D	GAT	V137T	ACT	F204A	GCG	R270I	ATT	L336V	GTG
P006H	CAT	G072E	GAG	V137W	TGG	F204C	TGT	R270M	ATG	L336W	TGG
P006K	AAG	G072F	TTT	V137Y	TAT	F204E	GAG	R270N	AAT	L336Y	TAT
P006L	CTT	G072H	CAT	Q138A	GCT	F204G	GGG	R270P	CCT	A337C	TGT
P006N	AAT	G072I	ATT	Q138C	TGT	F204H	CAT	R270Q	CAG	A337F	TTT
P006Q	CAG	G072K	AAG	Q138E	GAG	F204I	ATT	R270S	TCG	A337G	GGG
P006R	AGG	G072L	TTG	Q138F	TTT	F204K	AAG	R270T	ACT	A337H	CAT
P006S	AGT	G072M	ATG	Q138G	GGG	F204L	CTT	R270V	GTG	A337I	ATT
P006T	ACG	G072P	CCT	Q138H	CAT	F204M	ATG	R270Y	TAT	A337K	AAG
P006V	GTG	G072Q	CAG	Q138I	ATT	F204P	CCT	I271A	GCT	A337L	TTG
P006W	TGG	G072R	CGG	Q138L	TTG	F204Q	CAG	I271D	GAT	A337M	ATG
P006Y	TAT	G072S	TCT	Q138M	ATG	F204R	AGG	I271E	GAG	A337N	AAT
P007A	GCT	G072T	ACT	Q138N	AAT	F204S	AGT	I271F	TTT	A337P	CCT
P007C	TGT	G072V	GTG	Q138R	CGT	F204T	ACT	I271G	GGG	A337R	CGG
P007D	GAT	G072W	TGG	Q138S	AGT	F204V	GTG	I271H	CAT	A337S	TCT
P007F	TTT	G072Y	TAT	Q138V	GTT	F204W	TGG	I271K	AAG	A337T	ACT
P007G	GGT	V073A	GCG	Q138W	TGG	N205A	GCG	I271L	CTT	A337V	GTT
P007H	CAT	V073C	TGT	Q138Y	TAT	N205D	GAT	I271M	ATG	A337W	TGG
P007I	ATT	V073D	GAT	Q139A	GCT	N205E	GAG	I271P	CCT	A338C	TGT
P007K	AAG	V073F	TTT	Q139C	TGT	N205F	TTT	I271R	AGG	A338D	GAT
P007L	TTG	V073G	GGG	Q139D	GAT	N205G	GGG	I271S	AGT	A338E	GAG
P007M	ATG	V073H	CAT	Q139E	GAG	N205K	AAG	I271T	ACT	A338F	TTT
P007Q	CAG	V073K	AAG	Q139F	TTT	N205L	CTG	I271V	GTT	A338G	GGG
P007R	CGG	V073L	CTT	Q139G	GGG	N205M	ATG	I271W	TGG	A338H	CAT
P007S	AGT	V073M	ATG	Q139H	CAT	N205P	CCT	V272A	GCT	A338I	ATT
P007T	ACT	V073P	CCG	Q139K	AAG	N205R	AGG	V272C	TGT	A338K	AAG
P007V	GTG	V073Q	CAG	Q139L	CTG	N205S	TCG	V272D	GAT	A338L	CTT
P007W	TGG	V073R	TGG	Q139M	ATG	N205T	ACG	V272E	GAG	A338P	CCT
P007Y	TAT	V073S	TCG	Q139P	CCT	N205V	GTG	V272G	GGG	A338Q	CAG
V008A	GCT	V073T	ACG	Q139R	CGT	N205W	TGG	V272H	CAT	A338R	CGT
V008D	GAT	V073W	CGG	Q139S	TCT	N205Y	TAT	V272K	AAG	A338S	TCG
V008E	GAG	T074A	GCT	Q139T	ACT	V206C	TGT	V272L	TTG	A338T	ACT
V008G	GGT	T074C	TGT	Q139V	GTG	V206D	GAT	V272M	ATG	A338V	GTG

TABLE 8: PH20 Variants											
mut	**cod**	**mut**	**cod**	**mut**	**cod**	**mut**	**cod**	**mut**	**cod**	**mut**	**cod**
V008H	CAT	T074E	GAG	Q140A	GCT	V206F	TTT	V272N	AAT	K339D	GAT
V008I	ATT	T074F	TTT	Q140C	TGT	V206G	GGG	V272P	CCT	K339E	GAG
V008L	TTG	T074G	GGT	Q140D	GAT	V206H	CAT	V272R	AGG	K339F	TTT
V008M	ATG	T074H	CAT	Q140F	TTT	V206I	ATT	V272S	TCG	K339G	GGG
V008N	AAT	T074K	AAG	Q140G	GGG	V206K	AAG	V272T	ACT	K339H	CAT
V008P	CCT	T074L	TTG	Q140H	CAT	V206L	CTT	V272W	TGG	K339L	CTG
V008Q	CAG	T074M	ATG	Q140I	ATT	V206M	ATG	F273A	GCT	K339M	ATG
V008R	CGG	T074N	AAT	Q140K	AAG	V206P	CCG	F273C	TGT	K339N	AAT
V008S	TCT	T074P	CCG	Q140L	TTG	V206Q	CAG	F273D	GAT	K339P	CCT
V008T	ACT	T074R	CGG	Q140M	ATG	V206R	CGG	F273G	GGG	K339R	CGG
V008W	TGG	T074S	TCG	Q140R	CGG	V206S	TCT	F273H	CAT	K339S	AGT
I009A	GCT	T074V	GTG	Q140S	AGT	V206T	ACG	F273I	ATT	K339T	ACT
I009C	TGT	T074W	TGG	Q140V	GTG	V206Y	TAT	F273L	CTG	K339V	GTT
I009D	GAT	V075A	GCG	Q140W	TGG	E207A	GCT	F273P	CCT	K339W	TGG
I009E	GAG	V075C	TGT	Q140Y	TAT	E207F	TTT	F273Q	CAG	K339Y	TAT
I009G	GGG	V075D	GAT	N141A	GCT	E207G	GGG	F273R	CGG	M340A	GCT
I009H	CAT	V075F	TTT	N141D	GAT	E207H	CAT	F273S	TCG	M340C	TGT
I009K	AAG	V075G	GGG	N141E	GAG	E207I	ATT	F273T	ACG	M340D	GAT
I009L	CTT	V075H	CAT	N141F	TTT	E207K	AAG	F273V	GTT	M340E	GAG
I009N	AAT	V075L	CTT	N141G	GGT	E207L	TTG	F273W	TGG	M340F	TTT
I009P	CCT	V075M	ATG	N141H	CAT	E207M	ATG	F273Y	TAT	M340G	GGG
I009Q	CAG	V075N	AAT	N141L	TTG	E207P	CCG	T274A	GCG	M340H	CAT
I009R	CGG	V075P	CCG	N141M	ATG	E207Q	CAG	T274C	TGT	M340K	AAG
I009S	AGT	V075Q	CAG	N141P	CCT	E207R	AGG	T274E	GAG	M340L	CTG
I009T	ACG	V075R	CGT	N141Q	CAG	E207S	TCT	T274F	ATG	M340P	CCT
I009V	GTT	V075S	TCT	N141R	CGT	E207T	ACG	T274G	GGG	M340R	CGG
P010D	GAT	V075T	ACT	N141S	TCT	E207V	GTT	T274H	CAT	M340S	TCG
P010E	GAG	V075W	TGG	N141T	ACT	E207W	TGG	T274L	CTG	M340T	ACT
P010F	TTT	V075Y	TAT	N141V	GTT	I208A	GCT	T274N	AAT	M340V	GTG
P010G	GGT	N076A	GCT	N141W	TGG	I208C	TGT	T274P	CCT	M340W	TGG
P010H	CAT	N076C	TGT	N141Y	TAT	I208D	GAT	T274Q	CAG	C341A	GCT
P010I	ATT	N076D	GAT	V142C	TGT	I208E	GAG	T274R	CGT	C341E	GAG
P010L	CTT	N076F	TTT	V142D	GAT	I208G	GGG	T274S	AGT	C341G	GGG
P010M	ATG	N076G	GGG	V142E	GAG	I208K	AAG	T274V	GTT	C341H	CAT
P010N	AAT	N076I	ATT	V142G	GGG	I208L	TTG	T274W	TGG	C341K	AAG
P010Q	CAG	N076K	AAG	V142H	CAT	I208M	ATG	T274Y	TAT	C341L	TTG
P010R	CGG	N076L	CTG	V142I	ATT	I208P	CCG	D275A	GCT	C341M	ATG
P010S	TCG	N076P	CCT	V142K	AAG	I208Q	CAG	D275C	TGT	C341N	AAT
P010T	ACT	N076Q	CAG	V142L	TTG	I208R	CGT	D275E	GAG	C341Q	CAG
P010W	TGG	N076R	CGT	V142M	ATG	I208S	AGT	D275F	TTT	C341R	AGG

TABLE 8: PH20 Variants											
mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
P010Y	TAT	N076S	AGT	V142N	AAT	I208T	ACG	D275G	GGG	C341S	TCT
N011A	GCG	N076T	ACT	V142P	CCT	I208V	GTG	D275I	ATT	C341T	ACT
N011C	TGT	N076V	GTT	V142Q	CAG	I208W	TGG	D275K	AAG	C341V	GTT
N011D	GAT	N076W	TGG	V142R	CGG	K209A	GCG	D275L	CTT	C341W	TGG
N011E	GAG	G077D	GAT	V142S	AGT	K209C	TGT	D275M	ATG	C341Y	TAT
N011F	TTT	G077E	GAG	V142T	ACT	K209D	GAT	D275Q	CAG	S342A	GCT
N011G	GGG	G077F	TTT	Q143C	TGT	K209E	GAG	D275R	CGT	S342D	GAT
N011H	CAT	G077H	CAT	Q143E	GAG	K209F	TTT	D275S	TCG	S342E	GAG
N011I	ATT	G077K	AAG	Q143F	TTT	K209G	GGT	D275T	ACT	S342F	TTT
N011K	AAG	G077L	TTG	Q143G	GGG	K209L	CTG	D275V	GTG	S342G	GGG
N011L	CTG	G077M	ATG	Q143H	CAT	K209N	AAT	D275W	TGG	S342H	CAT
N011P	CCG	G077N	AAT	Q143I	ATT	K209P	CCG	Q276C	TGT	S342I	ATT
N011S	TCG	G077P	CCG	Q143K	AAG	K209R	CGG	Q276D	GAT	S342K	AAG
N011T	ACG	G077Q	CAG	Q143L	TTG	K209S	AGT	Q276E	GAG	S342L	TTG
N011W	TGG	G077R	CGT	Q143M	ATG	K209T	ACT	Q276F	TTT	S342M	ATG
N011Y	TAT	G077S	TCG	Q143N	AAT	K209V	GTT	Q276G	GGG	S342P	CCT
V012A	GCT	G077T	ACG	Q143P	CCT	K209W	TGG	Q276H	CAT	S342Q	CAG
V012D	GAT	G077V	GTG	Q143R	CGG	K209Y	TAT	Q276I	ATT	S342R	CGG
V012E	GAG	G077Y	TAT	Q143S	TCG	R210A	GCG	Q276L	CTT	S342T	ACT
V012G	GGG	G078A	GCG	Q143T	ACT	R210C	TGT	Q276M	ATG	S342Y	TAT
V012H	CAT	G078C	TGT	Q143V	GTG	R210D	GAT	Q276P	CCT	Q343C	TGT
V012I	ATT	G078D	GAT	Q143Y	TAT	R210E	GAG	Q276R	CGT	Q343D	GAT
V012K	AAG	G078H	CAT	L144A	GCT	R210G	GGT	Q276S	AGT	Q343E	GAG
V012L	CTT	G078I	ATT	L144E	GAG	R210K	AAG	Q276V	GTT	Q343F	TTT
V012M	ATG	G078K	AAG	L144F	TTT	R210L	CTG	Q276W	TGG	Q343G	GGG
V012N	AAT	G078L	TTG	L144G	GGG	R210M	ATG	Q276Y	TAT	Q343I	ATT
V012P	CCG	G078M	ATG	L144I	ATT	R210N	AAT	V277A	GCT	Q343L	CTT
V012R	AGG	G078P	CCG	L144K	AAG	R210P	CCT	V277C	TGT	Q343M	ATG
V012S	TCG	G078Q	CAG	L144N	AAT	R210S	TCG	V277D	GAT	Q343P	CCT
V012T	ACT	G078R	AGG	L144P	CCT	R210T	ACT	V277E	GAG	Q343R	AGG
V012W	TGG	G078S	TCG	L144Q	CAG	R210V	GTG	V277G	GGG	Q343S	AGT
P013A	GCT	G078T	ACT	L144R	CGT	R210W	TGG	V277H	CAT	Q343T	ACT
P013E	GAG	G078V	GTG	L144S	TCT	R210Y	TAT	V277K	AAG	Q343V	GTG
P013F	TTT	G078Y	TAT	L144T	ACT	N211A	GCG	V277L	TTG	Q343W	TGG
P013G	GGG	I079A	GCT	L144V	GTT	N211C	TGT	V277M	ATG	Q343Y	TAT
P013H	CAT	I079D	GAT	L144W	TGG	N211F	TTT	V277N	AAT	V344E	GAG
P013I	ATT	I079F	TTT	L144Y	TAT	N211G	GGG	V277Q	CAG	V344F	TTT
P013L	CTT	I079G	GGG	S145A	GCT	N211H	CAT	V277R	AGG	V344G	GGG
P013M	ATG	I079H	CAT	S145C	TGT	N211I	ATT	V277S	TCT	V344H	CAT
P013Q	CAG	I079K	AAG	S145D	GAT	N211K	AAG	V277T	ACT	V344I	ATT

TABLE 8: PH20 Variants											
mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
P013R	CGT	I079L	TTG	S145E	GAG	N211L	CTG	V277Y	TAT	V344L	CTG
P013S	TCG	I079N	AAT	S145F	TTT	N211M	ATG	L278A	GCT	V344M	ATG
P013T	ACT	I079P	CCG	S145G	GGG	N211P	CCT	L278E	GAG	V344N	AAT
P013V	GTG	I079R	CGT	S145H	CAT	N211R	CGG	L278F	TTT	V344P	CCT
P013W	TGG	I079S	AGT	S145L	TTG	N211S	AGT	L278G	GGG	V344Q	CAG
P013Y	TAT	I079T	ACT	S145M	ATG	N211T	ACT	L278H	CAT	V344R	CGT
F014A	GCG	I079V	GTT	S145N	AAT	N211V	GTT	L278I	ATT	V344S	TCG
F014D	GAT	I079W	TGG	S145P	CCT	N211W	TGG	L278K	AAG	V344T	ACT
F014E	GAG	I079Y	TAT	S145R	CGT	D212A	GCT	L278M	TTT	V344W	TGG
F014G	GGT	P080A	GCG	S145T	ACT	D212E	GAG	L278N	AAT	V344Y	TAT
F014H	CAT	P080D	GAT	S145V	GTT	D212G	GGG	L278P	CCG	L345A	GCT
F014I	ATT	P080E	GAG	S145W	TGG	D212H	CAT	L278R	CGT	L345C	TGT
F014K	AAG	P080F	TTT	L146A	GCT	D212I	ATT	L278S	TCT	L345D	GAT
F014M	ATG	P080G	GGG	L146C	TGT	D212K	AAG	L278T	ACT	L345E	GAG
F014N	AAT	P080I	ATT	L146E	GAG	D212L	CTG	L278V	GTT	L345G	GGG
F014P	CCT	P080K	AAG	L146G	GGG	D212M	ATG	L278Y	TAT	L345H	CAT
F014Q	CAG	P080L	CTT	L146H	CAT	D212N	AAT	K279A	GCG	L345K	AAG
F014R	CGG	P080M	ATG	L146I	ATT	D212P	CCT	K279C	TGT	L345N	AAT
F014T	ACT	P080N	AAT	L146K	AAG	D212Q	CAG	K279D	GAT	L345P	CCT
F014V	GTG	P080R	AGG	L146N	AAT	D212S	TCG	K279F	TTT	L345Q	CAG
F014W	TGG	P080S	TCT	L146P	CCT	D212T	ACT	K279G	GGG	L345R	CGT
L015A	GCG	P080T	ACG	L146Q	CAG	D212V	GTG	K279H	CAT	L345T	ACT
L015E	GAG	P080V	GTG	L146R	CGG	D212W	TGG	K279L	CTG	L345V	GTT
L015F	TTT	P080Y	TAT	L146S	TCG	D213A	GCT	K279P	CCT	L345W	TGG
L015G	GGG	Q081A	GCT	L146T	ACT	D213E	GAG	K279Q	CAG	L345Y	TAT
L015K	AAG	Q081C	TGT	L146V	GTT	D213G	GGG	K279R	AGG	C346A	GCT
L015M	ATG	Q081E	GAG	L146Y	TAT	D213H	CAT	K279S	TCT	C346D	GAT
L015N	AAT	Q081F	TTT	T147A	GCT	D213K	AAG	K279T	ACG	C346F	TTT
L015P	CCG	Q081G	GGG	T147C	TGT	D213L	CTG	K279V	GTG	C346G	GGG
L015Q	CAG	Q081H	CAT	T147D	GAT	D213M	ATG	K279W	TGG	C346I	ATT
L015R	CGG	Q081L	CTG	T147F	TTT	D213N	AAT	K279Y	TAT	C346K	AAG
L015S	TCG	Q081M	ATG	T147G	GGT	D213P	CCT	F280D	GAT	C346L	CTT
L015T	ACT	Q081N	AAT	T147I	ATT	D213Q	CAG	F280E	GAG	C346M	ATG
L015V	GTT	Q081P	CCG	T147L	CTT	D213R	CGT	F280G	GGG	C346P	CCT
L015W	TGG	Q081R	AGG	T147M	ATG	D213S	TCG	F280H	CAT	C346Q	CAG
L015Y	TAT	Q081S	TCT	T147P	CCT	D213V	GTG	F280I	ATT	C346R	CGG
W016A	GCG	Q081V	GTT	T147Q	CAG	D213W	TGG	F280L	TTG	C346S	TCT
W016C	TGT	Q081W	TGG	T147R	CGT	D213Y	TAT	F280M	ATG	C346T	ACT
W016D	GAT	Q081Y	TAT	T147S	AGT	L214A	GCG	F280N	AAT	C346V	GTG
W016E	GAG	K082A	GCT	T147V	GTT	L214C	TGT	F280P	CCT	C346W	TGG

TABLE 8: PH20 Variants

mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
W016F	TTT	K082E	GAG	T147W	TGG	L214D	GAT	F280Q	CAG	Q347A	GCT
W016G	GGT	K082G	GGT	T147Y	TAT	L214E	GAG	F280R	CGT	Q347C	TGT
W016H	CAT	K082H	CAT	E148C	TGT	L214G	GGG	F280S	TCG	Q347E	GAG
W016K	AAG	K082I	ATT	E148F	TTT	L214H	CAT	F280T	ACT	Q347F	TTT
W016L	CTT	K082L	CTT	E148G	GGG	L214K	AAG	F280V	GTG	Q347G	GGT
W016M	ATG	K082M	ATG	E148H	CAT	L214N	AAT	F280W	TGG	Q347I	ATT
W016P	CCT	K082N	AAT	E148I	ATT	L214P	CCG	L281A	GCG	Q347L	TTG
W016R	CGT	K082P	CCT	E148K	AAG	L214Q	CAG	L281D	GAT	Q347M	ATG
W016S	TCG	K082Q	CAG	E148L	CTG	L214R	CGG	L281F	TTT	Q347P	CCT
W016T	ACT	K082R	CGT	E148P	CCT	L214S	TCG	L281G	GGT	Q347R	AGG
W016Y	TAT	K082S	AGT	E148Q	CAG	L214T	ACG	L281H	CAT	Q347S	TCT
A017D	GAT	K082T	ACT	E148R	CGG	L214V	GTG	L281I	ATT	Q347T	ACT
A017E	GAG	K082V	GTG	E148S	TCT	L214Y	TAT	L281K	AAG	Q347V	GTG
A017G	GGG	K082W	TGG	E148T	ACT	S215A	GCT	L281N	AAT	Q347W	TGG
A017H	CAT	K082Y	TAT	E148V	GTG	S215C	TGT	L281P	CCG	Q347Y	TAT
A017I	ATT	I083E	GAG	E148W	TGG	S215D	GAT	L281Q	CAG	E348C	TGT
A017L	CTT	I083F	TTT	E148Y	TAT	S215E	GAG	L281R	CGG	E348D	GAT
A017N	AAT	I083G	GGT	A149C	TGT	S215G	GGG	L281S	AGT	E348G	GGT
A017P	CCG	I083H	CAT	A149E	GAG	S215H	CAT	L281V	GTT	E348H	CAT
A017Q	CAG	I083K	AAG	A149F	TTT	S215K	AAG	L281W	TGG	E348I	ATT
A017R	AGG	I083L	CTG	A149G	GGT	S215L	TTG	L281Y	TAT	E348L	TTG
A017S	TCG	I083N	AAT	A149K	AAG	S215M	ATG	S282A	GCG	E348M	ATG
A017T	ACG	I083P	CCT	A149L	TTG	S215P	CCG	S282C	TGT	E348P	CCT
A017V	GTG	I083Q	CAA	A149M	ATG	S215Q	CAG	S282D	GAT	E348Q	CAG
A017W	TGG	I083R	CGT	A149P	CCT	S215R	CGG	S282E	GAG	E348R	CGG
A017Y	TAT	I083S	TCG	A149Q	CAG	S215T	ACT	S282F	TTT	E348S	TCT
W018C	TGT	I083T	ACT	A149R	CGG	S215V	GTG	S282G	GGT	E348T	ACT
W018D	GAT	I083V	GTT	A149S	TCT	S215W	TGG	S282L	CTT	E348V	GTT
W018F	TTT	I083Y	TAT	A149T	ACT	W216D	GAT	S282M	ATG	E348W	TGG
W018G	GGG	S084D	GAT	A149V	GTT	W216E	GAG	S282P	CCT	E348Y	TAT
W018H	CAT	S084E	GAG	A149W	TGG	W216G	GGT	S282Q	CAG	Q349A	GCT
W018I	ATT	S084F	TTT	A149Y	TAT	W216H	CAT	S282R	CGT	Q349D	GAT
W018L	CTG	S084G	GGT	T150A	GCT	W216I	ATT	S282T	ACT	Q349E	GAG
W018M	ATG	S084H	CAT	T150C	TGT	W216K	AAG	S282V	GTT	Q349F	TTT
W018P	CCG	S084I	ATT	T150D	GAT	W216L	CTG	S282W	TGG	Q349G	GGT
W018Q	CAG	S084L	CTT	T150E	GAG	W216M	ATG	S282Y	TAT	Q349H	CAT
W018R	CGG	S084M	ATG	T150F	TTT	W216N	AAT	Q283A	GCG	Q349K	AAG
W018S	AGT	S084N	AAT	T150G	GGG	W216P	CCT	Q283C	TGT	Q349L	CTG
W018T	ACG	S084P	CCT	T150I	ATT	W216Q	CAG	Q283D	GAT	Q349M	ATG
W018V	GTG	S084Q	CAG	T150L	TTG	W216R	CGG	Q283E	GAG	Q349N	AAT

TABLE 8: PH20 Variants											
mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
W018Y	TAT	S084R	CGG	T150N	AAT	W216T	ACG	Q283F	TTT	Q349P	CCT
N019A	GCG	S084T	ACT	T150P	CCT	W216V	GTG	Q283G	GGG	Q349R	CGT
N019C	TGT	S084W	TGG	T150R	AGG	W216Y	TAT	Q283H	CAT	Q349S	TCG
N019F	TTT	S084Y	TAT	T150S	TCT	L217A	GCG	Q283L	CTT	Q349T	ACT
N019G	GGG	L085A	GCT	T150V	GTG	L217C	TGT	Q283N	AAT	Q349V	GTG
N019H	CAT	L085C	TGT	T150W	TGG	L217E	GAG	Q283P	CCG	Q349W	TGG
N019I	ATT	L085D	GAT	T150Y	TAT	L217G	GGT	Q283R	CGT	Q349Y	TAT
N019L	CTG	L085E	GAG	E151A	GCT	L217H	CAT	Q283S	TCT	G350A	GCT
N019M	ATG	L085F	TTT	E151C	TGT	L217I	ATT	Q283T	ACT	G350D	GAT
N019P	CCG	L085G	GGG	E151G	GGT	L217M	ATG	Q283W	TGG	G350E	GAG
N019Q	CAG	L085H	CAT	E151H	CAT	L217P	CCG	Q283Y	TAT	G350F	TTT
N019R	CGT	L085K	AAG	E151K	AAG	L217Q	CAG	D284A	GCT	G350H	CAT
N019S	TCG	L085N	AAT	E151L	TTG	L217R	AGG	D284C	TGT	G350K	AAG
N019V	GTT	L085P	CCT	E151M	ATG	L217S	TCT	D284E	GAG	G350L	CTG
N019W	TGG	L085Q	CAG	E151N	AAT	L217T	ACG	D284G	GGT	G350M	ATG
N019Y	TAT	L085R	CGT	E151Q	CAG	L217V	GTG	D284H	CAT	G350N	AAT
A020D	GAT	L085S	TCG	E151R	AGG	L217W	TGG	D284I	ATT	G350P	CCT
A020E	GAG	L085T	ACT	E151S	TCG	L217Y	TAT	D284L	TTG	G350R	CGT
A020F	TTT	L085V	GTT	E151T	ACT	W218A	GCT	D284M	ATG	G350S	TCT
A020G	GGG	Q086A	GCT	E151V	GTT	W218D	GAT	D284N	AAT	G350T	ACT
A020H	CAT	Q086C	TGT	E151W	TGG	W218F	TTT	D284P	CCG	G350V	GTG
A020K	AAG	Q086D	GAT	E151Y	TAT	W218G	GGT	D284Q	CAG	G350Y	TAT
A020L	CTG	Q086E	GAG	K152A	GCT	W218H	CAT	D284S	TCT	V351A	GCT
A020N	AAT	Q086F	TTT	K152C	TGT	W218I	ATT	D284T	ACG	V351C	TGT
A020P	CCG	Q086G	GGT	K152F	TTT	W218K	AAG	D284V	GTT	V351D	GAT
A020Q	CAG	Q086H	CAT	K152G	GGT	W218L	CTT	D284Y	TAT	V351E	GAG
A020R	CGT	Q086I	ATT	K152I	ATT	W218M	ATG	E285A	GCG	V351F	TTT
A020S	TCT	Q086K	AAG	K152L	TTG	W218P	CCT	E285F	TTT	V351G	GGT
A020T	ACT	Q086L	CTG	K152M	ATG	W218Q	CAG	E285G	GGG	V351H	CAT
A020V	GTT	Q086M	ATG	K152N	AAT	W218R	CGG	E285H	CAT	V351I	ATT
A020Y	TAT	Q086N	AAT	K152P	CCT	W218S	TCG	E285K	AAG	V351L	TTG
P021A	GCG	Q086P	CCT	K152R	AGG	W218T	ACT	E285M	ATG	V351N	AAT
P021C	TGT	Q086R	CGG	K152S	TCT	W218V	GTG	E285N	AAT	V351Q	CAG
P021D	GAT	Q086S	TCT	K152T	ACT	N219A	GCG	E285P	CCT	V351R	AGG
P021E	GAG	Q086T	ACT	K152V	GTG	N219C	TGT	E285Q	CAG	V351S	TCT
P021G	GGG	Q086V	GTG	K152W	TGG	N219D	GAT	E285R	CGT	V351W	TGG
P021H	CAT	Q086W	TGG	K152Y	TAT	N219E	GAG	E285S	AGT	V351Y	TAT
P021I	ATT	D087A	GCT	A153C	TGT	N219G	GGG	E285T	ACG	C352A	GCT
P021K	AAG	D087C	TGT	A153E	GAG	N219H	CAT	E285V	GTG	C352D	GAT
P021L	CTT	D087E	GAG	A153F	TTT	N219I	ATT	E285W	TGG	C352E	GAG

TABLE 8: PH20 Variants

mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
P021M	ATG	D087G	GGG	A153G	GGT	N219K	AAG	E285Y	TAT	C352F	TTT
P021R	CGT	D087H	CAT	A153H	CAT	N219L	CTT	L286A	GCG	C352G	GGG
P021S	TCT	D087I	ATT	A153I	ATT	N219M	ATG	L286C	TGT	C352K	AAG
P021T	ACG	D087L	CTG	A153K	AAG	N219P	CCT	L286D	GAT	C352M	ATG
P021V	GTT	D087M	ATG	A153L	CTG	N219R	CGT	L286E	GAG	C352P	CCT
P021W	TGG	D087P	CCT	A153M	ATG	N219S	TCG	L286F	TTT	C352Q	CAG
S022A	GCT	D087Q	CAG	A153P	CCT	N219T	ACT	L286G	GGT	C352R	CGT
S022C	TGT	D087R	AGG	A153Q	CAG	N219W	TGG	L286H	CAT	C352S	AGT
S022D	GAT	D087S	TCG	A153R	CGT	E220A	GCG	L286K	AAG	C352T	ACT
S022E	GAG	D087T	ACT	A153S	AGT	E220D	GAT	L286M	ATG	C352V	GTG
S022G	GGG	D087V	GTT	A153T	ACT	E220G	GGG	L286P	CCT	C352W	TGG
S022H	CAT	D087Y	TAT	A153V	GTG	E220H	CAT	L286R	AGG	C352Y	TAT
S022K	AAG	H088A	GCT	A153W	TGG	E220I	ATT	L286S	AGT	I353A	GCT
S022L	CTG	H088C	TGT	K154A	GCT	E220K	AAG	L286T	ACG	I353C	TGT
S022M	ATG	H088E	GAG	K154C	TGT	E220L	TTG	L286W	TGG	I353E	GAG
S022N	AAT	H088F	TTT	K154D	GAT	E220M	ATG	L286Y	TAT	I353F	TTT
S022P	CCG	H088G	GGG	K154E	GAG	E220N	AAT	V287A	GCT	I353G	GGG
S022R	CGG	H088I	ATT	K154G	GGT	E220P	CCG	V287C	TGT	I353H	CAT
S022T	ACT	H088K	AAG	K154H	CAT	E220R	CGG	V287D	GAT	I353K	AAG
S022V	GTG	H088L	TTG	K154I	ATT	E220S	TCT	V287E	GAG	I353L	CTT
S022Y	TAT	H088M	ATG	K154L	CTG	E220T	ACG	V287F	TTT	I353M	ATG
E023A	GCT	H088P	CCT	K154P	CCT	E220V	GTG	V287G	GGG	I353Q	CAG
E023D	GAT	H088R	CGT	K154R	CGG	E220W	TGG	V287I	ATT	I353R	CGT
E023F	TTT	H088S	AGT	K154S	AGT	S221A	GCG	V287K	AAG	I353S	TCG
E023G	GGG	H088T	ACT	K154T	ACT	S221C	TGT	V287L	CTT	I353T	ACT
E023H	CAT	H088V	GTT	K154V	GTG	S221D	GAT	V287N	AAT	I353V	GTG
E023L	CTT	H088Y	TAT	K154W	TGG	S221E	GAG	V287P	CCT	I353W	TGG
E023M	ATG	L089A	GCT	K154Y	TAT	S221G	GGG	V287Q	CAG	R354C	TGT
E023N	AAT	L089C	TGT	Q155A	GCT	S221H	CAT	V287R	CGG	R354D	GAT
E023P	CCT	L089D	GAT	Q155C	TGT	S221I	ATT	V287S	TCT	R354E	GAG
E023Q	CAG	L089E	GAG	Q155D	GAT	S221K	AAG	V287T	ACT	R354G	GGT
E023R	CGG	L089G	GGG	Q155F	TTT	S221L	TTG	Y288D	GAC	R354H	CAT
E023S	TCT	L089K	AAG	Q155G	GGG	S221M	ATG	Y288E	GAG	R354I	ATT
E023T	ACG	L089M	ATG	Q155H	CAT	S221P	CCG	Y288F	TTT	R354K	AAG
E023V	GTG	L089N	AAT	Q155K	AAG	S221Q	CAG	Y288G	GGG	R354L	CTT
E023W	TGG	L089P	CCT	Q155L	CTT	S221R	CGG	Y288H	CAT	R354M	ATG
F024A	GCG	L089Q	CAG	Q155M	ATG	S221T	ACT	Y288I	ATT	R354P	CCT
F024C	TGT	L089R	AGG	Q155P	CCT	S221V	GTG	Y288K	AAG	R354Q	CAG
F024E	GAG	L089S	TCG	Q155R	CGG	T222A	GCG	Y288L	CTG	R354S	TCT
F024G	GGG	L089T	ACT	Q155S	AGT	T222D	GAT	Y288P	CCT	R354V	GTG

TABLE 8: PH20 Variants											
mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
F024H	CAT	L089W	TGG	Q155T	ACT	T222E	GAG	Y288Q	CAG	R354W	TGG
F024I	ATT	L089Y	TAT	Q155V	GTT	T222F	TTT	Y288R	CGT	R354Y	TAT
F024K	AAG	D090A	GCT	Q155W	TGG	T222G	GGG	Y288S	TCT	K355D	GAT
F024L	TTG	D090C	TGT	Q155Y	TAT	T222I	ATT	Y288T	ACT	K355F	TTT
F024M	ATG	D090E	GAG	E156A	GCT	T222K	AAA	Y288V	GTG	K355G	GGG
F024N	AAT	D090G	GGG	E156C	TGT	T222L	TTG	Y288W	TGG	K355H	CAT
F024P	CCT	D090H	CAT	E156D	GAT	T222N	AAT	T289A	GCT	K355L	CTG
F024R	CGT	D090I	ATT	E156G	GGT	T222P	CCG	T289C	TGT	K355M	ATG
F024T	ACG	D090K	AAG	E156I	ATT	T222R	CGG	T289E	GAG	K355N	AAT
F024V	GTT	D090L	CTT	E156K	AAG	T222S	AGT	T289G	GGT	K355P	CCT
F024Y	TAT	D090N	AAT	E156L	CTG	T222V	GTT	T289H	CAT	K355Q	CAG
C025D	GAT	D090P	CCT	E156M	ATG	T222W	TGG	T289K	AAG	K355R	CGT
C025E	GAG	D090Q	CAG	E156P	CCT	T222Y	TAT	T289L	CTT	K355S	TCT
C025F	TTT	D090R	AGG	E156Q	CAG	A223C	TGT	T289M	ATG	K355T	ACT
C025G	GGG	D090S	AGT	E156R	CGG	A223D	GAT	T289N	AAT	K355V	GTG
C025H	CAT	D090T	ACT	E156S	TCT	A223E	GAG	T289P	CCT	K355W	TGG
C025I	ATT	D090W	TGG	E156T	ACT	A223G	GGG	T289Q	CAG	K355Y	TAT
C025K	AAG	K091A	GCT	E156V	GTT	A223H	CAT	T289R	AGG	N356A	GCT
C025L	TTG	K091D	GAT	E156W	TGG	A223K	AAG	T289S	TCG	N356C	TGT
C025N	AAT	K091E	GAG	F157A	GCT	A223L	CTG	T289V	GTG	N356D	GAT
C025P	CCT	K091F	TTT	F157C	TGT	A223P	CCT	T289Y	TAT	N356F	TTT
C025R	CGT	K091G	GGG	F157D	GAT	A223Q	CAG	F290A	GCT	N356G	GGG
C025S	TCT	K091H	CAT	F157E	GAG	A223R	AGG	F290C	TGT	N356H	CAT
C025T	ACT	K091I	ATT	F157G	GGT	A223S	TCT	F290D	GAT	N356K	AAG
C025V	GTG	K091L	TTG	F157H	CAT	A223T	ACG	F290G	GGG	N356L	CTG
C025Y	TAT	K091N	AAT	F157I	ATT	A223V	GTG	F290H	CAT	N356P	CCT
L026A	GCT	K091Q	CAG	F157K	AAG	A223W	TGG	F290I	ATT	N356Q	CAG
L026E	GAG	K091R	CGT	F157L	TTG	A223Y	TAT	F290K	AAG	N356R	CGG
L026G	GGT	K091S	TCT	F157M	ATG	L224A	GCT	F290L	TTG	N356S	AGT
L026H	CAT	K091T	ACT	F157P	CCT	L224D	GAT	F290M	ATG	N356T	ACT
L026I	ATT	K091Y	TAT	F157Q	CAG	L224E	GAG	F290Q	CAG	N356V	GTG
L026K	AAG	A092C	TGT	F157R	CGG	L224F	TTT	F290R	AGG	N356W	TGG
L026M	ATG	A092E	GAG	F157S	TCG	L224G	GGG	F290S	TCG	W357A	GCT
L026P	CCG	A092F	TTT	F157T	ACT	L224I	ATT	F290T	ACT	W357C	TGT
L026Q	CAG	A092G	GGT	F157V	GTG	L224M	ATG	F290V	GTT	W357D	GAT
L026R	CGG	A092H	CAT	F157W	TGG	L224P	CCG	F290Y	TAT	W357E	GAG
L026S	TCT	A092K	AAG	E158A	GCT	L224Q	CAG	G291A	GCT	W357F	TTT
L026T	ACT	A092L	CTG	E158C	TGT	L224R	AGG	G291C	TGT	W357G	GGG
L026V	GTT	A092M	ATG	E158D	GAT	L224S	AGT	G291D	GAT	W357K	AAG
L026W	TGG	A092P	CCT	E158F	TTT	L224T	ACT	G291E	GAG	W357L	TTG

TABLE 8: PH20 Variants

mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
L026Y	TAT	A092Q	CAG	E158G	GGG	L224V	GTT	G291F	TTT	W357M	ATG
G027A	GCT	A092R	CGT	E158H	CAT	L224W	TGG	G291H	CAT	W357P	CCT
G027C	TGT	A092T	ACT	E158K	AAG	L224Y	TAT	G291L	CTG	W357Q	CAG
G027D	GAT	A092V	GTT	E158L	CTG	Y225A	GCG	G291M	ATG	W357R	CGT
G027E	GAG	A092W	TGG	E158N	AAT	Y225D	GAT	G291N	AAT	W357S	AGT
G027F	TTT	A092Y	TAT	E158P	CCT	Y225E	GAG	G291P	CCT	W357T	ACT
G027H	CAT	K093D	GAT	E158Q	CAG	Y225G	GGT	G291Q	CAG	W357V	GTG
G027I	ATT	K093E	GAG	E158R	CGG	Y225H	CAT	G291R	CGG	N358C	TGT
G027K	AAG	K093F	TTT	E158S	TCG	Y225K	AAG	G291S	TCT	N358D	GAT
G027L	CTG	K093G	GGT	E158V	GTG	Y225L	CTG	G291T	ACT	N358E	GAG
G027P	CCT	K093H	CAT	E158Y	TAT	Y225P	CCG	G291V	GTG	N358G	GGG
G027Q	CAG	K093I	ATT	K159A	GCT	Y225Q	CAG	G291W	TGG	N358H	CAT
G027R	CGG	K093L	CTG	K159D	GAT	Y225R	AGG	G291Y	TAT	N358I	ATT
G027S	TCG	K093M	ATG	K159E	GAG	Y225S	TCT	E292A	GCT	N358K	AAG
G027T	ACT	K093N	AAT	K159F	TTT	Y225T	ACG	E292C	TGT	N358L	CTG
G027W	TGG	K093P	CCT	K159G	GGT	Y225V	GTG	E292F	TTT	N358P	CCT
K028A	GCG	K093Q	CAG	K159H	CAT	Y225W	TGG	E292G	GGT	N358Q	CAG
K028D	GAT	K093R	CGG	K159L	CTT	P226A	GCG	E292H	CAT	N358R	CGT
K028E	GAG	K093S	AGT	K159M	ATG	P226C	TGT	E292I	ATT	N358S	TCT
K028F	TTT	K093T	ACT	K159N	AAT	P226D	GAT	E292K	AAG	N358T	ACT
K028G	GGG	K093V	GTT	K159Q	CAG	P226E	GAG	E292L	TTG	N358V	GTG
K028I	ATT	K094A	GCT	K159R	CGG	P226F	TTT	E292N	AAT	N358W	TGG
K028L	TTG	K094C	TGT	K159S	TCT	P226G	GGT	E292P	CCT	S359A	GCT
K028M	ATG	K094D	GAT	K159V	GTG	P226L	CTT	E292Q	CAG	S359C	TGT
K028N	AAT	K094E	GAG	K159W	TGG	P226N	AAT	E292R	CGG	S359D	GAT
K028P	CCT	K094F	TTT	K159Y	TAT	P226Q	CAG	E292T	ACT	S359E	GAG
K028R	CGG	K094G	GGG	A160C	TGT	P226R	AGG	E292V	GTT	S359F	TTT
K028S	AGT	K094H	CAT	A160F	TTT	P226S	TCT	E292W	TGG	S359G	GGG
K028T	ACT	K094L	TTG	A160G	GGG	P226T	ACG	T293A	GCT	S359H	CAT
K028V	GTT	K094M	ATG	A160H	CAT	P226V	GTT	T293C	TGT	S359K	AAG
K028W	TGG	K094N	AAT	A160I	ATT	P226W	TGG	T293D	GAT	S359L	TTG
F029A	GCT	K094P	CCT	A160K	AAG	P226Y	TAT	T293E	GAG	S359M	ATG
F029C	TGT	K094Q	CAG	A160L	CTG	S227A	GCT	T293F	TTT	S359P	CCT
F029E	GAG	K094R	AGG	A160M	ATG	S227F	TTT	T293G	GGT	S359R	CGG
F029G	GGG	K094S	TCT	A160N	AAT	S227G	GGG	T293K	AAG	S359T	ACT
F029H	CAT	K094T	ACT	A160Q	CAG	S227H	CAT	T293L	CTT	S359V	GTT
F029I	ATT	D095A	GCT	A160R	AGG	S227I	ATT	T293M	ATG	S359W	TGG
F029K	AAG	D095C	TGT	A160S	AGT	S227K	AAG	T293N	AAT	S360A	GCT
F029L	CTT	D095E	GAG	A160V	GTG	S227L	TTG	T293P	CCT	S360C	TGT
F029M	ATG	D095F	TTT	A160W	TGG	S227M	ATG	T293Q	CAG	S360E	GAG

TABLE 8: PH20 Variants											
mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
F029P	CCG	D095G	GGG	A160Y	TAT	S227P	CCT	T293S	TCT	S360F	TTT
F029R	CGG	D095H	CAT	G161A	GCT	S227Q	CAG	T293V	GTG	S360G	GGG
F029S	TCG	D095K	AAG	G161C	TGT	S227R	CGG	T293Y	TAT	S360I	ATT
F029T	ACG	D095L	TTG	G161D	GAT	S227T	ACG	V294A	GCT	S360K	AAG
F029V	GTG	D095M	ATG	G161E	GAG	S227V	GTG	V294C	TGT	S360L	CTG
F029W	TGG	D095P	CCT	G161H	CAT	S227W	TGG	V294E	GAG	S360M	ATG
D030A	GCG	D095Q	CAG	G161I	ATT	S227Y	TAT	V294G	GGG	S360N	AAT
D030E	GAG	D095S	TCT	G161K	AAG	I228A	GCG	V294H	CAT	S360P	CCT
D030F	TTT	D095V	GTG	G161L	CTT	I228E	GAG	V294K	AAG	S360Q	CAG
D030G	GGG	D095W	TGG	G161M	ATG	I228F	TTT	V294L	TTG	S360R	AGG
D030H	CAT	D095Y	TAT	G161Q	CAG	I228G	GGG	V294M	ATG	S360T	ACT
D030K	AAG	I096A	GCT	G161R	CGT	I228H	CAT	V294N	AAT	S360V	GTT
D030L	TTG	I096C	TGT	G161S	AGT	I228K	AAG	V294P	CCT	D361A	GCT
D030M	ATG	I096D	GAT	G161T	ACT	I228L	TTG	V294Q	CAG	D361C	TGT
D030P	CCT	I096E	GAG	G161V	GTG	I228M	ATG	V294R	AGG	D361E	GAG
D030Q	CAG	I096F	TTT	G161W	TGG	I228N	AAT	V294S	AGT	D361G	GGG
D030R	CGG	I096G	GGG	K162A	GCT	I228P	CCG	V294T	ACT	D361H	CAT
D030S	TCG	I096H	CAT	K162D	GAT	I228Q	CAG	V294W	TGG	D361L	TTG
D030T	ACT	I096L	TTG	K162E	GAG	I228R	CGT	A295C	TGT	D361M	ATG
D030V	GTT	I096N	AAT	K162F	TTT	I228S	TCT	A295D	GAT	D361N	AAT
D030W	TGG	I096P	CCT	K162G	GGG	I228T	ACT	A295E	GAG	D361P	CCT
E031A	GCG	I096R	CGT	K162H	CAT	I228W	TGG	A295F	TTT	D361Q	CAG
E031C	TGT	I096S	AGT	K162L	TTG	Y229E	GAG	A295G	GGG	D361R	AGG
E031G	GGG	I096T	ACT	K162M	ATG	Y229F	TTT	A295H	CAT	D361S	TCG
E031H	CAT	I096V	GTG	K162P	CCT	Y229G	GGT	A295I	ATT	D361V	GTT
E031I	ATT	I096W	TGG	K162Q	CAG	Y229H	CAT	A295L	CTG	D361W	TGG
E031K	AAG	T097A	GCT	K162R	CGG	Y229I	ATT	A295N	AAT	D361Y	TAT
E031L	CTG	T097C	TGT	K162S	TCG	Y229K	AAG	A295P	CCT	Y362A	GCT
E031N	AAC	T097D	GAT	K162V	GTG	Y229L	TTG	A295Q	CAG	Y362C	TGT
E031P	CCG	T097E	GAG	K162W	TGG	Y229N	AAT	A295S	AGT	Y362E	GAG
E031R	CGG	T097F	TTT	K162Y	TAT	Y229P	CCT	A295T	ACT	Y362G	GGG
E031S	TCT	T097G	GGG	D163A	GCT	Y229Q	CAG	A295V	GTT	Y362H	CAT
E031T	ACG	T097I	ATT	D163C	TGT	Y229R	CGT	A295Y	TAT	Y362K	AAG
E031V	GTG	T097L	CTT	D163E	GAG	Y229S	TCG	L296A	GCT	Y362L	CTT
E031W	TGG	T097N	AAT	D163F	TTT	Y229T	ACT	L296C	TGT	Y362M	ATG
E031Y	TAT	T097P	CCT	D163G	GGG	Y229V	GTG	L296F	TTT	Y362N	AAT
P032A	GCG	T097Q	CAG	D163H	CAC	Y229W	TGG	L296G	GGT	Y362P	CCT
P032C	TGT	T097R	CGG	D163K	AAG	L230A	GCG	L296I	ATT	Y362R	CGG
P032F	TTT	T097S	TCG	D163L	CTT	L230E	GAG	L296K	AAG	Y362S	AGT
P032G	GGG	T097W	TGG	D163P	CCT	L230G	GGG	L296M	ATG	Y362T	ACT

TABLE 8: PH20 Variants											
mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
P032H	CAT	T097Y	TAT	D163Q	CAG	L230H	CAT	L296P	CCT	Y362V	GTG
P032K	AAG	F098A	GCT	D163R	AGG	L230I	ATT	L296Q	CAG	Y362W	TGG
P032L	CTG	F098C	TGT	D163S	TCG	L230K	AAG	L296R	CGT	L363A	GCT
P032M	ATG	F098D	GAT	D163T	ACT	L230M	ATG	L296S	TCG	L363C	TGT
P032N	AAT	F098E	GAG	D163V	GTG	L230N	AAT	L296T	ACT	L363D	GAT
P032Q	CAG	F098G	GGG	D163W	TGG	L230P	CCT	L296V	GTT	L363E	GAG
P032R	CGG	F098H	CAT	F164A	GCT	L230R	CGT	L296W	TGG	L363F	TTT
P032S	TCG	F098I	ATT	F164C	TGT	L230S	AGT	L296Y	TAT	L363G	GGG
P032T	ACT	F098L	TTG	F164D	GAT	L230T	ACT	G297A	GCT	L363H	CAT
P032V	GTG	F098M	ATG	F164E	GAG	L230V	GTT	G297C	TGT	L363I	ATT
P032W	TGG	F098P	CCT	F164G	GGG	L230W	TGG	G297E	GAG	L363P	CCT
P032Y	TAT	F098Q	CAG	F164H	CAT	L230Y	TAT	G297H	CAT	L363Q	CAG
L033C	TGT	F098R	CGT	F164L	TTG	N231A	GCT	G297I	ATT	L363R	CGG
L033D	GAT	F098S	TCG	F164M	ATG	N231C	TGT	G297L	CTT	L363S	TCG
L033G	GGG	F098V	GTT	F164N	AAT	N231D	GAT	G297N	AAT	L363T	ACT
L033H	CAT	F098W	TGG	F164P	CCT	N231F	TTT	G297P	CCT	L363V	GTG
L033I	ATT	Y099A	GCT	F164Q	CAG	N231G	GGG	G297Q	CAG	L363W	TGG
L033M	ATG	Y099C	TGT	F164R	CGG	N231H	CAT	G297R	CGG	H364A	GCT
L033N	AAT	Y099E	GAG	F164S	AGT	N231I	ATT	G297S	AGT	H364C	TGT
L033P	CCG	Y099F	TTT	F164V	GTT	N231K	AAG	G297T	ACT	H364D	GAT
L033Q	CAG	Y099G	GGT	F164W	TGG	N231L	CTT	G297V	GTG	H364E	GAG
L033R	AGG	Y099I	ATT	L165A	GCT	N231P	CCT	G297W	TGG	H364F	TTT
L033S	TCG	Y099L	TTG	L165C	TGT	N231Q	CAG	G297Y	TAT	H364G	GGG
L033T	ACT	Y099N	AAT	L165D	GAT	N231R	CGT	A298C	TGT	H364K	AAG
L033V	GTT	Y099P	CCT	L165F	TTT	N231S	TCT	A298E	GAG	H364L	CTG
L033W	TGG	Y099Q	CAG	L165G	GGG	N231T	ACG	A298G	GGG	H364M	ATG
L033Y	TAT	Y099R	AGG	L165H	CAT	N231V	GTG	A298I	ATT	H364P	CCT
D034A	GCT	Y099S	TCG	L165N	AAT	T232A	GCG	A298L	TTG	H364R	CGG
D034E	GAG	Y099T	ACT	L165P	CCT	T232C	TGT	A298M	ATG	H364S	TCT
D034G	GGT	Y099V	GTT	L165Q	CAG	T232F	TTT	A298N	AAT	H364T	ACT
D034H	CAT	Y099W	TGG	L165R	CGG	T232G	GGG	A298P	CCT	H364V	GTG
D034I	ATT	M100C	TGT	L165S	TCG	T232H	CAT	A298Q	CAG	H364Y	TAT
D034K	AAG	M100E	GAG	L165T	ACT	T232K	AAG	A298R	CGT	L365A	GCT
D034L	CTT	M100F	TTT	L165V	GTG	T232L	CTT	A298S	TCG	L365C	TGT
D034N	AAT	M100G	GGT	L165W	TGG	T232M	ATG	A298T	ACT	L365D	GAT
D034P	CCT	M100K	AAG	L165Y	TAT	T232N	AAT	A298V	GTG	L365E	GAG
D034Q	CAG	M100L	CTG	V166A	GCT	T232P	CCG	A298W	TGG	L365G	GGG
D034R	CGT	M100N	AAT	V166C	TGT	T232Q	CAG	A298Y	TAT	L365I	ATT
D034S	AGT	M100P	CCT	V166D	GAT	T232R	AGG	S299A	GCT	L365M	ATG
D034T	ACG	M100Q	CAG	V166E	GAG	T232S	AGT	S299C	TGT	L365N	AAT

TABLE 8: PH20 Variants											
mut	**cod**	**mut**	**cod**	**mut**	**cod**	**mut**	**cod**	**mut**	**cod**	**mut**	**cod**
D034V	GTT	M100R	CGG	V166F	TTT	T232V	GTG	S299D	GAT	L365P	CCT
D034W	TGG	M100S	TCT	V166G	GGT	T232Y	TAT	S299E	GAG	L365Q	CAG
M035A	GCG	M100T	ACT	V166H	CAT	Q233A	GCG	S299F	TTT	L365R	CGG
M035D	GAT	M100V	GTT	V166L	CTT	Q233C	TGT	S299G	GGG	L365S	AGT
M035F	TTT	M100W	TGG	V166N	AAT	Q233D	GAT	S299H	CAT	L365T	ACT
M035G	GGG	M100Y	TAT	V166P	CCT	Q233F	TTT	S299I	ATT	L365V	GTG
M035H	CAT	P101A	GCT	V166Q	CAG	Q233G	GGG	S299L	CTT	L365W	TGG
M035I	ATT	P101C	TGT	V166R	CGG	Q233I	ATT	S299M	ATG	L365Y	TAT
M035L	TTG	P101F	TTT	V166T	ACT	Q233K	AAG	S299P	CCT	N366A	GCT
M035N	AAT	P101G	GGG	V166W	TGG	Q233L	CTG	S299Q	CAG	N366C	TGT
M035P	CCG	P101H	CAT	V166Y	TAT	Q233P	CCG	S299R	AGG	N366E	GAG
M035Q	CAG	P101I	ATT	E167A	GCT	Q233R	AGG	S299T	ACT	N366F	TTT
M035R	CGT	P101K	AAG	E167D	GAT	Q233S	TCG	S299Y	TAT	N366G	GGG
M035S	TCT	P101L	CTT	E167F	TTT	Q233T	ACG	G300A	GCT	N366K	AAG
M035T	ACT	P101M	ATG	E167G	GGT	Q233V	GTG	G300C	TGT	N366L	TTG
M035V	GTT	P101N	AAT	E167H	CAT	Q233W	TGG	G300D	GAT	N366M	ATG
M035Y	TAT	P101Q	CAG	E167K	AAG	Q233Y	TAT	G300E	GAG	N366P	CCT
S036A	GCG	P101R	AGG	E167L	TTG	Q234A	GCT	G300F	TTT	N366Q	CAG
S036C	TGT	P101S	TCT	E167M	ATG	Q234C	TGT	G300L	CTT	N366R	AGG
S036D	GAT	P101T	ACT	E167N	AAT	Q234D	GAT	G300M	ATG	N366S	TCT
S036F	TTT	P101Y	TAT	E167P	CCT	Q234E	GAG	G300N	AAT	N366T	ACT
S036G	GGT	V102A	GCT	E167R	AGG	Q234G	GGT	G300P	CCT	N366V	GTT
S036H	CAT	V102C	TGT	E167S	TCG	Q234H	CAT	G300Q	CAG	N366W	TGG
S036K	AAG	V102E	GAG	E167T	ACT	Q234L	CTT	G300R	AGG	P367A	GCT
S036L	TTG	V102G	GGT	E167V	GTT	Q234M	ATG	G300S	TCG	P367C	TGT
S036N	AAT	V102H	CAT	E167Y	TAT	Q234N	AAT	G300T	ACT	P367E	GAG
S036P	CCG	V102K	AAG	T168A	GCT	Q234P	CCG	G300V	GTT	P367F	TTT
S036R	CGG	V102L	TTG	T168C	TGT	Q234R	CGG	G300W	TGG	P367G	GGT
S036T	ACG	V102M	ATG	T168D	GAT	Q234S	AGT	I301A	GCT	P367H	CAT
S036V	GTT	V102N	AAT	T168E	GAG	Q234T	ACT	I301E	GAG	P367I	ATT
S036W	TGG	V102P	CCT	T168F	TTT	Q234V	GTG	I301G	GGG	P367K	AAG
S036Y	TAT	V102Q	CAG	T168G	GGG	Q234W	TGG	I301H	CAT	P367L	CTG
L037A	GCG	V102R	AGG	T168H	CAT	S235A	GCG	I301K	AAG	P367M	ATG
L037C	TGT	V102S	TCT	T168K	AAG	S235E	GAG	I301L	CTG	P367Q	CAG
L037E	GAG	V102T	ACT	T168L	CTG	S235F	TTT	I301M	ATG	P367R	CGT
L037F	TTT	V102W	TGG	T168P	CCT	S235G	GGG	I301N	AAT	P367S	TCG
L037G	GGG	D103A	GCT	T168R	CGG	S235H	CAT	I301P	CCT	P367V	GTT
L037I	ATT	D103E	GAG	T168S	TCT	S235K	AAG	I301Q	CAG	P367W	TGG
L037K	AAG	D103F	TTT	T168V	GTG	S235L	CTT	I301R	CGG	D368A	GCT
L037M	ATG	D103G	GGG	T168W	TGG	S235M	ATG	I301S	AGT	D368C	TGT

TABLE 8: PH20 Variants											
mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
L037N	AAT	D103H	CAT	T168Y	TAT	S235P	CCT	I301V	GTT	D368E	GAG
L037P	CCT	D103I	ATT	I169A	GCT	S235Q	CAG	I301W	TGG	D368G	GGT
L037R	AGG	D103L	CTT	I169D	GAT	S235R	CGG	I301Y	TAT	D368H	CAT
L037S	TCT	D103N	AAT	I169F	TTT	S235T	ACG	V302C	TGT	D368K	AAG
L037T	ACG	D103Q	CAG	I169G	GGG	S235V	GTG	V302D	GAT	D368L	CTT
L037V	GTG	D103R	AGG	I169H	CAT	S235W	TGG	V302E	GAG	D368M	ATG
L037W	TGG	D103S	TCG	I169K	AAG	S235Y	TAT	V302F	TTT	D368P	CCT
F038A	GCG	D103T	ACT	I169L	TTG	P236A	GCT	V302G	GGT	D368R	CGT
F038C	TGT	D103V	GTT	I169N	AAT	P236C	TGT	V302H	CAT	D368S	AGT
F038E	GAG	D103W	TGG	I169P	CCT	P236E	GAG	V302I	ATT	D368T	ACT
F038G	GGG	D103Y	TAT	I169Q	CAG	P236G	GGG	V302L	TTG	D368V	GTT
F038K	AAG	N104A	GCT	I169R	CGG	P236H	CAT	V302M	ATG	D368W	TGG
F038L	CTT	N104C	TGT	I169S	TCG	P236I	ATT	V302P	CCT	D368Y	TAT
F038M	ATG	N104F	TTT	I169T	ACT	P236K	AAG	V302R	AGG	N369A	GCT
F038N	AAT	N104G	GGG	I169V	GTT	P236L	CTG	V302S	TCG	N369C	TGT
F038P	CCT	N104H	CAT	I169Y	TAT	P236N	AAT	V302T	ACT	N369E	GAG
F038Q	CAG	N104I	ATT	K170A	GCT	P236Q	CAG	V302W	TGG	N369F	TTT
F038R	AGG	N104K	AAG	K170C	TGT	P236R	CGT	V302Y	TAT	N369H	CAT
F038S	TCT	N104L	CTG	K170D	GAT	P236S	AGT	I303A	GCT	N369I	ATT
F038T	ACT	N104M	ATG	K170E	GAG	P236T	ACT	I303C	TGT	N369K	AAG
F038W	TGG	N104P	CCT	K170G	GGG	P236W	TGG	I303D	GAT	N369L	CTT
F038Y	TAT	N104R	AGG	K170I	ATT	P236Y	TAT	I303E	GAG	N369P	CCT
S039A	GCG	N104S	TCT	K170L	TTG	V237A	GCG	I303F	TTT	N369Q	CAG
S039C	TGT	N104T	ACT	K170M	ATG	V237C	TGT	I303G	GGT	N369R	CGG
S039D	GAT	N104V	GTT	K170N	AAT	V237E	GAG	I303K	AAG	N369S	TCG
S039F	TTT	N104W	TGG	K170P	CCT	V237F	TTT	I303L	TTG	N369T	ACT
S039G	GGT	L105A	GCT	K170Q	CAG	V237G	GGT	I303M	ATG	N369V	GTG
S039L	TTG	L105C	TGT	K170R	CGT	V237H	CAT	I303P	CCT	N369W	TGG
S039M	ATG	L105D	GAT	K170V	GTT	V237L	TTG	I303R	CGT	F370A	GCT
S039N	AAT	L105E	GAG	K170W	TGG	V237N	AAT	I303S	AGT	F370D	GAT
S039P	CCG	L105G	GGT	K170Y	TAT	V237P	CCT	I303V	GTG	F370E	GAG
S039Q	CAG	L105H	CAT	L171A	GCT	V237Q	CAG	I303W	TGG	F370G	GGG
S039R	CGT	L105I	ATT	L171C	TGT	V237R	CGG	I303Y	TAT	F370H	CAT
S039T	ACT	L105M	ATG	L171D	GAT	V237S	TCG	W304A	GCT	F370I	ATT
S039V	GTT	L105N	AAT	L171G	GGG	V237T	ACG	W304C	TGT	F370K	AAG
S039W	TGG	L105P	CCT	L171H	CAT	V237W	TGG	W304D	GAT	F370L	CTG
S039Y	TAT	L105Q	CAG	L171I	ATT	V237Y	TAT	W304G	GGT	F370N	AAT
F040A	GCG	L105R	CGG	L171M	ATG	A238D	GAT	W304I	ATT	F370P	CCT
F040D	GAT	L105S	TCT	L171N	AAT	A238E	GAG	W304L	CTG	F370Q	CAG
F040E	GAG	L105T	ACT	L171P	CCT	A238F	TTT	W304M	ATG	F370R	AGG

TABLE 8: PH20 Variants											
mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
F040G	GGT	L105V	GTT	L171Q	CAG	A238G	GGT	W304N	AAT	F370S	TCT
F040I	ATT	L105W	TGG	L171R	CGT	A238H	CAT	W304P	CCT	F370V	GTG
F040K	AAG	G106A	GCT	L171S	AGT	A238K	AAG	W304Q	CAG	F370Y	TAT
F040L	CTG	G106C	TGT	L171V	GTG	A238L	CTT	W304R	CGG	A371C	TGT
F040N	AAT	G106D	GAT	L171W	TGG	A238P	CCG	W304S	AGT	A371E	GAG
F040Q	CAG	G106E	GAG	L171Y	TAT	A238Q	CAG	W304T	ACT	A371F	TTT
F040R	CGG	G106F	TTT	G172A	GCT	A238R	AGG	W304V	GTG	A371G	GGG
F040S	TCT	G106H	CAT	G172C	TGT	A238S	AGT	W304Y	TAT	A371H	CAT
F040T	ACT	G106I	ATT	G172D	GAT	A238T	ACG	G305C	TGT	A371I	ATT
F040V	GTT	G106L	CTG	G172E	GAG	A238V	GTG	G305D	GAT	A371K	AAG
F040W	TGG	G106M	ATG	G172I	ATT	A238W	TGG	G305E	GAG	A371L	CTT
F040Y	TAT	G106N	AAT	G172L	CTT	A238Y	TAT	G305F	TTT	A371M	ATG
I041A	GCG	G106P	CCT	G172M	ATG	A239C	TGT	G305H	CAT	A371P	CCT
I041C	TGT	G106S	AGT	G172P	CCT	A239F	TTT	G305K	AAG	A371R	CGT
I041D	GAT	G106V	GTG	G172Q	CAG	A239G	GGT	G305L	CTT	A371S	TCG
I041E	GAG	G106W	TGG	G172R	CGT	A239H	CAT	G305N	AAT	A371T	ACT
I041F	TTT	G106Y	TAT	G172S	TCT	A239I	ATT	G305P	CCT	A371V	GTG
I041G	GGG	M107A	GCT	G172T	ACT	A239K	AAG	G305Q	CAG	A371W	TGG
I041H	CAT	M107C	TGT	G172V	GTT	T240K	AAG	G305R	CGT	I372A	GCT
I041N	AAT	M107D	GAT	G172W	TGG	A239L	TTG	G305S	TCG	I372D	GAT
I041P	CCG	M107F	TTT	G172Y	TAT	A239N	AAT	G305T	ACT	I372E	GAG
I041Q	CAG	M107G	GGG	K173D	GAT	A239P	CCT	G305V	GTG	I372F	TTT
I041R	AGG	M107H	CAT	K173E	GAG	A239R	AGG	G305Y	TAT	I372G	GGT
I041S	TCT	M107I	ATT	K173G	GGG	A239S	TCT	T306A	GCT	I372H	CAT
I041T	ACG	M107K	AAG	K173H	CAT	A239T	ACT	T306C	TGT	I372K	AAG
I041V	GTT	M107L	CTT	K173I	ATT	A239V	GTT	T306D	GAT	I372L	CTG
I041W	TGG	M107P	CCT	K173L	CTT	A239W	TGG	T306E	GAG	I372N	AAT
G042A	GCT	M107Q	CAG	K173M	ATG	A239Y	TAT	T306F	TTT	I372P	CCT
G042C	TGT	M107R	CGT	K173N	AAT	T240A	GCG	T306G	GGT	I372R	CGG
G042D	GAT	M107S	TCT	K173P	CCT	T240E	GAG	T306H	CAT	I372S	TCT
G042E	GAG	M107V	GTT	K173Q	CAG	T240F	TTT	T306I	ATT	I372T	ACT
G042H	CAT	M107W	TGG	K173R	CGG	T240G	GGG	T306L	CTG	I372V	GTG
G042I	ATT	A108D	GAT	K173S	TCG	T240L	CTT	T306P	CCT	I372W	TGG
G042K	AAG	A108E	GAG	K173V	GTG	T240M	ATG	T306R	AGG	Q373A	GCT
G042L	CTG	A108F	TTT	K173W	TGG	T240N	AAT	T306S	AGT	Q373C	TGT
G042M	ATG	A108G	GGT	K173Y	TAT	T240P	CCT	T306V	GTG	Q373E	GAG
G042P	CCT	A108H	CAT	L174A	GCT	T240Q	CAG	T306W	TGG	Q373F	TTT
G042Q	CAG	A108K	AAG	L174C	TGT	T240R	CGT	T306Y	TAT	Q373G	GGT
G042R	CGG	A108L	TTG	L174G	GGG	T240S	AGT	L307C	TGT	Q373H	CAT
G042S	TCT	A108M	ATG	L174H	CAT	T240V	GTG	L307E	GAG	Q373K	AAG

TABLE 8: PH20 Variants											
mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
G042T	ACT	A108N	AAT	L174K	AAG	T240W	TGG	L307F	TTT	Q373L	CTG
G042V	GTT	A108P	CCT	L174M	ATG	T240Y	TAT	L307G	GGG	Q373M	ATG
S043A	GCG	A108Q	CAG	L174N	AAT	L241A	GCG	L307I	ATT	Q373N	AAT
S043D	GAT	A108R	CGG	L174P	CCT	L241C	TGT	L307K	AAG	Q373P	CCT
S043E	GAG	A108S	TCT	L174Q	CAG	L241D	GAT	L307N	AAT	Q373R	CGT
S043F	TTT	A108T	ACT	L174R	CGT	L241E	GAG	L307P	CCT	Q373S	TCT
S043G	GGT	A108V	GTG	L174S	TCG	L241F	TTT	L307Q	CAG	Q373T	ACT
S043H	CAT	A108Y	TAT	L174T	ACT	L241G	GGG	L307R	AGG	Q373V	GTT
S043I	ATT	V109A	GCT	L174V	GTT	L241I	ATT	L307S	AGT	Q373W	TGG
S043K	AAG	V109C	TGT	L174W	TGG	L241K	AAG	L307T	ACT	L374A	GCT
S043L	CTT	V109D	GAT	L174Y	TAT	L241P	CCT	L307V	GTG	L374D	GAT
S043N	AAT	V109E	GAG	L175C	TGT	L241Q	CAG	L307W	TGG	L374E	GAG
S043P	CCT	V109F	TTT	L175D	GAT	L241R	CGG	L307Y	TAT	L374G	GGT
S043Q	CAG	V109G	GGG	L175E	GAG	L241S	TCT	S308C	TGT	L374H	CAT
S043R	CGG	V109H	CAT	L175F	TTT	L241T	ACG	S308D	GAT	L374I	ATT
S043T	ACT	V109L	TTG	L175G	GGG	L241V	GTT	S308F	TTT	L374M	ATG
S043V	GTG	V109M	ATG	L175H	CAT	L241W	TGG	S308G	GGT	L374N	AAT
P044A	GCT	V109P	CCT	L175K	AAG	Y242A	GCG	S308H	CAT	L374P	CCT
P044C	TGT	V109Q	CAG	L175N	AAT	Y242C	TGT	S308K	AAG	L374R	AGG
P044E	GAG	V109R	AGG	L175P	CCT	Y242D	GAT	S308L	CTG	L374S	AGT
P044F	TTT	V109T	ACT	L175R	CGT	Y242F	TTT	S308M	ATG	L374T	ACT
P044G	GGG	V109W	TGG	L175S	TCT	Y242G	GGT	S308N	AAT	L374V	GTG
P044H	CAT	V109Y	TAT	L175T	ACT	Y242I	ATT	S308P	CCT	L374W	TGG
P044I	ATT	I110A	GCT	L175V	GTG	Y242K	AAG	S308R	CGG	L374Y	TAT
P044L	CTT	I110C	TGT	L175W	TGG	Y242L	CTT	S308T	ACT	E375A	GCT
P044N	AAT	I110D	GAT	L175Y	TAT	Y242M	ATG	S308V	GTT	E375C	TGT
P044Q	CAG	I110F	TTT	R176A	GCT	Y242P	CCG	S308W	TGG	E375F	TTT
P044R	CGT	I110G	GGG	R176C	TGT	Y242R	CGG	S308Y	TAT	E375G	GGT
P044S	TCT	I110H	CAT	R176E	GAG	Y242S	TCT	I309D	GAT	E375I	ATT
P044T	ACT	I110K	AAG	R176F	TTT	Y242T	ACG	I309E	GAG	E375K	AAG
P044W	TGG	I110L	CTG	R176G	GGG	Y242V	GTT	I309G	GGT	E375L	CTT
P044Y	ACG	I110M	ATG	R176H	CAT	Y242W	TGG	I309H	CAT	E375M	ATG
R045A	GCG	I110N	AAT	R176I	ATT	V243A	GCG	I309K	AAG	E375N	AAT
R045D	GAT	I110P	CCT	R176K	AAG	V243C	TGT	I309L	CTG	E375P	CCT
R045F	TTT	I110R	CGT	R176L	CTT	V243D	GAT	I309M	ATG	E375R	CGT
R045G	GGG	I110S	AGT	R176P	CCT	V243F	TTT	I309N	AAT	E375S	TCT
R045H	CAT	I110V	GTT	R176Q	CAG	V243G	GGG	I309Q	CAG	E375T	ACT
R045I	ATT	I110W	TGG	R176S	AGT	V243H	CAT	I309R	CGT	E375V	GTT
R045K	AAG	D111C	TGT	R176T	ACT	V243L	CTT	I309S	AGT	E375Y	TAT
R045M	ATG	D111E	GAG	R176V	GTG	V243M	ATG	I309T	ACT	K376A	GCT

TABLE 8: PH20 Variants											
mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
R045P	CCT	D111G	GGT	R176W	TGG	V243P	CCT	I309V	GTG	K376D	GAT
R045Q	CAG	D111H	CAT	P177A	GCT	V243Q	CAG	I309W	TGG	K376E	GAG
R045S	TCG	D111I	ATT	P177C	TGT	V243R	AGG	I309Y	TAT	K376G	GGG
R045T	ACG	D111K	AAG	P177D	GAT	V243S	AGT	M310A	GCT	K376I	ATT
R045V	GTG	D111L	TTG	P177F	TTT	V243T	ACG	M310C	TGT	K376L	TTG
R045W	TGG	D111M	ATG	P177G	GGG	V243W	TGG	M310E	GAG	K376M	ATG
R045Y	TAT	D111P	ACT	P177H	CAT	V243Y	TAT	M310F	TTT	K376P	CCT
I046A	GCG	D111Q	CAG	P177L	CTT	R244A	GCG	M310G	GGG	K376Q	CAG
I046C	TGT	D111R	CGG	P177M	ATG	R244D	GAT	M310K	AAG	K376R	CGT
I046E	GAG	D111S	AGT	P177Q	CAG	R244G	GGG	M310L	CTG	K376S	AGT
I046F	TTT	D111T	ACT	P177R	CGG	R244H	CAT	M310N	AAT	K376T	ACT
I046H	CAT	D111V	GTT	P177S	TCT	R244I	ATT	M310P	CCT	K376V	GTG
I046L	CTT	D111W	TGG	P177T	ACT	R244K	AAG	M310Q	CAG	K376W	TGG
I046M	ATG	D111Y	TAT	P177V	GTT	R244M	ATG	M310R	CGG	K376Y	TAT
I046N	AAT	W112C	TGT	P177W	TGG	R244N	AAT	M310S	AGT	G377C	TGT
I046P	CCT	W112D	GAT	P177Y	TAT	R244P	CCT	M310V	GTG	G377D	GAT
I046R	CGT	W112E	GAG	N178A	GCT	R244Q	CAG	M310W	TGG	G377E	GAG
I046S	TCT	W112F	TTT	N178D	GAT	R244S	TCT	M310Y	TAT	G377F	TTT
I046T	ACT	W112G	GGG	N178E	GAG	R244T	ACG	R311A	GCT	G377H	CAT
I046V	GTT	W112H	CAT	N178G	GGG	R244V	GTG	R311C	TGT	G377I	ATT
I046W	TGG	W112I	ATT	N178I	ATT	R244W	TGG	R311E	GAG	G377K	AAG
I046Y	TAT	W112L	CTT	N178K	AAG	R244Y	TAT	R311F	TTT	G377L	CTT
N047A	GCT	W112N	AAT	N178L	TTG	N245A	GCG	R311G	GGT	G377M	ATG
N047D	GAT	W112P	CCT	N178M	ATG	N245C	TGT	R311H	CAT	G377P	CCT
N047F	TTT	W112Q	CAG	N178P	CCT	N245F	TTT	R311I	ATT	G377R	AGG
N047G	GGG	W112R	CGT	N178R	CGG	N245G	GGG	R311K	AAG	G377S	TCG
N047H	CAT	W112S	TCT	N178S	AGT	N245H	CAT	R311L	TTG	G377T	ACT
N047I	ATT	W112V	GTT	N178T	ACT	N245I	ATT	R311P	CCT	G377V	GTG
N047K	AAG	W112Y	TAT	N178V	GTG	N245K	AAG	R311Q	CAG	G377Y	TAT
N047L	CTT	E113A	GCT	N178W	TGG	N245L	CTG	R311S	TCT	G378D	GAT
N047M	ATG	E113C	TGT	N178Y	TAT	N245P	CCG	R311T	ACT	G378E	GAG
N047P	CCT	E113D	GAT	H179A	GCT	N245Q	CAG	R311V	GTG	G378F	TTT
N047Q	CAG	E113F	TTT	H179C	TGT	N245R	CGG	R311W	TGG	G378I	ATT
N047R	CGG	E113G	GGG	H179E	GAG	N245S	TCG	S312A	GCT	G378K	AAG
N047S	TCT	E113H	CAT	H179G	GGG	N245T	ACG	S312C	TGT	G378L	CTG
N047T	ACG	E113L	CTT	H179I	ATT	N245V	GTG	S312E	GAG	G378M	ATG
N047V	GTG	E113P	CCT	H179K	AAG	N245W	TGG	S312F	TTT	G378N	AAT
N047W	TGG	E113Q	CAG	H179L	CTG	R246A	GCG	S312G	GGG	G378Q	CAG
N047Y	TAT	E113R	CGT	H179M	ATG	R246C	TGT	S312H	CAT	G378R	AGG
A048C	TGT	E113S	TCT	H179N	AAT	R246D	GAT	S312K	AAG	G378S	TCT

TABLE 8: PH20 Variants

mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
A048E	GAG	E113T	ACT	H179P	CCT	R246E	GAG	S312L	CTG	G378T	ACT
A048F	TTT	E113V	GTT	H179R	AGG	R246G	GGG	S312M	ATG	G378V	GTG
A048G	GGT	E113W	TGG	H179S	AGT	R246H	CAT	S312N	AAT	G378W	TGG
A048H	CAT	E113Y	CAT	H179T	ACT	R246I	ATT	S312P	CCT	G378Y	TAT
A048I	ATT	E114A	GCT	H179V	GTG	R246K	AAG	S312Q	CAG	K379A	GCT
A048K	AAG	E114C	TGT	H179W	TGG	R246L	TTG	S312R	CGG	K379C	TGT
A048L	CTG	E114D	GAT	L180A	GCT	R246M	ATG	S312T	ACT	K379E	GAG
A048M	ATG	E114G	GGG	L180C	TGT	R246P	CCT	S312V	GTT	K379F	TTT
A048N	AAT	E114H	CAT	L180E	GAG	R246S	AGT	S312W	TGG	K379G	GGG
A048P	CCT	E114I	ATT	L180F	TTT	R246T	ACG	M313A	GCT	K379H	CAT
A048Q	CAG	E114L	CTG	L180G	GGT	R246V	GTT	M313C	TGT	K379I	ATT
A048R	CGG	E114M	ATG	L180H	CAT	R246W	TGG	M313D	GAT	K379L	CTT
A048S	TCT	E114P	CCT	L180I	ATT	V247A	GCG	M313E	GAG	K379M	ATG
A048V	GTT	E114R	CGG	L180K	AAG	V247C	TGT	M313F	TTT	K379N	AAT
A048W	TGG	E114S	TCT	L180M	ATG	V247F	TTT	M313G	GGG	K379R	CGT
A048Y	TAT	E114T	ACT	L180N	AAT	V247H	CAT	M313H	CAT	K379S	TCT
T049A	GCG	E114V	GTG	L180P	CCT	V247I	ATT	M313K	AAG	K379T	ACT
T049C	TGT	E114W	TGG	L180R	AGG	V247L	CTG	M313L	CTT	K379V	GTT
T049D	GAT	E114Y	TAT	L180S	TCG	V247M	ATG	M313P	CCT	K379W	TGG
T049F	TTT	W115A	GCT	L180T	ACT	V247N	AAT	M313R	CGT	F380A	GCT
T049G	GGG	W115C	TGT	L180W	TGG	V247P	CCT	M313S	TCG	F380C	TGT
T049H	CAT	W115D	GAT	W181A	GCT	V247Q	CAG	M313T	ACT	F380D	GAT
T049I	ATT	W115F	TTT	W181C	TGT	V247R	CGT	M313V	GTT	F380E	GAG
T049K	AAG	W115G	GGT	W181D	GAT	V247S	TCT	M313Y	TAT	F380G	GGG
T049L	TTG	W115H	CAT	W181E	GAG	V247T	ACT	K314A	GCT	F380I	ATT
T049N	AAT	W115I	ATT	W181F	TTT	V247W	TGG	K314C	TGT	F380L	CTT
T049P	CCG	W115K	AAG	W181H	CAT	V247Y	TAT	K314D	GAT	F380P	CCT
T049R	AGG	W115L	CTT	W181I	ATT	R248A	GCT	K314H	CAT	F380Q	CAG
T049S	TCG	W115M	ATG	W181K	AAG	R248C	TGT	K314I	ATT	F380R	CGG
T049V	GTT	W115P	CCT	W181L	CTG	R248D	GAT	K314L	TTG	F380S	AGT
T049W	TGG	W115R	CGG	W181M	ATG	R248E	GAG	K314N	AAT	F380T	ACT
G050A	GCG	W115S	AGT	W181N	AAT	R248G	GGG	K314P	CCT	F380V	GTG
G050C	TGT	W115V	GTG	W181Q	CAG	R248H	CAT	K314Q	CAG	F380W	TGG
G050D	GAT	W115Y	TAT	W181R	CGT	R248I	ATT	K314R	CGG	F380Y	TAT
G050E	GAG	R116A	GCT	W181S	TCT	R248L	CTT	K314S	TCG	T381A	AGC
G050F	TTT	R116C	TGT	W181V	GTG	R248M	ATG	K314T	ACT	T381E	GAG
G050H	CAT	R116D	GAT	G182A	GCT	R248P	CCG	K314V	GTT	T381F	TTT
G050L	CTT	R116E	GAG	G182C	TGT	R248S	TCG	K314W	TGG	T381G	GGT
G050M	ATG	R116G	GGG	G182D	GAT	R248T	ACG	K314Y	TAT	T381H	CAT
G050P	CCT	R116H	CAT	G182E	GAG	R248V	GTG	S315A	GCT	T381K	AAG

TABLE 8: PH20 Variants											
mut	**cod**	**mut**	**cod**	**mut**	**cod**	**mut**	**cod**	**mut**	**cod**	**mut**	**cod**
G050Q	CAG	R116I	ATT	G182H	CAT	R248W	TGG	S315C	TGT	T381L	TTG
G050R	CGG	R116L	CTG	G182L	CTT	R248Y	TAT	S315E	GAG	T381N	AAT
G050S	AGT	R116N	AAT	G182M	ATG	E249A	GCT	S315G	GGT	T381P	CCT
G050V	GTT	R116P	CCT	G182N	AAT	E249G	GGG	S315H	CAT	T381Q	CAG
G050W	TGG	R116Q	CAG	G182P	CCT	E249H	CAT	S315I	ATT	T381R	CGT
G050Y	TAT	R116S	TCT	G182Q	CAG	E249I	ATT	S315K	AAG	T381S	AGT
Q051A	GCG	R116T	ACT	G182R	CGT	E249K	AAG	S315L	CTG	T381V	GTG
Q051C	TGT	R116V	GTG	G182S	AGT	E249L	CTG	S315M	ATG	T381W	TGG
Q051D	GAT	R116W	TGG	G182T	ACT	E249M	ATG	S315P	CCT	T381Y	TAT
Q051F	TTT	P117D	GAT	G182V	GTT	E249P	CCT	S315R	CGG	V382E	GAG
Q051H	CAT	P117E	GAG	G182Y	TAT	E249Q	CAG	S315T	ACT	V382G	GGG
Q051I	ATT	P117F	TTT	Y183A	GCT	E249R	CGG	S315V	GTT	V382H	CAT
Q051K	AAG	P117G	GGT	Y183C	TGT	E249S	TCT	S315W	TGG	V382I	ATT
Q051M	ATG	P117H	CAT	Y183D	GAT	E249T	ACT	S315Y	TAT	V382K	AAG
Q051N	AAT	P117I	ATT	Y183E	GAG	E249V	GTG	C316A	GCT	V382L	TTG
Q051P	CCT	P117K	AAG	Y183G	GGG	E249W	TGG	C316D	GAT	V382M	ATG
Q051R	CGG	P117N	AAT	Y183I	ATT	E249Y	TAT	C316E	GAG	V382N	AAT
Q051S	TCT	P117Q	CAG	Y183K	AAG	A250C	TGT	C316G	GGG	V382P	CCT
Q051T	ACG	P117R	AGG	Y183L	TTG	A250F	TTT	C316I	ATT	V382Q	CAG
Q051W	TGG	P117S	TCG	Y183N	AAT	A250G	GGT	C316K	AAG	V382R	CGG
Q051Y	TAT	P117T	ACT	Y183P	CCT	A250H	CAT	C316L	CTG	V382S	TCG
G052A	GCT	P117V	GTT	Y183Q	CAG	A250K	AAG	C316M	ATG	V382T	ACT
G052C	TGT	P117W	TGG	Y183R	CGT	A250L	CTG	C316P	CCT	V382W	TGG
G052E	GAG	P117Y	TAT	Y183S	TCT	A250M	ATG	C316R	AGG	V382Y	TAT
G052F	TTT	T118C	TGT	Y183V	GTT	A250N	AAT	C316S	TCT	R383A	GCT
G052H	CAT	T118D	GAT	Y183W	TGG	A250P	CCT	C316T	ACT	R383E	GAG
G052K	AAG	T118E	GAG	Y184A	GCT	A250Q	CAG	C316V	GTT	R383F	TTT
G052L	CTT	T118G	GGG	Y184C	TGT	A250R	AGG	C316W	TGG	R383G	GGG
G052N	AAT	T118H	CAT	Y184D	GAT	A250S	TCT	C316Y	TAT	R383H	CAT
G052P	CCT	T118K	AAG	Y184E	GAG	A250T	ACG	L317A	GCT	R383I	ATT
G052Q	CAG	T118L	CTG	Y184F	TTT	A250V	GTG	L317C	TGT	R383K	AAG
G052R	CGG	T118M	ATG	Y184G	GGT	A250W	TGG	L317D	GAT	R383L	CTG
G052S	AGT	T118N	AAT	Y184H	CAT	I251C	TGT	L317G	GGG	R383M	ATG
G052T	ACT	T118P	CCT	Y184K	AAG	I251D	GAT	L317H	CAT	R383N	AAT
G052W	TGG	T118Q	CAG	Y184L	CTT	I251F	TTT	L317I	ATT	R383P	CCT
G052Y	TAT	T118R	CGT	Y184M	ATG	I251G	GGG	L317K	AAG	R383S	TCG
V053A	GCG	T118V	GTT	Y184P	CCT	I251H	CAT	L317M	ATG	R383T	ACT
V053C	TGT	T118W	TGG	Y184R	AGG	I251K	AAG	L317N	AAT	R383V	GTG
V053D	GAT	T118Y	TAT	Y184S	TCG	I251L	CTT	L317P	CCT	R383W	TGG
V053E	GAG	W119A	GCT	Y184V	GTG	I251M	ATG	L317Q	CAG	G384A	GCT

TABLE 8: PH20 Variants											
mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
V053G	GGG	W119D	GAT	Y184W	TGG	I251P	CCG	L317R	AGG	G384C	TGT
V053H	CAT	W119E	GAG	L185A	GCT	I251Q	CAG	L317S	TCG	G384D	GAT
V053L	CTG	W119F	TTT	L185D	GAT	I251S	AGT	L317T	ACT	G384E	GAG
V053N	AAT	W119G	GGT	L185E	GAG	I251T	ACT	L317W	TGG	G384F	TTT
V053P	CCG	W119I	ATT	L185F	TTT	I251V	GTG	L318C	TGT	G384H	CAT
V053Q	CAG	W119K	AAG	L185G	GGG	I251W	TGG	L318D	GAT	G384I	ATT
V053R	CGG	W119L	CTG	L185I	ATT	I251Y	TAT	L318F	TTT	G384K	AAG
V053S	AGT	W119N	AAT	L185K	AAG	R252A	GCT	L318G	GGG	G384L	CTT
V053T	ACT	W119P	CCT	L185N	AAT	R252D	GAT	L318H	CAT	G384M	ATG
V053W	TGG	W119Q	CAG	L185P	CCT	R252E	GAG	L318I	ATT	G384P	CCT
V053Y	TAT	W119R	CGG	L185R	CGG	R252F	TTT	L318K	AAG	G384Q	CAG
T054A	GCG	W119S	TCT	L185S	TCG	R252G	GGT	L318M	ATG	G384R	AGG
T054D	GAT	W119V	GTT	L185T	ACT	R252H	CAT	L318N	AAT	G384S	TCG
T054E	GAG	W119Y	TAT	L185V	GTG	R252I	ATT	L318P	CCT	G384T	ACT
T054F	TTT	A120C	TGT	L185W	TGG	R252K	AAG	L318Q	CAG	K385A	GCT
T054G	GGG	A120D	GAT	L185Y	TAT	R252L	CTG	L318R	CGG	K385C	TGT
T054H	CAT	A120F	TTT	F186A	GCT	R252N	AAT	L318S	AGT	K385G	GGG
T054I	ATT	A120G	GGG	F186D	GAT	R252P	CCT	L318T	ACT	K385H	CAT
T054M	ATG	A120H	CAT	F186G	GGT	R252S	TCG	L318W	TGG	K385L	CTT
T054N	AAT	A120I	ATT	F186H	CAT	R252T	ACT	L319C	TGT	K385M	ATG
T054P	CCG	A120L	CTT	F186I	ATT	R252V	GTG	L319E	GAG	K385N	AAT
T054Q	CAG	A120N	AAT	F186K	AAG	R252Y	TAT	L319F	TTT	K385P	CCG
T054R	CGT	A120P	CCT	F186L	CTT	V253A	GCG	L319G	GGG	K385Q	CAG
T054S	AGT	A120R	CGT	F186N	AAT	V253D	GAT	L319H	CAT	K385R	CGT
T054V	GTT	A120S	TCT	F186P	CCT	V253E	GAG	L319I	ATT	K385S	TCT
T054Y	TAT	A120T	ACT	F186Q	CAG	V253G	GGG	L319K	AAG	K385T	ACG
I055A	GCT	A120V	GTG	F186R	AGG	V253H	CAT	L319M	ATG	K385V	GTT
I055C	TGT	A120W	TGG	F186S	TCT	V253I	ATT	L319P	CCT	K385W	TGG
I055D	GAT	A120Y	TAT	F186V	GTT	V253L	CTG	L319Q	CAG	K385Y	TAT
I055F	TTT	R121A	GCT	F186W	TGG	V253M	ATG	L319R	AGG	P386A	GCG
I055G	GGG	R121C	TGT	F186Y	TAT	V253N	AAT	L319S	TCG	P386C	TGT
I055H	CAT	R121D	GAT	P187A	GCT	V253P	CCT	L319V	GTT	P386F	TTT
I055L	CTG	R121E	GAG	P187F	TTT	V253Q	CAG	L319W	TGG	P386G	GGG
I055N	AAT	R121F	TTT	P187G	GGG	V253R	CGG	L319Y	TAT	P386H	CAT
I055P	CCT	R121G	GGT	P187H	CAT	V253S	TCG	D320C	TGT	P386I	ATT
I055Q	CAG	R121H	*CAT*	P187I	ATT	V253T	ACG	D320E	GAG	P386L	CTT
I055R	CGT	R121K	AAG	P187L	CTT	V253W	TGG	D320F	TTT	P386M	ATG
I055S	TCG	R121L	CTG	P187M	ATG	S254C	TGT	D320G	GGG	P386N	AAT
I055T	ACT	R121M	ATG	P187N	AAT	S254D	GAT	D320H	CAT	P386Q	CAG
I055V	GTT	R121P	CCT	P187Q	CAG	S254E	GAG	D320I	ATT	P386R	CGT

TABLE 8: PH20 Variants											
mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
I055Y	TAT	R121S	TCG	P187R	AGG	S254G	GGG	D320K	AAG	P386S	AGT
F056A	GCG	R121T	ACT	P187S	TCG	S254I	ATT	D320L	TTG	P386T	ACG
F056C	TGT	R121V	GTT	P187T	ACT	S254K	AAG	D320M	ATG	P386V	GTT
F056E	GAG	R121W	TGG	P187V	GTT	S254L	TTG	D320N	AAT	P386Y	TAT
F056G	GGG	R121Y	TAT	P187W	TGG	S254N	AAT	D320P	CCT	T387C	TGT
F056H	CAT	N122A	GCT	P187Y	TAT	S254P	CCT	D320R	AGG	T387E	GAG
F056I	ATT	N122C	TGT	D188A	GCT	S254Q	CAG	D320S	AGT	T387F	TTT
F056K	AAG	N122E	GAG	D188C	TGT	S254R	CGG	D320V	GTG	T387G	GGG
F056L	TTG	N122F	TTT	D188F	TTT	S254T	ACT	D320W	TGG	T387H	CAT
F056N	AAT	N122I	ATT	D188G	GGG	S254V	GTG	D320Y	TAT	T387I	ATT
F056P	CCG	N122K	AAG	D188H	CAT	S254W	TGG	N321A	GCT	T387K	AAG
F056R	CGT	N122L	CTG	D188L	CTT	S254Y	TAT	N321D	GAT	T387L	CTG
F056S	TCT	N122M	ATG	D188M	ATG	K255A	GCG	N321E	GAG	T387M	ATG
F056T	ACT	N122P	CCT	D188N	AAT	K255C	TGT	N321G	GGT	T387N	AAT
F056V	GTT	N122Q	CAG	D188P	CCT	K255D	GAT	N321H	CAT	T387Q	CAG
F056W	TGG	N122R	CGG	D188Q	CAG	K255G	GGT	N321I	ATT	T387S	TCG
Y057A	GCT	N122S	TCT	D188R	AGG	K255H	CAT	N321K	AAG	T387V	GTT
Y057D	GAT	N122T	ACT	D188S	AGT	K255L	TTG	N321L	CTG	T387W	TGG
Y057E	GAG	N122V	GTT	D188T	ACT	K255N	AAT	N321M	ATG	T387Y	TAT
Y057F	TTT	N122W	TGG	D188V	GTG	K255P	CCG	N321P	CCT	L388A	GCG
Y057G	GGG	W123A	GCT	D188W	TGG	K255Q	CAG	N321R	CGG	L388C	TGT
Y057I	ATT	W123C	TGT	C189A	GCT	K255R	CGG	N321S	TCT	L388F	TTT
Y057L	TTG	W123D	GAT	C189E	GAG	K255S	TCG	N321T	ACT	L388G	GGG
Y057M	ATG	W123E	GAG	C189G	GGT	K255T	ACT	N321V	GTG	L388H	CAT
Y057P	CCG	W123G	GGG	C189H	CAT	K255V	GTT	N321Y	TAT	L388I	ATT
Y057Q	CAG	W123H	CAT	C189K	AAG	K255W	TGG	Y322C	TGT	L388M	ATG
Y057R	CGG	W123L	CTT	C189L	TTG	K255Y	TAT	Y322D	GAT	L388P	CCT
Y057S	AGT	W123M	ATG	C189M	ATG	I256A	GCT	Y322E	GAG	L388Q	CAG
Y057T	ACG	W123P	CCT	C189N	ACT	I256C	TGT	Y322F	TTT	L388R	CGT
Y057V	GTG	W123Q	CAG	C189P	CCT	I256D	GAT	Y322G	GGT	L388S	TCG
Y057W	TGG	W123R	AGG	C189R	AGG	I256E	GAG	Y322H	CAT	L388T	ACG
V058A	GCT	W123S	AGT	C189S	TCG	I256G	GGG	Y322I	ATT	L388V	GTT
V058C	TGT	W123T	ACT	C189T	ACT	I256H	CAT	Y322L	CTG	L388W	TGG
V058D	GAT	W123V	GTT	C189V	GTG	I256L	CTT	Y322N	AAT	L388Y	TAT
V058G	GGT	W123Y	TAT	C189W	TGG	I256M	ATG	Y322P	CCT	E389A	GCT
V058H	CAT	K124A	GCT	C189Y	TAT	I256N	AAT	Y322R	CGT	E389F	TTT
V058I	ATT	K124C	TGT	Y190C	TGT	I256P	CCG	Y322S	TCT	E389G	GGT
V058K	AAG	K124D	GAT	Y190E	GAG	I256Q	CAG	Y322T	ACT	E389H	CAT
V058L	CTT	K124E	GAG	Y190F	TTT	I256R	AGG	Y322V	GTG	E389I	ATT
V058N	AAT	K124F	TTT	Y190G	GGG	I256T	ACG	Y322W	TGG	E389K	AAG

TABLE 8: PH20 Variants											
mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
V058P	CCT	K124G	GGG	Y190H	CAT	I256V	GTT	M323A	GCT	E389L	CTG
V058Q	CAG	K124H	CAT	Y190K	AAG	I256W	TGG	M323C	TGT	E389M	ATG
V058R	CGG	K124I	ATT	Y190L	CTT	P257A	GCG	M323E	GAG	E389P	CCT
V058S	TCG	K124L	CTT	Y190N	AAT	P257C	TGT	M323F	TTT	E389Q	CAG
V058W	TGG	K124N	AAT	Y190P	CCT	P257D	GAT	M323G	GGG	E389R	CGG
V058Y	TAT	K124P	CCT	Y190Q	CAG	P257G	GGG	M323H	CAT	E389S	TCG
D059A	GCT	K124R	CGG	Y190R	CGT	P257I	ATT	M323I	ATT	E389T	ACT
D059E	GAG	K124S	TCT	Y190S	TCT	P257K	AAG	M323K	AAG	E389V	GTT
D059G	GGG	K124T	ACT	Y190T	ACT	P257L	CTT	M323L	TTG	E389Y	TAT
D059H	CAT	K124V	GTG	Y190V	GTG	P257M	ATG	M323N	AAT	D390A	GCG
D059I	ATT	K124W	TGG	Y190W	TGG	P257N	AAT	M323P	CCT	D390C	TGT
D059L	CTT	P125A	GCT	N191A	GCT	P257Q	CAG	M323R	CGG	D390E	GAG
D059M	ATG	P125C	TGT	N191E	GAG	P257R	CGT	M323S	AGT	D390F	TTT
D059N	AAT	P125D	GAT	N191F	TTT	P257S	TCG	M323T	ACT	D390G	GGG
D059P	CCT	P125G	GGG	N191G	GGG	P257T	ACG	M323V	GTT	D390H	CAT
D059Q	CAG	P125H	CAT	N191K	AAG	P257V	GTG	E324A	GCT	D390L	CTT
D059R	CGT	P125I	ATT	N191L	TTG	P257W	TGG	E324C	TGT	D390N	AAT
D059T	ACG	P125L	CTT	N191M	ATG	D258A	GCG	E324D	GAT	D390P	CCG
D059V	GTG	P125N	AAT	N191P	CCT	D258E	GAG	E324F	TTT	D390R	CGG
D059W	TGG	P125Q	CAG	N191Q	CAG	D258G	GGG	E324G	GGG	D390S	AGT
D059Y	TAT	P125R	CGT	N191R	CGG	D258H	CAT	E324H	CAT	D390T	ACT
R060A	GCG	P125S	TCG	N191S	TCG	D258I	ATT	E324L	TTG	D390V	GTG
R060D	GAT	P125T	ACT	N191T	ACT	D258L	CTT	E324M	ATG	D390W	TGG
R060F	TTT	P125V	GTG	N191V	GTT	D258N	AAT	E324N	AAT	D390Y	TAT
R060G	GGT	P125W	TGG	N191W	TGG	D258P	CCG	E324P	CCT	L391A	GCT
R060H	CAT	P125Y	TAT	N191Y	TAT	D258Q	CAG	E324R	CGG	L391C	TGT
R060I	ATT	K126A	GCT	H192C	TGT	D258R	CGT	E324S	AGT	L391D	GAT
R060K	AAG	K126D	GAT	H192F	TTT	D258S	AGT	E324V	GTG	L391G	GGG
R060L	CTT	K126E	GAG	H192G	GGT	D258T	ACG	E324W	TGG	L391H	CAT
R060N	AAT	K126F	TTT	H192K	AAG	D258V	GTG	E324Y	TAT	L391K	AAG
R060P	CCG	K126G	GGT	H192L	CTT	D258W	TGG	T325A	GCT	L391N	AAT
R060Q	CAG	K126H	CAT	H192M	ATG	D258Y	TAT	T325C	TGT	L391P	CCT
R060S	TCG	K126I	ATT	H192N	AAT	A259E	GAG	T325D	GAT	L391Q	CAG
R060T	ACG	K126L	CTG	H192P	CCT	A259G	GGG	T325E	GAG	L391R	CGG
R060V	GTT	K126M	ATG	H192Q	CAG	A259I	ATT	T325G	GGT	L391S	TCT
R060Y	TAT	K126N	AAT	H192R	CGT	A259K	AAG	T325H	CAT	L391T	ACT
L061A	GCT	K126P	CCT	H192S	TCG	A259L	TTG	T325I	ATT	L391V	GTG
L061E	GAG	K126Q	CAG	H192T	ACT	A259M	ATG	T325K	AAG	L391W	TGG
L061F	TTT	K126R	AGG	H192V	GTT	A259N	AAT	T325M	ATG	L391Y	TAT
L061G	GGG	K126S	TCT	H192W	TGG	A259P	CCT	T325N	AAT	E392A	GCT

TABLE 8: PH20 Variants											
mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
L061H	CAT	K126T	ACT	H192Y	TAT	A259Q	CAG	T325Q	CAG	E392C	TGT
L061I	ATT	K126V	GTG	H193A	GCT	A259R	CGT	T325R	CGG	E392F	TTT
L061M	ATG	K126W	TGG	H193C	TGT	A259S	AGT	T325S	TCG	E392G	GGG
L061N	AAT	K126Y	TAT	H193D	GAT	A259T	ACT	T325V	GTG	E392K	AAG
L061P	CCT	D127A	GCT	H193F	TTT	A259V	GTG	T325W	TGG	E392L	CTG
L061Q	CAG	D127E	GAG	H193G	GGG	A259W	TGG	I326A	GCT	E392M	ATG
L061R	AGG	D127F	TTT	H193K	AAG	A259Y	TAT	I326C	TGT	E392P	CCT
L061T	ACT	D127G	GGT	H193L	TTG	K260A	GCG	I326D	GAT	E392Q	CAG
L061V	GTT	D127H	CAT	H193M	ATG	K260C	TGT	I326E	GAG	E392R	AGG
L061W	TGG	D127K	AAG	H193P	CCG	K260D	GAT	I326G	GGG	E392S	AGT
L061Y	TAT	D127L	CTG	H193Q	CAG	K260E	GAG	I326H	CAT	E392T	ACT
G062A	GCG	D127M	ATG	H193R	AGG	K260G	GGG	I326K	AAG	E392V	GTT
G062C	TGT	D127N	AAT	H193S	TCT	K260H	CAT	I326L	CTT	E392W	TGG
G062D	GAT	D127Q	CAG	H193T	ACG	K260L	TTG	I326N	AAT	E392Y	TAT
G062F	TTT	D127R	CGT	H193V	GTG	K260M	ATG	I326P	CCT	Q393A	GCG
G062I	ATT	D127S	AGT	H193Y	TAT	K260P	CCG	I326R	CGG	Q393C	TGT
G062K	AAG	D127T	ACT	Y194A	GCT	K260Q	CAG	I326S	TCT	Q393D	GAT
G062L	CTT	D127V	GTT	Y194C	TGT	K260R	CGG	I326V	GTG	Q393F	TTT
G062M	ATG	D127W	TGG	Y194E	GAG	K260S	TCT	I326W	TGG	Q393G	GGT
G062P	CCT	V128A	GCT	Y194F	TTT	K260V	GTT	I326Y	TAT	Q393H	CAT
G062Q	CAG	V128C	TGT	Y194G	GGG	K260W	TGG	L327A	GCT	Q393I	ATT
G062R	CGT	V128E	GAG	Y194I	ATT	K260Y	TAT	L327D	GAT	Q393K	AAG
G062S	AGT	V128F	TTT	Y194L	TTG	S261A	GCG	L327E	GAG	Q393L	TTG
G062T	ACT	V128G	GGG	Y194N	AAT	S261E	GAG	L327F	TTT	Q393M	ATG
G062V	GTG	V128H	CAT	Y194P	CCT	S261F	TTT	L327G	GGG	Q393N	AAT
G062Y	TAT	V128I	ATT	Y194Q	CAG	S261G	GGG	L327H	CAT	Q393P	CCG
Y063A	GCG	V128K	AAG	Y194R	AGG	S261I	ATT	L327M	ATG	Q393R	CGT
Y063C	TGT	V128L	CTG	Y194S	TCG	S261K	AAG	L327N	AAT	Q393S	TCG
Y063G	GGT	V128P	CCT	Y194T	ACG	S261L	CTT	L327Q	CAG	Q393T	ACG
Y063H	CAT	V128Q	CAG	Y194V	GTG	S261M	ATG	L327R	CGG	F394A	GCG
Y063I	ATT	V128R	AGG	Y194W	TGG	S261N	AAT	L327S	AGT	F394D	GAT
Y063K	AAG	V128S	TCG	K195A	GCG	S261P	CCT	L327T	ACT	F394E	GAG
Y063L	CTG	V128W	TGG	K195E	GAG	S261Q	CAG	L327V	GTG	F394G	GGG
Y063M	ATG	V128Y	TAT	K195F	TTT	S261R	CGT	L327W	TGG	F394I	ATT
Y063N	AAT	Y129A	GCT	K195G	GGT	S261T	ACT	L327Y	TAT	F394K	AAG
Y063P	CCT	Y129C	TGT	K195H	CAT	S261V	GTT	N328A	GCT	F394L	CTG
Y063R	AGG	Y129D	GAT	K195I	ATT	S261W	TGG	N328C	TGT	F394N	AAT
Y063S	TCT	Y129E	GAG	K195L	TTG	P262A	GCG	N328D	GAT	F394P	CCG
Y063T	ACG	Y129G	GGG	K195N	AAT	P262D	GAT	N328G	GGT	F394Q	CAG
Y063V	GTG	Y129H	CAT	K195Q	CAG	P262E	GAG	N328H	CAT	F394R	CGT

TABLE 8: PH20 Variants											
mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
Y063W	TGG	Y129L	TTG	K195R	CGT	P262F	TTT	N328I	ATT	F394S	TCG
Y064A	GCT	Y129M	ATG	K195S	TCT	P262G	GGG	N328K	AAG	F394T	ACT
Y064C	TGT	Y129P	CCT	K195T	ACT	P262H	CAT	N328L	CTT	F394V	GTT
Y064D	GAT	Y129Q	CAG	K195V	GTG	P262I	ATT	N328Q	CAG	F394W	TGG
Y064E	GAG	Y129R	CGG	K195W	TGG	P262K	AAG	N328R	AGG	S395A	GCG
Y064F	TTT	Y129S	AGT	K195Y	TAT	P262Q	CAG	N328S	AGT	S395C	TGT
Y064G	GGT	Y129T	ACT	K196A	GCT	P262R	CGT	N328T	ACT	S395D	GAT
Y064H	CAT	Y129V	GTT	K196C	TGT	P262S	TCT	N328V	GTG	S395E	GAG
Y064I	ATT	Y129W	TGG	K196D	GAT	P262T	ACT	N328W	TGG	S395G	GGG
Y064K	AAG	K130C	TGT	K196E	GAG	P262V	GTG	N328Y	TAT	S395H	CAT
Y064L	CTT	K130D	GAT	K196G	GGG	P262W	TGG	P329C	TGT	S395K	AAG
Y064P	CCT	K130E	GAG	K196I	ATT	P262Y	TAT	P329F	TTT	S395L	CTT
Y064Q	CAG	K130G	GGG	K196L	TTG	L263A	GCT	P329G	GGT	S395M	ATG
Y064R	CGG	K130H	CAT	K196N	AAT	L263E	GAG	P329H	CAT	S395P	CCT
Y064S	AGT	K130I	ATT	K196P	CCG	L263F	TTT	P329I	ATT	S395R	CGG
Y064T	ACT	K130L	TTG	K196R	CGT	L263G	GGG	P329K	AAG	S395T	ACG
Y064V	GTT	K130N	AAT	K196S	TCG	L263H	CAT	P329L	CTG	S395V	GTT
Y064W	TGG	K130Q	CAG	K196T	ACT	L263K	AAG	P329N	AAT	S395W	TGG
P065A	GCT	K130R	AGG	K196V	GTG	L263M	ATG	P329Q	CAG	S395Y	TAT
P065C	TGT	K130S	TCT	K196W	TGG	L263N	AAT	P329R	CGT	E396A	GCG
P065D	GAT	K130T	ACT	K196Y	TAT	L263P	CCG	P329S	AGT	E396C	TGT
P065F	TTT	K130V	GTG	P197A	GCT	L263Q	CAG	P329T	ACT	E396D	GAT
P065G	GGG	K130W	TGG	P197C	TGT	L263R	CGG	P329V	GTT	E396F	TTT
P065H	CAT	K130Y	TAT	P197D	GAT	L263S	AGT	P329W	TGG	E396G	GGG
P065I	ATT	N131C	TGT	P197E	GAG	L263T	ACT	P329Y	TAT	E396H	CAT
P065K	AAG	N131E	GAG	P197F	TTT	L263V	GTT	Y330A	GCT	E396I	ATT
P065N	AAT	N131F	TTT	P197G	GGT	L263W	TGG	Y330C	TGT	E396L	CTT
P065R	CGG	N131G	GGG	P197H	CAT	P264A	GCG	Y330D	GAT	E396P	CCG
P065S	TCG	N131H	CAT	P197K	AAG	P264D	GAT	Y330E	GAG	E396Q	CAG
P065T	ACG	N131I	ATT	P197L	TTG	P264E	GAG	Y330F	TTT	E396R	AGG
P065V	GTT	N131L	CTT	P197M	ATG	P264F	TTT	Y330G	GGT	E396S	TCT
P065W	TGG	N131M	ATG	P197Q	CAG	P264G	GGT	Y330I	ATT	E396T	ACT
P065Y	TAT	N131P	CCT	P197R	CGT	P264H	CAT	Y330L	CTG	E396V	GTG
Y066A	GCG	N131Q	CAG	P197S	AGT	P264L	CTT	Y330M	ATG	E396Y	TAT
Y066C	TGT	N131R	CGG	P197T	ACT	P264M	ATG	Y330N	AAT	K397A	GCT
Y066D	GAT	N131S	AGT	P197W	TGG	P264N	AAT	Y330P	CCT	K397C	TGT
Y066E	GAG	N131T	ACT	G198A	GCT	P264R	CGG	Y330R	AGG	K397E	GAG
Y066G	GGT	N131V	GTG	G198C	TGT	P264S	AGT	Y330S	AGT	K397F	TTT
Y066H	CAT	N131Y	TAT	G198D	GAT	P264T	ACT	Y330V	GTT	K397G	GGT
Y066I	ATT	R132A	GCT	G198E	GAG	P264V	GTT	I331V	GTG	K397I	ATT

TABLE 8: PH20 Variants											
mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
Y066K	AAG	R132C	TGT	G198H	CAT	P264W	TGG	Y330W	TGG	K397L	TTG
Y066L	CTG	R132E	GAG	G198L	CTG	P264Y	TAT	I331A	GCT	K397M	ATG
Y066N	AAT	R132F	TTT	G198N	AAT	V265A	GCG	I331C	TGT	K397N	AAT
Y066P	CCT	R132H	CAT	G198P	CCG	V265C	TGT	I331D	GAT	K397P	CCG
Y066R	CGG	R132I	ATT	G198Q	CAG	V265D	GAT	I331E	GAG	K397Q	CAG
K397T	ACT	R132K	AAG	G198R	AGG	V265E	GAG	I331F	TTT	K397R	AGG
K397V	GTT	R132L	TTG	G198S	TCT	V265F	TTT	I331H	CAT	K397S	TCG
F398A	GCT	L406P	CCT	K415G	GGT	C423T	ACT	A432L	TTG	E441D	GAT
F398C	TGT	L406Q	CAG	K415L	CTG	C423V	GTG	A432M	ATG	E441F	TTT
F398E	GAG	L406R	CGG	K415M	ATG	C423W	TGG	A432N	AAT	E441G	GGG
F398G	GGT	L406S	AGT	K415P	CCG	I424A	GCT	A432P	CCT	E441H	CAT
F398H	CAT	L406T	ACG	K415Q	CAG	I424C	TGT	A432R	AGG	E441K	AAG
F398I	ATT	L406V	GTT	K415R	CGG	I424E	GAG	A432S	TCT	E441L	CTT
F398L	CTT	L406Y	TAT	K415S	TCT	I424G	GGG	A432V	GTG	E441N	AAT
F398N	AAT	S407A	GCG	K415T	ACT	I424H	CAT	A432Y	TAT	E441Q	CAG
F398P	CCT	S407D	GAT	K415V	GTG	I424K	AAG	F433A	GCT	E441R	CGG
F398R	AGG	S407E	GAG	K415W	TGG	I424L	CTT	F433C	TGT	E441S	AGT
F398S	TCT	S407F	TTT	K415Y	TAT	I424N	AAT	F433D	GAT	E441T	ACT
F398T	ACT	S407G	GGT	D416C	TGT	I424Q	CAG	F433E	GAG	E441V	GTG
F398V	GTT	S407H	CAT	D416F	TTT	I424R	CGG	F433G	GGG	E441Y	TAT
F398W	TGG	S407L	CTG	D416G	GGT	I424S	TCG	F433H	CAT	E442C	TGT
F398Y	TAT	S407M	ATG	D416H	CAT	I424T	ACT	F433I	ATT	E442G	GGG
Y399A	GCG	S407N	AAT	D416I	ATT	I424V	GTT	F433K	AAG	E442H	CAT
Y399C	TGT	S407P	CCT	D416K	AAG	I424W	TGG	F433L	TTG	E442K	AAG
Y399D	GAT	S407Q	CAG	D416L	CTT	I424Y	TAT	F433P	CCT	E442L	CTT
Y399E	GAG	S407R	CGG	D416N	AAT	A425C	TGT	F433R	CGG	E442M	ATG
Y399G	GGG	S407T	ACG	D416Q	CAG	A425D	GAT	F433S	AGT	E442N	AAT
Y399K	AAG	S407V	GTG	D416R	CGG	A425E	GAG	F433T	ACT	E442P	CCT
Y399M	ATG	S407W	TGG	D416S	TCT	A425G	GGT	F433V	GTG	E442Q	CAG
Y399N	AAT	C408A	GCG	D416T	ACG	A425I	ATT	F433W	TGG	E442R	CGG
Y399P	CCT	C408E	GAG	D416V	GTG	A425K	AAG	L434F	TTT	E442S	AGT
Y399Q	CAG	C408F	TTT	D416W	TGG	A425L	TTG	L434G	GGT	E442T	ACT
Y399R	CGG	C408G	GGG	D416Y	TAT	A425M	ATG	L434H	CAT	E442V	GTG
Y399S	TCG	C408I	ATT	T417A	GCT	A425N	AAT	L434I	ATT	E442W	TGG
Y399T	ACG	C408K	AAG	T417D	GAT	A425P	CCT	L434K	AAG	E442Y	TAT
Y399V	GTT	C408L	CTT	T417E	GAG	A425R	AGG	L434M	ATG	P443A	GCT
Y399W	TGG	C408N	AAT	T417F	TTT	A425S	AGT	L434N	AAT	P443D	GAT
C400A	GCG	C408P	CCT	T417G	GGG	A425V	GTG	L434P	CCT	P443E	GAG
C400D	GAT	C408R	CGT	T417H	CAT	A425W	TGG	L434Q	CAG	P443F	TTT
C400E	GAG	C408S	TCG	T417I	ATT	A425Y	TAT	L434R	CGG	P443G	GGG

TABLE 8: PH20 Variants											
mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
C400F	TTT	C408T	ACT	T417K	AAG	D426A	GCT	L434S	AGT	P443H	CAT
C400G	GGG	C408V	GTT	T417L	TTG	D426C	TGT	L434T	ACT	P443I	ATT
C400I	ATT	C408W	TGG	T417M	ATG	D426E	GAG	L434V	GTT	P443L	CTT
C400L	CTG	C408Y	TAT	T417P	CCT	D426F	TTT	L434W	TGG	P443M	ATG
C400M	ATG	K409A	GCG	T417Q	CAG	D426G	GGG	L434Y	TAT	P443N	AAT
C400P	CCG	K409C	TGT	T417R	CGT	D426I	ATT	K435A	GCT	P443Q	CAG
C400Q	CAG	K409D	GAT	T417S	TCG	D426K	AAG	K435C	TGT	P443R	AGG
C400R	CGG	K409E	GAG	T417W	TGG	D426L	CTG	K435E	GAG	P443S	TCT
C400S	AGT	K409G	GGT	D418A	GCT	D426M	ATG	K435F	TTT	P443T	ACT
C400T	ACG	K409H	CAT	D418C	TGT	D426N	AAT	K435G	GGT	P443W	TGG
C400V	GTG	K409I	ATT	D418E	GAG	D426P	CCT	K435H	CAT	Q444C	TGT
C400Y	TAT	K409L	CTG	D418F	TTT	D426Q	CAG	K435I	ATT	Q444D	GAT
S401A	GCT	K409P	CCG	D418G	GGT	D426R	CGT	K435L	CTG	Q444E	GAG
S401C	TGT	K409Q	CAG	D418I	ATT	D426S	TCG	K435P	CCT	Q444F	TTT
S401D	GAT	K409R	AGG	D418L	TTG	D426Y	TAT	K435R	AGG	Q444G	GGG
S401E	GAG	K409S	TCG	D418M	ATG	G427A	GCT	K435S	TCT	Q444H	CAT
S401F	TTT	K409T	ACG	D418N	AAT	G427C	TGT	K435T	ACT	Q444I	ATT
S401G	GGG	K409V	GTG	D418P	CCT	G427F	TTT	K435V	GTT	Q444K	AAG
S401H	CAT	K409W	TGG	D418Q	CAG	G427H	CAT	K435W	TGG	Q444L	CTG
S401K	AAG	A412Y	TAT	D418R	CGG	G427I	ATT	K435Y	TAT	Q444M	ATG
S401L	CTT	E410D	GAT	D418S	TCG	G427K	AAG	P436C	TGT	Q444N	AAT
S401N	AAT	E410G	GGG	D418V	GTG	G427L	CTG	P436D	GAT	Q444R	CGG
S401Q	CAG	E410I	ATT	D418Y	TAT	G427P	CCT	P436E	GAG	Q444V	GTT
S401R	CGT	E410K	AAG	A419D	GAT	G427Q	CAG	P436G	GGG	Q444W	TGG
S401T	ACT	E410L	CTT	A419E	GAG	G427R	CGT	P436H	CAT	Q444Y	TAT
S401W	TGG	E410M	ATG	A419F	TTT	G427S	AGT	P436I	ATT	I445A	GCT
S401Y	TAT	E410N	AAT	A419G	GGG	G427T	ACT	P436K	AAG	I445C	TGT
C402A	GCT	E410P	CCG	A419H	CAT	G427V	GTG	P436L	CTG	I445D	GAT
C402D	GAT	E410Q	CAG	A419I	ATT	G427W	TGG	P436M	ATG	I445G	GGG
C402E	GAG	E410R	CGT	A419K	AAG	G427Y	TAT	P436Q	CAG	I445H	CAT
C402F	TTT	E410S	TCG	A419L	CTT	V428A	GCT	P436R	CGG	I445K	AAG
C402G	GGG	E410T	ACG	A419N	AAT	V428C	TGT	P436S	TCT	I445L	CTT
C402L	TTG	E410V	GTG	A419P	CCT	V428D	GAT	P436T	ACT	I445M	ATG
C402M	ATG	E410W	TGG	A419R	CGG	V428E	GAG	P436W	TGG	I445N	AAT
C402P	CCT	E410Y	TAT	A419S	TCT	V428F	TTT	P436Y	TAT	I445P	CCT
C402Q	CAG	K411A	GCT	A419T	ACT	V428G	GGT	P437A	GCT	I445Q	CAG
C402R	CGG	K411D	GAT	A419W	TGG	V428H	CAT	P437D	GAT	I445R	AGG
C402S	TCT	K411E	GAG	A419Y	TAT	V428L	CTT	P437F	TTT	I445S	AGT
C402T	ACG	K411F	TTT	V420A	GCT	V428M	ATG	P437G	GGT	I445T	ACT
C402V	GTT	K411G	GGG	V420D	GAT	V428N	AAT	P437H	CAT	I445V	GTG

TABLE 8: PH20 Variants											
mut	**cod**	**mut**	**cod**	**mut**	**cod**	**mut**	**cod**	**mut**	**cod**	**mut**	**cod**
C402W	TGG	K411H	CAT	V420F	TTT	V428P	CCT	P437I	ATT	I445W	TGG
C402Y	TAT	K411I	ATT	V420G	GGT	V428R	CGG	P437K	AAG	I445Y	TAT
Y403A	GCT	K411L	CTG	V420H	CAT	V428S	TCG	P437L	CTG	F446A	GCT
Y403C	TGT	K411N	AAT	V420I	ATT	V428T	ACT	P437M	ATG	F446C	TGT
Y403E	GAG	K411P	CCT	V420K	AAG	V428Y	TAT	P437Q	CAG	F446D	GAT
Y403F	TTT	K411R	AGG	V420L	CTT	C429A	GCT	P437R	CGT	F446E	GAG
Y403G	GGT	K411S	TCG	V420N	AAT	C429D	GAT	P437S	TCT	F446G	GGG
Y403H	CAT	K411T	ACT	V420P	CCT	C429G	GGT	P437T	ACT	F446H	CAT
Y403K	AAG	K411V	GTT	V420R	AGG	C429I	ATT	P437W	TGG	F446I	ATT
Y403L	TTG	K411W	TGG	V420S	TCT	C429K	AAG	P437Y	TAT	F446K	AAG
Y403M	ATG	A412D	GAT	V420T	ACT	C429L	TTG	M438A	GCT	F446L	TTG
Y403N	AAT	A412E	GAG	V420W	TGG	C429M	ATG	M438C	TGT	F446M	ATG
Y403P	CCG	A412G	GGG	V420Y	TAT	C429N	AAT	M438D	GAT	F446Q	CAG
Y403Q	CAG	A412H	CAT	D421A	GCT	C429P	CCT	M438E	GAG	F446R	CGG
Y403R	CGG	A412I	ATT	D421E	GAG	C429R	CGG	M438G	GGG	F446T	ACT
Y403S	TCT	A412L	CTG	D421G	GGT	C429S	TCG	M438L	TTG	F446V	GTT
Y403T	ACG	A412N	AAT	D421H	CAT	C429T	ACT	M438N	AAT	F446W	TGG
S404A	GCT	A412P	CCT	D421I	ATT	C429V	GTT	M438P	CCT	Y447D	GAT
S404C	TGT	A412Q	CAG	D421K	AAG	C429W	TGG	M438Q	CAG	Y447E	GAG
S404D	GAT	A412R	CGG	D421L	TTG	C429Y	TAT	M438R	AGG	Y447F	TTT
S404F	TTT	A412S	AGT	D421M	ATG	I430A	GCT	M438S	TCG	Y447G	GGT
S404G	GGT	A412V	GTT	D421N	AAT	I430D	GAT	M438T	ACT	Y447I	ATT
S404H	CAT	A412W	TGG	D421Q	CAG	I430E	GAG	M438V	GTG	Y447K	AAG
S404L	CTT	D413A	GCG	D421R	CGG	I430G	GGG	M438W	TGG	Y447L	CTT
S404M	ATG	D413E	GAG	D421S	TCG	I430H	CAT	M438Y	TAT	Y447M	ATG
S404N	AAT	D413F	TTT	D421T	ACT	I430K	AAG	E439A	GCT	Y447N	AAT
S404P	CCT	D413G	GGT	D421W	TGG	I430L	TTG	E439C	TGT	Y447P	CCT
S404R	AGG	D413H	CAT	D421Y	TAT	I430M	ATG	E439F	TTT	Y447Q	CAG
S404T	ACG	D413I	ATT	V422A	GCT	I430N	AAT	E439G	GGG	Y447R	AGG
S404V	GTG	D413K	AAG	V422C	TGT	I430P	CCT	E439H	CAT	Y447T	ACT
S404W	TGG	D413L	CTG	V422D	GAT	I430R	AGG	E439K	AAG	Y447V	GTT
S404Y	TAT	D413N	AAT	V422E	GAG	I430S	TCT	E439L	CTT	Y447W	TGG
T405A	GCG	D413P	CCG	V422G	GGG	I430T	ACT	E439N	AAT		
T405C	TGT	D413Q	CAG	V422H	CAT	I430V	GTT	E439P	CCT		
T405F	TTT	D413R	CGT	V422I	ATT	I430W	TGG	E439Q	CAG		
T405G	GGG	D413S	TCG	V422L	CTG	D431A	GCT	E439R	CGG		
T405I	ATT	D413T	ACT	V422M	ATG	D431E	GAG	E439S	TCG		
T405K	AAG	D413W	TGG	V422N	AAT	D431G	GGT	E439T	ACT		
T405L	TTG	V414A	GCG	V422P	CCT	D431H	CAT	E439V	GTT		
T405M	ATG	V414D	GAT	V422Q	CAG	D431I	ATT	E439W	TGG		

TABLE 8: PH20 Variants											
mut	cod	mut	cod	mut	cod	mut	cod	mut	cod	mut	cod
T405P	CCG	V414E	GAG	V422R	CGT	D431K	AAG	T440A	GCT		
T405Q	CAG	V414F	TTT	V422S	TCG	D431L	CTT	T440D	GAT		
T405R	CGT	V414G	GGT	V422T	ACT	D431N	AAT	T440E	GAG		
T405S	TCT	V414H	CAT	V422W	TGG	D431P	CCT	T440F	TTT		
T405V	GTG	V414I	ATT	V422Y	TAT	D431Q	CAG	T440G	GGG		
T405W	TGG	V414K	AAG	C423A	GCT	D431R	CGT	T440H	CAT		
T405Y	TAT	V414L	TTG	C423D	GAT	D431S	TCT	T440I	ATT		
L406A	GCT	V414M	ATG	C423E	GAG	D431V	GTT	T440L	CTT		
L406C	TGT	V414Q	CAG	C423F	TTT	D431W	TGG	T440M	ATG		
L406D	GAT	V414R	AGG	C423G	GGG	D431Y	TAT	T440P	CCT		
L406E	GAG	V414S	TCG	C423H	CAT	A432C	TGT	T440Q	CAG		
L406F	TTT	V414T	ACT	C423L	CTG	A432E	GAG	T440R	AGG		
L406G	GGT	V414Y	TAT	C423M	ATG	A432F	TTT	T440S	AGT		
L406I	ATT	K415A	GCG	C423P	CCT	A432G	GGG	T440V	GTG		
L406N	AAT	K415C	TGT	C423Q	CAG	A432H	CAT	T440Y	TAT		
		K415D	GAT	C423R	AGG	A432I	ATT	E441A	GCT		
		K415E	GAG	C423S	TCG	A432K	AAG	E441C	TGT		

2. Expression

For expression of each mutant, HZ24-PH20-IRES-SEAP plasmid DNA containing cDNA encoding one of the variant PH20 or encoding wildtype PH20 was transfected into monolayer CHO-S cells (Invitrogen, Cat. No. 11619-012) using Lipofectamine 2000 (Invitrogen, Cat. No. 11668-027) according to the protocol suggested by the manufacturer. CHO-S cells were seeded the night before transfection and grown in DMEM with 10% FBS to be 80% confluent the next day. Then, the medium of the CHO-S cells was replaced with Opti-MEM. A mixture of plasmid DNA and lipofectamine was made (0.2 μg DNA and 0.5 μL Lipofetamine). The Lipofectamine/DNA mixture was added to CHO-S cells and incubated overnight. The next day, the cells were supplemented with CD-CHO serum free medium (Invitrogen, Cat. No. 10743-029). Supernatant from transfected cells was collected at various time points after transfection, and generally 96 hours after transfection. The supernatant, containing the variant PH20 protein or wildtype PH20 having a sequence of amino acids set forth in SEQ ID NO:3, was stored at -20 °C. Activities of the supernatants were screened as described in the following examples.

EXAMPLE 3

SCREENING OF LIBRARY WITH A HYALURONIDASE ACTIVITY ASSAY TO IDENTIFY ACTIVITY MUTANTS

In this example, supernatants of expressed PH20 variants generated in Example 2 were screened using a hyaluronidase activity assay to assess activity of each mutant. In addition, activity of the secreted alkaline phosphatase (SEAP) was also measured to allow for normalizing PH20 activity of the expressed mutants to the PH20 wildtype. Active and inactive mutants were identified.

1. Generation of Biotinylated HA (bHA) Substrate

A 1.2-MDa HA (Lifecore) was biotinylated for use as a substrate in the hyaluronidase activity assay. First, 1.2 grams (g) of 1.2 MDa HA was dissoved at 4 °C in 600 mL ddH_20 for a week at a concentration of 2 mg/mL with stirring. Next, 645.71 mg Biotin Hydrazide was dissolved in 100 mL DMSO to a concentration of 25 mM (6.458 mg/mL, 247.8 mg in 38.37 mL DMSO). The biotin solution was warmed briefly at 37 °C until the solution was clear. Also, 368.61 mg Sulfo-NHS in 20 mL ddH_2O was dissolved to make a 100X solution (18.4 mg/mL Sulfo-NHS). A 30 mM (1000X) water-soluble carbodiimide EDC solution was made by dissolving 17.63 mg EDC in 3 mL ddH20 at a concentration of 5.7513 mg/mL right before the reaction was started.

To four (4) 1000-mL sterile capped bottles, the following components were added at room temperature (RT) and in the following order with stirring: 1) 200 mL of 2 mg/mL HA solution; 2) 80 mL of 0.5M MES, pH 5.0 with gentle mixing; and 3) 91.6 mL of ddH_20 with gentle mixing. Next, 24 mL of 25 mM Biotin-Hydrazide and 4 mL of 100X Sulfo-NHS solution were added sequentially, immediately followed by the addition of 500 µL EDC. After the addition of each component, the solution was mixed by inverting three times and stirring. After the addition of the last component, the solution was mixed by stirring overnight at 4 °C. Then, Guanidine hydrochloride was added to a final concentration of 4 M by adding 38.2 g per 100 mL and was allowed to dissolve completely before adjusing the solution volume to 600 mL with ddH_2O.

For dialysis, 200 mL from each batch of the conjugated HA guanidine hydrochloride solution was transferred into dialysis membranes. Over the course of three days, the solution was dialyzed against ddH_2O with a change in ddH_2O at least six times. The resulting volume of about 840 mL was adjusted to a final volume of 1000 mL with ddH_2O. The final concentration of the biotinylated hyaluronan (bHA) was 0.4 mg/mL.

2. Hyaluronidase Activity Assay

The enzyme assay was a modification of the method described by Frost *et al.* (1997) (A Microtiter-Based Assay for Hyaluronidase Activity Not Requiring Specialized Reagents. Analytical Biochemistry (1997) 251:263-269) that provides a measure of PH20 hyaluronidase activity.

First, biotinylated HA (bHA) substrate was bound to plastic microtiter plates to generate assay plates. Briefly, 100 µl of b-HA at 1 mg/mL in 0.5 M carbonate buffer (pH 9.6) was dispensed into each well of a high bind microplate (Immunolon 4 HBX extra high binding; Thermo Scientific). The plate was covered with a plate sealer and stored between 2-8 °C for 24-48 hours.

Then, the assay plate was washed with 1 X phosphate buffered saline (PBS) wash buffer containing 0.05% (v/v) Tween 20 (PBST). PBST was generated from 1X PBS (generated from Catalog No. P5368, Sigma (10 mM Phosphate Buffer, 2.7 mM Potassium Chloride, 137 mM Sodium Chloride, pH 7.4) by placing the contents of one packet of PBS into a 1-L graduated cylinder with 800 mL deionized water, dissolved by stirring or shaking and adding sufficient quantity of water to 1 L) by adding 500 µl Tween 20 (Catalog No. 6505; EMD Bioscience) to 900 mL of 1 X PBS and adding sufficient quantity of water to 1 L. Washing was done using the BioTek ELx405 Select CW plate washer (BioTek) by washing five (5) times with 300 µl PBST wash buffer per well for each wash. At the end of each wash, the plate was tapped on a paper towel to remove excess liquid from each well. Prior to incubation with samples, 200 µl Blocking Buffer (1.0% w/v Bovine Serum Albumin (BSA) in PBS) was added to each well and the assay plate was incubated at 37 °C for approximately 1 hour prior. The Blocking buffer was generated by adding 2.5 g of BSA (Catalog No. 001-000-162; Jackson Immuno Research) to 200 mL 1 X PBS, stirring, adding a sufficient quantity of 1 X PBS to 250 mL and filtering through an 0.2 µM PES filter unit.

Transfected variant or wildtype PH20 supernatants generated as described in Example 1 were diluted in duplicate 1:25 in assay diluent buffer (pH 7.4 HEPES buffer; 10 mM HEPES, 50 mM NaCl, 1 mM $CaCl_2$, 1 mg/mL BSA, pH 7.4, 0.05% Tween-20) in uncoated 4XHB high bound microplates. For the standard curve, 1:3 serial dilutions of rHuPH20 (generated as described in Example 1 with a specific activity of 145 U/mL) were made in assay diluent buffer in duplicate starting from 3 U/mL for standards as follows: 3 U/mL, 1 U/mL, 1/3 U/mL, 1/9 U/mL, 1/27 U/mL, 1/81 U/mL, and 1/243 U/mL. One hundred microliters (100 µl) of each standard and sample were transferred to the assay plates and incubated for approximately 1.5 hours at 37 °C.

After the incubation, the plate was washed with PBST using the BioTek ELx405 Select CW plate washer by washing five (5) times with 300 µl PBST wash buffer per well for each wash. At the end of each wash, the plate was tapped on a paper towel to remove excess liquid from each well. Then, 100 µl of 1:5000 diluted Streptavidin-HRP (SA-HRP) was added to each well of the plate and incubated at ambient temperature for approximately 1 hour. For the dilution, a 1 mg/mL stock of Streptavidin-HRP conjugate (Catalog No. 21126; Thermo Scientific) was diluted 1:5000 into dilution buffer (1 mg/mL BSA, 0.025% Tween20, 137 mM NaCl, 20 mM Tris pH 7.5). After the incubation, the plate was washed with PBST using the BioTek ELx405 Select CW plate washer by washing five (5) times with 300 µl PBST wash buffer per well for each wash. At the end of each wash, the plate was tapped on a paper towel to remove excess liquid from each well. Then, 100 µl of TMB solution (Catalog No. 52-00-03, KPL; ambient temperature and protected from light) was added to each well for approximately five (5) minutes at room temperature or until an optimal color development was yielded. To stop the reaction, 100 µl 1.0 N Sulfuric Acid or TMB Stop solution (Catalog No. 50-85-06) were added to each well and the plates tapped to mix. Optical density was measured at 450 nm within 30 minutes of adding the stop solution. Since more PH20 in a standard or sample would lead to less bHA available to bind SA-HRP, the optical density (450 nm) value was inversely proportional to the concentration of hyaluronidase activity in each specimen.

3. **SEAP Activity**

Activity of secreted alkaline phosphatase (SEAP) in the cell culture supernatant also was measured using a colorimetric assay of placental alkaline phosphatase using pNPP as a phosphatase substrate (Anaspec SensoLyte pNPP SEAP kit; Catalog No. 72144, Anaspec) according to the manufacturer's instructions. The absorbance signal was measured at optical density (OD) of 405 nm.

The criteria for the high throughput (HTP) screening were that the transfected supernatant resulted in a SEAP signal of ≥ 0.1 and the signal for the rHuPH20 wildtype control produced a signal of ≥ 1 U/mL. Also, the criteria for each screen were that the standard curves had a signal to noise ratio (S/N) for the 0 U/mL standard versus the 3 u/mL standard at OD_{405} of ≥ 5, had less than three (3) standards with a coefficient of variation (CV) $\geq 10\%$, and at least four (4) of the standards were in the linear range.

EXAMPLE 4

SELECTED PH20 VARIANTS WITH ALTERED HYALURONIDASE ACTIVITY

Each generated variant was screened for hyaluonidase activity as described in Example 3. The SEAP expression was used to normalize PH20 activity of each variant to the

PH20 wildtype. Mutants were identified that exhibited altered hyaluronidase activity compared to wildtype.

1. Active Mutants

Active mutants were selected whereby at least one duplicate sample exhibited greater than 40% of wildtype activity when normalized to SEAP activity. The identified active mutants are set forth in Table 9. The Table sets forth the amino acid replacement compared to the sequence of amino acids of PH20 set forth in SEQ ID NO:3. The amino acid sequence of exemplary mutants also is set forth by reference to a SEQ ID NO. The Table also sets forth the average hyaluronidase activity of tested duplicates normalized by SEAP values compared to average of wildtype PH20 activities in each plate, which were also normalized by their own SEAP values. For example, a value of 0.40 indicates that the variant exhibits 40% of the hyaluronidase activity of wildtype PH20, a value of 1 indicates that the variant exhibits a similar hyaluronidase activity of wildtype and a value of 3.00 indicates that the variant exhibits 300% of the hyaluronidase activity of wildtype PH20 or 3-fold increased activity compared to wildtype.

The results in Table 9 show that over 600 tested mutants exhibit activity that is increased compared to wildtype. For example, about 536 mutants exhibit 120% or greater than 120% of the hyaluronidase activity of wildtype PH20 and about 75 of the mutants exhibit 300% or greater than 300% of the hyaluronidase activity of wildtype PH20. In particular, the results in Table 9 show that that hyaluronidase activity compared to wildtype of mutant S69A is about 22-fold; mutant S69R is about 14-fold; mutant I70A is about 27-fold; mutant I70K is about 14-fold; mutant I70R is about 14-fold; and mutant I271L is about 10-fold.

TABLE 9: ACTIVE MUTANTS

mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
L001A	74	0.95	Q140G		0.73	T293F	561	1.94
L001C		0.89	Q140H		0.84	T293G		1.00
L001E	75	0.55	Q140I		0.75	T293K	562	1.35
L001F		0.41	Q140K	343	0.93	T293L		1.00
L001G	76	0.62	Q140L		0.51	T293M	563	2.29
L001H	73	1.90	Q140M		0.80	T293P	564	1.64
L001K	77	1.39	Q140R		0.85	T293Q	565	1.83
L001N		0.87	Q140V		0.61	T293S		0.89
L001P		0.92	Q140W		0.59	T293V	566	2.15
L001Q	78	3.27	Q140Y		0.41	T293Y	567	1.49
L001R	79	0.72	N141A		1.12	V294M		0.41

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
L001S		0.74	N141D		1.09	A298G	568	0.43
L001T		0.99	N141E		0.67	A298I		0.41
L001V		1.00	N141F		0.81	G300R		0.42
L001W		0.88	N141G		1.15	I301A		0.88
N002A		0.61	N141H	344	2.03	I301V		0.88
N002C		0.4	N002I		0.37	V287N		0.35
G291C		0.27	G297A		0.57	V302W		0.46
N002G		0.44	N141L		0.61	V302I		0.45
N002L		0.46	N141M		0.48	I303V		0.47
N002P		0.54	N141Q		1.16	W304G		1.13
N002Q		0.84	N141R	345	1.40	W304I		1.17
N002S		0.78	N141S	346	0.72	G305D		1.00
N002T		1.05	N141T		0.45	G305E	569	1.62
N002V		0.65	N141V		0.50	T306D		0.76
F003E		0.42	N141W	347	0.83	T306E		0.52
F003H		0.68	N141Y	348	1.55	T306S		1.02
F003L		0.59	V142C		0.61	L307K		0.43
F003Y		0.50	V142D	349	0.71	L307N		0.76
R004A		0.73	V142E		0.87	L307Q		0.61
R004I		0.54	V142G	350	0.98	L307S		0.86
R004S		0.60	V142H		1.11	L307T		1.08
R004T		0.66	V142I		0.81	L307V		0.48
R004V		1.09	V142K	351	1.40	L307W		0.64
A005H		0.44	V142L		0.75	L307Y		0.60
P006A	80	0.78	V142M		0.76	S308D	571	0.92
P006H		0.58	V142N	352	0.98	S308G	572	1.73
P006K		0.80	V142P	353	0.88	S308H		1.15
P006L		0.76	V142Q	354	1.04	S308K	573	1.33
P006N		0.40	V142R	355	1.53	S308N	574	2.33
P006Q		0.89	V142S	356	0.93	S308P		0.65
P006R		0.56	V142T	357	1.19	S308R	575	1.34
P007M		0.57	Q143E		0.77	S308T		0.72
V008I		1.17	Q143G	358	0.62	I309D		0.72
V008L		0.53	Q143I		0.44	I309E	576	1.99
V008M	81	0.47	Q143K	359	1.30	I309G	577	1.44
V008P		0.33	I009Q		0.4	I303D		0.34
I009K		0.69	Q143L		0.56	I309H	578	1.30
I009L		1.08	Q143N		0.73	I309K		0.98
I009R		0.53	Q143V		0.57	I309L	579	1.72

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
I009S		0.98	L144T	361	1.02	I309M	580	1.47
I009V		0.84	L144W		0.79	I309N	581	3.11
P010D		0.62	S145A		0.58	I309Q	582	1.64
P010E		0.66	S145C		0.44	I309R	583	2.27
P010G	83	0.55	S145D		0.48	I309S	584	1.16
P010H	84	0.43	S145E		0.56	I309T	585	2.09
P010N		0.55	S145G		0.94	I309V	586	0.60
P010Q		0.89	S145H		0.56	I309W		0.88
P010R		0.73	S145L		0.44	M310A	587	1.50
P010S		0.55	S145M		0.56	M310G	588	2.73
P010W		0.59	S145N		0.58	M310Q	589	0.59
N011D		0.54	S145P		1.04	M310R		0.50
N011G		0.45	S145R		0.97	M310S	590	1.61
N011H		0.69	L146A		0.52	M310V		0.70
N011K		0.58	L146C		0.42	R311G		0.53
N011S	85	0.39	G305N		0.36	L307G	570	0.32
M310F		0.30	M310Y		0.38	R311G		0.54
V012A		0.56	L146E		0.50	R311H		0.48
V012E	86	1.86	L146G		0.62	R311K		0.72
V012I	87	0.68	L146H		0.78	R311Q		0.43
V012K	88	0.65	L146I		0.82	R311S		0.84
V012L		0.44	L146K		0.84	R311T		0.52
V012N		0.46	L146N		0.57	S312G		0.49
V012R		0.50	L146P	362	0.93	S312N		1.26
V012S		0.75	L146Q		0.84	S312T		0.75
V012T	89	1.50	L146R	363	1.47	M313A	591	1.34
P013H		0.46	L146S		0.71	M313E		0.63
P013S		0.68	L146T		0.74	M313G	592	0.56
P013T		0.90	L146V		0.84	M313H	593	1.23
P013Y		0.51	L146Y		0.80	M313K	594	2.85
F014D		0.64	S312K		0.38	S312L		0.38
F014I		0.42	T147A	364	1.20	M313L		1.05
F014M		0.47	T147C		0.47	M313P	595	1.11
F014V	90	0.46	T147D		0.71	M313R	596	2.30
L015A		0.65	T147F	365	1.24	M313S		0.88
L015M	92	0.45	T147G		1.05	M313T	597	0.67
L015V	91	2.20	T147I		0.85	M313V		0.99
A020S	93	0.50	T147L	366	1.30	M313Y	598	1.12

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
S022H		0.57	T147M		0.79	K314A		0.82
S022M		0.49	T147P		1.09	K314D		0.53
S022T	94	0.48	T147Q		1.29	K314H		1.10
S022Y		0.45	T147R	367	2.11	K314I		0.54
E023D		0.97	T147S	368	1.27	K314N		0.57
F024A		0.69	T147V	369	2.04	K314Q		0.62
F024E	95	3.99	T147W		0.97	K314R		0.95
F024G		0.75	T147Y		1.04	K314S	599	0.61
F024H	96	2.07	E148C		0.66	K314T		0.61
F024I		0.70	E148F		0.42	K314Y	600	0.45
F024K		0.96	E148G		1.05	S315A	601	0.85
F024L		0.62	E148H	370	1.24	S315E		0.41
F024M		0.85	E148I		0.73	S315G		0.72
F024N		0.60	E148K	371	1.63	S315H	602	2.04
F024R	97	1.22	E148L		0.85	S315K		0.62
F024T		1.18	E148Q	372	1.44	S315L		0.42
F024V		1.15	E148R		0.97	S315M		0.63
F024Y		0.90	E148S		1.15	S315R		1.04
L026A	98	1.30	E148T		0.82	S315T		0.97
L026E	99	3.22	E148V		0.99	S315Y	603	0.50
L026G		0.81	E148W		0.43	C316D		0.41
L026H		0.97	E148Y		0.95	L317A	604	1.27
L026I		0.51	A149C		1.15	L317D		0.61
L026K	100	1.88	A149G		0.52	L317H		1.05
L026M	101	1.43	A149K		0.51	L317I	605	1.76
L026P		0.55	A149L		0.88	L317K	606	5.11
L026Q	102	1.44	A149M		0.88	L317M		1.20
L026R	103	1.43	A149Q		1.15	L317N	607	0.73
L026S		0.78	A149R		1.02	L317Q	608	1.67
L026T		0.87	A149S		1.08	L317R	609	2.41
L026V		0.52	A149T	373	1.24	L317S	610	1.03
L026W		0.53	A149V	374	1.34	L317T	611	0.93
L026Y		0.52	T150A	375	1.21	L317W	612	0.84
G027A		0.79	T150C		0.70	L318D	614	0.46
G027D	104	1.22	T150D	376	1.24	L318F		0.51
G027E		1.18	T150E		1.05	L318G		0.49
G027F		0.61	T150F		0.71	L318H	615	0.45
G027H		1.11	T150G	377	2.19	L318I		0.70
G027I		0.41	T150I		0.52	L318K	616	1.36

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
G027K	105	2.71	T150L		0.70	L318M	613	1.68
G027L		0.76	T150N	378	0.91	L318N		0.52
G027P		0.46	T150P		0.88	L318Q		0.71
G027Q		1.12	T150R		0.90	L318R	617	1.34
G027R	106	1.88	T150S	379	0.92	L318S		0.71
G027S		0.94	T150W	380	1.25	L318T		0.63
G027T		0.61	T150Y	381	1.36	D320E		0.78
G027W		0.76	E151A	382	1.27	D320G		0.83
K028A		0.78	E151C		1.00	D320H	618	1.75
K028D		0.62	E151G		1.06	D320I		1.00
K028E		0.54	E151H	383	1.34	D320K	619	6.42
K028F		0.75	E151K	384	2.05	D320M		0.79
K028I		0.55	E151L	385	1.03	D320N		0.52
K028L		0.51	E151M	386	1.26	D320R	620	3.19
K028M		0.67	E151N		0.95	D320S		1.19
K028N		0.58	E151Q	387	2.01	D320W		0.40
K028P		0.40	D320L		0.37	D320V		0.35
K028R	107	0.71	E151R	388	1.61	D320Y		0.86
K028S		0.46	E151S	389	1.28	N321A		1.01
K028T		0.68	E151T	390	1.21	N321D		1.25
K028V		0.76	E151V	391	1.38	N321H		0.92
K028W		0.51	E151W	392	1.31	N321K		1.29
F029A		0.90	E151Y	393	1.31	N321R	621	1.23
F029E	108	4.03	K152A		0.51	N321S	622	1.26
F029G		1.05	K152C		0.52	N321T		0.64
F029H		0.82	K152F		0.61	N321Y		0.40
F029I	109	1.53	K152I		0.65	M323F		0.64
F029K	110	1.34	K152M		0.75	M323I		0.55
F029L	111	2.36	K152R	394	1.85	M323L		0.55
F029M	112	2.08	K152T	395	1.20	E324A		0.59
F029P	113	3.79	K152V		0.82	E324D		1.15
F029R	114	1.24	K152Y		0.67	E324H		0.79
F029S	115	2.21	A153I		0.93	E324M		0.50
F029T	116	0.85	A153L		0.51	E324N	623	1.01
F029V	117	1.65	K154R		0.86	E324R	624	2.28
F029W		0.48	K154T		0.83	E324S		0.62
D030A		1.12	K154V		0.46	T325A	625	1.87
D030F		0.84	Q155A		0.91	T325D	626	1.78
D030G	118	2.02	Q155C		0.60	T325E	627	4.03

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
D030H	119	1.69	Q155D	397	1.49	T325G	628	4.21
D030K	120	2.63	Q155F		0.70	T325H	629	3.45
D030L	121	1.32	Q155G	398	1.61	T325K	630	4.37
D030M	122	1.85	Q155H		1.03	T325M	631	2.11
D030P		1.19	Q155K	399	1.57	T325N	632	4.64
D030Q		0.84	Q155L		0.86	T325Q	633	5.08
D030R	123	1.82	Q155M		0.97	T325S	634	3.19
D030S	124	1.62	Q155R	400	1.27	T325V	635	1.24
D030T		0.57	Q155S		0.77	T325W		0.62
D030V		0.46	Q155T		0.76	I326K		0.95
D030W		0.62	Q155V		0.73	I326L	636	1.50
E031A	125	2.05	Q155W		0.91	I326V	637	6.29
E031C	126	2.95	E156A		0.79	I326Y		0.77
E031G	127	1.27	E156D	401	1.95	L327M		0.52
E031H	128	2.74	E156G		0.49	N328A		0.67
E031I	129	3.89	E156I		0.51	N328C	638	1.25
E031K	130	3.13	E156L		0.43	N328G	639	0.56
E031L	131	2.62	E156M		0.87	N328H		0.88
E031P	132	1.51	E156Q		0.84	N328I		1.85
E031R	133	2.27	E156R		0.43	N328K	640	2.12
E031S	134	1.70	E156S		0.62	N328L	641	2.01
E031T	135	3.96	E156T		0.69	N328Q		1.13
E031V	136	4.57	E156V		0.45	N328R		0.68
E031W	137	1.26	E156W		0.49	N328S	643	2.22
E031Y		1.13	F157W		0.61	N328T		0.59
P032A		0.92	E158A		0.56	N328V		1.16
P032C	138	0.40	E158F		0.51	N328Y	644	1.66
P032F	139	2.71	E158H		0.54	I331V		0.94
I326C		0.39	I326S		0.95	N328W		0.33
I331C		0.27	I331E		0.34	V334T		0.39
P032G	140	1.60	E158L		0.44	V334P		0.46
P032H	141	2.08	E158Q	402	1.25	T335S	645	0.47
P032K		1.04	E158S	403	0.95	A338Q		0.63
P032L		0.82	K159A		0.64	K339M		0.61
P032M		0.67	K159D		0.52	S342A		0.68
P032N		0.70	K159E		0.49	Q343T		0.49
P032Q		1.11	K159H		0.74	Q343V		0.51
P032R		1.17	K159L		0.62	Q347A	646	0.78
P032S		1.01	K159M		0.66	Q347E		0.78

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
P032T		0.77	K159N		0.73	Q347G	647	2.68
P032V		0.81	K159Q		0.92	Q347M		0.61
P032W		0.54	K159R		0.88	Q347R		0.55
P032Y		1.01	K159S		0.67	Q347S	648	2.38
L033G	143	0.57	K159V		0.41	E348D		0.67
L033M		0.69	A160C		0.61	E348G		0.55
L033P		0.87	A160F		0.79	E348S		0.44
L033Q		0.45	A160G		0.75	Q349A		0.47
L033R		0.61	A160H		0.47	Q349E		0.83
L033S		0.48	A160I		0.43	Q349K		0.93
L033T		0.45	A160K		0.91	Q349M	649	0.70
L033W	142	1.58	A160L		0.67	Q349N		0.44
D034A		0.38	M035Q		0.37	M035V		0.37
D034E		0.58	A160M		0.77	Q349R	650	0.73
D034H		0.41	A160N		0.56	Q349T		0.49
D034K		0.54	A160Q		0.65	V351A		1.14
D034Q		0.59	A160R		0.89	V351S	651	0.92
D034R		1.17	A160S	404	1.35	I353T		0.42
D034W	144	0.46	A160V		0.73	I353V	652	1.61
M035F		0.87	A160Y		1.07	N356A		0.41
M035H		0.60	G161A		0.99	N356D		0.79
M035L		0.52	G161C		0.44	N356H	653	0.82
M035T		0.83	G161D		0.86	N356S	654	0.46
M035Y		0.78	G161E		0.49	W357A		0.80
S036A		0.45	G161R		0.48	W357C		0.67
S036D		0.32	S036N	148	0.38	L037W		0.36
S036G		0.64	G161S		0.77	W357S		0.41
S036H	147	0.54	G161V		0.42	W357T		0.62
S036K		0.83	K162A		0.50	N358C		0.66
S036L		0.71	K162D		0.77	N358G		0.41
S036R		1.09	K162E	405	0.51	N358T		0.58
Q347L		0.39	V351C		0.35	V351I		0.36
V351Q		0.34	W357K		0.36	N358L		0.38
S036T		0.51	K162G		0.56	S359D		0.45
L037F	149	3.33	K162H		0.62	S359E	655	1.05
L037I		0.62	K162L		0.54	S359H	656	0.44
L037K		0.43	K162M		1.04	S359K		0.66
L037M	150	1.46	K162P		0.64	S359M		0.63
L037P		0.63	K162Q		0.58	S359T	657	2.11

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
L037R		0.51	K162R		0.52	S359V		0.65
L037V		0.57	K162S		0.47	S360T		0.50
F038Y	151	1.29	K162V		0.52	P367A	658	0.55
S039A	152	1.06	K162W		1.01	P367C		0.83
S039L	153	0.80	K162Y		0.72	P367G	659	0.47
S039N	154	2.32	D163A	406	1.52	P367K	660	0.57
S039Q		1.10	D163E	407	1.63	P367R		0.46
S039R		0.56	D163G		1.15	P367S	661	0.52
S039T	155	1.57	D163K	408	1.90	D368A	662	1.34
S039Y		0.56	D163L		1.18	D368E	663	1.28
F040L	156	0.92	D163Q	409	1.40	D368G		0.49
F040W		1.11	D163R	410	1.80	D368H		0.96
I041A		0.67	D163S	411	1.34	D368K	664	1.31
I041C		0.53	D163T		1.13	D368L	665	0.64
I041D		0.78	D163V		0.76	D368M	666	0.78
I041E		0.51	F164L		1.13	D368R	667	1.31
I041G		0.76	F164M	412	1.66	D368S		0.93
I041H		0.77	F164V	413	1.23	D368T	668	0.80
I041N		0.40	S043N		0.34	D361H		0.37
I041T	157	1.47	F164W		0.72	D368V		0.41
I041V		0.73	L165A		0.48	N369H	669	1.33
I041W		0.66	L165D	414	5.79	N369R	670	0.55
G042A		0.64	L165F	415	1.23	N369S		0.54
S043T		0.43	L165N	416	2.19	A371E		1.05
P044E		0.59	L165R		0.59	A371F	671	0.52
R045I		0.45	L165S	417	1.31	A371H	672	1.20
R045K		0.53	L165V	418	1.22	A371I		0.50
I046A		1.04	L165W		1.14	A371K	673	1.76
I046C		0.37	A371G		0.38	L374W		0.34
I046E		0.43	L165Y		0.66	A371L	674	0.57
I046F		0.73	V166A	419	2.85	A371M		0.57
I046H		0.82	V166C		1.16	A371R	675	1.51
I046L	158	1.08	V166E	420	1.28	A371S	676	1.45
I046M		1.00	V166F	421	1.67	A371V		0.94
I046N		0.66	V166G		1.11	Q373A		0.65
I046R	159	2.29	V166H	422	1.74	Q373E		0.81
I046S		0.64	V166L	423	4.38	Q373F		0.62
I046T		0.55	V166Q	424	3.61	Q373K		0.73
I046V		1.01	V166R	425	5.56	Q373L		0.84

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
I046Y		0.76	V166T	426	4.26	Q373M	677	1.43
N047A		0.48	V166W	427	1.26	Q373R		0.68
N047D	160	0.82	V166Y	428	2.08	Q373S		0.87
N047F	161	1.32	E167A		0.84	Q373V		1.05
N047G		0.82	E167D	429	0.69	L374A		0.60
N047H		1.16	E167G		0.60	L374H	678	1.42
N047K		0.67	E167H		0.89	L374I		0.80
N047M		0.77	E167K		0.91	L374M		1.11
N047Q		0.69	E167M		0.87	L374N		0.43
N047R		0.84	E167N		0.83	L374P	679	0.43
N047S		0.85	E167P		0.58	L374R		0.83
N047T	162	1.49	E167R		1.02	L374S		0.58
N047W	163	0.63	E167S		1.17	L374T		0.47
N047Y		0.45	E167T		0.59	L374V		0.56
A048F	164	2.51	E167Y		0.55	L374Y		0.66
A048G		0.83	T168H		0.46	E375A	680	0.42
A048H	165	1.99	I169L	430	2.08	E375G	681	0.90
A048I		0.64	I169R		0.54	E375K	682	1.49
A048K	166	1.28	I169V		0.74	E375L		0.46
A048M		0.76	K170N		0.72	E375M		0.54
A048N	167	4.25	K170R	431	2.58	E375N		0.81
A048Q		1.05	K170V		0.58	E375R	683	0.43
A048R		0.66	L171I		0.73	E375S		0.77
A048S		1.06	L171V		0.64	E375T		1.17
A048V		0.60	G172A	432	1.20	K376A		0.95
A048Y		0.81	G172C		1.03	K376D	684	0.78
T049I		0.42	K173N		0.44	K376E	685	0.88
T049K		0.85	K173R	433	0.82	K376M		0.46
T049R	168	1.41	L174A		1.20	K376Q	686	0.69
T049S		0.92	L174G	434	0.40	K376R	687	0.67
T049V		0.45	L174K	435	2.39	K376S		0.80
G050A		0.93	L174M		0.79	K376T	688	0.53
G050C		0.41	L174N	436	1.36	K376V	689	0.58
G050D	169	1.37	L174Q		0.99	K376Y	690	0.42
G050E		0.78	L174R	437	1.50	G377D	691	1.35
G050H		0.74	L174S		0.85	G377E	692	0.59
G050L		0.43	L174T	438	1.12	G377H	693	1.49
G050M	171	0.47	L174V		0.62	G377K	694	1.50
G050Q		0.86	L174W		0.78	G377P	695	2.30

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
G050R		0.86	L174Y		1.06	G377R	696	1.28
G050S	170	1.24	L175E		0.43	G377S	697	1.80
G050V		0.3	Q051A		0.34	Q051R		0.36
G050Y		0.58	L175H		0.57	G377T	698	3.83
Q051N		0.60	L175T	439	1.43	G378K		1.22
Q051S		0.46	L175V		0.94	G378N		0.64
G052N	172	0.89	L175Y		0.66	G378R		1.03
G052P		0.43	R176K		0.67	K379G		0.52
G052Q	173	3.71	N178G		0.85	K379H		0.57
G052R	174	0.53	N178K	440	0.85	K379R		0.74
G052S	175	1.32	N178M		0.88	K379S		0.46
E375I		0.36	K376L		0.37	K379T		0.4
F380V		0.39	F380T		0.39	M035Q	145	0.37
G052T	176	0.49	N178R	441	1.10	F380I		0.56
T054A		0.43	H179A		1.06	F380L		0.67
T054F		0.56	H179C		0.94	F380P		0.47
T054N		0.48	H179E		0.62	F380W	699	2.15
T054Q		0.91	H179G		0.86	F380Y	700	1.50
T054S		0.70	H179I		0.90	T381H		0.48
T054V		0.66	H179K	442	1.39	T381K		1.06
V058C	177	0.55	H179L		0.73	T381N		0.51
V058G		0.54	H179M		0.63	T381Q		0.84
V058H	183	1.09	H179N		0.96	T381R		0.87
V058I		0.57	H179P		0.44	T381S	701	0.87
V058K	178	4.08	H179R		0.96	T381V		0.89
V058L	179	1.54	H179S		0.51	R383A		0.51
V058N	184	0.49	H179T		0.43	R383E		0.51
V058P	180	0.90	H179V		0.42	R383H		0.71
V058Q	181	4.54	L180F		0.59	R383I	702	0.71
V058R	182	1.92	L180G		0.62	R383K	703	1.30
V058S		0.83	L180K		0.44	R383L	704	1.31
V058W		0.65	L180M		0.64	R383M		0.61
V058Y	185	1.07	W181M		0.88	R383N		0.77
D059Q		0.40	L061F		0.3	T381E		0.35
D059N	186	1.27	W181Q		0.88	R383S	705	0.87
R060K		0.69	G182L		0.90	R383T		0.98
L061I		0.42	Y183L		0.70	R383V		1.05
L061M		0.73	F186Y		0.59	K385A	706	1.12
L061V		0.59	H192S		0.49	K385G		0.62

TABLE 9: ACTIVE MUTANTS								
mutant	**SEQ ID NO**	**AvgNorm Act.**	**mutant**	**SEQ ID NO**	**AvgNorm Act.**	**mutant**	**SEQ ID NO**	**AvgNorm Act.**
Y063A		0.63	H192T		0.50	K385H		0.50
Y063H		1.07	H193G		0.68	K385N		0.41
Y063I		1.03	H193Q	443	0.82	K385Q	707	0.73
Y063K	187	1.36	H193S		0.42	K385R		0.94
Y063L	188	1.33	H193Y		0.58	K385S		1.05
Y063M	189	1.32	K195A		0.51	K385T		0.46
Y063N		0.96	K195G		0.45	K385V	708	0.43
Y063R	190	1.40	K195H		0.45	T387S		0.93
Y063S		1.00	K195I		0.50	L388F		0.92
Y063T		1.07	K195L		0.45	L388H		0.47
Y063V		0.43	K195N	445	0.74	L388I		0.98
Y063W	191	1.53	K195Q		0.71	L388M		0.79
P065R		0.57	K195R		0.85	L388R		0.60
Y066H		0.47	K195S		0.42	L388T		0.51
Y066R		0.51	K195T	444	0.58	L388V		0.78
I067F		1.00	K195W		0.49	L388W		0.77
I067L		0.45	K196E	446	0.43	L388Y		1.18
I067R		0.24	D068G		0.37	E392W		0.31
I067V	192	1.80	K196G		0.41	E389A	709	1.14
I067Y		0.55	K196L		0.65	E389G	710	0.91
D068E		0.72	K196R	447	0.58	E389H		1.17
D068H	193	2.06	K196S		0.68	E389K	712	1.91
D068K		1.08	K196T		1.18	E389L	711	0.65
D068L		0.43	K196W		0.55	E389M		0.60
D068P	194	0.50	P197A		0.81	E389P		0.75
D068Q	195	1.67	P197D		0.58	E389Q	713	0.69
D068R		0.70	P197E		0.52	E389R		0.94
D068S		0.81	P197F		0.48	E389S	714	1.08
D068T		0.75	P197G		0.75	E389T		0.70
S069A	196	22.06	P197H		0.62	E389Y		0.77
S069C	197	1.97	P197K		0.99	L391C		0.90
S069E	198	1.48	P197L		0.56	E392A	715	0.58
S069F	199	8.75	P197M		1.03	E392F	716	0.54
S069G	200	6.06	P197Q		0.69	E392G		1.00
S069I	201	3.12	P197R		0.58	E392K		0.66
S069L	202	3.44	P197S		0.70	E392L		0.80
S069M	203	2.67	P197T		0.41	E392M	717	1.54
S069P	204	8.14	G198A		0.80	E392Q	718	1.01
S069R	205	14.06	G198D	448	1.99	E392R	719	0.66

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
S069T	206	0.58	G198E		0.49	E392S		0.52
S069W	207	2.18	G198H		0.84	E392T		0.72
S069Y	208	2.71	G198L		0.48	E392V	720	1.27
I070A	209	27.00	G198N		0.80	E392Y		0.92
I070C	210	2.57	G198Q		0.55	Q393A		1.26
I070F	211	5.69	G198R		0.58	Q393D		0.45
I070G	212	6.22	G198S		0.76	Q393F	721	1.23
I070H	213	9.09	G198T		0.41	Q393H		1.05
I070K	214	14.64	G198Y		0.81	Q393K		0.80
I070L	215	3.05	N200D		0.46	Q393L		0.91
I070N	216	6.19	S202M		0.40	Q393M	722	0.80
I070P	217	3.03	F204P	449	0.63	Q393N		0.72
I070R	218	13.95	N205A	450	1.30	Q393R		0.74
I070S	219	3.63	N205D		0.85	Q393S		1.15
I070T	220	5.43	N205E	451	1.94	Q393T		0.41
I070V	221	6.34	N205F		0.52	F394L		0.56
I070Y	222	1.26	N205G		0.79	F394W		0.41
T071A		0.86	N205K		0.76	S395A	723	1.10
T071D		0.50	N205M		0.58	S395G		0.77
T071G	223	1.41	N205P		0.75	S395H	724	0.56
T071H		0.93	N205R		0.54	S395K		0.96
T071L		1.09	N205S		0.80	S395R	725	1.98
T071M		0.89	N205T	453	0.85	E396A	726	0.52
T071N	224	1.21	N205V		0.49	E396D		0.64
T071Q		0.68	N205W		0.41	E396H	727	0.47
T071R	225	2.17	V206H		0.50	E396Q	728	0.73
T071S	226	1.54	V206I	454	0.94	E396R		0.61
G072A		0.45	V206K	455	1.75	E396S	729	0.61
G072D		0.60	V206L	456	1.57	E396T		0.89
S395W		0.4	S395T		0.39	E396L		0.39
G072E		0.69	V206M		0.43	Y399A		1.01
G072H		0.46	V206R	457	1.30	Y399C		0.46
G072K	227	1.39	V206S		0.72	Y399E		1.49
G072L		0.43	G072Y		0.35	S407L		0.4
G072M	228	3.11	V206T		0.59	Y399K	730	1.94
G072Q	229	2.33	I208A		0.62	Y399M	731	2.70
G072R		0.65	I208C		0.48	Y399N		0.52
G072S		0.51	I208K		0.91	Y399Q		1.18
V073A	230	1.38	I208L		0.84	Y399R		1.20

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
V073C		0.84	I208M		0.88	Y399S		1.01
V073D		0.94	I208Q		0.77	Y399T	732	2.40
V073G		1.17	I208R		1.14	Y399V	733	1.44
V073H	231	1.54	I208S		0.62	Y399W	734	1.92
V073K	232	1.42	I208T		1.01	S401A	735	0.82
V073L	233	1.59	I208V		1.07	S401E	736	0.46
V073M		0.68	K209A		0.53	S401N		0.42
V073Q	234	0.96	K209E		0.46	Y403F		0.62
V073R	235	0.72	K209G		0.44	S404A	737	0.63
V073S		0.86	K209N		0.50	S404P		0.64
K297R		0.34	F398L		0.35	S401G		0.38
S401Q		0.39	S404T		0.37	T405F		0.36
V073T	236	1.34	K209R	458	0.68	T405A		0.56
V073W	237	1.91	K209S		0.50	T405G	738	2.32
T074A	238	2.28	K209T		0.50	T405K		0.74
T074C	239	2.18	D212N	459	1.52	T405M		0.48
T074E	240	1.38	D212S	460	0.93	T405P		0.64
T074F	241	1.43	D212T		0.76	T405Q		0.75
T074G	242	2.75	D213A	461	0.85	T405R		0.60
T074H	243	1.40	D213E		0.79	T405S		0.94
T074K	244	1.29	D213G		0.81	T405W		0.73
T074L	245	1.43	D213H		0.75	T405Y		0.44
T074M	246	0.52	D213K		0.82	L406A		0.70
T074N	247	2.12	D213L		0.56	L406C		0.98
T074P	248	2.45	D213M	462	1.56	L406E		0.73
T074R	249	2.22	D213N	463	1.53	L406F	739	1.42
T074S	250	1.80	D213Q		1.04	L406G		1.00
T074V	251	2.27	D213R		0.92	L406I		0.61
T074W	252	2.13	D213V		0.47	L406N	740	0.76
V075A		0.71	D213W		0.49	L406Q		0.93
V075C		0.46	D213Y		0.49	L406S		0.47
V075F	253	2.00	L214Q		0.57	L406T		0.83
V075H		0.62	S215A		0.74	L406V		0.87
V075L	254	5.22	S215D		0.62	L406Y		0.74
V075M	255	1.16	S215E		0.74	S407A	741	1.16
V075N		0.81	S215G		0.88	S407D	742	1.52
V075Q		1.51	S215H	464	0.91	S407E	743	1.38
V075R	256	3.02	S215K		0.99	S407F	744	1.42
V075S		0.76	S215L		0.60	S407G		0.75

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
V075T	257	4.34	S215M	465	1.77	S407H	745	1.34
V075Y		0.63	S215Q		0.79	S407M		0.74
G077H		0.32	G077K		0.32	K411H		0.33
I079L	258	1.44	S215R		0.71	S407N		0.72
I079T		0.79	S215T		0.80	S407P	747	0.94
I079V		1.01	S215V		0.69	S407Q	746	1.71
Q081P		0.60	S215W		0.52	S407R		1.04
K082A		0.94	W216Y		0.48	S407V		0.56
K082E		0.50	L217M		0.51	S407W		0.41
K082G		0.64	W218F		0.57	K409A	748	2.18
K082H		0.44	N219A	466	1.29	K409D		0.65
K082I		1.01	N219C		0.43	K409E		0.62
K082L	259	0.87	N219D		0.75	K409G		0.50
K082M		0.58	N219E		0.95	K409H		0.64
K082N	260	0.96	N219H		0.97	K409I		0.51
K082Q		0.76	N219I	467	0.60	K409P		0.48
K082R		0.85	N219K	468	1.45	K409Q	749	3.33
K082S		0.62	N219L		0.72	K409R		0.84
K082T		0.56	N219M		1.02	K409S		0.72
K082Y		0.32	I083H		0.4	I083K		0.30
K082V		0.57	N219R		1.10	K409T		0.63
I083F		0.57	N219S	469	2.48	K409V		0.48
I083G	264	1.05	N219T		0.82	A412Y		0.66
I083L		0.93	N219W		0.48	E410D		0.47
I083N		0.82	E220A		0.75	E410K		0.70
I083Q	262	1.07	E220H	470	1.40	E410M		0.42
I083R		0.45	E220I	471	1.34	E410N		0.67
I083S	263	0.79	E220L	472	1.45	E410P		0.73
I083T		0.95	E220S		0.62	E410Q		0.85
I083V	261	0.99	E220T		0.91	E410R		0.61
S084D		0.98	E220V	473	1.35	E410S		0.81
S084E	265	0.52	S221A		0.72	E410T	750	1.54
S084F	266	0.72	S221C		0.59	E410V		0.65
S084G	267	8.68	S221M		0.46	E410Y		0.62
S084H		0.96	S221Q	474	1.37	K411A		0.48
S084I		0.90	S221T		0.94	K411N		1.02
S084L		0.92	S221V		1.04	K411P		0.42
S084M		0.77	T222D		0.43	K411R		0.97
S084N	268	0.89	T222F		0.43	K411S		1.21

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
S084P		0.57	T222G	475	0.49	K411T		0.63
S084Q		0.86	T222K		0.75	K411V		0.99
S084R	269	1.89	T222L		0.64	A412D		0.74
S084T		0.82	T222N		0.80	A412G		0.80
S084W		0.86	T222R		0.75	A412I		0.81
S084Y		0.30	E220D		0.39	E220M		0.36
S221I		0.35	T222I		0.4	P226W		0.51
L085V		0.42	T222S		0.63	A412L		0.65
Q086A	270	2.70	T222V		0.79	A412N		0.86
Q086D		0.88	L224I		0.61	A412P		0.77
Q086E		1.18	L230I		0.87	A412R	752	0.66
Q086F		0.54	N231T		1.10	A412S		0.86
Q086G		1.02	T232F	476	0.73	A412V	753	0.53
Q086H	271	1.70	T232S		0.76	A412W		0.54
Q086I		0.65	Q233A		0.71	D413E		0.52
Q086K	272	0.97	Q233F		0.53	D413K		0.42
Q086L		0.92	Q233G	477	0.46	D413N		0.94
Q086M		1.06	Q233K	478	1.69	D413R		0.50
Q086N	273	1.28	Q233L		0.69	D413T		0.41
Q086P		0.42	Q233R	479	1.50	V414I		1.12
Q086R		0.93	Q233Y		0.50	V414M		0.53
Q086S	274	0.85	Q234M	480	1.65	K415G		0.40
Q086T	275	0.58	S235A	481	0.47	K415S		0.42
Q086V		0.97	S235E		1.00	K415W		0.42
Q086W	276	1.21	S235G		0.95	D416F		0.41
D087A		1.00	S235H		0.44	D416G		0.67
D087C	277	1.77	S235K		0.53	D416H		0.57
D087E		0.86	S235T		0.66	D416I		0.63
D087G	278	1.00	P236A		1.07	D416K		0.76
D087H		0.72	P236G		1.09	D416L	754	0.75
D087I		0.53	P236H		0.46	D416N		0.73
D087L	279	0.55	P236K		0.71	D416Q		0.83
D087M	280	0.58	P236R	482	3.09	D416R		0.46
D087P		0.31	Q234L		0.40	V237C	483	0.35
D087Q		1.05	P236S		0.91	D416T		0.85
D087R	281	1.28	V237A		0.90	D416V		0.59
D087S	282	0.99	V237E	484	1.93	D416Y		0.40
D087T	283	1.70	V237F		0.41	T417I		1.22
A412H		0.39	A412Q	751	0.35	D413A		0.38

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
D413H		0.31	A413Q		0.38	D413S		0.39
V414K		0.3	V414L		0.36	K415Y		0.39
K415V		0.39	D418G		0.45			
D087V	284	0.66	V237H	485	0.75	D418A		0.92
D087Y	285	2.72	V237L		1.12	D418E	755	1.31
L089C	286	1.46	V237N		0.67	D418F		0.81
L089R		0.34	L089W		0.26	L089P		0.38
L089K		0.45	V237Q	486	1.46	D418G		0.45
L089M		0.63	V237R		0.71	D418I		0.99
D090A	287	1.48	V237S		1.03	D418L	756	1.28
D090E	288	1.15	V237T	487	1.01	D418M		1.09
D090G		0.41	V237W		0.52	D418N		0.91
D090H	289	1.24	A238D		0.75	D418P	757	2.11
D090I		1.10	A238E	488	0.59	D418Q		1.05
D090K	290	1.36	A238H	489	0.60	D418R	758	1.18
D090L		1.15	A238K		0.60	D418S		0.78
D090N	291	1.18	A238Q		1.02	D418V	759	1.43
D090Q		1.11	A238R		0.49	D418Y		0.97
D090R	292	1.49	A238S	490	2.62	A419E		0.45
D090S		1.15	A238T		0.44	A419F	760	2.17
D090T		1.02	T240K		1.13	A419G		0.42
D090W		0.81	T240A	491	0.48	A419H	761	1.21
K091A		0.89	T240M		0.48	A419I	762	1.64
K091Q		0.43	T240P		0.56	A419K	763	1.88
K091R		0.67	T240Q	492	0.75	A419L		0.56
A092C	293	1.97	T240R		0.91	A419N		0.53
A092H		0.22	A239N		0.32	V421I		0.39
A092L	294	1.29	T240S		0.74	A419R	764	1.81
A092M		0.86	T240V		0.77	A419S	765	2.65
A092T		0.70	Y242F		1.08	A419W		0.69
A092V		1.09	N245H		0.50	A419Y	766	1.44
K093D		0.71	V247I	493	2.01	V420I		1.04
K093E		0.83	V247L		0.83	V420P		0.48
K093F		0.50	V247M		0.52	D421A	767	1.28
K093G		0.97	R248A	494	0.43	D421E		0.81
K093H		0.61	R248W		0.52	D421G		0.62
K093I	295	3.25	R248Y		0.67	D421H	768	1.98
R248H		0.4	I251Y		0.37	K255G		0.39
K093L	296	1.53	I251L		0.58	D421K	769	2.42

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
K093M		0.70	I251M		0.43	D421L		0.73
K093N		0.71	V253I		0.76	D421M		0.94
K093Q	297	0.84	K255A		0.40	D421N	770	1.89
K093R	298	1.52	K255N		0.52	D421Q	771	1.54
K093S	299	1.25	K255Q		0.91	D421R	772	2.21
K093T	300	3.93	K255R		0.71	D421S	773	2.12
K093V		0.24	K093P		0.38	K094C		0.33
K094A		0.64	K255S		0.43	D421T		0.80
K094D	301	0.93	I256A		0.42	D421Y		0.66
K094E		0.79	I256H		0.51	V422I		0.42
K094F		0.59	I256L		0.64	V422T		0.49
K094H		0.72	I256V		0.51	A425G	774	1.20
K094L		0.52	P257A		0.82	A425I		0.44
K094M		0.66	P257G	496	0.51	A425K	775	1.75
K094N		0.99	P257I		1.07	A425M		0.70
K094Q	302	1.22	P257K		0.92	A425N		0.46
K094R	303	3.94	P257L		0.69	A425R		0.49
K094S		0.94	P257M		0.90	A425S		0.47
K094T		1.14	P257N		0.69	D426E		0.62
I096D		0.69	P257Q		0.61	D426G		0.85
I096L		0.46	P257R	498	1.38	D426N		0.61
I096V		0.68	P257T	497	2.04	D426P		1.03
T097A	304	1.25	P257V		0.88	D426Q		0.42
T097C	305	0.53	D258H		0.84	D426Y		0.43
T097D	306	1.31	D258N	499	1.44	G427K		0.52
T097E	307	1.19	D258R		0.45	G427S		0.42
T097F		0.75	D258S	500	1.44	V428L	778	1.25
P257C		0.36	D258G		0.39	A425Y		0.39
D426K		0.26	D426S		0.36	G427T	777	0.35
G427H		0.35	G427I		0.54	G427Q	776	0.39
T097G	308	4.84	A259E		0.85	V428M		0.42
T097I		0.85	A259G		0.68	V428P		0.82
T097L	309	1.22	A259I		0.46	V428T		0.62
T097N		1.10	A259K		0.76	D431A	779	2.42
T097P		0.62	A259L		0.53	D431E	781	1.27
T097Q		1.17	A259N		0.49	D431G	780	0.55
T097R		0.95	A259P	501	1.54	D431H	782	3.13
T097S	310	1.21	A259Q		0.70	D431I		1.05
T097W		0.53	A259R		0.72	D431K	783	1.83

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
T097Y		0.74	A259S		0.63	D431L	784	0.62
F098A		0.60	A259T		0.51	D431N	785	1.30
F098C		0.58	A259V		0.41	D431Q	786	2.16
F098D		0.47	A259W		0.55	D431R	787	2.20
F098E		0.44	A259Y		0.51	D431S	788	1.91
F098H		1.06	K260A		0.66	D431V	789	1.52
F098I		0.52	K260D		0.41	D431W		0.56
F098L		0.58	K260E		0.58	D431Y		0.85
F098M		0.87	K260H		0.87	A432E		0.60
F098Q		0.65	K260L		0.60	A432G		0.52
P436C		0.39	E249V			A432H		0.34
F098R		0.72	K260M	502	0.85	A432N		0.51
F098S		0.56	K260Q		0.58	A432S		0.61
F098V		0.46	K260R		0.83	A432V		0.56
F098W		0.81	K260S		0.66	F433A	790	0.97
Y099A		0.33	K260G		0.37	R270T		0.40
Y099R		0.53	K260Y	503	1.73	F433C		0.69
Y099S		0.43	S261A	504	0.74	F433D		0.95
V102A		0.83	S261F		0.73	F433E		0.82
V102C		0.69	S261K	505	2.54	F433G		0.54
V102E		0.90	S261M		0.56	F433H	791	0.83
V102G		0.67	S261N	506	1.98	F433I	792	1.06
V102H		0.88	S261Q		0.76	F433K	793	1.36
V102K		1.03	S261R		1.19	F433L	794	1.87
V102L		0.71	S261T		0.66	F433P		0.95
V102M		0.77	S261V		0.48	F433R	795	1.63
V102N		1.02	S261W		0.44	F433S		0.86
V102Q		1.03	L263A		0.76	F433T	796	1.86
V102R		0.94	L263K	507	2.73	F433V	797	1.63
V102S	311	1.41	L263M		0.89	F433W	798	1.28
V102T	312	1.26	L263R	508	1.63	L434F		0.41
V102W		0.76	L263T		0.49	L434G		0.47
D103N		0.39	N104I		0.35	L263H		0.36
N104A		0.69	L263V		0.75	L434I		0.89
N104C		0.41	P264A		0.43	L434M		0.60
N104G		0.48	P264H		0.60	L434V		0.46
N104K		0.88	V265I		0.58	K435A		1.08
N104M		0.61	F266Y		0.58	K435C		0.53
N104R	313	1.25	A267M		0.45	K435E		0.78

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
N104S		1.03	A267T	509	1.34	K435G		0.64
N104T		0.71	T269A	510	1.63	K435H		1.05
L105A		0.54	T269C		0.75	K435R		1.01
L105G		0.51	T269D		0.76	K435S		1.03
L105I		0.94	T269S		1.01	K435T		0.73
L105P		0.84	R270M		0.46	K435V		0.44
L105Q		0.90	R270N		0.52	K435Y		0.50
L105R		0.65	R270S		0.69	P436D		1.19
L105S		0.61	I271F		0.72	P436E		0.74
L105T		0.51	I271G		1.29	P436G		1.19
L105W		0.34	L105C		0.33	L105H		0.36
L105V		0.99	I271L	511	10.62	P436H		0.72
G106V		0.43	V272E		0.39	V272M		0.31
M107F		0.91	I271M	512	3.24	P436I		0.84
M107I		0.67	I271S		0.42	P436K	799	2.05
M107L	314	1.32	I271V		1.05	P436L		0.63
A108G		0.47	V272D	513	1.36	P436M		0.61
I110V		0.51	V272R		0.74	P436Q		0.86
E114A	315	1.44	V272S		0.96	P436R		1.00
E114G		0.73	V272T	514	1.61	P436S		0.92
E114H		0.75	F273H	515	1.41	P436T		0.59
E114M		0.44	F273T		0.48	P436W		0.43
E114S		0.69	F273Y	516	0.90	P436Y		0.49
P117D		0.56	T274A		0.51	P437A		0.56
T118H		0.47	T274F	517	1.28	P437D		0.62
T118K		0.53	T274S		0.62	P437G		0.50
T118L		1.09	Q276C		0.88	P437H		1.11
T118M		0.53	Q276D	518	1.69	P437I	800	2.46
T118N		0.67	Q276E		1.05	P437K		0.83
T118Q	316	3.37	Q276H	519	1.20	P437L		0.51
T118V		0.79	Q276I		0.51	P437M	801	2.55
W119F		0.53	Q276L		0.48	P437Q		0.96
W119P		0.36	W119Q		0.72	D275L		0.24
W119Y		1.08	Q276M	520	1.14	P437R		0.85
A120D		0.76	Q276R	521	1.30	P437S		0.57
A120F	318	2.62	Q276S	522	1.63	P437Y		0.42
A120G		1.03	Q276Y	523	1.94	M438A	802	0.75
A120H	317	1.11	V277A	524	0.65	M438C		0.63
A120I	319	1.33	V277C		0.41	M438D	803	0.87

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
A120L		1.25	V277D		0.79	M438E	804	0.72
A120N		0.81	V277E	525	1.02	M438G		0.83
A120P		0.42	V277G		1.18	M438L	805	0.86
A120R		0.82	V277H	526	1.09	M438N	806	1.08
A120S	320	1.21	V277K	527	1.51	M438P		0.81
A120T		0.62	V277M	528	0.94	M438Q		0.85
A120V	321	1.53	V277N	529	1.15	M438R		0.99
A120W		0.59	V277Q	530	0.82	M438S		0.83
A120Y	322	1.95	V277R	531	1.63	M438T	807	3.99
N122M		0.56	V277S	532	0.83	M438V		0.85
K124L		0.34	K124H		0.35	P125A		0.36
K124R		0.62	V277T	533	1.94	M438W		0.57
P125H		0.43	V277Y		0.66	E439A	808	1.20
P125R		0.63	L278A		1.13	E439C	809	0.58
P125S		0.54	L278E	534	1.03	E439F		1.00
D127A		0.89	L278F	535	1.26	E439G		1.22
D127E	323	1.31	L278G	536	1.33	E439H		0.74
D127G		0.97	L278H	537	4.50	E439K	810	1.20
D127H	324	2.33	L278I		0.93	E439L		0.88
D127L		0.84	L278K	538	1.75	E439P	811	1.16
D127M		0.4	D275V		0.4	Q276G		0.36
D127N	325	1.69	L278N	539	1.74	E439Q	812	1.32
D127Q	326	1.21	L278R	540	5.87	E439S		1.02
D127R	327	0.51	L278S	541	1.67	E439T	813	1.15
D127S		0.77	L278T	542	1.66	E439V	814	1.57
D127T		1.11	L278V		0.44	E439W		0.62
D127V		0.56	L278Y	543	1.51	T440A		1.22
D127W		0.44	K279H	544	0.44	T440D	815	1.03
V128A		0.53	K279Q		0.84	T440E		1.00
V128C		0.68	K279R		1.10	T440F		0.85
V128G		0.49	K279T		0.86	T440G		0.86
V128I	328	1.25	F280G		0.47	T440H	816	3.00
V128K		1.16	F280Q		0.43	T440I		1.04
V128L		0.95	S282D		0.41	T440L		0.97
V128Q		0.55	S282G		0.54	T440M	817	1.08
V128R		0.74	S282M	545	2.64	T440P	818	0.88
V128S		0.53	S282Q		0.41	T440R	819	1.77
V128W		0.50	Q283E		0.63	T440S	820	1.17
K130I		0.50	Q283P		1.18	T440V		1.02

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
K130R	329	1.42	Q283R		0.59	T440Y		1.11
N131C		0.60	Q283S	546	1.73	E441A	821	1.47
N131E		0.44	Q283T		0.65	E441D		0.67
N131F		0.63	D284A		0.58	E441F	822	3.91
N131G	330	2.47	D284E		1.21	E441G		0.87
N131H		0.80	D284G		0.60	E441H		0.65
N131I	331	1.40	D284H		0.51	E441K		0.80
N131L		0.82	D284L		0.50	E441L		0.82
N131M	332	0.99	D284M		0.56	E441N		0.82
N131Q	333	1.24	D284N		0.40	E441Q		0.81
N131R	334	2.81	D284Q		0.95	E441S		0.79
N131S		0.76	D284S		0.99	E441T		0.66
N131T		1.02	E285F		0.47	E441V		0.54
N131V	335	2.08	E285G		0.52	E441Y		0.51
N131Y		0.85	E285H	547	1.30	E442C	823	1.38
R132A		0.68	E285M		0.43	E442G	824	0.51
R132C		0.58	E285N		0.40	E442H		0.76
R132E		0.70	E285Q		0.59	E442K		0.73
R132F		0.60	E285Y		0.99	E442P		0.91
R132H		0.66	L286S		0.46	E442Q		0.74
K279A		0.27	D284T		0.39	D284Y		0.37
E285A		0.34	L286R		0.53	L286W		0.38
R132I		0.56	V287I		0.51	E442R	825	3.94
R132K		1.05	V287T	548	0.50	E442T		0.61
R132L	337	0.76	Y288L		0.79	E442V		0.65
R132N	336	1.28	Y288W		0.49	E442Y		0.60
R132Q		0.69	T289K		0.75	P443A	826	1.63
R132S		0.79	T289S	549	0.48	P443E	827	1.07
R132T		0.61	F290I		0.41	P443F	828	0.70
R132V		0.73	F290M		1.03	P443G	829	1.12
R132Y		0.78	G291Q		0.80	P443H		1.08
S133I		0.54	G291R		0.45	P443L		1.19
I134L		1.04	G291S	550	0.41	P443M	830	1.99
I134T		0.60	G291V	551	1.63	P443N	831	1.25
I134V		1.08	E292A		0.66	P443Q		0.96
E135A		0.99	E292C	552	0.71	P443R		1.04
E135C		0.77	E292F	553	0.90	P443S		0.99
E135D	338	2.68	E292G		0.41	P443T		0.87
E135F		0.73	E292H	554	1.26	P443W		0.64

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
E442L		0.4	E442W		0.38	Q444M		0.37
E135G	339	2.79	E292K	555	1.27	Q444D		0.97
E135H		0.79	E292N		0.99	Q444E	832	1.19
E135K		1.15	E292P		1.05	Q444F		0.66
E135L		0.82	E292R	556	0.42	Q444G		0.93
E135N		0.56	E292V	557	1.28	Q444H	833	0.97
E135Q		1.59	E292W		0.83	Q444I		0.58
E135R	340	2.08	T293A	558	1.90	Q444K		1.03
E135S		1.13	T293C	559	1.67	Q444N		1.01
E135W		0.63	T293D	560	1.46	Q444R		0.85
E135Y		0.50	V137C		0.37	Q444V	834	1.12
L136A		0.73	V137S		0.36	Q444W		0.64
L136C		0.56	V137L		0.21	Q444Y		0.67
L136D		0.47	Q143C		0.28	I445A		0.97
L136F		0.96	L144R	360	0.26	I445G		0.98
L136H		1.00	K152W	396	0.37	I445H	835	1.35
L136I		0.65	A153S		0.34	I445L		1.06
L136M		1.05	K154I		0.38	I445M	836	1.57
L136N		0.48	E156C		0.35	I445N	837	1.24
L136Q		0.61	E158G		0.37	I445P	838	1.67
L136R		0.74	K159G		0.38	I445Q	839	1.26
L136S		0.80	A160W		0.39	I445R		1.08
L136T		0.72	G161V		0.42	I445S	840	1.21
L136W		1.11	D163W		0.38	I445T	841	1.38
V137A		0.48	D163F		0.39	I445V	842	1.25
V137I		1.01	L165C		0.27	I445W	843	0.69
V137T		0.51	V166N		0.47	I445Y		0.53
Q138A		0.69	E167F		0.31	F446A	844	1.58
Q138C		0.65	K170A		0.40	F446C		0.75
Q138H		0.71	K170Q		0.40	F446D		1.18
Q138I		0.54	K173Q		0.32	F446E		1.10
Q138L	341	0.59	L174H		0.38	F446G		1.12
Q138M		0.68	R176L		0.40	F446H		1.28
Q138N		0.61	P177V		0.36	F446I		1.06
Q138R		0.53	L180I		0.38	F446K		0.94
Q138S		0.48	W181K		0.29	F446L		0.93
Q138W		0.41	Y183E		0.32	F446M	845	1.31
Q138Y		0.60	Y184W		0.39	F446Q		0.72
Q139A		0.92	H193R		0.33	F446R		0.89

TABLE 9: ACTIVE MUTANTS								
mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.	mutant	SEQ ID NO	AvgNorm Act.
Q139C		0.44	H193F		0.38	F446T		0.89
Q139D		0.48	K195V		0.36	F446V		0.91
Q139E		0.94	K196N		0.39	F446W	846	1.40
Q139F		0.53	K196Y		0.39	Y447D	847	3.25
Q139G		0.65	P197W		0.39	Y447E	848	1.36
Q139H		0.56	G198W		0.29	Y447F		1.41
Q139K		0.73	N200T		0.37	Y447G	849	0.92
Q139L		0.70	F204W		0.39	Y447I	850	1.36
Q139M		0.95	N205L	452	0.39	Y447L		1.09
Q139R		0.79	N205Y		0.4	Y447M		0.90
Q139S		0.81	V206Q		0.33	Y447N	851	1.58
Q139T	342	1.31	K209F		0.4	Y447P	852	1.46
Q139V		0.77	K209L		0.38	Y447Q	853	2.37
Q140A		0.96	N211L		0.41	Y447R		1.12
Q140C		0.50	N211W		0.51	Y447T	854	1.90
Q140D		0.59	W218M		0.38	Y447V	855	1.38
Q140F		0.66	W218V		0.28	Y447W		1.07

2. **Inactive Mutants**

The other mutants that exhibited less than 20% hyaluronidase activity of wildtype PH20, in at least one of the duplicates, were rescreened to confirm that the dead mutants are inactive. To confirm the inactive mutants, the hyaluronidase activity assay described in Example 3 was modified to incorporate an overnight 37 °C substrate-sample incubation step prior to measurement of enzymatic activity. The modified assay is intended to detect PH20 activities below 0.2 U/mL.

The preparation of the bHA coated plates and blocking of the plates prior to addition of the transfected variant supernatants or wildtype PH20 was the same as described in Example 3. The assay was modified as follows. First, transfected variant supernatants or wildypte PH20 not containing a mutation generated as described in Example 2 were diluted in duplicate 1:25 in assay diluent. For the standard curve, 1:3 serial dilutions of rHuPH20 (generated as described in Example 1) were made in assay diluent in duplicate starting from 0.1 U/mL down to 0.00014 U/mL. A blank well also was included. Then, 100 µl of the diluted samples or standard were added to pre-designated wells of the bHA-coated and blocked plate and allowed to incubate at 37 °C overnight. After the incubation, the plates

were washed and binding to bHA detected as described above in Example 3. Optical density was measured at 450 nm within 30 minutes of adding the stop solution.

The identified reconfirmed inactive mutants are set forth in Table 10. The Table sets forth the amino acid replacement compared to the sequence of amino acids of PH20 set forth in SEQ ID NO:3.

TABLE 10: Inactive Mutants

N002H	R060V	R121W	C189P	P236I	V287N	L336W	G377V
N002K	R060Y	R121Y	C189R	P236L	V287P	L336Y	G378D
N002W	L061A	N122A	C189S	P236N	V287Q	A337C	G378E
N002Y	L061E	N122C	C189T	P236Q	V287R	A337F	G378F
F003A	L061F	N122E	C189V	P236T	V287S	A337G	G378I
F003G	L061G	N122F	C189W	P236Y	Y288D	A337I	G378L
F003K	L061H	N122I	C189Y	A238F	Y288E	A337K	G378M
F003P	L061N	N122K	Y190C	A238G	Y288F	A337L	G378Q
F003T	L061P	N122Q	Y190E	A238L	Y288G	A337M	G378T
F003V	L061Q	N122R	Y190F	A238P	Y288H	A337R	G378W
R004D	L061R	N122S	Y190G	A238V	Y288I	A337T	G378Y
R004E	L061T	N122T	Y190H	A238W	Y288K	A337W	K379A
R004F	L061W	N122V	Y190K	A238Y	Y288P	A338C	K379C
R004G	L061Y	W123A	Y190L	A239C	Y288R	A338D	K379E
R004L	G062A	W123C	Y190N	A239F	Y288T	A338E	K379F
R004P	G062C	W123D	Y190Q	A239G	T289A	A338F	K379I
R004W	G062D	W123E	Y190R	A239H	T289C	A338G	K379L
R004Y	G062F	W123H	Y190S	A239I	T289E	A338H	K379M
A005D	G062I	W123L	Y190T	A239L	T289G	A338I	K379W
A005G	G062K	W123M	Y190V	A239P	T289H	A338K	F380C
A005I	G062L	W123P	Y190W	A239R	T289L	A338L	F380D
A005L	G062M	W123Q	N191A	A239S	T289P	A338P	F380E
A005M	G062P	W123R	N191E	A239T	T289Q	A338R	F380G
A005N	G062Q	W123S	N191F	A239V	T289R	A338T	F380Q
A005P	G062R	W123T	N191G	A239W	T289S	A338V	F380R
A005Q	G062S	W123V	N191K	A239Y	T289Y	K339D	F380S
A005R	G062T	W123Y	N191L	T240E	F290D	K339E	T381G
A005T	G062V	K124C	N191M	T240F	F290Q	K339F	T381L
A005V	G062Y	K124D	N191P	T240G	F290Y	K339G	T381P
A005W	Y063C	K124E	N191Q	T240N	G291A	K339H	T381W
A005Y	Y063G	K124F	N191R	T240W	G291C	K339L	T381Y
P006E	Y063P	K124N	N191S	T240Y	G291D	K339N	V382E
P006F	Y064A	P125C	N191T	L241A	G291E	K339P	V382G
P006T	Y064C	P125D	N191V	L241C	G291F	K339S	V382H
P006V	Y064D	P125G	N191W	L241D	G291M	K339T	V382K

TABLE 10: Inactive Mutants							
P006Y	Y064E	P125L	N191Y	L241E	G291N	K339V	V382L
P007C	Y064F	P125N	H192C	L241G	G291T	K339W	V382M
P007D	Y064G	P125W	H192F	L241I	G291W	K339Y	V382N
P007F	Y064H	K126F	H192G	L241P	G291Y	M340A	V382P
P007G	Y064I	K126H	H192K	L241R	E292I	M340C	V382Q
P007H	Y064K	K126I	H192L	L241S	E292L	M340D	V382R
P007I	Y064L	K126L	H192M	L241T	E292T	M340E	V382S
P007K	Y064P	K126N	H192N	L241V	T293E	M340F	V382T
P007L	Y064Q	K126P	H192P	L241W	T293N	M340G	V382W
P007Q	Y064R	K126Y	H192Q	Y242A	V294A	M340H	V382Y
P007R	Y064S	D127K	H192R	Y242C	V294E	M340K	R383G
P007S	Y064T	V128E	H192V	Y242D	V294G	M340P	R383P
P007T	Y064V	V128P	H192W	Y242G	V294H	M340R	G384C
P007W	Y064W	Y129A	H192Y	Y242I	V294K	M340S	G384F
P007Y	P065A	Y129C	H193A	Y242L	V294L	M340T	G384M
V008D	P065C	Y129D	H193D	Y242M	V294N	M340V	G384Q
V008E	P065D	Y129E	H193K	Y242P	V294P	M340W	G384S
V008G	P065G	Y129G	H193L	Y242R	V294Q	C341A	G384T
V008H	P065H	Y129H	H193M	Y242S	V294R	C341E	K385C
V008N	P065I	Y129L	H193P	Y242T	V294S	C341G	K385L
V008R	P065K	Y129P	H193V	Y242V	V294T	C341H	K385M
V008S	P065N	Y129Q	Y194A	Y242W	V294W	C341K	K385P
V008W	P065R	Y129S	Y194C	V243C	A295C	C341L	K385W
I009C	P065S	Y129T	Y194I	V243D	A295G	C341M	K385Y
I009D	P065T	Y129V	Y194L	V243F	A295H	C341N	P386A
I009E	P065V	Y129W	Y194P	V243G	A295I	C341Q	P386C
I009G	P065W	K130C	Y194S	V243H	A295L	C341R	P386F
I009N	P065Y	K130D	Y194T	V243L	A295N	C341S	P386G
I009P	Y066A	K130G	Y194V	V243M	A295P	C341T	P386H
P010F	Y066C	K130H	K195S	V243P	A295T	C341V	P386I
P010I	Y066D	K130L	P197C	V243Q	A295V	C341Y	P386L
P010L	Y066E	K130N	G198V	V243R	A295Y	S342D	P386M
P010M	Y066G	K130S	G198W	V243S	L296C	S342E	P386N
P010Y	Y066I	K130T	Y199E	V243W	L296F	S342F	P386Q
N011A	Y066K	K130W	Y199G	V243Y	L296G	S342H	P386R
N011C	Y066L	K130Y	Y199H	R244A	L296I	S342K	P386S
N011F	Y066N	N131P	Y199I	R244D	L296K	S342L	P386T
N011I	Y066P	R132P	Y199K	R244G	L296M	S342M	P386V
N011L	Y066S	S133D	Y199L	R244I	L296Q	S342P	P386Y
N011P	Y066T	S133E	Y199P	R244V	L296R	S342Q	T387C
N011T	Y066V	S133F	Y199R	R244Y	L296S	S342R	T387E

TABLE 10: Inactive Mutants							
N011W	I067D	S133G	Y199S	N245A	L296T	S342T	T387F
N011Y	I067E	S133H	Y199W	N245C	L296V	S342Y	T387G
V012G	I067G	S133L	N200A	N245F	L296W	Q343C	T387H
V012H	I067P	S133M	N200F	N245L	L296Y	Q343D	T387I
V012W	I067R	S133N	N200G	N245P	G297C	Q343F	T387L
P013E	I067T	S133P	N200H	N245Q	G297E	Q343I	T387M
P013G	I067W	S133R	N200K	N245R	G297H	Q343P	T387N
P013I	D068A	S133T	N200L	N245S	G297L	Q343W	T387V
P013L	D068C	S133V	N200M	N245T	G297N	V344F	T387W
P013M	D068G	S133W	N200P	N245V	G297P	V344G	T387Y
P013V	D068I	I134A	N200Q	R246A	G297Q	V344H	L388C
F014A	D068L	I134C	N200R	R246C	G297R	V344L	L388G
F014E	D068P	I134D	N200S	R246D	G297S	V344M	L388P
F014G	D068V	I134F	N200W	R246E	G297T	V344N	L388Q
F014H	D068Y	I134G	N200Y	R246G	G297Y	V344P	L388S
F014K	S069N	I134H	G201A	R246H	A298C	V344Q	E389F
F014N	S069T	I134K	G201F	R246I	A298E	V344R	E389V
F014P	I070Q	I134P	G201L	R246K	A298L	V344S	D390A
F014Q	T071P	I134Q	G201M	R246L	A298M	V344T	D390C
F014W	G072C	I134R	G201N	R246M	A298N	V344W	D390E
L015E	G072F	I134S	G201P	R246P	A298P	V344Y	D390F
L015F	G072H	I134W	G201R	R246S	A298Q	L345A	D390G
L015G	G072I	E135P	G201S	R246T	A298S	L345C	D390H
L015K	G072P	L136P	G201T	R246V	A298T	L345E	D390L
L015N	G072V	V137F	G201V	R246W	A298W	L345H	D390N
L015P	G072W	V137G	G201W	V247A	A298Y	L345K	D390P
L015Q	V073P	V137H	S202A	V247C	S299A	L345N	D390R
L015R	V075D	V137N	S202E	V247F	S299C	L345Q	D390S
L015S	V075G	V137P	S202F	V247H	S299D	L345R	D390T
L015Y	V075P	V137R	S202G	V247N	S299F	L345T	D390V
W016A	N076A	V137W	S202H	V247P	S299G	L345V	D390W
W016C	N076C	V137Y	S202K	V247Q	S299H	L345Y	D390Y
W016D	N076F	Q138V	S202N	V247R	S299L	C346A	L391A
W016E	N076G	Q139P	S202P	V247S	S299M	C346D	L391D
W016F	N076I	Q143C	S202Q	V247T	S299P	C346F	L391G
W016G	N076K	Q143H	S202R	V247W	S299Q	C346G	L391H
W016H	N076L	Q143P	S202V	V247Y	S299T	C346I	L391K
W016K	N076P	Q143R	S202W	R248C	G300A	C346K	L391N
W016M	N076Q	Q143S	S202Y	R248D	G300C	C346L	L391P
W016P	N076R	Q143T	C203A	R248E	G300D	C346M	L391Q
W016R	N076S	L144A	C203D	R248G	G300E	C346P	L391R

TABLE 10: Inactive Mutants							
W016S	N076T	L144E	C203E	R248I	G300F	C346R	L391S
W016T	N076V	L144F	C203G	R248M	G300L	C346S	L391T
W016Y	N076W	L144I	C203H	R248P	G300M	C346T	L391V
A017D	G077D	L144K	C203L	R248T	G300N	C346V	L391W
A017E	G077E	L144P	C203M	E249A	G300P	C346W	L391Y
A017G	G077L	L144Q	C203N	E249G	G300Q	Q347C	E392C
A017H	G077P	L144S	C203Q	E249H	G300S	Q347F	E392P
A017I	G077Q	L144V	C203R	E249I	G300T	Q347I	Q393C
A017L	G077R	L144Y	C203S	E249K	G300V	Q347P	Q393P
A017N	G077T	S145T	C203T	E249M	G300W	Q347T	F394A
A017P	G077V	S145W	C203V	E249Q	I301E	Q347V	F394D
A017Q	G078A	A149E	F204A	E249S	I301G	Q347W	F394E
A017R	G078D	A149P	F204C	E249Y	I301H	E348C	F394G
A017S	G078I	T150V	F204E	A250C	I301K	E348H	F394I
A017T	G078M	K152L	F204G	A250F	I301M	E348I	F394K
A017V	G078P	A153E	F204H	A250G	I301N	E348L	F394N
A017W	G078T	A153F	F204I	A250H	I301P	E348P	F394P
A017Y	G078Y	A153M	F204K	A250K	I301Q	E348Q	F394Q
W018C	I079A	A153P	F204Q	A250L	I301R	E348R	F394R
W018D	I079D	A153R	F204R	A250M	I301S	E348T	F394S
W018F	I079F	A153T	F204S	A250N	I301W	E348V	F394T
W018G	I079G	A153V	F204T	A250P	I301Y	E348W	F394V
W018H	I079H	K154D	V206C	A250Q	V302C	E348Y	S395C
W018I	I079K	K154E	V206D	A250R	V302D	Q349D	S395L
W018L	I079N	K154G	V206F	A250S	V302E	Q349F	S395M
W018M	I079P	K154P	V206G	A250T	V302F	Q349G	S395P
W018P	I079S	K154S	V206P	A250V	V302G	Q349P	E396C
W018Q	I079W	K154W	V206Y	A250W	V302H	Q349V	E396F
W018S	I079Y	K154Y	E207A	I251D	V302L	Q349W	E396G
W018T	P080A	Q155P	E207F	I251F	V302M	Q349Y	E396I
W018V	P080D	Q155Y	E207G	I251G	V302P	G350A	E396P
W018Y	P080E	E156P	E207M	I251H	V302R	G350D	E396Y
N019A	P080F	F157A	E207P	I251K	V302S	G350E	K397A
N019C	P080G	F157C	E207Q	I251P	V302T	G350F	K397C
N019F	P080I	F157D	E207R	I251S	V302Y	G350H	K397E
N019G	P080K	F157E	E207S	I251T	I303A	G350K	K397F
N019H	P080L	F157G	E207T	I251W	I303C	G350L	K397G
N019I	P080M	F157H	E207V	R252A	I303D	G350M	K397I
N019L	P080N	F157I	E207W	R252D	I303E	G350N	K397L
N019M	P080R	F157K	I208D	R252E	I303F	G350P	K397M
N019P	P080S	F157L	I208G	R252F	I303G	G350R	K397P

TABLE 10: Inactive Mutants							
N019Q	P080T	F157M	I208P	R252G	I303K	G350S	K397Q
N019R	P080V	F157P	I208W	R252H	I303L	G350T	K397T
N019S	P080Y	F157Q	K209C	R252I	I303M	G350V	K397V
N019V	Q081A	F157R	K209P	R252K	I303R	G350Y	F398A
N019W	Q081C	F157S	R210A	R252L	I303W	V351C	F398C
N019Y	Q081E	F157T	R210C	R252N	I303Y	V351D	F398E
A020D	Q081G	F157V	R210D	R252P	W304A	V351E	F398G
A020E	Q081H	E158D	R210E	R252S	W304C	V351F	F398H
A020F	Q081L	E158K	R210G	R252T	W304D	V351H	F398I
A020H	Q081N	E158P	R210K	R252Y	W304G	V351N	F398L
A020K	Q081P	E158R	R210M	V253A	W304I	V351R	F398N
A020L	Q081S	E158Y	R210N	V253D	W304M	V351W	F398P
A020N	Q081V	K159W	R210P	V253E	W304N	V351Y	F398R
A020P	Q081W	K159Y	R210S	V253G	W304P	C352A	F398S
A020R	Q081Y	G161W	R210T	V253H	W304Q	C352D	F398T
A020T	K082W	D163C	R210V	V253L	W304S	C352E	F398V
A020V	K082Y	D163P	R210W	V253M	W304T	C352F	F398W
A020Y	I083E	F164A	R210Y	V253N	W304V	C352G	F398Y
P021A	I083K	F164C	N211C	V253Q	W304Y	C352K	Y399D
P021C	S084Y	F164D	N211F	V253R	G305L	C352M	Y399P
P021D	L085A	F164E	N211G	V253S	G305P	C352P	C400A
P021E	L085C	F164G	N211H	V253W	G305Q	C352Q	C400D
P021G	L085D	F164H	N211I	S254C	G305R	C352R	C400E
P021H	L085E	F164N	N211K	S254D	G305S	C352S	C400F
P021I	L085F	F164P	N211M	S254E	G305T	C352T	C400G
P021L	L085G	F164Q	N211P	S254G	G305V	C352V	C400I
P021M	L085H	F164R	N211R	S254I	G305Y	C352W	C400L
P021R	L085N	L165C	N211S	S254K	T306A	C352Y	C400M
P021S	L085Q	L165H	N211T	S254L	T306C	I353C	C400P
P021T	L085S	L165P	N211V	S254P	T306H	I353F	C400Q
P021V	L085T	L165T	N211W	S254Q	T306I	I353G	C400R
P021W	Q086C	V166D	D212A	S254R	T306L	I353H	C400S
S022C	Q086P	E167V	D212G	S254T	T306V	I353K	C400T
S022E	D087P	T168A	D212H	S254V	T306W	I353L	C400V
S022G	H088A	T168C	D212I	S254W	T306Y	I353M	C400Y
S022K	H088C	T168D	D212K	S254Y	L307C	I353Q	S401C
S022P	H088E	T168E	D212L	K255C		I353R	S401F
E023A	H088F	T168F	D212M	K255D	L307I	I353S	S401H
E023F	H088G	T168G	D212P	K255L	L307P	I353W	S401K
E023L	H088I	T168K	D212V	K255P	S308C	R354C	S401R
E023M	H088K	T168L	D212W	K255V	S308F	R354D	S401W

TABLE 10: Inactive Mutants							
E023N	H088L	T168P	D213P	K255W	S308L	R354E	S401Y
E023P	H088M	T168R	D213S	I256C	S308M	R354G	C402A
E023R	H088P	T168S	L214A	I256D	S308V	R354H	C402D
E023S	H088R	T168V	L214C	I256E	S308W	R354I	C402E
E023T	H088S	T168W	L214D	I256G	S308Y	R354K	C402F
E023V	H088T	T168Y	L214E	I256P	M310C	R354L	C402L
C025D	H088V	I169A	L214G	P257D	M310E	R354M	C402M
C025E	H088Y	I169D	L214H	D258L	M310F	R354P	C402P
C025F	L089A	I169F	L214K	D258P	M310K	R354Q	C402Q
C025G	L089D	I169G	L214N	D258V	M310L	R354S	C402R
C025H	L089E	I169H	L214P	D258W	R311C	R354V	C402S
C025I	L089G	I169K	L214R	K260C	R311E	R354W	C402T
C025K	L089Q	I169N	L214S	K260P	R311F	R354Y	C402V
C025L	L089S	I169P	L214T	S261P	R311I	K355D	C402W
C025N	L089T	I169Q	L214Y	P262A	R311L	K355F	C402Y
C025P	L089W	I169S	S215C	P262D	R311P	K355G	Y403A
C025R	L089Y	I169T	S215P	P262E	R311V	K355H	Y403C
C025S	D090C	I169Y	W216D	P262F	R311W	K355L	Y403E
C025T	D090G	K170C	W216E	P262G	S312C	K355M	Y403G
C025V	K091D	K170D	W216G	P262H	S312E	K355N	Y403H
C025Y	K091E	K170E	W216H	P262I	S312M	K355P	Y403K
G027C	K091F	K170G	W216I	P262K	S312V	K355Q	Y403L
L033C	K091G	K170M	W216K	P262Q	S312W	K355R	Y403M
L033D	K091H	K170P	W216L	P262R	M313C	K355S	Y403N
L033H	K091I	K170W	W216M	P262S	K314C	K355T	Y403P
L033N	K091L	K170Y	W216N	P262T	K314L	K355V	Y403Q
L033V	K091N	L171C	W216P	P262V	K314W	K355W	Y403R
L033Y	K091T	L171D	W216Q	P262W	S315C	K355Y	Y403T
D034I	A092E	L171H	W216R	P262Y	S315I	N356C	S404C
D034L	A092F	L171M	W216T	L263E	S315V	N356G	S404D
D034N	A092H	L171N	W216V	L263F	C316E	N356K	S404F
D034S	A092K	L171R	L217A	L263P	C316G	N356L	S404G
D034T	A092P	L171S	L217C	L263Q	C316I	N356P	S404H
D034V	A092Q	L171W	L217G	L263W	C316K	N356R	S404L
M035A	A092R	L171Y	L217H	P264D	C316L	N356T	S404M
M035D	A092W	G172D	L217P	P264E	C316M	N356V	S404N
M035G	A092Y	G172E	L217Q	P264F	C316P	N356W	S404R
M035P	K094G	G172I	L217S	P264G	C316R	W357D	S404V
M035R	K094P	G172L	L217T	P264L	C316S	W357E	S404W
M035S	D095A	G172P	L217V	P264M	C316T	W357F	S404Y
S036C	D095C	G172Q	L217W	P264R	C316V	W357G	T405C

TABLE 10: Inactive Mutants							
S036F	D095E	G172T	W218A	P264T	C316W	W357L	T405I
S036V	D095F	G172V	W218I	P264V	C316Y	W357M	T405V
S036W	D095G	G172W	W218K	P264W	L317G	W357Q	L406P
S036Y	D095H	G172Y	W218L	P264Y	L317P	W357R	L406R
L037C	D095K	K173D	W218P	V265A	L318C	N358E	C408A
L037E	D095L	K173E	W218S	V265D	L318P	N358H	C408E
L037G	D095M	K173G	W218V	V265F	L318W	N358I	C408F
L037N	D095P	K173H	N219P	V265G	L319C	N358K	C408G
L037S	D095Q	K173I	E220G	V265H	L319E	N358P	C408I
F038E	D095S	K173L	E220K	V265K	L319F	N358Q	C408K
F038G	D095V	K173M	E220N	V265L	L319G	N358R	C408L
F038K	D095W	K173P	E220P	V265M	L319H	N358W	C408P
F038L	D095Y	K173S	E220R	V265N	L319I	S359A	C408R
F038N	I096A	K173V	E220W	V265Q	L319K	S359F	C408S
F038Q	I096C	K173W	S221D	V265R	L319M	S359G	C408T
F038R	I096G	K173Y	S221E	V265S	L319P	S359L	C408V
F038T	I096H	L174P	S221H	F266A	L319Q	S359P	C408W
F038W	I096P	L175C	S221K	F266C	L319R	S359W	C408Y
S039C	I096R	L175D	S221P	F266G	L319S	S360A	E410W
S039D	I096S	L175G	S221R	F266H	L319V	S360C	K411D
S039F	I096T	L175K	T222P	F266M	L319W	S360E	K411E
S039W	I096W	L175P	T222Y	F266P	L319Y	S360F	K411F
F040A	F098P	L175R	A223C	F266Q	D320C	S360G	K411G
F040D	Y099C	L175S	A223D	F266R	D320P	S360I	A412E
F040E	Y099E	R176A	A223E	F266S	D320V	S360K	A412H
F040G	Y099G	R176C	A223G	F266T	N321E	S360L	D413H
F040K	Y099I	R176E	A223H	F266V	N321M	S360M	D413I
F040N	Y099N	R176F	A223K	F266W	N321P	S360P	D413K
F040R	Y099P	R176G	A223L	A267D	Y322C	S360Q	D413L
F040S	Y099V	R176H	A223P	A267G	Y322D	S360R	D413P
F040T	Y099W	R176I	A223Q	A267H	Y322E	S360V	V414A
F040V	M100C	R176P	A223R	A267I	Y322G	D361A	V414D
I041Q	M100E	R176Q	A223S	A267K	Y322I	D361C	V414E
G042D	M100F	R176S	A223T	A267N	Y322L	D361E	V414G
G042E	M100G	R176T	A223V	A267R	Y322N	D361G	V414H
G042H	M100N	R176V	A223W	A267S	Y322P	D361M	V414K
G042I	M100P	R176W	A223Y	A267W	Y322R	D361N	V414R
G042K	M100R	P177A	L224A	Y268A	Y322S	D361P	V414S
G042L	M100S	P177C	L224D	Y268C	Y322T	D361Q	V414T
G042M	M100T	P177D	L224E	Y268F	Y322V	D361R	K415C
G042P	M100W	P177F	L224F	Y268G	Y322W	D361S	K415D

TABLE 10: Inactive Mutants							
G042Q	M100Y	P177G	L224G	Y268H	M323A	D361V	K415E
G042R	P101A	P177H	L224M	Y268K	M323C	D361W	K415P
G042S	P101C	P177L	L224P	Y268L	M323E	Y362A	D416C
G042T	P101F	P177M	L224Q	Y268N	M323G	Y362C	D416S
G042V	P101H	P177Q	L224R	Y268P	M323H	Y362E	T417A
S043A	P101I	P177R	L224S	Y268Q	M323K	Y362G	T417D
S043E	P101K	P177S	L224T	Y268S	M323N	Y362H	T417E
S043F	P101L	P177T	L224W	Y268T	M323R	Y362K	T417F
S043G	P101M	P177V	L224Y	Y268V	M323S	Y362L	T417G
S043I	P101N	P177W	Y225A	Y268W	M323T	Y362M	T417H
S043K	P101Q	N178E	Y225D	T269E	M323V	Y362N	T417K
S043L	P101R	N178I	Y225E	T269K	E324C	Y362P	T417M
S043Q	P101S	N178L	Y225G	T269L	E324F	Y362R	T417P
S043R	P101T	N178V	Y225H	T269M	E324P	Y362S	T417Q
S043V	V102P	N178W	Y225K	T269N	E324V	Y362T	T417R
P044A	D103A	N178Y	Y225P	T269P	E324W	Y362V	A419D
P044C	D103E	H179W	Y225Q	T269Q	E324Y	Y362W	A419P
P044F	D103F	L180A	Y225R	T269R	T325C	L363A	V420A
P044G	D103G	L180C	Y225T	R270A	T325R	L363C	V420D
P044H	D103H	L180E	Y225V	R270C	I326E	L363D	V420F
P044I	D103I	L180P	Y225W	R270E	I326G	L363E	V420G
P044L	D103L	L180R	P226A	R270F	I326H	L363F	V420H
P044N	D103Q	L180S	P226C	R270G	I326N	L363G	V420K
P044Q	D103R	W181A	P226D	R270H	I326W	L363H	V420L
P044R	D103T	W181C	P226E	R270I	L327A	L363I	V420N
P044S	D103V	W181D	P226F	R270P	L327E	L363P	V420R
P044T	D103W	W181E	P226G	R270Y	L327F	L363Q	V420S
P044W	D103Y	W181F	P226L	I271A	L327G	L363R	V420T
P044Y	N104F	W181H	P226N	I271D	L327H	L363S	V420W
R045A	N104P	W181I	P226Q	I271E	L327N	L363T	V420Y
R045D	N104W	W181K	P226R	I271H	L327Q	L363V	V422C
R045F	L105C	W181L	P226S	I271K	L327R	L363W	V422D
R045G	L105M	W181R	P226T	I271T	L327S	H364A	V422G
R045P	L105N	W181S	P226V	I271W	L327T	H364C	V422H
R045W	G106A	W181V	P226W	V272A	L327V	H364D	V422L
I046P	G106C	G182A	P226Y	V272H	L327W	H364E	V422M
I046W	G106D	G182C	S227A	V272L	L327Y	H364F	V422N
N047V	G106F	G182D	S227F	V272N	P329C	H364G	V422Q
A048P	G106H	G182E	S227G	V272P	P329F	H364K	V422R
T049C	G106L	G182H	S227H	V272W	P329G	H364L	V422S
T049D	G106M	G182N	S227I	F273A	P329H	H364M	V422Y

TABLE 10: Inactive Mutants							
T049G	G106N	G182P	S227K	F273C	P329I	H364P	C423A
T049H	G106P	G182Q	S227L	F273D	P329K	H364R	C423D
T049P	G106S	G182R	S227M	F273G	P329L	H364S	C423E
	G106W	G182S	S227P	F273I	P329N	H364T	C423F
Q051C	G106Y	G182T	S227Q	F273L	P329Q	H364V	C423G
Q051F	M107A	G182V	S227R	F273P	P329R	H364Y	C423H
Q051I	M107C	G182Y	S227T	F273Q	P329S	L365A	C423L
Q051M	M107H	Y183C	S227V	F273S	P329T	L365C	C423M
Q051P	M107K	Y183D	S227W	F273V	P329V	L365D	C423P
Q051T	M107P	Y183E	S227Y	F273W	P329W	L365E	C423Q
Q051W	M107Q	Y183G	I228A	T274C	P329Y	L365G	C423R
Q051Y	M107S	Y183I	I228E	T274E	Y330A	L365M	C423S
G052C	M107V	Y183K	I228F	T274G	Y330C	L365N	C423T
G052E	M107W	Y183N	I228G	T274H	Y330D	L365P	C423V
G052F	A108D	Y183P	I228H	T274N	Y330E	L365Q	C423W
G052W	A108E	Y183Q	I228L	T274Q	Y330G	L365R	I424A
G052Y	A108F	Y183R	I228M	T274W	Y330I	L365S	I424C
V053A	A108K	Y183S	I228N	T274Y	Y330L	L365T	I424E
V053C	A108L	Y183V	I228P	D275A	Y330M	L365W	I424G
V053D	A108M	Y184A	I228R	D275F	Y330N	L365Y	I424H
V053E	A108P	Y184C	I228S	D275G	Y330P	N366A	I424N
V053G	A108Q	Y184D	I228T	D275I	Y330R	N366C	I424Q
V053H	A108T	Y184E	I228W	D275K	Y330S	N366E	I424R
V053L	A108V	Y184F	Y229E	D275L	Y330V	N366F	I424S
V053N	A108Y	Y184G	Y229F	D275M	Y330W	N366G	I424W
V053P	V109C	Y184H	Y229G	D275Q	I331A	N366K	I424Y
V053Q	V109D	Y184K	Y229K	D275T	I331C	N366M	A425E
V053R	V109E	Y184L	Y229L	D275V	I331D	N366P	A425L
V053S	V109L	Y184M	Y229P	D275W	I331E	N366Q	A425P
V053T	V109M	Y184P	Y229Q	Q276F	I331F	N366R	A425W
V053W	V109R	Y184R	Y229T	Q276P	I331H	N366T	A425Y
V053Y	V109T	Y184S	Y229V	Q276W	I331K	N366W	D426C
T054D	V109W	Y184V	Y229W	L278M	I331Q	P367E	D426F
T054E	I110F	L185A	L230A	L278P	I331R	P367F	D426M
T054G	I110K	L185D	L230E	K279A	I331S	P367I	D426R
T054P	I110L	L185E	L230G	K279C	I331T	P367L	G427A
T054R	I110M	L185F	L230H	K279F	I331W	P367M	G427C
T054Y	I110P	L185G	L230K	K279G	I331Y	P367Q	G427F
I055A	I110W	L185I	L230M	K279L	I332A	P367V	G427L
I055D	D111H	L185K	L230N	K279W	I332C	D368C	G427P
I055G	D111I	L185P	L230P	K279Y	I332D	D368P	

TABLE 10: Inactive Mutants							
I055H	D111Q	L185R	L230R	F280D	I332E	D368W	G427V
I055N	W112C	L185S	L230S	F280I	I332F	N369C	G427W
I055P	W112E	L185T	L230T	F280L	I332G	N369E	G427Y
I055Q	W112G	L185V	L230V	F280M	I332H	N369F	V428A
I055R	W112H	L185W	L230W	F280N	I332K	N369I	V428C
I055T	W112L	L185Y	L230Y	F280R	I332L	N369K	V428D
I055V	W112N	F186A	N231A	F280S	I332N	N369L	V428E
I055Y	W112P	F186D	N231C	F280T	I332P	N369P	V428G
F056A	W112S	F186G	N231D	F280V	I332R	N369Q	V428H
F056C	E113R	F186H	N231F	F280W	I332S	N369V	V428N
F056E	E113V	F186I	N231G	L281A	I332T	N369W	V428R
F056G	E114I	F186K	N231H	L281D	I332Y	F370A	V428S
F056H	E114L	F186L	N231I	L281G	N333G	F370D	V428Y
F056I	E114P	F186N	N231K	L281H	N333H	F370E	C429A
F056K	E114T	F186P	N231L	L281I	N333I	F370G	C429D
F056L	E114V	F186Q	N231P	L281K	N333K	F370H	C429K
F056P	W115A	F186R	N231Q	L281N	N333P	F370K	C429L
F056R	W115C	F186S	N231R	L281P	N333R	F370L	C429N
F056S	W115D	F186V	N231S	L281Q	N333S	F370N	C429P
F056T	W115F	F186W	N231V	L281R	N333T	F370P	C429S
F056V	W115G	P187A	T232C	L281S	N333W	F370Q	C429T
F056W	W115H	P187F	T232G	L281V	N333Y	F370R	C429V
Y057A	W115I	P187G	T232H	L281W	V334A	F370S	C429W
Y057D	W115K	P187H	T232K	S282F	V334C	F370V	C429Y
Y057F	W115L	P187I	T232L	S282L	V334D	F370Y	I430A
Y057G	W115M	P187L	T232N	S282V	V334E	A371P	I430D
Y057I	W115R	P187M	T232P	S282W	V334G	A371W	I430E
Y057L	W115S	P187N	T232Q	S282Y	V334M	I372A	I430L
Y057M	W115V	P187Q	T232V	Q283A	V334N	I372D	I430M
Y057P	W115Y	P187R	T232Y	Q283C	V334R	I372E	I430N
Y057Q	R116A	P187S	Q233D	Q283D	V334S	I372F	I430S
Y057R	R116C	P187T	Q233I	Q283F	T335F	I372G	I430T
Y057V	R116D	P187V	Q233P	Q283W	T335G	I372H	I430V
Y057W	R116E	P187W	Q233S	D284C	T335H	I372K	D431P
V058A	R116G	P187Y	Q233T	D284I	T335I	I372L	A432C
D059A	R116H	D188A	Q234A	D284P	T335K	I372N	A432F
D059E	R116I	D188C	Q234D	E285K	T335L	I372P	A432I
D059I	R116L	D188F	Q234E	E285P	T335P	I372R	A432K
D059L	R116N	D188G	Q234G	E285R	T335V	I372S	A432L
D059M	R116P	D188H	Q234H	E285T	T335W	I372T	A432M
D059P	R116Q	D188L	Q234N	E285V	T335Y	I372V	A432P

TABLE 10: Inactive Mutants							
D059R	R116S	D188M	Q234P	L286A	L336A	I372W	A432Y
D059T	R116V	D188N	Q234S	L286C	L336E	Q373C	L434H
D059V	R116W	D188P	Q234T	L286D	L336F	Q373P	L434K
D059W	P117D	D188Q	Q234V	L286F	L336G	Q373W	L434P
D059Y	P117G	D188R	Q234W	L286H	L336K	L374D	L434Q
R060A	P117I	D188S	S235F	L286K	L336N	L374E	L434R
R060D	P117K	D188T	S235L	L286M	L336P	E375C	L434W
R060F	P117N	D188V	S235M	L286P	L336R	E375F	P437T
R060G	P117Q	D188W	S235R	L286T	L336S	E375P	M438Y
R060H	P117R	C189A	S235W	L286Y	L336T	E375V	E439N
R060I	P117S	C189E	S235Y	V287A	L336V	E375Y	E439R
R060L	P117V	C189G	P236C	V287C	R121G	K376I	T440Q
R060N	P117W	C189H	W119L	V287D	R121H	K376P	E441R
R060P	T118C	C189K	W119N	V287E	R121K	K376W	E442M
R060Q	T118D	C189L	W119P	V287G	R121L	G377C	E442N
R060S	T118E	C189M	W119R	V287K	R121M	G377I	E442S
R060T	T118G	C189N	R121A	V287L	R121P	G377L	P443D
T118R	T118P	T118W	R121C	R121F	G378D	G377V	G378E
T118Y	W119I	W119A	W119K	R121E	G378F	G378I	

EXAMPLE 5

ASSAY FOR HYALURONIDASE ACTIVITY UNDER TEMPERATURE AND PHENOPHILIC CONDITIONS

Supernatants from PH20 activity variants set forth in Table 9, as identified in Example 4, were tested for stability uner thermophilic and/or phenophilic conditions. The assay to measure hyaluronidase activity under temperature and phenophile conditions using biotinylated-HA (bHA) as substrate for measuring hyaluronidase activity was modified from the original assay described in Example 3 in that it incorporated a 4-hour 37 °C incubation of samples with or without m-cresol prior to measurement of enzymatic activity. The assay was used to identify PH20 mutants with thermophilic properties (activity greater at 37 °C condition than at 4 °C) and/or with phenolphilic properties (greater activity in the presence of m-cresol than wildtype PH20).

1. Primary Screen

Prior to incubating samples with bHA, variant PH20 samples were diluted into designated wells of an uncoated 4XHB plate for pre-incubation at 37 °C for 4 hours under the following conditions: 1) pre-incubation at 37 °C with 0.4% m-cresol; and 2) pre-incubation at 37 °C without 0.4% m-cresol. For the preincubation at 37 °C with 0.4% m-cresol, a 1% m-

cresol intermediate stock was prepared from 50% (v/v) m-cresol stock solution. Briefly, in a 2 mL Wheaton glass vial a 50% stock of m-cresol (Fluka, Catalog No. 65996; Spectrum, Catalog No. C2773) was made in methanol based on the density (D=1.034 g/L). The vial was sealed and stored at -20°C with protection from light in small aliquotes. Then, the 1% intermediate stock was generated by dilution in HEPES assay buffer (10 mM HEPES, 50 mM NaCl, 1 mM $CaCl_2$, 1 mg/mL BSA, pH 7.4, 0.05% Tween-20) daily immediately prior to use in a fume hood with vortexing.

Then, duplicates of transfected variant supernatant samples set forth in Table 9, generated as described above in Example 2, were each separately subjected to a 1:2.5 dilution of 1% m-cresol in HEPES assay buffer/ transfected supernatant to obtain 0.4% final concentraion of m-cresol. For the preincubation at 37 °C without 0.4% m-cresol, transfected variant supernatant samples were subjected to a 1:2.5 dilution in HEPES assay buffer/transfected supernatant. In addition, for each condition, an internal killing control was also tested by spiking in 3 U/mL of rHuPH20 in pH 7.4 HEPES buffer (generated as described in Example 1) that was diluted the same as described above for the transfected samples. The plates were sealed with plate sealers and incubated at 37 °C for 4 hours.

The preparation of the bHA coated plates and blocking of the plates prior to addition of the transfected variant supernatants or wildtype PH20 was the same as described in Example 3. The assay was further modified as follows. First, samples were diluted in duplicate 1:10 in HEPES assay buffer in 4XHB plates. For each variant, the samples that were tested were 1) non-preincubated transfected variant supernatant (no incubation; 4 °C); 2) preincubated transfected variant supernatants preincubated at 37 °C for 4 hours with 0.4% m-cresol (Cresol); or 3) preincubated transfected variant supernatant preincubated at 37 °C for 4 hours without 0.4% m-cresol (no cresol; 37 °C). In addition, the spiked-in samples also were tested. A standard curve using rHuPH20 was made as described in Example 3 without m-cresol. One hundred microliters (100 µl) of each standard and sample were transferred to pre-designated wells of the bHA-coated and blocked plate and incubated for approximately 1.5 hours at 37 °C. Thus, each sample of each variant was tested in quadruplicate due to the preincubation of duplicate samples of each transfected variant supernatants in the pre-incubation step and the further duplicate of each sample in the bHA assay.

After the incubation, the plates were washed and binding to bHA detected as described above in Example 3. Optical density was measured at 450 nm within 30 minutes of adding the stop solution.

The U/mL activity was calculated from the standard curve and compared. The results were depicted as the percent (%) activity remaining under each of the following parameters:

ratio of activity at 1) 37 °C preincubation without m-cresol/4 °C; 2) 37 °C after preincubation with m-cresol/4 °C; and 3) 37 °C after preincubation with m-cresol/after preincubation at 37 °C without m-cresol. Initial phenophile hits for reconfirmation were identified as those that in a duplicate assay exhibited a percentage of remaining activity under condition 3) of ≥ 20% of the original activity at 37 °C.

Initial Hits were rescreened using a 6-well plate rescreen assay. For the rescreen, plasmid DNA corresponding to the potential Hit was transformed into *E. coli* bacteria and plasmid DNA prepared and purified using MaxiPrep according to the manufacturers instructions. The DNA sequence was confirmed.

The plasmid DNA was transfected into monolayer CHO-S cells (Invitrogen, Cat. No. 11619-012) grown on 6-well plates at a density of about 50-80% confluency using Lipofectamine 2000 (Invitrogen, Cat. No. 11668-027) according to the protocol suggested by the manufacturer. Transfections were performed in duplicate. The cells were incubated at 37 °C in a CO_2 incubator for 96 hours post-transfection before collecting the supernatant for the assay. As controls, cells also were transfected with the HZ24-PH20(OHO)-IRES-SEAP expression vector (SEQ ID NO:4) that contains a codon-optimized wildtype PH20 sequence (OHO). Mock cells also were included as controls.

Ninety-Six (96) hours post-transfections, supernatant was collected from each sample, including the OHO and mock controls, and assayed for hyaluronidase activity under various conditions as described above: 1) non-preincubated transfected variant supernatant (no incubation; 4 °C); 2) preincubated transfected variant supernatants preincubated at 37 °C for 4 hours with 0.4% m-cresol (Cresol; 37 °C); or 3) preincubated transfected variant supernatant preincubated at 37 °C for 4 hours without 0.4% m-cresol (no cresol; 37 °C). Hyaluronidase activity was determined as described above using the bHA assay.

The results were assessed as described above. Absolute hyaluronidase activity (U/mL) was generated from the standard curve. In addition, percent activity was determined as a ratio of activity at 37 °C/4 °C, 37 °C plus m-cresol/4 °C, and 37 °C plus m-cresol/37 °C. The results are set forth in Tables 11 and 12 below.

TABLE 11: Absolute Hyaluronidase Activity

Mutant	No incubation (4 °C)		37 °C no cresol (37 °C)		37 °C with m-cresol (37 °C plus m-cresol)	
L001A	2.993	2.511	3.529	3.214	0.287	0.295
L001E	2.669	2.539	2.862	3.179	0.376	0.341
L001G	0.348	0.583	0.596	0.676	0.055	0.031
L001Q	5.135	6.443	6.133	5.719	0.621	0.636
L001R	5.603	4.390	6.576	7.042	0.458	0.396

TABLE 11: Absolute Hyaluronidase Activity						
Mutant	No incubation (4 °C)		37 °C no cresol (37 °C)		37 °C with m-cresol (37 °C plus m-cresol)	
P006A	2.965	3.208	4.088	3.495	0.404	0.435
V008M	1.376	1.401	1.856	1.678	0.000	0.008
I009Q	0.447	0.381	0.469	0.476	0.031	0.030
P010G	0.747	0.564	0.820	0.688	0.123	0.114
P010H	0.473	0.485	0.624	0.548	0.000	0.000
N011S	0.862	0.962	1.313	1.263	0.094	0.064
V012E	11.019	5.519	5.312	5.528	0.753	0.934
V012I	2.804	3.844	3.610	6.566	0.106	0.090
V012K	1.691	1.963	2.479	2.243	0.330	0.321
F014V	0.144	0.165	0.222	0.242	0.003	0.000
L015M	0.902	1.073	1.026	0.901	0.017	0.017
A020S	1.494	2.205	2.822	2.620	0.413	0.397
S022T	3.035	3.788	3.375	3.273	0.684	0.748
L026M	1.482	1.226	2.027	1.704	0.224	0.178
K028R	0.944	0.845	1.043	0.925	0.112	0.095
F029R	1.195	1.511	1.848	1.839	0.140	0.140
F029S	3.019	3.615	3.566	3.521	0.250	0.283
F029T	1.451	1.712	1.839	2.065	0.220	0.212
P032C	0.370	0.419	0.476	0.534	0.006	0.040
L033G	0.566	0.700	0.686	0.627	0.001	0.026
D034W	0.340	0.321	0.499	0.471	0.076	0.069
M035V	0.887	0.639	0.721	0.652	0.116	0.023
S036H	1.109	0.752	1.178	1.135	0.117	0.026
S036N	0.797	0.933	0.893	0.859	0.171	0.260
L037M	0.574	0.404	0.455	0.353	0.049	0.032
F040L	2.603	3.941	3.515	4.148	0.277	0.361
I046L	3.027	2.959	4.011	3.342	0.513	0.557
N047D	2.222	2.359	2.573	2.639	0.032	0.021
N047W	0.404	0.415	0.423	0.456	0.000	0.017
A048N	12.398	45.971	14.252	23.873	0.797	0.902
T049R	7.893	13.334	9.685	12.102	0.563	0.649
G050D	3.287	3.148	3.084	3.020	0.242	0.264
G050M	1.763	2.333	2.780	3.244	0.250	0.393
G052N	7.217	9.809	6.939	13.978	1.109	1.083
G052T	1.542	1.224	1.795	1.433	0.381	0.463
G052S	2.152	1.999	2.120	1.963	0.498	0.566
V058C	1.428	1.312	1.321	1.301	0.212	0.210
V058K	28.000	28.000	61.016	61.016	23.586	23.586
V058R	5.719	4.688	5.542	4.822	3.134	3.149
V058N	1.200	1.175	1.550	1.525	0.200	0.175
V058Y	1.040	0.770	1.071	1.088	0.388	0.454
V058Q	11.956	15.363	18.458	45.092	1.567	2.166
V058P	3.360	2.949	2.799	5.121	0.592	0.884
V058H	3.790	5.074	7.590	9.222	0.826	1.205
D068P	0.215	0.215	0.213	0.180	0.001	0.184
S069T	1.927	2.179	2.671	2.671	0.289	0.240

TABLE 11: Absolute Hyaluronidase Activity						
Mutant	No incubation (4 °C)		37 °C no cresol (37 °C)		37 °C with m-cresol (37 °C plus m-cresol)	
I070P	1.284	1.593	1.306	1.589	0.010	0.032
I070V	1.818	2.437	3.099	3.335	0.433	0.363
V073Q	4.846	5.441	5.880	5.827	0.383	0.477
V073R	0.522	0.803	0.720	0.804	0.018	0.059
T074E	2.903	3.834	3.868	3.871	0.666	0.626
T074M	0.569	0.744	0.656	0.771	0.079	0.083
T074N	2.792	1.905	2.565	2.995	0.281	0.204
T074P	2.331	1.593	2.525	2.648	0.309	0.265
T074R	0.999	0.820	0.806	1.066	0.060	0.023
T074V	1.186	1.280	1.365	1.460	0.101	0.080
V075M	0.917	1.087	1.233	1.321	0.003	0.028
K082L	1.362	1.311	1.563	3.302	0.325	0.354
K082N	3.202	3.411	3.396	3.244	0.792	0.861
I083V	3.706	2.633	5.194	3.615	1.552	1.017
I083Q	2.376	1.946	2.665	3.674	0.720	0.510
I083S	0.841	1.054	0.880	1.005	0.235	0.268
I083G	2.276	2.443	2.418	1.866	0.545	0.601
S084E	1.470	1.484	1.834	1.683	0.115	0.115
S084F	1.179	1.212	0.982	1.103	0.025	0.000
S084N	2.255	1.888	3.268	2.476	0.597	0.547
S084R	8.534	14.779	10.230	30.016	1.117	1.494
Q086A	2.084	2.120	2.845	3.310	0.405	0.322
Q086H	1.187	1.000	1.218	1.296	0.087	0.065
Q086K	0.127	0.110	0.126	0.072	0.032	0.023
Q086S	2.528	2.082	2.539	2.149	0.173	0.241
Q086T	3.018	2.542	2.832	4.562	0.290	0.406
D087G	2.755	2.176	2.252	1.971	0.034	0.122
D087L	2.070	2.277	2.195	2.311	0.324	0.299
D087M	2.262	2.325	2.510	2.038	0.191	0.335
D087S	5.210	10.305	6.983	14.399	0.569	0.928
D087V	1.361	1.364	1.553	1.187	0.142	0.189
D090E	8.251	12.299	7.666	19.836	1.093	1.234
D090N	2.812	2.775	3.123	2.737	0.379	0.290
K093Q	2.491	2.065	2.267	1.971	0.132	0.131
K093R	2.986	2.862	3.094	2.842	0.362	0.465
K094D	2.393	2.088	2.071	2.132	0.135	0.211
K094R	1.407	1.542	1.764	1.676	0.158	0.166
T097C	0.330	0.618	0.545	0.505	0.044	0.087
T097D	0.520	0.565	0.643	0.664	0.055	0.073
T097E	1.096	1.410	1.394	1.623	0.217	0.262
T097L	0.899	1.198	1.065	1.241	0.246	0.300
N104R	2.508	2.356	2.876	2.790	0.279	0.238
A120H	2.155	2.551	2.028	2.883	0.168	0.199
D127R	0.264	0.339	0.149	0.199	0.105	0.068
V128I	3.120	3.313	3.546	3.401	0.389	0.504
N131M	15.335	20.678	27.143	15.899	0.505	0.447

TABLE 11: Absolute Hyaluronidase Activity						
Mutant	No incubation (4 °C)		37 °C no cresol (37 °C)		37 °C with m-cresol (37 °C plus m-cresol)	
N131R	8.195	8.748	7.724	8.392	1.645	1.626
N131V	1.656	1.870	2.280	1.962	0.233	0.214
R132L	3.306	3.235	3.259	2.966	0.337	0.430
Q138L	1.494	1.660	1.611	1.521	0.410	0.347
Q140K	2.829	4.065	4.996	4.464	0.546	0.559
N141R	1.290	1.320	1.334	1.527	0.058	0.035
N141S	2.201	2.708	2.900	2.966	0.135	0.164
N141W	1.475	1.568	1.927	1.643	0.100	0.105
V142D	2.552	2.186	2.914	3.193	0.128	0.067
V142G	1.357	1.796	1.597	1.621	0.211	0.219
V142K	3.532	2.381	3.867	3.681	0.571	0.575
V142N	0.432	0.567	0.672	0.589	0.103	0.087
V142P	4.624	7.213	7.722	7.021	1.074	1.081
V142Q	5.090	6.900	7.618	6.897	0.678	0.678
V142R	1.968	2.595	2.941	2.689	0.364	0.330
V142S	2.789	2.988	4.763	3.497	0.416	0.591
V142T	1.926	3.260	4.313	4.031	0.495	0.472
Q143G	3.922	4.903	5.632	4.846	0.782	0.780
Q143K	3.634	3.671	7.285	5.008	1.043	1.039
L144R	3.810	4.581	5.191	5.107	0.556	0.520
L144T	1.496	1.681	1.941	1.831	0.285	0.219
L146P	0.818	0.782	0.954	0.904	0.011	0.031
T147S	0.984	1.149	1.399	1.497	0.055	0.039
T150N	0.442	0.585	0.622	0.684	0.039	0.046
T150S	1.747	1.400	1.875	1.988	0.120	0.121
E151A	2.870	2.269	2.965	2.860	0.359	0.337
E151L	3.365	3.289	4.446	4.007	0.218	0.251
E151S	5.187	4.591	5.987	6.262	0.371	0.294
E151T	2.442	3.000	3.134	3.309	0.000	0.000
E151V	3.998	4.247	4.459	4.232	0.326	0.314
E151W	7.166	14.248	11.352	13.524	0.131	0.121
K152T	1.204	1.377	1.796	1.883	0.100	0.067
K152W	2.084	1.795	2.549	2.406	0.063	0.069
E158S	0.339	0.397	0.451	0.407	0.000	0.000
K162E	0.168	0.195	0.114	0.080	0.004	0.024
L165F	4.775	5.250	5.075	5.075	0.600	0.725
V166Q	1.883	2.507	2.937	2.958	0.392	0.324
V166T	0.993	1.315	1.821	1.800	0.231	0.235
E167D	0.811	0.910	1.109	1.480	0.111	0.056
I169L	1.812	1.796	2.540	2.196	0.335	0.341
K170R	1.578	2.054	2.536	1.995	0.209	0.201
G172A	0.413	0.581	0.692	0.777	0.052	0.056
K173R	1.654	1.551	1.766	2.083	0.173	0.156
L174G	0.184	0.087	0.210	0.230	0.026	0.031
L174N	1.616	2.276	2.494	2.872	0.331	0.543
L174T	0.552	0.566	0.689	0.820	0.090	0.050

TABLE 11: Absolute Hyaluronidase Activity						
Mutant	No incubation (4 °C)		37 °C no cresol (37 °C)		37 °C with m-cresol (37 °C plus m-cresol)	
N178K	2.931	4.375	4.891	4.513	0.258	0.362
N178R	8.160	13.820	16.287	20.033	0.665	0.790
H193Q	1.060	1.367	2.264	1.888	0.346	0.346
K195T	1.227	0.806	1.548	1.911	0.348	0.292
K195N	1.266	1.437	1.649	1.385	0.369	0.353
K196E	0.732	0.660	0.663	1.017	0.244	0.239
K196R	2.246	2.285	2.383	2.174	0.315	0.384
F204P	3.500	4.550	2.925	3.750	2.475	4.725
N205A	0.515	0.837	0.717	0.854	0.153	0.160
N205E	1.011	2.004	1.627	1.870	0.314	0.346
N205L	1.084	1.029	1.165	0.000	0.123	0.088
N205T	0.295	0.367	0.428	0.406	0.043	0.053
V206I	0.317	0.508	0.600	0.565	0.079	0.088
K209R	2.041	2.453	2.445	1.951	0.291	0.077
D212N	5.568	4.549	6.271	6.016	0.167	0.322
D212S	1.987	1.502	2.442	2.222	0.204	0.152
D213A	0.235	0.283	0.432	0.438	0.116	0.060
D213M	1.664	2.080	2.650	2.046	0.181	0.142
S215H	2.448	3.056	2.670	2.414	0.268	0.139
S215M	1.497	2.175	2.618	1.630	0.110	0.146
N219I	0.338	0.250	0.860	0.728	0.076	0.082
E220V	3.783	3.828	4.993	4.349	0.371	0.257
T222G	3.528	5.262	5.399	5.549	0.033	0.044
T232F	0.539	1.242	0.716	0.781	0.089	0.153
Q233G	0.041	0.095	0.115	0.121	0.000	0.000
Q234M	6.029	6.031	5.764	4.871	1.286	0.988
S235A	0.550	0.502	0.714	0.607	0.079	0.073
V237C	0.623	0.708	0.860	0.824	0.000	0.000
V237H	0.303	0.316	0.370	0.459	0.046	0.034
V237T	0.152	0.196	0.254	0.247	0.054	0.053
A238E	2.050	1.800	1.945	2.559	0.159	0.171
A238H	0.579	0.363	0.345	0.743	0.090	0.062
T240A	1.107	0.900	1.564	1.302	0.143	0.118
T240Q	0.333	0.510	0.542	0.617	0.080	0.085
R248A	2.274	2.499	2.575	3.115	0.027	0.075
E249V	3.001	3.894	4.284	4.325	0.655	0.712
P257G	3.981	4.452	4.985	5.022	0.039	0.034
K260M	0.719	0.960	0.839	0.935	0.072	0.068
S261A	3.253	3.117	1.872	2.686	1.264	1.451
S261K	6.089	5.421	9.860	6.297	1.583	1.437
S261N	14.149	40.257	20.219	14.303	2.115	1.917
A267T	0.052	0.095	0.102	0.106	0.036	0.041
F273H	0.340	0.436	0.417	0.519	0.025	0.031
F273Y	0.558	0.505	0.668	0.519	0.052	0.050
Q276H	2.706	1.877	2.027	1.997	0.181	0.201
Q276M	0.775	0.768	0.762	0.806	0.043	0.000

TABLE 11: Absolute Hyaluronidase Activity						
Mutant	No incubation (4 °C)		37 °C no cresol (37 °C)		37 °C with m-cresol (37 °C plus m-cresol)	
Q276R	6.080	9.717	7.383	14.593	0.807	1.281
Q276S	1.353	1.212	1.497	1.681	0.149	0.147
V277A	1.202	1.643	1.692	2.129	0.118	0.110
V277E	2.440	2.340	4.289	4.577	0.161	0.239
V277H	5.548	5.302	7.181	7.300	0.227	0.512
V277K	8.950	8.996	33.627	33.627	4.442	4.045
V277M	1.279	1.622	1.754	1.818	0.264	0.270
V277N	14.351	4.306	12.865	11.772	0.938	0.796
V277Q	5.459	5.461	6.547	6.343	0.373	0.493
V277R	18.300	12.038	17.581	20.641	2.737	2.023
V277S	14.351	10.444	9.509	15.135	0.727	0.716
V277T	8.412	7.804	8.497	11.184	0.679	0.871
L278E	4.416	2.795	3.330	2.800	0.170	0.202
L278G	7.502	7.456	9.173	7.760	0.596	0.612
K279H	0.888	1.087	1.234	1.339	0.185	0.269
V287T	0.580	0.667	0.843	0.832	0.139	0.100
T289S	0.783	1.019	0.819	1.001	0.008	0.007
G291S	0.227	0.322	0.419	0.385	0.051	0.016
G291V	3.662	3.707	4.131	5.599	0.821	0.706
E292C	1.344	1.599	1.711	1.617	0.138	0.144
E292F	6.106	4.697	8.422	6.216	0.520	0.363
E292H	2.620	3.316	4.458	3.830	0.389	0.451
E292R	2.810	2.178	3.155	2.829	0.398	0.339
E292V	0.891	1.121	1.453	1.494	0.193	0.177
T293A	1.986	3.110	2.546	1.789	0.086	0.076
A298G	0.161	0.274	0.342	0.236	0.030	0.022
L307G	0.616	0.661	0.726	0.605	0.000	0.000
S308D	0.264	0.325	0.337	0.344	0.014	0.010
S308K	0.651	0.722	0.826	0.716	0.011	0.000
S308N	3.995	4.406	6.808	6.128	0.386	0.362
I309E	3.166	2.819	3.921	3.663	0.637	0.528
I309G	6.651	5.429	6.824	6.194	0.503	0.400
I309L	0.326	0.403	0.501	0.431	0.048	0.047
I309M	2.809	2.473	3.467	3.383	0.278	0.239
I309N	4.865	5.191	5.444	5.054	0.380	0.327
I309S	10.719	28.759	18.217	158.604	0.748	1.367
I309T	3.052	2.509	2.989	3.735	0.228	0.207
I309V	1.705	1.292	1.929	1.787	0.029	0.062
M310G	4.514	6.397	7.568	7.084	0.866	0.915
M310Q	3.648	3.179	3.912	3.380	1.088	0.955
M313G	0.252	0.325	0.348	0.355	0.034	0.036
M313H	3.767	5.276	10.243	10.395	0.380	0.404
M313K	12.689	12.122	15.085	12.984	0.129	0.072
M313P	4.050	2.951	4.198	3.919	0.209	0.177
M313R	4.634	10.863	7.288	3.568	0.337	0.296
M313T	2.903	4.474	4.705	4.467	0.331	0.313

TABLE 11: Absolute Hyaluronidase Activity						
Mutant	No incubation (4 °C)		37 °C no cresol (37 °C)		37 °C with m-cresol (37 °C plus m-cresol)	
M313Y	1.063	1.262	1.276	1.300	0.096	0.089
K314S	2.848	4.450	4.042	5.879	0.391	0.533
K314Y	0.093	0.131	0.226	0.182	0.013	0.020
S315A	1.472	1.082	1.345	1.484	0.222	0.148
S315H	2.412	3.242	3.648	3.414	0.440	0.371
S315Y	0.279	0.626	0.477	0.362	0.146	0.143
L317A	3.254	2.845	4.019	3.776	0.280	0.317
L317I	1.078	1.524	2.021	1.687	0.257	0.180
L317K	12.129	9.382	11.668	12.591	0.402	0.445
L317N	2.907	3.066	3.703	3.717	0.445	0.540
L317R	8.631	15.187	20.585	15.106	0.796	0.857
L317S	11.586	29.267	10.535	25.114	1.637	1.613
L317T	1.338	1.073	1.953	1.656	0.136	0.018
L317W	0.810	1.128	1.326	1.665	0.158	0.171
L318D	1.750	1.970	1.847	1.930	0.322	0.322
L318H	1.073	0.806	1.072	1.005	0.046	0.074
L318R	2.856	3.464	4.583	4.187	0.258	0.260
N321R	3.069	4.409	5.059	4.946	0.482	0.426
N321S	0.683	0.710	0.700	0.772	0.058	0.035
E324N	4.309	2.530	4.508	3.321	0.348	0.303
T325E	1.071	1.270	1.337	1.352	0.193	0.143
N328G	0.379	0.504	0.747	0.553	0.031	0.040
N328Y	2.629	4.543	4.758	4.543	0.490	0.477
T335S	0.905	0.787	0.977	0.986	0.113	0.062
Q347A	8.316	11.961	8.432	11.508	0.918	1.266
Q347G	1.358	1.120	3.021	2.319	0.253	0.209
Q349M	1.493	1.629	1.486	1.760	0.178	0.217
Q349R	0.451	0.572	0.663	0.598	0.078	0.079
V351S	1.379	1.633	1.804	1.647	0.000	0.000
I353V	2.335	1.954	3.090	2.697	0.323	0.321
N356H	0.445	0.451	0.445	0.588	0.038	0.023
N356S	0.262	0.253	0.136	0.318	0.000	0.008
S359E	2.616	2.635	3.547	3.560	0.382	0.333
S359H	0.403	0.371	0.445	0.374	0.000	0.000
P367A	0.643	0.782	1.074	0.996	0.139	0.131
P367G	0.593	0.530	0.686	0.650	0.000	0.000
P367K	0.707	0.767	0.890	0.513	0.045	0.052
P367S	3.967	3.478	2.946	3.073	0.424	0.505
D368A	1.762	2.321	2.143	1.895	0.031	0.040
D368E	3.464	4.944	5.772	4.842	0.530	0.555
D368L	0.557	0.566	0.607	0.619	0.000	0.006
D368M	0.861	1.065	1.031	1.104	0.028	0.028
D368R	4.503	5.270	7.418	6.226	0.754	0.735
D368T	2.345	1.993	2.512	2.525	0.072	0.085
N369R	1.548	2.719	2.503	2.022	0.160	0.125
A371F	2.760	5.207	4.974	3.980	0.308	0.222

TABLE 11: Absolute Hyaluronidase Activity						
Mutant	No incubation (4 °C)		37 °C no cresol (37 °C)		37 °C with m-cresol (37 °C plus m-cresol)	
A371H	8.101	86.587	77.531	77.531	1.403	1.316
A371H	3.509	4.058	3.900	3.879	0.000	0.334
A371K	2.903	3.546	3.963	4.055	0.509	0.505
A371L	11.018	40.668	76.587	43.516	1.159	0.964
A371L	3.328	3.445	3.472	2.075	0.000	0.025
A371R	25.855	25.855	n/a	n/a	2.851	3.634
A371R	6.592	7.733	7.987	7.576	0.000	0.196
A371S	3.329	3.505	4.916	4.611	0.412	0.781
L374P	2.939	7.129	11.522	8.771	0.665	0.646
E375A	0.627	0.507	0.557	0.683	0.000	0.014
E375G	1.596	1.299	2.025	1.806	0.209	0.265
E375R	0.937	1.132	1.529	1.318	0.201	0.260
K376D	0.458	0.312	0.518	0.515	0.064	0.026
K376E	1.572	1.094	1.572	1.674	0.213	0.174
K376Q	0.727	0.940	0.910	0.846	0.116	0.102
K376R	2.086	1.351	1.704	2.690	0.539	0.279
K376T	0.847	1.001	1.026	1.135	0.153	0.064
K376V	0.834	0.861	1.036	1.021	0.033	0.026
K376Y	1.316	0.777	1.353	0.747	0.125	0.097
G377D	1.159	1.332	1.285	1.763	0.202	0.186
G377E	0.877	0.926	1.144	1.189	0.092	0.088
G377H	3.037	3.432	4.460	3.598	0.372	0.364
G377K	3.445	4.101	6.405	4.911	0.283	0.245
G377R	1.096	1.257	1.312	1.191	0.077	0.085
G377S	0.453	0.452	0.492	0.457	0.034	0.036
G377T	2.198	2.313	2.474	2.522	0.424	0.461
F380W	17.497	27.987	25.734	29.353	2.566	2.716
T381S	2.861	3.161	3.886	3.558	0.521	0.367
R383I	1.959	6.936	10.340	6.820	0.655	0.513
R383S	2.429	2.548	3.228	3.044	0.339	0.321
K385A	0.479	0.669	0.604	0.754	0.028	0.000
K385Q	1.746	2.089	2.403	2.609	0.217	0.196
K385V	1.232	1.750	1.387	1.410	0.071	0.042
E389A	6.872	10.944	21.081	24.610	0.449	0.449
E389G	0.166	0.203	0.188	0.284	0.004	0.000
E389L	1.814	2.142	2.598	2.403	0.370	0.303
E389Q	2.547	3.432	3.459	3.423	0.411	0.437
E389S	1.847	2.640	3.059	2.456	0.000	0.007
E392A	1.797	1.370	2.021	2.133	0.147	0.136
E392F	1.575	1.407	1.821	2.023	0.071	0.079
E392Q	5.826	4.653	6.583	4.364	0.693	0.729
E392R	4.555	5.306	5.900	6.548	0.218	0.193
E392V	3.817	2.936	4.747	4.544	0.367	0.291
Q393F	1.754	2.186	2.455	2.222	0.260	0.226
Q393M	1.252	1.826	1.749	1.588	0.028	0.049
S395A	4.220	6.127	8.788	6.906	1.141	0.856

TABLE 11: Absolute Hyaluronidase Activity						
Mutant	No incubation (4 °C)		37 °C no cresol (37 °C)		37 °C with m-cresol (37 °C plus m-cresol)	
S395H	1.609	2.261	2.574	2.564	0.323	0.268
E396A	1.135	1.184	1.497	1.524	0.126	0.149
E396H	0.357	0.532	0.751	0.684	0.069	0.022
E396Q	1.310	1.625	1.611	1.559	0.162	0.160
E396S	3.375	5.709	5.274	6.380	0.146	0.129
Y399T	2.538	3.250	3.313	3.989	0.000	0.002
Y399V	2.738	2.697	3.028	3.129	0.484	0.557
Y399W	1.400	1.883	1.715	1.946	0.236	0.233
S401A	2.636	3.171	3.216	3.148	0.447	0.410
S401E	1.685	1.601	2.110	2.060	0.344	0.309
S404A	1.288	1.635	1.924	1.724	0.000	0.019
L406F	0.706	0.490	0.867	0.716	0.000	0.000
L406N	0.617	0.795	0.943	1.044	0.060	0.070
S407A	2.428	2.949	3.432	3.255	0.389	0.548
S407D	2.090	5.790	5.038	5.682	0.569	0.575
S407P	2.660	2.708	3.812	3.301	0.261	0.366
A412Q	2.001	2.918	2.925	2.902	0.279	0.247
A412R	4.562	5.132	6.390	6.347	0.570	0.596
A412V	2.581	3.451	3.789	3.511	0.189	0.189
D416L	0.610	0.817	0.737	1.043	0.130	0.160
D418R	4.541	4.847	5.347	5.438	0.406	0.583
A419H	10.409	20.311	25.109	38.221	2.214	2.293
A419K	12.835	10.298	24.536	208.289	2.556	3.173
D421A	5.968	5.617	6.094	16.940	0.761	0.764
D421H	48.012	48.012	160.106	32.481	16.300	28.113
D421K	5.527	5.225	6.864	5.346	0.523	0.725
D421N	9.060	8.635	10.039	8.645	1.502	1.422
D421Q	7.529	5.581	7.858	8.016	0.842	0.994
D421R	6.637	5.463	9.211	7.537	0.815	0.737
D421S	5.556	5.355	7.899	8.898	0.869	0.762
A425G	10.421	8.827	7.796	10.676	0.827	1.189
G427Q	1.008	1.252	1.342	1.230	0.031	0.106
G427T	1.330	1.380	1.664	1.643	0.080	0.065
V428L	2.138	2.769	2.930	3.029	0.053	0.030
D431E	2.810	2.220	1.972	2.112	0.519	0.438
D431H	2.154	3.185	4.017	3.028	0.294	0.301
D431K	8.123	16.953	19.563	11.575	2.272	2.339
D431L	1.211	1.215	1.564	1.448	0.164	0.170
D431N	11.819	12.063	16.358	15.131	1.601	1.399
D431Q	6.077	9.828	14.157	10.760	1.533	1.153
D431S	14.523	10.220	11.338	9.075	0.853	0.829
F433A	4.035	4.673	5.943	4.649	0.581	0.595
F433H	1.836	2.397	2.574	2.108	0.347	0.356
F433I	2.754	2.643	2.990	2.299	0.338	0.382
F433K	17.815	14.495	16.240	49.615	1.806	1.790
F433R	8.198	6.719	10.572	8.960	1.113	0.857

TABLE 11: Absolute Hyaluronidase Activity						
Mutant	No incubation (4 °C)		37 °C no cresol (37 °C)		37 °C with m-cresol (37 °C plus m-cresol)	
F433T	6.005	5.941	9.716	8.019	1.327	1.542
F433V	10.645	7.762	150.315	8.696	2.415	1.505
F433W	0.526	0.795	0.784	0.903	0.082	0.068
P437I	0.759	0.996	1.130	1.066	0.027	0.019
M438A	1.996	1.518	2.125	2.060	0.214	0.210
M438D	2.849	2.522	3.002	2.857	0.305	0.074
M438E	4.681	4.992	5.386	5.680	0.431	0.518
M438L	10.127	5.268	6.663	11.324	0.670	0.739
M438N	6.172	5.531	8.050	5.568	0.649	0.662
M438T	2.218	2.411	2.308	2.500	0.309	0.304
E439A	3.557	4.432	4.883	4.235	0.568	0.596
E439A	1.099	0.998	1.694	1.470	0.080	0.109
E439C	0.148	0.256	0.286	0.286	0.042	0.045
E439K	0.466	0.588	0.580	0.616	0.077	0.065
E439P	2.868	3.736	3.394	3.267	0.529	0.490
E439Q	1.070	0.848	1.087	1.080	0.116	0.115
E439T	1.965	1.889	2.179	2.323	0.313	0.263
T440D	4.148	4.443	4.931	3.533	0.568	0.651
T440H	2.317	1.982	3.297	2.595	0.147	0.196
T440M	3.397	3.305	2.878	2.873	0.254	0.367
T440P	3.562	3.593	3.987	3.277	0.540	0.566
T440S	2.522	2.207	2.533	2.895	0.283	0.284
E441F	1.402	1.407	1.813	1.560	0.204	0.178
E442G	2.871	3.340	3.193	3.347	0.327	0.367
P443E	0.907	0.710	0.856	0.928	0.044	0.063
P443F	1.830	2.370	2.683	2.321	0.301	0.286
P443G	4.077	2.921	9.751	4.614	0.835	0.756
Q444E	8.293	3.861	6.800	6.213	0.581	0.594
Q444H	3.823	3.936	5.746	4.710	0.486	0.513
Q444V	2.193	2.107	2.847	2.583	0.384	0.284
I445M	5.265	4.438	4.480	4.489	0.773	0.691
I445N	3.375	4.024	3.592	3.515	0.499	0.455
I445W	2.289	2.694	2.683	2.695	0.314	0.296
Y447E	2.373	2.464	2.363	2.685	0.391	0.345
Y447G	0.945	1.352	1.358	1.401	0.187	0.162
Y447P	0.991	1.383	1.379	1.490	0.190	0.183
positive control (OHO)	2.919	2.173	2.773	2.105	0.145	0.178
	3.984	4.463	4.215	4.823	0.189	0.253
	3	2.725	3	3.325	0.1	0.125
	2.501	2.883	2.370	3.158	0.452	0.522
	7.629	2.989	10.835	3.914	0.485	0.219
	5.783	5.356	2.609	3.643	0.542	0.402
	5.279	5.422	2.815	4.026	0.618	0.401
	4.775	4.385	2.845	3.327	0.718	0.540
	3.617	4.264	3.322	3.427	0.633	0.479
	5.881	4.511	5.518	4.359	0.743	0.848

TABLE 11: Absolute Hyaluronidase Activity						
Mutant	No incubation (4 °C)		37 °C no cresol (37 °C)		37 °C with m-cresol (37 °C plus m-cresol)	
	6.754	4.932	3.902	4.120	0.665	0.724
	3.911	3.494	3.911	5.179	0.726	0.841
	5.406	7.559	4.018	4.620	0.735	0.429
	4.015	3.887	3.9400	3.4080	0.3340	0.3410
	2.604	2.339	2.4430	2.3910	0.2350	0.2330
	3.736	3.473	3.6210	3.0560	0.3100	0.2770
	3.759	3.509	3.6330	3.0490	0.3600	0.3030

n/a (not available; *e.g.*, beyond detection limit)

TABLE 12: Percent (%) Activity						
	duplicate 1			duplicate 2		
	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C
L001A	117.908	8.13	9.59	127.997	9.179	11.75
L001E	107.231	13.14	14.09	125.207	10.727	13.43
L001G	171.264	9.23	15.80	115.952	4.586	5.32
L001Q	119.435	10.13	12.09	88.763	11.121	9.87
L001R	117.366	6.96	8.17	160.410	5.623	9.02
P006A	137.875	9.88	13.63	108.946	12.446	13.56
V008M	134.884	0.00	0.00	119.772	0.477	0.57
I009Q	104.922	6.61	6.94	124.934	6.303	7.87
P010G	109.772	15.00	16.47	121.986	16.570	20.21
P010H	131.924	0.00	0.00	112.990	0.000	0.00
N011S	152.320	7.16	10.90	131.289	5.067	6.65
V012E	48.208	14.18	6.83	100.163	16.896	16.92
V012I	128.745	2.94	3.78	170.812	1.371	2.34
V012K	146.600	13.31	19.52	114.264	14.311	16.35
F014V	154.167	1.35	2.08	146.667	0.000	0.00
L015M	113.747	1.66	1.88	83.970	1.887	1.58
A020S	188.889	14.64	27.64	118.821	15.153	18.00
S022T	111.203	20.27	22.54	86.404	22.854	19.75
L026M	136.775	11.05	15.11	138.989	10.446	14.52
K028R	110.487	10.74	11.86	109.467	10.270	11.24
F029R	154.644	7.58	11.72	121.707	7.613	9.27
F029S	118.119	7.01	8.28	97.400	8.037	7.83
F029T	126.740	11.96	15.16	120.619	10.266	12.38
P032C	128.649	1.26	1.62	127.446	7.491	9.55
L033G	121.201	0.15	0.18	89.571	4.147	3.71
D034W	146.765	15.23	22.35	146.729	14.650	21.50
M035V	81.285	16.09	13.08	102.034	3.528	3.60
S036H	106.222	9.93	10.55	150.931	2.291	3.46
S036N	112.045	19.15	21.46	92.069	30.268	27.87
L037M	79.268	10.77	8.54	87.376	9.065	7.92
F040L	135.036	7.88	10.64	105.252	8.703	9.16

TABLE 12: Percent (%) Activity						
	duplicate 1			duplicate 2		
	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C
I046L	132.507	12.79	16.95	112.944	16.667	18.82
N047D	115.797	1.24	1.44	111.869	0.796	0.89
N047W	104.703	0.00	0.00	109.880	3.728	4.10
A048N	114.954	5.59	6.43	51.931	3.778	1.96
T049R	122.704	5.81	7.13	90.760	5.363	4.87
G050D	93.824	7.85	7.36	95.934	8.742	8.39
G050M	157.686	8.99	14.18	139.048	12.115	16.85
G052N	96.148	15.98	15.37	142.502	7.748	11.04
G052T	116.407	21.23	24.71	117.075	32.310	37.83
G052S	98.513	23.49	23.14	98.199	28.833	28.31
V058C	92.507	16.05	14.85	99.162	16.141	16.01
V058K	217.914	38.66	84.24	217.914	38.655	84.24
V058R	96.905	56.55	54.80	102.858	65.305	67.17
V058N	129.167	12.90	16.67	129.787	11.475	14.89
V058Y	102.981	36.23	37.31	141.299	41.728	58.96
V058Q	154.383	8.49	13.11	293.510	4.804	14.10
V058P	83.304	21.15	17.62	173.652	17.262	29.98
V058H	200.264	10.88	21.79	181.750	13.067	23.75
D068P	99.070	0.47	0.47	83.721	102.222	85.58
S069T	138.609	10.82	15.00	122.579	8.985	11.01
I070P	101.713	0.77	0.78	99.749	2.014	2.01
I070V	170.462	13.97	23.82	136.849	10.885	14.90
V073Q	121.337	6.51	7.90	107.094	8.186	8.77
V073R	137.931	2.50	3.45	100.125	7.338	7.35
T074E	133.241	17.22	22.94	100.965	16.172	16.33
T074M	115.290	12.04	13.88	103.629	10.765	11.16
T074N	91.870	10.96	10.06	157.218	6.811	10.71
T074P	108.323	12.24	13.26	166.227	10.008	16.64
T074R	80.681	7.44	6.01	130.000	2.158	2.80
T074V	115.093	7.40	8.52	114.063	5.479	6.25
V075M	134.460	0.24	0.33	121.527	2.120	2.58
K082L	114.758	20.79	23.86	251.869	10.721	27.00
K082N	106.059	23.32	24.73	95.104	26.541	25.24
I083V	140.151	29.88	41.88	137.296	28.133	38.63
I083Q	112.163	27.02	30.30	188.798	13.881	26.21
I083S	104.637	26.70	27.94	95.351	26.667	25.43
I083G	106.239	22.54	23.95	76.381	32.208	24.60
S084E	124.762	6.27	7.82	113.410	6.833	7.75
S084F	83.291	2.55	2.12	91.007	0.000	0.00
S084N	144.922	18.27	26.47	131.144	22.092	28.97
S084R	119.873	10.92	13.09	203.099	4.977	10.11
Q086A	136.516	14.24	19.43	156.132	9.728	15.19
Q086H	102.612	7.14	7.33	129.600	5.015	6.50

TABLE 12: Percent (%) Activity						
	duplicate 1			duplicate 2		
	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C
Q086K	99.213	25.40	25.20	65.455	31.944	20.91
Q086S	100.435	6.81	6.84	103.218	11.215	11.58
Q086T	93.837	10.24	9.61	179.465	8.900	15.97
D087G	81.742	1.51	1.23	90.579	6.190	5.61
D087L	106.039	14.76	15.65	101.493	12.938	13.13
D087M	110.964	7.61	8.44	87.656	16.438	14.41
D087S	134.031	8.15	10.92	139.728	6.445	9.01
D087V	114.107	9.14	10.43	87.023	15.922	13.86
D090E	92.910	14.26	13.25	161.281	6.221	10.03
D090N	111.060	12.14	13.48	98.631	10.596	10.45
K093Q	91.008	5.82	5.30	95.448	6.646	6.34
K093R	103.617	11.70	12.12	99.301	16.362	16.25
K094D	86.544	6.52	5.64	102.107	9.897	10.11
K094R	125.373	8.96	11.23	108.690	9.905	10.77
T097C	165.152	8.07	13.33	81.715	17.228	14.08
T097D	123.654	8.55	10.58	117.522	10.994	12.92
T097E	127.190	15.57	19.80	115.106	16.143	18.58
T097L	118.465	23.10	27.36	103.589	24.174	25.04
N104R	114.673	9.70	11.12	118.421	8.530	10.10
A120H	94.107	8.28	7.80	113.015	6.903	7.80
D127R	56.439	70.47	39.77	58.702	34.171	20.06
V128I	113.654	10.97	12.47	102.656	14.819	15.21
N131M	177.000	1.86	3.29	76.888	2.811	2.16
N131R	94.253	21.30	20.07	95.930	19.376	18.59
N131V	137.681	10.22	14.07	104.920	10.907	11.44
R132L	98.578	10.34	10.19	91.685	14.498	13.29
Q138L	107.831	25.45	27.44	91.627	22.814	20.90
Q140K	176.600	10.93	19.30	109.815	12.522	13.75
N141R	103.411	4.35	4.50	115.682	2.292	2.65
N141S	131.758	4.66	6.13	109.527	5.529	6.06
N141W	130.644	5.19	6.78	104.783	6.391	6.70
V142D	114.185	4.39	5.02	146.066	2.098	3.06
V142G	117.686	13.21	15.55	90.256	13.510	12.19
V142K	109.485	14.77	16.17	154.599	15.621	24.15
V142N	155.556	15.33	23.84	103.880	14.771	15.34
V142P	166.998	13.91	23.23	97.338	15.397	14.99
V142Q	149.666	8.90	13.32	99.957	9.830	9.83
V142R	149.441	12.38	18.50	103.622	12.272	12.72
V142S	170.778	8.73	14.92	117.035	16.900	19.78
V142T	223.936	11.48	25.70	123.650	11.709	14.48
Q143G	143.600	13.88	19.94	98.837	16.096	15.91
Q143K	200.468	14.32	28.70	136.421	20.747	28.30
L144R	136.247	10.71	14.59	111.482	10.182	11.35
L144T	129.746	14.68	19.05	108.923	11.961	13.03

TABLE 12: Percent (%) Activity						
	duplicate 1			duplicate 2		
	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C
L146P	116.626	1.15	1.34	115.601	3.429	3.96
T147S	142.175	3.93	5.59	130.287	2.605	3.39
T150N	140.724	6.27	8.82	116.923	6.725	7.86
T150S	107.327	6.40	6.87	142.000	6.087	8.64
E151A	103.310	12.11	12.51	126.047	11.783	14.85
E151L	132.125	4.90	6.48	121.830	6.264	7.63
E151S	115.423	6.20	7.15	136.397	4.695	6.40
E151T	128.337	0.00	0.00	110.300	0.000	0.00
E151V	111.531	7.31	8.15	99.647	7.420	7.39
E151W	158.415	1.15	1.83	94.919	0.895	0.85
K152T	149.169	5.57	8.31	136.747	3.558	4.87
K152W	122.313	2.47	3.02	134.039	2.868	3.84
E158S	133.038	0.00	0.00	102.519	0.000	0.00
K162E	67.857	3.51	2.38	41.026	30.000	12.31
L165F	106.283	11.82	12.57	96.667	14.286	13.81
V166Q	155.975	13.35	20.82	117.990	10.953	12.92
V166T	183.384	12.69	23.26	136.882	13.056	17.87
E167D	136.745	10.01	13.69	162.637	3.784	6.15
I169L	140.177	13.19	18.49	122.272	15.528	18.99
K170R	160.710	8.24	13.24	97.128	10.075	9.79
G172A	167.554	7.51	12.59	133.735	7.207	9.64
K173R	106.771	9.80	10.46	134.300	7.489	10.06
L174G	114.130	12.38	14.13	264.368	13.478	35.63
L174N	154.332	13.27	20.48	126.186	18.907	23.86
L174T	124.819	13.06	16.30	144.876	6.098	8.83
N178K	166.871	5.27	8.80	103.154	8.021	8.27
N178R	199.596	4.08	8.15	144.957	3.943	5.72
H193Q	213.585	15.28	32.64	138.113	18.326	25.31
K195T	126.161	22.48	28.36	237.097	15.280	36.23
K195N	130.253	22.38	29.15	96.381	25.487	24.57
K196E	90.574	36.80	33.33	154.091	23.500	36.21
K196R	106.100	13.22	14.02	95.142	17.663	16.81
F204P	83.571	84.62	70.71	82.418	126.000	103.85
N205A	139.223	21.34	29.71	102.031	18.735	19.12
N205E	160.930	19.30	31.06	93.313	18.503	17.27
N205L	107.472	10.56	11.35	0.000	#DIV/0!	8.55
N205T	145.085	10.05	14.58	110.627	13.054	14.44
V206I	189.274	13.17	24.92	111.220	15.575	17.32
K209R	119.794	11.90	14.26	79.535	3.947	3.14
D212N	112.626	2.66	3.00	132.249	5.352	7.08
D212S	122.899	8.35	10.27	147.936	6.841	10.12
D213A	183.830	26.85	49.36	154.770	13.699	21.20
D213M	159.255	6.83	10.88	98.365	6.940	6.83
S215H	109.069	10.04	10.95	78.992	5.758	4.55

TABLE 12: Percent (%) Activity						
	duplicate 1			duplicate 2		
	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C
S215M	174.883	4.20	7.35	74.943	8.957	6.71
N219I	254.438	8.84	22.49	291.200	11.264	32.80
E220V	131.985	7.43	9.81	113.610	5.909	6.71
T222G	153.033	0.61	0.94	105.454	0.793	0.84
T232F	132.839	12.43	16.51	62.882	19.590	12.32
Q233G	280.488	0.00	0.00	127.368	0.000	0.00
Q234M	95.605	22.31	21.33	80.766	20.283	16.38
S235A	129.818	11.06	14.36	120.916	12.026	14.54
V237C	138.042	0.00	0.00	116.384	0.000	0.00
V237H	122.112	12.43	15.18	145.253	7.407	10.76
V237T	167.105	21.26	35.53	126.020	21.457	27.04
A238E	94.878	8.17	7.76	142.167	6.682	9.50
A238H	59.585	26.09	15.54	204.683	8.345	17.08
T240A	141.283	9.14	12.92	144.667	9.063	13.11
T240Q	162.763	14.76	24.02	120.980	13.776	16.67
R248A	113.237	1.05	1.19	124.650	2.408	3.00
E249V	142.752	15.29	21.83	111.068	16.462	18.28
P257G	125.220	0.78	0.98	112.803	0.677	0.76
K260M	116.690	8.58	10.01	97.396	7.273	7.08
S261A	57.547	67.52	38.86	86.173	54.021	46.55
S261K	161.931	16.05	26.00	116.159	22.820	26.51
S261N	142.901	10.46	14.95	35.529	13.403	4.76
A267T	196.154	35.29	69.23	111.579	38.679	43.16
F273H	122.647	6.00	7.35	119.037	5.973	7.11
F273Y	119.713	7.78	9.32	102.772	9.634	9.90
Q276H	74.908	8.93	6.69	106.393	10.065	10.71
Q276M	98.323	5.64	5.55	104.948	0.000	0.00
Q276R	121.431	10.93	13.27	150.180	8.778	13.18
Q276S	110.643	9.95	11.01	138.696	8.745	12.13
V277A	140.765	6.97	9.82	129.580	5.167	6.70
V277E	175.779	3.75	6.60	195.598	5.222	10.21
V277H	129.434	3.16	4.09	137.684	7.014	9.66
V277K	375.721	13.21	49.63	373.799	12.029	44.96
V277M	137.138	15.05	20.64	112.084	14.851	16.65
V277N	89.645	7.29	6.54	273.386	6.762	18.49
V277Q	119.930	5.70	6.83	116.151	7.772	9.03
V277R	96.071	15.57	14.96	171.465	9.801	16.81
V277S	66.260	7.65	5.07	144.916	4.731	6.86
V277T	101.010	7.99	8.07	143.311	7.788	11.16
L278E	75.408	5.11	3.85	100.179	7.214	7.23
L278G	122.274	6.50	7.94	104.077	7.887	8.21
K279H	138.964	14.99	20.83	123.183	20.090	24.75
V287T	145.345	16.49	23.97	124.738	12.019	14.99
T289S	104.598	0.98	1.02	98.234	0.699	0.69

TABLE 12: Percent (%) Activity						
	duplicate 1			duplicate 2		
	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C
G291S	184.581	12.17	22.47	119.565	4.156	4.97
G291V	112.807	19.87	22.42	151.039	12.609	19.05
E292C	127.307	8.07	10.27	101.126	8.905	9.01
E292F	137.930	6.17	8.52	132.340	5.840	7.73
E292H	170.153	8.73	14.85	115.501	11.775	13.60
E292R	112.278	12.61	14.16	129.890	11.983	15.56
E292V	163.075	13.28	21.66	133.274	11.847	15.79
T293A	128.197	3.38	4.33	57.524	4.248	2.44
A298G	212.422	8.77	18.63	86.131	9.322	8.03
L307G	117.857	0.00	0.00	91.528	0.000	0.00
S308D	127.652	4.15	5.30	105.846	2.907	3.08
S308K	126.882	1.33	1.69	99.169	0.000	0.00
S308N	170.413	5.67	9.66	139.083	5.907	8.22
I309E	123.847	16.25	20.12	129.940	14.414	18.73
I309G	102.601	7.37	7.56	114.091	6.458	7.37
I309L	153.681	9.58	14.72	106.948	10.905	11.66
I309M	123.425	8.02	9.90	136.797	7.065	9.66
I309N	111.901	6.98	7.81	97.361	6.470	6.30
I309S	169.951	4.11	6.98	551.493	0.862	4.75
I309T	97.936	7.63	7.47	148.864	5.542	8.25
I309V	113.138	1.50	1.70	138.313	3.470	4.80
M310G	167.656	11.44	19.18	110.739	12.916	14.30
M310Q	107.237	27.81	29.82	106.323	28.254	30.04
M313G	138.095	9.77	13.49	109.231	10.141	11.08
M313H	271.914	3.71	10.09	197.024	3.886	7.66
M313K	118.882	0.86	1.02	107.111	0.555	0.59
M313P	103.654	4.98	5.16	132.802	4.516	6.00
M313R	157.272	4.62	7.27	32.845	8.296	2.72
M313T	162.074	7.04	11.40	99.844	7.007	7.00
M313Y	120.038	7.52	9.03	103.011	6.846	7.05
K314S	141.924	9.67	13.73	132.112	9.066	11.98
K314Y	243.011	5.75	13.98	138.931	10.989	15.27
S315A	91.372	16.51	15.08	137.153	9.973	13.68
S315H	151.244	12.06	18.24	105.305	10.867	11.44
S315Y	170.968	30.61	52.33	57.827	39.503	22.84
L317A	123.510	6.97	8.60	132.724	8.395	11.14
L317I	187.477	12.72	23.84	110.696	10.670	11.81
L317K	96.199	3.45	3.31	134.204	3.534	4.74
L317N	127.382	12.02	15.31	121.233	14.528	17.61
L317R	238.501	3.87	9.22	99.467	5.673	5.64
L317S	90.929	15.54	14.13	85.810	6.423	5.51
L317T	145.964	6.96	10.16	154.334	1.087	1.68
L317W	163.704	11.92	19.51	147.606	10.270	15.16
L318D	105.543	17.43	18.40	97.970	16.684	16.35

TABLE 12: Percent (%) Activity						
	duplicate 1			duplicate 2		
	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C
L318H	99.907	4.29	4.29	124.690	7.363	9.18
L318R	160.469	5.63	9.03	120.872	6.210	7.51
N321R	164.842	9.53	15.71	112.180	8.613	9.66
N321S	102.489	8.29	8.49	108.732	4.534	4.93
E324N	104.618	7.72	8.08	131.265	9.124	11.98
T325E	124.837	14.44	18.02	106.457	10.577	11.26
N328G	197.098	4.15	8.18	109.722	7.233	7.94
N328Y	180.981	10.30	18.64	100.000	10.500	10.50
T335S	107.956	11.57	12.49	125.286	6.288	7.88
Q347A	101.395	10.89	11.04	96.213	11.001	10.58
Q347G	222.459	8.37	18.63	207.054	9.013	18.66
Q349M	99.531	11.98	11.92	108.042	12.330	13.32
Q349R	147.007	11.76	17.29	104.545	13.211	13.81
V351S	130.819	0.00	0.00	100.857	0.000	0.00
I353V	132.334	10.45	13.83	138.025	11.902	16.43
N356H	100.000	8.54	8.54	130.377	3.912	5.10
N356S	51.908	0.00	0.00	125.692	2.516	3.16
S359E	135.589	10.77	14.60	135.104	9.354	12.64
S359H	110.422	0.00	0.00	100.809	0.000	0.00
P367A	167.030	12.94	21.62	127.366	13.153	16.75
P367G	115.683	0.00	0.00	122.642	0.000	0.00
P367K	125.884	5.06	6.36	66.884	10.136	6.78
P367S	74.263	14.39	10.69	88.355	16.433	14.52
D368A	121.623	1.45	1.76	81.646	2.111	1.72
D368E	166.628	9.18	15.30	97.937	11.462	11.23
D368L	108.977	0.00	0.00	109.364	0.969	1.06
D368M	119.744	2.72	3.25	103.662	2.536	2.63
D368R	164.735	10.16	16.74	118.140	11.805	13.95
D368T	107.122	2.87	3.07	126.693	3.366	4.26
N369R	161.693	6.39	10.34	74.366	6.182	4.60
A371F	180.217	6.19	11.16	76.436	5.578	4.26
A371H	957.055	1.81	17.32	89.541	1.697	1.52
A371H	111.143	0.00	0.00	95.589	8.610	8.23
A371K	136.514	12.84	17.53	114.354	12.454	14.24
A371L	695.108	1.51	10.52	107.003	2.215	2.37
A371L	104.327	0.00	0.00	60.232	1.205	0.73
A371R	#VALUE!	#VALUE!	11.03	#VALUE!	#VALUE!	14.06
A371R	121.162	0.00	0.00	97.970	2.587	2.53
A371S	147.672	8.38	12.38	131.555	16.938	22.28
L374P	392.038	5.77	22.63	123.033	7.365	9.06
E375A	88.836	0.00	0.00	134.714	2.050	2.76
E375G	126.880	10.32	13.10	139.030	14.673	20.40
E375R	163.180	13.15	21.45	116.431	19.727	22.97
K376D	113.100	12.36	13.97	165.064	5.049	8.33

TABLE 12: Percent (%) Activity						
	duplicate 1			duplicate 2		
	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C
K376E	100.000	13.55	13.55	153.016	10.394	15.90
K376Q	125.172	12.75	15.96	90.000	12.057	10.85
K376R	81.687	31.63	25.84	199.112	10.372	20.65
K376T	121.133	14.91	18.06	113.387	5.639	6.39
K376V	124.221	3.19	3.96	118.583	2.547	3.02
K376Y	102.812	9.24	9.50	96.139	12.985	12.48
G377D	110.871	15.72	17.43	132.357	10.550	13.96
G377E	130.445	8.04	10.49	128.402	7.401	9.50
G377H	146.855	8.34	12.25	104.837	10.117	10.61
G377K	185.922	4.42	8.21	119.751	4.989	5.97
G377R	119.708	5.87	7.03	94.749	7.137	6.76
G377S	108.609	6.91	7.51	101.106	7.877	7.96
G377T	112.557	17.14	19.29	109.036	18.279	19.93
F380W	147.077	9.97	14.67	104.881	9.253	9.70
T381S	135.827	13.41	18.21	112.559	10.315	11.61
R383I	527.820	6.33	33.44	98.328	7.522	7.40
R383S	132.894	10.50	13.96	119.466	10.545	12.60
K385A	126.096	4.64	5.85	112.706	0.000	0.00
K385Q	137.629	9.03	12.43	124.892	7.512	9.38
K385V	112.581	5.12	5.76	80.571	2.979	2.40
E389A	306.767	2.13	6.53	224.872	1.824	4.10
E389G	113.253	2.13	2.41	139.901	0.000	0.00
E389L	143.219	14.24	20.40	112.185	12.609	14.15
E389Q	135.807	11.88	16.14	99.738	12.767	12.73
E389S	165.620	0.00	0.00	93.030	0.285	0.27
E392A	112.465	7.27	8.18	155.693	6.376	9.93
E392F	115.619	3.90	4.51	143.781	3.905	5.61
E392Q	112.993	10.53	11.89	93.789	16.705	15.67
E392R	129.528	3.69	4.79	123.407	2.947	3.64
E392V	124.365	7.73	9.61	154.768	6.404	9.91
Q393F	139.966	10.59	14.82	101.647	10.171	10.34
Q393M	139.696	1.60	2.24	86.966	3.086	2.68
S395A	208.246	12.98	27.04	112.714	12.395	13.97
S395H	159.975	12.55	20.07	113.401	10.452	11.85
E396A	131.894	8.42	11.10	128.716	9.777	12.58
E396H	210.364	9.19	19.33	128.571	3.216	4.14
E396Q	122.977	10.06	12.37	95.938	10.263	9.85
E396S	156.267	2.77	4.33	111.753	2.022	2.26
Y399T	130.536	0.00	0.00	122.738	0.050	0.06
Y399V	110.592	15.98	17.68	116.018	17.801	20.65
Y399W	122.500	13.76	16.86	103.346	11.973	12.37
S401A	122.003	13.90	16.96	99.275	13.024	12.93
S401E	125.223	16.30	20.42	128.670	15.000	19.30
S404A	149.379	0.00	0.00	105.443	1.102	1.16

TABLE 12: Percent (%) Activity						
	duplicate 1			duplicate 2		
	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C
L406F	122.805	0.00	0.00	146.122	0.000	0.00
L406N	152.836	6.36	9.72	131.321	6.705	8.81
S407A	141.351	11.33	16.02	110.376	16.836	18.58
S407D	241.053	11.29	27.22	98.135	10.120	9.93
S407P	143.308	6.85	9.81	121.898	11.088	13.52
A412Q	146.177	9.54	13.94	99.452	8.511	8.46
A412R	140.070	8.92	12.49	123.675	9.390	11.61
A412V	146.804	4.99	7.32	101.739	5.383	5.48
D416L	120.820	17.64	21.31	127.662	15.340	19.58
D418R	117.749	7.59	8.94	112.193	10.721	12.03
A419H	241.224	8.82	21.27	188.179	5.999	11.29
A419K	191.165	10.42	19.91	2022.616	1.523	30.81
D421A	102.111	12.49	12.75	301.584	4.510	13.60
D421H	333.471	10.18	33.95	67.652	86.552	58.55
D421K	124.190	7.62	9.46	102.316	13.562	13.88
D421N	110.806	14.96	16.58	100.116	16.449	16.47
D421Q	104.370	10.72	11.18	143.630	12.400	17.81
D421R	138.783	8.85	12.28	137.964	9.778	13.49
D421S	142.171	11.00	15.64	166.162	8.564	14.23
A425G	74.810	10.61	7.94	120.947	11.137	13.47
G427Q	133.135	2.31	3.08	98.243	8.618	8.47
G427T	125.113	4.81	6.02	119.058	3.956	4.71
V428L	137.044	1.81	2.48	109.390	0.990	1.08
D431E	70.178	26.32	18.47	95.135	20.739	19.73
D431H	186.490	7.32	13.65	95.071	9.941	9.45
D431K	240.835	11.61	27.97	68.277	20.207	13.80
D431L	129.149	10.49	13.54	119.177	11.740	13.99
D431N	138.404	9.79	13.55	125.433	9.246	11.60
D431Q	232.960	10.83	25.23	109.483	10.716	11.73
D431S	78.069	7.52	5.87	88.796	9.135	8.11
F433A	147.286	9.78	14.40	99.486	12.798	12.73
F433H	140.196	13.48	18.90	87.943	16.888	14.85
F433I	108.569	11.30	12.27	86.984	16.616	14.45
F433K	91.159	11.12	10.14	342.290	3.608	12.35
F433R	128.958	10.53	13.58	133.353	9.565	12.75
F433T	161.799	13.66	22.10	134.977	19.229	25.96
F433V	1412.071	1.61	22.69	112.033	17.307	19.39
F433W	149.049	10.46	15.59	113.585	7.530	8.55
P437I	148.880	2.39	3.56	107.028	1.782	1.91
M438A	106.463	10.07	10.72	135.705	10.194	13.83
M438D	105.370	10.16	10.71	113.283	2.590	2.93
M438E	115.061	8.00	9.21	113.782	9.120	10.38
M438L	65.794	10.06	6.62	214.958	6.526	14.03
M438N	130.428	8.06	10.52	100.669	11.889	11.97

TABLE 12: Percent (%) Activity						
	duplicate 1			duplicate 2		
	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C	% activity at 37 °C/4 °C	% activity 37 °C + m-cresol/37 °C	% activity 37 °C + m-cresol/4 °C
M438T	104.058	13.39	13.93	103.691	12.160	12.61
E439A	137.279	11.63	15.97	95.555	14.073	13.45
E439A	154.140	4.72	7.28	147.295	7.415	10.92
E439C	193.243	14.69	28.38	111.719	15.734	17.58
E439K	124.464	13.28	16.52	104.762	10.552	11.05
E439P	118.340	15.59	18.44	87.446	14.998	13.12
E439Q	101.589	10.67	10.84	127.358	10.648	13.56
E439T	110.891	14.36	15.93	122.975	11.322	13.92
T440D	118.877	11.52	13.69	79.518	18.426	14.65
T440H	142.296	4.46	6.34	130.928	7.553	9.89
T440M	84.722	8.83	7.48	86.929	12.774	11.10
T440P	111.931	13.54	15.16	91.205	17.272	15.75
T440S	100.436	11.17	11.22	131.174	9.810	12.87
E441F	129.315	11.25	14.55	110.874	11.410	12.65
E442G	111.216	10.24	11.39	100.210	10.965	10.99
P443E	94.377	5.14	4.85	130.704	6.789	8.87
P443F	146.612	11.22	16.45	97.932	12.322	12.07
P443G	239.171	8.56	20.48	157.960	16.385	25.88
Q444E	81.997	8.54	7.01	160.917	9.561	15.38
Q444H	150.301	8.46	12.71	119.665	10.892	13.03
Q444V	129.822	13.49	17.51	122.591	10.995	13.48
I445M	85.090	17.25	14.68	101.149	15.393	15.57
I445N	106.430	13.89	14.79	87.351	12.945	11.31
I445W	117.213	11.70	13.72	100.037	10.983	10.99
Y447E	99.579	16.55	16.48	108.969	12.849	14.00
Y447G	143.704	13.77	19.79	103.624	11.563	11.98
Y447P	139.152	13.78	19.17	107.737	12.282	13.23
positive control (OHO)	94.998	5.23	4.97	96.871	8.456	8.19
	105.798	4.48	4.74	108.066	5.246	5.67
	100.000	3.33	3.33	82.7780	3.759	4.59
	94.762	19.07	18.07	109.539	16.529	18.11
	142.024	4.48	6.36	130.947	5.595	7.33
	45.115	20.77	9.37	68.017	11.035	7.51
	53.324	21.95	11.71	74.253	9.960	7.40
	59.581	25.24	15.04	75.872	16.231	12.31
	91.844	19.05	17.50	80.371	13.977	11.23
	93.828	13.47	12.63	96.630	19.454	18.80
	57.773	17.04	9.85	83.536	17.573	14.68
	100.000	18.56	18.56	148.226	16.239	24.07
	74.325	18.29	13.60	61.119	9.286	5.68
	98.132	8.48	8.32	87.677	10.006	8.77
	93.817	9.62	9.02	102.223	9.745	9.96
	96.922	8.56	8.30	87.993	9.064	7.98
	96.648	9.91	9.58	86.891	9.938	8.63

n/a (not available; *e.g.*, beyond detection limit)

2. Summary of Results for F204P

For mutant F204P, the results above of tested supernatant from transient transfection of CHO-S cells incubated in the presence of m-cresol in a bHA enzymatic activity assay showed that the F204P mutant protein was highly resistant to 0.4% m-cresol treatment. The results showed that the activity that remained after 4 hours incubation with 0.4% m-cresol at 37°C was approximately equal to the activity observed when the enzyme was incubated at either 4 °C or at 37 °C in the absence of m-cresol. The positive control (WT PH20 – OHO) showed a reduction in activity of 75% and 83% on the day of the assay (as assayed from two different OHO transfections). This demonstrated that the F204P phenophile was able to retain 60% to 90% or greater of its activity above the residual activity of the wildtype PH20 control enzyme.

In order to confirm the stability of F204P upon m-cresol treatment or exposure to increased temperature, a second transfection of F204P was performed in duplicate using CHO-S cells, and clarified supernatant was again tested for its stability at 4 °C, at 37 °C for 4 hours with 0.4% m-cresol and at 37 °C for 4 hours without 0.4% m-cresol. The results confirmed that the F204P mutant enzyme retained a high amount of hyaluronidase activity after the 4 hour incubation in m-cresol at 37 °C. The results were similar to the results seen in the first screening of the mutant, with F204P retaining anywhere from 57% to greater than 90% of its activity above the residual activity of the wildtype PH20 control enzyme after the 4 hour incubation.

A summary of the enzyme activity of F204P compared to the wildtype control is set forth in Table 13.

Table 13: Summary of Enzyme Activity

Transfection #	Remaining Activity after 4h incubation (37 °C + m-cre / 37 °C)		Net % Increase in Activity Over WT (37 °C)	Remaining Activity after 4h incubation (37 °C + m-cre / 4°C)		Net % Increase in Activity Over WT (4 °C)
	F204P	WT (OHO)		F204P	WT (OHO)	
1	73.6%	16.4%	57.2%	86.0%	25.3%	60.7%
2	122.3%	25.2%	97.1%	109.7%	16.6%	93.1%

EXAMPLE 6

LARGE SCALE EXPRESSION AND PURIFICATION OF PH20 HIT VARIANT

1. Expression and Purification

HZ24-PH20-IRES-SEAP plasmid DNA containing cDNA encoding one of the variant PH20 was transfected into monolayer CHO-S cells as generally described in Example 2. CHO-S cells were cultured in shaker flasks using CD-CHO media supplemented with GlutaMAX (8 mM). On the day of transfection, 15 flasks were prepared of approximately 300 mL volume containing the CHO-S cells at an approximate density of 1.0×10^6 cells/mL. Each 300 mL flask was transfected using 375 µg of plasmid DNA encoding the F204P mutant combined with 375 µL of Freestyle MAX transfection reagent. The transfected plasmid DNA had a sequence of nucleotides set forth in SEQ ID NO:4 containing a codon change of TTC to CCT at nucleotide positions 1733-1735, thereby encoding the F204P mutant. The transfected cells were then allowed to remain in culture for 96 hours, whereupon the cells and media were harvested and pooled. The cells were pelleted by centrifugation (4000 x *g*, 20'), and the supernatant retained for purification of the F204P protein (approximately 4.5 liters).

The crude supernatant was concentrated 10x using a 30 kDa Tangential flow filter (TFF) system (Millipore Pellicon XL, Bimax 30, 200 mL void volume; 50 cm^2 filter surface area) until the volume was approximately 450 mL. The permeate was saved for assay to detect flow through of the F204P protein. A free-flow buffer exchange for the retentate was then performed using 4 liters of buffer (10 mM $NaPO_4$; 25 mM NaCl, pH 7.2). The volume of the retentate was reduced again to approximately 200 mL, and then the remaining permeate in the system was purged (void volume ~200 mL) and the system was flushed using approximately 50 mL of buffer to yield a final concentrated product of approximately 450 mL.

An anti-rHuPH20 affinity column was prepared by coupling antigen affinity purified Rabbit anti-rHuPH20 IgG to CNBr-activated Sepharose 4 Fast Flow (GEHealth catalog No. 17-0981-01). Briefly, 0.7 g of pre-activated Sepharose 4 powder was suspended in 1 mM HCl in a 10 mL glass column for 30 minutes to allow the powder to swell. The solution was drained from the column and washed with 15 gel volumes (about 30 mL) of cold 1 mM HCl by gravity. The column was washed with 5 gel volumens of coupling buffer (0.1M $NaHCO_3$, 0.5M NaCl at pH 8.3). Next, 5 mg of Rabbit anti-rHuPH20 IgG at > 1.0 mg/mL in coupling buffer was added to the column at a protein/gel ratio of 2-3 mg/mL gel. The column was rotated head to head at 4 °C overnight. The flow-through was collected for coupling efficiency determination. The gel was washed with 2 gel volumes of coupling buffer, and then washed and resuspended in 1 M ethanolaminine pH 9.5 for 2 hours at room temperature

to block unused activated sites. The gel was washed 6 times with 5 gel volumes per wash alternating coupling buffer and 0.1 NaAc, 0.5M NaCl, pH 4.5. The gel was then washed with 10 gel volumes of TBS (20 mM Tris-HCl, 0.15 M NaCl, pH 7.5). The coupling efficiency was determined (1-post-coupling protein concentration/pre-coupling protein concentration x 100%). The antibody coupled gel was stored in TBS with 0.02% NaN_3 at 4 °C.

The concentrated supernatant product was subsequently loaded onto a anti-rHuPH20 affinity column at an approximate rate of 5 mL/min. The elution was performed according to standard procedure using a GE™ AKTA FPLC purification system (GE Healthcare, Product No. 18-1900-26), whereby the protein was eluted via a low pH glycine wash (0.1 M glycine-HCl, pH 2.5) in 1 mL fractions. Each fraction was immediately neutralized by the addition of 100 µL of 1M Tris, pH 7.5.

The eluted protein was assayed by resolving protein bands on a 4-20% SDS-PAGE gradient Tris-glycine gel. SeeBlue®Plus2 Pre-stained MW standards (Life Teechnologies; Catalog No. LC5925) were used as molecular weight standards, and 50 ng rHuPH20 (as described in Example 1) was used as a positive control. The polyacrylamide gel was stained with Instant Blue to show total protein from each fraction. To confirm the bands on the gel are PH20, the gel was tranferred to a PVDF membrane (Invitrogen), which was subjected to Western Blot using a Rabbit anti-PH20 primary antibody generated by immunizing rabbits with rHuPH20 and an HRP-Goat anti-rabbit secondary antibody (Calbiochem, Cat. No. DC03L).

Then, the flow-through from the initial loading of the affinity column was re-loaded onto the column twice due to the low capacity of the affinity column. All fractions containing the protein were then combined resulting in a total volume that was approximately 13 mL. This product was then dialyzed overnight versus four liters of buffer (10 mM $NaPO_4$, 140 mM NaCl, pH 7.2) using a Slide-A-Lyzer Dialysis Cassette G2 (20,000 MWCO) with a 15 mL capacity. The buffer was then changed and the product dialyzed against a second fresh four liters of the same buffer. The F204P protein was then concentrated using an Amicon Ultra Centrifugation column (Millipore; 10,000 MWCO) to a final volume of approximately 450 µL (10 minutes at 4000 xg).

2. Characterization of Protein

The purfied protein was characterized for its protein concentration, activity, and purity.

To determine the protein concentration of the purified protein, a quantification ELISA was performed as described in Example 7. Also, hyaluronidase activity was determined as described in Example 3. The protein concentration after centrifugation was

estimated to be approximately 400 µg/mL. The purified protein also was resolved on a 4-20% SDS-PAGE gradient Tris-glycine gel, which was then stained with Instant Blue. The staining results demonstrated that the protein was essentially a single molecular weight protein of approximately 63 kDa, similar to the rHuPH20 control. No appreciable degradative products were detected by this method. Approximate yields of the protein at various timepoints and activity during the purification are described in Table 14.

TABLE 14: Characterization of Purification Steps

		Activity Assay		Quant ELISA Assay		
Purification Step	**Volume (mL)**	**Activity (U/mL)**	**Total Activity (U)**	**Protein Conc. (µg/mL)**	**Total Protein (µg)**	**Specific Activity (U/µg)**
Supernatant	4500	2.66	11,700	0.046	207	56.5
Conc. after TFF & Buffer Exchange	450	42	18,900	0.4	178	105.9
Pooled Fractions 5-7 after AC, Dialysis & Conc. – A280	0.45	11,741	5283	396	180	35.3

The purity of the purified protein was determined by Reverse Phase HPLC (RP-HPLC). The elution time from the reverse phase column was essentially identical as that observed with the recombinant human hyaluronidase (HUB), and provides a basis for crude estimation of the purity of the sample at approximately 80-90%.

EXAMPLE 7

QUANTIFICATION USING ELISA

The quantification of PH20 or variants were performed using an ELISA that captures the protein using a monoclonal anti-rHuPH20 capture antibody. Specifically, one day prior to performing the ELISA, 96-well 4HBX plates were coated with capture antibody (Protein G purified rabbit polyclonal anti-PH20 antibody generated by immunizing rabbits with rHuPH20; 1 mg/mL stock) at 1 µg/mL in 100 mM phosphate (pH 7.2) in a total volume of 100 µL per well. The plates were stored at 4 °C overnight. On the next day, the plates were washed 5x with 1xPBS at 300 µL/well with a plate washer. After each wash, the plated were patted dry on paper towels. Then, the plates were blocked with 200 µL PBS containing Tween 20 (1xPBST) per well at room temperature for 1 hour.

The standards and samples were added to the plate. For generation of the standard, a 1 mg/mL stock of rHuPH20 (Example 1) was freshly diluted to 50 µg/mL in HEPES pH 7.4 assay buffer as an intermediate stock. Then, for the standards, the 50 µg/mL stock was diluted in duplicates into 360 µL of 0.5xPBST at 300 ng/mL for the first standard (first row).

For the other standard rows, 240 µL 0.5xPBST were added to each well, and 1:3 serial dilutions made. For the transfected supernatant samples, 360 µL per well was added in duplicate into the first row, and each were also serially diluted as described above into 0.5x PBST. For purified samples, 100 µL was added per well. The plates were incubated for 2 hours at room temperature. After incubation, the plates were washed 5x with 1xPBST at 300 µL/well using a plate washer. After each wash, the plates were patted dry on paper towels.

An HRP-conjugated anti-PH20 antibody was prepared for detection using an HRP conjugation kit (Pierce, Thermo-Fisher; Catlog No. 31489). 1 mg of a Protein G purified rabbit polyclonal antibody generated by immunizing rabbits with rHuPH20 was diluted in 1 mL PBS and 1 mL of 2 x carbonate kit buffer. Next, 100 µL of peroxidase were added to 1 mL of the above antibody solution and incubated at room temperature for 1 hour. Then, 10 µL $NaBH_4$ stock was added in a fume hood, and the sample incubated at room temperature for 20 minutes. To quench the reaction, 20 µL of ethanolamine was added and incubated at room temperature for 15 minutes. To this, 1/25 volume 5% human serum albumin (0.1 mL syringe) was added to give a 2 mg/mL albumin stock reaction. The pH was adjusted to about 7.9 by addition of 250 µL of 1 M Tris pH 7.4. The concentration of the stock was 400 µg/mL. The stock solution was further diluted 1/10 in PBS Tween20 (0.05%) containing 0.5% human serum albumin and preservatives, and then was sterile filtered. The stock was stored at 4 °C or was frozen at -20 °C.

Antibodies were detecting using the HRP-conjugated anti-PH20 antibody that was diluted 1000x into 0.5x PBST. 100 µL of the diluted antibody was added to all wells of the plate and the plate incubated for a further 2 hours at room temperature. After incubation, the plates were washed 5x with 1xPBST at 300 µL/well using a plate washer. After each wash, the plates were patted dry on paper towels. Then, 100 µL of TMB substrate were added to each well and the reaction was stopped after 5-10 minutes by adding 100 µL of stop solution per well. The plate was read at OD_{450}.

EXAMPLE 8

DETERMINATION OF ENZYMATIC ACTIVITY OF PH20

Enzymatic activity of PH20 in samples such as cell cultures, purification fractions and purified solutions was determined using a turbidimetric assay, which is based on the formation of an insoluble precipitate when hyaluronic acid binds with cetylpyridinium chloride (CPC). The activity is measured by incubating PH20 with hyaluronan for a set period of time (30 minutes) and then precipitating the undigested hyaluronan with the addition of

CDC. The turbidity of the resulting sample is measured at 640 nm. The decrease in turbidity resulting from enzyme activity on the hyaluronan substrate is a measure of the PH20 enzymatic activity. The method is run using a calibration curve generated with dilutions of a PH20 assay working reference standard (rHuPH20 standard generated as described in Example 1), and sample activity measurements are made relative to this calibration curve.

Dilutions of the sample and standards were prepared in Enzyme Diluent Solution (70 mM NaCl, 0.1% human serum albumin [HSA], 0.67 g/L gelatin hydrolysate in 25 mM PIPES buffer, pH 5.5). The samples were diluted to an appropriate concentration. Hyaluronic acid (HA, average MW of 20 – 50 kDa) from Lifecore Biomedical (Chaska, MN) also was prepared at 1 mg/mL in substrate solution that contains 25 mM PIPES, 70 mM NaCl at pH 5.5. Equal amounts of the above two solutions were mixed to prepare a 1 mL reaction mixture and incubated at 37 °C for 30 min. The reaction was stopped by addition of 4 mL of Cetylpyridinium Chloride Solution (CPC, 5.0 mg/mL). After brief vortexing, the turbidity of the sample mixture was read at 640 nm and the activity was determined by fitting against a standard curve. Specific activity (Units/mg) was calculated by dividing the enzyme activity (U/mL) by the protein concentration (mg/mL).

EXAMPLE 9

STABILITY OF F204P-PH20 VARIANT IN PRESERVATIVE

To confirm the screening results, an amount estimated to be about 450 U/mL of the purified F204P protein as described in Example 6 was formulated in 10 mM sodium phosphate, pH 6.5, 120 mM NaCl, 10 mM methionine, 0.01% Pluronic F-68, 0.1% phenol and 0.15% m-cresol. A test article that also contained an amount estimated to be about 450 U/mL wild type rHuPH20 (generated as described in Example 1) in the same formulation was also prepared to serve as a control. Each formulation solution was aliquotted in 0.5 mL and filled into 2 mL USP Type I borosilicate glass with a chlorobutyl rubber stopper and an aluminum seal. The vials were incubated at 5 °C, 30 °C or 37 °C. Samples were withdrawn from the incubator at various times and enzymatic activity was measured as described in Example 8.

The results of the enzymatic activity measurements are shown in Table 15. As can be seen, the rHuPH20 wild type control showed a rapid decrease in activity when incubated at 37 °C in the presence of phenolic preservatives. In contrast, the F204P mutant showed no significant loss in activity throughout the study. The results also show that activity of PH20 is retained after incubation for up to 4 weeks at 5 °C and 30 °C compared to the activity of the rHuPH20 wildtype control not containing the mutation. These results confirm that F204P

tolerates EPB level of preservative (0.1% phenol and 0.15% m-cresol) and is stable at 37 °C for at least up to 6 days at at 5 °C and 30 °C for greater than one month.

TABLE 15: Stability of rHuPH20 wildtype and F204P mutant incubated at with preservative

ID	PH20 relative activity (%) at 5 °C			PH20 relative activity (%) at 30 °C			PH20 relative activity (%) at 37 °C		
	T0	2w	4w	6d	2w	4w	2d	4d	6d
F204P	100	-	91.8	84.1	100	96.6	105	91.1	95.9
wildtype control	100	-	81.9	66.7	61.7	60.5	48.6	29.6	15.2

EXAMPLE 10

STABILITY OF F204P-PH20 VARIANT IN INSULIN COFORMULATION

The PH20 variant F204P was tested for its stability in a coformulation containing an insulin analog (insulin aspart or insulin lispro).

In the tested coformulations, the insulin lispro was a commercial product (Insulin Lispro: Eli Lilly Humalog® (insulin Lispro) 100 U/mL, Lot A572364).

In the tested coformulations, the insulin aspart analog was a reprocessed aspart prepared by pooling 12 vials (10 mL each) of a commercial product (Insulin Aspart: Novo Nordisk, NovoRapid® (insulin Aspart), Lot XS60195), which was then concentrated using an Amicon Ultracel-10 K column concentrator until the final concentration was about 5 times the original concentration. The insulin analog was precipitated by addition of 1 M sodium acetate, pH 5.3 and 30 mM zinc chloride ($ZnCl_2$, EMD, Cat No. ZX0065-1) at 1/10 of the protein solution volume. The solution was placed on ice for 30 minutes followed by centrifugation at 5600 rpm for 20 minutes in an Avanti J-E Centrifuge with JS-5.3 swinging bucket rotor (Beckman Coulter). The supernatant was decanted and the pellet was resuspended and washed with 20 mM sodium acetate, 2 mM zinc chloride, pH 5.5 solution. The resuspended solution was centrifuged as described above. The washing step was repeated a total of 5 times. A final wash was performed with 20 mM sodium acetate, pH 5.5 to remove all traces of zinc chloride. The resulting protein paste was dissolved with water containing 20 mM HCl. After complete dissolution, 250 mM Tris, pH 10.7 was added to a final Tris concentration of 20 mM. The pH of the resulting solution was adjusted such that the insulin analog was formulated as described below and the protein concentration was adjusted to about 15-20 mg/mL. An insulin analog prepared in this way typically had a yield of about 90%, with a residual preservative concentration at less than 100 times the starting material.

Briefly, three (3) formulations were generated each containing 600 Units (U) of PH20-F204P or wildtype rHuPH20 (generated as described in Example 1) for a total of 6 formulations as set forth in Table 16:

TABLE 16: Summary of Insulin Formulations

ID	pH	Buffer		Tonicity modifier	Anti-Ox		Metal	Surfactant	Preservatives		API	
		$NaPO_4$	Tris/HCl	NaCl	Methionine	Glycerin	Zn	F68	Phenol	m-Cresol	PH20 (U/mL)	Analog (mg/mL)
F1.Humalog + F204P	7.0-7.8	13.2 mM				173.7 mM	0.242 mM			0.315%	600	3.5
F2.Humalog + wt	7.0-7.8	13.2 mM				173.7 mM	0.242 mM			0.315%	600	3.5
F3.Aspart + F204P	7.3		30 mM	100 mM	5 mM			0.010%	0.100 %	0.150%	600	3.5
F4.Aspart + wt	7.3		30 mM	100 mM	5 mM			0.010%	0.100 %	0.150%	600	3.5
F5.Aspart + F204P	7.3		30 mM	100 mM	5 mM			0.010%		0.315%	600	3.5
F6.Aspart+ wt	7.3		30 mM	100 mM	5 mM			0.010%		0.315%	600	3.5

Each formulation solution was dispensed in 0.5 mL aliquots into 2 mL USP Type I borosilicate glass vials with a chlorobutyl rubber stopper and an aluminum seal. The vials were incubated at 5 °C, 30 °C and 37 °C. Samples were withdrawn from the incubator at scheduled time points for enzymatic activity measurements as described in Example 8.

The results of the enzymatic activity measurements for samples incubated at 37 °C, 30 °C and 5 °C are shown in Tables 17-19, respectively. At 37 °C, the enzymatic activity of samples containing wildtype rHuPH20 (F2, F4 and F6) were almost totally lost within two days of incubation. In contrast, after 6 days incubation at 37 °C, formulation F3 and F5, which contains PH20-F204P, lost only about 10% and 30%, respectively. The PH20-F204P formulated in commercial Humalog (F1) lost most of its activity within 2 days at 37 °C most likely due to the lack of NaCl in the formulation.

A similar trend for enzymatic activities of ampoules incubated at 30 °C was noted between the PH20-F204P and rHuPH20. For formulations that contain an EPA preservative level, the differences between wild type and F204P were dramatic (Table 17; F1 and F5 vs. F2 and F6). When the preservative concentration was reduced to an EPB level (F3 and F4), the F204P still outperformed wildtype rHuPH20, although there was slighly higher rHuPH20 stability compared to EPA conditions. In both EPA and EPB preservative levels, PH20-F204P was able to maintain its activity up to 14 days at 30 °C when 100 mM of NaCl was included in the formulation.

Table 17. Enzymatic activity of rHuPH20 wild type and F204P mutant incubated at 37 °C					
ID	PH20 activity U/mL, (% of remaining activity)				
	Initial Activity	2d	4d	6d	2w
F1.Humalog + F204P	583 (100%)	61 (10%)	15 (3%)	10 (2%)	-
F2.Humalog + wt	439 (100%)	4 (1%)	-	-	-
F3.Aspart + F204P	625 (100%)	613 (98%)	496 (79%)	570 (91%)	532 (85%)
F4.Aspart + wt	566 (100%)	58 (10%)	24 (4%)	4 (1%)	-
F5.Aspart + F204P	657 (100%)	484 (74%)	462 (70%)	478 (73%)	360 (55%)
F6.Aspart+ wt	596 (100%)	-1 (0%)	-	-	-

Table 18. Enzymatic activity of rHuPH20 wild type and F204P mutant incubated at 30°C				
ID	PH20 activity U/mL, (% of remaining activity)			
	Initial Activity	6d	2w	4w
F1.Humalog + F204P	583 (100%)	345 (59%)	250 (43%)	111 (19%)
F2.Humalog + wt	439 (100%)	1 (0%)	16 (4%)	-1
F3.Aspart + F204P	625 (100%)	601(96%)	650(104%)	579 (93%)
F4.Aspart + wt	566 (100%)	428 (76%)	390 (69%)	277 (49%)
F5.Aspart + F204P	657 (100%)	632 (96%)	655 (100%)	561 (85%)
F6.Aspart+ wt	596 (100%)	145 (24%)	65 (11%)	9 (1.5%)

TABLE 19: Enzymatic Activity at 5 °C			
ID	PH20 activity (U/mL) at 5 °C		
	Initial Activity	2w	4w
F1.Humalog + F204P	583	544	565
F2.Humalog + wt	439	428	404
F3.Aspart + F204P	625	647	607
F4.Aspart + wt	566	580	496
F5.Aspart + F204P	657	695	574
F6.Aspart+ wt	596	583	519

EXAMPLE 11

STABILITY OF V58R-PH20 IN INSULIN COFORMULATION

A. Stability of V58R-PH20

The PH20 variant V58R was expressed in CHO-S cells as described in Example 2 or Example 6. The transfected plasmid DNA had a sequence of nucleotides set forth in SEQ ID NO:4 containing a codon change of GTG to CGG at nucleotide positions 1295-1297, thereby encoding the V58R mutant. The V58R mutant was tested for its stability in a coformulation containing insulin aspart (insulin aspart analog prepared as described in Example 10) and under EPA or EPB preservative levels. Briefly, four (4) formulations were generated each

containing 600 Units (U) of PH20-V58R or wildtype rHuPH20 (generated as described in Example 1) as set forth in Table 20. Formulations F1 and F2 represent the EPB preservative levels while formulations F3 and F4 represent the EPA preservative levels.

TABLE 20: Summary of Insulin Formulations

ID	pH	Buffer		Tonicity modifier	Anti-Ox		Metal	Surfac-tant	Preservatives		API	
		$NaPO_4$	Tris/HCl	NaCl	Methionine	Glycerin	Zn	F68	Phenol	m-Cresol	PH20 (U/mL)	Analog (mg/mL)
F1.Aspart + V58R	7.3		30 mM	100 mM	5 mM			0.010%	0.100%	0.150%	600	3.5
F2.Aspart + rHuPH20 wt	7.3		30 mM	100 mM	5 mM			0.010%	0.100%	0.150%	600	3.5
F3.Aspart + V58R	7.3		30 mM	100 mM	5 mM			0.010%		0.315%	600	3.5
F4.Aspart+ rHuPH20 wt	7.3		30 mM	100 mM	5 mM			0.010%		0.315%	600	3.5

Each formulation solution was dispensed in 0.5 mL aliquots into 2 mL USP Type I borosilicate glass vials with a chlorobutyl rubber stopper and an aluminum seal. The vials were incubated at 30 °C and 37 °C. Samples were withdrawn from the incubator at scheduled time points for enzymatic activity measurements as described in Example 8.

The results of the enzymatic activity measurements for samples incubated at 37 °C and 30 °C are shown in Table 21 and Table 22. At 37 °C, the enzymatic activity of samples containing wildtype rHuPH20 (F2 and F4) were almost totally lost within two days of incubation. In contrast, after 6 days incubation at 37 °C, formulations F1 (EPB) and F3 (EPA), containing V58R-PH20, lost only about 25% and 40% activity, respectively. At 30 °C, the enzymatic activity of samples containing wildtype rHuPH20 also was dramatically reduced in the presence of EPA or EPB preservatives levels within one month of incubation, although there was a slighlty less dramatic loss in activity in the presence of EPB preservative levels. In constrast, for V58R-PH20, there was no loss of enzymatic activity for either tested formulation up to 1 month.

Table 21. Enzymatic activity of rHuPH20 wild type and V58R mutant incubated at 37 °C

Formulation	PH20 activity U/mL			
	Initial Activity	2d	4d	6d
F1.Aspart + V58R	1350	1099	1094	1006
F2.Aspart + rHuPH20 wt	677	53	-3	-
F3.Aspart + V58R	1189	793	581	464
F4.Aspart+ rHuPH20 wt	744	12	-9	-

Table 22. Enzymatic activity of rHuPH20 wild type and V58R mutant incubated at 30 °C			
Formulation	**PH20 activity U/mL**		
	Initial Activity	**2 weeks**	**4 weeks**
F1.Aspart + V58R	1350	1368	1208
F2.Aspart + rHuPH20 wt	677	422	256
F3.Aspart + V58R	1189	1228	1171
F4.Aspart+ rHuPH20 wt	744	21	-5

B. Comparison of Stability of F204P and V58R

The PH20 variant V58R-PH20 was compared to F204P for its stability in a coformulation containing insulin aspart (insulin aspart analog prepared as described in Example 10) and under EPA or EPB preservative levels. Briefly, eight (8) formulations were generated as set forth in Table 23. Formulations F1-F4 represent the EPB preservative levels while formulations F5-F8 represent the EPA preservative levels. Formulations F3 and F4 and formulations F7 and F8 were identical and represent the wildtype control formulations formulations used for the EPB or EPA studies, respectively.

TABLE 23: Summary of Insulin Formulations												
ID	pH	Buffer		Tonicity modifier	Anti-Ox		Metal	Surfactant	Preservatives		API	
		$NaPO_4$	Tris/HCl	NaCl	Methionine	Glycerin	Zn	F68	Phenol	m-Cresol	PH20 U/mL	Analog mg/mL
F1.Aspart + V58R	7.3		30 mM	100 mM	5 mM			0.010%	0.100%	0.150 %	600	3.5
F2 Aspart + F204P	7.3		30 mM	100 mM	5 mM			0.010%	0.100%	0.150 %	600	3.5
F3.Aspart + rHuPH20 wt(1)	7.3		30 mM	100 mM	5 mM			0.010%	0.100%	0.150 %	600	3.5
F4.Aspart + rHuPH20 wt(2)	7.3		30 mM	100 mM	5 mM			0.010%	0.100%	0.150 %	600	3.5
F5.Aspart + V58R	7.3		30 mM	100 mM	5 mM			0.010%		0.315 %	600	3.5
F6 Aspart + F204P	7.3		30 mM	100 mM	5 mM			0.010%		0.315 %	600	3.5
F7.Aspart + rHuPH20 wt(1)	7.3		30 mM	100 mM	5 mM			0.010%		0.315 %	600	3.5
F8.Aspart + rHuPH20 wt(2)	7.3		30 mM	100 mM	5 mM			0.010%		0.315 %	600	3.5

Each formulation solution was dispensed in 0.5 mL aliquots into 2 mL USP Type I borosilicate glass vials with a chlorobutyl rubber stopper and an aluminum seal. The vials were incubated at 30 °C and 37 °C. Samples were withdrawn from the incubator at scheduled time points for enzymatic activity measures as described in Example 8.

The results show that the percentage hyaluronidase activity in the tested formulations after preincubation at 37 °C was slightly greater for both PH20 mutants when formulated in EPB and not EPA preservative levels. While the percent of activity remaining was greater than 80% for both tested mutants after 6 days incubation in formulations containing EPB preservative levels, it was less in the presence of EPA preservative levels. For example, the activity remaining at 6 days in EPA preservative levels was slightly less than 80% after 6 days for F204P-PH20, while it was only about 40% for V58R-PH20. Hence, the results also show that at 37 °C, V58R-PH20 is somewhat less stable than the F204P-PH20, in particular in a formulation with EPA preservative levels. Aftter incubation at 30 °C for at least a week, the F204P-PH20 and V58R-PH20 were stable and exhibited almost 100% initial activity in the presence of both EPA and EPB preservative levels. In contrast, rHuPH20 exhibited only about 40% of its initial activity after 4 weeks at 30 °C in the presence of EPB preservative levels, while it exhibited no detectable activity after 4 weeks at 30 °C in the presence of EPA preservative levels.

EXAMPLE 12

EXPRESSION OF F204P-PH20 USING A LENTIVIRUS EXPRESSION VECTOR

A lentivirus expression vector, pLV-EF1a-PH20(F204P)-IRES-GFP-Bsd was generated containing a codon-optimized mutant hyaluronidase cDNA encoding F204P-PH20. The sequence of pLV-EF1a-PH20(F204P)-IRES-GFP-Bsd is set forth in SEQ ID NO:925. The pLV-EF1a-PH20(F204P)-IRES-GFP-Bsd vector contains an ampicillin resistance gene (AmpR) located at nucleotides 8611-9471, an EF1a promoter at residues 1933 to 2327, an IRES at residues 4786-5370, a GFP-Bsd at residues 5394-6527 and nucleotides encoding F204P-PH20 at residues 3369-4781.

Lentivirus was produced as described in Bandaranayake et al. ((2011) Nucleic Acids Research, 39:e143). Briefly, 293T cells (ATCC) were plated at 6 x 10^6 cells onto 10 cm tissue culture plates. After 24 hours, 6 μg of psPAX2 (SEQ ID NO:926; Addgene plasmid No. 12260), 3 μg of PMD2.G (SEQ ID NO:927; Addgene plasmid #12259) and 9 μg lentiviral vector plasmid pLV-EF1a-PH20(F204P)-IRES-GFP-Bsd were mixed in 1.5 mL Opti-MEM (Life Technologies). 45 μL of Lipofectamine 2000 (LF2000; Life Technologies) were diluted into 1.5 mL Opti-MEM (Life Technologies). The DNA and LF2000 were mixed gently, and

incubated at room temperature for 20 minutes to allow the DNA and lipid to form complexes. In the meantime, the overnight culture medium was replaced with 5.0 mL DMEM + 10% FBS without antibiotics. A volume of 3.0 mL containing the DNA-LF2000 complexes were added to the 293T cells. The medium containing the DNA-LF2000 complexes was replaced with 10 mL complete medium at 12-16 hours post-transfection. The supernatant was collected at 48 hours post-transfection and the medium was transferred to a polypropylene storage tube. The virus-containing medium was spun at 1300 rpm for 5 minutes to pellet any 293T cells that were carried over during collection. The supernatant was carefully transferred to a sterile polypropylene storage tube.

CHO-S cells (Invitrogen) were grown in CHO-S media (Invitrogen) with shaking at 120 rpm at 37 °C and 5% CO_2 in vented 125-mL shake flasks (Nalgene). For transduction, CHO-S cells were added to wells of a six-well plate at 2×10^6 cells per well in 2 ml of CHO-S media containing 4 µg/mL hexadimethrine bromide at a final concentration of 4 µg/mL (Polybrene; SIGMA). Virus was added to each well at a multiplicity of infection (MOI) of 10 and the cells were incubated with shaking (120 rpm) at 37 °C and 5% CO_2 for 6 hours. The cells were then harvested and pelleted by low speed centrifugation (500 x *g*, 5 min). The transduction medium was removed and replaced with 10 mL of fresh CHO-S medium (Invitrogen) supplemented with GlutaMax (50 mL/liter) and transferred to a T-25 flask. Three days post infection, blasticidin (Invitrogen) was added to the growth medium at a concentration of 1 µg/mL. The medium was changed regularly at 3-4 day intervals, and the cells were transferred to a T75 flask for expansion. Two weeks after the initial infection, the cells were expanded to shaker flasks and maintained in culture using medium containing 1 µg/mL blasticidin. F204P-PH20 protein secreted into the CHO-S medium was collected and purified by affinity chromatography using an anti-rHuPH20 affinity column as described in Example 6. The protein was prepared in standard API buffer (10 mM Histidine, 130 mM NaCl, pH 6.5).

EXAMPLE 13

ANALYSIS OF SECONDARY STRUCTURE AND MELTING TEMPERATURE

The secondary structure and melting temperature of the PH20 variant F204P was tested and compared to wild-type rHuPH20 (generated as described in Example 1) to further assess stability of the variant. The secondary structure was tested by circular dichroism. A Jasco J-810-150S equipped with PTC-424S was employed for the CD spectral measurement and the CD spectra were collected by Spectra Manager (Version 1.5, Jasco). Procedures for instrumental set up and data collection are described in Table 24.

Table 24: CD Spectroscopy Operation Conditions	
Parameters	**Conditions**
Nitrogen flow rate	25 ft^3/h
Sample temperature	30-75 °C
Sample concentration	Approx. 0.1 mg/mL
Cell pathlength	1 mm
Wavelength	220 nm
Data pitch	1 °C
Delay time	60 seconds
Temperature slope	1 °C/min
Sensitivity	standard
Response	4 seconds
Band width	1 nm

1. Sample Preparation and Measurement

Two hundred (200) µL of a 0.1 mg.mL protein sample diluted in McIlvaine's buffer (McIlvaine (1921) JBC 49:183) adjusted to pH 6.5 were prepared. A series of samples of the F204P variant were also generated that varied in pH by adjustment using McIlvaine's buffer to a pH range from 5.0 to 7.5 as set forth in Table 25. In addition, samples also were generated by adjusting the NaCl concentration to 17.5 mM to 140 mM as set forth in Table 26. Samples were filtered using a 0.2 µm syringe filter prior to measurement. Similar samples were generated for rHuPH20. Then, 200 µL samples were transferred to a rectangular cuvetted having a 1 mm width and seated on Jasco J-810 spectropolarimeter. CD spectra of the samples were collected under the conditions described in Table 20. The melting temperature (T_m) was calculated using Spectra Manager (v 1.5, Jasco) from the CD spectral intensity measured at the temperature range from 30 °C to 75 °C. The cuvettes were cleaned by Chromerge® cleaner (C577-12, Fisher scientific) between individual sample loading and after the run.

Table 25: Sample pH and concentration				
Target pH	**Actual pH**	**F204P (µL)**	**Buffer (µL)**	**F204P concentration (mg/mL)**
5.0	4.92	25	175	0.1
5.5	5.38	25	175	0.1
6.0	5.99	25	175	0.1
6.5	6.49	25	175	0.1
7.0	7.00	25	175	0.1
7.5	7.5	25	175	0.1

Table 26: Sodium Concentration in Samples at pH 6.5				
Target NaCl concentration (mM)	**NaCl, 2.8 M (µL)**	**F204P (µL)**	**Buffer at pH 6.5 (µL)**	**F204P concentration (mg/mL)**

17.5	0.00	25	175	0.1
50.0	2.32	25	172.7	0.1
75.0	4.11	25	170.9	0.1
100.0	5.89	25	169.1	0.1
140.0	8.75	25	166.3	0.1

2. Results

The results show that the secondary structure of F204P is similar to rHuPH20. As a function of temperature, circular dichroism showed that a change in the absorption was measured with increasing temperatures. As a function of pH, the T_m distribution was closely comparable for both F204P and rHuPH20 and the highest T_m for each was obtained between pH 5.5 and pH 6.0. The results, however, showed that T_m of the F204P variant was approximately 9 °C higher at all tested ranges than wildtype rHuPH20. This result indicated that the F204P mutant is more stable against thermal stress conditions. As a function of salt, the results show that the F204P and wildtype rHuPH20 both exhibited an increasing T_m with higher salt concentration, showing that both have a proportional inclination toward salt concentration.

Example 14

Assessment of Enzymatic Activity In an Intradermal Trypan Blue Dispersion Assay

Spreading activity of the PH20 variant F204P was assessed using a dye dispersion *in vivo* assay. Briefly, purified PH20 variant F204P (prepared as described in Example 12) and wild-type rHuPH20 (prepared as described in Example 1) were both formulated in API buffer (10 mM Histidine, 130 mM NaCl, pH 6.5) at a concentration of 10,000 U/mL. The stocks were further diluted to three target concentrations of 1000, 100 and 10 U/mL by serial 1:10 dilutions in API buffer. Purified proteins (either rHuPH20 or F204P-PH20) were diluted 1:1 with 0.4% Trypan Blue (0.4% liquid solution; Catalog No. 15250,Invitrogen) to give a final concentration of 5, 50 and 500 U/mL protein, each containing 0.2% trypan blue. A vehicle control (API buffer) also was prepared. Forty-two (42) female NCr nu/nu homozygous mice were used in the study with six mice used per group as set forth in Table 27.

TABLE 27: Summary of Treatment Groups for Dye Dispersion Study

Group	No. of Mice	Test Article	Final Dose with Trypan Blue (Units/mL)	Trypan Blue	Injection Volume (mL)
1	6	Control	0	0.2%	0.04
2	6	rHuPH20	5	0.2%	0.04
3	6	rHuPH20	50	0.2%	0.04
4	6	rHuPH20	500	0.2%	0.04
5	6	F204P-PH20	5	0.2%	0.04
6	6	F204P-PH20	50	0.2%	0.04
7	6	F204P-PH20	500	0.2%	0.04

Forty (40) µL of samples were administered by a single intradermal injection. The area of dye dispersion was measured at 2.5, 5, 10, 15 and 20 minutes post-injection and was recorded by photographic imaging by photograph of the injection site with a Nikon D90 digital camera with 60 mm prime micro-lens. A laser distance meter (Leica D3) was used to accurately position the camera at a pre-determined distance from the Trypan Blue dye area on the animal. The area of the dye was determined using Image-Pro Analyzer 7.0 (MediaCybernetics, Inc). The calculated areas were expressed as mm^2.

The results are set forth in Table 28. The results showed that the dispersion activity of the PH20 variant F204P was substantially identical to the dispersion activity of rHuPH20. The ability to increase the area of dye dispersion was dose-dependent, with both proteins having greatest activity at 500 U/mL. The results also showed that the area of dye dispersion increased with time post-intradermal injection. The areas of dye dispersion of rHuPH20 and F204P-PH20 were significantly greater than the areas of dye dispersion for the controls ($p<0.05$) at all time points when formulated at all concentrations (5, 50 and 500 U/mL) with the exception of rHuPH20 at the lowest concentration (5 U/mL). When compared to each other, rHuPH20 and F204P-PH20 showed similar dispersion effects, although there was a significant difference in dispersion between the two groups at 5 U/mL and 500 U/mL but not at 50 U/mL. In sum, the results show that both rHuPH20 and F204P-PH20 provided a statistically significant increase in the area of dye dispersion compared to the vehicle control.

TABLE 28: Trypan Blue Dispersion

Group	Area (mm2)				
Avg. (n=6)	2.5 min	5 min	10 min	15 min	20 min
1: Control	37.44 ± 2.81	38.16 ± 3.33	43.71 ± 2.12	45.70 ± 2.38	48.77 ± 2.14
2: rHuPH20 (5 U/mL)	36.68 ± 2.83	42.31 ± 2.57	45.41 ± 2.75	46.72 ± 3.35	49.61 ± 2.97
3: rHuPH20 (50 U/mL)	39.24 ± 1.20	44.90 ± 1.44	46.96 ± 1.70	50.08 ± 2.07	53.50 ± 1.59
4: rHuPH20 (500 U/mL)	44.72 ± 1.35	50.21 ± 1.92	57.47 ± 1.29	59.77 ± 1.25	57.17 ± 3.28
5: F204P (5 U/mL)	39.65 ± 1.53	46.09 ± 2.73	48.07 ± 1.43	52.54 ± 2.01	54.11 ± 1.01
6: F204P (50 U/mL)	38.10 ± 1.92	47.07 ± 2.12	51.48 ± 2.14	55.24 ± 1.90	58.34 ± 2.89
7: F204P (500 U/mL)	46.58 ± 1.67	54.06 ± 2.52	58.96 ± 1.85	64.37 ± 1.72	64.44 ± 2.17

Example 15

Assessment of Enzymatic Activity By Dermal Barrier Reconstitution

Activity of F204P-PH20 was assessed and compared to rHuPH20 to measure the amount of time required for the dermal barrier to reconstitute itself after intradermal hyaluronidase administration. Dermal reconstitution was evaluated by comparing the duration of the hyaluronidase spreading activity as assessed by monitoring the area of diffusion of 0.4% Trypan Blue over time. The proteins used in the study were purified PH20 variant F204P (prepared as described in Example 12) and wild-type rHuPH20 (prepared as described in Example 1) that were both formulated in API buffer (10 mM Histidine, 130 mM NaCl, pH 6.5). Vehicle (API buffer) was used as a control. Male NCr nu/nu homozygous mice were used in the study with three animals per time point for a total of fifteen mice used per group as set forth in Table 29.

TABLE 29: Summary of Treatment Groups for Dermal Barrier Reconstitution Study

Group	No. of Mice	Time Points (h)	Test Article	Final Dose (Units/mL)	Injection Volume (mL)
1	15	0.5, 1, 4, 24, 48	Control	0	0.04
2	15	0.5, 1, 4, 24, 48	rHuPH20	100	0.04
3	15	0.5, 1, 4, 24, 48	F204P	100	0.04

All mice received two intradermal doses of vehicle control or rHuPH20 or F204P-PH20 at 100 U/mL in 0.04 mL at study time 0. The same control or test article was injected on the opposing lateral sides of each animal (right, R; left, L). Injection sites were marked with a permanent marker. Trypan Blue Stain (0.4% liquid solution; 15250, Invitrogen) was administered at a volume of 0.04 mL by intradermal injection at the same injection site at 0.5, 1, 4, 24 and 48 hours post-injection of test article or control. At 5 and 20 minutes post-injection of the Trypan Blue Stain, the area of the dye at the injection site was measured by digital imaging of the region as described in Example 14.

The results are set forth in Table 30. The results show that when the area of dye dispersion was measured at various time points after administration of the test article or control, there was a statistically significant increase in the area of dye dispersion at 30 min and 1 hour post-injection of rHuPH20 or F204P-PH20. By 4 hours post-administration of the enzymes, however, there was not a statistically significant increase in the area of dye dispersion compared to control. In addition, no statistically significant differences in the area of dye dispersion was observed between the rHuPH20 and F204P-PH20 treatment groups.

Therefore, the duration of the spreading activity of rHuPH20 and F204P were similar and show that rHuPH20 and F204P-PH20 have comparable *in vivo* performance.

TABLE 30: Dermal Reconstitution

time Point	min post-injection	Vehicle	rHuPH20	F204P-PH20
30	5	49.96 ± 2.05	80.84 ± 8.03	80.76 ± 4.46
	20	64.42 ± 2.49	94.55 ± 7.09	95.75 ± 5.18
1 hour	5	58.01 ± 3.21	82.56 ± 6.40	77.11 ± 3.18
	20	65.19 ± 6.21	96.19 ± 6.39	91.45 ± 1.73
4 hour	5	52.10 ± 3.47	67.19 ± 2.39	67.33 ± 3.93
	20	57.69 ± 3.92	81.15 ± 4.45	82.21 ± 4.14
24 hour	5	49.87 ± 3.25	59.01 ± 2.15	54.91 ± 3.54
	20	57.15 ± 3.47	67.65 ± 2.27	62.91 ± 3.30
48 hour	5	53.64 ± 2.99	53.53 ± 4.88	55.64 ± 7.19
	20	61.57 ± 4.02	66.33 ± 4.12	63.11 ± 5.97

Example 16

In Vivo Pharmacokinetics of F204P-PH20 Compared to rHuPH20

The pharmacokinetics (PK) of rHuPH20 and F204P-PH20 were compared following intravenous tail-vein administration by measuring the plasma hyaluronidase levels over time after administration. The proteins used in the study were purified PH20 variant F204P (prepared as described in Example 12; batch concentration 1.02 mg/mL) and wild-type rHuPH20 (prepared as described in Example 1; batch concentration 0.95 mg/mL) formulated in API buffer (10 mM Histidine, 130 mM NaCl, pH 6.5). The proteins were prepared at a concentration of 0.087 mg/mL in API buffer for a dose volume of about 5 mL. An animal that was not administered with protein was used a control (pre-dose control). Forty two (42) male CD-1 mice (~ 20-30 grams) were used in the study with six animals per treatment group as set forth in Table 31.

TABLE 31: Pharmacokinetics of Single Intravenous Dose of rHuPH20 or F204P-PH20

Group	number of animals (No.)	Test Article	Dose (mg/kg)	Dose Volume (mL/kg)	Euthanasia
1	6 (Nos. 1-6)	no treatment	N/A	N/A	pre-dose
2	6 (Nos. 7-12)	rHuPH20	0.433	5	1 min
3	6 (Nos. 13-18)	rHuPH20	0.433	5	5 ± 1 min
4	6 (Nos. 19-24)	rHuPH20	0.433	5	10 ± 2 min
5	6 (Nos. 25-30)	F204P-PH20	0.433	5	1 min

6	6 (Nos. 21-36)	F204P-PH20	0.433	5	5 ± 1 min
7	6 (Nos. 37-42)	F204P-PH20	0.433	5	10 ± 2 min

Mice were intravenously administered 0.433 mg/kg rHuPH20 or F204P-PH20 by tail vein injection. Blood samples were obtained from animals 1 minute, 5 minutes and 10 minutes post-administration. Blood samples were obtained by terminal bleed (cardiac puncture) and collected into blood collection tubes containing the anti-coagulant EDTA for the preparation of plasma. Blood samples were centrifuged at 500 g for 10 minutes and the plasma removed and frozen at -80° C until assessment of hyaluronidase activity using the microturbidity assay described in Example 8.

The results are set forth in Table 32. The results show that hyaluronidase activity is not detected in plasma prior to treatment with the hyaluronidase. Within 1 minute post-treatment with either rHuPH20 or F204P-PH20 hyaluronidase, there is a detectably high amount of hyaluronidase activity present in the plasma, which is similar between both treatment groups. Over time, the hyaluronidase activity rapidly decreases for both treatment groups, although there is detectably hyaluronidase activity present in the plasma 10 minutes post-administration. At the 5 minute and 10 minute post-administration time points, activity in the plasma in animals treated with F204P-PH20 is greater than in animals treated with rHuPH20. This shows that F204P-PH20 exhibits somewhat greater activity for a prolonged time period, and therefore exhibits greater half-life in vivo than rHuPH20.

Table 32: rHuPH20 and F204P-PH20 Activity (U/mL) in Mouse Plasma K2EDTA

	Time Point (min)							
	Predose		1 minute		5 minute		10 minute	
Protein	Animal No.	U/mL	Animal No.	U/mL	Animal No.	U/mL	Animal No.	U/mL
rHuPH20	1	BQL	7	235[a]	13	18.3	19	3.76
	2	BQL	8	13.5	14	7.70	20	3.70
	3	BQL	9	278	15	8.85	21	2.64
	4	BQL	10	328	16	10.5	22	2.70
	5	BQL	11	356	17	12.8	23	2.36
	6	BQL	12	287	18	18.0	24	2.80
F204P-PH20	1	BQL	25	249	31	48.0	37	11.5
	2	BQL	26	223	32	21.6	38	11.4
	3	BQL	27	246	33	38.4	39	10.1
	4	BQL	28	246	34	38.6	40	12.2
	5	BQL	20	0.696	35	38.2	41	10.8
	6	BQL	30	257	36	28.5	42	10.2

BQL – Below Quantifiable Limit < 0.625 U/mL with minimum required dilution

[a] - Hemolyzed

Since modifications will be apparent to those of skill in this art, it is intended that this invention be limited only by the scope of the appended claims.

CLAIMS:

1. A modified PH20 polypeptide, comprising at least one amino acid replacement in a PH20 polypeptide, wherein:

the modified PH20 polypeptide exhibits increased stability compared to the PH20 polypeptide not containing the amino acid replacement; and

increased stability is manifested as increased resistance to denaturation in the presence of one or more protein denaturation conditions.

2. The modified PH20 polypeptide of claim 1, wherein the protein denaturation condition is selected from among elevated temperature greater than 30 °C, agitation, low or no salt, presence of an excipient and a denaturing agent.

3. The modified PH20 polypeptide of claim 2, wherein the protein denaturation condition is caused by the presence of an excipient or denaturing agent and the excipient or denaturing agent is selected from among one or more of an antiadherent(s), binder(s), coating(s), filler(s) and diluent(s), flavor(s), color(s), lubricant(s), glidant(s), preservative(s), detergent(s), sorbent(s) or sweetener(s) and a combination thereof.

4. The modified PH20 polypeptide of any of claims 1-3, wherein the modified PH20 polypeptide exhibits at least 68% amino acid sequence identity to the sequence of amino acids set forth in SEQ ID NO:3.

5. The modified PH20 polypeptide of any of claims 1-4, wherein the amino acid replacement(s) is in an unmodified PH20 polypeptide that has the sequence of amino acids set forth in SEQ ID NOS: 3, 7 or 32-66 or a sequence of amino acids that is at least 85% identical to any of SEQ ID NOS: 3, 7 or 32-66.

6. The modified PH20 polypeptide of any of claims 1-5, wherein the amino acid replacement is in a PH20 polypeptide that has a sequence of amino acids that exhibits at least 91% sequence identity to any of SEQ ID NOS: 3, 7 or 32-66.

7. The modified PH20 polypeptide of any of claims 1-6, wherein:

the modified PH20 polypeptide exhibits greater than 110% of the hyaluronidase activity in the presence of a denaturation condition compared to the unmodified PH20 polypeptide not containing the amino acid replacement(s); or

the modified PH20 polypeptide exhibits at least 15% ,20%, 30%, 40%, 50%, 60%, 65%, 70%, 75%, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more hyaluronidase activity in the presence of a denaturation condition compared to the hyaluronidase activity in the absence of the denaturation condition; or

the modified PH20 polypeptide exhibits at least 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95% or more of the solubility in the presence of a denaturation condition compared to the hyaluronidase activity in the absence of the denaturation condition; or

the modified PH20 polypeptide exhibits less than 50%, 40%, 30%, 25%, 20%, 15%, 10%, 5% or less aggregation or crystallization in the presence of a denaturation condition compared to the hyaluronidase activity in the absence of the denaturation condition.

8. The modified PH20 polypeptide of any of claims 1-7, wherein the PH20 polypeptide is stable for at least 4 hours in the presence of the denaturation condition.

9. The modified PH20 polypeptide of any of claims 1-8, wherein the denaturation condition comprises a phenolic preservative.

10. The modified PH20 polypeptide of any of claims 1-9, wherein the modified PH20 polypeptide is stable in the presence of an anti-microbial effective amount of one or more phenolic preservatives.

11. The modified PH20 polypeptide of claim 10, wherein the anti-microbial effective amount is a total amount of one or more phenolic preservative agents as a percentage (%) of mass concentration (w/v) that is from or from about 0.05% to 0.6%, 0.1% to 0.4%, 0.1% to 0.3%, 0.15% to 0.325%, 0.15% to 0.25%, 0.1% to 0.2%, 0.2% to 0.3% or 0.3% to 0.4%, inclusive.

12. The modified PH20 polypeptide of any of claims 9-11, wherein the phenolic preservative is selected from among one or more of phenol, metacresol (m-cresol), benzyl alcohol and a paraben.

13. The modified PH20 polypeptide of claim 12, wherein the preservative is a paraben that is methylparaben or propylparaben.

14. The modified PH20 polypeptide of any of claims 9-11, wherein the preservative is a phenolic preservative that is m-cresol, phenol, or m-cresol and phenol.

15. The modified PH20 polypeptide of any of claims 9-14, wherein:

the modified PH20 polypeptide exhibits at least 15% of the hyaluronidase activity in the presence of a preservative(s) for at least 4 hours compared to the hyaluronidase activity in the absence of the preservative(s), wherein the activity is compared under the same conditions except for the presence of preservative(s).

16. The modified PH20 polypeptide of any of claims 10-15, comprising at least one amino acid replacement at an amino acid position corresponding to a position selected from among 10, 12, 20, 22, 26, 34, 36, 46, 50, 52, 58, 68, 70, 74, 82, 83, 84, 86, 97, 127, 131, 138, 142, 143, 144, 166, 169, 174, 193, 195, 196, 204, 205, 206, 213, 219, 234, 237, 238, 240, 249, 261, 267, 277, 279, 291, 309, 310, 314, 315, 317, 318, 347, 367, 375, 376, 399, 401, 407,

416, 419, 421, 431, 433, 439, 440, 443 or 445 with reference to amino acid positions set forth in SEQ ID NO:3, wherein corresponding amino acid positions are identified by alignment of the PH20 polypeptide with the polypeptide set forth in SEQ ID NO:3.

17. The modified PH20 polypeptide of any of claims 1-16, comprising at least one amino acid replacement selected from among replacement with:

G at a position corresponding to position 10; K at a position corresponding to position 12; S at a position corresponding to position 20; T at a position corresponding to position 22; M at a position corresponding to position 26; W at a position corresponding to position 34; N at a position corresponding to position 36; L at a position corresponding to position 46; M at a position corresponding to position 50; T at a position corresponding to position 52; S at a position corresponding to position 52; C at a position corresponding to position 58; K at a position corresponding to position 58; R at a position corresponding to position 58; N at a position corresponding to position 58; Y at a position corresponding to position 58; P at a position corresponding to position 58; H at a position corresponding to position 58; P at a position corresponding to position 68; V at a position corresponding to position 70; E at a position corresponding to position 74; L at a position corresponding to position 82; N at a position corresponding to position 82; V at a position corresponding to position 83; Q at a position corresponding to position 83; S at a position corresponding to position 83; G at a position corresponding to position 83; N at a position corresponding to position 84; A at a position corresponding to position 86; K at a position corresponding to position 86; E at a position corresponding to position 97; L at a position corresponding to position 97; R at a position corresponding to position 127; R at a position corresponding to position 131; L at a position corresponding to position 138; K at a position corresponding to position 142; N at a position corresponding to position 142; P at a position corresponding to position 142; S at a position corresponding to position 142; T at a position corresponding to position 142; G at a position corresponding to position 143; K at a position corresponding to position 143; T at a position corresponding to position 144; Q at a position corresponding to position 166; T at a position corresponding to position 166; L at a position corresponding to position 169; G at a position corresponding to position 174; N at a position corresponding to position 174; Q at a position corresponding to position 193; T at a position corresponding to position 195; N at a position corresponding to position 195; E at a position corresponding to position 196; R at a position corresponding to position 196; P at a position corresponding to position 204; A at a position corresponding to position 205; E at a position corresponding to position 205; I at a position corresponding to position 206; A at a position corresponding to position 213; I at a position corresponding to position 219; M at a position corresponding to position 234; T at a

position corresponding to position 237; H at a position corresponding to position 238; Q at a position corresponding to position 240; V at a position corresponding to position 249; A at a position corresponding to position 261; K at a position corresponding to position 261; T at a position corresponding to position 267; K at a position corresponding to position 277; H at a position corresponding to position 279; V at a position corresponding to position 279; V at a position corresponding to position 291; E at a position corresponding to position 309; Q at a position corresponding to position 310; Y at a position corresponding to position 314; Y at a position corresponding to position 315; N at a position corresponding to position 317; W at a position corresponding to position 317; D at a position corresponding to position 318; G at a position corresponding to position 347; A at a position corresponding to position 367; R at a position corresponding to position 375; R at a position corresponding to position 376; V at a position corresponding to position 399; E at a position corresponding to position 401; A at a position corresponding to position 407; L at a position corresponding to position 416; K at a position corresponding to position 419; H at a position corresponding to position 421; E at a position corresponding to position 431; T at a position corresponding to position 433; V at a position corresponding to position 433; C at a position corresponding to position 439; P at a position corresponding to position 440; G at a position corresponding to position 443; and N at a position corresponding to position 445, with reference to amino acid residue positions set forth in SEQ ID NO:3.

18. The modified PH20 polypeptide of any of claims 10-17, comprising at least one amino acid replacement selected from among replacement with:

T at a position corresponding to position 52, K at a position corresponding to position 58, R at a position corresponding to position 58, P at a position corresponding to position 68, V at a position corresponding to position 83, P at a position corresponding to position 204, A at a position corresponding to position 261, T at a position corresponding to position 267, K at a position corresponding to position 277 and H at a position corresponding to position 421, with reference to amino acid residue positions set forth in SEQ ID NO:3.

19. The modified PH20 polypeptide of any of claims 10-18, comprising replacement with P at a position corresponding to position 204 in a PH20 polypeptide with reference to amino acid residue positions set forth in SEQ ID NO:3.

20. The modified PH20 polypeptide of any of claims 10-18, comprising replacement with R at a position corresponding to position 58 in a PH20 polypeptide with reference to amino acid positions set forth in SEQ ID NO:3.

21. The modified PH20 polypeptide of any of claims 1-20, wherein:

the modified PH20 polypeptide exhibits increased stability at temperatures of from or from about 30 °C to 45 °C, 35 °C to 45 °C, 30 °C to 37 °C, 35 °C to 37 °C or 37 °C to 42 °C, each inclusive;

the modified PH20 polypeptide exhibits greater hyaluronidase activity at the elevated temperature compared to the unmodified PH20 polypeptide not containing the amino acid replacement(s); and

the activities are compared under the same conditions.

22. The modified PH20 polypeptide of claim 21, comprising at least one amino acid replacement at an amino acid position corresponding to a position selected from among 1, 11, 12, 14, 20, 26, 29, 34, 50, 58, 70, 82, 83, 84, 86, 87, 140, 142, 143, 147, 152, 166, 167, 172, 174, 178, 193, 195, 206, 212, 213, 219, 233, 237, 240, 267, 277, 291, 292, 309, 313, 314, 317, 318, 347, 367, 368, 371, 374, 389, 392, 395, 396, 406, 419, 421, 439 and 443 with reference to amino acid positions set forth in SEQ ID NO:3, wherein corresponding amino acid positions are identified by alignment of the PH20 polypeptide with the polypeptide set forth in SEQ ID NO:3.

23. The modified PH20 polypeptide of claim 22, comprising at least one amino acid replacement selected from among replacement with:

R at a position corresponding to position 1; S at a position corresponding to position 11; I at a position corresponding to position 12; V at a position corresponding to position 14; S at a position corresponding to position 20; M at a position corresponding to position 26; R at a position corresponding to position 29; W at a position corresponding to position 34; M at a position corresponding to position 50; K at a position corresponding to position 58; Q at a position corresponding to position 58; Q at a position corresponding to position 58; V at a position corresponding to position 70; L at a position corresponding to position 82; Q at a position corresponding to position 83; R at a position corresponding to position 84; A at a position corresponding to position 86; S at a position corresponding to position 87; K at a position corresponding to position 140; S at a position corresponding to position 142; T at a position corresponding to position 142; K at a position corresponding to position 143; S at a position corresponding to position 147; T at a position corresponding to position 152; T at a position corresponding to position 166; D at a position corresponding to position 167; A at a position corresponding to position 172; G at a position corresponding to position 174; N at a position corresponding to position 174; R at a position corresponding to position 178; Q at a position corresponding to position 193; T at a position corresponding to position 195; I at a position corresponding to position 206; S at a position corresponding to position 212; A at a position corresponding to position 213; I at a position corresponding to position 219; G at a

position corresponding to position 233; T at a position corresponding to position 237; A at a position corresponding to position 240; Q at a position corresponding to position 240; T at a position corresponding to position 267; E at a position corresponding to position 277; S at a position corresponding to position 291; H at a position corresponding to position 292; V at a position corresponding to position 292; S at a position corresponding to position 309; H at a position corresponding to position 313; S at a position corresponding to position 314; I at a position corresponding to position 317; T at a position corresponding to position 317; W at a position corresponding to position 317; R at a position corresponding to position 318; G at a position corresponding to position 347; A at a position corresponding to position 367; R at a position corresponding to position 368; S at a position corresponding to position 371; P at a position corresponding to position 374; A at a position corresponding to position 389; V at a position corresponding to position 392; A at a position corresponding to position 395; H at a position corresponding to position 396; N at a position corresponding to position 406; H at a position corresponding to position 419; K at a position corresponding to position 419; R at a position corresponding to position 421; S at a position corresponding to position 421; A at a position corresponding to position 439; C at a position corresponding to position 439; and G at a position corresponding to position 443, with reference to amino acid positions set forth in SEQ ID NO:3.

24. The modified PH20 polypeptide of any of claims 1-23, wherein:

the modified PH20 polypeptide exhibits increased stability in the presence of low concentrations of NaCl of less than 100 mM;

the modified PH20 polypeptide exhibits increased hyaluronidase activity in the presence of low concentrations of salt compared to the unmodified PH20 polypeptide not containing the amino acid replacement(s); and

the activities are compared under the same conditions.

25. A modified PH20 polypeptide, comprising at least one amino acid replacement in a PH20 polypeptide, wherein:

the modified PH20 polypeptide exhibits increased hyaluronidase activity that is at least 120% of the hyaluronidase activity compared to the PH20 polypeptide not containing the amino acid replacement.

26. The modified PH20 polypeptide of claim 25, wherein the modified PH20 polypeptide exhibits at least 68% amino acid sequence identity to the sequence of amino acids set forth in SEQ ID NO:3.

27. The modified PH20 polypeptide of claim 25 or claim 26, wherein the amino acid replacement(s) is in an unmodified PH20 polypeptide that has the sequence of amino

acids set forth in any of SEQ ID NOS: 3, 7 or 32-66, or a sequence of amino acids that exhibits at least 85% sequence identity to any of SEQ ID NOS: 3, 7 or 32-66.

28. The modified PH20 polypeptide of any of claims 25-27, comprising at least one amino acid replacement at an amino acid position corresponding to a position selected from among 1, 12, 15, 24, 26, 27, 29, 30, 31, 32, 33, 37, 39, 46, 48, 52, 58, 63, 67, 68, 69, 70, 71, 72, 73, 74, 75, 84, 86, 87, 92, 93, 94, 97, 118, 120, 127, 131, 135, 141, 142, 147, 148, 150, 151, 152, 155, 156, 163, 164, 165, 166, 169, 170, 174, 198, 206, 209, 212, 213, 215, 219, 233, 234, 236, 238, 247, 257, 259, 260, 261, 263, 269, 271, 272, 276, 277, 278, 282, 291, 293, 305, 308, 309, 310, 313, 315, 317, 318, 320, 324, 325, 326, 328, 347, 353, 359, 371, 377, 380, 389, 392, 395, 399, 405, 407, 409, 410, 418, 419, 421, 425, 431, 433, 436, 437, 438, 439, 440, 441, 442, 443, 445, 446 and 447 with reference to amino acid positions set forth in SEQ ID NO:3, wherein corresponding amino acid positions are identified by alignment of the PH20 polypeptide with the polypeptide set forth in SEQ ID NO:3.

29. The modified PH20 polypeptide of any of claims 25-28, comprising at least one amino acid replacement selected from among replacement with:

histidine (H) at a position corresponding to position 1; Q at a position corresponding to position 1; E at a position corresponding to position 12; T at a position corresponding to position 12; V at a position corresponding to position 15; E at a position corresponding to position 24; H at a position corresponding to position 24; E at a position corresponding to position 26; K at a position corresponding to position 26; K at a position corresponding to position 27; R at a position corresponding to position 27; E at a position corresponding to position 29; I at a position corresponding to position 29; L at a position corresponding to position 29; M at a position corresponding to position 29; P at a position corresponding to position 29; S at a position corresponding to position 29; V at a position corresponding to position 29; G at a position corresponding to position 30; H at a position corresponding to position 30; K at a position corresponding to position 30; M at a position corresponding to position 30; R at a position corresponding to position 30; S at a position corresponding to position 30; A at a position corresponding to position 31; C at a position corresponding to position 31; H at a position corresponding to position 31; I at a position corresponding to position 31; K at a position corresponding to position 31; L at a position corresponding to position 31; P at a position corresponding to position 31; R at a position corresponding to position 31; S at a position corresponding to position 31; T at a position corresponding to position 31; V at a position corresponding to position 31; F at a position corresponding to position 32; G at a position corresponding to position 32; H at a position corresponding to position 32; W at a position corresponding to position 33; F at a position corresponding to

position 37; N at a position corresponding to position 39; T at a position corresponding to position 39; R at a position corresponding to position 46; F at a position corresponding to position 48; H at a position corresponding to position 48; N at a position corresponding to position 48; Q at a position corresponding to position 52; K at a position corresponding to position 58; Q at a position corresponding to position 58; W at a position corresponding to position 63; V at a position corresponding to position 67; H at a position corresponding to position 68; Q at a position corresponding to position 68; A at a position corresponding to position 69; C at a position corresponding to position 69; F at a position corresponding to position 69; G at a position corresponding to position 69; I at a position corresponding to position 69; L at a position corresponding to position 69; M at a position corresponding to position 69; P at a position corresponding to position 69; R at a position corresponding to position 69; W at a position corresponding to position 69; Y at a position corresponding to position 69; A at a position corresponding to position 70; C at a position corresponding to position 70; F at a position corresponding to position 70; G at a position corresponding to position 70; H at a position corresponding to position 70; K at a position corresponding to position 70; L at a position corresponding to position 70; N at a position corresponding to position 70; P at a position corresponding to position 70; R at a position corresponding to position 70; S at a position corresponding to position 70; T at a position corresponding to position 70; V at a position corresponding to position 70; R at a position corresponding to position 71; S at a position corresponding to position 71; M at a position corresponding to position 72; Q at a position corresponding to position 72; H at a position corresponding to position 73; L at a position corresponding to position 73; W at a position corresponding to position 73; A at a position corresponding to position 74; C at a position corresponding to position 74; G at a position corresponding to position 74; N at a position corresponding to position 74; P at a position corresponding to position 74; R at a position corresponding to position 74; S at a position corresponding to position 74; V at a position corresponding to position 74; W at a position corresponding to position 74; F at a position corresponding to position 75; L at a position corresponding to position 75; R at a position corresponding to position 75; T at a position corresponding to position 75; G at a position corresponding to position 84; R at a position corresponding to position 84; A at a position corresponding to position 86; C at a position corresponding to position 87; T at a position corresponding to position 87; Y at a position corresponding to position 87; C at a position corresponding to position 92; I at a position corresponding to position 93; L at a position corresponding to position 93; R at a position corresponding to position 93; T at a position corresponding to position 93; R at a position corresponding to position 94; G at a position corresponding to

position 97; Q at a position corresponding to position 118; F at a position corresponding to position 120; V at a position corresponding to position 120; Y at a position corresponding to position 120; H at a position corresponding to position 127; N at a position corresponding to position 127; G at a position corresponding to position 131; R at a position corresponding to position 131; V at a position corresponding to position 131; D at a position corresponding to position 135; G at a position corresponding to position 135; R at a position corresponding to position 135; H at a position corresponding to position 141; Y at a position corresponding to position 141; R at a position corresponding to position 142; R at a position corresponding to position 147; V at a position corresponding to position 147; K at a position corresponding to position 148; G at a position corresponding to position 150; K at a position corresponding to position 151; L at a position corresponding to position 151; M at a position corresponding to position 151; Q at a position corresponding to position 151; R at a position corresponding to position 151; R at a position corresponding to position 152; G at a position corresponding to position 155; K at a position corresponding to position 155; D at a position corresponding to position 156; A at a position corresponding to position 163; E at a position corresponding to position 163; K at a position corresponding to position 163; R at a position corresponding to position 163; M at a position corresponding to position 164; D at a position corresponding to position 165; N at a position corresponding to position 165; A at a position corresponding to position 166; F at a position corresponding to position 166; H at a position corresponding to position 166; L at a position corresponding to position 166; Q at a position corresponding to position 166; R at a position corresponding to position 166; T at a position corresponding to position 166; Y at a position corresponding to position 166; L at a position corresponding to position 169; R at a position corresponding to position 170; K at a position corresponding to position 174; D at a position corresponding to position 198; K at a position corresponding to position 206; L at a position corresponding to position 206; N at a position corresponding to position 212; M at a position corresponding to position 213; N at a position corresponding to position 213; M at a position corresponding to position 215; S at a position corresponding to position 219; K at a position corresponding to position 233; R at a position corresponding to position 233; M at a position corresponding to position 234; R at a position corresponding to position 236; E at a position corresponding to position 237; S at a position corresponding to position 238; I at a position corresponding to position 247; T at a position corresponding to position 257; P at a position corresponding to position 259; Y at a position corresponding to position 260; K at a position corresponding to position 261; N at a position corresponding to position 261; K at a position corresponding to position 263; R at a position corresponding to position 263; A at a position corresponding to position 269; L at a position corresponding to

position 271; M at a position corresponding to position 271; T at a position corresponding to position 272; D at a position corresponding to position 276; S at a position corresponding to position 276; Y at a position corresponding to position 276; K at a position corresponding to position 277; R at a position corresponding to position 277; T at a position corresponding to position 277; H at a position corresponding to position 278; K at a position corresponding to position 278; N at a position corresponding to position 278; R at a position corresponding to position 278; S at a position corresponding to position 278; T at a position corresponding to position 278; Y at a position corresponding to position 278; M at a position corresponding to position 282; V at a position corresponding to position 291; A at a position corresponding to position 293; C at a position corresponding to position 293; F at a position corresponding to position 293; M at a position corresponding to position 293; P at a position corresponding to position 293; Q at a position corresponding to position 293; V at a position corresponding to position 293; E at a position corresponding to position 305; G at a position corresponding to position 308; N at a position corresponding to position 308; E at a position corresponding to position 309; L at a position corresponding to position 309; N at a position corresponding to position 309; Q at a position corresponding to position 309; R at a position corresponding to position 309; T at a position corresponding to position 309; A at a position corresponding to position 310; G at a position corresponding to position 310; K at a position corresponding to position 313; R at a position corresponding to position 313; H at a position corresponding to position 315; I at a position corresponding to position 317; K at a position corresponding to position 317; R at a position corresponding to position 317; M at a position corresponding to position 318; H at a position corresponding to position 320; K at a position corresponding to position 320; R at a position corresponding to position 320; R at a position corresponding to position 324; A at a position corresponding to position 325; D at a position corresponding to position 325; E at a position corresponding to position 325; G at a position corresponding to position 325; H at a position corresponding to position 325; K at a position corresponding to position 325; M at a position corresponding to position 325; N at a position corresponding to position 325; Q at a position corresponding to position 325; S at a position corresponding to position 325; V at a position corresponding to position 326; I at a position corresponding to position 328; K at a position corresponding to position 328; L at a position corresponding to position 328; S at a position corresponding to position 328; Y at a position corresponding to position 328; G at a position corresponding to position 347; S at a position corresponding to position 347; V at a position corresponding to position 353; T at a position corresponding to position 359; R at a position corresponding to position 371; P at a position corresponding to position 377; T at a position corresponding to position 377; W at a position corresponding to

position 380; Y at a position corresponding to position 380; K at a position corresponding to position 389; M at a position corresponding to position 392; R at a position corresponding to position 395; M at a position corresponding to position 399; T at a position corresponding to position 399; W at a position corresponding to position 399; G at a position corresponding to position 405; D at a position corresponding to position 407; Q at a position corresponding to position 407; A at a position corresponding to position 409; Q at a position corresponding to position 409; T at a position corresponding to position 410; P at a position corresponding to position 418; F at a position corresponding to position 419; I at a position corresponding to position 419; K at a position corresponding to position 419; R at a position corresponding to position 419; S at a position corresponding to position 419; H at a position corresponding to position 421; K at a position corresponding to position 421; N at a position corresponding to position 421; Q at a position corresponding to position 421; R at a position corresponding to position 421; S at a position corresponding to position 421; K at a position corresponding to position 425; A at a position corresponding to position 431; H at a position corresponding to position 431; K at a position corresponding to position 431; Q at a position corresponding to position 431; R at a position corresponding to position 431; S at a position corresponding to position 431; V at a position corresponding to position 431; L at a position corresponding to position 433; R at a position corresponding to position 433; T at a position corresponding to position 433; V at a position corresponding to position 433; K at a position corresponding to position 436; I at a position corresponding to position 437; M at a position corresponding to position 437; T at a position corresponding to position 438; V at a position corresponding to position 439; H at a position corresponding to position 440; R at a position corresponding to position 440; F at a position corresponding to position 441; R at a position corresponding to position 442; A at a position corresponding to position 443; M at a position corresponding to position 443; M at a position corresponding to position 445; P at a position corresponding to position 445; A at a position corresponding to position 446; D at a position corresponding to position 447; N at a position corresponding to position 447; and/or with Q at a position corresponding to position 447, with reference to amino acid positions set forth in SEQ ID NO:3.

30. The modified PH20 polypeptide of any of claims 25-29, wherein the modified PH20 polypeptide exhibits at least 2.0-fold of the hyaluronidase activity compared to the PH20 polypeptide not containing the amino acid replacement.

31. The modified PH20 polypeptide of claim 30, comprising at least one amino acid replacement at an amino acid position corresponding to a position selected from among 24, 29, 31, 48, 58, 69, 70, 75, 84, 97, 165, 166, 271, 278, 317, 320, 325 and 326 with

reference to positions set forth in SEQ ID NO:3, wherein corresponding amino acid positions are identified by alignment of the PH20 polypeptide with the polypeptide set forth in SEQ ID NO:3.

32. The modified PH20 polypeptide of claim 31, comprising at least one amino acid replacement selected from among replacement with:

E at a position corresponding to position 24; E at a position corresponding to position 29; V at a position corresponding to position 31; N at a position corresponding to position 48; K at a position corresponding to position 58; Q at a position corresponding to position 58; A at a position corresponding to position 69; F at a position corresponding to position 69; G at a position corresponding to position 69; P at a position corresponding to position 69; R at a position corresponding to position 69; A at a position corresponding to position 70; F at a position corresponding to position 70; G at a position corresponding to position 70; H at a position corresponding to position 70; H at a position corresponding to position 70; N at a position corresponding to position 70; R at a position corresponding to position 70; T at a position corresponding to position 70; V at a position corresponding to position 70; L at a position corresponding to position 75; T at a position corresponding to position 75; G at a position corresponding to position 84; G at a position corresponding to position 97; D at a position corresponding to position 165; L at a position corresponding to position 166; R at a position corresponding to position 166; T at a position corresponding to position 166; L at a position corresponding to position 271; H at a position corresponding to position 278; R at a position corresponding to position 278; K at a position corresponding to position 317; K at a position corresponding to position 320; E at a position corresponding to position 325; G at a position corresponding to position 325; K at a position corresponding to position 325; N at a position corresponding to position 325; Q at a position corresponding to position 325; and V at a position corresponding to position 326; with reference to amino acid positions set forth in SEQ ID NO:3.

33. A modified PH20 polypeptide, comprising at least one amino acid replacement in a PH20 polypeptide set forth in SEQ ID NO:7, a C-terminally truncated fragment thereof, or in a PH20 polypeptide that has a sequence of amino acids that is at least 91% identical to the sequence of amino acids set forth in SEQ ID NO:7, wherein:

the at least one amino replacement(s) is at an amino acid position corresponding to a position selected from among 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 14, 15, 20, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 54, 58, 59, 60, 61, 63, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 77, 79, 81, 82, 83, 84, 85, 86, 87, 89, 90, 91, 92, 93, 94, 96, 97, 98, 99, 102, 103, 104, 105, 106, 107, 108, 110, 114, 117,

118, 119, 120, 122, 124, 125, 127, 128, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 186, 192, 193, 195, 196, 197, 198, 200, 202, 204, 205, 206, 208, 209, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 224, 226, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 242, 245, 247, 248, 251, 253, 255, 256, 257, 258, 259, 260, 261, 263, 264, 265, 266, 267, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 297, 298, 300, 301, 302, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 320, 321, 323, 324, 325, 326, 327, 328, 331, 334, 335, 338, 339, 342, 343, 347, 348, 349, 351, 353, 356, 357, 358, 359, 360, 361, 367, 368, 369, 371, 373, 374, 375, 376, 377, 378, 379, 380, 381, 383, 385, 387, 388, 389, 391, 392, 393, 394, 395, 396, 397, 398, 399, 401, 403, 404, 405, 406, 407, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 425, 426, 427, 428, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446 and 447 with reference to amino acid positions set forth in SEQ ID NO:3 or 7;

corresponding amino acid positions are identified by alignment of the PH20 polypeptide with the polypeptide set forth in SEQ ID NO:3; and

provided that if the modified PH20 polypeptide contains an amino acid replacement at a position corresponding to position 13, 47, 131, or 219 the replacement is not replacement with an Alanine (A).

34. The modified PH20 polypeptide of claim 33, wherein:

the modified PH20 polypeptide exhibits at least 40% of the hyaluronidase activity of the PH20 polypeptide not containing the amino acid replacement; and

the activity is compared under the same conditions.

35. The modified PH20 polypeptide of claim 33 or claim 34, wherein the amino acid replacement(s) is in an unmodified PH20 polypeptide that has the sequence of amino acids set forth in any of SEQ ID NOS: 3, 7 or 32-66, or a sequence of amino acids that exhibits at least 91% sequence identity to any of SEQ ID NOS: 3, 7 or 32-66.

36. The modified PH20 polypeptide of any of claims 33-35, wherein the amino acid replacement is an amino acid replacement set forth in Table 3.

37. A modified PH20 polypeptide, comprising at least one amino acid replacement in a PH20 polypeptide set forth in SEQ ID NO:7, a C-terminally truncated fragment thereof or in a PH20 polypeptide that has a sequence of amino acids that is at least 91% identical to the sequence of amino acids set forth in SEQ ID NO:7, wherein:

the modified PH20 polypeptide exhibits less than 20% of the hyaluronidase activity of the PH20 polypeptide not containing the amino acid replacement;

the activities are compared under the same conditions;

the amino acid replacement(s) is at an amino acid position corresponding to a position selected from among 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 25, 27, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 94, 95, 96, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 143, 144, 145, 149, 150, 152, 153, 154, 155, 156, 157, 158, 159, 161, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 197, 198, 199, 200, 201, 202, 203, 204, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 278, 279, 280, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 331, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 408, 410, 411, 412, 413, 414, 415, 416, 417, 419, 420, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 434, 437, 438, 439, 440, 441, 442, 443, 444, or 447 with reference to amino acid positions set forth in SEQ ID NO:3 or 7;

corresponding amino acid positions are identified by alignment of the PH20 polypeptide with the polypeptide set forth in SEQ ID NO:3; and

provided that:

(i) if the modified PH20 polypeptide contains an amino acid replacement at a position corresponding to position 200, 333, 358 or 393 the replacement is not replacement with an Alanine (A).

(ii) if the modified PH20 polypeptide contains an amino acid replacement at a position corresponding to position 111 or 249 the replacement is not replacement with an asparagine (N);

(iii) if the modified PH20 polypeptide contains an amino acid replacement at a position corresponding to position 113 the replacement is not replacement with a glutamine (Q);

(iv) if the modified PH20 polypeptide contains an amino acid replacement at a position corresponding to position 176 the replacement is not replacement with a glycine (G); and

(v) if the modified PH20 polypeptide contains an amino acid replacement at a position corresponding to position 252 the replacement is not replacement with a threonine (T).

38. The modified PH20 polypeptide of 37, wherein the amino acid replacement(s) is in an unmodified PH20 polypeptide that has a sequence of amino acids set forth in any of SEQ ID NOS: 3, 7 or 32-66, or a sequence of amino acids that exhibits at least 91% sequence identity to any of SEQ ID NOS: 3, 7 or 32-66.

39. The modified PH20 polypeptide of claim 37 or claim 38, wherein the amino acid replacement is an amino acid replacement set forth in Table 5.

40. The modified PH20 polypeptide of any of claims 1-39, wherein the modified PH20 does not consist of the sequence of amino acids set forth in any of SEQ ID NOS: 3, 6-66, 69, 72, 856-861, 869 or 870.

41. The modified PH20 polypeptide of any of claims 1-40, wherein the amino acid replacements are in an unmodified PH20 polypeptide having the sequence of amino acids set forth in any of SEQ ID NO: 3, 7, 69 or 72 provided that:

(i) where the modified PH20 polypeptide includes only a single amino acid replacement the replacement does not corresponds to amino acid replacements V12A, N47A, D111N, E113Q, N131A, R176G, N200A, N219A, E249Q, R252T, N333A or N358A, with reference to amino acid positions set forth in SEQ ID NO:3;

(ii) where the modified PH20 polypeptide includes only two amino acid replacements the replacements do not correspond to amino acid replacements P13A/L464W, N47A/N131A, N47A/N219A, N131A/N219A or N333A/N358A with reference to positions set forth in SEQ ID NO:3; and

(iii) where the modified PH20 polypeptide includes only three amino acid replacements the replacements do not correspond to amino acid replacements N47A/N131A/N219A, with reference to amino acid positions set forth in SEQ ID NO:3.

42. The modified PH20 polypeptide of any of claims 1-41, wherein the polypeptide is a human polypeptide.

43. The modified PH20 polypeptide of any of claims 1-42, wherein the amino acid replacement is not in a native or wildtype PH20 polypeptide that has a proline (P) at a position corresponding to position 204 with reference to SEQ ID NO:3.

44. The modified PH20 polypeptide of any of claims 1-43, comprising 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48,49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90 or more amino acid replacements.

45. The modified PH20 polypeptide of any of claims 1-44 that is a mature PH20 polypeptide lacking the signal sequence.

46. A modified PH20 polypeptide, comprising a sequence of amino acids set forth in any of SEQ ID NOS: 73-855 or a sequence of amino acids that exhibits at least 75%, 80%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to a sequence of amino acids set forth in any of SEQ ID NOS: 73-855.

47. The modified PH20 polypeptide of any of claims 1-46 that exhibits catalytic activity at neutral pH.

48. The modified PH20 polypeptide of any of claims 1-47, wherein the modified PH20 polypeptide is secreted upon expression from cells and is soluble in the supernatant.

49. The modified PH20 polypeptide of any of claims 1-48 that is substantially purified or isolated.

50. The modified PH20 polypeptide of any of claims 1-49 that is modified by modification selected from among glycosylation, sialation, albumination, farnysylation, carboxylation, hydroxylation and phosphorylation.

51. The modified PH20 polypeptide of claim 50, wherein the modified PH20 polypeptide is glycosylated, whereby the polypeptide comprises at least an N-acetylglucosamine moiety linked to each of at least three asparagine (N) residues.

52. The modified PH20 polypeptide of claim 51, wherein the three asparagine residues correspond to amino acid residues 200, 333 and 358 of SEQ ID NO:3.

53. The modified PH20 polypeptide of any of claims 1-52 that is modified by conjugation to a polymer.

54. The modified PH20 polypeptide of claim 53, wherein the polymer is dextran or PEG.

55. The modified PH20 polypeptide of any of claims 1-54, wherein the modified PH20 polypeptide is conjugated to a moiety selected from among a multimerization domain, toxin, detectable label or drug.

56. The modified PH20 polypeptide of claim 55, wherein the modified PH20 polypeptide is conjugated to an Fc domain.

57. A nucleic acid molecule, encoding a modified PH20 polypeptide of any of claims 1-48.

58. A vector, comprising the nucleic acid molecule of claim 57.

59. The vector of claim 58 that is a eukaryotic or a prokaryotic vector.

60. The vector of claim 58 or claim 59 that is a mammalian vector or a viral vector.

61. The vector of claim 60 that is a viral vector, wherein the viral vector is an adenovirus vector, a retrovirus vector or a vaccinia virus vector.

62. A cell, comprising the vector of any of claims 58-61.

63. The cell of claim 62 that is a mammalian cell.

64. The cell of claim 63, wherein the mammalian cell is a Chinese Hamster Ovary (CHO) cell.

65. A modified PH20 polypeptide that is produced by the cell of any of claims 62-64.

66. A method of producing a modified PH20 polypeptide, comprising:

introducing the nucleic acid of claim 57 or the vector of any of claims 58-61 into a cell capable of incorporating N-linked sugar moieties into the polypeptide;

culturing the cell under conditions whereby an encoded modified PH20 polypeptide is produced and secreted by the cell; and

recovering the expressed polypeptide.

67. The method of claim 66, wherein the nucleic acid is operably linked to a promoter.

68. The method of claim 66 or claim 67, wherein the cell is a eukaryotic cell.

69. The method of any of claims 66-68, wherein the cell is a mammalian cell.

70. The method of any of claims 66-69, wherein the cell is a Chinese hamster ovary (CHO) cell.

71. A pharmaceutical composition, comprising a modified PH20 polypeptide of any of claims 1-56.

72. The pharmaceutical composition of claim 71, wherein the modified PH20 polypeptide in the composition is stable at a temperature from or from about 2 °C to 8 °C, inclusive, for at least 1 month or is stable at a temperature from or from about 30 °C to 42 °C, inclusive, for at least 3 days.

73. The pharmaceutical composition of claim 71 or claim 72, wherein the pharmaceutical composition comprises a pharmaceutically acceptable excipient.

74. The pharmaceutical composition of any of claims 71-73 that is for single dose administration

75. The pharmaceutical composition of any of claims 71-73 that is for multiple dose administration.

76. The pharmaceutical composition of any of claims 71-75, wherein the concentration of modified PH20 polypeptide is from or from about 0.1 μg/mL to 100 μg/mL, 1 μg/mL to 50 μg/mL or 1 μg/mL to 20 μg/mL.

77. The pharmaceutical composition of any of claims 71-76, wherein the amount of a modified PH20 polypeptide is between or about between 10 U/mL to 5000 U/mL, 50 U/mL to 4000 U/mL, 100 U/mL to 2000 U/mL, 300 U/mL to 2000 U/mL, 600 U/mL to 2000 U/mL, or 100 U/mL to 1000 U/mL.

78. The pharmaceutical composition of any of claims 71-77, wherein the volume of the composition is from or from about 0.5 mL to 50 mL, 1 mL to 10 mL, or 1 mL to 5 mL.

79. The pharmaceutical composition of any of claims 71-78, comprising NaCl at a concentration less than or about or 200 mM, 180 mM, 150 mM, 140 mM, 130 mM, 120 mM, 110 mM, 100 mM, 90 mM, 80mM, 70mM, 60 mM, 50 mM, 40 mM, 30 mM, 25 mM, 20 mM, 15 mM, 10 mM, 5 mM or less.

80. The pharmaceutical composition of any of claims 71-79, comprising NaCl at a concentration from or from about 0.1 mM to 200 mM, 0.1mM to 100 mM, 120 mM to 200 mM, 10 mM to 50 mM, 10 mM to 90 mM, 80 mM to 200 mM, 80 mM to 140 mM, 50 mM to 100 mM, 80 mM to 100 mM, 50 mM to 80 mM, 100 mM to 140 mM or 120 mM to 140 mM.

81. The pharmaceutical composition of any of claims 71-80, comprising an anti-microbially effective amount of a preservative or mixture of preservatives.

82. The pharmaceutical composition of claim 81, wherein the preservative(s) is a phenolic preservative(s), a non-phenolic preservative(s) or a phenolic preservative(s) and a non-phenolic preservative(s).

83. The pharmaceutical composition of claim 81 or claim 82, wherein the preservative(s) is(are) selected from among phenol, m-cresol, methylparaben, benzyl alcohol, thimerosal, benzalkonium chloride, 4-chloro-1-butanol, chlorhexidine dihydrochloride, chlorhexidine digluconate, L-phenylalanine, EDTA, bronopol, phenylmercuric acetate, glycerol, imidurea, chlorhexidine, sodium dehydroacetate, o-cresol, p-cresol, chlorocresol, cetrimide, benzethonium chloride, ethyl paraben, propylparaben, butylparaben and any combinations thereof.

84. The pharmaceutical composition of any of claims 81-83, wherein the composition contains a single preservative.

85. The pharmaceutical composition of any of claims 81-83, wherein the composition contains a mixture of preservatives that contains 2, 3 or 4 different preservatives.

86. The pharmaceutical composition of any of claims 71-85, comprising at least one phenolic preservative.

87. The pharmaceutical composition of any of claims 86, wherein the preservative(s) is(are) selected from among phenol, metacresol (m-cresol), benzyl alcohol, and a paraben.

88. The pharmaceutical composition of claim 87, wherein the preservative is a paraben that is methylparaben or propylparaben.

89. The pharmaceutical composition of any of claims 81-88, wherein the anti-microbial effective amount is a total amount of one or more preservative agents as a percentage (%) of mass concentration (w/v) that is or is between 0.05% to 0.6%, 0.1% and 0.4%, 0.1% to 0.3%, 0.15% to 0.325%, 0.15% to 0.25%, 0.1% to 0.2%, 0.2% to 0.3% or 0.3% to 0.4% inclusive.

90. The pharmaceutical composition of any of claims 71-89, comprising a therapeutically active agent.

91. The pharmaceutical composition of claim 90, wherein the therapeutic agent is formulated with the composition or in a separate composition.

92. The pharmaceutical composition of claim 90 or claim 91, wherein the therapeutic agent is a polypeptide, a protein, a nucleic acid, a drug, a small molecule or an organic molecule.

93. The pharmaceutical composition of any of claims 90-92, wherein the therapeutically active agent is selected from among a chemotherapeutic agent, an analgesic agent, an anti-inflammatory agent, an antimicrobial agent, an amoebicidal agent, a trichomonacidal agent, an anti-parkinson agent, an anti-malarial agent, an anticonvulsant agent, an anti-depressant agent, and antiarthritics agent, an anti-fungal agent, an antihypertensive agent, an antipyretic agent, an anti-parasite agent, an antihistamine agent, an alpha-adrenergic agonist agent, an alpha blocker agent, an anesthetic agent, a bronchial dilator agent, a biocide agent, a bactericide agent, a bacteriostat agent, a beta adrenergic blocker agent, a calcium channel blocker agent, a cardiovascular drug agent, a contraceptive agent, a decongestant agent, a diuretic agent, a depressant agent, a diagnostic agent, a electrolyte agent, a hypnotic agent, a hormone agent, a hyperglycemic agent, a muscle relaxant agent, a muscle contractant agent, an ophthalmic agent, a parasympathomimetic agent, a psychic

energizer agent, a sedative agent, a sympathomimetic agent, a tranquilizer agent, a urinary agent, a vaginal agent, a viricide agent, a vitamin agent, a non-steroidal anti-inflammatory agent, an angiotensin converting enzyme inhibitor agent, or a sleep inducer.

94. The pharmaceutical composition of any of claims 90-93, wherein the therapeutic agent is selected from among an antibody, an Immune Globulin, a bisphosphonate, a cytokine, a chemotherapeutic agent, a coagulation factor and an insulin.

95. The pharmaceutical composition of claim 94, wherein the therapeutic agent is an insulin that is a fast-acting insulin.

96. The pharmaceutical composition of claim 95, wherein the fast-acting insulin is regular insulin or is an insulin analog.

97. The pharmaceutical composition of claim 95 or claim 96, wherein the fast-acting insulin is a regular insulin that is a human insulin or a pig insulin.

98. The pharmaceutical composition of any of claims 95-97, wherein:

the fast-acting insulin comprises an A chain having the sequence of amino acids set forth in SEQ ID NO:862 and a B chain having the sequence of amino acids set forth in SEQ ID NO:863; or

the fast-acting insulin comprises an A chain with the sequence of amino acids set forth as amino acid residue positions 88-108 of SEQ ID NO:864 and a B chain with the sequence of amino acids set forth as amino acid residue positions 25-54 of SEQ ID NO:864.

99. The pharmaceutical composition of claim 95 or claim 96, wherein the fast-acting insulin is an insulin analog selected from among insulin lispro, insulin aspart or insulin glulisine.

100. The pharmaceutical composition of claim 99, wherein the insulin analog is selected from among an insulin having an A chain with the sequence of amino acids set forth in SEQ ID NO:862 and a B chain having the sequence of amino acids set forth in any of SEQ NOS:865-867.

101. The pharmaceutical composition of any of claims 95-100, wherein the amount of fast-acting insulin is from or from about 10 U/mL to 1000 U/mL, 50 U/mL to 500 U/mL, 100 U/mL to 1000 U/mL or 500 U/mL to 1000 U/mL, inclusive.

102. The pharmaceutical composition of any of claims 90-93, wherein the therapeutic agent is selected from among Adalimumabs, Agalsidase Betas, Alefacepts, Ampicillins, Anakinras, Antipoliomyelitic Vaccines, Anti-Thymocytes, Azithromycins, Becaplermins, Caspofungins, Cefazolins, Cefepimes, Cefotetans, Ceftazidimes, Ceftriaxones, Cetuximabs, Cilastatins, Clavulanic Acids, Clindamycins, Darbepoetin Alfas, Daclizumabs, Diphtheria, Diphtheria antitoxins, Diphtheria Toxoids, Efalizumabs, Epinephrines,

Erythropoietin Alphas, Etanercepts, Filgrastims, Fluconazoles, Follicle-Stimulating Hormones, Follitropin Alphas, Follitropin Betas, Fosphenytoins, Gadodiamides, Gadopentetates, Gatifloxacins, Glatiramers, GM-CSF's, Goserelins, Goserelin acetates, Granisetrons, Haemophilus Influenza B's, Haloperidols, Hepatitis vaccines, Hepatitis A Vaccines, Hepatitis B Vaccines, Ibritumomab Tiuxetans, Ibritumomabs, Tiuxetans, Immunoglobulins, Hemophilus influenza vaccines, Influenza Virus Vaccines, Infliximabs, Insulin lispro, 75% neutral protamine lispro (NPL)/25% insulin lispro, 50% neutral protamine Hagedorn (NPH)/ 50% regular insulin, 70% NPH/30% regular insulin; Regular insulin, NPH insulin, Ultra insulin, Ultralente insulin, and Insulin Glargines, Interferons, Interferon alpha, Interferon Betas, Interferon Gammas, Interferon alpha-2a, Interferon alpha 2-b, Interferon Alphacon, Interferon alpha-n, Interferon Betas, Interferon Beta-1a's, Interferon Gammas, Interferon alpha-con, Iodixanols, Iohexols, Iopamidols, Ioversols, Ketorolacs, Laronidases, Levofloxacins, Lidocaines, Linezolids, Lorazepams, Measles Vaccines, Measles virus, Mumps viruses, Measles-Mumps-Rubella Virus Vaccines, Rubella vaccines, Medroxyprogesterones, Meropenems, Methylprednisolones, Midazolams, Morphines, Octreotides, Omalizumabs, Ondansetrons, Palivizumabs, Pantoprazoles, Pegaspargases, Pegfilgrastims, Peg-Interferon Alpha-2a's, Peg-Interferon Alpha-2b's, Pegvisomants, Pertussis vaccines, Piperacillins, Pneumococcal Vaccines and Pneumococcal Conjugate Vaccines, Promethazines, Reteplases, Somatropins, Sulbactams, Sumatriptans, Tazobactams, Tenecteplases, Tetanus Purified Toxoids, Ticarcillins, Tositumomabs, Triamcinolones, Triamcinolone Acetonides, Triamcinolone hexacetonides, Vancomycins, Varicella Zoster immunoglobulins, Varicella vaccines, other vaccines, Alemtuzumabs, Alitretinoins, Allopurinols, Altretamines, Amifostines, Anastrozoles, Arsenics, Arsenic Trioxides, Asparaginases, Bacillus Calmette-Guerin (BCG) vaccines, BCG Live, Bexarotenes, Bleomycins, Busulfans, Busulfan intravenous, Busulfan orals, Calusterones, Capecitabines, Carboplatins, Carmustines, Carmustines with Polifeprosans, Celecoxibs, Chlorambucils, Cisplatins, Cladribines, Cyclophosphamides, Cytarabines, Cytarabine liposomals, Dacarbazines, Dactinomycins, Daunorubicin liposomals, Daunorubicins, Daunomycins, Denileukin Diftitoxes, Dexrazoxanes, Docetaxels, Doxorubicins, Doxorubicin liposomals, Dromostanolone propionates, Elliott's B Solutions, Epirubicins, Epoetin alfas, Estramustines, Etoposides, Etoposide phosphates, Etoposide VP-16s, Exemestanes, Floxuridines, Fludarabines, Fluorouracils, 5-Fluorouracils, Fulvestrants, Gemcitabines, Gemtuzumabs, Ozogamicins, Gemtuzumab ozogamicins, Hydroxyureas, Idarubicins, Ifosfamides, Imatinib mesylates, Irinotecans, Letrozoles, Leucovorins, Levamisoles, Lomustines, CCNUs, Mechlorethamines, Nitrogen mustards, Megestrols, Megestrol acetates, Melphalans, L-PAMs,

Mercaptopurines, 6-Mercaptopurines, Mesnas, Methotrexates, Methoxsalens, Mitomycins, Mitomycin C's, Mitotanes, Mitoxantrones, Nandrolones, Nandrolone Phenpropionates, Nofetumomabs, Oprelvekins, Oxaliplatins, Paclitaxels, Pamidronates, Pegademases, Pentostatins, Pipobromans, Plicamycins, Mithramycins, Porfimers, Porfimer sodiums, Procarbazines, Quinacrines, Rasburicases, Rituximabs, Sargramostims, Streptozocins, Talcs, Tamoxifens, Temozolomides, Teniposides, Testolactones, Thioguanines, 6-Thioguanines, Triethylenethiophosphoramides (Thiotepas), Topotecans, Toremifenes, Trastuzumabs, Tretinoins, Uracil Mustards, Valrubicins, Vinblastines, Vincristines, Vinorelbines, Zoledronates, Acivicins, Aclarubicins, Acodazoles, Acronines, Adozelesins, Aldesleukins, Retinoic Acids, Alitretinoins, 9-Cis-Retinoic Acids, Alvocidibs, Ambazones, Ambomycins, Ametantrones, Aminoglutethimides, Amsacrines, Anaxirones, Ancitabines, Anthramycins, Apaziquones, Argimesnas, Asperlins, Atrimustines, Azacitidines, Azetepas, Azotomycins, Banoxantrones, Batabulins, Batimastats, Benaxibines, Bendamustines, Benzodepas, Bicalutamides, Bietaserpines, Biricodars, Bisantrenes, Bisnafide Dimesylates, Bizelesins, Bortezomibs, Brequinars, Bropirimines, Budotitanes, Cactinomycins, Canertinibs, Caracemides, Carbetimers, Carboquones, Carmofurs, Carubicins, Carzelesins, Cedefingols, Cemadotins, Chlorambucils, Cioteronels, Cirolemycins, Clanfenurs, Clofarabines, Crisnatols, Decitabines, Dexniguldipines, Dexormaplatins, Dezaguanines, Diaziquones, Dibrospidiums, Dienogests, Dinalins, Disermolides, Dofequidars, Doxifluridines, Droloxifenes, Duazomycins, Ecomustines, Edatrexates, Edotecarins, Eflomithines, Elacridars, Elinafides, Elsamitrucins, Emitefurs, Enloplatins, Enpromates, Enzastaurins, Epipropidines, Eptaloprosts, Erbulozoles, Esorubicins, Etanidazoles, Etoglucids, Etoprines, Exisulinds, Fadrozoles, Fazarabines, Fenretinides, Fluoxymesterones, Flurocitabines, Fosquidones, Fostriecins, Fotretamines, Galarubicins, Galocitabines, Geroquinols, Gimatecans, Gimeracils, Gloxazones, Glufosfamides, Ilmofosines, Ilomastats, Imexons, Improsulfans, Indisulams, Inproquones, Interleukins, Interleukin-2s, recombinant Interleukins, Intoplicines, Iobenguanes, Iproplatins, Irsogladines, Ixabepilones, Ketotrexates, L-Alanosines, Lanreotides, Lapatinibs, Ledoxantrones, Leuprolides, Leuprorelins, Lexacalcitols, Liarozoles, Lobaplatins, Lometrexols, Lonafarnibs, Losoxantrones, Lurtotecans, Mafosfamides, Mannosulfans, Marimastats, Masoprocols, Maytansines, Mechlorethamines, Melengestrols, Melphalans, Menogarils, Mepitiostanes, Metesinds, Metomidates, Metoprines, Meturedepas, Miboplatins, Miproxifenes, Misonidazoles, Mitindomides, Mitocarcins, Mitocromins, Mitoflaxones, Mitogillins, Mitoguazones, Mitomalcins, Mitonafides, Mitoquidones, Mitospers, Mitozolomides, Mivobulins, Mizoribines, Mofarotenes, Mopidamols, Mubritinibs, Mycophenolic Acids, Nedaplatins, Neizarabines, Nemorubicins, Nitracrines, Nocodazoles,

Nogalamycins, Nolatrexeds, Nortopixantrones, Ormaplatins, Ortataxels, Oteracils, Oxisurans, Oxophenarsines, Patupilones, Peldesines, Peliomycins, Pelitrexols, Pemetrexeds, Pentamustines, Peplomycins, Perfosfamides, Perifosines, Picoplatins, Pinafides, Piposulfans, Pirfenidones, Piroxantrones, Pixantrones, Plevitrexeds, Plomestanes, Porfiromycins, Prednimustines, Propamidines, Prospidiums, Pumitepas, Puromycins, Pyrazofurins, Ranimustines, Riboprines, Ritrosulfans, Rogletimides, Roquinimexs, Rufocromomycins, Sabarubicins, Safingols, Satraplatins, Sebriplatins, Semustines, Simtrazenes, Sizofirans, Sobuzoxanes, Sorafenibs, Sparfosates, Sparfosic Acids, Sparsomycins, Spirogermaniums, Spiromustines, Spiroplatins, Squalamines, Streptonigrins, Streptovarycins, Sufosfamides, Sulofenurs, Tacedinalines, Talisomycins, Tallimustines, Tariquidars, Tauromustines, Tecogalans, Tegafurs, Teloxantrones, Temoporfins, Teroxirones, Thiamiprines, Tiamiprines, Tiazofurins, Tilomisoles, Tilorones, Timcodars, Timonacics, Tirapazamines, Topixantrones, Trabectedins, Ecteinascidin 743, Trestolones, Triciribines, Trilostanes, Trimetrexates, Triplatin Tetranitrates, Triptorelins, Trofosfamides, Tubulozoles, Ubenimexs, Uredepas, Valspodars, Vapreotides, Verteporfins, Vinblastines, Vindesines, Vinepidines, Vinflunines, Vinformides, Vinglycinates, Vinleucinols, Vinleurosines, Vinrosidines, Vintriptols, Vinzolidines, Vorozoles, Xanthomycin A's, Guamecyclines, Zeniplatins, Zilascorbs [2-H], Zinostatins, Zorubicins, Zosuquidars, Acetazolamides, Acyclovirs, Adipiodones, Alatrofloxacins, Alfentanils, Allergenic extracts, Alpha 1-proteinase inhibitors, Alprostadils, Amikacins, Amino acids, Aminocaproic acids, Aminophyllines, Amitriptylines, Amobarbitals, Amrinones, Analgesics, Anti-poliomyelitic vaccines, Anti-rabic serums, Anti-tetanus immunoglobulins, tetanus vaccines, Antithrombin IIIs, Antivenom serums, Argatrobans, Arginines, Ascorbic acids, Atenolols, Atracuriums, Atropines, Aurothioglucoses, Azathioprines, Aztreonams, Bacitracins, Baclofens, Basiliximabs, Benzoic acids, Benztropines, Betamethasones, Biotins, Bivalirudins, Botulism antitoxins, Bretyliums, Bumetanides, Bupivacaines, Buprenorphines, Butorphanols, Calcitonins, Calcitriols, Calciums, Capreomycins, Carboprosts, Carnitines, Cefamandoles, Cefoperazones, Cefotaximes, Cefoxitins, Ceftizoximes, Cefuroximes, Chloramphenicols, Chloroprocaines, Chloroquines, Chlorothiazides, Chlorpromazines, Chondroitinsulfuric acids, Choriogonadotropin alfas, Chromiums, Cidofovirs, Cimetidines, Ciprofloxacins, Cisatracuriums, Clonidines, Codeines, Colchicines, Colistins, Collagens, Corticorelin ovine triflutates, Corticotrophins, Cosyntropins, Cyanocobalamins, Cyclosporines, Cysteines, Dacliximabs, Dalfopristins, Dalteparins, Danaparoids, Dantrolenes, Deferoxamines, Desmopressins, Dexamethasones, Dexmedetomidines, Dexpanthenols, Dextrans, Iron dextrans, Diatrizoic acids, Diazepams, Diazoxides, Dicyclomines, Digibinds, Digoxins,

Dihydroergotamines, Diltiazems, Diphenhydramines, Dipyridamoles, Dobutamines, Dopamines, Doxacuriums, Doxaprams, Doxercalciferols, Doxycyclines, Droperidols, Dyphyllines, Edetic acids, Edrophoniums, Enalaprilats, Ephedrines, Epoprostenols, Ergocalciferols, Ergonovines, Ertapenems, Erythromycins, Esmolols, Estradiols, Estrogenics, Ethacrynic acids, Ethanolamines, Ethanols, Ethiodized oils, Etidronic acids, Etomidates, Famotidines, Fenoldopams, Fentanyls, Flumazenils, Fluoresceins, Fluphenazines, Folic acids, Fomepizoles, Fomivirsens, Fondaparinuxs, Foscarnets, Fosphenytoins, Furosemides, Gadoteridols, Gadoversetamides, Ganciclovirs, Gentamicins, Glucagons, Glucoses, Glycines, Glycopyrrolates, Gonadorelins, Gonadotropin chorionics, Haemophilus B polysaccharides, Hemins, Herbals, Histamines, Hydralazines, Hydrocortisones, Hydromorphones, Hydroxocobalamins, Hydroxyzines, Hyoscyamines, Ibutilides, Imiglucerases, Indigo carmines, Indomethacins, Iodides, Iopromides, Iothalamic acids, Ioxaglic acids, Ioxilans, Isoniazids, Isoproterenols, Japanese encephalitis vaccines, Kanamycins, Ketamines, Labetalols, Lepirudins, Levobupivacaines, Levothyroxines, Lincomycins, Liothyronines, Luteinizing hormones, Lyme disease vaccines, Mangafodipirs, Manthtols, Meningococcal polysaccharide vaccines, Meperidines, Mepivacaines, Mesoridazines, Metaraminols, Methadones, Methocarbamols, Methohexitals, Methyldopates, Methylergonovines, Metoclopramides, Metoprolols, Metronidazoles, Minocyclines, Mivacuriums, Morrhuic acids, Moxifloxacins, Muromonab-CD3s, Mycophenolate mofetils, Nafcillins, Nalbuphines, Nalmefenes, Naloxones, Neostigmines, Niacinamides, Nicardipines, Nitroglycerins, Nitroprussides, Norepinephrines, Orphenadrines, Oxacillins, Oxymorphones, Oxytetracyclines, Oxytocins, Pancuroniums, Panthenols, Pantothenic acids, Papaverines, Peginterferon alpha 2As, Penicillin Gs, Pentamidines, Pentazocines, Pentobarbitals, Perflutrens, Perphenazines, Phenobarbitals, Phentolamines, Phenylephrines, Phenytoins, Physostigmines, Phytonadiones, Polymyxin, Pralidoximes, Prilocaines, Procainamides, Procaines, Prochlorperazines, Progesterones, Propranolols, Pyridostigmine hydroxides, Pyridoxines, Quinidines, Quinupristins, Rabies immunoglobulins, Rabies vaccines, Ranitidines, Remifentanils, Riboflavins, Rifampins, Ropivacaines, Samariums, Scopolamines, Seleniums, Sermorelins, Sincalides, Somatrems, Spectinomycins, Streptokinases, Streptomycins, Succinylcholines, Sufentanils, Sulfamethoxazoles, Tacrolimuses, Terbutalines, Teriparatides, Testosterones, Tetanus antitoxins, Tetracaines, Tetradecyl sulfates, Theophyllines, Thiamines, Thiethylperazines, Thiopentals, Thyroid stimulating hormones, Tinzaparins, Tirofibans, Tobramycins, Tolazolines, Tolbutamides, Torsemides, Tranexamic acids, Treprostinils, Trifluoperazines, Trimethobenzamides, Trimethoprims, Tromethamines, Tuberculins, Typhoid vaccines, Urofollitropins, Urokinases, Valproic acids,

Vasopressins, Vecuroniums, Verapamils, Voriconazoles, Warfarins, Yellow fever vaccines, Zidovudines, Zincs, Ziprasidone hydrochlorides, Aclacinomycins, Actinomycins, Adriamycins, Azaserines, 6-Azauridines, Carzinophilins, Chromomycins, Denopterins, 6 Diazo 5 Oxo-L-Norleucines, Enocitabines, Floxuridines, Olivomycins, Pirarubicins, Piritreximes, Pteropterins, Tegafurs, Tubercidins, Alteplases, Arcitumomabs, bevacizumabs, Botulinum Toxin Type A's, Botulinum Toxin Type B's, Capromab Pendetides, Daclizumabs, Dornase alphas, Drotrecogin alphas, Imciromab Pentetates, Iodine-131's, an antibiotic agent; an angiogenesis inhibitor; anti-cataract and anti-diabetic retinopathy substances; carbonic anhydrase inhibitors; mydriatics; photodynamic therapy agents; prostaglandin analogs; growth factor; anti-neoplastics; anti-metabolites; anti-viral; amebicides and anti-protozoals; anti-tuberculosis and anti-leprotic; antitoxins and antivenins; antihemophilic factor, anti-inhibitor coagulant complex, antithrombin III, coagulations Factor V, coagulation Factor IX, plasma protein fraction, von Willebrand factor; antiplatelet agent a colony stimulating factor (CSF); an erythropoiesis stimulator; hemostatics and albumins; Immune Globulins; thrombin inhibitors; anticoagulants; a steroidal anti-inflammatory drug selected from among alclometasones, algestones, beclomethasones, betamethasones, budesonides, clobetasols, clobetasones, clocortolones, cloprednols, corticosterones, cortisones, cortivazols, deflazacorts, desonides, desoximetasones, dexamethasones, diflorasones, diflucortolones, difluprednates, enoxolones, fluazacorts, flucloronides, flumethasones, flunisolides, fluocinolones, fluocinonides, fluocortins, fluocortolones, fluorometholones, fluperolones, fluprednidenes, fluprednisolones, flurandrenolides, fluticasones, formocortals, halcinonides, halobetasols, halometasones, halopredones, hydrocortamates, hydrocortisones, loteprednol etabonate, mazipredones, medrysones, meprednisones, methylprednisolones, mometasone furoate, paramethasones, prednicarbates, prednisolones, prednisones, prednivals, prednylidenes, rimexolones, tixocortols and triamcinolones; Docosenoid, prostaglandins, prostaglandin analogs, antiprostaglandins and prostaglandin precursors; miotics, cholinergics and anti-cholinesterase; and anti-allergenics.

103. The pharmaceutical composition of any of claims 71-102 that is a liquid composition.

104. A co-formulation, comprising:

a therapeutically effective amount of a modified PH20 polypeptide of any of claims 1-56; and

a therapeutically effective amount of a fast-acting insulin.

105. A co-formulation, comprising a therapeutically effective amount of a modified PH20 polypeptide of any of claims 1-20; and

a therapeutically effective amount of a fast-acting insulin

106. The co-formulation of claim 104 or claim 105, wherein the modified PH20 polypeptide in the formulation is stable at a temperature from or from about 2 °C to 8 °C, inclusive, for at least 1 month or is stable at a temperature from or from about 30 °C to 42 °C, inclusive, for at least 3 days.

107. The co-formulation of any of claims 104-106, wherein the amount of modified PH20 polypeptide is from or from about 100 U/mL to 1000 U/mL, 200 U/mL to 800 U/mL, or 400 U/mL to 800 U/mL.

108. The co-formulation of any of claims 104-107, wherein the fast-acting insulin is regular insulin or is an insulin analog.

109. The co-formulation of any of claims 104-108, wherein the fast-acting insulin is a regular insulin that is a human insulin or a pig insulin.

110. The co-formulation of any of claims 104-109, wherein:

the fast-acting insulin comprises an A chain having the sequence of amino acids set forth in SEQ ID NO:862 and a B chain having the sequence of amino acids set forth in SEQ ID NO:863; or

the fast-acting insulin comprises an A chain with the sequence of amino acids set forth as amino acid residue positions 88-108 of SEQ ID NO:864 and a B chain with the sequence of amino acids set forth as amino acid residue positions 25-54 of SEQ ID NO:864.

111. The co-formulation of any of claims 104-108, wherein the fast-acting insulin is an insulin analog selected from among insulin lispro, insulin aspart and insulin glulisine.

112. The co-formulation of claim 111, wherein the insulin analog is selected from among an insulin having an A chain with the sequence of amino acids set forth in SEQ ID NO:862 and a B chain having the sequence of amino acids set forth in any of SEQ NOS:865-867.

113. The co-formulation of any of claims 104-112, wherein the amount of fast-acting insulin is from or from about 10 U/mL to 1000 U/mL, 50 U/mL to 500 U/mL, 100 U/mL to 1000 U/mL or 500 U/mL to 1000 U/mL, inclusive.

114. The co-formulation of any of claims 104-113 that has a pH of from or from about 7.0 to 7.6.

115. The co-formulation of any of claims 104-114, comprising NaCl at a concentration from or from about 0.1 mM to 200 mM; 0.1mM to 100 mM, 120 mM to 200 mM, 10 mM to 50 mM, 10 mM to 90 mM, 80 mM to 200 mM, 80 mM to 140 mM, 50 mM to 100 mM, 80 mM to 100 mM, 50 mM to 80 mM, 100 mM to 140 mM or 120 mM to 140 mM.

116. The co-formulation of any of claims 104-115, comprising an anti-microbial effective amount of at least one preservative.

117. The co-formulation of claim 116, wherein the anti-microbial effective amount is a total amount of one or more preservative agents as a percentage (%) of mass concentration (w/v) that is or is between 0.05% to 0.6%, 0.1% to 0.4%, 0.1% to 0.3%, 0.15% to 0.325%, 0.15% to 0.25%, 0.1% to 0.2%, 0.2% to 0.3% or 0.3% to 0.4% inclusive.

118. The co-formulation of claim 116 or claim 117, wherein the preservative(s) is a phenolic preservative(s), a non-phenolic preservative(s) or a phenolic preservative(s) and a non-phenolic preservative(s).

119. The co-formulation of any of claims 116-118, wherein the preservative(s) is(are) selected from among phenol, m-cresol, methylparaben, benzyl alcohol, thimerosal, benzalkonium chloride, 4-chloro-1-butanol, chlorhexidine dihydrochloride, chlorhexidine digluconate, L-phenylalanine, EDTA, bronopol, phenylmercuric acetate, glycerol, imidurea, chlorhexidine, sodium dehydroacetate, o-cresol, p-cresol, chlorocresol, cetrimide, benzethonium chloride, ethyl paraben, propylparaben, butylparaben and any combinations thereof.

120. The co-formulation of any of claims 116-119, wherein the composition contains a single preservative.

121. The co-formulation of any of claims 116-119, wherein the composition contains a mixture of preservatives that contains 2, 3 or 4 different preservatives.

122. The co-formulation of any of claims 104-121, comprising at least one phenolic preservative.

123. The co-formulation of claim 122, wherein the preservative(s) is(are) selected from among phenol, metacresol (m-cresol), benzyl alcohol, and a paraben.

124. The co-formulation of claim 123, wherein the preservative is a paraben that is methylparaben or propylparaben.

125. The co-formulation of any of claims 104-124, comprising a surfactant in an amount as a % of mass concentration (w/v) in the formulation that is at least or at least about 0.001%, 0.005%, 0.01%, 0.015%, 0.02%, 0.025%, 0.03%, 0.035%, 0.04%, 0.045%, 0.05%, 0.055%, 0.06%, 0.065%, 0.07%. 0.08% or 0.9%.

126. The co-formulation of claim 125, wherein the surfactant is selected from among a polypropylene glycol, polyethylene glycol, glycerin, sorbitol, poloxamer and polysorbate.

127. The co-formulation of claim 126, wherein the surfactant is selected from among poloxamer 188, polysorbate 20 and polysorbate 80.

128. The co-formulation of any of claims 104-127, comprising a buffering agent that is a non-metal binding agent or is a metal binding agent.

129. The co-formulation of claim 128, wherein the buffering agent is selected from among Tris, histidine, phosphate and citrate.

130. The co-formulation of claim 128 or claim 129, wherein the concentration of the buffering agent is between or is between about 1 mM to 100 mM, 10 mM to 50 mM or 20 mM to 40 mM.

131. The co-formulation of any of claims 104-130, comprising glycerin in a concentration less than 60 mM, less than 55 mM, less than 50 mM, less than 45 mM, less than 40 mM, less than 35 mM, less than 30 mM, less than 25 mM, less than 20 mM, less than 15 mM, less than 10 mM.

132. The co-formulation of any of claims 104-131, comprising an antioxidant.

133. The co-formulation of claim 132, wherein the antioxidant is selected from among cysteine, tryptophan and methionine.

134. The co-formulation of claim 132 or claim 133, wherein the antioxidant is at a concentration from between or from about between 2 mM to 50 mM, 5 mM to 40 mM, 5 mM to 20 mM or 10 mM to 20 mM, inclusive.

135. The co-formulation of any of claims 104-134, comprising zinc.

136. The co-formulation of claim 135, wherein the concentration of zinc is between or about between 0.001 to 0.1 mg per 100 units of insulin (mg/100U), 0.001 to 0.05 mg/100U or 0.01 to 0.05 mg/100U.

137. A closed loop system, comprising the co-formulation of any of claims 105-136.

138. An insulin pump, comprising the co-formulation of any of claims 105-136.

139. An insulin pen, comprising the co-formulation of any of claims 105-136.

140. A method for treating a hyaluronan-associated disease or condition, comprising administering to a subject a modified PH20 polypeptide of any of claims 1-56 or a pharmaceutical composition of any of claims 71-103.

141. The method of claim 140, wherein the hyaluronan-associated disease or condition is an inflammatory disease or a tumor or cancer.

142. The method of claim 141, wherein the tumor is a solid tumor.

143. The method of any of claims 140-142, wherein the hyaluronan-associated disease or condition is selected from among a late-stage cancer, metastatic cancers and undifferentiated cancers.

144. The method of any of claims 140-143, wherein the hyaluronan-associated disease or condition is selected from among ovarian cancer, in situ carcinoma (ISC), squamous cell carcinoma (SCC), prostate cancer, pancreatic cancer, non-small cell lung cancer, breast cancer and colon cancer.

145. A method for treating diabetes, comprising administering to a subject a pharmaceutical composition of any of claims 95-101 or co-formulation of any of claims 104-136.

146. The method of claim 145, wherein the diabetes is selected from among type 1 diabetes mellitus, type 2 diabetes mellitus or gestational diabetes.

147. A method for increasing delivery of a therapeutic agent to a subject, comprising:

administering to a subject a modified PH20 polypeptide of any of claims 1-56, a pharmaceutical composition of any of claims 71-103 or a co-formulation of any of claims 104-136; and

administering a therapeutic agent.

148. The method of claim 147, wherein the administration is subcutaneous.

149. The method of claim 147 or claim 148, wherein the modified PH20 polypeptide or composition comprising a modified PH20 polypeptide is administered prior to, simultaneously with, intermittently with, or subsequent to administration of the therapeutic agent.

150. The method of any of claims 147-149, wherein the therapeutic agent is a polypeptide, a protein, a nucleic acid, a drug, a small molecule or an organic molecule.

151. The method of any of claims 147-150, wherein the therapeutic agent is selected from among a chemotherapeutic agent, an analgesic agent, an anti-inflammatory agent, an antimicrobial agent, an amoebicidal agent, a trichomonacidal agent, an anti-parkinson agent, an anti-malarial agent, an anticonvulsant agent, an anti-depressant agent, and antiarthritics agent, an anti-fungal agent, an antihypertensive agent, an antipyretic agent, an anti-parasite agent, an antihistamine agent, an alpha-adrenergic agonist agent, an alpha blocker agent, an anesthetic agent, a bronchial dilator agent, a biocide agent, a bactericide agent, a bacteriostat agent, a beta adrenergic blocker agent, a calcium channel blocker agent, a cardiovascular drug agent, a contraceptive agent, a decongestant agent, a diuretic agent, a depressant agent, a diagnostic agent, a electrolyte agent, a hypnotic agent, a hormone agent, a hyperglycemic agent, a muscle relaxant agent, a muscle contractant agent, an ophthalmic agent, a parasympathomimetic agent, a psychic energizer agent, a sedative agent, a sympathomimetic agent, a tranquilizer agent, a urinary agent, a vaginal agent, a viricide

agent, a vitamin agent, a non-steroidal anti-inflammatory agent, an angiotensin converting enzyme inhibitor agent, or a sleep inducer.

152. The method of any of claims 147-151, wherein the therapeutic agent is selected from among an antibody, an Immune Globulin, a bisphosphonate, a cytokine, a chemotherapeutic agent, a coagulation factor and an insulin.

153. The method of claim 152, wherein the therapeutic agent is an insulin that is a fast-acting insulin.

154. The method of claim 153, wherein the fast-acting insulin is regular insulin or is an insulin analog.

155. The method of claim 153 or 154, wherein the fast-acting insulin is a regular insulin that is a human insulin or a pig insulin.

156. The method of any of claims 153-155, wherein:

the fast-acting insulin comprises an A chain having the sequence of amino acids set forth in SEQ ID NO:862 and a B chain having the sequence of amino acids set forth in SEQ ID NO:863; or

the fast-acting insulin comprises an A chain having the sequence of amino acids set forth as amino acid residue positions 88-108 of SEQ ID NO:864 and a B chain having the sequence of amino acids set forth as amino acid residue positions 25-54 of SEQ ID NO:864.

157. The method of claim 153 or claim 154, wherein the fast-acting insulin is an insulin analog selected from among insulin lispro, insulin aspart or insulin glulisine.

158. The method of claim 157, wherein the insulin analog comprises an A chain with the sequence of amino acids set forth in SEQ ID NO:862 and a B chain selected from among the sequences of amino acids set forth in any of SEQ NOS:865-867.

159. The method of any of claims 147-151, wherein the therapeutic agent is selected from among a Adalimumabs, Agalsidase Betas, Alefacepts, Ampicillins, Anakinras, Antipoliomyelitic Vaccines, Anti-Thymocytes, Azithromycins, Becaplermins, Caspofungins, Cefazolins, Cefepimes, Cefotetans, Ceftazidimes, Ceftriaxones, Cetuximabs, Cilastatins, Clavulanic Acids, Clindamycins, Darbepoetin Alfas, Daclizumabs, Diphtheria, Diphtheria antitoxins, Diphtheria Toxoids, Efalizumabs, Epinephrines, Erythropoietin Alphas, Etanercepts, Filgrastims, Fluconazoles, Follicle-Stimulating Hormones, Follitropin Alphas, Follitropin Betas, Fosphenytoins, Gadodiamides, Gadopentetates, Gatifloxacins, Glatiramers, GM-CSF's, Goserelins, Goserelin acetates, Granisetrons, Haemophilus Influenza B's, Haloperidols, Hepatitis vaccines, Hepatitis A Vaccines, Hepatitis B Vaccines, Ibritumomab Tiuxetans, Ibritumomabs, Tiuxetans, Immunoglobulins, Hemophilus influenza vaccines, Influenza Virus Vaccines, Infliximabs, Insulin lispro, 75% neutral protamine lispro

(NPL)/25% insulin lispro, 50% neutral protamine Hagedorn (NPH)/ 50% regular insulin, 70% NPH/30% regular insulin; Regular insulin, NPH insulin, Ultra insulin, Ultralente insulin, and Insulin Glargines, Interferons, Interferon alpha, Interferon Betas, Interferon Gammas, Interferon alpha-2a, Interferon alpha 2-b, Interferon Alphacon, Interferon alpha-n, Interferon Betas, Interferon Beta-1a's, Interferon Gammas, Interferon alpha-con, Iodixanols, Iohexols, Iopamidols, Ioversols, Ketorolacs, Laronidases, Levofloxacins, Lidocaines, Linezolids, Lorazepams, Measles Vaccines, Measles virus, Mumps viruses, Measles-Mumps-Rubella Virus Vaccines, Rubella vaccines, Medroxyprogesterones, Meropenems, Methylprednisolones, Midazolams, Morphines, Octreotides, Omalizumabs, Ondansetrons, Palivizumabs, Pantoprazoles, Pegaspargases, Pegfilgrastims, Peg-Interferon Alpha-2a's, Peg-Interferon Alpha-2b's, Pegvisomants, Pertussis vaccines, Piperacillins, Pneumococcal Vaccines and Pneumococcal Conjugate Vaccines, Promethazines, Reteplases, Somatropins, Sulbactams, Sumatriptans, Tazobactams, Tenecteplases, Tetanus Purified Toxoids, Ticarcillins, Tositumomabs, Triamcinolones, Triamcinolone Acetonides, Triamcinolone hexacetonides, Vancomycins, Varicella Zoster immunoglobulins, Varicella vaccines, other vaccines, Alemtuzumabs, Alitretinoins, Allopurinols, Altretamines, Amifostines, Anastrozoles, Arsenics, Arsenic Trioxides, Asparaginases, Bacillus Calmette-Guerin (BCG) vaccines, BCG Live, Bexarotenes, Bleomycins, Busulfans, Busulfan intravenous, Busulfan orals, Calusterones, Capecitabines, Carboplatins, Carmustines, Carmustines with Polifeprosans, Celecoxibs, Chlorambucils, Cisplatins, Cladribines, Cyclophosphamides, Cytarabines, Cytarabine liposomals, Dacarbazines, Dactinomycins, Daunorubicin liposomals, Daunorubicins, Daunomycins, Denileukin Diftitoxes, Dexrazoxanes, Docetaxels, Doxorubicins, Doxorubicin liposomals, Dromostanolone propionates, Elliott's B Solutions, Epirubicins, Epoetin alfas, Estramustines, Etoposides, Etoposide phosphates, Etoposide VP-16s, Exemestanes, Floxuridines, Fludarabines, Fluorouracils, 5-Fluorouracils, Fulvestrants, Gemcitabines, Gemtuzumabs, Ozogamicins, Gemtuzumab ozogamicins, Hydroxyureas, Idarubicins, Ifosfamides, Imatinib mesylates, Irinotecans, Letrozoles, Leucovorins, Levamisoles, Lomustines, CCNUs, Mechlorethamines, Nitrogen mustards, Megestrols, Megestrol acetates, Melphalans, L-PAMs, Mercaptopurines, 6-Mercaptopurines, Mesnas, Methotrexates, Methoxsalens, Mitomycins, Mitomycin C's, Mitotanes, Mitoxantrones, Nandrolones, Nandrolone Phenpropionates, Nofetumomabs, Oprelvekins, Oxaliplatins, Paclitaxels, Pamidronates, Pegademases, Pentostatins, Pipobromans, Plicamycins, Mithramycins, Porfimers, Porfimer sodiums, Procarbazines, Quinacrines, Rasburicases, Rituximabs, Sargramostims, Streptozocins, Talcs, Tamoxifens, Temozolomides, Teniposides, Testolactones, Thioguanines, 6-Thioguanines, Triethylenethiophosphoramides (Thiotepas),

Topotecans, Toremifenes, Trastuzumabs, Tretinoins, Uracil Mustards, Valrubicins, Vinblastines, Vincristines, Vinorelbines, Zoledronates, Acivicins, Aclarubicins, Acodazoles, Acronines, Adozelesins, Aldesleukins, Retinoic Acids, Alitretinoins, 9-Cis-Retinoic Acids, Alvocidibs, Ambazones, Ambomycins, Ametantrones, Aminoglutethimides, Amsacrines, Anaxirones, Ancitabines, Anthramycins, Apaziquones, Argimesnas, Asperlins, Atrimustines, Azacitidines, Azetepas, Azotomycins, Banoxantrones, Batabulins, Batimastats, Benaxibines, Bendamustines, Benzodepas, Bicalutamides, Bietaserpines, Biricodars, Bisantrenes, Bisnafide Dimesylates, Bizelesins, Bortezomibs, Brequinars, Bropirimines, Budotitanes, Cactinomycins, Canertinibs, Caracemides, Carbetimers, Carboquones, Carmofurs, Carubicins, Carzelesins, Cedefingols, Cemadotins, Chlorambucils, Cioteronels, Cirolemycins, Clanfenurs, Clofarabines, Crisnatols, Decitabines, Dexniguldipines, Dexormaplatins, Dezaguanines, Diaziquones, Dibrospidiums, Dienogests, Dinalins, Disermolides, Dofequidars, Doxifluridines, Droloxifenes, Duazomycins, Ecomustines, Edatrexates, Edotecarins, Eflomithines, Elacridars, Elinafides, Elsamitrucins, Emitefurs, Enloplatins, Enpromates, Enzastaurins, Epipropidines, Eptaloprosts, Erbulozoles, Esorubicins, Etanidazoles, Etoglucids, Etoprines, Exisulinds, Fadrozoles, Fazarabines, Fenretinides, Fluoxymesterones, Flurocitabines, Fosquidones, Fostriecins, Fotretamines, Galarubicins, Galocitabines, Geroquinols, Gimatecans, Gimeracils, Gloxazones, Glufosfamides, Ilmofosines, Ilomastats, Imexons, Improsulfans, Indisulams, Inproquones, Interleukins, Interleukin-2s, recombinant Interleukins, Intoplicines, Iobenguanes, Iproplatins, Irsogladines, Ixabepilones, Ketotrexates, L-Alanosines, Lanreotides, Lapatinibs, Ledoxantrones, Leuprolides, Leuprorelins, Lexacalcitols, Liarozoles, Lobaplatins, Lometrexols, Lonafarnibs, Losoxantrones, Lurtotecans, Mafosfamides, Mannosulfans, Marimastats, Masoprocols, Maytansines, Mechlorethamines, Melengestrols, Melphalans, Menogarils, Mepitiostanes, Metesinds, Metomidates, Metoprines, Meturedepas, Miboplatins, Miproxifenes, Misonidazoles, Mitindomides, Mitocarcins, Mitocromins, Mitoflaxones, Mitogillins, Mitoguazones, Mitomalcins, Mitonafides, Mitoquidones, Mitospers, Mitozolomides, Mivobulins, Mizoribines, Mofarotenes, Mopidamols, Mubritinibs, Mycophenolic Acids, Nedaplatins, Neizarabines, Nemorubicins, Nitracrines, Nocodazoles, Nogalamycins, Nolatrexeds, Nortopixantrones, Ormaplatins, Ortataxels, Oteracils, Oxisurans, Oxophenarsines, Patupilones, Peldesines, Peliomycins, Pelitrexols, Pemetrexeds, Pentamustines, Peplomycins, Perfosfamides, Perifosines, Picoplatins, Pinafides, Piposulfans, Pirfenidones, Piroxantrones, Pixantrones, Plevitrexeds, Plomestanes, Porfiromycins, Prednimustines, Propamidines, Prospidiums, Pumitepas, Puromycins, Pyrazofurins, Ranimustines, Riboprines, Ritrosulfans, Rogletimides, Roquinimexs, Rufocromomycins,

Sabarubicins, Safingols, Satraplatins, Sebriplatins, Semustines, Simtrazenes, Sizofirans, Sobuzoxanes, Sorafenibs, Sparfosates, Sparfosic Acids, Sparsomycins, Spirogermaniums, Spiromustines, Spiroplatins, Squalamines, Streptonigrins, Streptovarycins, Sufosfamides, Sulofenurs, Tacedinalines, Talisomycins, Tallimustines, Tariquidars, Tauromustines, Tecogalans, Tegafurs, Teloxantrones, Temoporfins, Teroxirones, Thiamiprines, Tiamiprines, Tiazofurins, Tilomisoles, Tilorones, Timcodars, Timonacics, Tirapazamines, Topixantrones, Trabectedins, Ecteinascidin 743, Trestolones, Triciribines, Trilostanes, Trimetrexates, Triplatin Tetranitrates, Triptorelins, Trofosfamides, Tubulozoles, Ubenimexs, Uredepas, Valspodars, Vapreotides, Verteporfins, Vinblastines, Vindesines, Vinepidines, Vinflunines, Vinformides, Vinglycinates, Vinleucinols, Vinleurosines, Vinrosidines, Vintriptols, Vinzolidines, Vorozoles, Xanthomycin A's, Guamecyclines, Zeniplatins, Zilascorbs [2-H], Zinostatins, Zorubicins, Zosuquidars, Acetazolamides, Acyclovirs, Adipiodones, Alatrofloxacins, Alfentanils, Allergenic extracts, Alpha 1-proteinase inhibitors, Alprostadils, Amikacins, Amino acids, Aminocaproic acids, Aminophyllines, Amitriptylines, Amobarbitals, Amrinones, Analgesics, Anti-poliomyelitic vaccines, Anti-rabic serums, Anti-tetanus immunoglobulins, tetanus vaccines, Antithrombin IIIs, Antivenom serums, Argatrobans, Arginines, Ascorbic acids, Atenolols, Atracuriums, Atropines, Aurothioglucoses, Azathioprines, Aztreonams, Bacitracins, Baclofens, Basiliximabs, Benzoic acids, Benztropines, Betamethasones, Biotins, Bivalirudins, Botulism antitoxins, Bretyliums, Bumetanides, Bupivacaines, Buprenorphines, Butorphanols, Calcitonins, Calcitriols, Calciums, Capreomycins, Carboprosts, Carnitines, Cefamandoles, Cefoperazones, Cefotaximes, Cefoxitins, Ceftizoximes, Cefuroximes, Chloramphenicols, Chloroprocaines, Chloroquines, Chlorothiazides, Chlorpromazines, Chondroitinsulfuric acids, Choriogonadotropin alfas, Chromiums, Cidofovirs, Cimetidines, Ciprofloxacins, Cisatracuriums, Clonidines, Codeines, Colchicines, Colistins, Collagens, Corticorelin ovine triflutates, Corticotrophins, Cosyntropins, Cyanocobalamins, Cyclosporines, Cysteines, Dacliximabs, Dalfopristins, Dalteparins, Danaparoids, Dantrolenes, Deferoxamines, Desmopressins, Dexamethasones, Dexmedetomidines, Dexpanthenols, Dextrans, Iron dextrans, Diatrizoic acids, Diazepams, Diazoxides, Dicyclomines, Digibinds, Digoxins, Dihydroergotamines, Diltiazems, Diphenhydramines, Dipyridamoles, Dobutamines, Dopamines, Doxacuriums, Doxaprams, Doxercalciferols, Doxycyclines, Droperidols, Dyphyllines, Edetic acids, Edrophoniums, Enalaprilats, Ephedrines, Epoprostenols, Ergocalciferols, Ergonovines, Ertapenems, Erythromycins, Esmolols, Estradiols, Estrogenics, Ethacrynic acids, Ethanolamines, Ethanols, Ethiodized oils, Etidronic acids, Etomidates, Famotidines, Fenoldopams, Fentanyls, Flumazenils, Fluoresceins, Fluphenazines, Folic acids,

Fomepizoles, Fomivirsens, Fondaparinuxs, Foscarnets, Fosphenytoins, Furosemides, Gadoteridols, Gadoversetamides, Ganciclovirs, Gentamicins, Glucagons, Glucoses, Glycines, Glycopyrrolates, Gonadorelins, Gonadotropin chorionics, Haemophilus B polysaccharides, Hemins, Herbals, Histamines, Hydralazines, Hydrocortisones, Hydromorphones, Hydroxocobalamins, Hydroxyzines, Hyoscyamines, Ibutilides, Imiglucerases, Indigo carmines, Indomethacins, Iodides, Iopromides, Iothalamic acids, Ioxaglic acids, Ioxilans, Isoniazids, Isoproterenols, Japanese encephalitis vaccines, Kanamycins, Ketamines, Labetalols, Lepirudins, Levobupivacaines, Levothyroxines, Lincomycins, Liothyronines, Luteinizing hormones, Lyme disease vaccines, Mangafodipirs, Manthtols, Meningococcal polysaccharide vaccines, Meperidines, Mepivacaines, Mesoridazines, Metaraminols, Methadones, Methocarbamols, Methohexitals, Methyldopates, Methylergonovines, Metoclopramides, Metoprolols, Metronidazoles, Minocyclines, Mivacuriums, Morrhuic acids, Moxifloxacins, Muromonab-CD3s, Mycophenolate mofetils, Nafcillins, Nalbuphines, Nalmefenes, Naloxones, Neostigmines, Niacinamides, Nicardipines, Nitroglycerins, Nitroprussides, Norepinephrines, Orphenadrines, Oxacillins, Oxymorphones, Oxytetracyclines, Oxytocins, Pancuroniums, Panthenols, Pantothenic acids, Papaverines, Peginterferon alpha 2As, Penicillin Gs, Pentamidines, Pentazocines, Pentobarbitals, Perflutrens, Perphenazines, Phenobarbitals, Phentolamines, Phenylephrines, Phenytoins, Physostigmines, Phytonadiones, Polymyxin, Pralidoximes, Prilocaines, Procainamides, Procaines, Prochlorperazines, Progesterones, Propranolols, Pyridostigmine hydroxides, Pyridoxines, Quinidines, Quinupristins, Rabies immunoglobulins, Rabies vaccines, Ranitidines, Remifentanils, Riboflavins, Rifampins, Ropivacaines, Samariums, Scopolamines, Seleniums, Sermorelins, Sincalides, Somatrems, Spectinomycins, Streptokinases, Streptomycins, Succinylcholines, Sufentanils, Sulfamethoxazoles, Tacrolimuses, Terbutalines, Teriparatides, Testosterones, Tetanus antitoxins, Tetracaines, Tetradecyl sulfates, Theophyllines, Thiamines, Thiethylperazines, Thiopentals, Thyroid stimulating hormones, Tinzaparins, Tirofibans, Tobramycins, Tolazolines, Tolbutamides, Torsemides, Tranexamic acids, Treprostinils, Trifluoperazines, Trimethobenzamides, Trimethoprims, Tromethamines, Tuberculins, Typhoid vaccines, Urofollitropins, Urokinases, Valproic acids, Vasopressins, Vecuroniums, Verapamils, Voriconazoles, Warfarins, Yellow fever vaccines, Zidovudines, Zincs, Ziprasidone hydrochlorides, Aclacinomycins, Actinomycins, Adriamycins, Azaserines, 6-Azauridines, Carzinophilins, Chromomycins, Denopterins, 6 Diazo 5 Oxo-L-Norleucines, Enocitabines, Floxuridines, Olivomycins, Pirarubicins, Piritrexims, Pteropterins, Tegafurs, Tubercidins, Alteplases, Arcitumomabs, bevacizumabs, Botulinum Toxin Type A's, Botulinum Toxin Type B's, Capromab Pendetides, Daclizumabs,

Dornase alphas, Drotrecogin alphas, Imciromab Pentetates, Iodine-131's, an antibiotic agent; an angiogenesis inhibitor; anti-cataract and anti-diabetic retinopathy substances; carbonic anhydrase inhibitors; mydriatics; photodynamic therapy agents; prostaglandin analogs; growth factor; anti-neoplastics; anti-metabolites; anti-viral; amebicides and anti-protozoals; anti-tuberculosis and anti-leprotic; antitoxins and antivenins; antihemophilic factor, anti-inhibitor coagulant complex, antithrombin III, coagulations Factor V, coagulation Factor IX, plasma protein fraction, von Willebrand factor; antiplatelet agent a colony stimulating factor (CSF); an erythropoiesis stimulator; hemostatics and albumins; Immune Globulins; thrombin inhibitors; anticoagulants; a steroidal anti-inflammatory drug selected from among alclometasones, algestones, beclomethasones, betamethasones, budesonides, clobetasols, clobetasones, clocortolones, cloprednols, corticosterones, cortisones, cortivazols, deflazacorts, desonides, desoximetasones, dexamethasones, diflorasones, diflucortolones, difluprednates, enoxolones, fluazacorts, flucloronides, flumethasones, flunisolides, fluocinolones, fluocinonides, fluocortins, fluocortolones, fluorometholones, fluperolones, fluprednidenes, fluprednisolones, flurandrenolides, fluticasones, formocortals, halcinonides, halobetasols, halometasones, halopredones, hydrocortamates, hydrocortisones, loteprednol etabonate, mazipredones, medrysones, meprednisones, methylprednisolones, mometasone furoate, paramethasones, prednicarbates, prednisolones, prednisones, prednivals, prednylidenes, rimexolones, tixocortols and triamcinolones; Docosenoid, prostaglandins, prostaglandin analogs, antiprostaglandins and prostaglandin precursors; miotics, cholinergics and anti-cholinesterase; and anti-allergenics.

160. A method for treating an excess of glycosaminoglycans; for treating a tumor; for treating glycosaminoglycan accumulation in the brain; for treating a cardiovascular disorder; for treating an ophthalmic disorder; for treating pulmonary disease; for increasing penetration of chemotherapeutic agents into solid tumors; for treating cellulite; for treating a proliferative disorder; or for increasing bioavailability of drugs and other therapeutic agents, comprising administering to a subject the modified PH20 polypeptide of any of claims 1-56 or a pharmaceutical composition of any of claims 71-103.

161. A pharmaceutical composition of any of claims 71-103 for use in treating a hyaluronan-associated disease or disorder.

162. A pharmaceutical composition of any of claims 95-101 or co-formulation of any of claims 104-136 for use in treating diabetes.

163. A pharmaceutical composition of any of claims 71-103 for use in delivering a therapeutic agent to a subject.

164. A pharmaceutical composition of any of claims 71-103 for treating an excess of glycosaminoglycans; for treating a tumor; for treating glycosaminoglycan accumulation in the brain; for treating a cardiovascular disorder; for treating an ophthalmic disorder; for treating pulmonary disease; for increasing penetration of chemotherapeutic agents into solid tumors; for treating cellulite; for treating a proliferative disorder; or for increasing bioavailability of drugs and other therapeutic agents.

165. A method for identifying or selecting a modified hyaluronan-degrading enzyme that exhibits stability under a denaturation condition, wherein:

the method comprises:

a) testing the activity of a modified hyaluronan-degrading enzyme in a composition comprising a denaturing agent and/or under a denaturing condition;

b) testing the activity of the modified hyaluronan-degrading enzyme in the same composition and/or under the same conditions as a) except absent the denaturing agent or condition; and

c) selecting or identifying a modified hyaluronan-degrading enzyme that exhibits activity in a) that is at least 5% of the activity in b); and/or

the method comprises:

a) testing the activity of a modified hyaluronan-degrading enzyme in a composition comprising a denaturing agent and/or under a denaturing condition;

b) testing the activity of the corresponding unmodified hyaluronan-degrading enzyme in a composition containing the same denaturing agent and/or under the same denaturing condition as a), whereby the activity is tested under the same conditions as a); and

c) selecting or identifying a modified hyaluronan-degrading enzyme that exhibits greater activity that is at least 120% of the activity compared to the unmodified hyaluronan-degrading enzyme.

166. The method of claim 165, wherein the activity is hyaluronidase activity.

167. The method of claim 165 or claim 166, comprising:

d) comparing the activity of the selected or identified modified hyaluronan-degrading enzyme in a) to the activity of the unmodified hyaluronan-degrading enzyme tested under the same conditions; and

e) identifying or selecting a modified hyaluronan-degrading enzyme that exhibits at least 120%, 130%, 135%, 140%, 145%, 150%, 160%, 170%, 180%, 200%, 250%, 300%, 350%, 400%, 500%, 1500%, 2000%, 3000%, 4000%, 5000% or more of the hyaluronidase activity compared to the unmodified hyaluronan-degrading enzyme.

168. The method of any of claims 165-167, wherein the denaturing agent or condition is caused by temperature, agitation, no or low salt or the presence of an excipient.

169. The method of any of claims 165-167, wherein the denaturing agent or condition is a denaturing excipient selected from among an antiadherents, binders, coatings, fillers and diluents, flavors, colors, lubricants, glidants, preservatives, sorbents and sweeteners.

170. The method of claim 169, wherein the denaturing agent or condition is a preservative.

171. The method of claim 170, wherein the preservative is a phenolic preservative.

172. The method of claim 171, wherein the phenolic preservative is selected from among phenol, metacresol (m-cresol), benzyl alcohol, and a paraben.

173. The method of claim 172, wherein the preservative is phenol and/or m-cresol.

174. The method of any of claims 171-173, wherein the total amount of phenolic preservative in the composition as a percentage (%) of mass concentration (w/v) is from or from about 0.05% to 0.6%, 0.1% to 0.4%, 0.1% to 0.3%, 0.15% to 0.325%, 0.15% to 0.25%, 0.1% to 0.2%, 0.2% to 0.3% or 0.3% to 0.4% inclusive.

175. The method of any of claims 165-174, wherein prior to testing the activity of a hyaluronan-degrading enzyme composition in a) and b), the hyaluronan-degrading enzyme is exposed to the denaturation condition or denaturing agent for a predetermined time.

176. The method of claim 175, wherein the predetermined time is from or from about 1 minute to 1 month, 1 minute to 3 weeks, 1 minute to 2 weeks, 1 minute to 1 week, 1 minute to 24 hours, 1 minute to 12 hours, 30 minutes to 6 hours or 1 hour to 4 hours.

177. The method of any of claims 165-176, wherein the modified hyaluronan-degrading enzyme comprises an amino acid replacement, insertion or deletion of amino acids compared to an unmodified hyaluronan-degrading enzyme.

178. The method of claim 177, wherein the modified hyaluronan-degrading enzyme contains a single amino acid replacement or two, three, four, five, six, seven, eight, nine or more amino acid replacements compared to an unmodified form of the hyaluronan-degrading enzyme.

179. The method of any of claims 165-178, wherein a plurality of modified hyaluronan-degrading enzymes are tested in a) and/or b).

180. The method of claim 179, wherein:

the plurality of modified hyaluronan-degrading enzymes are modified compared to the corresponding unmodified hyaluronan-degrading enzyme to generate a collection of

modified hyaluronan-degrading enzymes, whereby each modified protein in the collection is tested in each of a) and/or b), wherein:

each modified hyaluronan-degrading enzyme in the collection contains a single amino acid replacement compared to the unmodified form of the hyaluronan-degrading enzyme;

in the collection, the amino acid at each modified position is replaced by up to 1-19 other amino acids other than the original amino acid at the position, whereby each modified hyaluronan-degrading enzyme contains a different amino acid replacement; and

in the collection, every amino acid along the length of the hyaluronan-degrading enzyme, or a selected portion thereof, is replaced.

181. The method of any of claims 165-180, wherein the unmodified hyaluronan-degrading enzyme is a chondroitinase or is a hyaluronidase.

182. The method of claim 181, wherein the unmodified hyaluronan-degrading enzyme is a hyaluronidase that is a PH20 hyaluronidase or truncated form thereof lacking a C-terminal glycosylphosphatidylinositol (GPI) anchor attachment site or a portion of the GPI anchor attachment site, whereby the truncated form exhibits hyaluronidase activity.

183. The method of claim 182, wherein the unmodified hyaluronan-degrading enzyme is a PH20 hyaluronidase that is selected from a human, monkey, bovine, ovine, rat, fox, mouse or guinea pig PH20.

184. The method of claim 183, wherein the unmodified hyaluronidase is a human PH20 or a C-terminal truncated form thereof.

185. The method of any of claims 165-184, wherein the unmodified hyaluronan-degrading enzyme has the sequence of amino acids set forth in any of SEQ ID NOS: 3, 7, 10, 12, 14, 24, 32-66, 69, 72, 857, 859, 861, 870 or a sequence of amino acids that is at least 80% sequence identity to any of SEQ ID NOS: 3, 7, 10, 12, 14, 24, 32-66, 69, 72, 857, 859, 861, 870.

186. The method of any of claims 165-185 that is performed *in vitro*.

187. The method of any of claims 165-186, further comprising repeating the steps a plurality of times, wherein in each repetition, further modified hyaluronan-degrading enzymes of a selected modified hyaluronan-degrading enzyme are generated and tested, whereby the modified hyaluronan-degrading enzyme is evolved to exhibit increased stability under a denaturation condition.

188. A modified hyaluronan-degrading enzyme identified by the method of any of claims 165-187.

189. A modified PH20 polypeptide that exhibits increased stability in the presence of a phenolic preservative, comprising an amino acid replacement in a PH20 polypeptide, wherein:

the amino acid replacement confers the increased stability;

stability is increased compared to the unmodified polypeptide without the amino acid replacement; and

the unmodified PH20 polypeptide consists of the sequence of amino acids set forth in SEQ ID NOS: 7 or is a C-terminal truncated fragment thereof that is a soluble PH20 polypeptide or has at least 85% sequence identity thereto.

190. The modified PH20 polypeptide of claim 189, wherein the unmodified PH20 polypeptide is a soluble PH20 polypeptide that consists of the sequence of amino acids set forth in any of SEQ ID NOS: 3 or 32-66.

191. The modified PH20 polypeptide of claim 189 or claim 190 that has at least 85% sequence identity to SEQ ID NO:3.

192. The modified PH20 polypeptide of any of claims 189-191, comprising 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48,49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75 or more amino acid replacements.

193. The modified PH20 polypeptide of any of claims 189-192 that is a human PH20.

194. The modified PH20 polypeptide of any of claims 189-193, wherein the modified PH20 polypeptide exhibits at least 15% of the hyaluronidase activity in the presence of a preservative(s) for at least 4 hours compared to the hyaluronidase activity in the absence of the phenolic preservative(s), wherein the activity is compared under the same conditions except for the presence of the phenolic preservative(s).

195. The modified PH20 polypeptide of any of claims 189-194, wherein the modified PH20 polypeptide is stable in the presence of an anti-microbial effective amount of one or more phenolic preservatives.

196. The modified PH20 polypeptide of claim 195, wherein the anti-microbial effective amount is a total amount of one or more phenolic preservative agents as a percentage (%) of mass concentration (w/v) that is from or from about 0.05% to 0.6%, 0.1% to 0.4%, 0.1% to 0.3%, 0.15% to 0.325%, 0.15% to 0.25%, 0.1% to 0.2%, 0.2% to 0.3% or 0.3% to 0.4%, inclusive.

197. The modified PH20 polypeptide of any of claims 189-196, wherein the phenolic preservative is selected from one or more of among phenol, metacresol (m-cresol), benzyl alcohol and a paraben.

198. The modified PH20 polypeptide of any of claims 189-197, wherein the preservative is a phenolic preservative that is m-cresol, phenol, or m-cresol and phenol.

199. The modified PH20 polypeptide of any of claims 189-198, comprising at least one amino acid replacement at an amino acid position corresponding to a position selected from among 204, 58, 10, 12, 20, 22, 26, 34, 36, 46, 50, 52, 68, 70, 74, 82, 83, 84, 86, 97, 127, 131, 138, 142, 143, 144, 166, 169, 174, 193, 195, 196, 205, 206, 213, 219, 234, 237, 238, 240, 249, 261, 267, 277, 279, 291, 309, 310, 314, 315, 317, 318, 347, 367, 375, 376, 399, 401, 407, 416, 419, 421, 431, 433, 439, 440, 443 or 445 with reference to amino acid positions set forth in SEQ ID NO:3, wherein corresponding amino acid positions are identified by alignment of the PH20 polypeptide with the polypeptide set forth in SEQ ID NO:3.

200. The modified PH20 polypeptide of any of claims 189-199, comprising at least one amino acid replacement selected from among replacement with:

G at a position corresponding to position 10; K at a position corresponding to position 12; S at a position corresponding to position 20; T at a position corresponding to position 22; M at a position corresponding to position 26; W at a position corresponding to position 34; N at a position corresponding to position 36; L at a position corresponding to position 46; M at a position corresponding to position 50; T at a position corresponding to position 52; S at a position corresponding to position 52; C at a position corresponding to position 58; K at a position corresponding to position 58; R at a position corresponding to position 58; N at a position corresponding to position 58; Y at a position corresponding to position 58; P at a position corresponding to position 58; H at a position corresponding to position 58; P at a position corresponding to position 68; V at a position corresponding to position 70; E at a position corresponding to position 74; L at a position corresponding to position 82; N at a position corresponding to position 82; V at a position corresponding to position 83; Q at a position corresponding to position 83; S at a position corresponding to position 83; G at a position corresponding to position 83; N at a position corresponding to position 84; A at a position corresponding to position 86; K at a position corresponding to position 86; E at a position corresponding to position 97; L at a position corresponding to position 97; R at a position corresponding to position 127; R at a position corresponding to position 131; L at a position corresponding to position 138; K at a position corresponding to position 142; N at a position corresponding to position 142; P at a position corresponding to position 142; S at a

position corresponding to position 142; T at a position corresponding to position 142; G at a position corresponding to position 143; K at a position corresponding to position 143; T at a position corresponding to position 144; Q at a position corresponding to position 166; T at a position corresponding to position 166; L at a position corresponding to position 169; G at a position corresponding to position 174; N at a position corresponding to position 174; Q at a position corresponding to position 193; T at a position corresponding to position 195; N at a position corresponding to position 195; E at a position corresponding to position 196; R at a position corresponding to position 196; P at a position corresponding to position 204; A at a position corresponding to position 205; E at a position corresponding to position 205; I at a position corresponding to position 206; A at a position corresponding to position 213; I at a position corresponding to position 219; M at a position corresponding to position 234; T at a position corresponding to position 237; H at a position corresponding to position 238; Q at a position corresponding to position 240; V at a position corresponding to position 249; A at a position corresponding to position 261; K at a position corresponding to position 261; T at a position corresponding to position 267; K at a position corresponding to position 277; H at a position corresponding to position 279; V at a position corresponding to position 279; V at a position corresponding to position 291; E at a position corresponding to position 309; Q at a position corresponding to position 310; Y at a position corresponding to position 314; Y at a position corresponding to position 315; N at a position corresponding to position 317; W at a position corresponding to position 317; D at a position corresponding to position 318; G at a position corresponding to position 347; A at a position corresponding to position 367; R at a position corresponding to position 375; R at a position corresponding to position 376; V at a position corresponding to position 399; E at a position corresponding to position 401; A at a position corresponding to position 407; L at a position corresponding to position 416; K at a position corresponding to position 419; H at a position corresponding to position 421; E at a position corresponding to position 431; T at a position corresponding to position 433; V at a position corresponding to position 433; C at a position corresponding to position 439; P at a position corresponding to position 440; G at a position corresponding to position 443; and N at a position corresponding to position 445, with reference to amino acid residue positions set forth in SEQ ID NO:3.

201. The modified PH20 polypeptide of any of claims 189-200, comprising at least one amino acid replacement selected from among replacement with:

T at a position corresponding to position 52, K at a position corresponding to position 58, R at a position corresponding to position 58, P at a position corresponding to position 68, V at a position corresponding to position 83, P at a position corresponding to position 204, A

at a position corresponding to position 261, T at a position corresponding to position 267, K at a position corresponding to position 277 and H at a position corresponding to position 421, with reference to amino acid residue positions set forth in SEQ ID NO:3.

202. The modified PH20 polypeptide of any of claims 189-201, comprising replacement with P at a position corresponding to position 204 in a PH20 polypeptide with reference to amino acid residue positions set forth in SEQ ID NO:3.

203. The modified PH20 polypeptide of any of claims 189-202, comprising replacement with R at a position corresponding to position 58 in a PH20 polypeptide with reference to amino acid positions set forth in SEQ ID NO:3.

204. The modified PH20 polypeptide of any of claims 189-203 that is substantially purified or isolated.

205. The modified PH20 polypeptide of any of claims 189-204 that is modified by modification selected from among glycosylation, sialation, albumination, farnysylation, carboxylation, hydroxylation and phosphorylation.

206. The modified PH20 polypeptide of any of claims 189-205, wherein the modified PH20 polypeptide is glycosylated, whereby the polypeptide comprises at least an N-acetylglucosamine moiety linked to each of at least three asparagine (N) residues.

207. The modified PH20 polypeptide of claim 206, wherein the three asparagine residues correspond to amino acid residues 200, 333 and 358 of SEQ ID NO:3.

208. The modified PH20 polypeptide of any of claims 189-207 that is modified by conjugation to a polymer.

209. The modified PH20 polypeptide of claim 208, wherein the polymer is dextran or PEG.

210. The modified PH20 polypeptide of any of claims 189-209, wherein the modified PH20 polypeptide is conjugated to a moiety selected from among a multimerization domain, toxin, detectable label or drug.

211. A nucleic acid molecule, encoding a modified PH20 polypeptide of any of claims 189-203.

212. A vector, comprising the nucleic acid molecule of claim 211.

213. The vector of claim 212 that is a eukaryotic or a prokaryotic vector.

214. The vector of claim 213 that is a mammalian vector or a viral vector.

215. A cell, comprising the vector of any of claims 212-214.

216. A method of producing a modified PH20 polypeptide, comprising:

introducing the nucleic acid of claim 211 into a cell capable of incorporating N-linked sugar moieties into the polypeptide;

culturing the cell under conditions whereby an encoded modified PH20 polypeptide is produced and secreted by the cell; and

recovering the expressed polypeptide.

217. A pharmaceutical composition, comprising a modified PH20 polypeptide of any of claims 189-210.

218. The pharmaceutical composition of claim 217, comprising a therapeutically active agent.

219. The pharmaceutical composition of claim 218, wherein the therapeutic agent is an insulin that is a fast-acting insulin.

220. The pharmaceutical composition of claim 219, wherein:

the amount of modified PH20 polypeptide is from or from about 100 U/mL to 1000 U/mL; and

the amount of fast-acting insulin is from or from about 10 U/mL to 1000 U/mL.

221. The pharmaceutical composition of claim 220, wherein:

the pH is from or from about 7.0 to 7.6; and

further comprises:

NaCl at a concentration from or from about 0.1 mM to 200 mM; and

an anti-microbial effective amount of at least one preservative, wherein the composition contains at least one phenolic preservative.

222. The pharmaceutical composition of claim 221, wherein the anti-microbial effective amount is a total amount of one or more preservative agents as a percentage (%) of mass concentration (w/v) that is or is between 0.05% to 0.6%.

223. The pharmaceutical composition of claim 221 or claim 222, wherein the preservative(s) is(are) selected from among phenol, metacresol (m-cresol), benzyl alcohol, and a paraben.

224. The pharmaceutical composition of any of claims 220-223, further comprising:

a surfactant in an amount as a % of mass concentration (w/v) in the formulation that is at least or at least about 0.001%;

a buffering agent that is a non-metal binding agent or is a metal binding agent, wherein the concentration of the buffering agent is between or between about 1 mM to 100 mM;

glycerin in a concentration less than 60 mM;

an antioxidant at a concentration between or from about between 2 mM to 50 mM, inclusive; and/or

zinc at a concentration of between or about between 0.001 to 0.1 mg per 100 units of insulin (mg/100U).

225. The pharmaceutical composition of claim 224, wherein the surfactant is selected from among a polypropylene glycol, polyethylene glycol, glycerin, sorbitol, poloxamer and polysorbate.

226. The pharmaceutical composition of claim 224, wherein the buffering agent is selected from among Tris, histidine, phosphate and citrate.

227. The pharmaceutical composition of claim 224, wherein the antioxidant is selected from among cysteine, tryptophan and methionine.

228. A closed loop system, insulin pump or insulin pin, comprising the pharmaceutical composition of any of claims 219-227.

229. A method for treating a hyaluronan-associated disease or condition, for treating a condition associated with an excess of glycosaminoglycans; for treating a tumor; for treating glycosaminoglycan accumulation in the brain; for treating a cardiovascular disorder; for treating an ophthalmic disorder; for treating pulmonary disease; for increasing penetration of chemotherapeutic agents into solid tumors; for treating cellulite; for treating a proliferative disorder; for increasing delivery of a therapeutic agent to a subject, or for increasing bioavailability of drugs and other therapeutic agents, comprising administering to a subject the modified PH20 polypeptide of any of claims 189-210 or a pharmaceutical composition of any of claims 217-227.

230. A pharmaceutical composition of any of claims 217-227 for use in treating a hyaluronan-associated disease or condition, for treating a condition associated with an excess of glycosaminoglycans; for treating a tumor; for treating glycosaminoglycan accumulation in the brain; for treating a cardiovascular disorder; for treating an ophthalmic disorder; for treating pulmonary disease; for increasing penetration of chemotherapeutic agents into solid tumors; for treating cellulite; for treating a proliferative disorder; for increasing delivery of a therapeutic agent to a subject, or for increasing bioavailability of drugs and other therapeutic agents.

231. A method for treating diabetes, comprising administering to a subject a pharmaceutical composition of any of claims 219-227.

232. A pharmaceutical composition of any of claims 219-227 for use in treating diabetes.

SEQUENCE LISTING

<110> Halozyme, Inc. et al.
Ge Wei
H. Michael Shepard
Qiping Zhao
Robert James Connor

<120> PH20 Polypeptide Variants, Formulations and Uses Thereof

<130> 33320.03087.WO01/3087PC

<140> Not yet assigned
<141> Herewith

<150> 61/631,313
<151> 2011-12-30

<150> 61/796,208
<151> 2012-11-01

<160> 927

<170> FastSEQ for Windows Version 4.0

<210> 1
<211> 1413
<212> DNA
<213> Homo Sapiens

<220>
<223> human PH20 hyaluronidase encoding 36-482 containing IgG kappa signal sequence

<400> 1
atggacatga gggtaccagc ccagctgttg ggccttcttc tgctttggct ccctggggca 60
aggggactta acttcagagc tccccctgta atcccaaacg tccccttcct gtgggcatgg 120
aacgccccta gcgaattctg tttggggaaa tttgacgaac ctctggacat gtctctgttt 180
tcttttatcg gtagccctcg aatcaacgct accggacagg gggtgacaat cttttacgtg 240
gatcgtctgg gctattaccc ttacatcgac agcattactg gggtgaccgt gaacggaggc 300
attcctcaga aaatatcact gcaggaccac ctggacaaag ctaagaagga tattacattc 360
tacatgccag tggacaatct cggaatggct gtgattgact gggaggagtg gagacctact 420
tgggcccgaa attggaagcc caaggatgtg tataagaacc gatccattga gctggtgcag 480
cagcagaacg tgcagctgtc ccttacagaa gccaccgaaa aagctaagca ggaattcgag 540
aaagctggga aggatttcct ggttgagaca ataaaacttg ggaaactgct tagacctaac 600
cacctctggg gctattattt gttccccgat tgctacaatc accactataa gaagcccggc 660
tacaacggat cttgtttcaa cgtcgaaatt aaaagaaacg atgacctctc ttggttgtgg 720
aatgagtcta ctgcactcta cccctctata tatctcaaca cacagcagtc cccagtagcc 780
gctaccctct acgttcggaa tagagtgagg gaagccatca gggtgtccaa gatccccgat 840
gccaaatctc ccctcccagt gtttgcctac accaggatcg tgtttaccga ccaggtgttg 900
aagttcctga gccaggacga gctcgtgtat acttttggcg agacagttgc tctgggagcc 960
tctgggatcg tgatctgggg cactctgagt attatgcgat caatgaagtc ctgcctgctg 1020
ttggataact acatggagac aatcctgaac ccatatatca ttaacgtgac tttggccgct 1080
aagatgtgtt cacaggtgct gtgtcaagag cagggagtat gcattaggaa gaactggaac 1140
tcaagcgatt atctccatct gaacccagat aattttgcaa tccagctgga aaagggtggt 1200
aaattcactg tccgagggaa gcccacactc gaggatctcg aacagtttag tgaaaagttc 1260
tactgtagct gctatagcac tctgagttgt aaggaaaaag ccgatgtgaa agacactgat 1320
gccgttgacg tttgcatcgc cgatggggtg tgtattgacg cctttctcaa gccaccaatg 1380
gagactgagg agccccagat cttttactga taa 1413

<210> 2
<211> 469
<212> PRT
<213> Homo Sapiens

<220>

<223> Precursor human PH20 hyaluronidase 36-482
containing IgG kappa signal sequence

<400> 2

```
Met Asp Met Arg Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Leu Trp
 1               5                  10                  15
Leu Pro Gly Ala Arg Gly Leu Asn Phe Arg Ala Pro Pro Val Ile Pro
            20                  25                  30
Asn Val Pro Phe Leu Trp Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu
        35                  40                  45
Gly Lys Phe Asp Glu Pro Leu Asp Met Ser Leu Phe Ser Phe Ile Gly
    50                  55                  60
Ser Pro Arg Ile Asn Ala Thr Gly Gln Gly Val Thr Ile Phe Tyr Val
65                  70                  75                  80
Asp Arg Leu Gly Tyr Tyr Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr
                85                  90                  95
Val Asn Gly Gly Ile Pro Gln Lys Ile Ser Leu Gln Asp His Leu Asp
            100                 105                 110
Lys Ala Lys Lys Asp Ile Thr Phe Tyr Met Pro Val Asp Asn Leu Gly
        115                 120                 125
Met Ala Val Ile Asp Trp Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn
    130                 135                 140
Trp Lys Pro Lys Asp Val Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln
145                 150                 155                 160
Gln Gln Asn Val Gln Leu Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys
                165                 170                 175
Gln Glu Phe Glu Lys Ala Gly Lys Asp Phe Leu Val Glu Thr Ile Lys
            180                 185                 190
Leu Gly Lys Leu Leu Arg Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe
        195                 200                 205
Pro Asp Cys Tyr Asn His His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser
    210                 215                 220
Cys Phe Asn Val Glu Ile Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp
225                 230                 235                 240
Asn Glu Ser Thr Ala Leu Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln
                245                 250                 255
Ser Pro Val Ala Ala Thr Leu Tyr Val Arg Asn Arg Val Arg Glu Ala
            260                 265                 270
Ile Arg Val Ser Lys Ile Pro Asp Ala Lys Ser Pro Leu Pro Val Phe
        275                 280                 285
Ala Tyr Thr Arg Ile Val Phe Thr Asp Gln Val Leu Lys Phe Leu Ser
    290                 295                 300
Gln Asp Glu Leu Val Tyr Thr Phe Gly Glu Thr Val Ala Leu Gly Ala
305                 310                 315                 320
Ser Gly Ile Val Ile Trp Gly Thr Leu Ser Ile Met Arg Ser Met Lys
                325                 330                 335
Ser Cys Leu Leu Leu Asp Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr
            340                 345                 350
Ile Ile Asn Val Thr Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys
        355                 360                 365
Gln Glu Gln Gly Val Cys Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr
    370                 375                 380
Leu His Leu Asn Pro Asp Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly
385                 390                 395                 400
Lys Phe Thr Val Arg Gly Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe
                405                 410                 415
Ser Glu Lys Phe Tyr Cys Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu
            420                 425                 430
Lys Ala Asp Val Lys Asp Thr Asp Ala Val Asp Val Cys Ile Ala Asp
        435                 440                 445
Gly Val Cys Ile Asp Ala Phe Leu Lys Pro Pro Met Glu Thr Glu Glu
    450                 455                 460
Pro Gln Ile Phe Tyr
465
```

<210> 3
<211> 447

<212> PRT
<213> Homo Sapiens

<220>
<223> Mature PH20 36-482

<400> 3

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 4
<211> 7470
<212> DNA

<213> Artificial Sequence

<220>
<223> HZ24-PH20-IRES-SEAP

<400> 4
tcaatattgg ccattagcca tattattcat tggttatata gcataaatca atattggcta 60
ttggccattg catacgttgt atctatatca taatatgtac atttatattg gctcatgtcc 120
aatatgaccg ccatgttggc attgattatt gactagttat taatagtaat caattacggg 180
gtcattagtt catagcccat atatggagtt ccgcgttaca taacttacgg taaatggccc 240
gcctggctga ccgcccaacg acccccgccc attgacgtca ataatgacgt atgttcccat 300
agtaacgcca atagggactt tccattgacg tcaatgggtg gagtatttac ggtaaactgc 360
ccacttggca gtacatcaag tgtatcatat gccaagtccg ccccctattg acgtcaatga 420
cggtaaatgg cccgcctggc attatgccca gtacatgacc ttacgggact ttcctacttg 480
gcagtacatc tacgtattag tcatcgctat taccatggtg atgcggtttt ggcagtacac 540
caatgggcgt ggatagcggt ttgactcacg gggatttcca agtctccacc ccattgacgt 600
caatgggagt ttgttttggc accaaaatca acgggacttt ccaaaatgtc gtaataaccc 660
cgccccgttg acgcaaatgg gcggtaggcg tgtacggtgg gaggtctata taagcagagc 720
tcgtttagtg aaccgtcaga tcactagaag ctttattgcg gtagtttatc acagttaaat 780
tgctaacgca gtcagtgctt ctgacacaac agtctcgaac ttaagctgca gaagttggtc 840
gtgaggcact gggcaggtaa gtatcaaggt tacaagacag gtttaaggag accaatagaa 900
actgggcttg tcgagacaga gaagactctt gcgtttctga taggcaccta ttggtcttac 960
tgacatccac tttgcctttc tctccacagg tgtccactcc cagttcaatt acagctctta 1020
aggctagagt acttaatacg actcactata ggctagcatg gacatgaggg taccagccca 1080
gctgttgggc cttcttctgc tttggctccc tggggcaagg ggacttaact tcagagctcc 1140
ccctgtaatc ccaaacgtcc ccttcctgtg ggcatggaac gcccctagcg aattctgttt 1200
ggggaaattt gacgaacctc tggacatgtc tctgttttct tttatcggta gccctcgaat 1260
caacgctacc ggacaggggg tgacaatctt ttacgtggat cgtctgggct attaccctta 1320
catcgacagc attactgggg tgaccgtgaa cggaggcatt cctcagaaaa tatcactgca 1380
ggaccacctg gacaaagcta agaaggatat tacattctac atgccagtgg acaatctcgg 1440
aatggctgtg attgactggg aggagtggag acctacttgg gcccgaaatt ggaagcccaa 1500
ggatgtgtat aagaaccgat ccattgagct ggtgcagcag cagaacgtgc agctgtccct 1560
tacagaagcc accgaaaaag ctaagcagga attcgagaaa gctgggaagg atttcctggt 1620
tgagacaata aaacttggga aactgcttag acctaaccac ctctggggct attatttgtt 1680
ccccgattgc tacaatcacc actataagaa gcccggctac aacggatctt gtttcaacgt 1740
cgaaattaaa agaaacgatg acctctcttg gttgtggaat gagtctactg cactctaccc 1800
ctctatatat ctcaacacac agcagtcccc agtagccgct accctctacg ttcggaatag 1860
agtgagggaa gccatcaggg tgtccaagat ccccgatgcc aaatctcccc tcccagtgtt 1920
tgcctacacc aggatcgtgt ttaccgacca ggtgttgaag ttcctgagcc aggacgagct 1980
cgtgtatact tttggcgaga cagttgctct gggagcctct gggatcgtga tctggggcac 2040
tctgagtatt atgcgatcaa tgaagtcctg cctgctgttg gataactaca tggagacaat 2100
cctgaaccca tatatcatta acgtgacttt ggccgctaag atgtgttcac aggtgctgtg 2160
tcaagagcag ggagtatgca ttaggaagaa ctggaactca agcgattatc tccatctgaa 2220
cccagataat tttgcaatcc agctggaaaa gggtggtaaa ttcactgtcc gagggaagcc 2280
cacactcgag gatctcgaac agtttagtga aaagttctac tgtagctgct atagcactct 2340
gagttgtaag gaaaaagccg atgtgaaaga cactgatgcc gttgacgttt gcatcgccga 2400
tggggtgtgt attgacgcct ttctcaagcc accaatggag actgaggagc cccagatctt 2460
ttactgataa ggatccatag ctaacgcccc tctccctccc ccccccctaa cgttactggc 2520
cgaagccgct tggaataagg ccggtgtgcg tttgtctata tgttattttc caccatattg 2580
ccgtcttttg gcaatgtgag ggcccggaaa cctggccctg tcttcttgac gagcattcct 2640
aggggtcttt cccctctcgc caaaggaatg caaggtctgt tgaatgtcgt gaaggaagca 2700
gttcctctgg aagcttcttg aagacaaaca acgtctgtag cgacccttg caggcagcgg 2760
aaccccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata agatacacct 2820
gcaaaggcgg cacaacccca gtgccacgtt gtgagttgga tagttgtgga aagagtcaaa 2880
tggctctcct caagcgtatt caacaagggg ctgaaggatg cccagaaggt accccattgt 2940
atgggatctg atctggggcc tcggtgcaca tgggtctttt ctgcagtcac cgtcgtcgac 3000
aagcttcctg catgctgctg ctgctgctgc tgctgggcct gaggctacag ctctccctgg 3060
gcatcatccc agttgaggag gagaacccgg acttctggaa ccgcgaggca gccgaggccc 3120
tgggtgccgc caagaagctg cagcctgcac agacagccgc caagaacctc atcatcttcc 3180
tgggcgatgg gatgggggtg tctacggtga cagctgccag gatcctaaaa gggcagaaga 3240
aggacaaact ggggcctgag ataccccctgg ccatggaccg cttcccatat gtggctctgt 3300
ccaagacata caatgtagac aaacatgtgc cagacagtgg agccacagcc acggcctacc 3360
tgtgcggggt caagggcaac ttccagacca ttggcttgag tgcagccgcc cgctttaacc 3420
agtgcaacac gacacgcggc aacgaggtca tctccgtgat gaatcgggcc aagaaagcag 3480
ggaagtcagt gggagtggta accaccacac gagtgcagca cgcctcgcca gccggcacct 3540
acgcccacac ggtgaaccgc aactggtact cggacgccga cgtgcctgcc tcggcccgcc 3600
aggaggggtg ccaggacatc gctacgcagc tcatctccaa catggacatt gacgtgatcc 3660
taggtggagg ccgaaagtac atgtttcgca tgggaacccc agaccctgag tacccagatg 3720

actacagcca aggtgggacc aggctggacg ggaagaatct ggtgcaggaa tggctggcga 3780
agcgccaggg tgcccggtat gtgtggaacc gcactgagct catgcaggct tccctggacc 3840
cgtctgtgac ccatctcatg ggtctctttg agcctggaga catgaaatac gagatccacc 3900
gagactccac actggacccc tccctgatgg agatgacaga ggctgccctg cgcctgctga 3960
gcaggaaccc ccgcggcttc ttcctcttcg tggagggtgg tcgcatcgac catggtcatc 4020
atgaaagcag ggcttaccgg gcactgactg agacgatcat gttcgacgac gccattgaga 4080
gggcgggcca gctcaccagc gaggaggaca cgctgagcct cgtcactgcc gaccactccc 4140
acgtcttctc cttcggaggc tacccccctgc gagggagctc catcttcggg ctggcccctg 4200
gcaaggcccg ggacaggaag gcctacacgg tcctcctata cggaaacggt ccaggctatg 4260
tgctcaagga cggcgcccgg ccggatgtta ccgagagcga gagcgggagc cccgagtatc 4320
ggcagcagtc agcagtgccc ctggacgaag agacccacgc aggcgaggac gtggcggtgt 4380
tcgcgcgcgg cccgcaggcg cacctggttc acggcgtgca ggagcagacc ttcatagcgc 4440
acgtcatggc cttcgccgcc tgcctggagc cctacaccgc ctgcgacctg gcgccccccg 4500
ccggcaccac cgacgccgcg cacccgggtt aaacgcgtgg tacctctaga gtcgacccgg 4560
gcggccgctt cgagcagaca tgataagata cattgatgag tttggacaaa ccacaactag 4620
aatgcagtga aaaaaatgct ttatttgtga aatttgtgat gctattgctt tatttgtaac 4680
cattataagc tgcaataaac aagttaacaa caacaattgc attcatttta tgtttcaggt 4740
tcaggggggag atgtgggagg ttttttaaag caagtaaaac ctctacaaat gtggtaaaat 4800
cgataaggat ccgggctggc gtaatagcga agaggcccgc accgatcgcc cttcccaaca 4860
gttgcgcagc ctgaatggcg aatggacgcg ccctgtagcg gcgcattaag cgcggcgggt 4920
gtggtggtta cgcgcagcgt gaccgctaca cttgccagcg ccctagcgcc cgctcctttc 4980
gctttcttcc cttcctttct cgccacgttc gccggctttc cccgtcaagc tctaaatcgg 5040
gggctccctt tagggttccg atttagtgct ttacggcacc tcgaccccaa aaaacttgat 5100
tagggtgatg gttcacgtag tgggccatcg ccctgataga cggtttttcg ccctttgacg 5160
ttggagtcca cgttctttaa tagtggactc ttgttccaaa ctggaacaac actcaaccct 5220
atctcggtct attctttga tttataaggg attttgccga tttcggccta ttggttaaaa 5280
aatgagctga tttaacaaaa atttaacgcg aattttaaca aaatattaac gcttacaatt 5340
tcctgatgcg gtattttctc cttacgcatc tgtgcggtat ttcacaccgc atatggtgca 5400
ctctcagtac aatctgctct gatgccgcat agttaagcca gccccgacac ccgccaacac 5460
ccgctgacgc gccctgacgg gcttgtctgc tcccggcatc cgcttacaga caagctgtga 5520
ccgtctccgg gagctgcatg tgtcagaggt tttcaccgtc atcaccgaaa cgcgcgagac 5580
gaaagggcct cgtgatacgc ctatttttat aggttaatgt catgataata atggtttctt 5640
agacgtcagg tggcactttt cggggaaatg tgcgcggaac ccctatttgt ttatttttct 5700
aaatacattc aaatatgtat ccgctcatga gacaataacc ctgataaatg cttcaataat 5760
attgaaaaag gaagagtatg agtattcaac atttccgtgt cgcccttatt cccttttttg 5820
cggcattttg ccttcctgtt tttgctcacc cagaaacgct ggtgaaagta aaagatgctg 5880
aagatcagtt gggtgcacga gtgggttaca tcgaactgga tctcaacagc ggtaagatcc 5940
ttgagagttt tcgccccgaa gaacgttttc caatgatgag cacttttaaa gttctgctat 6000
gtggcgcggt attatcccgt attgacgccg ggcaagagca actcggtcgc cgcatacact 6060
attctcagaa tgacttggtt gagtactcac cagtcacaga aaagcatctt acggatggca 6120
tgacagtaag agaattatgc agtgctgcca taaccatgag tgataacact gcggccaact 6180
tacttctgac aacgatcgga ggaccgaagg agctaaccgc ttttttgcac aacatggggg 6240
atcatgtaac tcgccttgat cgttgggaac cggagctgaa tgaagccata ccaaacgacg 6300
agcgtgacac cacgatgcct gtagcaatgg caacaacgtt gcgcaaacta ttaactggcg 6360
aactacttac tctagcttcc cggcaacaat taatagactg gatggaggcg gataaagttg 6420
caggaccact tctgcgctcg gcccttccgg ctggctggtt tattgctgat aaatctggag 6480
ccggtgagcg tgggtctcgc ggtatcattg cagcactggg gccagatggt aagccctccc 6540
gtatcgtagt tatctacacg acggggagtc aggcaactat ggatgaacga aatagacaga 6600
tcgctgagat aggtgcctca ctgattaagc attggtaact gtcagaccaa gtttactcat 6660
atatacttta gattgattta aaacttcatt tttaatttaa aaggatctag gtgaagatcc 6720
tttttgataa tctcatgacc aaaatccctt aacgtgagtt ttcgttccac tgagcgtcag 6780
accccgtaga aaagatcaaa ggatcttctt gagatccttt ttttctgcgc gtaatctgct 6840
gcttgcaaac aaaaaaacca ccgctaccag cggtggtttg tttgccggat caagagctac 6900
caactctttt tccgaaggta actggcttca gcagagcgca gataccaaat actgttcttc 6960
tagtgtagcc gtagttaggc caccacttca agaactctgt agcaccgcct acatacctcg 7020
ctctgctaat cctgttacca gtggctgctg ccagtggcga taagtcgtgt cttaccgggt 7080
tggactcaag acgatagtta ccggataagg cgcagcggtc gggctgaacg gggggttcgt 7140
gcacacagcc cagcttggag cgaacgacct acaccgaact gagataccta cagcgtgagc 7200
tatgagaaag cgccacgctt cccgaaggga gaaaggcgga caggtatccg gtaagcggca 7260
gggtcggaac aggagagcgc acgagggagc ttccaggggg aaacgcctgg tatctttata 7320
gtcctgtcgg gtttcgccac ctctgacttg agcgtcgatt tttgtgatgc tcgtcagggg 7380
ggcggagcct atggaaaaac gccagcaacg cggccttttt acggttcctg gccttttgct 7440
ggccttttgc tcacatggct cgacagatct 7470

<210> 5
<211> 6630

<212> DNA
<213> Artificial Sequence

<220>
<223> HZ24-DHFR expression vector

<400> 5
tcaatattgg ccattagcca tattattcat tggttatata gcataaatca atattggcta 60
ttggccattg catacgttgt atctatatca taatatgtac atttatattg gctcatgtcc 120
aatatgaccg ccatgttggc attgattatt gactagttat taatagtaat caattacggg 180
gtcattagtt catagcccat atatggagtt ccgcgttaca taacttacgg taaatggccc 240
gcctggctga ccgcccaacg acccccgccc attgacgtca ataatgacgt atgttcccat 300
agtaacgcca atagggactt tccattgacg tcaatgggtg gagtatttac ggtaaactgc 360
ccacttggca gtacatcaag tgtatcatat gccaagtccg ccccctattg acgtcaatga 420
cggtaaatgg cccgcctggc attatgccca gtacatgacc ttacgggact ttcctacttg 480
gcagtacatc tacgtattag tcatcgctat taccatggtg atgcggtttt ggcagtacac 540
caatgggcgt ggatagcggt ttgactcacg gggatttcca agtctccacc ccattgacgt 600
caatgggagt ttgttttggc accaaaatca acgggacttt ccaaaatgtc gtaataaccc 660
cgccccgttg acgcaaatgg gcggtaggcg tgtacggtgg gaggtctata taagcagagc 720
tcgtttagtg aaccgtcaga tcactagaag ctttattgcg gtagtttatc acagttaaat 780
tgctaacgca gtcagtgctt ctgacacaac agtctcgaac ttaagctgca gaagttggtc 840
gtgaggcact gggcaggtaa gtatcaaggt tacaagacag gtttaaggag accaatagaa 900
actgggcttg tcgagacaga gaagactctt gcgtttctga taggcaccta ttggtcttac 960
tgacatccac tttgcctttc tctccacagg tgtccactcc cagttcaatt acagctctta 1020
aggctagagt acttaatacg actcactata ggctagcatg ggagtgctaa aattcaagca 1080
catctttttc agaagctttg ttaaatcaag tggagtatcc cagatagttt tcaccttcct 1140
tctgattcca tgttgcttga ctctgaattt cagagcacct cctgttattc caaatgtgcc 1200
tttcctctgg gcctggaatg ccccaagtga attttgtctt ggaaaatttg atgagccact 1260
agatatgagc ctcttctctt tcataggaag cccccgaata aacgccaccg ggcaaggtgt 1320
tacaatattt tatgttgata gacttggcta ctatccttac atagattcaa tcacaggagt 1380
aactgtgaat ggaggaatcc cccagaagat ttccttacaa gaccatctgg acaaagctaa 1440
gaaagacatt acattttata tgccagtaga caatttggga atggctgtta ttgactggga 1500
agaatggaga cccacttggg caagaaactg gaaacctaaa gatgtttaca agaataggtc 1560
tattgaattg gttcagcaac aaaatgtaca acttagtctc acagaggcca ctgagaaagc 1620
aaaacaagaa tttgaaaagg cagggaagga tttcctggta gagactataa aattgggaaa 1680
attacttcgg ccaaatcact tgtggggtta ttatcttttt ccggattgtt acaaccatca 1740
ctataagaaa cccggttaca atggaagttg cttcaatgta gaaataaaaa gaaatgatga 1800
tctcagctgg ttgtggaatg aaagcactgc tctttaccca tccatttatt tgaacactca 1860
gcagtctcct gtagctgcta cactctatgt gcgcaatcga gttcgggaag ccatcagagt 1920
ttccaaaata cctgatgcaa aaagtccact tccggttttt gcatataccc gcatagtttt 1980
tactgatcaa gttttgaaat tcctttctca agatgaactt gtgtatacat ttggcgaaac 2040
tgttgctctg ggtgcttctg gaattgtaat atggggaacc ctcagtataa tgcgaagtat 2100
gaaatcttgc ttgctcctag acaattacat ggagactata ctgaatcctt acataatcaa 2160
cgtcacacta gcagccaaaa tgtgtagcca agtgctttgc caggagcaag gagtgtgtat 2220
aaggaaaaac tggaattcaa gtgactatct tcacctcaac ccagataatt ttgctattca 2280
acttgagaaa ggtggaaagt tcacagtacg tggaaaaccg acacttgaag acctggagca 2340
attttctgaa aaattttatt gcagctgtta tagcaccttg agttgtaagg agaaagctga 2400
tgtaaaagac actgatgctg ttgatgtgtg tattgctgat ggtgtctgta tagatgcttt 2460
tctaaaacct cccatggaga cagaagaacc tcaaattttc tactgaggat ccatagctaa 2520
cgcccctctc cctccccccc ccctaacgtt actggccgaa gccgcttgga ataaggccgg 2580
tgtgcgtttg tctatatgtt attttccacc atattgccgt cttttggcaa tgtgagggcc 2640
cggaaacctg gccctgtctt cttgacgagc attcctaggg gtctttcccc tctcgccaaa 2700
ggaatgcaag gtctgttgaa tgtcgtgaag gaagcagttc ctctggaagc ttcttgaaga 2760
caaacaacgt ctgtagcgac cctttgcagg cagcggaacc ccccacctgg cgacaggtgc 2820
ctctgcggcc aaaagccacg tgtataagat acacctgcaa aggcggcaca accccagtgc 2880
cacgttgtga gttggatagt tgtggaaaga gtcaaatggc tctcctcaag cgtattcaac 2940
aaggggctga aggatgccca gaaggtaccc cattgtatgg gatctgatct ggggcctcgg 3000
tgcacatgct ttacatgtgt ttagtcgagg ttaaaaaaac gtctaggccc cccgaaccac 3060
ggggacgtgg ttttcctttg aaaaacacga tgataagctt gccacaaccc acagcggccg 3120
ctgccatcat ggttcgacca ttgaactgca tcgtcgccgt gtcccaaaat atggggattg 3180
gcaagaacgg agacctaccc tggcctccgc tcaggaacga gttcaagtac ttccaaagaa 3240
tgaccacaac ctcttcagtg gaaggtaaac agaatctggt gattatgggt aggaaaacct 3300
ggttctccat tcctgagaag aatcgacctt taaaggacag aattaatata gttctcagta 3360
gagaactcaa agaaccacca cgaggagctc attttcttgc caaaagtttg gatgatgcct 3420
taagacttat tgaacaaccg gaattggcaa gtaaagtaga catggtttgg atagtcggag 3480
gcagttctgt ttaccaggaa gccatgaatc aaccaggcca cctcagactc tttgtgacaa 3540
ggatcatgca ggaatttgaa agtgacacgt ttttcccaga aattgatttg gggaaatata 3600
aacttctccc agaataccca ggcgtcctct ctgaggtcca ggaggaaaaa ggcatcaagt 3660

```
ataagtttga agtctacgag aagaaagact aaacgcgtgg tacctctaga gtcgacccgg 3720
gcggccgctt cgagcagaca tgataagata cattgatgag tttggacaaa ccacaactag 3780
aatgcagtga aaaaaatgct ttatttgtga aatttgtgat gctattgctt tatttgtaac 3840
cattataagc tgcaataaac aagttaacaa caacaattgc attcatttta tgtttcaggt 3900
tcagggggag atgtgggagg ttttttaaag caagtaaaac ctctacaaat gtggtaaaat 3960
cgataaggat ccgggctggc gtaatagcga agaggcccgc accgatcgcc cttcccaaca 4020
gttgcgcagc ctgaatggcg aatggacgcg ccctgtagcg gcgcattaag cgcggcgggt 4080
gtggtggtta cgcgcagcgt gaccgctaca cttgccagcg ccctagcgcc cgctcctttc 4140
gctttcttcc cttcctttct cgccacgttc gccggctttc cccgtcaagc tctaaatcgg 4200
gggctccctt tagggttccg atttagtgct ttacggcacc tcgaccccaa aaaacttgat 4260
tagggtgatg gttcacgtag tgggccatcg ccctgataga cggtttttcg ccctttgacg 4320
ttggagtcca cgttctttaa tagtggactc ttgttccaaa ctggaacaac actcaaccct 4380
atctcggtct attctttga tttataaggg attttgccga tttcggccta ttggttaaaa 4440
aatgagctga tttaacaaaa atttaacgcg aattttaaca aaatattaac gcttacaatt 4500
tcctgatgcg gtattttctc cttacgcatc tgtgcggtat ttcacaccgc atatggtgca 4560
ctctcagtac aatctgctct gatgccgcat agttaagcca gccccgacac ccgccaacac 4620
ccgctgacgc gccctgacgg gcttgtctgc tcccggcatc cgcttacaga caagctgtga 4680
ccgtctccgg gagctgcatg tgtcagaggt tttcaccgtc atcaccgaaa cgcgcgagac 4740
gaaagggcct cgtgatacgc ctatttttat aggttaatgt catgataata atggtttctt 4800
agacgtcagg tggcactttt cggggaaatg tgcgcggaac ccctatttgt ttatttttct 4860
aaatacattc aaatatgtat ccgctcatga gacaataacc ctgataaatg cttcaataat 4920
attgaaaaag gaagagtatg agtattcaac atttccgtgt cgcccttatt ccctttttg 4980
cggcattttg ccttcctgtt tttgctcacc cagaaacgct ggtgaaagta aaagatgctg 5040
aagatcagtt gggtgcacga gtgggttaca tcgaactgga tctcaacagc ggtaagatcc 5100
ttgagagttt tcgccccgaa gaacgttttc caatgatgag cacttttaaa gttctgctat 5160
gtggcgcggt attatcccgt attgacgccg ggcaagagca actcggtcgc cgcatacact 5220
attctcagaa tgacttggtt gagtactcac cagtcacaga aaagcatctt acggatggca 5280
tgacagtaag agaattatgc agtgctgcca taaccatgag tgataacact gcggccaact 5340
tacttctgac aacgatcgga ggaccgaagg agctaaccgc ttttttgcac aacatggggg 5400
atcatgtaac tcgccttgat cgttgggaac cggagctgaa tgaagccata ccaaacgacg 5460
agcgtgacac cacgatgcct gtagcaatgg caacaacgtt gcgcaaacta ttaactggcg 5520
aactacttac tctagcttcc cggcaacaat taatagactg gatggaggcg gataaagttg 5580
caggaccact tctgcgctcg gcccttccgg ctggctggtt tattgctgat aaatctggag 5640
ccggtgagcg tgggtctcgc ggtatcattg cagcactggg gccagatggt aagccctccc 5700
gtatcgtagt tatctacacg acggggagtc aggcaactat ggatgaacga aatagacaga 5760
tcgctgagat aggtgcctca ctgattaagc attggtaact gtcagaccaa gtttactcat 5820
atatacttta gattgattta aaacttcatt tttaatttaa aaggatctag gtgaagatcc 5880
tttttgataa tctcatgacc aaaatccctt aacgtgagtt ttcgttccac tgagcgtcag 5940
accccgtaga aaagatcaaa ggatcttctt gagatccttt ttttctgcgc gtaatctgct 6000
gcttgcaaac aaaaaaacca ccgctaccag cggtggtttg tttgccggat caagagctac 6060
caactctttt tccgaaggta actggcttca gcagagcgca gataccaaat actgttcttc 6120
tagtgtagcc gtagttaggc caccacttca agaactctgt agcaccgcct acatacctcg 6180
ctctgctaat cctgttacca gtggctgctg ccagtggcga taagtcgtgt cttaccgggt 6240
tggactcaag acgatagtta ccggataagg cgcagcggtc gggctgaacg gggggttcgt 6300
gcacacagcc cagcttggag cgaacgacct acaccgaact gagataccta cagcgtgagc 6360
tatgagaaag cgccacgctt cccgaaggga gaaaggcgga caggtatccg gtaagcggca 6420
gggtcggaac aggagagcgc acgagggagc ttccaggggg aaacgcctgg tatctttata 6480
gtcctgtcgg gtttcgccac ctctgacttg agcgtcgatt tttgtgatgc tcgtcagggg 6540
ggcggagcct atggaaaaac gccagcaacg cggccttttt acggttcctg gccttttgct 6600
ggccttttgc tcacatggct cgacagatct                                  6630
```

<210> 6
<211> 509
<212> PRT
<213> Homo Sapiens

<220>
<223> Precursor Full-length human PH20

<400> 6

```
Met Gly Val Leu Lys Phe Lys His Ile Phe Phe Arg Ser Phe Val Lys
 1               5                  10                  15
Ser Ser Gly Val Ser Gln Ile Val Phe Thr Phe Leu Leu Ile Pro Cys
            20                  25                  30
Cys Leu Thr Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro
        35                  40                  45
```

```
Phe Leu Trp Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe
    50                  55                  60
Asp Glu Pro Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg
65                  70                  75                  80
Ile Asn Ala Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu
                85                  90                  95
Gly Tyr Tyr Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly
            100                 105                 110
Gly Ile Pro Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys
        115                 120                 125
Lys Asp Ile Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val
    130                 135                 140
Ile Asp Trp Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro
145                 150                 155                 160
Lys Asp Val Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn
                165                 170                 175
Val Gln Leu Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe
            180                 185                 190
Glu Lys Ala Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys
        195                 200                 205
Leu Leu Arg Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys
    210                 215                 220
Tyr Asn His His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn
225                 230                 235                 240
Val Glu Ile Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser
                245                 250                 255
Thr Ala Leu Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val
            260                 265                 270
Ala Ala Thr Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val
        275                 280                 285
Ser Lys Ile Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr
    290                 295                 300
Arg Ile Val Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu
305                 310                 315                 320
Leu Val Tyr Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile
                325                 330                 335
Val Ile Trp Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu
            340                 345                 350
Leu Leu Asp Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn
        355                 360                 365
Val Thr Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln
    370                 375                 380
Gly Val Cys Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu
385                 390                 395                 400
Asn Pro Asp Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr
                405                 410                 415
Val Arg Gly Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys
            420                 425                 430
Phe Tyr Cys Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp
        435                 440                 445
Val Lys Asp Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys
    450                 455                 460
Ile Asp Ala Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile
465                 470                 475                 480
Phe Tyr Asn Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Val
                485                 490                 495
Ser Ile Leu Phe Leu Ile Ile Ser Ser Val Ala Ser Leu
            500                 505
```

<210> 7
<211> 474
<212> PRT
<213> Homo Sapiens

<220>
<223> Mature full-length human PH20

<400> 7
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1   5   10   15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20   25   30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35   40   45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50   55   60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65   70   75   80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85   90   95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100   105   110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115   120   125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130   135   140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145   150   155   160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165   170   175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180   185   190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195   200   205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210   215   220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225   230   235   240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245   250   255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260   265   270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275   280   285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290   295   300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305   310   315   320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325   330   335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340   345   350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355   360   365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370   375   380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385   390   395   400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405   410   415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420   425   430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
        435   440   445
Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Val Ser Ile Leu
    450   455   460
Phe Leu Ile Ile Ser Ser Val Ala Ser Leu
465   470

<210> 8
<211> 510
<212> PRT
<213> Pan troglodyte

<220>
<223> Precursor chimpanzee PH20

<400> 8

```
Met Gly Val Leu Lys Phe Lys His Ile Phe Phe Arg Ser Phe Val Lys
 1               5                  10                  15
Ser Ser Gly Val Ser Gln Ile Val Phe Thr Phe Leu Leu Ile Pro Cys
            20                  25                  30
Cys Leu Thr Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro
        35                  40                  45
Phe Leu Trp Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe
    50                  55                  60
Asp Glu Pro Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg
65                  70                  75                  80
Ile Asn Val Thr Gly Gln Asp Val Thr Ile Phe Tyr Val Asp Arg Leu
                85                  90                  95
Gly Tyr Tyr Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly
            100                 105                 110
Gly Ile Pro Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys
        115                 120                 125
Lys Asp Ile Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val
    130                 135                 140
Ile Asp Trp Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro
145                 150                 155                 160
Lys Asp Val Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn
                165                 170                 175
Val Gln Leu Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe
            180                 185                 190
Glu Lys Ala Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys
        195                 200                 205
Leu Leu Arg Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys
    210                 215                 220
Tyr Asn His His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn
225                 230                 235                 240
Val Glu Ile Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser
                245                 250                 255
Thr Ala Leu Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val
            260                 265                 270
Ala Ala Thr Leu Tyr Val Arg Asn Arg Val Gln Glu Ala Ile Arg Val
        275                 280                 285
Ser Lys Ile Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Val Tyr Thr
    290                 295                 300
Arg Ile Val Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu
305                 310                 315                 320
Leu Val Tyr Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile
                325                 330                 335
Val Ile Trp Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu
            340                 345                 350
Leu Leu Asp Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn
        355                 360                 365
Val Thr Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln
    370                 375                 380
Gly Val Cys Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu
385                 390                 395                 400
Asn Pro Asp Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr
                405                 410                 415
Val Arg Gly Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys
            420                 425                 430
Phe Tyr Cys Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp
        435                 440                 445
Val Lys Asp Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys
    450                 455                 460
Ile Asp Ala Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Ser Gln Ile
465                 470                 475                 480
Phe Tyr Asn Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Asp
                485                 490                 495
Leu Cys Asp Leu Tyr Leu Val Pro Thr Ser Tyr Leu Ile Leu
            500                 505                 510
```

<210> 9
<211> 509
<212> PRT
<213> Pan troglodyte

<220>
<223> Precursor chimpanzee PH20

<300>
<308> NCBI: XP_527873
<309> 2011-05-13

<400> 9
Met Gly Val Leu Lys Phe Lys His Ile Phe Phe Arg Ser Phe Val Lys
 1   5   10   15
Ser Ser Gly Val Ser Gln Ile Val Phe Thr Phe Leu Leu Ile Pro Cys
            20   25   30
Cys Leu Thr Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro
        35   40   45
Phe Leu Trp Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe
    50   55   60
Asp Glu Pro Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg
65   70   75   80
Ile Asn Val Thr Gly Gln Asp Val Thr Ile Phe Tyr Val Asp Arg Leu
                85   90   95
Gly Tyr Tyr Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly
            100   105   110
Gly Ile Pro Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys
        115   120   125
Lys Asp Ile Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val
    130   135   140
Ile Asp Trp Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro
145   150   155   160
Lys Asp Val Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn
                165   170   175
Val Gln Leu Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe
            180   185   190
Glu Lys Ala Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys
        195   200   205
Leu Leu Arg Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys
    210   215   220
Tyr Asn His His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn
225   230   235   240
Val Glu Ile Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser
                245   250   255
Thr Ala Leu Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val
            260   265   270
Ala Ala Thr Leu Tyr Val Arg Asn Arg Val Gln Glu Ala Ile Arg Val
        275   280   285
Ser Lys Ile Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Val Tyr Thr
    290   295   300
Arg Ile Val Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu
305   310   315   320
Leu Val Tyr Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile
                325   330   335
Val Ile Trp Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu
            340   345   350
Leu Leu Asp Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn
        355   360   365
Val Thr Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln
    370   375   380
Gly Val Cys Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu
385   390   395   400
Asn Pro Asp Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr
                405   410   415
Val Arg Gly Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys

420 425 430
Phe Tyr Cys Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp
435 440 445
Val Lys Asp Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys
450 455 460
Ile Asp Ala Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Ser Gln Ile
465 470 475 480
Phe Tyr Asn Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Val
485 490 495
Ser Ile Leu Phe Leu Ile Ile Ser Ser Val Ala Ser Leu
500 505

<210> 10
<211> 474
<212> PRT
<213> Pan troglodyte

<220>
<223> mature chimpanzee PH20

<400> 10
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Val
35 40 45
Thr Gly Gln Asp Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Gln Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Val Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Ser Gln Ile Phe Tyr Asn
        435                 440                 445
Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Val Ser Ile Leu
    450                 455                 460
Phe Leu Ile Ile Ser Ser Val Ala Ser Leu
465                 470


<210> 11
<211> 512
<212> PRT
<213> Macaca mulatta

<220>
<223> Precursor Rhesus Monkey PH20

<300>
<308> GenBank: EHH17639
<309> 2011-11-04

<400> 11
Met Gly Val Leu Lys Phe Lys His Ile Phe Phe Arg Ser Phe Val Lys
 1                5                  10                  15
Ser Ser Gly Val Ser Gln Ile Val Phe Thr Phe Leu Leu Ile Pro Cys
            20                  25                  30
Cys Leu Thr Leu Asn Phe Arg Ala Pro Pro Ile Ile Pro Asn Val Pro
        35                  40                  45
Phe Leu Trp Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe
    50                  55                  60
Asn Glu Pro Leu Asp Met Ser Leu Phe Thr Leu Met Gly Ser Pro Arg
65                  70                  75                  80
Ile Asn Ile Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu
                85                  90                  95
Gly Tyr Tyr Pro Tyr Ile Asp Leu Thr Thr Gly Val Thr Val His Gly
            100                 105                 110
Gly Ile Pro Gln Lys Val Ser Leu Gln Asp His Leu Asp Lys Ser Lys
        115                 120                 125
Gln Asp Ile Leu Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val
    130                 135                 140
Ile Asp Trp Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro
145                 150                 155                 160
Lys Asp Val Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn
                165                 170                 175
Val Gln Leu Ser Leu Pro Gln Ala Thr Asp Lys Ala Lys Gln Glu Phe
            180                 185                 190
Glu Lys Ala Gly Lys Asp Phe Met Leu Glu Thr Ile Lys Leu Gly Arg
        195                 200                 205
Ser Leu Arg Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys
    210                 215                 220
Tyr Asn His His Tyr Arg Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asp
225                 230                 235                 240
Val Glu Ile Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser
                245                 250                 255
Thr Ala Leu Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Val Val
            260                 265                 270
Val Ala Thr Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val
        275                 280                 285
Ser Lys Ile Pro Asp Ala Lys Asn Pro Leu Pro Val Phe Val Tyr Ala
    290                 295                 300
Arg Leu Val Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Arg Glu Glu
```

305 310 315 320
Leu Val Ser Thr Leu Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile
325 330 335
Val Ile Trp Gly Ser Leu Ser Ile Thr Arg Ser Met Lys Ser Cys Leu
340 345 350
Leu Leu Asp Thr Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn
355 360 365
Val Thr Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln
370 375 380
Gly Val Cys Ile Arg Lys Asp Trp Asn Ser Ser Asp Tyr Leu His Leu
385 390 395 400
Asn Pro Asp Asn Phe Asp Ile Arg Leu Glu Lys Gly Gly Lys Phe Thr
405 410 415
Val His Gly Lys Pro Thr Val Glu Asp Leu Glu Glu Phe Ser Glu Lys
420 425 430
Phe Tyr Cys Ser Cys Tyr Thr Asn Leu Ser Cys Lys Glu Lys Ala Asp
435 440 445
Val Lys Asp Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys
450 455 460
Ile Asp Ala Ser Leu Lys Pro Pro Val Glu Thr Glu Gly Ser Pro Pro
465 470 475 480
Ile Phe Tyr Asn Thr Ser Ser Ser Thr Val Ser Thr Thr Met Phe Ile
485 490 495
Trp Arg Leu Glu Val Trp Asp Gln Gly Ile Ser Arg Ile Gly Phe Phe
500 505 510

<210> 12
<211> 477
<212> PRT
<213> Macaca mulatta

<220>
<223> mature Rhesus monkey PH20

<400> 12
Leu Asn Phe Arg Ala Pro Pro Ile Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asn Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Thr Leu Met Gly Ser Pro Arg Ile Asn Ile
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Leu Thr Thr Gly Val Thr Val His Gly Gly Ile Pro
65 70 75 80
Gln Lys Val Ser Leu Gln Asp His Leu Asp Lys Ser Lys Gln Asp Ile
85 90 95
Leu Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Pro Gln Ala Thr Asp Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Met Leu Glu Thr Ile Lys Leu Gly Arg Ser Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Arg Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asp Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Val Val Val Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255

Pro Asp Ala Lys Asn Pro Leu Pro Val Phe Val Tyr Ala Arg Leu Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Arg Glu Glu Leu Val Ser
275 280 285
Thr Leu Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Ser Leu Ser Ile Thr Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Thr Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asp Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365
Asn Phe Asp Ile Arg Leu Glu Lys Gly Gly Lys Phe Thr Val His Gly
370 375 380
Lys Pro Thr Val Glu Asp Leu Glu Glu Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Thr Asn Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Ser Leu Lys Pro Pro Val Glu Thr Glu Gly Ser Pro Pro Ile Phe Tyr
435 440 445
Asn Thr Ser Ser Ser Thr Val Ser Thr Thr Met Phe Ile Trp Arg Leu
450 455 460
Glu Val Trp Asp Gln Gly Ile Ser Arg Ile Gly Phe Phe
465 470 475

<210> 13
<211> 510
<212> PRT
<213> Macaca fascicularis

<220>
<223> Precursor Cynomolgus monkey PH20

<300>
<308> UniProtKB: P38568.1
<309> 1994-10-01

<400> 13
Met Gly Val Leu Lys Phe Lys His Ile Phe Phe Arg Ser Phe Val Lys
1 5 10 15
Ser Ser Gly Val Ser Gln Ile Val Phe Thr Phe Leu Leu Ile Pro Cys
20 25 30
Cys Leu Thr Leu Asn Phe Arg Ala Pro Pro Ile Ile Pro Asn Val Pro
35 40 45
Phe Leu Trp Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe
50 55 60
Asn Glu Pro Leu Asp Met Ser Leu Phe Thr Leu Met Gly Ser Pro Arg
65 70 75 80
Ile Asn Val Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu
85 90 95
Gly Tyr Tyr Pro Tyr Ile Asp Leu Thr Thr Gly Val Thr Val His Gly
100 105 110
Gly Ile Pro Gln Lys Val Ser Leu Gln Asp His Leu Asp Lys Ser Lys
115 120 125
Gln Asp Ile Leu Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val
130 135 140
Ile Asp Trp Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro
145 150 155 160
Lys Asp Val Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn
165 170 175
Val Gln Leu Ser Leu Pro Gln Ala Thr Asp Lys Ala Lys Gln Glu Phe
180 185 190
Glu Lys Ala Gly Lys Asp Phe Met Leu Glu Thr Ile Lys Leu Gly Arg

```
        195                 200                 205
Ser Leu Arg Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys
    210                 215                 220
Tyr Asn His His Tyr Arg Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asp
225                 230                 235                 240
Val Glu Ile Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser
                245                 250                 255
Thr Ala Leu Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Val Val
            260                 265                 270
Val Ala Thr Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val
        275                 280                 285
Ser Lys Ile Pro Asp Ala Lys Asn Pro Leu Pro Val Phe Val Tyr Ala
    290                 295                 300
Arg Leu Val Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Arg Glu Glu
305                 310                 315                 320
Leu Val Ser Thr Leu Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile
                325                 330                 335
Val Ile Trp Gly Ser Leu Ser Ile Thr Arg Ser Met Lys Ser Cys Leu
            340                 345                 350
Leu Leu Asp Thr Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn
        355                 360                 365
Val Thr Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln
    370                 375                 380
Gly Val Cys Ile Arg Lys Asp Trp Asn Ser Ser Asp Tyr Leu His Leu
385                 390                 395                 400
Asn Pro Asp Asn Phe Asp Ile Arg Leu Glu Lys Gly Gly Lys Phe Thr
                405                 410                 415
Val His Gly Lys Pro Thr Val Glu Asp Leu Glu Glu Phe Ser Glu Lys
            420                 425                 430
Phe Tyr Cys Ser Cys Tyr Thr Asn Leu Ser Cys Lys Glu Lys Ala Asp
        435                 440                 445
Val Lys Asp Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys
    450                 455                 460
Ile Asp Ala Ser Leu Lys Pro Pro Val Glu Thr Glu Gly Ser Pro Pro
465                 470                 475                 480
Ile Phe Tyr Asn Thr Ser Ser Ser Thr Val Ser Thr Thr Met Phe Ile
                485                 490                 495
Val Asn Ile Leu Phe Leu Ile Ile Ser Ser Val Ala Ser Leu
            500                 505                 510


<210> 14
<211> 475
<212> PRT
<213> Macaca fascicularis

<220>
<223> mature Cynomolgus monkey PH20

<300>
<308> UniProtKB: P38568.1
<309> 1994-10-01

<400> 14
Leu Asn Phe Arg Ala Pro Pro Ile Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asn Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Thr Leu Met Gly Ser Pro Arg Ile Asn Val
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Leu Thr Thr Gly Val Thr Val His Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Val Ser Leu Gln Asp His Leu Asp Lys Ser Lys Gln Asp Ile
                85                  90                  95
Leu Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
```

```
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Pro Gln Ala Thr Asp Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Met Leu Glu Thr Ile Lys Leu Gly Arg Ser Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Arg Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asp Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Val Val Val Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Asn Pro Leu Pro Val Phe Val Tyr Ala Arg Leu Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Arg Glu Glu Leu Val Ser
        275                 280                 285
Thr Leu Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Ser Leu Ser Ile Thr Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Thr Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asp Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
Asn Phe Asp Ile Arg Leu Glu Lys Gly Gly Lys Phe Thr Val His Gly
    370                 375                 380
Lys Pro Thr Val Glu Asp Leu Glu Glu Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Thr Asn Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Ser Leu Lys Pro Pro Val Glu Thr Glu Gly Ser Pro Pro Ile Phe Tyr
        435                 440                 445
Asn Thr Ser Ser Ser Thr Val Ser Thr Thr Met Phe Ile Val Asn Ile
    450                 455                 460
Leu Phe Leu Ile Ile Ser Ser Val Ala Ser Leu
465                 470                 475


<210> 15
<211> 553
<212> PRT
<213> Bos taurus

<220>
<223> Precursor cow PH20

<300>
<308> GenBank: AAI10184.1
<309> 2009-03-18

<400> 15
Met Arg Met Leu Arg Arg His His Ile Ser Phe Arg Ser Phe Ala Gly
 1                5                  10                  15
Ser Ser Gly Thr Pro Gln Ala Val Phe Thr Phe Leu Leu Leu Pro Cys
            20                  25                  30
Cys Leu Ala Leu Asp Phe Arg Ala Pro Pro Leu Ile Ser Asn Thr Ser
        35                  40                  45
Phe Leu Trp Ala Trp Asn Ala Pro Val Glu Arg Cys Val Asn Arg Arg
```

50 55 60
Phe Gln Leu Pro Pro Asp Leu Arg Leu Phe Ser Val Lys Gly Ser Pro
65 70 75 80
Gln Lys Ser Ala Thr Gly Gln Phe Ile Thr Leu Phe Tyr Ala Asp Arg
85 90 95
Leu Gly Tyr Tyr Pro His Ile Asp Glu Lys Thr Gly Lys Thr Val Phe
100 105 110
Gly Gly Ile Pro Gln Leu Gly Asn Leu Lys Ser His Met Glu Lys Ala
115 120 125
Lys Asn Asp Ile Ala Tyr Tyr Ile Pro Asn Asp Ser Val Gly Leu Ala
130 135 140
Val Ile Asp Trp Glu Asn Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys
145 150 155 160
Pro Lys Asp Val Tyr Arg Asp Glu Ser Val Glu Leu Val Leu Gln Lys
165 170 175
Asn Pro Gln Leu Ser Phe Pro Glu Ala Ser Lys Ile Ala Lys Val Asp
180 185 190
Phe Glu Thr Ala Gly Lys Ser Phe Met Gln Glu Thr Leu Lys Leu Gly
195 200 205
Lys Leu Leu Arg Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp
210 215 220
Cys Tyr Asn His Asn His Asn Gln Pro Thr Tyr Asn Gly Asn Cys Pro
225 230 235 240
Asp Val Glu Lys Arg Arg Asn Asp Asp Leu Glu Trp Leu Trp Lys Glu
245 250 255
Ser Thr Ala Leu Phe Pro Ser Val Tyr Leu Asn Ile Arg Leu Lys Ser
260 265 270
Thr Gln Asn Ala Ala Leu Tyr Val Arg Asn Arg Val Gln Glu Ala Ile
275 280 285
Arg Leu Ser Lys Ile Ala Ser Val Glu Ser Pro Leu Pro Val Phe Val
290 295 300
Tyr Ala Arg Pro Val Phe Thr Asp Gly Ser Ser Thr Tyr Leu Ser Gln
305 310 315 320
Gly Asp Leu Val Asn Ser Val Gly Glu Ile Val Ser Leu Gly Ala Ser
325 330 335
Gly Ile Ile Met Trp Gly Ser Leu Asn Leu Ser Leu Ser Met Gln Ser
340 345 350
Cys Met Asn Leu Gly Thr Tyr Leu Asn Thr Thr Leu Asn Pro Tyr Ile
355 360 365
Ile Asn Val Thr Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys His
370 375 380
Asn Glu Gly Val Cys Thr Arg Lys His Trp Asn Ser Ser Asp Tyr Leu
385 390 395 400
His Leu Asn Pro Met Asn Phe Ala Ile Gln Thr Gly Glu Gly Gly Lys
405 410 415
Tyr Thr Val Pro Gly Thr Val Thr Leu Glu Asp Leu Gln Lys Phe Ser
420 425 430
Asp Thr Phe Tyr Cys Ser Cys Tyr Ala Asn Ile His Cys Lys Lys Arg
435 440 445
Val Asp Ile Lys Asn Val His Ser Val Asn Val Cys Met Ala Glu Asp
450 455 460
Ile Cys Ile Asp Ser Pro Val Lys Leu Gln Pro Ser Asp His Ser Ser
465 470 475 480
Ser Gln Glu Ala Ser Thr Thr Thr Phe Ser Ser Ile Ser Pro Ser Thr
485 490 495
Thr Thr Ala Thr Val Ser Pro Cys Thr Pro Glu Lys His Ser Pro Glu
500 505 510
Cys Leu Lys Val Arg Cys Ser Glu Val Ile Pro Asn Val Thr Gln Lys
515 520 525
Ala Cys Gln Ser Val Lys Leu Lys Asn Ile Ser Tyr Gln Ser Pro Ile
530 535 540
Gln Asn Ile Lys Asn Gln Thr Thr Tyr
545 550

<210> 16
<211> 518
<212> PRT

<213> Bos taurus

<220>
<223> Mature cow PH20

<400> 16

```
Leu Asp Phe Arg Ala Pro Pro Leu Ile Ser Asn Thr Ser Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Val Glu Arg Cys Val Asn Arg Arg Phe Gln Leu
            20                  25                  30
Pro Pro Asp Leu Arg Leu Phe Ser Val Lys Gly Ser Pro Gln Lys Ser
        35                  40                  45
Ala Thr Gly Gln Phe Ile Thr Leu Phe Tyr Ala Asp Arg Leu Gly Tyr
    50                  55                  60
Tyr Pro His Ile Asp Glu Lys Thr Gly Lys Thr Val Phe Gly Gly Ile
65                  70                  75                  80
Pro Gln Leu Gly Asn Leu Lys Ser His Met Glu Lys Ala Lys Asn Asp
                85                  90                  95
Ile Ala Tyr Tyr Ile Pro Asn Asp Ser Val Gly Leu Ala Val Ile Asp
            100                 105                 110
Trp Glu Asn Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp
        115                 120                 125
Val Tyr Arg Asp Glu Ser Val Glu Leu Val Leu Gln Lys Asn Pro Gln
    130                 135                 140
Leu Ser Phe Pro Glu Ala Ser Lys Ile Ala Lys Val Asp Phe Glu Thr
145                 150                 155                 160
Ala Gly Lys Ser Phe Met Gln Glu Thr Leu Lys Leu Gly Lys Leu Leu
                165                 170                 175
Arg Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn
            180                 185                 190
His Asn His Asn Gln Pro Thr Tyr Asn Gly Asn Cys Pro Asp Val Glu
        195                 200                 205
Lys Arg Arg Asn Asp Asp Leu Glu Trp Leu Trp Lys Glu Ser Thr Ala
    210                 215                 220
Leu Phe Pro Ser Val Tyr Leu Asn Ile Arg Leu Lys Ser Thr Gln Asn
225                 230                 235                 240
Ala Ala Leu Tyr Val Arg Asn Arg Val Gln Glu Ala Ile Arg Leu Ser
                245                 250                 255
Lys Ile Ala Ser Val Glu Ser Pro Leu Pro Val Phe Val Tyr Ala Arg
            260                 265                 270
Pro Val Phe Thr Asp Gly Ser Ser Thr Tyr Leu Ser Gln Gly Asp Leu
        275                 280                 285
Val Asn Ser Val Gly Glu Ile Val Ser Leu Gly Ala Ser Gly Ile Ile
    290                 295                 300
Met Trp Gly Ser Leu Asn Leu Ser Leu Ser Met Gln Ser Cys Met Asn
305                 310                 315                 320
Leu Gly Thr Tyr Leu Asn Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val
                325                 330                 335
Thr Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys His Asn Glu Gly
            340                 345                 350
Val Cys Thr Arg Lys His Trp Asn Ser Ser Asp Tyr Leu His Leu Asn
        355                 360                 365
Pro Met Asn Phe Ala Ile Gln Thr Gly Glu Gly Gly Lys Tyr Thr Val
    370                 375                 380
Pro Gly Thr Val Thr Leu Glu Asp Leu Gln Lys Phe Ser Asp Thr Phe
385                 390                 395                 400
Tyr Cys Ser Cys Tyr Ala Asn Ile His Cys Lys Lys Arg Val Asp Ile
                405                 410                 415
Lys Asn Val His Ser Val Asn Val Cys Met Ala Glu Asp Ile Cys Ile
            420                 425                 430
Asp Ser Pro Val Lys Leu Gln Pro Ser Asp His Ser Ser Ser Gln Glu
        435                 440                 445
Ala Ser Thr Thr Thr Phe Ser Ser Ile Ser Pro Ser Thr Thr Thr Ala
    450                 455                 460
Thr Val Ser Pro Cys Thr Pro Glu Lys His Ser Pro Glu Cys Leu Lys
465                 470                 475                 480
Val Arg Cys Ser Glu Val Ile Pro Asn Val Thr Gln Lys Ala Cys Gln
                485                 490                 495
```

Ser Val Lys Leu Lys Asn Ile Ser Tyr Gln Ser Pro Ile Gln Asn Ile
500 505 510
Lys Asn Gln Thr Thr Tyr
515

<210> 17
<211> 474
<212> PRT
<213> Bos taurus

<220>
<223> Precursor cow PH20

<300>
<308> GenBank: AAP55713
<309> 2003-06-11

<400> 17
Met Gly Met Phe Arg Arg His His Ile Ser Phe Arg Ser Phe Ala Gly
1 5 10 15
Ser Ser Gly Thr Pro Gln Ala Val Phe Thr Phe Leu Leu Leu Pro Cys
20 25 30
Cys Leu Ala Leu Asp Phe Arg Ala Pro Pro Leu Ile Ser Asn Thr Ser
35 40 45
Phe Leu Trp Ala Trp Asn Ala Pro Val Glu Arg Cys Val Asn Arg Arg
50 55 60
Phe Gln Leu Pro Pro Asp Leu Arg Leu Phe Ser Val Lys Gly Ser Pro
65 70 75 80
Gln Lys Ser Ala Thr Gly Gln Phe Ile Thr Leu Phe Tyr Ala Asp Arg
85 90 95
Leu Gly Tyr Tyr Pro His Ile Asp Glu Lys Thr Gly Lys Thr Val Phe
100 105 110
Gly Gly Ile Pro Gln Leu Gly Asn Leu Lys Ser His Leu Glu Lys Ala
115 120 125
Lys Asn Asp Ile Ala Tyr Tyr Ile Pro Asn Asp Ser Val Gly Leu Ala
130 135 140
Val Ile Asp Trp Glu Asn Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys
145 150 155 160
Pro Lys Asp Val Tyr Arg Asp Glu Ser Val Glu Leu Val Leu Gln Lys
165 170 175
Asn Pro Gln Leu Ser Phe Pro Glu Ala Ser Lys Ile Ala Lys Val Asp
180 185 190
Phe Glu Thr Ala Gly Lys Ser Phe Met Gln Glu Thr Leu Lys Leu Gly
195 200 205
Lys Leu Leu Arg Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp
210 215 220
Cys Tyr Asn His Asn His Asn Gln Pro Thr Tyr Asn Gly Asn Cys Pro
225 230 235 240
Asp Val Glu Lys Arg Arg Asn Asp Asp Leu Glu Trp Leu Trp Lys Glu
245 250 255
Ser Thr Ala Leu Phe Pro Ser Val Tyr Leu Asn Ile Arg Leu Lys Ser
260 265 270
Thr Gln Asn Ala Ala Leu Tyr Val Arg Asn Arg Val Gln Glu Ala Ile
275 280 285
Arg Leu Ser Lys Ile Ala Ser Val Glu Ser Pro Leu Pro Val Phe Val
290 295 300
Tyr Ala Arg Pro Val Phe Thr Asp Gly Ser Ser Thr Tyr Leu Ser Gln
305 310 315 320
Gly Asp Leu Val Asn Ser Val Gly Glu Ile Val Ser Leu Gly Ala Ser
325 330 335
Gly Ile Ile Met Trp Gly Ser Leu Asn Leu Ser Leu Ser Val Gln Ser
340 345 350
Cys Met Asn Leu Gly Thr Tyr Leu Asn Thr Thr Leu Asn Pro Tyr Ile
355 360 365
Ile Asn Val Thr Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys His
370 375 380
Asp Gly Gly Val Cys Thr Arg Lys His Trp Asn Ser Ser Asp Tyr Leu

385 390 395 400
His Leu Asn Pro Met Asn Phe Ala Ile Gln Thr Gly Glu Gly Gly Lys
405 410 415
Tyr Thr Val Pro Gly Thr Leu Thr Leu Glu Asp Leu Gln Lys Phe Ser
420 425 430
Asp Thr Phe Tyr Cys Ser Cys Tyr Ser Asn Leu Ser Cys Lys Lys Arg
435 440 445
Val Asp Ile Lys Asn Val His Ser Val Asp Val Cys Met Ala Glu Asp
450 455 460
Val Cys Ile Asp Ala Phe Leu Lys Pro Pro
465 470

<210> 18
<211> 439
<212> PRT
<213> Bos taurus

<220>
<223> mature cow PH20

<400> 18
Leu Asp Phe Arg Ala Pro Pro Leu Ile Ser Asn Thr Ser Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Val Glu Arg Cys Val Asn Arg Arg Phe Gln Leu
20 25 30
Pro Pro Asp Leu Arg Leu Phe Ser Val Lys Gly Ser Pro Gln Lys Ser
35 40 45
Ala Thr Gly Gln Phe Ile Thr Leu Phe Tyr Ala Asp Arg Leu Gly Tyr
50 55 60
Tyr Pro His Ile Asp Glu Lys Thr Gly Lys Thr Val Phe Gly Gly Ile
65 70 75 80
Pro Gln Leu Gly Asn Leu Lys Ser His Leu Glu Lys Ala Lys Asn Asp
85 90 95
Ile Ala Tyr Tyr Ile Pro Asn Asp Ser Val Gly Leu Ala Val Ile Asp
100 105 110
Trp Glu Asn Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp
115 120 125
Val Tyr Arg Asp Glu Ser Val Glu Leu Val Leu Gln Lys Asn Pro Gln
130 135 140
Leu Ser Phe Pro Glu Ala Ser Lys Ile Ala Lys Val Asp Phe Glu Thr
145 150 155 160
Ala Gly Lys Ser Phe Met Gln Glu Thr Leu Lys Leu Gly Lys Leu Leu
165 170 175
Arg Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn
180 185 190
His Asn His Asn Gln Pro Thr Tyr Asn Gly Asn Cys Pro Asp Val Glu
195 200 205
Lys Arg Arg Asn Asp Asp Leu Glu Trp Leu Trp Lys Glu Ser Thr Ala
210 215 220
Leu Phe Pro Ser Val Tyr Leu Asn Ile Arg Leu Lys Ser Thr Gln Asn
225 230 235 240
Ala Ala Leu Tyr Val Arg Asn Arg Val Gln Glu Ala Ile Arg Leu Ser
245 250 255
Lys Ile Ala Ser Val Glu Ser Pro Leu Pro Val Phe Val Tyr Ala Arg
260 265 270
Pro Val Phe Thr Asp Gly Ser Ser Thr Tyr Leu Ser Gln Gly Asp Leu
275 280 285
Val Asn Ser Val Gly Glu Ile Val Ser Leu Gly Ala Ser Gly Ile Ile
290 295 300
Met Trp Gly Ser Leu Asn Leu Ser Leu Ser Val Gln Ser Cys Met Asn
305 310 315 320
Leu Gly Thr Tyr Leu Asn Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val
325 330 335
Thr Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys His Asp Gly Gly
340 345 350
Val Cys Thr Arg Lys His Trp Asn Ser Ser Asp Tyr Leu His Leu Asn
355 360 365

```
Pro Met Asn Phe Ala Ile Gln Thr Gly Glu Gly Gly Lys Tyr Thr Val
    370                 375                 380
Pro Gly Thr Leu Thr Leu Glu Asp Leu Gln Lys Phe Ser Asp Thr Phe
385                 390                 395                 400
Tyr Cys Ser Cys Tyr Ser Asn Leu Ser Cys Lys Lys Arg Val Asp Ile
                405                 410                 415
Lys Asn Val His Ser Val Asp Val Cys Met Ala Glu Asp Val Cys Ile
            420                 425                 430
Asp Ala Phe Leu Lys Pro Pro
        435


<210> 19
<211> 512
<212> PRT
<213> Mus musculus

<220>
<223> Precursor mouse PH20

<300>
<308> NCBI: NP_001073344.1
<309> 2012-12-12

<400> 19
Met Gly Glu Leu Arg Phe Lys His Leu Phe Trp Gly Ser Phe Val Glu
 1               5                  10                  15
Ser Gly Gly Thr Phe Gln Thr Val Leu Ile Phe Leu Leu Ile Pro Cys
            20                  25                  30
Ser Leu Thr Val Asp Tyr Arg Ala Ala Pro Ile Leu Ser Asn Thr Thr
        35                  40                  45
Phe Leu Trp Ile Trp Asn Val Pro Thr Glu Arg Cys Val Gly Asn Val
    50                  55                  60
Asn Asp Pro Ile Asp Leu Ser Phe Phe Ser Leu Ile Gly Ser Pro Arg
65                  70                  75                  80
Lys Thr Ala Thr Gly Gln Pro Val Thr Leu Phe Tyr Val Asp Arg Leu
                85                  90                  95
Gly Leu Tyr Pro His Ile Asp Ala Asn Gln Ala Glu His Tyr Gly Gly
            100                 105                 110
Ile Pro Gln Arg Gly Asp Tyr Gln Ala His Leu Arg Lys Ala Lys Thr
        115                 120                 125
Asp Ile Glu His Tyr Ile Pro Asp Asp Lys Leu Gly Leu Ala Ile Ile
    130                 135                 140
Asp Trp Glu Glu Trp Arg Pro Thr Trp Leu Arg Asn Trp Lys Pro Lys
145                 150                 155                 160
Asp Asn Tyr Arg Asn Lys Ser Ile Glu Leu Val Gln Ser Thr Asn Pro
                165                 170                 175
Gly Leu Ser Ile Thr Glu Ala Thr Gln Lys Ala Ile Gln Gln Phe Glu
            180                 185                 190
Glu Ala Gly Arg Lys Phe Met Glu Gly Thr Leu His Leu Gly Lys Phe
        195                 200                 205
Leu Arg Pro Asn Gln Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr
    210                 215                 220
Asn Asn Lys Phe Gln Asp Pro Lys Tyr Asp Gly Gln Cys Pro Ala Val
225                 230                 235                 240
Glu Lys Lys Arg Asn Asp Asn Leu Lys Trp Leu Trp Lys Ala Ser Thr
                245                 250                 255
Gly Leu Tyr Pro Ser Val Tyr Leu Lys Lys Asp Leu Lys Ser Asn Arg
            260                 265                 270
Gln Ala Thr Leu Tyr Val Arg Tyr Arg Val Val Glu Ala Ile Arg Val
        275                 280                 285
Ser Lys Val Gly Asn Ala Ser Asp Pro Val Pro Ile Phe Val Tyr Ile
    290                 295                 300
Arg Leu Val Phe Thr Asp Arg Thr Ser Glu Tyr Leu Leu Glu Asp Asp
305                 310                 315                 320
Leu Val Asn Thr Ile Gly Glu Ile Val Ala Leu Gly Thr Ser Gly Ile
                325                 330                 335
Ile Ile Trp Asp Ala Met Ser Leu Ala Gln Arg Ala Ala Gly Cys Pro
```

```
            340                 345                 350
Ile Leu His Lys Tyr Met Gln Thr Thr Leu Asn Pro Tyr Ile Val Asn
        355                 360                 365
Val Thr Leu Ala Ala Lys Met Cys Ser Gln Thr Leu Cys Asn Glu Lys
    370                 375                 380
Gly Met Cys Ser Arg Arg Lys Glu Ser Ser Asp Val Tyr Leu His Leu
385                 390                 395                 400
Asn Pro Ser His Phe Asp Ile Met Leu Thr Glu Thr Gly Lys Tyr Glu
                405                 410                 415
Val Leu Gly Asn Pro Arg Val Gly Asp Leu Glu Tyr Phe Ser Glu His
            420                 425                 430
Phe Lys Cys Ser Cys Phe Ser Arg Met Thr Cys Lys Glu Thr Ser Asp
        435                 440                 445
Val Lys Asn Val Gln Asp Val Asn Val Cys Val Gly Asp Asn Val Cys
    450                 455                 460
Ile Lys Ala Lys Val Glu Pro Asn Pro Ala Phe Tyr Leu Leu Pro Gly
465                 470                 475                 480
Lys Ser Leu Leu Phe Met Thr Thr Leu Gly His Val Leu Tyr His Leu
                485                 490                 495
Pro Gln Asp Ile Phe Val Phe Pro Arg Lys Thr Leu Val Ser Thr Pro
            500                 505                 510


<210> 20
<211> 477
<212> PRT
<213> Mus musculus

<220>
<223> Mature mouse PH20

<400> 20
Val Asp Tyr Arg Ala Ala Pro Ile Leu Ser Asn Thr Thr Phe Leu Trp
 1               5                  10                  15
Ile Trp Asn Val Pro Thr Glu Arg Cys Val Gly Asn Val Asn Asp Pro
            20                  25                  30
Ile Asp Leu Ser Phe Phe Ser Leu Ile Gly Ser Pro Arg Lys Thr Ala
        35                  40                  45
Thr Gly Gln Pro Val Thr Leu Phe Tyr Val Asp Arg Leu Gly Leu Tyr
    50                  55                  60
Pro His Ile Asp Ala Asn Gln Ala Glu His Tyr Gly Gly Ile Pro Gln
65                  70                  75                  80
Arg Gly Asp Tyr Gln Ala His Leu Arg Lys Ala Lys Thr Asp Ile Glu
                85                  90                  95
His Tyr Ile Pro Asp Asp Lys Leu Gly Leu Ala Ile Ile Asp Trp Glu
            100                 105                 110
Glu Trp Arg Pro Thr Trp Leu Arg Asn Trp Lys Pro Lys Asp Asn Tyr
        115                 120                 125
Arg Asn Lys Ser Ile Glu Leu Val Gln Ser Thr Asn Pro Gly Leu Ser
    130                 135                 140
Ile Thr Glu Ala Thr Gln Lys Ala Ile Gln Gln Phe Glu Glu Ala Gly
145                 150                 155                 160
Arg Lys Phe Met Glu Gly Thr Leu His Leu Gly Lys Phe Leu Arg Pro
                165                 170                 175
Asn Gln Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn Asn Lys
            180                 185                 190
Phe Gln Asp Pro Lys Tyr Asp Gly Gln Cys Pro Ala Val Glu Lys Lys
        195                 200                 205
Arg Asn Asp Asn Leu Lys Trp Leu Trp Lys Ala Ser Thr Gly Leu Tyr
    210                 215                 220
Pro Ser Val Tyr Leu Lys Lys Asp Leu Lys Ser Asn Arg Gln Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Tyr Arg Val Val Glu Ala Ile Arg Val Ser Lys Val
                245                 250                 255
Gly Asn Ala Ser Asp Pro Val Pro Ile Phe Val Tyr Ile Arg Leu Val
            260                 265                 270
Phe Thr Asp Arg Thr Ser Glu Tyr Leu Leu Glu Asp Asp Leu Val Asn
        275                 280                 285
```

```
Thr Ile Gly Glu Ile Val Ala Leu Gly Thr Ser Gly Ile Ile Ile Trp
    290                 295                 300
Asp Ala Met Ser Leu Ala Gln Arg Ala Ala Gly Cys Pro Ile Leu His
305                 310                 315                 320
Lys Tyr Met Gln Thr Thr Leu Asn Pro Tyr Ile Val Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Thr Leu Cys Asn Glu Lys Gly Met Cys
            340                 345                 350
Ser Arg Arg Lys Glu Ser Ser Asp Val Tyr Leu His Leu Asn Pro Ser
        355                 360                 365
His Phe Asp Ile Met Leu Thr Glu Thr Gly Lys Tyr Glu Val Leu Gly
    370                 375                 380
Asn Pro Arg Val Gly Asp Leu Glu Tyr Phe Ser Glu His Phe Lys Cys
385                 390                 395                 400
Ser Cys Phe Ser Arg Met Thr Cys Lys Glu Thr Ser Asp Val Lys Asn
                405                 410                 415
Val Gln Asp Val Asn Val Cys Val Gly Asp Asn Val Cys Ile Lys Ala
            420                 425                 430
Lys Val Glu Pro Asn Pro Ala Phe Tyr Leu Leu Pro Gly Lys Ser Leu
        435                 440                 445
Leu Phe Met Thr Thr Leu Gly His Val Leu Tyr His Leu Pro Gln Asp
    450                 455                 460
Ile Phe Val Phe Pro Arg Lys Thr Leu Val Ser Thr Pro
465                 470                 475
```

<210> 21
<211> 512
<212> PRT
<213> Rattus norvegicus

<220>
<223> Precursor rat PH20

<300>
<308> NCBI: NP_446419.1
<309> 2012-08-30

<400> 21

```
Met Gly Glu Leu Gln Phe Lys Trp Leu Phe Trp Arg Ser Phe Ala Glu
 1               5                  10                  15
Ser Gly Gly Thr Phe Gln Thr Val Leu Ile Phe Leu Phe Ile Pro Tyr
            20                  25                  30
Ser Leu Thr Val Asp Tyr Arg Ala Thr Pro Val Leu Ser Asp Thr Thr
        35                  40                  45
Phe Val Trp Val Trp Asn Val Pro Thr Glu Ala Cys Val Glu Asn Val
    50                  55                  60
Thr Glu Pro Ile Asp Leu Ser Phe Phe Ser Leu Ile Gly Ser Pro Arg
65                  70                  75                  80
Lys Thr Ala Ile Gly Gln Pro Val Thr Leu Phe Tyr Val Asp Arg Leu
                85                  90                  95
Gly Asn Tyr Pro His Ile Asp Ala Gln Gln Thr Glu His His Gly Gly
            100                 105                 110
Ile Pro Gln Lys Gly Asp Leu Thr Thr His Leu Val Lys Ala Lys Glu
        115                 120                 125
Asp Val Glu Arg Tyr Ile Pro Thr Asp Lys Leu Gly Leu Ala Ile Ile
    130                 135                 140
Asp Trp Glu Glu Trp Arg Pro Thr Trp Met Arg Asn Trp Thr Pro Lys
145                 150                 155                 160
Asp Ile Tyr Arg Asn Lys Ser Ile Glu Leu Val Gln Ala Ala Asp Pro
                165                 170                 175
Ala Ile Asn Ile Thr Glu Ala Thr Val Arg Ala Lys Ala Gln Phe Glu
            180                 185                 190
Gly Ala Ala Lys Glu Phe Met Glu Gly Thr Leu Lys Leu Gly Lys His
        195                 200                 205
Ile Arg Pro Lys His Leu Trp Gly Phe Tyr Leu Phe Pro Asp Cys Tyr
    210                 215                 220
Asn Asn Lys Phe Gln Val Asp Asn Tyr Asp Gly Gln Cys Pro Asp Val
```

225 230 235 240
Glu Lys Lys Arg Asn Asp Asp Leu Asp Trp Leu Trp Lys Glu Ser Thr
245 250 255
Gly Leu Tyr Pro Ser Val Tyr Leu Lys Lys Asp Leu Lys Ser Ser Arg
260 265 270
Lys Ala Thr Leu Tyr Val Arg Tyr Arg Val Leu Glu Ser Ile Arg Val
275 280 285
Ser Lys Val Ser Asp Glu Ser Asn Pro Val Pro Ile Phe Val Tyr Ile
290 295 300
Arg Leu Val Phe Thr Asp His Val Ser Glu Tyr Leu Leu Glu Asp Asp
305 310 315 320
Leu Val Asn Thr Ile Gly Glu Ile Val Ala Gln Gly Thr Ser Gly Ile
325 330 335
Ile Ile Trp Asp Ala Met Ser Leu Ala Gln Arg Ser Ala Gly Cys Pro
340 345 350
Ile Leu Arg Gln Tyr Met Lys Thr Thr Leu Asn Pro Tyr Ile Val Asn
355 360 365
Val Thr Leu Ala Ala Lys Met Cys Ser Gln Thr Leu Cys Lys Glu Lys
370 375 380
Gly Met Cys Ser Arg Lys Thr Glu Ser Ser Asp Ala Tyr Leu His Leu
385 390 395 400
Asp Pro Ser Ser Phe Ser Ile Asn Val Thr Glu Ala Gly Lys Tyr Glu
405 410 415
Val Leu Gly Lys Pro Glu Val Lys Asp Leu Glu Tyr Phe Ser Glu His
420 425 430
Phe Lys Cys Ser Cys Phe Ser Lys Met Thr Cys Glu Glu Thr Ser Asp
435 440 445
Met Arg Ser Ile Gln Asp Val Asn Val Cys Met Gly Asp Asn Val Cys
450 455 460
Ile Lys Ala Thr Leu Gly Pro Asn Ser Ala Phe His Leu Leu Pro Gly
465 470 475 480
Lys Gly Leu Leu Leu Met Thr Thr Leu Ala His Ile Leu His His Leu
485 490 495
Pro His Asp Ile Phe Val Phe Pro Trp Lys Met Leu Val Ser Thr Pro
500 505 510

<210> 22
<211> 477
<212> PRT
<213> Rattus norvegicus

<220>
<223> Mature rat PH20

<400> 22
Val Asp Tyr Arg Ala Thr Pro Val Leu Ser Asp Thr Thr Phe Val Trp
1 5 10 15
Val Trp Asn Val Pro Thr Glu Ala Cys Val Glu Asn Val Thr Glu Pro
20 25 30
Ile Asp Leu Ser Phe Phe Ser Leu Ile Gly Ser Pro Arg Lys Thr Ala
35 40 45
Ile Gly Gln Pro Val Thr Leu Phe Tyr Val Asp Arg Leu Gly Asn Tyr
50 55 60
Pro His Ile Asp Ala Gln Gln Thr Glu His His Gly Gly Ile Pro Gln
65 70 75 80
Lys Gly Asp Leu Thr Thr His Leu Val Lys Ala Lys Glu Asp Val Glu
85 90 95
Arg Tyr Ile Pro Thr Asp Lys Leu Gly Leu Ala Ile Ile Asp Trp Glu
100 105 110
Glu Trp Arg Pro Thr Trp Met Arg Asn Trp Thr Pro Lys Asp Ile Tyr
115 120 125
Arg Asn Lys Ser Ile Glu Leu Val Gln Ala Ala Asp Pro Ala Ile Asn
130 135 140
Ile Thr Glu Ala Thr Val Arg Ala Lys Ala Gln Phe Glu Gly Ala Ala
145 150 155 160
Lys Glu Phe Met Glu Gly Thr Leu Lys Leu Gly Lys His Ile Arg Pro
165 170 175

```
Lys His Leu Trp Gly Phe Tyr Leu Phe Pro Asp Cys Tyr Asn Asn Lys
            180                 185                 190
Phe Gln Val Asp Asn Tyr Asp Gly Gln Cys Pro Asp Val Glu Lys Lys
        195                 200                 205
Arg Asn Asp Asp Leu Asp Trp Leu Trp Lys Glu Ser Thr Gly Leu Tyr
    210                 215                 220
Pro Ser Val Tyr Leu Lys Lys Asp Leu Lys Ser Ser Arg Lys Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Tyr Arg Val Leu Glu Ser Ile Arg Val Ser Lys Val
                245                 250                 255
Ser Asp Glu Ser Asn Pro Val Pro Ile Phe Val Tyr Ile Arg Leu Val
            260                 265                 270
Phe Thr Asp His Val Ser Glu Tyr Leu Leu Glu Asp Asp Leu Val Asn
        275                 280                 285
Thr Ile Gly Glu Ile Val Ala Gln Gly Thr Ser Gly Ile Ile Ile Trp
    290                 295                 300
Asp Ala Met Ser Leu Ala Gln Arg Ser Ala Gly Cys Pro Ile Leu Arg
305                 310                 315                 320
Gln Tyr Met Lys Thr Thr Leu Asn Pro Tyr Ile Val Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Thr Leu Cys Lys Glu Lys Gly Met Cys
            340                 345                 350
Ser Arg Lys Thr Glu Ser Ser Asp Ala Tyr Leu His Leu Asp Pro Ser
        355                 360                 365
Ser Phe Ser Ile Asn Val Thr Glu Ala Gly Lys Tyr Glu Val Leu Gly
    370                 375                 380
Lys Pro Glu Val Lys Asp Leu Glu Tyr Phe Ser Glu His Phe Lys Cys
385                 390                 395                 400
Ser Cys Phe Ser Lys Met Thr Cys Glu Glu Thr Ser Asp Met Arg Ser
                405                 410                 415
Ile Gln Asp Val Asn Val Cys Met Gly Asp Asn Val Cys Ile Lys Ala
            420                 425                 430
Thr Leu Gly Pro Asn Ser Ala Phe His Leu Leu Pro Gly Lys Gly Leu
        435                 440                 445
Leu Leu Met Thr Thr Leu Ala His Ile Leu His His Leu Pro His Asp
    450                 455                 460
Ile Phe Val Phe Pro Trp Lys Met Leu Val Ser Thr Pro
465                 470                 475


<210> 23
<211> 545
<212> PRT
<213> Oryctolagus cuniculus

<220>
<223> Precursor rabbit PH20

<300>
<308> NCBI: NP_001076141.1
<309> 2012-10-06

<400> 23
Met Gly Val Leu Lys Phe Lys His Ile Phe Phe Gly Ser Ala Val Glu
 1               5                  10                  15
Leu Ser Gly Val Phe Gln Ile Val Phe Ile Phe Leu Leu Ile Pro Cys
            20                  25                  30
Cys Leu Thr Ala Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro
        35                  40                  45
Phe Leu Trp Ala Trp Asn Ala Pro Thr Glu Phe Cys Leu Gly Lys Ser
    50                  55                  60
Gly Glu Pro Leu Asp Met Ser Leu Phe Ser Leu Phe Gly Ser Pro Arg
65                  70                  75                  80
Lys Asn Lys Thr Gly Gln Gly Ile Thr Ile Phe Tyr Val Asp Arg Leu
                85                  90                  95
Gly Tyr Tyr Pro Tyr Ile Asp Pro His Thr Gly Ala Ile Val His Gly
            100                 105                 110
Arg Ile Pro Gln Leu Gly Pro Leu Gln Gln His Leu Thr Lys Leu Arg
```

```
        115                 120                 125
Gln Glu Ile Leu Tyr Tyr Met Pro Lys Asp Asn Val Gly Leu Ala Val
    130                 135                 140
Ile Asp Trp Glu Glu Trp Leu Pro Thr Trp Leu Arg Asn Trp Lys Pro
145                 150                 155                 160
Lys Asp Ile Tyr Arg Ile Lys Ser Ile Glu Leu Val Lys Ser Gln His
                165                 170                 175
Pro Gln Tyr Asn His Ser Tyr Ala Thr Glu Lys Ala Lys Arg Asp Phe
            180                 185                 190
Glu Lys Ala Gly Lys Asp Phe Met Glu Glu Thr Leu Lys Leu Gly Arg
        195                 200                 205
Leu Leu Arg Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys
    210                 215                 220
Tyr Asn His His Tyr Asp Lys Pro Asn Leu Tyr Lys Gly Ser Cys Phe
225                 230                 235                 240
Asp Ile Glu Lys Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Lys Glu
                245                 250                 255
Ser Thr Ala Leu Phe Pro Ser Val Tyr Leu Thr Ser Arg Ala Arg Ser
            260                 265                 270
Ala Thr Ala Leu Ser Lys Leu Tyr Val Val Arg Asn Arg Val His Glu
        275                 280                 285
Ala Ile Arg Val Ser Lys Ile Pro Asp Asp Lys Ser Pro Leu Pro Asn
    290                 295                 300
Phe Val Tyr Thr Arg Leu Val Phe Thr Asp Gln Ile Phe Gln Phe Leu
305                 310                 315                 320
Ser His His Asp Leu Val Tyr Thr Ile Gly Glu Ile Val Ala Leu Gly
                325                 330                 335
Ala Ser Gly Ile Val Val Trp Gly Ser Gln Ser Leu Ala Arg Ser Met
            340                 345                 350
Lys Ser Cys Leu His Leu Asp Asn Tyr Met Lys Thr Ile Leu Asn Pro
        355                 360                 365
Tyr Leu Ile Asn Val Thr Leu Ala Ala Lys Met Cys Asn Gln Val Leu
    370                 375                 380
Cys Gln Glu Gln Gly Val Cys Thr Arg Lys Asn Trp Asn Pro Asn Asp
385                 390                 395                 400
Tyr Leu His Leu Asn Pro Gly Asn Phe Ala Ile Gln Leu Gly Ser Asn
                405                 410                 415
Gly Thr Tyr Lys Val Asp Gly Lys Pro Thr Leu Thr Asp Leu Glu Gln
            420                 425                 430
Phe Ser Lys Asn Phe Gln Cys Ser Cys Tyr Thr Asn Leu Asn Cys Lys
        435                 440                 445
Glu Arg Thr Asp Met Asn Asn Val Arg Thr Val Asn Val Cys Ala Val
    450                 455                 460
Glu Asn Val Cys Ile Asp Thr Asn Val Gly Pro Gln Ala Val Thr Tyr
465                 470                 475                 480
Ala Pro Lys Glu Lys Lys Asp Val Ala His Ile Leu Ser Asn Thr Thr
                485                 490                 495
Ser Ile Asn Ser Ser Thr Thr Met Ser Leu Pro Phe Pro Arg Lys His
            500                 505                 510
Val Ser Gly Cys Leu Leu Val Leu Cys Met Tyr Ser Gln Tyr Leu Asn
        515                 520                 525
Ile Cys Tyr Arg Leu Val Ala Ile Gly Ile Gln His Gly Tyr Tyr Leu
    530                 535                 540
Lys
545
```

<210> 24
<211> 510
<212> PRT
<213> Oryctolagus cuniculus

<220>
<223> Mature rabbit PH20

<400> 24

```
Ala Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
```

```
Ala Trp Asn Ala Pro Thr Glu Phe Cys Leu Gly Lys Ser Gly Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Leu Phe Gly Ser Pro Arg Lys Asn Lys
        35                  40                  45
Thr Gly Gln Gly Ile Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Pro His Thr Gly Ala Ile Val His Gly Arg Ile Pro
65                  70                  75                  80
Gln Leu Gly Pro Leu Gln Gln His Leu Thr Lys Leu Arg Gln Glu Ile
                85                  90                  95
Leu Tyr Tyr Met Pro Lys Asp Asn Val Gly Leu Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Leu Pro Thr Trp Leu Arg Asn Trp Lys Pro Lys Asp Ile
        115                 120                 125
Tyr Arg Ile Lys Ser Ile Glu Leu Val Lys Ser Gln His Pro Gln Tyr
    130                 135                 140
Asn His Ser Tyr Ala Thr Glu Lys Ala Lys Arg Asp Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Met Glu Glu Thr Leu Lys Leu Gly Arg Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Asp Lys Pro Asn Leu Tyr Lys Gly Ser Cys Phe Asp Ile Glu
        195                 200                 205
Lys Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Lys Glu Ser Thr Ala
    210                 215                 220
Leu Phe Pro Ser Val Tyr Leu Thr Ser Arg Ala Arg Ser Ala Thr Ala
225                 230                 235                 240
Leu Ser Lys Leu Tyr Val Val Arg Asn Arg Val His Glu Ala Ile Arg
                245                 250                 255
Val Ser Lys Ile Pro Asp Asp Lys Ser Pro Leu Pro Asn Phe Val Tyr
            260                 265                 270
Thr Arg Leu Val Phe Thr Asp Gln Ile Phe Gln Phe Leu Ser His His
        275                 280                 285
Asp Leu Val Tyr Thr Ile Gly Glu Ile Val Ala Leu Gly Ala Ser Gly
    290                 295                 300
Ile Val Val Trp Gly Ser Gln Ser Leu Ala Arg Ser Met Lys Ser Cys
305                 310                 315                 320
Leu His Leu Asp Asn Tyr Met Lys Thr Ile Leu Asn Pro Tyr Leu Ile
                325                 330                 335
Asn Val Thr Leu Ala Ala Lys Met Cys Asn Gln Val Leu Cys Gln Glu
            340                 345                 350
Gln Gly Val Cys Thr Arg Lys Asn Trp Asn Pro Asn Asp Tyr Leu His
        355                 360                 365
Leu Asn Pro Gly Asn Phe Ala Ile Gln Leu Gly Ser Asn Gly Thr Tyr
    370                 375                 380
Lys Val Asp Gly Lys Pro Thr Leu Thr Asp Leu Glu Gln Phe Ser Lys
385                 390                 395                 400
Asn Phe Gln Cys Ser Cys Tyr Thr Asn Leu Asn Cys Lys Glu Arg Thr
                405                 410                 415
Asp Met Asn Asn Val Arg Thr Val Asn Val Cys Ala Val Glu Asn Val
            420                 425                 430
Cys Ile Asp Thr Asn Val Gly Pro Gln Ala Val Thr Tyr Ala Pro Lys
        435                 440                 445
Glu Lys Lys Asp Val Ala His Ile Leu Ser Asn Thr Thr Ser Ile Asn
    450                 455                 460
Ser Ser Thr Thr Met Ser Leu Pro Phe Pro Arg Lys His Val Ser Gly
465                 470                 475                 480
Cys Leu Leu Val Leu Cys Met Tyr Ser Gln Tyr Leu Asn Ile Cys Tyr
                485                 490                 495
Arg Leu Val Ala Ile Gly Ile Gln His Gly Tyr Tyr Leu Lys
            500                 505                 510
```

<210> 25
<211> 114
<212> PRT
<213> Ovis aries

<220>
<223> Sheep PH20

<400> 25
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Leu Ser Lys Ile
 1   5   10   15
Ala Ser Val Glu Ser Pro Leu Pro Val Phe Val Tyr His Arg Pro Val
            20   25   30
Phe Thr Asp Gly Ser Ser Thr Tyr Leu Ser Gln Gly Asp Leu Val Asn
        35   40   45
Ser Val Gly Glu Ile Val Ala Leu Gly Ala Ser Gly Ile Ile Met Trp
    50   55   60
Gly Ser Leu Asn Leu Ser Leu Thr Met Gln Ser Cys Met Asn Leu Gly
65   70   75   80
Asn Tyr Leu Asn Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                85   90   95
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            100   105   110
Ile Arg

<210> 26
<211> 520
<212> PRT
<213> Ovis aries

<220>
<223> Sheep PH20

<400> 26
Leu Asp Phe Pro Ala Pro Pro Leu Ile Ser Asn Thr Ser Phe Leu Trp
 1   5   10   15
Ala Trp Asn Ala Pro Ala Glu Arg Cys Val Lys Ile Phe Lys Leu Pro
            20   25   30
Pro Asp Leu Arg Leu Phe Ser Val Lys Gly Ser Pro Gln Lys Ser Ala
        35   40   45
Thr Gly Gln Phe Ile Thr Leu Phe Tyr Ala Asp Arg Leu Gly Tyr Tyr
    50   55   60
Pro His Ile Asp Glu Lys Thr Gly Asn Thr Val Tyr Gly Gly Ile Pro
65   70   75   80
Gln Leu Gly Asn Leu Lys Asn His Leu Glu Lys Ala Lys Lys Asp Ile
                85   90   95
Ala Tyr Tyr Ile Pro Asn Asp Ser Val Gly Leu Ala Val Ile Asp Trp
            100   105   110
Glu Asn Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115   120   125
Tyr Arg Asp Glu Ser Val Glu Leu Val Leu Gln Lys Asn Pro Gln Leu
    130   135   140
Ser Phe Pro Glu Ala Ser Lys Ile Ala Lys Val Asp Phe Glu Thr Ala
145   150   155   160
Gly Lys Ser Phe Met Gln Glu Thr Leu Lys Leu Gly Lys Leu Leu Arg
                165   170   175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180   185   190
Asn Tyr Asn Gln Pro Thr Tyr Asn Gly Asn Cys Ser Asp Leu Glu Lys
        195   200   205
Arg Arg Asn Asp Asp Leu Asp Trp Leu Trp Lys Glu Ser Thr Ala Leu
    210   215   220
Phe Pro Ser Val Tyr Leu Asn Ile Lys Leu Lys Ser Thr Pro Lys Ala
225   230   235   240
Ala Phe Tyr Val Arg Asn Arg Val Gln Glu Ala Ile Arg Leu Ser Lys
                245   250   255
Ile Ala Ser Val Glu Ser Pro Leu Pro Val Phe Val Tyr His Arg Pro
            260   265   270
Val Phe Thr Asp Gly Ser Ser Thr Tyr Leu Ser Gln Gly Asp Leu Val
        275   280   285

```
Asn Ser Val Gly Glu Ile Val Ala Leu Gly Ala Ser Gly Ile Ile Met
    290                 295                 300
Trp Gly Ser Leu Asn Leu Ser Leu Thr Met Gln Ser Cys Met Asn Leu
305                 310                 315                 320
Gly Asn Tyr Asn Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys His Asp Glu Gly Val Cys
            340                 345                 350
Thr Arg Lys Gln Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Ile
        355                 360                 365
Met Asn Phe Ala Ile Gln Thr Gly Lys Gly Gly Lys Tyr Thr Val Pro
    370                 375                 380
Gly Lys Val Thr Leu Glu Asp Leu Gln Thr Phe Ser Asp Lys Phe Tyr
385                 390                 395                 400
Cys Ser Cys Tyr Ala Asn Ile Asn Cys Lys Lys Arg Val Asp Ile Lys
                405                 410                 415
Asn Val His Ser Val Asn Val Cys Met Ala Glu Asp Ile Cys Ile Glu
            420                 425                 430
Gly Pro Val Lys Leu Gln Pro Ser Asp His Ser Ser Ser Gln Asn Glu
        435                 440                 445
Ala Ser Thr Thr Thr Val Ser Ser Ile Ser Pro Ser Thr Thr Ala Thr
    450                 455                 460
Thr Val Val Ser Pro Cys Thr Pro Glu Lys Gln Ser Pro Glu Cys Leu
465                 470                 475                 480
Lys Val Arg Cys Leu Glu Ala Ile Ala Asn Val Thr Gln Thr Gly Cys
                485                 490                 495
Gln Gly Val Lys Trp Lys Asn Thr Ser Ser Gln Ser Gln Ser Ser Ile
            500                 505                 510
Gln Asn Ile Lys Asn Gln Thr Thr
        515                 520
```

<210> 27
<211> 517
<212> PRT
<213> Ovis aries

<220>
<223> Sheep PH20

<400> 27

```
Asp Phe Arg Ala Pro Pro Leu Ile Ser Asn Thr Ser Phe Leu Trp Ala
 1                5                  10                  15
Trp Asn Ala Pro Ala Glu Arg Cys Ile Lys Ile Phe Lys Leu Pro Pro
            20                  25                  30
Asp Leu Arg Leu Phe Ser Val Lys Gly Ser Pro Gln Lys Ser Ala Thr
        35                  40                  45
Gly Gln Phe Ile Thr Leu Phe Tyr Ala Asp Arg Leu Gly Tyr Tyr Pro
    50                  55                  60
His Ile Asp Glu Lys Thr Gly Asn Thr Val Tyr Gly Gly Ile Pro Gln
65                  70                  75                  80
Leu Gly Asn Leu Lys Asn His Leu Glu Lys Ala Lys Lys Asp Ile Ala
                85                  90                  95
Tyr Tyr Ile Pro Asn Asp Ser Val Gly Leu Ala Val Ile Asp Trp Glu
            100                 105                 110
Asn Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val Tyr
        115                 120                 125
Arg Asp Glu Ser Val Glu Leu Val Leu Gln Lys Asn Pro Gln Leu Ser
    130                 135                 140
Phe Pro Glu Ala Ser Lys Ile Ala Lys Val Asp Phe Glu Thr Ala Gly
145                 150                 155                 160
Lys Ser Phe Met Gln Glu Thr Leu Lys Leu Gly Lys Leu Leu Arg Pro
                165                 170                 175
Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His Asn
            180                 185                 190
Tyr Asn Gln Pro Thr Tyr Asn Gly Asn Cys Ser Asp Leu Glu Lys Arg
        195                 200                 205
Arg Asn Asp Asp Leu Asp Trp Leu Trp Lys Glu Ser Thr Ala Leu Phe
```

210 215 220
Pro Ser Val Tyr Leu Asn Ile Lys Leu Lys Ser Thr Pro Lys Ala Ala
225 230 235 240
Phe Tyr Val Arg Asn Arg Val Gln Glu Ala Ile Arg Leu Ser Lys Ile
245 250 255
Ala Ser Val Glu Ser Pro Leu Pro Val Phe Val Tyr His Arg Pro Val
260 265 270
Phe Thr Asp Gly Ser Ser Thr Tyr Leu Ser Gln Gly Asp Leu Val Asn
275 280 285
Ser Val Gly Glu Ile Val Ala Leu Gly Ala Ser Gly Ile Ile Met Trp
290 295 300
Gly Ser Leu Asn Leu Ser Leu Thr Met Gln Ser Cys Met Asn Leu Gly
305 310 315 320
Asn Tyr Leu Asn Thr Thr Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys His Asp Glu Gly Val Cys
340 345 350
Thr Arg Lys Gln Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Met
355 360 365
Asn Phe Ala Ile Gln Thr Gly Lys Gly Gly Lys Tyr Thr Val Pro Gly
370 375 380
Lys Val Thr Leu Glu Asp Leu Gln Thr Phe Ser Asp Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ala Asn Ile Asn Cys Lys Lys Arg Val Asp Ile Lys Asn
405 410 415
Val His Ser Val Asn Val Cys Met Ala Glu Asp Ile Cys Ile Glu Gly
420 425 430
Pro Val Lys Leu Gln Pro Ser Asp His Ser Ser Ser Gln Asn Glu Ala
435 440 445
Ser Thr Thr Thr Val Ser Ser Ile Ser Pro Ser Thr Thr Ala Thr Thr
450 455 460
Val Ser Pro Cys Thr Pro Glu Lys Gln Ser Pro Glu Cys Leu Lys Val
465 470 475 480
Arg Cys Leu Glu Ala Ile Ala Asn Val Thr Gln Thr Gly Cys Gln Gly
485 490 495
Val Lys Trp Lys Asn Thr Ser Ser Gln Ser Ser Ile Gln Asn Ile Lys
500 505 510
Asn Gln Thr Thr Tyr
515

<210> 28
<211> 529
<212> PRT
<213> Cavia porcellus

<220>
<223> Precursor guinea pig PH20

<300>
<308> NCBI: NP_001166492.1
<309> 2012-11-17

<400> 28
Met Gly Ala Phe Thr Phe Lys His Ser Phe Phe Gly Ser Phe Val Glu
1 5 10 15
Cys Ser Gly Val Leu Gln Thr Val Phe Ile Phe Leu Leu Ile Pro Cys
20 25 30
Cys Leu Ala Asp Lys Arg Ala Pro Pro Leu Ile Pro Asn Val Pro Leu
35 40 45
Leu Trp Val Trp Asn Ala Pro Thr Glu Phe Cys Ile Gly Gly Thr Asn
50 55 60
Gln Pro Leu Asp Met Ser Phe Phe Ser Ile Val Gly Thr Pro Arg Lys
65 70 75 80
Asn Ile Thr Gly Gln Ser Ile Thr Leu Tyr Tyr Val Asp Arg Leu Gly
85 90 95
Tyr Tyr Pro Tyr Ile Asp Pro His Thr Gly Ala Ile Val His Gly Gly
100 105 110

```
Leu Pro Gln Leu Met Asn Leu Gln Gln His Leu Arg Lys Ser Arg Gln
        115                 120                 125
Asp Ile Leu Phe Tyr Met Pro Thr Asp Ser Val Gly Leu Ala Val Ile
    130                 135                 140
Asp Trp Glu Glu Trp Arg Pro Thr Trp Thr Arg Asn Trp Arg Pro Lys
145                 150                 155                 160
Asp Ile Tyr Arg Asn Lys Ser Ile Glu Leu Val Lys Ser Gln His Pro
                165                 170                 175
Gln Tyr Asn His Ser Tyr Ala Val Ala Val Ala Lys Arg Asp Phe Glu
            180                 185                 190
Arg Thr Gly Lys Ala Phe Met Leu Glu Thr Leu Lys Leu Gly Lys Ser
        195                 200                 205
Leu Arg Pro Ser Ser Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr
    210                 215                 220
Asn Thr His Phe Thr Lys Pro Asn Tyr Asp Gly His Cys Pro Pro Ile
225                 230                 235                 240
Glu Leu Gln Arg Asn Asn Asp Leu Gln Trp Leu Trp Asn Asp Ser Thr
                245                 250                 255
Ala Leu Tyr Pro Ser Val Tyr Leu Thr Ser Arg Val Arg Ser Ser Gln
            260                 265                 270
Asn Gly Ala Leu Tyr Val Arg Asn Arg Val His Glu Ser Ile Arg Val
        275                 280                 285
Ser Lys Leu Met Asp Asp Lys Asn Pro Leu Pro Ile Tyr Val Tyr Ile
    290                 295                 300
Arg Leu Val Phe Thr Asp Gln Thr Thr Thr Phe Leu Glu Leu Asp Asp
305                 310                 315                 320
Leu Val His Ser Val Gly Glu Ile Val Pro Leu Gly Val Ser Gly Ile
                325                 330                 335
Ile Ile Trp Gly Ser Leu Ser Leu Thr Arg Ser Leu Val Ser Cys Ile
            340                 345                 350
Gly Leu Glu Asn Tyr Met Lys Gly Thr Leu Leu Pro Tyr Leu Ile Asn
        355                 360                 365
Val Thr Leu Ala Ala Lys Met Cys Gly Gln Val Leu Cys Lys Asn Gln
    370                 375                 380
Gly Ile Cys Thr Arg Lys Asp Trp Asn Thr Asn Thr Tyr Leu His Leu
385                 390                 395                 400
Asn Ala Thr Asn Phe Asp Ile Glu Leu Gln Gln Asn Gly Lys Phe Val
                405                 410                 415
Val His Gly Lys Pro Ser Leu Glu Asp Leu Gln Glu Phe Ser Lys Asn
            420                 425                 430
Phe His Cys Ser Cys Tyr Thr Asn Val Ala Cys Lys Asp Arg Leu Asp
        435                 440                 445
Val His Asn Val Arg Ser Val Asn Val Cys Thr Ala Asn Asn Ile Cys
    450                 455                 460
Ile Asp Ala Val Leu Asn Phe Pro Ser Leu Asp Asp Asp Asp Glu Pro
465                 470                 475                 480
Pro Ile Thr Asp Asp Thr Ser Gln Asn Gln Asp Ser Ile Ser Asp Ile
                485                 490                 495
Thr Ser Ser Ala Pro Pro Ser Ser His Ile Leu Pro Lys Asp Leu Ser
            500                 505                 510
Trp Cys Leu Phe Leu Leu Ser Ile Phe Ser Gln His Trp Lys Tyr Leu
        515                 520                 525
Leu
```

<210> 29
<211> 494
<212> PRT
<213> Cavia porcellus

<220>
<223> mature guinea pig PH20

<300>
<308> NCBI: NP_001166492.1
<309> 2012-11-17

<400> 29

```
Asp Lys Arg Ala Pro Pro Leu Ile Pro Asn Val Pro Leu Leu Trp Val
 1               5                  10                  15
Trp Asn Ala Pro Thr Glu Phe Cys Ile Gly Gly Thr Asn Gln Pro Leu
            20                  25                  30
Asp Met Ser Phe Phe Ser Ile Val Gly Thr Pro Arg Lys Asn Ile Thr
        35                  40                  45
Gly Gln Ser Ile Thr Leu Tyr Tyr Val Asp Arg Leu Gly Tyr Tyr Pro
    50                  55                  60
Tyr Ile Asp Pro His Thr Gly Ala Ile Val His Gly Gly Leu Pro Gln
65                  70                  75                  80
Leu Met Asn Leu Gln Gln His Leu Arg Lys Ser Arg Gln Asp Ile Leu
                85                  90                  95
Phe Tyr Met Pro Thr Asp Ser Val Gly Leu Ala Val Ile Asp Trp Glu
            100                 105                 110
Glu Trp Arg Pro Thr Trp Thr Arg Asn Trp Arg Pro Lys Asp Ile Tyr
        115                 120                 125
Arg Asn Lys Ser Ile Glu Leu Val Lys Ser Gln His Pro Gln Tyr Asn
    130                 135                 140
His Ser Tyr Ala Val Ala Val Ala Lys Arg Asp Phe Glu Arg Thr Gly
145                 150                 155                 160
Lys Ala Phe Met Leu Glu Thr Leu Lys Leu Gly Lys Ser Leu Arg Pro
                165                 170                 175
Ser Ser Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn Thr His
            180                 185                 190
Phe Thr Lys Pro Asn Tyr Asp Gly His Cys Pro Pro Ile Glu Leu Gln
        195                 200                 205
Arg Asn Asn Asp Leu Gln Trp Leu Trp Asn Asp Ser Thr Ala Leu Tyr
    210                 215                 220
Pro Ser Val Tyr Leu Thr Ser Arg Val Arg Ser Ser Gln Asn Gly Ala
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val His Glu Ser Ile Arg Val Ser Lys Leu
                245                 250                 255
Met Asp Asp Lys Asn Pro Leu Pro Ile Tyr Val Tyr Ile Arg Leu Val
            260                 265                 270
Phe Thr Asp Gln Thr Thr Thr Phe Leu Glu Leu Asp Asp Leu Val His
        275                 280                 285
Ser Val Gly Glu Ile Val Pro Leu Gly Val Ser Gly Ile Ile Ile Trp
    290                 295                 300
Gly Ser Leu Ser Leu Thr Arg Ser Leu Val Ser Cys Ile Gly Leu Glu
305                 310                 315                 320
Asn Tyr Met Lys Gly Thr Leu Leu Pro Tyr Leu Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Gly Gln Val Leu Cys Lys Asn Gln Gly Ile Cys
            340                 345                 350
Thr Arg Lys Asp Trp Asn Thr Asn Thr Tyr Leu His Leu Asn Ala Thr
        355                 360                 365
Asn Phe Asp Ile Glu Leu Gln Gln Asn Gly Lys Phe Val Val His Gly
    370                 375                 380
Lys Pro Ser Leu Glu Asp Leu Gln Glu Phe Ser Lys Asn Phe His Cys
385                 390                 395                 400
Ser Cys Tyr Thr Asn Val Ala Cys Lys Asp Arg Leu Asp Val His Asn
                405                 410                 415
Val Arg Ser Val Asn Val Cys Thr Ala Asn Asn Ile Cys Ile Asp Ala
            420                 425                 430
Val Leu Asn Phe Pro Ser Leu Asp Asp Asp Asp Glu Pro Pro Ile Thr
        435                 440                 445
Asp Asp Thr Ser Gln Asn Gln Asp Ser Ile Ser Asp Ile Thr Ser Ser
    450                 455                 460
Ala Pro Pro Ser Ser His Ile Leu Pro Lys Asp Leu Ser Trp Cys Leu
465                 470                 475                 480
Phe Leu Leu Ser Ile Phe Ser Gln His Trp Lys Tyr Leu Leu
                485                 490
```

<210> 30
<211> 540
<212> PRT

<213> Vulpes vulpes

<220>
<223> Precursor Red Fox PH20

<300>
<308> UniProtKB: Q29152
<309> 2006-11-28

<400> 30

```
Met Gly Val Leu Arg Phe Gln Asn Ile Phe Phe Arg Ser Phe Leu Gly
 1               5                  10                  15
Ser Ser Gly Thr Thr Gln Ala Val Phe Ile Phe Leu Leu Ile Pro Arg
            20                  25                  30
Cys Leu Thr Gln Glu Phe Arg Ala Pro Pro Phe Ile Pro Asn Val Ser
        35                  40                  45
Phe Leu Trp Gly Trp Asn Ala Pro Thr Glu Leu Cys Ala Lys Arg Phe
    50                  55                  60
Asn Val Gln Leu Asp Leu Asn Leu Phe Ser Leu Ile Gly Ser Pro Leu
65                  70                  75                  80
Lys Thr Val Val Gly Gln Gly Ile Ala Ile Phe Tyr Ala Asp Arg Leu
                85                  90                  95
Gly Tyr Tyr Pro His Ile Asn Lys Thr Thr Gly Lys His Val Asn Gly
            100                 105                 110
Gly Ile Pro Gln Leu Gly Ser Leu Lys Lys His Leu Asp Lys Ala Lys
        115                 120                 125
Lys Asp Ile Ser His Tyr Ile Glu Thr Asp Ser Met Gly Leu Ala Val
    130                 135                 140
Ile Asp Trp Asp Ser Trp Arg Pro Asn Trp Ala Arg Asn Trp Arg Pro
145                 150                 155                 160
Lys His Ile Tyr Lys Glu Gln Ser Ile Asp Leu Ala Gln Gln Gln His
                165                 170                 175
Ile His Leu Asn Leu Thr Glu Val Thr Gln Ile Ala Gln Ala Asp Phe
            180                 185                 190
Glu Lys Ala Ala Arg Cys Phe Met Gln Glu Thr Leu Lys Leu Gly Lys
        195                 200                 205
Phe Leu Arg Pro Asn Tyr Leu Trp Gly Phe Tyr Leu Tyr Pro Asp Cys
    210                 215                 220
Tyr Asn Tyr Asn Tyr Lys Asn Pro Asn Tyr Asn Gly Ser Cys Tyr Asp
225                 230                 235                 240
Ile Glu Glu Arg Arg Asn Asp Glu Ile Asp Trp Leu Trp Lys Glu Ser
                245                 250                 255
Thr Ala Leu Phe Pro Ser Ile Tyr Leu Lys Ser Lys Leu Lys Ser Ser
            260                 265                 270
Pro Phe Thr Ala Leu Tyr Val Arg Asn Arg Val Leu Glu Ala Ile Arg
        275                 280                 285
Val Ser Lys Val Lys Asp Ile Lys His Pro Leu Pro Ile Phe Val Tyr
    290                 295                 300
Ala Arg Pro Val Phe Thr Asp Val Leu Leu Thr Tyr Leu Thr Glu Asp
305                 310                 315                 320
Asp Leu Val Asn Thr Ile Gly Glu Ser Val Ser Leu Gly Val Ser Gly
                325                 330                 335
Ile Val Met Trp Gly Ser Leu Asn Leu Thr Glu Asn Val Gln Ile Cys
            340                 345                 350
Thr Glu Leu Asp Thr Tyr Ile Lys Asn Lys Leu Asn Pro Tyr Ile Ile
        355                 360                 365
Asn Val Thr Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Asp
    370                 375                 380
Glu Gly Val Cys Ile Arg Lys His Trp Asn Ser Asn Asp Tyr Leu His
385                 390                 395                 400
Leu Asn Pro Val Asn Phe Ala Ile Gln Leu Glu Arg Ser Gly Arg Tyr
                405                 410                 415
Thr Val Gln Gly Lys Pro Thr Leu Glu Asp Leu Gln Gln Phe Ser Lys
            420                 425                 430
Lys Phe Tyr Cys Ala Cys Tyr Ala Asn Thr His Cys Arg Glu Arg Val
        435                 440                 445
Asp Met Thr Asp Ile His Thr Ile Lys Val Cys Val Gly Glu Asp Val
    450                 455                 460
```

Cys Ile Asp Val Tyr Leu Asn Leu Val Pro Ser Gly His Leu Pro Val
465 470 475 480
Trp Lys Gly Lys Tyr Val Thr Ser Ser Asn Ile Phe Ser Val Met Pro
485 490 495
Pro Ala Thr Gly Pro Pro Cys Val Pro Gly Arg Asp Leu Asn Arg Cys
500 505 510
Leu Lys Ala Arg Phe Ile Val Glu Asp Asn Ser Lys Thr Thr Gln Thr
515 520 525
Gly Tyr Gln Ser Ile Tyr Ile Lys Asn Lys Lys Gln
530 535 540

<210> 31
<211> 505
<212> PRT
<213> Vulpes vulpes

<220>
<223> Mature Red Fox PH20

<400> 31
Gln Glu Phe Arg Ala Pro Pro Phe Ile Pro Asn Val Ser Phe Leu Trp
1 5 10 15
Gly Trp Asn Ala Pro Thr Glu Leu Cys Ala Lys Arg Phe Asn Val Gln
20 25 30
Leu Asp Leu Asn Leu Phe Ser Leu Ile Gly Ser Pro Leu Lys Thr Val
35 40 45
Val Gly Gln Gly Ile Ala Ile Phe Tyr Ala Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro His Ile Asn Lys Thr Thr Gly Lys His Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Leu Gly Ser Leu Lys Lys His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Ser His Tyr Ile Glu Thr Asp Ser Met Gly Leu Ala Val Ile Asp Trp
100 105 110
Asp Ser Trp Arg Pro Asn Trp Ala Arg Asn Trp Arg Pro Lys His Ile
115 120 125
Tyr Lys Glu Gln Ser Ile Asp Leu Ala Gln Gln Gln His Ile His Leu
130 135 140
Asn Leu Thr Glu Val Thr Gln Ile Ala Gln Ala Asp Phe Glu Lys Ala
145 150 155 160
Ala Arg Cys Phe Met Gln Glu Thr Leu Lys Leu Gly Lys Phe Leu Arg
165 170 175
Pro Asn Tyr Leu Trp Gly Phe Tyr Leu Tyr Pro Asp Cys Tyr Asn Tyr
180 185 190
Asn Tyr Lys Asn Pro Asn Tyr Asn Gly Ser Cys Tyr Asp Ile Glu Glu
195 200 205
Arg Arg Asn Asp Glu Ile Asp Trp Leu Trp Lys Glu Ser Thr Ala Leu
210 215 220
Phe Pro Ser Ile Tyr Leu Lys Ser Lys Leu Lys Ser Ser Pro Phe Thr
225 230 235 240
Ala Leu Tyr Val Arg Asn Arg Val Leu Glu Ala Ile Arg Val Ser Lys
245 250 255
Val Lys Asp Ile Lys His Pro Leu Pro Ile Phe Val Tyr Ala Arg Pro
260 265 270
Val Phe Thr Asp Val Leu Leu Thr Tyr Leu Thr Glu Asp Asp Leu Val
275 280 285
Asn Thr Ile Gly Glu Ser Val Ser Leu Gly Val Ser Gly Ile Val Met
290 295 300
Trp Gly Ser Leu Asn Leu Thr Glu Asn Val Gln Ile Cys Thr Glu Leu
305 310 315 320
Asp Thr Tyr Ile Lys Asn Lys Leu Asn Pro Tyr Ile Ile Asn Val Thr
325 330 335
Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Asp Glu Gly Val
340 345 350
Cys Ile Arg Lys His Trp Asn Ser Asn Asp Tyr Leu His Leu Asn Pro
355 360 365
Val Asn Phe Ala Ile Gln Leu Glu Arg Ser Gly Arg Tyr Thr Val Gln

370 375 380
Gly Lys Pro Thr Leu Glu Asp Leu Gln Gln Phe Ser Lys Lys Phe Tyr
385 390 395 400
Cys Ala Cys Tyr Ala Asn Thr His Cys Arg Glu Arg Val Asp Met Thr
405 410 415
Asp Ile His Thr Ile Lys Val Cys Val Gly Glu Asp Val Cys Ile Asp
420 425 430
Val Tyr Leu Asn Leu Val Pro Ser Gly His Leu Pro Val Trp Lys Gly
435 440 445
Lys Tyr Val Thr Ser Ser Asn Ile Phe Ser Val Met Pro Pro Ala Thr
450 455 460
Gly Pro Pro Cys Val Pro Gly Arg Asp Leu Asn Arg Cys Leu Lys Ala
465 470 475 480
Arg Phe Ile Val Glu Asp Asn Ser Lys Thr Thr Gln Thr Gly Tyr Gln
485 490 495
Ser Ile Tyr Ile Lys Asn Lys Lys Gln
500 505

<210> 32
<211> 430
<212> PRT
<213> Homo sapiens

<220>
<223> Mature human PH20 36-465

<400> 32
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320

```
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile
            420                 425                 430


<210> 33
<211> 431
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-466

<400> 33
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1                5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
```

```
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp
            420                 425                 430


<210> 34
<211> 432
<212> PRT
<213> Homo sapiens

<220>
<223> mature human PH20 36-467

<400> 34
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430

<210> 35
<211> 433
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-468

<400> 35
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys

385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe

<210> 36
<211> 434
<212> PRT
<213> Homo Sapiens

<220>
<223> mature PH20 36-469

<400> 36
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu

<210> 37
<211> 435
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-470

<400> 37
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp

405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys
435

<210> 38
<211> 436
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-471

<400> 38
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415

Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro
435

<210> 39
<211> 437
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-472

<400> 39
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala

420 425 430
Phe Leu Lys Pro Pro
435

<210> 40
<211> 438
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-473

<400> 40
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430

Phe Leu Lys Pro Pro Met
435

<210> 41
<211> 439
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-474

<400> 41
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu

435

<210> 42
<211> 440
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-475

<400> 42
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1   5   10   15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20   25   30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35   40   45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50   55   60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65   70   75   80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85   90   95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100   105   110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115   120   125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130   135   140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145   150   155   160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165   170   175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180   185   190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195   200   205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210   215   220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225   230   235   240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245   250   255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260   265   270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275   280   285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290   295   300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305   310   315   320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325   330   335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340   345   350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355   360   365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370   375   380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385   390   395   400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405   410   415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420   425   430
Phe Leu Lys Pro Pro Met Glu Thr
        435   440

<210> 43
<211> 441
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-476

<400> 43
```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu
        435                 440
```

<210> 44
<211> 442
<212> PRT
<213> Homo sapiens

<220>
<223> mature human PH20 36-477

<400> 44
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1   5   10   15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20   25   30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35   40   45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50   55   60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65   70   75   80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85   90   95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100   105   110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115   120   125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130   135   140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145   150   155   160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165   170   175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180   185   190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195   200   205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210   215   220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225   230   235   240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245   250   255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260   265   270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275   280   285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290   295   300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305   310   315   320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325   330   335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340   345   350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355   360   365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370   375   380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385   390   395   400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405   410   415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420   425   430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu
        435   440

<210> 45
<211> 443
<212> PRT
<213> Homo sapiens

<220>
<223> mature human PH20 36-478

<400> 45
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1   5   10   15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20   25   30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35   40   45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50   55   60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65   70   75   80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85   90   95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100   105   110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115   120   125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130   135   140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145   150   155   160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165   170   175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180   185   190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195   200   205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210   215   220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225   230   235   240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245   250   255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260   265   270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275   280   285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290   295   300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305   310   315   320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325   330   335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340   345   350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355   360   365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370   375   380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385   390   395   400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405   410   415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420   425   430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro
        435   440

<210> 46

<211> 444
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-479

<400> 46
```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln
        435                 440
```

<210> 47
<211> 445

<212> PRT
<213> Homo sapiens

<220>
<223> mature human PH20 36-480

<400> 47
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1   5   10   15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20   25   30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35   40   45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50   55   60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65   70   75   80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85   90   95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100   105   110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115   120   125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130   135   140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145   150   155   160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165   170   175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180   185   190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195   200   205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210   215   220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225   230   235   240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245   250   255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260   265   270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275   280   285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290   295   300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305   310   315   320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325   330   335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340   345   350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355   360   365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370   375   380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385   390   395   400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405   410   415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420   425   430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile
        435   440   445

<210> 48
<211> 446
<212> PRT

<213> Homo Sapiens

<220>
<223> mature human PH20 36-481

<400> 48

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe
        435                 440                 445
```

<210> 49
<211> 448
<212> PRT
<213> Homo sapiens

<220>
<223> mature human PH20 36-483

<400> 49
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1   5   10   15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20   25   30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35   40   45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50   55   60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65   70   75   80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85   90   95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100   105   110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115   120   125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Asn Val Gln Leu
    130   135   140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145   150   155   160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165   170   175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180   185   190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195   200   205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210   215   220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225   230   235   240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245   250   255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260   265   270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275   280   285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290   295   300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305   310   315   320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325   330   335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340   345   350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355   360   365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370   375   380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385   390   395   400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405   410   415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420   425   430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
        435   440   445

<210> 50
<211> 449
<212> PRT
<213> Homo sapiens

<220>
<223> mature human PH20 36-484

<400> 50
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1   5   10   15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20   25   30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35   40   45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50   55   60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65   70   75   80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85   90   95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100   105   110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115   120   125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130   135   140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145   150   155   160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165   170   175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180   185   190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195   200   205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210   215   220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225   230   235   240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245   250   255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260   265   270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275   280   285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290   295   300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305   310   315   320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325   330   335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340   345   350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355   360   365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370   375   380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385   390   395   400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405   410   415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420   425   430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
        435   440   445
Ala

<210> 51
<211> 450
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-485

<400> 51
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1   5   10   15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20   25   30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35   40   45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50   55   60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65   70   75   80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85   90   95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100   105   110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115   120   125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Asn Val Gln Leu
    130   135   140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145   150   155   160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165   170   175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180   185   190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195   200   205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210   215   220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225   230   235   240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245   250   255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260   265   270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275   280   285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290   295   300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305   310   315   320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325   330   335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340   345   350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355   360   365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370   375   380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385   390   395   400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405   410   415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420   425   430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
        435   440   445
Ala Ser
    450

<210> 52
<211> 451
<212> PRT

<213> Homo Sapiens

<220>
<223> mature human PH20 36-486

<400> 52

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
        435                 440                 445
Ala Ser Pro
    450
```

<210> 53
<211> 452

<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-487

<400> 53
```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
        435                 440                 445
Ala Ser Pro Ser
    450
```

<210> 54

<211> 453
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-488

<400> 54

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
        435                 440                 445
Ala Ser Pro Ser Thr
    450
```

<210> 55
<211> 454
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-489

<400> 55
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1   5   10   15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20   25   30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35   40   45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50   55   60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65   70   75   80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85   90   95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100   105   110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115   120   125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130   135   140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145   150   155   160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165   170   175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180   185   190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195   200   205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210   215   220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225   230   235   240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245   250   255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260   265   270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275   280   285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290   295   300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305   310   315   320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325   330   335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340   345   350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355   360   365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370   375   380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385   390   395   400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405   410   415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420   425   430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
        435   440   445
Ala Ser Pro Ser Thr Leu
    450

<210> 56
<211> 455
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-490

<400> 56
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1   5   10   15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20   25   30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35   40   45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50   55   60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65   70   75   80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85   90   95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100   105   110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115   120   125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130   135   140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145   150   155   160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165   170   175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180   185   190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195   200   205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210   215   220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225   230   235   240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245   250   255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260   265   270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275   280   285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290   295   300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305   310   315   320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325   330   335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340   345   350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355   360   365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370   375   380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385   390   395   400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405   410   415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420   425   430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
        435   440   445
Ala Ser Pro Ser Thr Leu Ser
    450   455

<210> 57
<211> 456
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-491

<400> 57
```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
        435                 440                 445
Ala Ser Pro Ser Thr Leu Ser Ala
```

450 455

<210> 58
<211> 457
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-492

<400> 58
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
435 440 445

Ala Ser Pro Ser Thr Leu Ser Ala Thr
450 455

<210> 59
<211> 458
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-493

<400> 59
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn

```
        435                 440                 445
Ala Ser Pro Ser Thr Leu Ser Ala Thr Met
    450                 455


<210> 60
<211> 459
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-494

<400> 60
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
```

```
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
        435                 440                 445
Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe
    450                 455
```

<210> 61
<211> 460
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-495

<400> 61

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
```

420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
435 440 445
Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile
450 455 460

<210> 62
<211> 461
<212> PRT
<213> Homo sapiens

<220>
<223> mature human PH20 36-496

<400> 62
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415

Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
435 440 445
Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Val
450 455 460

<210> 63
<211> 462
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH30 36-497

<400> 63
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp

405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
435 440 445
Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Val Ser
450 455 460

<210> 64
<211> 463
<212> PRT
<213> Homo sapiens

<220>
<223> mature human PH20 36-498

<400> 64
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
435 440 445
Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Val Ser Ile
450 455 460

<210> 65
<211> 464
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-499

<400> 65
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys

385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
435 440 445
Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Val Ser Ile Leu
450 455 460

<210> 66
<211> 465
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 36-500

<400> 66
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380

Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
435 440 445
Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Val Ser Ile Leu
450 455 460
Phe
465

<210> 67
<211> 1446
<212> DNA
<213> Homo Sapiens

<220>
<223> DNA encoding PH20 1-482

<400> 67
atgggagtgc taaaattcaa gcacatcttt ttcagaagct ttgttaaatc aagtggagta 60
tcccagatag ttttcacctt ccttctgatt ccatgttgct tgactctgaa tttcagagca 120
cctcctgtta ttccaaatgt gcctttcctc tgggcctgga atgccccaag tgaattttgt 180
cttggaaaat ttgatgagcc actagatatg agcctcttct ctttcatagg aagcccccga 240
ataaacgcca ccgggcaagg tgttacaata ttttatgttg atagacttgg ctactatcct 300
tacatagatt caatcacagg agtaactgtg aatggaggaa tcccccagaa gatttcctta 360
caagaccatc tggacaaagc taagaaagac attacatttt atatgccagt agacaatttg 420
ggaatggctg ttattgactg ggaagaatgg agacccactt gggcaagaaa ctggaaacct 480
aaagatgttt acaagaatag gtctattgaa ttggttcagc aacaaaatgt acaacttagt 540
ctcacagagg ccactgagaa agcaaaacaa gaatttgaaa aggcagggaa ggatttcctg 600
gtagagacta taaaattggg aaaattactt cggccaaatc acttgtgggg ttattatctt 660
tttccggatt gttacaacca tcactataag aaacccggtt acaatggaag ttgcttcaat 720
gtagaaataa aaagaaatga tgatctcagc tggttgtgga atgaaagcac tgctctttac 780
ccatccattt atttgaacac tcagcagtct cctgtagctg ctacactcta tgtgcgcaat 840
cgagttcggg aagccatcag agtttccaaa atacctgatg caaaaagtcc acttccggtt 900
tttgcatata cccgcatagt ttttactgat caagttttga aattcctttc tcaagatgaa 960
cttgtgtata catttggcga aactgttgct ctgggtgctt ctggaattgt aatatgggga 1020
accctcagta taatgcgaag tatgaaatct tgcttgctcc tagacaatta catggagact 1080
atactgaatc cttacataat caacgtcaca ctagcagcca aaatgtgtag ccaagtgctt 1140
tgccaggagc aaggagtgtg tataaggaaa aactggaatt caagtgacta tcttcacctc 1200
aacccagata attttgctat tcaacttgag aaaggtggaa agttcacagt acgtggaaaa 1260
ccgacacttg aagacctgga gcaattttct gaaaaatttt attgcagctg ttatagcacc 1320
ttgagttgta aggagaaagc tgatgtaaaa gacactgatg ctgttgatgt gtgtattgct 1380
gatggtgtct gtatagatgc ttttctaaaa cctcccatgg agacagaaga acctcaaatt 1440
ttctac 1446

<210> 68
<211> 509
<212> PRT
<213> Homo Sapiens

<220>
<223> human PH20 Ala48 and Trp499

<300>
<308> GenBank: AAC60607
<309> 2000-06-05

<400> 68
Met Gly Val Leu Lys Phe Lys His Ile Phe Phe Arg Ser Phe Val Lys
1 5 10 15
Ser Ser Gly Val Ser Gln Ile Val Phe Thr Phe Leu Leu Ile Pro Cys
20 25 30
Cys Leu Thr Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Ala
35 40 45

```
Phe Leu Trp Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe
    50                  55                  60
Asp Glu Pro Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg
65                  70                  75                  80
Ile Asn Ala Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu
                85                  90                  95
Gly Tyr Tyr Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly
            100                 105                 110
Gly Ile Pro Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys
        115                 120                 125
Lys Asp Ile Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val
    130                 135                 140
Ile Asp Trp Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro
145                 150                 155                 160
Lys Asp Val Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn
                165                 170                 175
Val Gln Leu Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe
            180                 185                 190
Glu Lys Ala Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys
        195                 200                 205
Leu Leu Arg Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys
    210                 215                 220
Tyr Asn His His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn
225                 230                 235                 240
Val Glu Ile Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser
                245                 250                 255
Thr Ala Leu Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val
            260                 265                 270
Ala Ala Thr Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val
        275                 280                 285
Ser Lys Ile Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr
    290                 295                 300
Arg Ile Val Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu
305                 310                 315                 320
Leu Val Tyr Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile
                325                 330                 335
Val Ile Trp Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu
            340                 345                 350
Leu Leu Asp Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn
        355                 360                 365
Val Thr Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln
    370                 375                 380
Gly Val Cys Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu
385                 390                 395                 400
Asn Pro Asp Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr
                405                 410                 415
Val Arg Gly Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys
            420                 425                 430
Phe Tyr Cys Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp
        435                 440                 445
Val Lys Asp Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys
    450                 455                 460
Ile Asp Ala Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile
465                 470                 475                 480
Phe Tyr Asn Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Val
                485                 490                 495
Ser Ile Trp Phe Leu Ile Ile Ser Ser Val Ala Ser Leu
            500                 505
```

<210> 69
<211> 474
<212> PRT
<213> Homo Sapiens

<220>
<223> mature human PH20 Ala13 and Trp464

<400> 69
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Ala Phe Leu Trp
 1   5   10   15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20   25   30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35   40   45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50   55   60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65   70   75   80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85   90   95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100   105   110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115   120   125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130   135   140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145   150   155   160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165   170   175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180   185   190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195   200   205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210   215   220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225   230   235   240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245   250   255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260   265   270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275   280   285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290   295   300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305   310   315   320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325   330   335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340   345   350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355   360   365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370   375   380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385   390   395   400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405   410   415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420   425   430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
        435   440   445
Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Val Ser Ile Trp
    450   455   460
Phe Leu Ile Ile Ser Ser Val Ala Ser Leu
465   470

<210> 70
<211> 509
<212> PRT
<213> Homo sapiens

<220>
<223> Precursor PH20 Gln5

<400> 70

```
Met Gly Val Leu Gln Phe Lys His Ile Phe Phe Arg Ser Phe Val Lys
 1               5                  10                  15
Ser Ser Gly Val Ser Gln Ile Val Phe Thr Phe Leu Leu Ile Pro Cys
            20                  25                  30
Cys Leu Thr Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro
        35                  40                  45
Phe Leu Trp Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe
    50                  55                  60
Asp Glu Pro Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg
65                  70                  75                  80
Ile Asn Ala Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu
                85                  90                  95
Gly Tyr Tyr Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly
            100                 105                 110
Gly Ile Pro Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys
        115                 120                 125
Lys Asp Ile Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val
    130                 135                 140
Ile Asp Trp Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro
145                 150                 155                 160
Lys Asp Val Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn
                165                 170                 175
Val Gln Leu Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe
            180                 185                 190
Glu Lys Ala Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys
        195                 200                 205
Leu Leu Arg Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys
    210                 215                 220
Tyr Asn His His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn
225                 230                 235                 240
Val Glu Ile Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser
                245                 250                 255
Thr Ala Leu Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val
            260                 265                 270
Ala Ala Thr Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val
        275                 280                 285
Ser Lys Ile Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr
    290                 295                 300
Arg Ile Val Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu
305                 310                 315                 320
Leu Val Tyr Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile
                325                 330                 335
Val Ile Trp Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu
            340                 345                 350
Leu Leu Asp Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn
        355                 360                 365
Val Thr Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln
    370                 375                 380
Gly Val Cys Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu
385                 390                 395                 400
Asn Pro Asp Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr
                405                 410                 415
Val Arg Gly Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys
            420                 425                 430
Phe Tyr Cys Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp
        435                 440                 445
Val Lys Asp Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys
    450                 455                 460
Ile Asp Ala Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile
465                 470                 475                 480
Phe Tyr Asn Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Val
                485                 490                 495
Ser Ile Leu Phe Leu Ile Ile Ser Ser Val Ala Ser Leu
            500                 505
```

<210> 71
<211> 509
<212> PRT
<213> Homo Sapiens

<220>
<223> Precursor PH20 Ala47

<400> 71
```
Met Gly Val Leu Lys Phe Lys His Ile Phe Phe Arg Ser Phe Val Lys
 1               5                  10                  15
Ser Ser Gly Val Ser Gln Ile Val Phe Thr Phe Leu Leu Ile Pro Cys
            20                  25                  30
Cys Leu Thr Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Ala Pro
        35                  40                  45
Phe Leu Trp Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe
    50                  55                  60
Asp Glu Pro Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg
65                  70                  75                  80
Ile Asn Ala Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu
                85                  90                  95
Gly Tyr Tyr Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly
            100                 105                 110
Gly Ile Pro Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys
        115                 120                 125
Lys Asp Ile Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val
    130                 135                 140
Ile Asp Trp Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro
145                 150                 155                 160
Lys Asp Val Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn
                165                 170                 175
Val Gln Leu Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe
            180                 185                 190
Glu Lys Ala Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys
        195                 200                 205
Leu Leu Arg Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys
    210                 215                 220
Tyr Asn His His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn
225                 230                 235                 240
Val Glu Ile Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser
                245                 250                 255
Thr Ala Leu Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val
            260                 265                 270
Ala Ala Thr Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val
        275                 280                 285
Ser Lys Ile Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr
    290                 295                 300
Arg Ile Val Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu
305                 310                 315                 320
Leu Val Tyr Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile
                325                 330                 335
Val Ile Trp Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu
            340                 345                 350
Leu Leu Asp Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn
        355                 360                 365
Val Thr Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln
    370                 375                 380
Gly Val Cys Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu
385                 390                 395                 400
Asn Pro Asp Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr
                405                 410                 415
Val Arg Gly Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys
            420                 425                 430
Phe Tyr Cys Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp
        435                 440                 445
Val Lys Asp Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys
```

```
    450                 455                 460
Ile Asp Ala Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile
465                 470                 475                 480
Phe Tyr Asn Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Val
                485                 490                 495
Ser Ile Leu Phe Leu Ile Ile Ser Ser Val Ala Ser Leu
            500                 505


<210> 72
<211> 474
<212> PRT
<213> Homo Sapiens

<220>
<223> mature PH20 Ala12

<400> 72
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Ala Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
```

Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr Asn
435 440 445
Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Val Ser Ile Leu
450 455 460
Phe Leu Ile Ile Ser Ser Val Ala Ser Leu
465 470

<210> 73
<211> 447
<212> PRT
<213> Homo Sapiens

<220>
<223> histidine (H) at a position corresponding to amino acid residue 1

<400> 73
His Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 74
<211> 447
<212> PRT
<213> Homo sapiens

<220>
<223> A at a position corresponding to amino acid
      residue 1

<400> 74
Ala Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 75
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 1

<400> 75
Glu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 76
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 1

<400> 76
Gly Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 77
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 1

<400> 77
Lys Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 78
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 1

<400> 78
Gln Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 79
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 1

<400> 79
Arg Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 80
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 6

<400> 80
Leu Asn Phe Arg Ala Ala Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 81
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 8

<400> 81
Leu Asn Phe Arg Ala Pro Pro Met Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 82
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 9

<400> 82
Leu Asn Phe Arg Ala Pro Pro Val Gln Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 83
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid residue 10

<400> 83
Leu Asn Phe Arg Ala Pro Pro Val Ile Gly Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 84
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 10

<400> 84
Leu Asn Phe Arg Ala Pro Pro Val Ile His Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 85
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 11

<400> 85
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Ser Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 86
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 12

<400> 86
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Glu Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 87
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> I at a position corresponding to amino acid
      residue 12

<400> 87
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Ile Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 88
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 12

<400> 88
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Lys Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 89
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 12

<400> 89
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Thr Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 90
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 14

<400> 90
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Val Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 91
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 15

<400> 91
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Val Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 92
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 15

<400> 92
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Met Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 93
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 20

<400> 93
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ser Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 94
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 22

<400> 94
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Thr Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 95
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 24

<400> 95
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Glu Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 96
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 24

<400> 96
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu His Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 97
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 24

<400> 97
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Arg Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 98
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid residue 26

<400> 98

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Ala Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 99
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid residue 26

<400> 99
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Glu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 100
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 26

<400> 100
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Lys Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 101
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 26

<400> 101
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Met Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 102
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid residue 26

<400> 102

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Gln Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 103
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 26

<400> 103
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Arg Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 104
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid residue 27

<400> 104

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Asp Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 105
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 27

<400> 105
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Lys Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 106
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 27

<400> 106
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Arg Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 107
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 28

<400> 107
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Arg Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 108
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 29

<400> 108
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Glu Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 109
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> I at a position corresponding to amino acid
      residue 29

<400> 109
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Ile Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 110
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 29

<400> 110
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Lys Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 111
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid residue 29

<400> 111
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Leu Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 112
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 29

<400> 112
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Met Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 113
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid residue 29

<400> 113
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Pro Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 114
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 29

<400> 114
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Arg Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 115
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 29

<400> 115

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Ser Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 116
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid residue 29

<400> 116

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Thr Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 117
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid residue 29

<400> 117
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Val Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 118
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 30

<400> 118
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Gly Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 119
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 30

<400> 119
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe His Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 120
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 30

<400> 120
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Lys Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 121
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 30

<400> 121
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Leu Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 122
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 30

<400> 122
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Met Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 123
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 30

<400> 123
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Arg Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 124
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 30

<400> 124
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Ser Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 125
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 31

<400> 125
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Ala Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 126
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> C at a position corresponding to amino acid
      residue 31

<400> 126
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Cys Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 127
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid residue 31

<400> 127
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Gly Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 128
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid residue 31

<400> 128

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp His Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 129
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> I at a position corresponding to amino acid
      residue 31

<400> 129
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Ile Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 130
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 31

<400> 130
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Lys Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 131
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid residue 31

<400> 131
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Leu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 132
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid residue 31

<400> 132

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Pro Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 133
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 31

<400> 133
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Arg Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 134
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 31

<400> 134

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Ser Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 135
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 31

<400> 135
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Thr Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 136
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 31

<400> 136
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Val Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 137
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid
      residue 31

<400> 137
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Trp Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 138
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> C at a position corresponding to amino acid
      residue 32

<400> 138
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Cys
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 139
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 32

<400> 139
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Phe
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 140
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid residue 32

<400> 140
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Gly
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 141
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid residue 32

<400> 141
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu His
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 142
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid
      residue 33

<400> 142
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Trp Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 143
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 33

<400> 143
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Gly Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 144
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid residue 34

<400> 144
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Trp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 145
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 35

<400> 145
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Gln Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 146
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 35

<400> 146
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Val Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 147
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid residue 36

<400> 147
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met His Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 148
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 36

<400> 148
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Asn Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 149
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 37

<400> 149
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Phe Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 150
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 37

<400> 150
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Met Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 151
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid
      residue 38

<400> 151
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Tyr Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 152
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid residue 39

<400> 152

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ala Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 153
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid residue 39

<400> 153
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Leu Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 154
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 39

<400> 154
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Asn Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 155
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 39

<400> 155
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Thr Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 156
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 40

<400> 156
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Leu Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 157
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid residue 41

<400> 157

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Thr Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 158
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid residue 46

<400> 158
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Leu Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 159
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 46

<400> 159
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Arg Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 160
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid
      residue 47

<400> 160
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asp Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 161
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 47

<400> 161
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Phe Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 162
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 47

<400> 162
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Thr Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 163
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid residue 47

<400> 163
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Trp Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 164
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 48

<400> 164
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Phe
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 165
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 48

<400> 165
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn His
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 166
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 48

<400> 166

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Lys
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 167
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid residue 48

<400> 167
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Asn
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 168
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 49

<400> 168
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Arg Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 169
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid residue 50

<400> 169
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Asp Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 170
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 50

<400> 170
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Ser Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 171
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid residue 50

<400> 171

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Met Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 172
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 52

<400> 172
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Asn Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 173
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid residue 52

<400> 173
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gln Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 174
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 52

<400> 174
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Arg Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 175
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 52

<400> 175
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Ser Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 176
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid residue 52

<400> 176

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Thr Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 177
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> C at a position corresponding to amino acid
      residue 58

<400> 177
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Cys Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 178
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 58

<400> 178
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Lys Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 179
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 58

<400> 179
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Leu Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 180
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid
      residue 58

<400> 180
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Pro Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 181
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid residue 58

<400> 181
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Gln Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 182
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 58

<400> 182
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Arg Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 183
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 58

<400> 183
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr His Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 184
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid residue 58

<400> 184
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Asn Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 185
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid
      residue 58

<400> 185
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Tyr Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 186
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid residue 59

<400> 186
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asn Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 187
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 63

<400> 187

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Lys Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 188
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 63

<400> 188
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Leu Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 189
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 63

<400> 189
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Met Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 190
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 63

<400> 190
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Arg Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 191
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid residue 63

<400> 191

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Trp Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 192
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid residue 67

<400> 192
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Val Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 193
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid residue 68

<400> 193
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile His Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 194
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid residue 68

<400> 194

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Pro Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 195
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 68

<400> 195
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Gln Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 196
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 69

<400> 196
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ala Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 197
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> C at a position corresponding to amino acid residue 69

<400> 197
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Cys Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 198
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 69

<400> 198
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Glu Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 199
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 69

<400> 199
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Phe Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 200
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 69

<400> 200
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Gly Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 201
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> I at a position corresponding to amino acid
      residue 69

<400> 201
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ile Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 202
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 69

<400> 202
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Leu Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 203
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid residue 69

<400> 203
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Met Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 204
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid residue 69;

<400> 204
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Pro Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 205
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 69

<400> 205
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Arg Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 206
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid residue 69

<400> 206

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Thr Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 207
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid
      residue 69

<400> 207
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Trp Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 208
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid
      residue 69

<400> 208
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Tyr Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 209
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid residue 70

<400> 209
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ala Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 210
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> C at a position corresponding to amino acid residue 70

<400> 210
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Cys Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 211
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 70

<400> 211
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Phe Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 212
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 70

<400> 212
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Gly Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 213
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 70

<400> 213
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser His Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 214
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 70

<400> 214
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Lys Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 215
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 70

<400> 215
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Leu Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 216
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid residue 70

<400> 216
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Asn Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 217
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid
      residue 70

<400> 217
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Pro Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 218
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 70

<400> 218
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Arg Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 219
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 70

<400> 219
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ser Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 220
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 70

<400> 220
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Thr Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 221
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 70

<400> 221
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Val Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 222
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid
      residue 70

<400> 222
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Tyr Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 223
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 71

<400> 223
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Gly Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 224
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid residue 71

<400> 224
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Asn Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 225
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 71

<400> 225
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Arg Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 226
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 71

<400> 226
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Ser Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 227
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 72

<400> 227
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Lys Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 228
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid residue 72

<400> 228
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Met Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 229
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid residue 72

<400> 229
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gln Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 230
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 73

<400> 230
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Ala Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 231
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 73

<400> 231
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly His Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 232
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 73

<400> 232
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Lys Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 233
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid residue 73

<400> 233
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Leu Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 234
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid residue 73

<400> 234
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Gln Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 235
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 73

<400> 235
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Arg Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 236
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 73

<400> 236
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Thr Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 237
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid residue 73

<400> 237
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Trp Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 238
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 74

<400> 238
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Ala Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 239
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> C at a position corresponding to amino acid
      residue 74

<400> 239
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Cys Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 240
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid residue 74

<400> 240
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Glu Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 241
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 74

<400> 241
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Phe Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 242
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 74

<400> 242
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Gly Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 243
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 74

<400> 243
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val His Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 244
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 74

<400> 244
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Lys Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 245
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid residue 74

<400> 245
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Leu Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 246
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid residue 74

<400> 246
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Met Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 247
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 74

<400> 247
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Asn Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 248
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid residue 74

<400> 248

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Pro Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 249
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 74

<400> 249
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Arg Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 250
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 74

<400> 250
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Ser Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 251
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid residue 74

<400> 251
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Val Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 252
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid residue 74

<400> 252
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Trp Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 253
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid residue 75

<400> 253
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Phe Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 254
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid residue 75

<400> 254
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Leu Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 255
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at position corresponding to amino acid residue
      75

<400> 255
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Met Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 256
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 75

<400> 256
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Arg Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 257
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 75

<400> 257
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Thr Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 258
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 79

<400> 258
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Leu Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 259
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid residue 82

<400> 259
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Leu Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 260
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 82

<400> 260
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Asn Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 261
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 83

<400> 261
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Val Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 262
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 83

<400> 262
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Gln Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 263
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 83

<400> 263
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ser Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 264
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 83

<400> 264
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Gly Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 265
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid residue 84

<400> 265
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Glu Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 266
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 84

<400> 266
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Phe Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 267
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 84

<400> 267
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Gly Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 268
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 84

<400> 268
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Asn Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 269
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 84

<400> 269
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Arg Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 270
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid residue 86

<400> 270
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Ala Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 271
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid residue 86

<400> 271
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu His Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 272
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 86

<400> 272
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Lys Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 273
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 86

<400> 273
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Asn Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 274
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 86

<400> 274
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Ser Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 275
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 86

<400> 275
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Thr Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 276
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid residue 86

<400> 276
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Trp Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 277
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> C at a position corresponding to amino acid
      residue 87

<400> 277
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Cys His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 278
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 87

<400> 278
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Gly His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 279
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 87

<400> 279
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Leu His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 280
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid residue 87

<400> 280
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Met His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 281
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 87

<400> 281
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Arg His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 282
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 87

<400> 282
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Ser His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 283
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 87

<400> 283
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Thr His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 284
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid residue 87

<400> 284
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Val His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 285
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid
      residue 87

<400> 285
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Tyr His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 286
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> C at a position corresponding to amino acid
      residue 89

<400> 286
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Cys Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 287
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 90

<400> 287
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Ala Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 288
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 90

<400> 288
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Glu Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 289
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid residue 90

<400> 289
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu His Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 290
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 90

<400> 290
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Lys Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 291
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid residue 90

<400> 291
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asn Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 292
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 90

<400> 292
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Arg Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 293
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> C at a position corresponding to amino acid
      residue 92

<400> 293
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Cys Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 294
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 92

<400> 294
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Leu Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 295
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> I at a position corresponding to amino acid
      residue 93

<400> 295
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Ile Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 296
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 93

<400> 296
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Leu Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 297
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 93

<400> 297
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Gln Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 298
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 93

<400> 298
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Arg Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 299
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 93

<400> 299
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Ser Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 300
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid residue 93

<400> 300
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Thr Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 301
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid residue 94

<400> 301
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Asp Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 302
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 94

<400> 302
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Gln Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 303
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 94

<400> 303
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Arg Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 304
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid residue 97

<400> 304
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Ala Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 305
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> C at an amino acid residue corresponding to position 97

<400> 305
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Cys Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 306
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid residue 97

<400> 306
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Asp Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 307
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 97

<400> 307
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Glu Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 308
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 97

<400> 308
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Gly Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 309
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid residue 97

<400> 309
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Leu Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 310
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 97

<400> 310
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Ser Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 311
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 102

<400> 311
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Ser Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 312
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 102

<400> 312
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Thr Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 313
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 104

<400> 313
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Arg Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 314
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid residue 107

<400> 314
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Leu Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 315
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 114

<400> 315
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Ala Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 316
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 118

<400> 316
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Gln Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 317
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid residue 120

<400> 317
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp His Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 318
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 120

<400> 318
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Phe Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 319
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> I at a position corresponding to amino acid
      residue 120

<400> 319
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ile Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 320
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 120

<400> 320
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ser Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 321
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 120

<400> 321
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Val Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 322
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid residue 120

<400> 322
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Tyr Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 323
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 127

<400> 323
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Glu Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 324
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 127

<400> 324
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys His Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 325
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid residue 127

<400> 325
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asn Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 326
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid residue 127

<400> 326
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Gln Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 327
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 127

<400> 327
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Arg Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 328
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> I at a position corresponding to amino acid
      residue 128

<400> 328
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Ile
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 329
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 130

<400> 329
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Arg Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 330
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 131

<400> 330
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Gly Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 331
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> I at a position corresponding to amino acid residue 131

<400> 331
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Ile Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 332
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid residue 131

<400> 332
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Met Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 333
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 131

<400> 333
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Gln Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 334
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 131

<400> 334
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Arg Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 335
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 131

<400> 335
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Val Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 336
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 132

<400> 336
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Asn Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 337
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 132

<400> 337
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Leu Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 338
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid
      residue 135

<400> 338
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Asp Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 339
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 135

<400> 339
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Gly Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 340
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 135

<400> 340
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Arg Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 341
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid residue 138

<400> 341
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Leu Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 342
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 139

<400> 342
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Thr Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 343
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 140

<400> 343
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Lys Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 344
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid residue 141

<400> 344
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln His Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 345
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 141

<400> 345
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Arg Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 346
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 141

<400> 346
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Ser Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 347
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid
      residue 141

<400> 347
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Trp Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 348
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid residue 141

<400> 348
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Tyr Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 349
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid
      residue 142

<400> 349
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Asp Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 350
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid residue 142

<400> 350
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Gly Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 351
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 142

<400> 351
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Lys Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 352
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 142

<400> 352
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Asn Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 353
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid
      residue 142

<400> 353
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Pro Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 354
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid residue 142

<400> 354
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Gln Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 355
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 142

<400> 355
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Arg Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 356
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 142

<400> 356
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Ser Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 357
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 142

<400> 357
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Thr Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 358
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 143

<400> 358
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gly Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 359
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 143

<400> 359
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Lys Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 360
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 144

<400> 360
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Arg
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 361
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid residue 144

<400> 361
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Thr
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 362
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid
      residue 146

<400> 362
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Pro Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 363
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 146

<400> 363
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Arg Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 364
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 147

<400> 364
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Ala Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 365
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 147

<400> 365
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Phe Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 366
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 147

<400> 366
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Leu Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 367
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 147

<400> 367
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Arg Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 368
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 147

<400> 368
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Ser Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 369
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid residue 147

<400> 369
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Val Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 370
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 148

<400> 370
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr His Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 371
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 148

<400> 371
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Lys Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 372
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 148

<400> 372
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Gln Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 373
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 149

<400> 373
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Thr Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 374
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 149

<400> 374
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Val Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 375
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid residue 150

<400> 375
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Ala Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 376
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid
      residue 150

<400> 376
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Asp Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 377
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 150

<400> 377
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Gly Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 378
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 150

<400> 378
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Asn Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 379
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 150

<400> 379
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Ser Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 380
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid residue 150

<400> 380
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Trp Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 381
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid residue 150

<400> 381
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Tyr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 382
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 151

<400> 382
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Ala Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 383
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 151

<400> 383
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr His Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 384
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 151

<400> 384
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Lys Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 385
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 151

<400> 385
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Leu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 386
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 151

<400> 386
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Met Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 387
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 151

<400> 387
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Gln Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 388
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 151

<400> 388
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Arg Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 389
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 151

<400> 389
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Ser Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 390
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 151

<400> 390
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Thr Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 391
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 151

<400> 391
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Val Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 392
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid residue 151

<400> 392
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Trp Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 393
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid
      residue 151

<400> 393
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Tyr Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 394
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 152

<400> 394
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Arg Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 395
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 152

<400> 395
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Thr Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 396
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid
      residue 152

<400> 396
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Trp Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 397
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid
      residue 155

<400> 397
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Asp Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 398
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 155

<400> 398
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gly Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 399
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 155

<400> 399
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Lys Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 400
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 155

<400> 400
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Arg Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 401
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid
      residue 156

<400> 401
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Asp Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 402
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 158

<400> 402
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Gln Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 403
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 158

<400> 403
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Ser Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 404
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 160

<400> 404
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ser
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 405
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 162

<400> 405
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Glu Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 406
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 163

<400> 406
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Ala Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 407
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 163

<400> 407
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Glu Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 408
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 163

<400> 408
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Lys Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 409
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 163

<400> 409
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Gln Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 410
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 163

<400> 410
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Arg Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 411
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 163

<400> 411
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Ser Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 412
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 164

<400> 412
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Met Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 413
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 164

<400> 413
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Val Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 414
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid
      residue 165

<400> 414
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Asp Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 415
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 165

<400> 415
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Phe Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 416
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 165

<400> 416
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Asn Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 417
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 165

<400> 417
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Ser Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 418
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 165

<400> 418
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Val Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 419
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 166

<400> 419
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Ala Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 420
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid residue 166

<400> 420
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Glu Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 421
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid residue 166

<400> 421
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Phe Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 422
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 166

<400> 422
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu His Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 423
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 166

<400> 423
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Leu Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 424
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 166

<400> 424
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Gln Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 425
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 166

<400> 425
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Arg Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 426
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 166

<400> 426
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Thr Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 427
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid
      residue 166

<400> 427
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Trp Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 428
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid
      residue 166

<400> 428
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Tyr Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 429
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid
      residue 167

<400> 429
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Asp Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 430
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 169

<400> 430
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Leu Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 431
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 170

<400> 431
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Arg Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 432
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid residue 172

<400> 432
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Ala Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 433
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 173

<400> 433
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Arg Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 434
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 174

<400> 434
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Gly Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 435
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 174

<400> 435
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Lys Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 436
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 174

<400> 436
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Asn Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 437
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 174

<400> 437
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Arg Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 438
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 174

<400> 438
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Thr Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 439
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 175

<400> 439
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Thr Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 440
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 178

<400> 440
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Lys His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 441
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 178

<400> 441
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Arg His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 442
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 179

<400> 442
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn Lys Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 443
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 193

<400> 443
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
Gln Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 444
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 195

<400> 444
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Thr Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 445
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 195

<400> 445
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Asn Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 446
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 196

<400> 446
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Glu Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 447
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 196

<400> 447
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Arg Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 448
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid
      residue 198

<400> 448
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Asp Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 449
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid
      residue 204

<400> 449
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Pro Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 450
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 205

<400> 450
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Ala Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 451
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid residue 205

<400> 451
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Glu Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 452
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 205

<400> 452
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Leu Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 453
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 205

<400> 453
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Thr Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 454
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> I at a position corresponding to amino acid residue 206

<400> 454
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Ile Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 455
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 206

<400> 455
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Lys Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 456
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 206

<400> 456
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Leu Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 457
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 206

<400> 457
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Arg Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 458
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 209

<400> 458
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Arg Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 459
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid residue 212

<400> 459
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asn Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 460
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 212

<400> 460
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Ser Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 461
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 213

<400> 461
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Ala Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 462
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 213

<400> 462
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Met Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 463
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 213

<400> 463
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asn Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 464
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 215

<400> 464
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu His Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 465
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 215

<400> 465
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Met Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 466
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 219

<400> 466
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Ala Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 467
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223>  I at a position corresponding to amino acid
      residue 219

<400> 467
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Ile Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 468
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 219

<400> 468
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Lys Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 469
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 219

<400> 469
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Ser Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 470
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 220

<400> 470
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn His Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 471
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> I at a position corresponding to amino acid residue 220

<400> 471
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Ile Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 472
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 220

<400> 472
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Leu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 473
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid residue 220

<400> 473
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Val Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 474
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid residue 221

<400> 474
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Gln Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 475
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 222

<400> 475
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Gly Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 476
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 232

<400> 476
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Phe Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 477
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 233

<400> 477
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gly Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 478
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 233

<400> 478
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Lys Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 479
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 233

<400> 479
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Arg Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 480
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 234

<400> 480
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Met Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 481
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid residue 235

<400> 481
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ala Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 482
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 236

<400> 482
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Arg Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 483
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> C at a position corresponding to amino acid
      residue 237

<400> 483
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Cys Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 484
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 237

<400> 484
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Glu Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 485
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid residue 237

<400> 485
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro His Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 486
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 237

<400> 486
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Gln Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 487
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid residue 237

<400> 487
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Thr Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 488
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 238

<400> 488
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Glu Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 489
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      position 238

<400> 489
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val His Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 490
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 238

<400> 490
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ser Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 491
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 240

<400> 491
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Ala
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 492
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 240

<400> 492
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Gln
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 493
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> I at a position corresponding to amino acid
      residue 247

<400> 493
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Ile Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 494
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid residue 248

<400> 494
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Ala Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 495
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 249

<400> 495
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Val Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 496
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 257

<400> 496
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Gly Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 497
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 257

<400> 497
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Thr Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 498
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 257

<400> 498
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Arg Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 499
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 258

<400> 499
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asn Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 500
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 258

<400> 500
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Ser Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 501
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid residue 259

<400> 501
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Pro Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 502
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid residue 260

<400> 502
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Met Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 503
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid
      residue 260

<400> 503
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Tyr Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 504
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 261

<400> 504
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ala Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 505
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 261

<400> 505
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Lys Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 506
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 261

<400> 506
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Asn Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 507
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 263

<400> 507
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Lys Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 508
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 263

<400> 508
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Arg Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 509
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 267

<400> 509
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Thr Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 510
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid residue 269

<400> 510
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Ala Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 511
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid residue 271

<400> 511
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Leu Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 512
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid residue 271

<400> 512
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Met Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 513
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid
      residue 272

<400> 513
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Asp
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 514
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid residue 272

<400> 514
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Thr
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 515
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 273

<400> 515
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
His Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 516
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid
      residue 273

<400> 516
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Tyr Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 517
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 274

<400> 517
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Phe Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 518
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid
      residue 276

<400> 518
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Asp Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 519
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 276

<400> 519
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp His Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 520
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid residue 276

<400> 520
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Met Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 521
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 276

<400> 521
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Arg Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 522
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223>  S at a position corresponding to amino acid
      residue 276

<400> 522
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Ser Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 523
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid
      residue 276

<400> 523
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Tyr Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 524
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid residue 277

<400> 524
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Ala Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 525
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 277

<400> 525
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Glu Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 526
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 277

<400> 526
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln His Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 527
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 277

<400> 527
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Lys Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 528
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 277

<400> 528
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Met Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 529
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 277

<400> 529
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Asn Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 530
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid residue 277

<400> 530
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Gln Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 531
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 277

<400> 531
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Arg Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 532
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 277

<400> 532
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Ser Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 533
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 277

<400> 533
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Thr Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 534
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 278

<400> 534
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Glu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 535
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 278

<400> 535
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Phe Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 536
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 278

<400> 536
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Gly Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 537
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 278

<400> 537
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val His Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 538
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 278

<400> 538
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Lys Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 539
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 278

<400> 539
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Asn Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 540
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 278

<400> 540
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Arg Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 541
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 278

<400> 541
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Ser Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 542
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 278

<400> 542
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Thr Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 543
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid residue 278

<400> 543

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Tyr Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 544
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 279

<400> 544
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu His Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 545
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 282

<400> 545
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Met Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 546
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 283

<400> 546
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Ser Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 547
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid residue 285

<400> 547
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp His Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 548
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 287

<400> 548
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Thr Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 549
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 289

<400> 549
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Ser Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 550
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 291

<400> 550
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Ser Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 551
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid residue 291

<400> 551
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Val Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 552
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> C at a position corresponding to amino acid
      residue 292

<400> 552
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Cys Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 553
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 292

<400> 553
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Phe Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 554
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 292

<400> 554
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly His Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 555
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 292

<400> 555
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Lys Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 556
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 292

<400> 556
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Arg Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 557
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 292

<400> 557
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Val Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 558
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid residue 293

<400> 558
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Ala Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 559
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> C at a position corresponding to amino acid
      residue 293

<400> 559
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Cys Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 560
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid
      residue 293

<400> 560
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Asp Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 561
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 293

<400> 561
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Phe Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 562
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 293

<400> 562
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Lys Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 563
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 293

<400> 563
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Met Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 564
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid
      residue 293

<400> 564
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Pro Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 565
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 293

<400> 565
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Gln Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 566
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 293

<400> 566
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Val Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 567
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid
      residue 293

<400> 567
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Tyr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 568
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 298

<400> 568
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Gly Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 569
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 305

<400> 569
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Glu Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 570
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 307

<400> 570
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Gly Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 571
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid
      residue 308

<400> 571
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Asp Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 572
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 308

<400> 572
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Gly Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 573
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 308

<400> 573
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Lys Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 574
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 308

<400> 574
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Asn Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 575
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 308

<400> 575
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Arg Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 576
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid residue 309

<400> 576
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Glu Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 577
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 309

<400> 577
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Gly Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 578
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid residue 309

<400> 578
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser His Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 579
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 309

<400> 579
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Leu Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 580
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid residue 309

<400> 580
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Met Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 581
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid residue 309

<400> 581
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Asn Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 582
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid residue 309

<400> 582
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Gln Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 583
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 309

<400> 583
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Arg Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 584
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 309

<400> 584
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ser Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 585
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 309

<400> 585
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Thr Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 586
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 309

<400> 586
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Val Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 587
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 310

<400> 587
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Ala Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 588
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 310

<400> 588
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Gly Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 589
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 310

<400> 589
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Gln Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 590
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 310

<400> 590
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Ser Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 591
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 313

<400> 591
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Ala Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 592
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 313

<400> 592
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Gly Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 593
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 313

<400> 593
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser His Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 594
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 313

<400> 594
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Lys Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 595
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid
      residue 313

<400> 595
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Pro Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 596
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 313

<400> 596
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Arg Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 597
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 313

<400> 597
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Thr Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 598
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid
      residue 313

<400> 598
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Tyr Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 599
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 314

<400> 599
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Ser Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 600
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid residue 314

<400> 600
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Tyr Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 601
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 315

<400> 601
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ala Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 602
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 315

<400> 602
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys His Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 603
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid
      residue 315

<400> 603
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Tyr Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 604
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 317

<400> 604
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Ala Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 605
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> I at a position corresponding to amino acid
      residue 317

<400> 605
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Ile Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 606
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 317

<400> 606
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Lys Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 607
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid residue 317

<400> 607
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Asn Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 608
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 317

<400> 608
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Gln Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 609
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 317

<400> 609
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Arg Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 610
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 317

<400> 610
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Ser Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 611
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid residue 317

<400> 611
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Thr Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 612
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid
      residue 317

<400> 612
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Trp Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 613
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 318

<400> 613
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Met Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 614
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid residue 318

<400> 614
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Asp Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 615
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 318

<400> 615
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu His Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 616
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 318

<400> 616
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Lys Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 617
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 318

<400> 617
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Arg Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 618
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 320

<400> 618
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu His
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 619
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 320

<400> 619
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Lys
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 620
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 320

<400> 620
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Arg
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 621
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 321

<400> 621
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Arg Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 622
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 321

<400> 622
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Ser Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 623
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 324

<400> 623
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Asn Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 624
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 324

<400> 624
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Arg Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 625
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 325

<400> 625
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Ala Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 626
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid residue 325

<400> 626
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Asp Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 627
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid residue 325

<400> 627
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Glu Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 628
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid residue 325

<400> 628
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Gly Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 629
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid residue 325

<400> 629
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu His Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 630
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 325

<400> 630
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Lys Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 631
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid residue 325

<400> 631
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Met Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 632
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 325

<400> 632
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Asn Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 633
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 325

<400> 633
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Gln Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 634
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 325

<400> 634
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Ser Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 635
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 325

<400> 635
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Val Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 636
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid residue 326

<400> 636
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Leu Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 637
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 326

<400> 637
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Val Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 638
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> C at a position corresponding to amino acid
      residue 328

<400> 638
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Cys Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 639
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid residue 328

<400> 639
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Gly Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 640
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 328

<400> 640
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Lys Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 641
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid residue 328

<400> 641
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Leu Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 642
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> I at a position corresponding to amino acid
      residue 328

<400> 642
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Ile Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 643
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 328

<400> 643
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Ser Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 644
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid
      residue 328

<400> 644
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Tyr Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 645
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 335

<400> 645
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Ser Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 646
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 347

<400> 646
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Ala Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 647
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid residue 347

<400> 647

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gly Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 648
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 347

<400> 648
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Ser Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 649
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 349

<400> 649
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Met Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 650
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 349

<400> 650
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Arg Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 651
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 351

<400> 651
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Ser Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 652
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid residue 353

<400> 652
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Val Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 653
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 356

<400> 653
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys His Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 654
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 356

<400> 654
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Ser Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 655
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 359

<400> 655
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Glu Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 656
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 359

<400> 656
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn His Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 657
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 359

<400> 657
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Thr Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 658
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 367

<400> 658
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Ala Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 659
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid residue 367

<400> 659
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Gly Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 660
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 367

<400> 660
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Lys Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 661
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 367

<400> 661
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Ser Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 662
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 368

<400> 662
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Ala
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 663
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 368

<400> 663
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Glu
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 664
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 368

<400> 664
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Lys
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 665
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      position 368

<400> 665
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Leu
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 666
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      position 368

<400> 666
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Met
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 667
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 368

<400> 667
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Arg
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 668
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid position 368

<400> 668
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Thr
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 669
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid residue 369

<400> 669
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
His Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 670
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 369

<400> 670
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Arg Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 671
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 371

<400> 671
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Phe Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 672
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 371;

<400> 672
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe His Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 673
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 371

<400> 673
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Lys Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 674
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid residue 371

<400> 674
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Leu Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 675
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 371

<400> 675
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Arg Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 676
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 371

<400> 676
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ser Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 677
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid residue 373

<400> 677
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Met Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 678
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid residue 374

<400> 678
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln His Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 679
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid
      residue 374

<400> 679
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Pro Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 680
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 375

<400> 680
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Ala Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 681
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 375

<400> 681
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Gly Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 682
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 375

<400> 682
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Lys Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 683
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 375

<400> 683
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Arg Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 684
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid residue 376

<400> 684
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Asp Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 685
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid residue 376

<400> 685
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Glu Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 686
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid residue 376

<400> 686
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Gln Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 687
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 376

<400> 687
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Arg Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 688
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid residue 376

<400> 688
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Thr Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 689
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid residue 376

<400> 689
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Val Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 690
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid residue 376

<400> 690
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Tyr Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 691
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid residue 377

<400> 691
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Asp Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 692
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid residue 377

<400> 692
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Glu Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 693
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 377

<400> 693
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys His Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 694
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 377

<400> 694
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Lys Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 695
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid residue 377

<400> 695
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Pro Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 696
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 377

<400> 696
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Arg Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 697
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 377

<400> 697
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Ser Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 698
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid residue 377

<400> 698
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Thr Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 699
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid residue 380

<400> 699
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Trp Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 700
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid residue 380

<400> 700
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Tyr Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 701
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 381

<400> 701
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Ser Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 702
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> I at a position corresponding to amino acid
      residue 383

<400> 702
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Ile Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 703
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 383

<400> 703
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Lys Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 704
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 383

<400> 704
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Leu Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 705
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 383

<400> 705
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Ser Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 706
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 385

<400> 706
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Ala Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 707
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 385

<400> 707
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Gln Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 708
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid residue 385

<400> 708

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Val Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 709
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid residue 389

<400> 709
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Ala Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 710
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 389

<400> 710
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Gly Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 711
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 389

<400> 711
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Leu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 712
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 389

<400> 712
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Lys Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 713
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 389

<400> 713
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Gln Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 714
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 389

<400> 714
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Ser Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 715
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 392

<400> 715
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Ala Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 716
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 392

<400> 716
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Phe Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 717
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 392

<400> 717
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Met Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 718
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 392

<400> 718
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Gln Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 719
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 392

<400> 719
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Arg Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 720
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid residue 392

<400> 720
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Val Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 721
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 393

<400> 721
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Phe Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 722
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 393

<400> 722
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Met Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 723
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 395

<400> 723
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ala Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 724
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 395

<400> 724
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe His Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 725
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid residue 395

<400> 725

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Arg Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 726
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid residue 396

<400> 726
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Ala Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 727
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 396

<400> 727
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser His Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 728
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 396

<400> 728
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Gln Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 729
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 396

<400> 729
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Ser Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 730
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 399

<400> 730
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Lys Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 731
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 399

<400> 731
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Met Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 732
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 399

<400> 732
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Thr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 733
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 399

<400> 733
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Val Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 734
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid
      residue 399

<400> 734
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Trp Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 735
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 401

<400> 735
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ala Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 736
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 401

<400> 736
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Glu Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 737
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 404

<400> 737
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ala Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 738
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 405

<400> 738
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Gly Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 739
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid residue 406

<400> 739

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Phe Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 740
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 406

<400> 740
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Asn Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 741
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid residue 407

<400> 741
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ala Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 742
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid
      residue 407

<400> 742
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Asp Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 743
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 407

<400> 743
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Glu Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 744
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 407

<400> 744
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Phe Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 745
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 407

<400> 745
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu His Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 746
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 407

<400> 746
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Gln Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 747
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid residue 407

<400> 747

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Pro Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 748
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 409

<400> 748
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Ala Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 749
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid residue 409

<400> 749
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Gln Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 750
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 410

<400> 750
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Thr Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 751
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid residue 412

<400> 751
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Gln Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 752
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 412

<400> 752
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Arg Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 753
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 412

<400> 753
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Val Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 754
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 416

<400> 754
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Leu
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 755
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 418

<400> 755
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Glu Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 756
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 418

<400> 756
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Leu Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 757
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid
      residue 418

<400> 757
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Pro Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 758
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 418

<400> 758
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Arg Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 759
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid residue 418

<400> 759

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Val Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 760
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid residue 419

<400> 760
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Phe Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 761
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid residue 419

<400> 761
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp His Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 762
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> I at a position corresponding to amino acid
      residue 419

<400> 762
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ile Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 763
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 419

<400> 763
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Lys Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 764
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 419

<400> 764
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Arg Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 765
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 419

<400> 765
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ser Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 766
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Y at a position corresponding to amino acid residue 419

<400> 766
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Tyr Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 767
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 421

<400> 767
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Ala Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 768
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 421

<400> 768
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val His Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 769
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 421

<400> 769
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Lys Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 770
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid residue 421

<400> 770
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asn Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 771
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid residue 421

<400> 771
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Gln Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 772
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 421

<400> 772
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Arg Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 773
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 421

<400> 773
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Ser Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 774
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid residue 425

<400> 774
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Gly Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 775
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 425

<400> 775
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Lys Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 776
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 427

<400> 776
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gln Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 777
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 427

<400> 777
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Thr Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 778
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 428

<400> 778
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Leu Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 779
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 431

<400> 779
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Ala Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 780
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 431

<400> 780
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Gly Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 781
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 431

<400> 781
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Glu Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 782
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 431

<400> 782
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile His Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 783
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 431

<400> 783
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Lys Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 784
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 431

<400> 784
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Leu Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 785
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 431

<400> 785
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asn Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 786
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid residue 431

<400> 786
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Gln Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 787
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 431

<400> 787
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Arg Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 788
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid
      residue 431

<400> 788
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Ser Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 789
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 431

<400> 789
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Val Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 790
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 433

<400> 790
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Ala Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 791
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid residue 433

<400> 791

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
His Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 792
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> I at a position corresponding to amino acid
      residue 433

<400> 792
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Ile Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 793
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 433

<400> 793
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Lys Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 794
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid
      residue 433

<400> 794
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Leu Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 795
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 433

<400> 795
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Arg Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 796
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 433

<400> 796
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Thr Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 797
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 433

<400> 797
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Val Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 798
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid
      residue 433

<400> 798
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Trp Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 799
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid
      residue 436

<400> 799
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Lys Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 800
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> I at a position corresponding to amino acid
      residue 437

<400> 800
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Ile Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 801
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid residue 437

<400> 801
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Met Met Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 802
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 438

<400> 802
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Ala Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 803
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid
      residue 438

<400> 803
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Asp Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 804
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 438

<400> 804
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Glu Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445
```

<210> 805
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> L at a position corresponding to amino acid residue 438

<400> 805

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Leu Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 806
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 438

<400> 806
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Asn Glu Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 807
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid residue 438

<400> 807
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Thr Glu Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 808
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid
      residue 439

<400> 808
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Ala Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 809
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> C at a position corresponding to amino acid
      residue 439

<400> 809
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Cys Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 810
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> K at a position corresponding to amino acid residue 439

<400> 810
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Lys Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 811
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid residue 439

<400> 811
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Pro Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 812
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 439

<400> 812
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Gln Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 813
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid residue 439

<400> 813
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Thr Thr Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 814
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid
      residue 439

<400> 814
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Val Thr Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 815
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid residue 440

<400> 815
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Asp Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 816
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 440

<400> 816
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu His Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 817
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 440

<400> 817
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Met Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 818
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid
      residue 440

<400> 818
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Pro Glu Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 819
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 440

<400> 819
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Arg Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 820
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 440

<400> 820
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Ser Glu Glu Pro Gln Ile Phe Tyr
435 440 445

<210> 821
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid residue 441

<400> 821
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Ala Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 822
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 441

<400> 822
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Phe Glu Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 823
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> C at a position corresponding to amino acid
      residue 442

<400> 823
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Cys Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 824
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 442

<400> 824
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Gly Pro Gln Ile Phe Tyr
        435                 440                 445


<210> 825
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> R at a position corresponding to amino acid
      residue 442

<400> 825
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Arg Pro Gln Ile Phe Tyr
435 440 445

<210> 826
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid residue 443

<400> 826
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Ala Gln Ile Phe Tyr
        435                 440                 445


<210> 827
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid
      residue 443

<400> 827
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Glu Gln Ile Phe Tyr
        435                 440                 445


<210> 828
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> F at a position corresponding to amino acid
      residue 443

<400> 828
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Phe Gln Ile Phe Tyr
435 440 445

<210> 829
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid residue 443

<400> 829
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Gly Gln Ile Phe Tyr
        435                 440                 445


<210> 830
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 443

<400> 830
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Met Gln Ile Phe Tyr
        435                 440                 445


<210> 831
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid
      residue 443

<400> 831
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Asn Gln Ile Phe Tyr
435 440 445

<210> 832
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid residue 444

<400> 832
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Glu Ile Phe Tyr
435 440 445

<210> 833
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid residue 444

<400> 833
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro His Ile Phe Tyr
        435                 440                 445
```

<210> 834
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid residue 444

<400> 834

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Val Ile Phe Tyr
        435                 440                 445


<210> 835
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> H at a position corresponding to amino acid
      residue 445

<400> 835
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln His Phe Tyr
        435                 440                 445


<210> 836
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid
      residue 445

<400> 836
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Met Phe Tyr
        435                 440                 445
```

<210> 837
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid residue 445

<400> 837

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Asn Phe Tyr
        435                 440                 445


<210> 838
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid
      residue 445

<400> 838
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Pro Phe Tyr
        435                 440                 445
```

<210> 839
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid residue 445

<400> 839

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Gln Phe Tyr
435 440 445

<210> 840
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> S at a position corresponding to amino acid residue 445

<400> 840
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ser Phe Tyr
435 440 445

<210> 841
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid residue 445

<400> 841
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Thr Phe Tyr
        435                 440                 445
```

<210> 842
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid residue 445

<400> 842

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Val Phe Tyr
        435                 440                 445


<210> 843
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid
      residue 445

<400> 843
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Trp Phe Tyr
435 440 445

<210> 844
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> A at a position corresponding to amino acid residue 446

<400> 844
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Ala Tyr
        435                 440                 445
```

<210> 845
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> M at a position corresponding to amino acid residue 446

<400> 845

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Met Tyr
435 440 445

<210> 846
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> W at a position corresponding to amino acid residue 446

<400> 846
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Trp Tyr
        435                 440                 445


<210> 847
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> D at a position corresponding to amino acid
      residue 447

<400> 847
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Asp
        435                 440                 445
```

<210> 848
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> E at a position corresponding to amino acid residue 447

<400> 848

```
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Glu
        435                 440                 445


<210> 849
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> G at a position corresponding to amino acid
      residue 447

<400> 849
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Gly
435 440 445

<210> 850
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> I at a position corresponding to amino acid residue 447

<400> 850
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Ile
435 440 445

<210> 851
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> N at a position corresponding to amino acid residue 447

<400> 851
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Asn
435 440 445

<210> 852
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> P at a position corresponding to amino acid residue 447

<400> 852
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Pro
        435                 440                 445


<210> 853
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> Q at a position corresponding to amino acid
      residue 447

<400> 853
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

```
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Gln
        435                 440                 445


<210> 854
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> T at a position corresponding to amino acid
      residue 447

<400> 854
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
```

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Thr
435 440 445

<210> 855
<211> 447
<212> PRT
<213> Artificial Sequence

<220>
<223> V at a position corresponding to amino acid residue 447

<400> 855
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Ala
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
85 90 95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
115 120 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
130 135 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
165 170 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
180 185 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
195 200 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
210 215 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225 230 235 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
245 250 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Ala Tyr Thr Arg Ile Val
260 265 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
275 280 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365

Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Pro Gln Ile Phe Val
435 440 445

<210> 856
<211> 509
<212> PRT
<213> omascus leucogenys

<220>
<223> precursor PH20 isoform 1

<300>
<308> NCBI: XP_003261317
<309> 2011-05-06

<400> 856
Met Gly Val Leu Lys Phe Lys His Ile Phe Phe Arg Ser Phe Val Lys
1 5 10 15
Ser Asn Gly Ile Ser Gln Ile Val Phe Thr Phe Leu Leu Ile Pro Arg
20 25 30
Cys Leu Thr Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro
35 40 45
Phe Leu Trp Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe
50 55 60
Asp Glu Pro Leu Asp Met Ser Leu Phe Ser Leu Thr Gly Ser Pro Arg
65 70 75 80
Ile Asn Val Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu
85 90 95
Gly Tyr Tyr Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly
100 105 110
Gly Ile Pro Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys
115 120 125
Gln Asp Ile Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val
130 135 140
Ile Asp Trp Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro
145 150 155 160
Lys Asp Val Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn
165 170 175
Val Gln Leu Ser Leu Ala Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe
180 185 190
Glu Lys Ala Gly Lys Asp Phe Met Val Glu Thr Ile Lys Leu Gly Lys
195 200 205
Leu Leu Arg Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys
210 215 220
Tyr Asn His His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn
225 230 235 240
Val Glu Ile Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser
245 250 255
Thr Ala Leu Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val
260 265 270
Ala Ala Thr Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val
275 280 285
Ser Lys Ile Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Val Tyr Ala
290 295 300
Arg Ile Val Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Arg Asp Glu
305 310 315 320
Leu Val Tyr Thr Leu Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile
325 330 335
Val Ile Trp Gly Ser Leu Ser Ile Val Arg Ser Met Lys Ser Cys Leu

```
            340                 345                 350
Leu Leu Asp Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn
        355                 360                 365
Val Thr Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln
    370                 375                 380
Gly Val Cys Ile Arg Lys Asp Trp Asn Ser Ser Asp Tyr Leu His Leu
385                 390                 395                 400
Asn Pro Asp Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr
                405                 410                 415
Val Arg Gly Lys Pro Thr Pro Glu Asp Leu Glu Gln Phe Ser Glu Lys
            420                 425                 430
Phe Tyr Cys Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp
        435                 440                 445
Val Lys Asp Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys
    450                 455                 460
Ile Asp Ala Phe Leu Lys Pro Pro Lys Glu Thr Glu Glu Ser Gln Ile
465                 470                 475                 480
Phe Tyr Asn Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Val
                485                 490                 495
Ser Ile Leu Phe Leu Ile Ile Ser Ser Val Val Ser Leu
            500                 505


<210> 857
<211> 474
<212> PRT
<213> Nomascus leucogenys

<220>
<223> mature PH-20 isoform 1

<400> 857
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1                5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Leu Thr Gly Ser Pro Arg Ile Asn Val
        35                  40                  45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Gln Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Ala Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Met Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Val Tyr Ala Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Arg Asp Glu Leu Val Tyr
        275                 280                 285
```

Thr Leu Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
290 295 300
Gly Ser Leu Ser Ile Val Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305 310 315 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
325 330 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
340 345 350
Ile Arg Lys Asp Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
355 360 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
370 375 380
Lys Pro Thr Pro Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385 390 395 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
405 410 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
420 425 430
Phe Leu Lys Pro Pro Lys Glu Thr Glu Glu Ser Gln Ile Phe Tyr Asn
435 440 445
Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Val Ser Ile Leu
450 455 460
Phe Leu Ile Ile Ser Ser Val Val Ser Leu
465 470

<210> 858
<211> 509
<212> PRT
<213> Callithrix jacchus

<220>
<223> precursor PH-20

<300>
<308> NCBI: XP_002752103
<309> 2012-06-08

<400> 858
Met Gly Val Leu Lys Phe Lys His Ile Phe Phe Arg Ser Phe Val Lys
1 5 10 15
Ser Ser Gly Val Ser Gln Ile Val Phe Thr Phe Leu Leu Ile Pro Cys
20 25 30
Ser Leu Thr Leu Asn Phe Arg Ala Pro Pro Ile Ile Pro Asn Val Pro
35 40 45
Phe Leu Trp Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe
50 55 60
Asp Glu Pro Leu Asp Met Ser Leu Phe Ser Leu Ile Gly Ser Pro Arg
65 70 75 80
Ile Asn Val Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu
85 90 95
Gly Tyr Tyr Pro Tyr Ile Asp Pro Thr Thr Gly Ala Val Val Asn Gly
100 105 110
Gly Ile Pro Gln Lys Ile Ala Leu Gln Asp His Leu Asp Lys Val Arg
115 120 125
Lys Asp Ile Ile Phe Tyr Met Pro Val Asp Asn Leu Gly Met Gly Val
130 135 140
Ile Asp Trp Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro
145 150 155 160
Lys Asp Ile Tyr Lys Asn Lys Ser Ile Glu Met Val Gln Gln Arg Asn
165 170 175
Val Gln Leu Asn Leu Thr Gln Ala Thr Asp Ile Ala Lys Gln Glu Phe
180 185 190
Glu Lys Ala Ala Lys Asp Phe Met Leu Glu Thr Ile Lys Leu Gly Lys
195 200 205
Ala Leu Arg Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys
210 215 220
Tyr Asn His His Tyr Lys Lys Pro Asp Tyr Asn Gly Ser Cys Phe Asn

225 230 235 240
Ile Glu Ile Lys Arg Asn Asn Asp Leu Ser Trp Leu Trp Asn Glu Ser
245 250 255
Thr Ala Leu Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Ala Val
260 265 270
Ala Ala Met Leu Tyr Val Arg Asn Arg Val Gln Glu Ala Ile Arg Val
275 280 285
Ser Lys Thr Pro Asn Ala Asn Ser Pro Leu Pro Val Phe Val Tyr Ala
290 295 300
Arg Leu Val Phe Thr Asp Gln Val Leu Arg Phe Leu Ser Gln Asp Glu
305 310 315 320
Leu Val Tyr Thr Leu Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile
325 330 335
Val Ile Trp Gly Ser Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu
340 345 350
Leu Leu Asp Thr Tyr Met Glu Thr Val Leu Asn Pro Tyr Ile Ile Asn
355 360 365
Thr Thr Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln
370 375 380
Gly Val Cys Ile Arg Lys Asp Trp Asn Ser Ser Asp Tyr Leu His Leu
385 390 395 400
Asn Pro Asp Asn Phe Ala Ile Glu Thr Glu Lys Gly Gly Lys Phe Thr
405 410 415
Val Arg Gly Lys Pro Thr Tyr Glu Asp Leu Glu Gln Phe Ser Glu Lys
420 425 430
Phe Tyr Cys Ser Cys Tyr Thr Ser Leu Ser Cys Lys Val Lys Ala Asp
435 440 445
Val Lys Asp Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys
450 455 460
Ile Asp Ala Ser Leu Lys Pro Pro Lys Glu Thr Glu Glu Ser Ser Gln
465 470 475 480
Ile Phe Tyr Asn Pro Ser Ser Ser Thr Pro Ser Ala Ala Ile Phe Ile
485 490 495
Val Ala Ile Leu Phe Phe Ile Ser Cys Val Val Ser Leu
500 505

<210> 859
<211> 474
<212> PRT
<213> Callithrix jacchus

<220>
<223> mature PH-20

<400> 859
Leu Asn Phe Arg Ala Pro Pro Ile Ile Pro Asn Val Pro Phe Leu Trp
1 5 10 15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
20 25 30
Leu Asp Met Ser Leu Phe Ser Leu Ile Gly Ser Pro Arg Ile Asn Val
35 40 45
Thr Gly Gln Gly Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
50 55 60
Pro Tyr Ile Asp Pro Thr Thr Gly Ala Val Val Asn Gly Gly Ile Pro
65 70 75 80
Gln Lys Ile Ala Leu Gln Asp His Leu Asp Lys Val Arg Lys Asp Ile
85 90 95
Ile Phe Tyr Met Pro Val Asp Asn Leu Gly Met Gly Val Ile Asp Trp
100 105 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Ile
115 120 125
Tyr Lys Asn Lys Ser Ile Glu Met Val Gln Gln Arg Asn Val Gln Leu
130 135 140
Asn Leu Thr Gln Ala Thr Asp Ile Ala Lys Gln Glu Phe Glu Lys Ala
145 150 155 160
Ala Lys Asp Phe Met Leu Glu Thr Ile Lys Leu Gly Lys Ala Leu Arg
165 170 175

```
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Asp Tyr Asn Gly Ser Cys Phe Asn Ile Glu Ile
        195                 200                 205
Lys Arg Asn Asn Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Ala Val Ala Ala Met
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Gln Glu Ala Ile Arg Val Ser Lys Thr
                245                 250                 255
Pro Asn Ala Asn Ser Pro Leu Pro Val Phe Val Tyr Ala Arg Leu Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Arg Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Leu Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Ser Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Thr Tyr Met Glu Thr Val Leu Asn Pro Tyr Ile Ile Asn Thr Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asp Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
Asn Phe Ala Ile Glu Thr Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Tyr Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Thr Ser Leu Ser Cys Lys Val Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Ser Leu Lys Pro Pro Lys Glu Thr Glu Glu Ser Ser Gln Ile Phe Tyr
        435                 440                 445
Asn Pro Ser Ser Ser Thr Pro Ser Ala Ala Ile Phe Ile Val Ala Ile
    450                 455                 460
Leu Phe Phe Ile Ser Cys Val Val Ser Leu
465                 470


<210> 860
<211> 511
<212> PRT
<213> Pongo abelii

<220>
<223> precursor PH-20 isoform 1

<300>
<308> NCBI: XP_002818442
<309> 2012-06-17

<400> 860
Met Gly Val Leu Lys Phe Lys His Ile Phe Phe Arg Ser Phe Val Lys
 1               5                  10                  15
Ser Ser Gly Val Ser Gln Ile Val Leu Thr Phe Leu Leu Ile Pro Cys
            20                  25                  30
Cys Leu Thr Leu Asn Phe Arg Ala Pro Pro Ile Ile Pro Asn Met Pro
        35                  40                  45
Phe Leu Trp Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe
    50                  55                  60
Asp Glu Pro Leu Asp Met Ser Leu Phe Ser Leu Ile Gly Ser Pro Arg
65                  70                  75                  80
Ile Asn Val Thr Gly Gln Ala Val Thr Ile Phe Tyr Val Asp Arg Leu
                85                  90                  95
Gly Tyr Tyr Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly
            100                 105                 110
Gly Ile Pro Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys
```

```
        115                 120                 125
Lys Asp Ile Leu Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val
    130                 135                 140
Ile Asp Trp Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro
145                 150                 155                 160
Lys Asp Val Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn
                165                 170                 175
Val Gln Leu Asn Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe
            180                 185                 190
Glu Lys Ala Gly Lys Asp Phe Met Val Glu Thr Ile Lys Leu Gly Lys
        195                 200                 205
Leu Leu Arg Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys
    210                 215                 220
Tyr Asn His His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn
225                 230                 235                 240
Val Glu Ile Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser
                245                 250                 255
Thr Ala Leu Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val
            260                 265                 270
Ala Ala Thr Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val
        275                 280                 285
Ser Lys Ile Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Val Tyr Ala
    290                 295                 300
Arg Ile Val Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu
305                 310                 315                 320
Leu Val Tyr Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile
                325                 330                 335
Val Ile Trp Gly Ser Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu
            340                 345                 350
Leu Leu Asp Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn
        355                 360                 365
Val Thr Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln
    370                 375                 380
Gly Val Cys Ile Arg Lys Asp Trp Asn Ser Ser Asp Tyr Leu His Leu
385                 390                 395                 400
Asn Pro Asp Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr
                405                 410                 415
Val Arg Gly Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys
            420                 425                 430
Phe Tyr Cys Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp
        435                 440                 445
Val Lys Asp Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys
    450                 455                 460
Ile Asp Ala Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Ser Gln Ile
465                 470                 475                 480
Phe Tyr Asn Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Trp
                485                 490                 495
Arg Leu Glu Val Trp Asp Gln Gly Ile Ser Arg Met Gly Phe Phe
            500                 505                 510


<210> 861
<211> 476
<212> PRT
<213> Pongo abelii

<220>
<223> mature PH-20 isoform 1

<400> 861
Leu Asn Phe Arg Ala Pro Pro Ile Ile Pro Asn Met Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Met Ser Leu Phe Ser Leu Ile Gly Ser Pro Arg Ile Asn Val
        35                  40                  45
Thr Gly Gln Ala Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
```

```
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Leu Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Asn Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Met Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Val Arg Asn Arg Val Arg Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Val Tyr Ala Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Ser Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asp Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Cys Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Ser Gln Ile Phe Tyr Asn
        435                 440                 445
Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Trp Arg Leu Glu
    450                 455                 460
Val Trp Asp Gln Gly Ile Ser Arg Met Gly Phe Phe
465                 470                 475


<210> 862
<211> 21
<212> PRT
<213> Homo sapiens

<220>
<223> Human insulin A chain

<400> 862
Gly Ile Val Glu Gln Cys Cys Thr Ser Ile Cys Ser Leu Tyr Gln Leu
 1               5                  10                  15
Glu Asn Tyr Cys Asn
            20
```

<210> 863
<211> 30
<212> PRT
<213> Homo sapiens

<220>
<223> Human Insulin B chain

<400> 863
Phe Val Asn Gln His Leu Cys Gly Ser His Leu Val Glu Ala Leu Tyr
 1   5   10   15
Leu Val Cys Gly Glu Arg Gly Phe Phe Tyr Thr Pro Lys Thr
            20   25   30

<210> 864
<211> 108
<212> PRT
<213> Sus scrofa

<220>
<223> Preproinsulin

<400> 864
Met Ala Leu Trp Thr Arg Leu Leu Pro Leu Leu Ala Leu Leu Ala Leu
 1   5   10   15
Trp Ala Pro Ala Pro Ala Gln Ala Phe Val Asn Gln His Leu Cys Gly
            20   25   30
Ser His Leu Val Glu Ala Leu Tyr Leu Val Cys Gly Glu Arg Gly Phe
        35   40   45
Phe Tyr Thr Pro Lys Ala Arg Arg Glu Ala Glu Asn Pro Gln Ala Gly
    50   55   60
Ala Val Glu Leu Gly Gly Gly Leu Gly Gly Leu Gln Ala Leu Ala Leu
65   70   75   80
Glu Gly Pro Pro Gln Lys Arg Gly Ile Val Glu Gln Cys Cys Thr Ser
                85   90   95
Ile Cys Ser Leu Tyr Gln Leu Glu Asn Tyr Cys Asn
            100   105

<210> 865
<211> 30
<212> PRT
<213> Homo sapiens

<220>
<223> Human Insulin B chain analog (Aspart Insulin)

<400> 865
Phe Val Asn Gln His Leu Cys Gly Ser His Leu Val Glu Ala Leu Tyr
 1   5   10   15
Leu Val Cys Gly Glu Arg Gly Phe Phe Tyr Thr Asp Lys Thr
            20   25   30

<210> 866
<211> 30
<212> PRT
<213> Homo sapiens

<220>
<223> Human Insulin B chain analog (Lispro insulin)

<400> 866
Phe Val Asn Gln His Leu Cys Gly Ser His Leu Val Glu Ala Leu Tyr
 1   5   10   15
Leu Val Cys Gly Glu Arg Gly Phe Phe Tyr Thr Lys Pro Thr

20 25 30

<210> 867
<211> 30
<212> PRT
<213> Homo sapiens

<220>
<223> Human Insulin B chain analog (Glulisine insulin)

<400> 867
Phe Val Lys Gln His Leu Cys Gly Ser His Leu Val Glu Ala Leu Tyr
1 5 10 15
Leu Val Cys Gly Glu Arg Gly Phe Phe Tyr Thr Pro Glu Thr
20 25 30

<210> 868
<211> 22
<212> PRT
<213> Artificial Sequence

<220>
<223> IgG kappa signal sequence

<400> 868
Met Asp Met Arg Val Pro Ala Gln Leu Leu Gly Leu Leu Leu Leu Trp
1 5 10 15
Leu Pro Gly Ala Arg Gly
20

<210> 869
<211> 509
<212> PRT
<213> Pan troglodytes

<220>
<223> Precursor PH-20

<300>
<308> GenBank: BAK62198
<309> 2011-08-20

<400> 869
Met Gly Val Leu Lys Phe Lys His Ile Phe Phe Arg Ser Phe Val Lys
1 5 10 15
Ser Ser Gly Val Ser Gln Ile Val Phe Thr Phe Leu Leu Ile Pro Cys
20 25 30
Cys Leu Thr Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro
35 40 45
Phe Leu Trp Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe
50 55 60
Asp Glu Pro Leu Asp Thr Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg
65 70 75 80
Ile Asn Val Thr Gly Gln Asp Val Thr Ile Phe Tyr Val Asp Arg Leu
85 90 95
Gly Tyr Tyr Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly
100 105 110
Gly Ile Pro Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys
115 120 125
Lys Asp Ile Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val
130 135 140
Ile Asp Trp Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro
145 150 155 160
Lys Asp Val Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn
165 170 175

```
Val Gln Leu Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe
            180                 185                 190
Glu Lys Ala Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys
        195                 200                 205
Leu Leu Arg Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys
    210                 215                 220
Tyr Asn His His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn
225                 230                 235                 240
Val Glu Ile Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser
                245                 250                 255
Thr Ala Leu Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val
            260                 265                 270
Ala Ala Thr Leu Tyr Ala Arg Asn Arg Val Gln Glu Ala Ile Arg Val
        275                 280                 285
Ser Lys Ile Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Val Tyr Thr
    290                 295                 300
Arg Ile Val Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu
305                 310                 315                 320
Leu Val Tyr Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile
                325                 330                 335
Val Ile Trp Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu
            340                 345                 350
Leu Leu Asp Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn
        355                 360                 365
Val Thr Leu Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln
    370                 375                 380
Gly Val Cys Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu
385                 390                 395                 400
Asn Pro Asp Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr
                405                 410                 415
Val Arg Gly Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys
            420                 425                 430
Phe Tyr Cys Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp
        435                 440                 445
Val Lys Asp Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Tyr
    450                 455                 460
Ile Asp Ala Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Ser Gln Ile
465                 470                 475                 480
Phe Tyr Asn Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Val
                485                 490                 495
Ser Ile Leu Phe Leu Ile Ile Ser Ser Val Ala Ser Leu
            500                 505


<210> 870
<211> 474
<212> PRT
<213> Pan troglodytes

<220>
<223> Mature PH-20

<400> 870
Leu Asn Phe Arg Ala Pro Pro Val Ile Pro Asn Val Pro Phe Leu Trp
 1               5                  10                  15
Ala Trp Asn Ala Pro Ser Glu Phe Cys Leu Gly Lys Phe Asp Glu Pro
            20                  25                  30
Leu Asp Thr Ser Leu Phe Ser Phe Ile Gly Ser Pro Arg Ile Asn Val
        35                  40                  45
Thr Gly Gln Asp Val Thr Ile Phe Tyr Val Asp Arg Leu Gly Tyr Tyr
    50                  55                  60
Pro Tyr Ile Asp Ser Ile Thr Gly Val Thr Val Asn Gly Gly Ile Pro
65                  70                  75                  80
Gln Lys Ile Ser Leu Gln Asp His Leu Asp Lys Ala Lys Lys Asp Ile
                85                  90                  95
Thr Phe Tyr Met Pro Val Asp Asn Leu Gly Met Ala Val Ile Asp Trp
            100                 105                 110
Glu Glu Trp Arg Pro Thr Trp Ala Arg Asn Trp Lys Pro Lys Asp Val
```

```
        115                 120                 125
Tyr Lys Asn Arg Ser Ile Glu Leu Val Gln Gln Gln Asn Val Gln Leu
    130                 135                 140
Ser Leu Thr Glu Ala Thr Glu Lys Ala Lys Gln Glu Phe Glu Lys Ala
145                 150                 155                 160
Gly Lys Asp Phe Leu Val Glu Thr Ile Lys Leu Gly Lys Leu Leu Arg
                165                 170                 175
Pro Asn His Leu Trp Gly Tyr Tyr Leu Phe Pro Asp Cys Tyr Asn His
            180                 185                 190
His Tyr Lys Lys Pro Gly Tyr Asn Gly Ser Cys Phe Asn Val Glu Ile
        195                 200                 205
Lys Arg Asn Asp Asp Leu Ser Trp Leu Trp Asn Glu Ser Thr Ala Leu
    210                 215                 220
Tyr Pro Ser Ile Tyr Leu Asn Thr Gln Gln Ser Pro Val Ala Ala Thr
225                 230                 235                 240
Leu Tyr Ala Arg Asn Arg Val Gln Glu Ala Ile Arg Val Ser Lys Ile
                245                 250                 255
Pro Asp Ala Lys Ser Pro Leu Pro Val Phe Val Tyr Thr Arg Ile Val
            260                 265                 270
Phe Thr Asp Gln Val Leu Lys Phe Leu Ser Gln Asp Glu Leu Val Tyr
        275                 280                 285
Thr Phe Gly Glu Thr Val Ala Leu Gly Ala Ser Gly Ile Val Ile Trp
    290                 295                 300
Gly Thr Leu Ser Ile Met Arg Ser Met Lys Ser Cys Leu Leu Leu Asp
305                 310                 315                 320
Asn Tyr Met Glu Thr Ile Leu Asn Pro Tyr Ile Ile Asn Val Thr Leu
                325                 330                 335
Ala Ala Lys Met Cys Ser Gln Val Leu Cys Gln Glu Gln Gly Val Cys
            340                 345                 350
Ile Arg Lys Asn Trp Asn Ser Ser Asp Tyr Leu His Leu Asn Pro Asp
        355                 360                 365
Asn Phe Ala Ile Gln Leu Glu Lys Gly Gly Lys Phe Thr Val Arg Gly
    370                 375                 380
Lys Pro Thr Leu Glu Asp Leu Glu Gln Phe Ser Glu Lys Phe Tyr Cys
385                 390                 395                 400
Ser Cys Tyr Ser Thr Leu Ser Cys Lys Glu Lys Ala Asp Val Lys Asp
                405                 410                 415
Thr Asp Ala Val Asp Val Cys Ile Ala Asp Gly Val Tyr Ile Asp Ala
            420                 425                 430
Phe Leu Lys Pro Pro Met Glu Thr Glu Glu Ser Gln Ile Phe Tyr Asn
        435                 440                 445
Ala Ser Pro Ser Thr Leu Ser Ala Thr Met Phe Ile Val Ser Ile Leu
    450                 455                 460
Phe Leu Ile Ile Ser Ser Val Ala Ser Leu
465                 470


<210> 871
<211> 450
<212> PRT
<213> Bos taurus

<220>
<223> hyaluronidase

<400> 871
Met Arg Pro Phe Ser Leu Glu Val Ser Leu His Leu Pro Trp Ala Met
 1               5                  10                  15
Ala Ala His Leu Leu Pro Val Cys Thr Leu Phe Leu Asn Leu Leu Ser
            20                  25                  30
Met Thr Gln Gly Ser Arg Asp Pro Val Val Pro Asn Gln Pro Phe Thr
        35                  40                  45
Thr Ile Trp Asn Ala Asn Thr Glu Trp Cys Met Lys Lys His Gly Val
    50                  55                  60
Asp Val Asp Ile Ser Ile Phe Asp Val Val Thr Asn Pro Gly Gln Thr
65                  70                  75                  80
Phe Arg Gly Pro Asn Met Thr Ile Phe Tyr Ser Ser Gln Leu Gly Thr
                85                  90                  95
```

```
Tyr Pro Tyr Tyr Thr Ser Ala Gly Glu Pro Val Phe Gly Gly Leu Pro
            100                 105                 110
Gln Asn Ala Ser Leu Asn Ala His Leu Ala Arg Thr Phe Gln Asp Ile
        115                 120                 125
Leu Ala Ala Met Pro Glu Pro Arg Phe Ser Gly Leu Ala Val Ile Asp
    130                 135                 140
Trp Glu Ala Trp Arg Pro Arg Trp Ala Phe Asn Trp Asp Thr Lys Asp
145                 150                 155                 160
Ile Tyr Arg Gln Arg Ser Arg Ala Leu Val Gln Lys Gln His Pro Asp
                165                 170                 175
Trp Leu Ala Pro Arg Val Glu Ala Ala Ala Gln Asp Gln Phe Glu Gly
            180                 185                 190
Ala Ala Glu Glu Trp Met Ala Gly Thr Leu Lys Leu Gly Gln Ala Leu
        195                 200                 205
Arg Pro Gln Gly Leu Trp Gly Phe Tyr Asn Phe Pro Glu Cys Tyr Asn
    210                 215                 220
Tyr Asp Phe Lys Ser Pro Asn Tyr Thr Gly Arg Cys Pro Leu Asn Ile
225                 230                 235                 240
Cys Ala Gln Asn Asp Gln Leu Gly Trp Leu Trp Gly Gln Ser Arg Ala
                245                 250                 255
Leu Tyr Pro Ser Ile Tyr Leu Pro Ala Ala Leu Glu Gly Thr Lys Lys
            260                 265                 270
Thr Gln Met Phe Val Gln His Arg Val Ala Glu Ala Phe Arg Val Ala
        275                 280                 285
Ala Gly Ala Gly Asp Pro Lys Leu Pro Val Leu Pro Tyr Met Gln Leu
    290                 295                 300
Phe Tyr Asp Met Thr Asn His Phe Leu Pro Ala Glu Glu Leu Glu His
305                 310                 315                 320
Ser Leu Gly Glu Ser Ala Ala Gln Gly Ala Ala Gly Val Val Leu Trp
                325                 330                 335
Val Ser Trp Leu Ser Thr Ser Thr Lys Glu Ser Cys Gln Ala Ile Lys
            340                 345                 350
Glu Tyr Val Asp Thr Thr Leu Gly Pro Ser Ile Leu Asn Val Thr Ser
        355                 360                 365
Gly Ala Arg Leu Cys Ser Gln Val Leu Cys Ser Gly His Gly Arg Cys
    370                 375                 380
Ala Arg Arg Pro Ser Tyr Pro Lys Ala Arg Leu Ile Leu Asn Ser Thr
385                 390                 395                 400
Ser Phe Ser Ile Lys Pro Thr Pro Gly Gly Gly Pro Leu Thr Leu Gln
                405                 410                 415
Gly Ala Leu Ser Leu Glu Asp Arg Leu Arg Met Ala Val Glu Phe Glu
            420                 425                 430
Cys Arg Cys Tyr Arg Gly Trp Arg Gly Thr Arg Cys Glu Gln Trp Gly
        435                 440                 445
Met Trp
    450
```

<210> 872
<211> 331
<212> PRT
<213> Vespula vulgaris

<220>
<223> hyaluronidase A

<400> 872

```
Ser Glu Arg Pro Lys Arg Val Phe Asn Ile Tyr Trp Asn Val Pro Thr
 1               5                  10                  15
Phe Met Cys His Gln Tyr Asp Leu Tyr Phe Asp Glu Val Thr Asn Phe
            20                  25                  30
Asn Ile Lys Arg Asn Ser Lys Asp Asp Phe Gln Gly Asp Lys Ile Ala
        35                  40                  45
Ile Phe Tyr Asp Pro Gly Glu Phe Pro Ala Leu Leu Ser Leu Lys Asp
    50                  55                  60
Gly Lys Tyr Lys Lys Arg Asn Gly Gly Val Pro Gln Glu Gly Asn Ile
65                  70                  75                  80
Thr Ile His Leu Gln Lys Phe Ile Glu Asn Leu Asp Lys Ile Tyr Pro
```

```
                85                  90                  95
Asn Arg Asn Phe Ser Gly Ile Gly Val Ile Asp Phe Glu Arg Trp Arg
            100                 105                 110
Pro Ile Phe Arg Gln Asn Trp Gly Asn Met Lys Ile His Lys Asn Phe
        115                 120                 125
Ser Ile Asp Leu Val Arg Asn Glu His Pro Thr Trp Asn Lys Lys Met
    130                 135                 140
Ile Glu Leu Glu Ala Ser Lys Arg Phe Glu Lys Tyr Ala Arg Phe Phe
145                 150                 155                 160
Met Glu Glu Thr Leu Lys Leu Ala Lys Lys Thr Arg Lys Gln Ala Asp
                165                 170                 175
Trp Gly Tyr Tyr Gly Tyr Pro Tyr Cys Phe Asn Met Ser Pro Asn Asn
            180                 185                 190
Leu Val Pro Glu Cys Asp Val Thr Ala Met His Glu Asn Asp Lys Met
        195                 200                 205
Ser Trp Leu Phe Asn Asn Gln Asn Val Leu Leu Pro Ser Val Tyr Val
    210                 215                 220
Arg Gln Glu Leu Thr Pro Asp Gln Arg Ile Gly Leu Val Gln Gly Arg
225                 230                 235                 240
Val Lys Glu Ala Val Arg Ile Ser Asn Asn Leu Lys His Ser Pro Lys
                245                 250                 255
Val Leu Ser Tyr Trp Trp Tyr Val Tyr Gln Asp Glu Thr Asn Thr Phe
            260                 265                 270
Leu Thr Glu Thr Asp Val Lys Lys Thr Phe Gln Glu Ile Val Ile Asn
        275                 280                 285
Gly Gly Asp Gly Ile Ile Ile Trp Gly Ser Ser Ser Asp Val Asn Ser
    290                 295                 300
Leu Ser Lys Cys Lys Arg Leu Gln Asp Tyr Leu Leu Thr Val Leu Gly
305                 310                 315                 320
Pro Ile Ala Ile Asn Val Thr Glu Ala Val Asn
                325                 330
```

<210> 873
<211> 340
<212> PRT
<213> Vespula vulgaris

<220>
<223> hyaluronidase B

<400> 873

```
Asp Arg Thr Ile Trp Pro Lys Lys Gly Phe Ser Ile Tyr Trp Asn Ile
 1               5                  10                  15
Pro Thr His Phe Cys His Asn Phe Gly Val Tyr Phe Lys Glu Leu Lys
            20                  25                  30
Gln Phe Asn Ile Lys Tyr Asn Ser Met Asn Asn Phe Arg Gly Glu Thr
        35                  40                  45
Ile Ser Leu Phe Tyr Asp Pro Gly Asn Phe Pro Ser Met Val Leu Leu
    50                  55                  60
Lys Asn Gly Thr Tyr Glu Ile Arg Asn Glu Gly Val Pro Gln Lys Gly
65                  70                  75                  80
Asn Leu Thr Ile His Leu Glu Gln Phe Thr Lys Glu Leu Asp Glu Ile
                85                  90                  95
Tyr Pro Lys Lys Ile Ala Gly Gly Ile Gly Val Ile His Phe His Asn
            100                 105                 110
Trp Arg Pro Ile Phe Arg Arg Asn Val Asp Asn Leu Lys Ile Asn Lys
        115                 120                 125
Asp Ile Ser Ile Asp Leu Val Arg Lys Glu His Pro Lys Trp Asp Lys
    130                 135                 140
Ser Met Ile Glu Lys Glu Ala Ser Asn Arg Phe Glu Thr Ser Ala Lys
145                 150                 155                 160
Ile Phe Met Glu Lys Thr Leu Lys Leu Ala Lys Glu Ile Arg Lys Lys
                165                 170                 175
Thr Glu Trp Gly Tyr His Gly Tyr Pro His Cys Leu Ser Gly Ser Thr
            180                 185                 190
Asp Lys Pro Ser Phe Asp Cys Asp Ala Leu Ser Met Ser Glu Asn Asp
        195                 200                 205
```

Lys Met Ser Trp Leu Phe Asn Asn Gln Asn Val Leu Leu Pro Ser Ile
210 215 220
Tyr Leu Lys Asn Val Leu Lys Pro Asp Glu Lys Ile His Leu Val Gln
225 230 235 240
Glu Arg Leu Lys Glu Ala Ile Arg Ile Ser Lys Asn Phe Lys His Leu
245 250 255
Pro Lys Val Leu Pro Tyr Trp Trp Tyr Thr Tyr Gln Asp Lys Glu Ser
260 265 270
Ile Phe Leu Thr Glu Ala Asp Val Lys Asn Thr Phe Lys Glu Ile Leu
275 280 285
Thr Asn Gly Ala Asp Gly Ile Ile Ile Trp Gly Val Ser Tyr Glu Leu
290 295 300
Thr Asp Arg Lys Arg Cys Glu Lys Leu Lys Glu Tyr Leu Met Lys Ile
305 310 315 320
Leu Gly Pro Ile Ala Phe Lys Val Thr Lys Ala Val Lys Glu Asn Thr
325 330 335
Pro Leu Asn Phe
340

<210> 874
<211> 382
<212> PRT
<213> Apis mellifera

<220>
<223> hyaluronidase

<400> 874
Met Ser Arg Pro Leu Val Ile Thr Glu Gly Met Met Ile Gly Val Leu
1 5 10 15
Leu Met Leu Ala Pro Ile Asn Ala Leu Leu Leu Gly Phe Val Gln Ser
20 25 30
Thr Pro Asp Asn Asn Lys Thr Val Arg Glu Phe Asn Val Tyr Trp Asn
35 40 45
Val Pro Thr Phe Met Cys His Lys Tyr Gly Leu Arg Phe Glu Glu Val
50 55 60
Ser Glu Lys Tyr Gly Ile Leu Gln Asn Trp Met Asp Lys Phe Arg Gly
65 70 75 80
Glu Glu Ile Ala Ile Leu Tyr Asp Pro Gly Met Phe Pro Ala Leu Leu
85 90 95
Lys Asp Pro Asn Gly Asn Val Val Ala Arg Asn Gly Gly Val Pro Gln
100 105 110
Leu Gly Asn Leu Thr Lys His Leu Gln Val Phe Arg Asp His Leu Ile
115 120 125
Asn Gln Ile Pro Asp Lys Ser Phe Pro Gly Val Gly Val Ile Asp Phe
130 135 140
Glu Ser Trp Arg Pro Ile Phe Arg Gln Asn Trp Ala Ser Leu Gln Pro
145 150 155 160
Tyr Lys Lys Leu Ser Val Glu Val Val Arg Arg Glu His Pro Phe Trp
165 170 175
Asp Asp Gln Arg Val Glu Gln Glu Ala Lys Arg Arg Phe Glu Lys Tyr
180 185 190
Gly Gln Leu Phe Met Glu Glu Thr Leu Lys Ala Ala Lys Arg Met Arg
195 200 205
Pro Ala Ala Asn Trp Gly Tyr Tyr Ala Tyr Pro Tyr Cys Tyr Asn Leu
210 215 220
Thr Pro Asn Gln Pro Ser Ala Gln Cys Glu Ala Thr Thr Met Gln Glu
225 230 235 240
Asn Asp Lys Met Ser Trp Leu Phe Glu Ser Glu Asp Val Leu Leu Pro
245 250 255
Ser Val Tyr Leu Arg Trp Asn Leu Thr Ser Gly Glu Arg Val Gly Leu
260 265 270
Val Gly Gly Arg Val Lys Glu Ala Leu Arg Ile Ala Arg Gln Met Thr
275 280 285
Thr Ser Arg Lys Lys Val Leu Pro Tyr Tyr Trp Tyr Lys Tyr Gln Asp
290 295 300
Arg Arg Asp Thr Asp Leu Ser Arg Ala Asp Leu Glu Ala Thr Leu Arg

305 310 315 320
Lys Ile Thr Asp Leu Gly Ala Asp Gly Phe Ile Ile Trp Gly Ser Ser
325 330 335
Asp Asp Ile Asn Thr Lys Ala Lys Cys Leu Gln Phe Arg Glu Tyr Leu
340 345 350
Asn Asn Glu Leu Gly Pro Ala Val Lys Arg Ile Ala Leu Asn Asn Asn
355 360 365
Ala Asn Asp Arg Leu Thr Val Asp Val Ser Val Asp Gln Val
370 375 380

<210> 875
<211> 331
<212> PRT
<213> Dolichovespula maculata

<220>
<223> hyaluronidase

<400> 875
Ser Glu Arg Pro Lys Arg Val Phe Asn Ile Tyr Trp Asn Val Pro Thr
1 5 10 15
Phe Met Cys His Gln Tyr Gly Leu Tyr Phe Asp Glu Val Thr Asn Phe
20 25 30
Asn Ile Lys His Asn Ser Lys Asp Asp Phe Gln Gly Asp Lys Ile Ser
35 40 45
Ile Phe Tyr Asp Pro Gly Glu Phe Pro Ala Leu Leu Pro Leu Lys Glu
50 55 60
Gly Asn Tyr Lys Ile Arg Asn Gly Gly Val Pro Gln Glu Gly Asn Ile
65 70 75 80
Thr Ile His Leu Gln Arg Phe Ile Glu Asn Leu Asp Lys Thr Tyr Pro
85 90 95
Asn Arg Asn Phe Asn Gly Ile Gly Val Ile Asp Phe Glu Arg Trp Arg
100 105 110
Pro Ile Phe Arg Gln Asn Trp Gly Asn Met Met Ile His Lys Lys Phe
115 120 125
Ser Ile Asp Leu Val Arg Asn Glu His Pro Phe Trp Asp Lys Lys Met
130 135 140
Ile Glu Leu Glu Ala Ser Lys Arg Phe Glu Lys Tyr Ala Arg Leu Phe
145 150 155 160
Met Glu Glu Thr Leu Lys Leu Ala Lys Lys Thr Arg Lys Gln Ala Asp
165 170 175
Trp Gly Tyr Tyr Gly Tyr Pro Tyr Cys Phe Asn Met Ser Pro Asn Asn
180 185 190
Leu Val Pro Asp Cys Asp Ala Thr Ala Met Leu Glu Asn Asp Lys Met
195 200 205
Ser Trp Leu Phe Asn Asn Gln Asn Val Leu Leu Pro Ser Val Tyr Ile
210 215 220
Arg His Glu Leu Thr Pro Asp Gln Arg Val Gly Leu Val Gln Gly Arg
225 230 235 240
Val Lys Glu Ala Val Arg Ile Ser Asn Asn Leu Lys His Ser Pro Lys
245 250 255
Val Leu Ser Tyr Trp Trp Tyr Val Tyr Gln Asp Asp Thr Asn Thr Phe
260 265 270
Leu Thr Glu Thr Asp Val Lys Lys Thr Phe Gln Glu Ile Ala Ile Asn
275 280 285
Gly Gly Asp Gly Ile Ile Ile Trp Gly Ser Ser Asp Val Asn Ser
290 295 300
Leu Ser Lys Cys Lys Arg Leu Arg Glu Tyr Leu Leu Thr Val Leu Gly
305 310 315 320
Pro Ile Thr Val Asn Val Thr Glu Thr Val Asn
325 330

<210> 876
<211> 367
<212> PRT
<213> Polistes annularis

<220>
<223> hyaluronidase

<400> 876
Tyr Val Ser Leu Ser Pro Asp Ser Val Phe Asn Ile Ile Thr Asp Asp
 1   5   10   15
Ile Ser His Gln Ile Leu Ser Arg Ser Asn Cys Glu Arg Ser Lys Arg
            20   25   30
Pro Lys Arg Val Phe Ser Ile Tyr Trp Asn Val Pro Thr Phe Met Cys
        35   40   45
His Gln Tyr Gly Met Asn Phe Asp Glu Val Thr Asp Phe Asn Ile Lys
    50   55   60
His Asn Ser Lys Asp Asn Phe Arg Gly Glu Thr Ile Ser Ile Tyr Tyr
65   70   75   80
Asp Pro Gly Lys Phe Pro Ala Leu Met Pro Leu Lys Asn Gly Asn Tyr
                85   90   95
Glu Glu Arg Asn Gly Gly Val Pro Gln Arg Gly Asn Ile Thr Ile His
            100   105   110
Leu Gln Gln Phe Asn Glu Asp Leu Asp Lys Met Thr Pro Asp Lys Asn
        115   120   125
Phe Gly Gly Ile Gly Val Ile Asp Phe Glu Arg Trp Lys Pro Ile Phe
    130   135   140
Arg Gln Asn Trp Gly Asn Thr Glu Ile His Lys Lys Tyr Ser Ile Glu
145   150   155   160
Leu Val Arg Lys Glu His Pro Lys Trp Ser Glu Ser Met Ile Glu Ala
                165   170   175
Glu Ala Thr Lys Lys Phe Glu Lys Tyr Ala Arg Tyr Phe Met Glu Glu
            180   185   190
Thr Leu Lys Leu Ala Lys Lys Thr Arg Lys Arg Ala Lys Trp Gly Tyr
        195   200   205
Tyr Gly Phe Pro Tyr Cys Tyr Asn Val Thr Pro Asn Asn Pro Gly Pro
    210   215   220
Asp Cys Asp Ala Lys Ala Thr Ile Glu Asn Asp Arg Leu Ser Trp Met
225   230   235   240
Tyr Asn Asn Gln Glu Ile Leu Phe Pro Ser Val Tyr Val Arg His Glu
                245   250   255
Gln Lys Pro Glu Glu Arg Val Tyr Leu Val Gln Gly Arg Ile Lys Glu
            260   265   270
Ala Val Arg Ile Ser Asn Asn Leu Glu His Ser Pro Ser Val Leu Ala
        275   280   285
Tyr Trp Trp Tyr Val Tyr Gln Asp Lys Met Asp Ile Tyr Leu Ser Glu
    290   295   300
Thr Asp Val Glu Lys Thr Phe Gln Glu Ile Val Thr Asn Gly Gly Asp
305   310   315   320
Gly Ile Ile Ile Trp Gly Ser Ser Ser Asp Val Asn Ser Leu Ser Lys
                325   330   335
Cys Lys Arg Leu Arg Glu Tyr Leu Leu Asn Thr Leu Gly Pro Phe Ala
            340   345   350
Val Asn Val Thr Glu Thr Val Asn Gly Arg Ser Ser Leu Asn Phe
        355   360   365

<210> 877
<211> 462
<212> PRT
<213> Mus musculus

<220>
<223> hyaluronidase

<400> 877
Met Leu Gly Leu Thr Gln His Ala Gln Lys Val Trp Arg Met Lys Pro
 1   5   10   15
Phe Ser Pro Glu Val Ser Pro Gly Ser Ser Pro Ala Thr Ala Gly His
            20   25   30
Leu Leu Arg Ile Ser Thr Leu Phe Leu Thr Leu Leu Glu Leu Ala Gln
        35   40   45

Val Cys Arg Gly Ser Val Val Ser Asn Arg Pro Phe Ile Thr Val Trp
    50   55   60
Asn Gly Asp Thr His Trp Cys Leu Thr Glu Tyr Gly Val Asp Val Asp
65   70   75   80
Val Ser Val Phe Asp Val Val Ala Asn Lys Glu Gln Ser Phe Gln Gly
                85   90   95
Ser Asn Met Thr Ile Phe Tyr Arg Glu Glu Leu Gly Thr Tyr Pro Tyr
            100   105   110
Tyr Thr Pro Thr Gly Glu Pro Val Phe Gly Gly Leu Pro Gln Asn Ala
        115   120   125
Ser Leu Val Thr His Leu Ala His Thr Phe Gln Asp Ile Lys Ala Ala
    130   135   140
Met Pro Glu Pro Asp Phe Ser Gly Leu Ala Val Ile Asp Trp Glu Ala
145   150   155   160
Trp Arg Pro Arg Trp Ala Phe Asn Trp Asp Ser Lys Asp Ile Tyr Arg
                165   170   175
Gln Arg Ser Met Glu Leu Val Gln Ala Glu His Pro Asp Trp Pro Glu
            180   185   190
Thr Leu Val Glu Ala Ala Ala Lys Asn Gln Phe Gln Glu Ala Ala Glu
        195   200   205
Ala Trp Met Ala Gly Thr Leu Gln Leu Gly Gln Val Leu Arg Pro Arg
    210   215   220
Gly Leu Trp Gly Tyr Tyr Gly Phe Pro Asp Cys Tyr Asn Asn Asp Phe
225   230   235   240
Leu Ser Leu Asn Tyr Thr Gly Gln Cys Pro Val Phe Val Arg Asp Gln
                245   250   255
Asn Asp Gln Leu Gly Trp Leu Trp Asn Gln Ser Tyr Ala Leu Tyr Pro
            260   265   270
Ser Ile Tyr Leu Pro Ala Ala Leu Met Gly Thr Gly Lys Ser Gln Met
        275   280   285
Tyr Val Arg His Arg Val Gln Glu Ala Leu Arg Val Ala Ile Val Ser
    290   295   300
Arg Asp Pro His Val Pro Val Met Pro Tyr Val Gln Ile Phe Tyr Glu
305   310   315   320
Met Thr Asp Tyr Leu Leu Pro Leu Glu Glu Leu Glu His Ser Leu Gly
                325   330   335
Glu Ser Ala Ala Gln Gly Val Ala Gly Ala Val Leu Trp Leu Ser Ser
            340   345   350
Asp Lys Thr Ser Thr Lys Glu Ser Cys Gln Ala Ile Lys Ala Tyr Met
        355   360   365
Asp Ser Thr Leu Gly Pro Phe Ile Val Asn Val Thr Ser Ala Ala Leu
    370   375   380
Leu Cys Ser Glu Ala Leu Cys Ser Gly His Gly Arg Cys Val Arg His
385   390   395   400
Pro Ser Tyr Pro Glu Ala Leu Leu Thr Leu Asn Pro Ala Ser Phe Ser
                405   410   415
Ile Glu Leu Thr His Asp Gly Arg Pro Pro Ser Leu Lys Gly Thr Leu
            420   425   430
Ser Leu Lys Asp Arg Ala Gln Met Ala Met Lys Phe Arg Cys Arg Cys
        435   440   445
Tyr Arg Gly Trp Arg Gly Lys Trp Cys Asp Lys Arg Gly Met
    450   455   460

<210> 878
<211> 473
<212> PRT
<213> Mus musculus

<220>
<223> Hyaluronidase 2

<400> 878
Met Arg Ala Gly Leu Gly Pro Ile Ile Thr Leu Ala Leu Val Leu Glu
 1   5   10   15
Val Ala Trp Ala Gly Glu Leu Lys Pro Thr Ala Pro Pro Ile Phe Thr
            20   25   30
Gly Arg Pro Phe Val Val Ala Trp Asn Val Pro Thr Gln Glu Cys Ala

```
        35                  40                  45
Pro Arg His Lys Val Pro Leu Asp Leu Arg Ala Phe Asp Val Lys Ala
    50                  55                  60
Thr Pro Asn Glu Gly Phe Phe Asn Gln Asn Ile Thr Thr Phe Tyr Tyr
65                  70                  75                  80
Asp Arg Leu Gly Leu Tyr Pro Arg Phe Asp Ala Ala Gly Thr Ser Val
                85                  90                  95
His Gly Gly Val Pro Gln Asn Gly Ser Leu Cys Ala His Leu Pro Met
            100                 105                 110
Leu Lys Glu Ser Val Glu Arg Tyr Ile Gln Thr Gln Glu Pro Gly Gly
        115                 120                 125
Leu Ala Val Ile Asp Trp Glu Glu Trp Arg Pro Val Trp Val Arg Asn
    130                 135                 140
Trp Gln Glu Lys Asp Val Tyr Arg Gln Ser Ser Arg Gln Leu Val Ala
145                 150                 155                 160
Ser Arg His Pro Asp Trp Pro Ser Asp Arg Val Met Lys Gln Ala Gln
                165                 170                 175
Tyr Glu Phe Glu Phe Ala Ala Arg Gln Phe Met Leu Asn Thr Leu Arg
            180                 185                 190
Tyr Val Lys Ala Val Arg Pro Gln His Leu Trp Gly Phe Tyr Leu Phe
        195                 200                 205
Pro Asp Cys Tyr Asn His Asp Tyr Val Gln Asn Trp Glu Ser Tyr Thr
    210                 215                 220
Gly Arg Cys Pro Asp Val Glu Val Ala Arg Asn Asp Gln Leu Ala Trp
225                 230                 235                 240
Leu Trp Ala Glu Ser Thr Ala Leu Phe Pro Ser Val Tyr Leu Asp Glu
                245                 250                 255
Thr Leu Ala Ser Ser Val His Ser Arg Asn Phe Val Ser Phe Arg Val
            260                 265                 270
Arg Glu Ala Leu Arg Val Ala His Thr His His Ala Asn His Ala Leu
        275                 280                 285
Pro Val Tyr Val Phe Thr Arg Pro Thr Tyr Thr Arg Gly Leu Thr Gly
    290                 295                 300
Leu Ser Gln Val Asp Leu Ile Ser Thr Ile Gly Glu Ser Ala Ala Leu
305                 310                 315                 320
Gly Ser Ala Gly Val Ile Phe Trp Gly Asp Ser Glu Asp Ala Ser Ser
                325                 330                 335
Met Glu Thr Cys Gln Tyr Leu Lys Asn Tyr Leu Thr Gln Leu Leu Val
            340                 345                 350
Pro Tyr Ile Val Asn Val Ser Trp Ala Thr Gln Tyr Cys Ser Trp Thr
        355                 360                 365
Gln Cys His Gly His Gly Arg Cys Val Arg Arg Asn Pro Ser Ala Asn
    370                 375                 380
Thr Phe Leu His Leu Asn Ala Ser Ser Phe Arg Leu Val Pro Gly His
385                 390                 395                 400
Thr Pro Ser Glu Pro Gln Leu Arg Pro Glu Gly Gln Leu Ser Glu Ala
                405                 410                 415
Asp Leu Asn Tyr Leu Gln Lys His Phe Arg Cys Gln Cys Tyr Leu Gly
            420                 425                 430
Trp Gly Gly Glu Gln Cys Gln Arg Asn Tyr Lys Gly Ala Ala Gly Asn
        435                 440                 445
Ala Ser Arg Ala Trp Ala Gly Ser His Leu Thr Ser Leu Leu Gly Leu
    450                 455                 460
Val Ala Val Ala Leu Thr Trp Thr Leu
465                 470


<210> 879
<211> 412
<212> PRT
<213> Mus musculus

<220>
<223> hyaluronidase 3

<400> 879
Met Ile Met His Leu Gly Leu Met Met Val Val Gly Leu Thr Leu Cys
 1               5                  10                  15
```

```
Leu Met His Gly Gln Ala Leu Leu Gln Val Pro Glu His Pro Phe Ser
            20                  25                  30
Val Val Trp Asn Val Pro Ser Ala Arg Cys Lys Ala His Phe Gly Val
        35                  40                  45
His Leu Pro Leu Asp Ala Leu Gly Ile Val Ala Asn His Gly Gln His
    50                  55                  60
Phe His Gly Gln Asn Ile Ser Ile Phe Tyr Lys Asn Gln Phe Gly Leu
65                  70                  75                  80
Tyr Pro Tyr Phe Gly Pro Arg Gly Thr Ala His Asn Gly Gly Ile Pro
                85                  90                  95
Gln Ala Val Ser Leu Asp His His Leu Ala Arg Ala Ala His Gln Ile
            100                 105                 110
Leu His Ser Leu Gly Ser Ser Phe Ala Gly Leu Ala Val Leu Asp Trp
        115                 120                 125
Glu Glu Trp Tyr Pro Leu Trp Ala Gly Asn Trp Gly Pro His Arg Gln
    130                 135                 140
Val Tyr Leu Ala Ala Ser Trp Val Trp Thr Gln Gln Met Phe Pro Gly
145                 150                 155                 160
Leu Asp Pro Gln Glu Gln Leu His Lys Ala His Thr Ser Phe Glu Gln
                165                 170                 175
Ala Ala Arg Ala Leu Met Glu Tyr Thr Leu Gln Leu Gly Arg Thr Leu
            180                 185                 190
Arg Pro Ser Gly Leu Trp Gly Phe Tyr Arg Tyr Pro Ala Cys Gly Asn
        195                 200                 205
Gly Trp His Lys Met Ala Ser Asn Tyr Thr Gly His Cys His Ala Ala
    210                 215                 220
Ile Thr Thr Gln Asn Thr Gln Leu Arg Trp Leu Trp Ala Ala Ser Ser
225                 230                 235                 240
Ala Leu Phe Pro Ser Ile Tyr Leu Pro Pro Arg Leu Pro Leu Ala Tyr
                245                 250                 255
Arg Gln Ala Phe Val Arg His Arg Leu Glu Glu Ala Phe Arg Val Ala
            260                 265                 270
Leu Leu Glu His Ser His Pro Leu Pro Val Leu Ala Tyr Ser Arg Leu
        275                 280                 285
Thr His Arg Ser Ser Gly Arg Phe Leu Ser Leu Asp Asp Leu Met Gln
    290                 295                 300
Thr Ile Gly Val Ser Ala Ala Leu Gly Thr Ala Gly Val Val Leu Trp
305                 310                 315                 320
Gly Asp Leu Ser Phe Ser Ser Ser Glu Glu Lys Cys Trp Arg Leu His
                325                 330                 335
Asp Tyr Leu Val Gly Thr Leu Gly Pro Tyr Val Ile Asn Val Thr Lys
            340                 345                 350
Ala Asp Met Ala Cys Ser His Gln Arg Cys His Gly His Gly Arg Cys
        355                 360                 365
Ala Arg Lys Asp Pro Gly Gln Met Glu Ala Phe Leu His Leu Gln Pro
    370                 375                 380
Asp Asp Ser Leu Gly Ala Trp Asn Ser Phe Arg Cys His Cys Tyr Ser
385                 390                 395                 400
Gly Trp Ala Gly Pro Thr Cys Leu Glu Pro Lys Pro
                405                 410
```

<210> 880
<211> 435
<212> PRT
<213> Sus scrofa

<220>
<223> hyaluronidase

<400> 880

```
Met Ala Ala His Leu Leu Pro Ile Cys Thr Leu Phe Leu Asn Leu Leu
 1               5                  10                  15
Ser Val Ala Gln Gly Ser Arg Asp Pro Val Val Leu Asn Arg Pro Phe
            20                  25                  30
Thr Thr Ile Trp Asn Ala Asn Thr Gln Trp Cys Leu Lys Arg His Gly
        35                  40                  45
Val Asp Val Asp Val Ser Val Phe Glu Val Val Val Asn Pro Gly Gln
```

```
    50                  55                  60
Thr Phe Arg Gly Pro Asn Met Thr Ile Phe Tyr Ser Ser Gln Leu Gly
65                  70                  75                  80
Thr Tyr Pro Tyr Tyr Thr Ser Ala Gly Glu Pro Val Phe Gly Gly Leu
                85                  90                  95
Pro Gln Asn Ala Ser Leu Asp Val His Leu Asn Arg Thr Phe Lys Asp
            100                 105                 110
Ile Leu Ala Ala Met Pro Glu Ser Asn Phe Ser Gly Leu Ala Val Ile
        115                 120                 125
Asp Trp Glu Ala Trp Arg Pro Arg Trp Ala Phe Asn Trp Asp Ala Lys
    130                 135                 140
Asp Ile Tyr Arg Gln Arg Ser Arg Ala Leu Val Gln Lys Gln His Pro
145                 150                 155                 160
Asp Trp Pro Ala Pro Trp Val Glu Ala Ala Ala Gln Asp Gln Phe Gln
                165                 170                 175
Glu Ala Ala Gln Thr Trp Met Ala Gly Thr Leu Lys Leu Gly Gln Thr
            180                 185                 190
Leu Arg Pro His Gly Leu Trp Gly Phe Tyr Gly Phe Pro Asp Cys Tyr
        195                 200                 205
Asn Tyr Asp Phe Gln Ser Ser Asn Tyr Thr Gly Gln Cys Pro Pro Gly
    210                 215                 220
Val Ser Ala Gln Asn Asp Gln Leu Gly Trp Leu Trp Gly Gln Ser Arg
225                 230                 235                 240
Ala Leu Tyr Pro Ser Ile Tyr Leu Pro Ser Ala Leu Glu Gly Thr Asn
                245                 250                 255
Lys Thr Gln Leu Tyr Val Gln His Arg Val Asn Glu Ala Phe Arg Val
            260                 265                 270
Ala Ala Ala Ala Gly Asp Pro Asn Leu Pro Val Leu Pro Tyr Ala Gln
        275                 280                 285
Ile Phe His Asp Met Thr Asn Arg Leu Leu Ser Arg Glu Glu Leu Glu
    290                 295                 300
His Ser Leu Gly Glu Ser Ala Ala Gln Gly Ala Ala Gly Val Val Leu
305                 310                 315                 320
Trp Val Ser Trp Glu Asn Thr Arg Thr Lys Glu Ser Cys Gln Ser Ile
                325                 330                 335
Lys Glu Tyr Val Asp Thr Thr Leu Gly Pro Phe Ile Leu Asn Val Thr
            340                 345                 350
Ser Gly Ala Leu Leu Cys Ser Gln Ala Val Cys Ser Gly His Gly Arg
        355                 360                 365
Cys Val Arg Arg Pro Ser His Thr Glu Ala Leu Pro Ile Leu Asn Pro
    370                 375                 380
Ser Ser Phe Ser Ile Lys Pro Thr Pro Gly Gly Gly Pro Leu Thr Leu
385                 390                 395                 400
Gln Gly Ala Leu Ser Leu Lys Asp Arg Val Gln Met Ala Glu Glu Phe
                405                 410                 415
Gln Cys Arg Cys Tyr Pro Gly Trp Arg Gly Thr Trp Cys Glu Gln Gln
            420                 425                 430
Gly Thr Arg
        435


<210> 881
<211> 419
<212> PRT
<213> Sus scrofa

<220>
<223> hyaluronidase 3

<400> 881
Met Thr Met Gln Leu Gly Leu Ala Leu Val Leu Gly Val Ala Met Cys
 1                  5                  10                  15
Leu Gly Cys Gly Gln Pro Leu Leu Arg Ala Pro Glu Arg Pro Phe Cys
            20                  25                  30
Val Leu Trp Asn Val Pro Ser Ala Arg Cys Lys Ala Arg Phe Gly Val
        35                  40                  45
His Leu Pro Leu Glu Ala Leu Gly Ile Thr Ala Asn His Gly Gln Arg
    50                  55                  60
```

Phe His Gly Gln Asn Ile Thr Ile Phe Tyr Lys Ser Gln Leu Gly Leu
65 70 75 80
Tyr Pro Tyr Phe Gly Pro Arg Gly Thr Ala His Asn Gly Gly Ile Pro
85 90 95
Gln Ala Val Ser Leu Asp His His Leu Ala Arg Ala Ala Tyr Gln Ile
100 105 110
His Arg Ser Leu Arg Pro Gly Phe Thr Gly Leu Ala Val Leu Asp Trp
115 120 125
Glu Glu Trp Cys Pro Leu Trp Ala Gly Asn Trp Gly Arg Arg Gln Ala
130 135 140
Tyr Gln Ala Ala Ser Cys Ala Trp Ala Gln Arg Val Tyr Pro Asn Leu
145 150 155 160
Asp Pro Gln Glu Gln Leu Cys Lys Ala Arg Ala Gly Phe Glu Glu Ala
165 170 175
Ala Arg Ala Leu Met Glu Asp Thr Leu Arg Leu Gly Arg Met Leu Arg
180 185 190
Pro His Gly Leu Trp Gly Phe Tyr His Tyr Pro Ala Cys Gly Asn Gly
195 200 205
Trp His Gly Thr Ala Ser Asn Tyr Thr Gly His Cys His Ala Ala Ala
210 215 220
Leu Ala Arg Asn Thr Gln Leu Tyr Trp Leu Trp Ala Ala Ser Ser Ala
225 230 235 240
Leu Phe Pro Ser Ile Tyr Leu Pro Pro Gly Leu Pro Pro Ala Tyr His
245 250 255
Gln Ala Phe Val Arg Tyr Arg Leu Glu Glu Ala Phe Arg Val Ala Leu
260 265 270
Val Gly His Pro His Pro Leu Pro Val Leu Ala Tyr Ala Arg Leu Thr
275 280 285
His Arg Asn Ser Gly Arg Phe Leu Ser Gln Asp Glu Leu Val Gln Thr
290 295 300
Ile Gly Val Ser Ala Ala Leu Gly Ala Ser Gly Val Val Leu Trp Gly
305 310 315 320
Asp Leu Ser Phe Ser Ser Ser Glu Glu Glu Cys Trp His Leu Arg Gly
325 330 335
Tyr Leu Val Gly Thr Leu Gly Pro Tyr Val Ile Asn Val Thr Arg Ala
340 345 350
Ala Met Ala Cys Ser His Gln Arg Cys His Gly His Gly Arg Cys Ala
355 360 365
Trp Gln Asp Pro Gly Gln Leu Lys Val Phe Leu His Leu His Pro Gly
370 375 380
Gly Ser Pro Gly Ala Trp Glu Ser Phe Ser Cys Arg Cys Tyr Trp Gly
385 390 395 400
Trp Ala Gly Pro Thr Cys Gln Glu Pro Arg Pro Glu Leu Gly Pro Glu
405 410 415
Glu Ala Thr

<210> 882
<211> 449
<212> PRT
<213> Rattus norvegicus

<220>
<223> hyaluronidase 1

<400> 882
Met Lys Pro Phe Ser Pro Glu Val Ser Pro Asp Pro Cys Pro Ala Thr
1 5 10 15
Ala Ala His Leu Leu Arg Thr Tyr Thr Leu Phe Leu Thr Leu Leu Glu
20 25 30
Leu Ala Gln Gly Cys Arg Gly Ser Met Val Ser Asn Arg Pro Phe Ile
35 40 45
Thr Val Trp Asn Ala Asp Thr His Trp Cys Leu Lys Asp His Gly Val
50 55 60
Asp Val Asp Val Ser Val Phe Asp Val Val Ala Asn Lys Glu Gln Asn
65 70 75 80
Phe Gln Gly Pro Asn Met Thr Ile Phe Tyr Arg Glu Glu Leu Gly Thr

85 90 95
Tyr Pro Tyr Tyr Thr Pro Thr Gly Glu Pro Val Phe Gly Gly Leu Pro
100 105 110
Gln Asn Ala Ser Leu Val Thr His Leu Ala His Ala Phe Gln Asp Ile
115 120 125
Lys Ala Ala Met Pro Glu Pro Asp Phe Ser Gly Leu Ala Val Ile Asp
130 135 140
Trp Glu Ala Trp Arg Pro Arg Trp Ala Phe Asn Trp Asp Ser Lys Asp
145 150 155 160
Ile Tyr Gln Gln Arg Ser Met Glu Leu Val Arg Ala Glu His Pro Asp
165 170 175
Trp Pro Glu Thr Leu Val Glu Ala Glu Ala Gln Gly Gln Phe Gln Glu
180 185 190
Ala Ala Glu Ala Trp Met Ala Gly Thr Leu Gln Leu Gly Gln Val Leu
195 200 205
Arg Pro Arg Gly Leu Trp Gly Tyr Tyr Gly Phe Pro Asp Cys Tyr Asn
210 215 220
Tyr Asp Phe Leu Ser Pro Asn Tyr Thr Gly Gln Cys Ser Leu Ser Ile
225 230 235 240
His Asp Gln Asn Asp Gln Leu Gly Trp Leu Trp Asn Gln Ser Tyr Ala
245 250 255
Leu Tyr Pro Ser Ile Tyr Leu Pro Ala Ala Leu Met Gly Thr Gly Lys
260 265 270
Ser Gln Met Tyr Val Arg Tyr Arg Val Gln Glu Ala Phe Arg Leu Ala
275 280 285
Leu Val Ser Arg Asp Pro His Val Pro Ile Met Pro Tyr Val Gln Ile
290 295 300
Phe Tyr Glu Lys Thr Asp Tyr Leu Leu Pro Leu Glu Glu Leu Glu His
305 310 315 320
Ser Leu Gly Glu Ser Ala Ala Gln Gly Ala Ala Gly Ala Val Leu Trp
325 330 335
Ile Ser Ser Glu Lys Thr Ser Thr Lys Glu Ser Cys Gln Ala Ile Lys
340 345 350
Ala Tyr Met Asp Ser Thr Leu Gly Pro Phe Ile Leu Asn Val Thr Ser
355 360 365
Ala Ala Leu Leu Cys Ser Glu Ala Leu Cys Ser Gly Arg Gly Arg Cys
370 375 380
Val Arg His Pro Ser Tyr Pro Glu Ala Leu Leu Thr Leu Ser Pro Ala
385 390 395 400
Ser Phe Ser Ile Glu Pro Thr His Asp Gly Arg Pro Leu Ser Leu Lys
405 410 415
Gly Thr Leu Ser Leu Lys Asp Arg Ala Gln Met Ala Met Lys Phe Lys
420 425 430
Cys Arg Cys Tyr Arg Gly Trp Ser Gly Glu Trp Cys Lys Lys Gln Asp
435 440 445
Met

<210> 883
<211> 473
<212> PRT
<213> Rattus norvegicus

<220>
<223> hyaluronidase 2

<400> 883
Met Arg Ala Gly Leu Gly Pro Ile Ile Thr Leu Ala Leu Val Leu Glu
1 5 10 15
Val Ala Trp Ala Ser Glu Leu Lys Pro Thr Ala Pro Pro Ile Phe Thr
20 25 30
Gly Arg Pro Phe Val Val Ala Trp Asn Val Pro Thr Gln Glu Cys Ala
35 40 45
Pro Arg His Lys Val Pro Leu Asp Leu Arg Ala Phe Asp Val Glu Ala
50 55 60
Thr Pro Asn Glu Gly Phe Phe Asn Gln Asn Ile Thr Thr Phe Tyr Tyr
65 70 75 80

```
Asp Arg Leu Gly Leu Tyr Pro Arg Phe Asp Ala Ala Gly Met Ser Val
                85                  90                  95
His Gly Gly Val Pro Gln Asn Gly Ser Leu Cys Ala His Leu Pro Met
            100                 105                 110
Leu Lys Glu Ala Val Glu Arg Tyr Ile Gln Thr Gln Glu Pro Ala Gly
        115                 120                 125
Leu Ala Val Ile Asp Trp Glu Glu Trp Arg Pro Val Trp Val Arg Asn
    130                 135                 140
Trp Gln Glu Lys Asp Val Tyr Arg Gln Ser Ser Arg Gln Leu Val Ala
145                 150                 155                 160
Ser Arg His Pro Asp Trp Pro Ser Asp Arg Ile Val Lys Gln Ala Gln
                165                 170                 175
Tyr Glu Phe Glu Phe Ala Ala Arg Gln Phe Met Leu Asn Thr Leu Arg
            180                 185                 190
Tyr Val Lys Ala Val Arg Pro Gln His Leu Trp Gly Phe Tyr Leu Phe
        195                 200                 205
Pro Asp Cys Tyr Asn His Asp Tyr Val Gln Asn Trp Asp Ser Tyr Thr
    210                 215                 220
Gly Arg Cys Pro Asp Val Glu Val Ala Gln Asn Asp Gln Leu Ala Trp
225                 230                 235                 240
Leu Trp Ala Glu Asn Thr Ala Leu Phe Pro Ser Val Tyr Leu Asp Lys
                245                 250                 255
Thr Leu Ala Ser Ser Lys His Ser Arg Asn Phe Val Ser Phe Arg Val
            260                 265                 270
Gln Glu Ala Leu Arg Val Ala His Thr His His Ala Asn His Ala Leu
        275                 280                 285
Pro Val Tyr Val Phe Thr Arg Pro Thr Tyr Thr Arg Arg Leu Thr Glu
    290                 295                 300
Leu Asn Gln Met Asp Leu Ile Ser Thr Ile Gly Glu Ser Ala Ala Leu
305                 310                 315                 320
Gly Ser Ala Gly Val Ile Phe Trp Gly Asp Ser Val Tyr Ala Ser Ser
                325                 330                 335
Met Glu Asn Cys Gln Asn Leu Lys Lys Tyr Leu Thr Gln Thr Leu Val
            340                 345                 350
Pro Tyr Ile Val Asn Val Ser Trp Ala Thr Gln Tyr Cys Ser Trp Thr
        355                 360                 365
Gln Cys His Gly His Gly Arg Cys Val Arg Arg Asn Pro Ser Ala Ser
    370                 375                 380
Thr Phe Leu His Leu Ser Pro Ser Ser Phe Arg Leu Val Pro Gly Arg
385                 390                 395                 400
Thr Pro Ser Glu Pro Gln Leu Arg Pro Glu Gly Glu Leu Ser Glu Asp
                405                 410                 415
Asp Leu Ser Tyr Leu Gln Met His Phe Arg Cys His Cys Tyr Leu Gly
            420                 425                 430
Trp Gly Gly Glu Gln Cys Gln Trp Asn His Lys Arg Ala Ala Gly Asp
        435                 440                 445
Ala Ser Arg Ala Trp Ala Gly Ala His Leu Ala Ser Leu Leu Gly Leu
    450                 455                 460
Val Ala Met Thr Leu Thr Trp Thr Leu
465                 470


<210> 884
<211> 412
<212> PRT
<213> Rattus norvegicus

<220>
<223> hyaluronidase 3

<400> 884
Met Ile Thr Gln Leu Gly Leu Thr Leu Val Val Gly Leu Thr Leu Cys
 1                5                  10                  15
Leu Val His Val Gln Ala Leu Leu Gln Val Pro Glu Phe Pro Phe Ser
            20                  25                  30
Val Leu Trp Asn Val Pro Ser Ala Arg Cys Lys Thr Arg Phe Gly Val
        35                  40                  45
His Leu Pro Leu Asp Ala Leu Gly Ile Ile Ala Asn His Gly Gln Arg
```

50 55 60
Phe His Gly Gln Asn Ile Thr Ile Phe Tyr Lys Asn Gln Phe Gly Leu
65 70 75 80
Tyr Pro Tyr Phe Gly Pro Arg Gly Thr Ala His Asn Gly Gly Ile Pro
85 90 95
Gln Ala Val Ser Leu Asp His His Leu Ala Gln Ala Ala His Gln Ile
100 105 110
Leu His Asn Leu Gly Ser Ser Phe Ala Gly Leu Ala Val Leu Asp Trp
115 120 125
Glu Glu Trp Tyr Pro Leu Trp Ala Gly Asn Trp Gly Thr His Arg Gln
130 135 140
Val Tyr Gln Ala Ala Ser Trp Ala Trp Ala Gln Gln Met Phe Pro Asp
145 150 155 160
Leu Asn Pro Gln Glu Gln Leu His Lys Ala Gln Thr Gly Phe Glu Gln
165 170 175
Ala Ala Arg Ala Leu Met Glu His Thr Leu Arg Leu Gly Gln Met Leu
180 185 190
Arg Pro His Gly Leu Trp Gly Phe Tyr Arg Tyr Pro Val Cys Gly Asn
195 200 205
Gly Trp His Asn Met Ala Ser Asn Tyr Thr Gly His Cys His Pro Ala
210 215 220
Ile Ile Thr Arg Asn Thr Gln Leu Arg Trp Leu Trp Ala Ala Ser Ser
225 230 235 240
Ala Leu Phe Pro Ser Ile Tyr Leu Pro Pro Arg Leu Pro Pro Ala Tyr
245 250 255
His Gln Thr Phe Val Arg His Arg Leu Glu Glu Ala Phe Arg Val Ala
260 265 270
Leu Thr Gly His Ala His Pro Leu Pro Val Leu Ala Tyr Val Arg Leu
275 280 285
Thr His Arg Ser Ser Gly Arg Phe Leu Ser Leu Asp Asp Leu Met Gln
290 295 300
Thr Ile Gly Val Ser Ala Ala Leu Gly Ala Ala Gly Val Val Leu Trp
305 310 315 320
Gly Asp Leu Ser Val Ser Ser Ser Glu Glu Glu Cys Trp Arg Leu His
325 330 335
Asp Tyr Leu Val Gly Thr Leu Gly Pro Tyr Val Ile Asn Val Thr Lys
340 345 350
Ala Ala Thr Ala Cys Ser His Gln Arg Cys His Gly His Gly Arg Cys
355 360 365
Ser Trp Lys Asp Pro Gly Gln Met Glu Ala Phe Leu His Leu Gln Pro
370 375 380
Asp Asp Asn Leu Gly Ala Trp Lys Ser Phe Arg Cys Arg Cys Tyr Leu
385 390 395 400
Gly Trp Ser Gly Pro Thr Cys Leu Glu Pro Lys Pro
405 410

<210> 885
<211> 476
<212> PRT
<213> Ovis aries

<220>
<223> hyaluronidase 2

<400> 885
Met Trp Thr Gly Leu Gly Pro Ala Val Thr Leu Ala Leu Val Leu Val
1 5 10 15
Val Ala Trp Ala Thr Glu Leu Lys Pro Thr Ala Pro Pro Ile Phe Thr
20 25 30
Gly Arg Pro Phe Val Val Ala Trp Asp Val Pro Thr Gln Asp Cys Gly
35 40 45
Pro Arg His Lys Met Pro Leu Asp Pro Lys Asp Met Lys Ala Phe Asp
50 55 60
Val Gln Ala Ser Pro Asn Glu Gly Phe Val Asn Gln Asn Ile Thr Ile
65 70 75 80
Phe Tyr Arg Asp Arg Leu Gly Met Tyr Pro His Phe Asn Ser Val Gly
85 90 95

```
Arg Ser Val His Gly Gly Val Pro Gln Asn Gly Ser Leu Trp Val His
            100                 105                 110
Leu Glu Met Leu Lys Gly His Val Glu His Tyr Ile Arg Thr Gln Glu
        115                 120                 125
Pro Ala Gly Leu Ala Val Ile Asp Trp Glu Asp Trp Arg Pro Val Trp
    130                 135                 140
Val Arg Asn Trp Gln Asp Lys Asp Val Tyr Arg Arg Leu Ser Arg Gln
145                 150                 155                 160
Leu Val Ala Ser His His Pro Asp Trp Pro Pro Glu Arg Ile Val Lys
                165                 170                 175
Glu Ala Gln Tyr Glu Phe Glu Phe Ala Ala Arg Gln Phe Met Leu Glu
            180                 185                 190
Thr Leu Arg Phe Val Lys Ala Phe Arg Pro Arg His Leu Trp Gly Phe
        195                 200                 205
Tyr Leu Phe Pro Asp Cys Tyr Asn His Asp Tyr Val Gln Asn Trp Glu
    210                 215                 220
Thr Tyr Thr Gly Arg Cys Pro Asp Val Glu Val Ser Arg Asn Asp Gln
225                 230                 235                 240
Leu Ser Trp Leu Trp Ala Glu Ser Thr Ala Leu Phe Pro Ser Val Tyr
                245                 250                 255
Leu Glu Glu Thr Leu Ala Ser Ser Thr His Gly Arg Asn Phe Val Ser
            260                 265                 270
Phe Arg Val Gln Glu Ala Leu Arg Val Ala Asp Val His His Ala Asn
        275                 280                 285
His Ala Leu Pro Val Tyr Val Phe Thr Arg Pro Thr Tyr Ser Arg Gly
    290                 295                 300
Leu Thr Gly Leu Ser Glu Met Asp Leu Ile Ser Thr Ile Gly Glu Ser
305                 310                 315                 320
Ala Ala Leu Gly Ala Ala Gly Val Ile Leu Trp Gly Asp Ala Gly Phe
                325                 330                 335
Thr Thr Ser Asn Glu Thr Cys Arg Arg Leu Lys Asp Tyr Leu Thr Arg
            340                 345                 350
Ser Leu Val Pro Tyr Val Val Asn Val Ser Trp Ala Ala Gln Tyr Cys
        355                 360                 365
Ser Trp Ala Gln Cys His Gly His Gly Arg Cys Val Arg Arg Asp Pro
    370                 375                 380
Asn Ala His Thr Phe Leu His Leu Ser Ala Ser Ser Phe Arg Leu Val
385                 390                 395                 400
Pro Ser His Ala Pro Asp Glu Pro Arg Leu Arg Pro Glu Gly Glu Leu
                405                 410                 415
Ser Trp Ala Asp Arg Asn His Leu Gln Thr His Phe Arg Cys Gln Cys
            420                 425                 430
Tyr Leu Gly Trp Gly Gly Glu Gln Cys Gln Trp Asp Arg Arg Arg Ala
        435                 440                 445
Ala Gly Gly Ala Ser Gly Ala Trp Ala Gly Ser His Leu Thr Gly Leu
    450                 455                 460
Leu Ala Val Ala Val Leu Ala Phe Thr Trp Thr Ser
465                 470                 475


<210> 886
<211> 414
<212> PRT
<213> Pongo pygmaeus

<220>
<223> hyaluronidase 3

<400> 886
Met Thr Thr Arg Leu Gly Pro Ala Leu Val Leu Gly Val Ala Leu Cys
 1               5                  10                  15
Leu Gly Cys Gly Gln Pro Leu Pro Gln Val Pro Glu Arg Pro Phe Ser
            20                  25                  30
Val Leu Trp Asn Val Pro Ser Ala His Cys Lys Ser Arg Phe Gly Val
        35                  40                  45
His Leu Pro Leu Asn Ala Leu Gly Ile Ile Ala Asn Arg Gly Gln His
    50                  55                  60
Phe His Gly Gln Asn Met Thr Ile Phe Tyr Lys Asn Gln Leu Gly Leu
```

65 70 75 80
Tyr Pro Tyr Phe Gly Pro Lys Gly Thr Ala His Asn Gly Gly Ile Pro
85 90 95
Gln Ala Leu Pro Leu Asp Arg His Leu Ala Leu Ala Ala Tyr Gln Ile
100 105 110
His His Ser Leu Arg Pro Gly Phe Ala Gly Pro Ala Val Leu Asp Trp
115 120 125
Glu Glu Trp Cys Pro Leu Trp Ala Gly Asn Trp Gly Arg Arg Arg Ala
130 135 140
Tyr Gln Ala Ala Ser Trp Ala Trp Ala Gln Gln Val Phe Pro Asp Leu
145 150 155 160
Asp Pro Gln Glu Gln Leu Tyr Lys Ala Tyr Thr Gly Phe Glu Gln Ala
165 170 175
Ala Arg Ala Leu Met Glu Asp Thr Leu Arg Val Ala Gln Ala Leu Arg
180 185 190
Pro His Gly Leu Trp Gly Phe Tyr His Tyr Pro Ala Cys Gly Asn Gly
195 200 205
Trp His Ser Met Ala Ser Asn Tyr Thr Gly Arg Cys His Ala Ala Thr
210 215 220
Leu Ala Arg Asn Thr Gln Leu His Trp Leu Trp Ala Ala Ser Ser Ala
225 230 235 240
Leu Phe Pro Ser Ile Tyr Leu Pro Pro Arg Leu Pro Pro Ala His His
245 250 255
Gln Ala Phe Val Arg His Arg Leu Glu Glu Ala Phe Arg Val Ala Leu
260 265 270
Val Gly His Leu Pro Val Leu Ala Tyr Val Arg Leu Thr His Arg Arg
275 280 285
Ser Gly Arg Phe Leu Ser Gln Asp Asp Leu Val Gln Thr Ile Gly Val
290 295 300
Ser Ala Ala Leu Gly Ala Ala Gly Val Val Leu Trp Gly Asp Leu Ser
305 310 315 320
Leu Ser Ser Ser Glu Glu Glu Cys Trp His Leu His Asp Tyr Leu Val
325 330 335
Asp Thr Leu Gly Pro Tyr Gly Ile Asn Val Thr Arg Ala Ala Met Ala
340 345 350
Cys Ser His Gln Arg Cys His Gly His Gly Arg Cys Ala Arg Arg Asp
355 360 365
Pro Gly Gln Met Glu Ala Phe Leu His Leu Trp Pro Asp Gly Ser Leu
370 375 380
Gly Asp Trp Lys Ser Phe Ser Cys His Cys Tyr Trp Gly Trp Ala Gly
385 390 395 400
Pro Thr Cys Gln Glu Pro Arg Leu Gly Pro Lys Glu Ala Val
405 410

<210> 887
<211> 435
<212> PRT
<213> Homo sapiens

<220>
<223> Hyaluronidase-1 [Precursor]

<400> 887
Met Ala Ala His Leu Leu Pro Ile Cys Ala Leu Phe Leu Thr Leu Leu
1 5 10 15
Asp Met Ala Gln Gly Phe Arg Gly Pro Leu Leu Pro Asn Arg Pro Phe
20 25 30
Thr Thr Val Trp Asn Ala Asn Thr Gln Trp Cys Leu Glu Arg His Gly
35 40 45
Val Asp Val Asp Val Ser Val Phe Asp Val Val Ala Asn Pro Gly Gln
50 55 60
Thr Phe Arg Gly Pro Asp Met Thr Ile Phe Tyr Ser Ser Gln Leu Gly
65 70 75 80
Thr Tyr Pro Tyr Tyr Thr Pro Thr Gly Glu Pro Val Phe Gly Gly Leu
85 90 95
Pro Gln Asn Ala Ser Leu Ile Ala His Leu Ala Arg Thr Phe Gln Asp
100 105 110

```
Ile Leu Ala Ala Ile Pro Ala Pro Asp Phe Ser Gly Leu Ala Val Ile
        115                 120                 125
Asp Trp Glu Ala Trp Arg Pro Arg Trp Ala Phe Asn Trp Asp Thr Lys
    130                 135                 140
Asp Ile Tyr Arg Gln Arg Ser Arg Ala Leu Val Gln Ala Gln His Pro
145                 150                 155                 160
Asp Trp Pro Ala Pro Gln Val Glu Ala Val Ala Gln Asp Gln Phe Gln
                165                 170                 175
Gly Ala Ala Arg Ala Trp Met Ala Gly Thr Leu Gln Leu Gly Arg Ala
            180                 185                 190
Leu Arg Pro Arg Gly Leu Trp Gly Phe Tyr Gly Phe Pro Asp Cys Tyr
        195                 200                 205
Asn Tyr Asp Phe Leu Ser Pro Asn Tyr Thr Gly Gln Cys Pro Ser Gly
    210                 215                 220
Ile Arg Ala Gln Asn Asp Gln Leu Gly Trp Leu Trp Gly Gln Ser Arg
225                 230                 235                 240
Ala Leu Tyr Pro Ser Ile Tyr Met Pro Ala Val Leu Glu Gly Thr Gly
                245                 250                 255
Lys Ser Gln Met Tyr Val Gln His Arg Val Ala Glu Ala Phe Arg Val
            260                 265                 270
Ala Val Ala Ala Gly Asp Pro Asn Leu Pro Val Leu Pro Tyr Val Gln
        275                 280                 285
Ile Phe Tyr Asp Thr Thr Asn His Phe Leu Pro Leu Asp Glu Leu Glu
    290                 295                 300
His Ser Leu Gly Glu Ser Ala Ala Gln Gly Ala Ala Gly Val Val Leu
305                 310                 315                 320
Trp Val Ser Trp Glu Asn Thr Arg Thr Lys Glu Ser Cys Gln Ala Ile
                325                 330                 335
Lys Glu Tyr Met Asp Thr Thr Leu Gly Pro Phe Ile Leu Asn Val Thr
            340                 345                 350
Ser Gly Ala Leu Leu Cys Ser Gln Ala Leu Cys Ser Gly His Gly Arg
        355                 360                 365
Cys Val Arg Arg Thr Ser His Pro Lys Ala Leu Leu Leu Leu Asn Pro
    370                 375                 380
Ala Ser Phe Ser Ile Gln Leu Thr Pro Gly Gly Gly Pro Leu Ser Leu
385                 390                 395                 400
Arg Gly Ala Leu Ser Leu Glu Asp Gln Ala Gln Met Ala Val Glu Phe
                405                 410                 415
Lys Cys Arg Cys Tyr Pro Gly Trp Gln Ala Pro Trp Cys Glu Arg Lys
            420                 425                 430
Ser Met Trp
        435
```

<210> 888
<211> 473
<212> PRT
<213> Homo sapiens

<220>
<223> Hyaluronidase-2 [Precursor]

<400> 888

```
Met Arg Ala Gly Pro Gly Pro Thr Val Thr Leu Ala Leu Val Leu Ala
 1               5                  10                  15
Val Ala Trp Ala Met Glu Leu Lys Pro Thr Ala Pro Pro Ile Phe Thr
            20                  25                  30
Gly Arg Pro Phe Val Val Ala Trp Asp Val Pro Thr Gln Asp Cys Gly
        35                  40                  45
Pro Arg Leu Lys Val Pro Leu Asp Leu Asn Ala Phe Asp Val Gln Ala
    50                  55                  60
Ser Pro Asn Glu Gly Phe Val Asn Gln Asn Ile Thr Ile Phe Tyr Arg
65                  70                  75                  80
Asp Arg Leu Gly Leu Tyr Pro Arg Phe Asp Ser Ala Gly Arg Ser Val
                85                  90                  95
His Gly Gly Val Pro Gln Asn Val Ser Leu Trp Ala His Arg Lys Met
            100                 105                 110
Leu Gln Lys Arg Val Glu His Tyr Ile Arg Thr Gln Glu Ser Ala Gly
```

```
        115                 120                 125
Leu Ala Val Ile Asp Trp Glu Asp Trp Arg Pro Val Trp Val Arg Asn
    130                 135                 140
Trp Gln Asp Lys Asp Val Tyr Arg Arg Leu Ser Arg Gln Leu Val Ala
145                 150                 155                 160
Ser Arg His Pro Asp Trp Pro Pro Asp Arg Ile Val Lys Gln Ala Gln
                165                 170                 175
Tyr Glu Phe Glu Phe Ala Ala Gln Gln Phe Met Leu Glu Thr Leu Arg
            180                 185                 190
Tyr Val Lys Ala Val Arg Pro Arg His Leu Trp Gly Phe Tyr Leu Phe
        195                 200                 205
Pro Asp Cys Tyr Asn His Asp Tyr Val Gln Asn Trp Glu Ser Tyr Thr
    210                 215                 220
Gly Arg Cys Pro Asp Val Glu Val Ala Arg Asn Asp Gln Leu Ala Trp
225                 230                 235                 240
Leu Trp Ala Glu Ser Thr Ala Leu Phe Pro Ser Val Tyr Leu Asp Glu
                245                 250                 255
Thr Leu Ala Ser Ser Arg His Gly Arg Asn Phe Val Ser Phe Arg Val
            260                 265                 270
Gln Glu Ala Leu Arg Val Ala Arg Thr His His Ala Asn His Ala Leu
        275                 280                 285
Pro Val Tyr Val Phe Thr Arg Pro Thr Tyr Ser Arg Arg Leu Thr Gly
    290                 295                 300
Leu Ser Glu Met Asp Leu Ile Ser Thr Ile Gly Glu Ser Ala Ala Leu
305                 310                 315                 320
Gly Ala Ala Gly Val Ile Leu Trp Gly Asp Ala Gly Tyr Thr Thr Ser
                325                 330                 335
Thr Glu Thr Cys Gln Tyr Leu Lys Asp Tyr Leu Thr Arg Leu Leu Val
            340                 345                 350
Pro Tyr Val Val Asn Val Ser Trp Ala Thr Gln Tyr Cys Ser Arg Ala
        355                 360                 365
Gln Cys His Gly His Gly Arg Cys Val Arg Arg Asn Pro Ser Ala Ser
    370                 375                 380
Thr Phe Leu His Leu Ser Thr Asn Ser Phe Arg Leu Val Pro Gly His
385                 390                 395                 400
Ala Pro Gly Glu Pro Gln Leu Arg Pro Val Gly Glu Leu Ser Trp Ala
                405                 410                 415
Asp Ile Asp His Leu Gln Thr His Phe Arg Cys Gln Cys Tyr Leu Gly
            420                 425                 430
Trp Ser Gly Glu Gln Cys Gln Trp Asp His Arg Gln Ala Ala Gly Gly
        435                 440                 445
Ala Ser Glu Ala Trp Ala Gly Ser His Leu Thr Ser Leu Leu Ala Leu
    450                 455                 460
Ala Ala Leu Ala Phe Thr Trp Thr Leu
465                 470


<210> 889
<211> 417
<212> PRT
<213> Homo sapiens

<220>
<223> Hyaluronidase-3 [Precursor]

<400> 889
Met Thr Thr Gln Leu Gly Pro Ala Leu Val Leu Gly Val Ala Leu Cys
 1               5                  10                  15
Leu Gly Cys Gly Gln Pro Leu Pro Gln Val Pro Glu Arg Pro Phe Ser
            20                  25                  30
Val Leu Trp Asn Val Pro Ser Ala His Cys Glu Ala Arg Phe Gly Val
        35                  40                  45
His Leu Pro Leu Asn Ala Leu Gly Ile Ile Ala Asn Arg Gly Gln His
    50                  55                  60
Phe His Gly Gln Asn Met Thr Ile Phe Tyr Lys Asn Gln Leu Gly Leu
65                  70                  75                  80
Tyr Pro Tyr Phe Gly Pro Arg Gly Thr Ala His Asn Gly Gly Ile Pro
                85                  90                  95
```

```
Gln Ala Leu Pro Leu Asp Arg His Leu Ala Leu Ala Ala Tyr Gln Ile
            100                 105                 110
His His Ser Leu Arg Pro Gly Phe Ala Gly Pro Ala Val Leu Asp Trp
        115                 120                 125
Glu Glu Trp Cys Pro Leu Trp Ala Gly Asn Trp Gly Arg Arg Arg Ala
    130                 135                 140
Tyr Gln Ala Ala Ser Trp Ala Trp Ala Gln Gln Val Phe Pro Asp Leu
145                 150                 155                 160
Asp Pro Gln Glu Gln Leu Tyr Lys Ala Tyr Thr Gly Phe Glu Gln Ala
                165                 170                 175
Ala Arg Ala Leu Met Glu Asp Thr Leu Arg Val Ala Gln Ala Leu Arg
            180                 185                 190
Pro His Gly Leu Trp Gly Phe Tyr His Tyr Pro Ala Cys Gly Asn Gly
        195                 200                 205
Trp His Ser Met Ala Ser Asn Tyr Thr Gly Arg Cys His Ala Ala Thr
    210                 215                 220
Leu Ala Arg Asn Thr Gln Leu His Trp Leu Trp Ala Ala Ser Ser Ala
225                 230                 235                 240
Leu Phe Pro Ser Ile Tyr Leu Pro Pro Arg Leu Pro Pro Ala His His
                245                 250                 255
Gln Ala Phe Val Arg His Arg Leu Glu Glu Ala Phe Arg Val Ala Leu
            260                 265                 270
Val Gly His Arg His Pro Leu Pro Val Leu Ala Tyr Val Arg Leu Thr
        275                 280                 285
His Arg Arg Ser Gly Arg Phe Leu Ser Gln Asp Asp Leu Val Gln Ser
    290                 295                 300
Ile Gly Val Ser Ala Ala Leu Gly Ala Ala Gly Val Val Leu Trp Gly
305                 310                 315                 320
Asp Leu Ser Leu Ser Ser Ser Glu Glu Glu Cys Trp His Leu His Asp
                325                 330                 335
Tyr Leu Val Asp Thr Leu Gly Pro Tyr Val Ile Asn Val Thr Arg Ala
            340                 345                 350
Ala Met Ala Cys Ser His Gln Arg Cys His Gly His Gly Arg Cys Ala
        355                 360                 365
Arg Arg Asp Pro Gly Gln Met Glu Ala Phe Leu His Leu Trp Pro Asp
    370                 375                 380
Gly Ser Leu Gly Asp Trp Lys Ser Phe Ser Cys His Cys Tyr Trp Gly
385                 390                 395                 400
Trp Ala Gly Pro Thr Cys Gln Glu Pro Arg Pro Gly Pro Lys Glu Ala
                405                 410                 415
Val
```

<210> 890
<211> 481
<212> PRT
<213> Homo sapiens

<220>
<223> Hyaluronidase-4

<400> 890

```
Met Lys Val Leu Ser Glu Gly Gln Leu Lys Leu Cys Val Val Gln Pro
 1               5                  10                  15
Val His Leu Thr Ser Trp Leu Leu Ile Phe Phe Ile Leu Lys Ser Ile
            20                  25                  30
Ser Cys Leu Lys Pro Ala Arg Leu Pro Ile Tyr Gln Arg Lys Pro Phe
        35                  40                  45
Ile Ala Ala Trp Asn Ala Pro Thr Asp Gln Cys Leu Ile Lys Tyr Asn
    50                  55                  60
Leu Arg Leu Asn Leu Lys Met Phe Pro Val Ile Gly Ser Pro Leu Ala
65                  70                  75                  80
Lys Ala Arg Gly Gln Asn Val Thr Ile Phe Tyr Val Asn Arg Leu Gly
                85                  90                  95
Tyr Tyr Pro Trp Tyr Thr Ser Gln Gly Val Pro Ile Asn Gly Gly Leu
            100                 105                 110
Pro Gln Asn Ile Ser Leu Gln Val His Leu Glu Lys Ala Asp Gln Asp
```

```
        115                 120                 125
Ile Asn Tyr Tyr Ile Pro Ala Glu Asp Phe Ser Gly Leu Ala Val Ile
    130                 135                 140
Asp Trp Glu Tyr Trp Arg Pro Gln Trp Ala Arg Asn Trp Asn Ser Lys
145                 150                 155                 160
Asp Val Tyr Arg Gln Lys Ser Arg Lys Leu Ile Ser Asp Met Gly Lys
                165                 170                 175
Asn Val Ser Ala Thr Asp Ile Glu Tyr Leu Ala Lys Val Thr Phe Glu
            180                 185                 190
Glu Ser Ala Lys Ala Phe Met Lys Glu Thr Ile Lys Leu Gly Ile Lys
        195                 200                 205
Ser Arg Pro Lys Gly Leu Trp Gly Tyr Tyr Leu Tyr Pro Asp Cys His
    210                 215                 220
Asn Tyr Asn Val Tyr Ala Pro Asn Tyr Ser Gly Ser Cys Pro Glu Asp
225                 230                 235                 240
Glu Val Leu Arg Asn Asn Glu Leu Ser Trp Leu Trp Asn Ser Ser Ala
                245                 250                 255
Ala Leu Tyr Pro Ser Ile Gly Val Trp Lys Ser Leu Gly Asp Ser Glu
            260                 265                 270
Asn Ile Leu Arg Phe Ser Lys Phe Arg Val His Glu Ser Met Arg Ile
        275                 280                 285
Ser Thr Met Thr Ser His Asp Tyr Ala Leu Pro Val Phe Val Tyr Thr
    290                 295                 300
Arg Leu Gly Tyr Arg Asp Glu Pro Leu Phe Phe Leu Ser Lys Gln Asp
305                 310                 315                 320
Leu Val Ser Thr Ile Gly Glu Ser Ala Ala Leu Gly Ala Ala Gly Ile
                325                 330                 335
Val Ile Trp Gly Asp Met Asn Leu Thr Ala Ser Lys Ala Asn Cys Thr
            340                 345                 350
Lys Val Lys Gln Phe Val Ser Ser Asp Leu Gly Ser Tyr Ile Ala Asn
        355                 360                 365
Val Thr Arg Ala Ala Glu Val Cys Ser Leu His Leu Cys Arg Asn Asn
    370                 375                 380
Gly Arg Cys Ile Arg Lys Met Trp Asn Ala Pro Ser Tyr Leu His Leu
385                 390                 395                 400
Asn Pro Ala Ser Tyr His Ile Glu Ala Ser Glu Asp Gly Glu Phe Thr
                405                 410                 415
Val Lys Gly Lys Ala Ser Asp Thr Asp Leu Ala Val Met Ala Asp Thr
            420                 425                 430
Phe Ser Cys His Cys Tyr Gln Gly Tyr Glu Gly Ala Asp Cys Arg Glu
        435                 440                 445
Ile Lys Thr Ala Asp Gly Cys Ser Gly Val Ser Pro Ser Pro Gly Ser
    450                 455                 460
Leu Met Thr Leu Cys Leu Leu Leu Leu Ala Ser Tyr Arg Ser Ile Gln
465                 470                 475                 480
Leu
```

<210> 891
<211> 793
<212> PRT
<213> Arthrobacter sp

<220>
<223> hyaluronan lyase (strain FB24)

<400> 891

```
Met Thr Arg Glu Phe Ser Arg Arg Thr Ala Leu Lys Gly Ala Ala Leu
 1               5                  10                  15
Ser Gly Leu Leu Leu Ala Met Val His Gly Pro Ala His Ala Ala Ala
            20                  25                  30
Thr Ala Asn Ala Thr Leu Thr Pro Ala Asp Phe Ala Gly Leu Arg Gln
        35                  40                  45
Arg Trp Val Asp Gln Ile Thr Gly Arg Lys Val Leu Val Ala Gly Asp
    50                  55                  60
Asn Asp Phe Val Thr Ala Leu Ala Ala Leu Asp Lys Lys Ala Arg Thr
65                  70                  75                  80
```

```
Ala Ile Asp Leu Leu Glu Arg Ser Ala Gly Arg Leu Thr Val Phe Ser
                85                  90                  95
Asp Leu Ser Leu Ala Lys Asp Thr Asp Leu Val Thr Thr His Thr Arg
            100                 105                 110
Leu Ala Thr Met Ala Thr Ala Trp Ala Thr Pro Gly Ser Glu His Phe
        115                 120                 125
Ala Asp Ala Gly Leu Leu Ala Ala Ile Arg Ala Gly Leu Ala Asp Ala
    130                 135                 140
Asn Ser Leu Cys Tyr Asn Ala Ser Lys Glu Glu Gln Gly Asn Trp Trp
145                 150                 155                 160
Ser Trp Glu Ile Gly Thr Pro Lys Ala Leu Ala Asp Thr Met Val Leu
                165                 170                 175
Leu His Ala Glu Leu Thr Ala Ala Glu Arg Ala Ala Tyr Cys Ala Ala
            180                 185                 190
Ile Asp His Phe Val Pro Asp Pro Trp Gln Gln Phe Pro Pro Lys Arg
        195                 200                 205
Gly Lys Ile Thr Ser Val Gly Ala Asn Arg Val Asp Leu Cys Gln Ala
    210                 215                 220
Val Thr Ile Arg Ser Leu Val Asp Glu Asp Ala Glu Lys Leu Thr His
225                 230                 235                 240
Ala Val Ala Gly Leu Ser Glu Val Trp Gln Tyr Val Ser Ala Gly Asn
                245                 250                 255
Gly Phe Phe Thr Asp Gly Ser Phe Ile Gln His Ser Thr Thr Pro Tyr
            260                 265                 270
Thr Gly Ser Tyr Gly Val Val Leu Leu Thr Gly Leu Ser Lys Leu Phe
        275                 280                 285
Ala Leu Leu Gly Gly Thr Gly Ala Glu Val Ser Asp Pro Ser Arg Asp
    290                 295                 300
Ile Leu Phe Lys Thr Val Glu Gly Ser Phe Ala Pro Phe Met Val Ala
305                 310                 315                 320
Gly Ala Met Ala Asp Ser Val Arg Gly Arg Ser Ile Ser Arg Glu Ser
                325                 330                 335
Asn Thr Gly Phe Asp Leu Gly Ala Ser Thr Ile Glu Ser Ile Leu Leu
            340                 345                 350
Leu Ala Arg Ala Val Asp Pro Val Thr Ala Arg Arg Trp Arg Ser Leu
        355                 360                 365
Cys Leu Ala Trp Ile Asn Gln Asn Arg Lys Ala Pro Ile Leu Ala Asp
    370                 375                 380
Ala Gly Val Gly Arg Thr Ala Leu Val Lys Glu Leu Leu Ala Met Gly
385                 390                 395                 400
Leu Thr Glu Thr Asp Leu Pro Gly Gly His Tyr Leu Phe Pro Ala Met
                405                 410                 415
Asp Arg Thr Met His His Ser Gln Gly Trp Thr Leu Ser Thr Ala Met
            420                 425                 430
Ala Ser Ser Arg Ile Ala Trp Tyr Glu Cys Gly Asn Gly Glu Asn Asn
        435                 440                 445
Arg Gly Tyr His Thr Gly Ser Gly Met Thr Tyr Val Tyr Asp Gly Asp
    450                 455                 460
Leu Gly Gln Tyr Asp Asp Ala Phe Trp Ala Thr Ala Asn His Cys Arg
465                 470                 475                 480
Leu Pro Gly Ile Thr Val Asp Thr Ser Ser Leu Pro Asp Lys Val Glu
                485                 490                 495
Gly Glu Trp Gly Ala Ala Thr Pro Ala Asn Glu Trp Thr Gly Ser Thr
            500                 505                 510
Ala Tyr Gly Asp Val Ala Ala Val Gly Gln His Leu Ile Gly Pro Gly
        515                 520                 525
Gly Thr Gly Leu Thr Ala Arg Lys Ser Trp Phe Val Ser Lys Asp Val
    530                 535                 540
Ile Val Cys Leu Gly Ala Asp Ile Arg Thr Gly Ser Gly Ser Arg Ile
545                 550                 555                 560
Glu Thr Val Val Asp His Arg Asn Leu His Ala Gly Phe Asn Ala Met
                565                 570                 575
Gly Thr Ala Ala Gly Thr Val Ala Ala Thr Pro Gly His Pro Glu Val
            580                 585                 590
Leu Thr Val Asp Arg Trp Val His Leu Glu Gly Phe Gly Gly Tyr Val
        595                 600                 605
Val Leu Asp Ala Ala Pro Leu Gln Val Leu Arg Glu Gln Arg Glu Gly
    610                 615                 620
```

Ser Trp Ser Glu Val Asn Val Lys Gly Ser Ala Ala Arg Gln Thr Arg
625 630 635 640
Asn Tyr Ala Thr Leu Tyr Phe Asp His Gly His Glu Pro Glu Ala Ala
645 650 655
Ser Tyr Ala Tyr Leu Val Ala Pro Gly Ala Ser Ala Ser Met Thr Ser
660 665 670
Ser Leu Ser Gly Gln Ser Phe His Thr Val Leu Arg Asn Asp Glu Val
675 680 685
Ala Gln Ala Val Lys Phe Lys Lys Glu Lys Thr Thr Ala Ala Thr Phe
690 695 700
Trp Arg Pro Gly Thr Val Gly Asp Leu Ala Leu Ser Gly Pro Ala Cys
705 710 715 720
Val Val Val Lys Glu Val Gly Asp Arg Leu Ser Ile Ala Val Ser Asp
725 730 735
Pro Thr Gln Asn Ala Ser Thr Leu Thr Leu Arg Leu Lys Thr Lys Arg
740 745 750
Phe Phe Arg Ile Ile Glu Gly Gln Gly Ala Ser Leu Ser His Gly Ala
755 760 765
Asp Gly Phe Thr Val Leu Glu Val Asp Ile Ala Asn His Ala Gly Arg
770 775 780
Thr Lys Gln Ile Glu Leu Ser Ala Glu
785 790

<210> 892
<211> 557
<212> PRT
<213> Bdellovibrio bacteriovorus

<220>
<223> hyaluronan lyase

<400> 892
Met Thr Lys Phe Phe Phe Leu Leu Thr Leu Ile Ser Ala Thr Ala Phe
1 5 10 15
Ala Gln Ser Glu Pro Asp Trp Thr Ala Gly Val Pro Val Pro Pro Gly
20 25 30
Gly Arg Ser Asn Ile Tyr Ser Trp Asn Asp Phe Asp Phe Gln Ala Thr
35 40 45
Leu Asn Lys Gly Lys Ile His Ala Gln Val Tyr Pro Val Thr Val Thr
50 55 60
Gly Met Leu Pro Pro Tyr Glu Pro Val Arg Arg Leu Ile Glu Glu Lys
65 70 75 80
Asn Ser Asn Pro Leu Arg Lys Trp Ile Gln Ser Leu Met Lys Gly Leu
85 90 95
Ser Gly Phe Arg Ser Phe Glu Asp Val Leu Lys Asn Leu Gly Leu His
100 105 110
Lys Tyr Pro Leu Glu Asn Glu Arg Gly Val Tyr Ala Val Pro Tyr Pro
115 120 125
Asn Glu Ile Arg Pro Asp Thr Leu Met Gly Phe Gly Leu Ile Glu Arg
130 135 140
Asn Gly Ala Glu Gly Phe Thr Phe Ser Cys Ala Ala Cys His Ser Ser
145 150 155 160
Asn Leu Phe Gly Lys Thr Val Leu Gly Met Thr Asn Arg Phe Pro Arg
165 170 175
Ala Asn Glu Phe Phe Ile Lys Ala Lys Lys Val Met Pro Leu Met Asp
180 185 190
Pro His Ile Phe Gln Ala Tyr Thr Arg Ala Thr Asp Ala Glu Thr Ala
195 200 205
Leu Leu Val Glu Ser Lys Glu Arg Leu Lys Ser Val Ala Leu Lys Gln
210 215 220
Pro Ile Ala Leu Gly Leu Asp Thr Ser Leu Ala Gln Val Ser Leu Ser
225 230 235 240
Leu Asn Arg Arg Ala Lys Asp Gly Tyr Ala Asn Tyr Ser Asp Lys Ala
245 250 255
Ala Arg Ser Pro Arg Ala Asp Ala Tyr Leu Asp Asn Lys Pro Ala Asp
260 265 270
Ser Lys Pro Ala Val Trp Trp Asn Val Lys Tyr Lys Asn Arg Trp Leu

275 280 285
Ser Asp Gly Ser Val Leu Ser Gly Asn Pro Ile Phe Thr Asn Leu Ile
290 295 300
Trp Asn Glu Ile Gly Arg Gly Ala Asp Leu His Glu Leu Glu Gln Trp
305 310 315 320
Leu Ala Asp Asn Asp His Ile Ile Lys Glu Leu Thr Thr Ala Val Phe
325 330 335
Ala Ser Glu Ala Pro His Ile Thr Asp Phe Tyr Pro Ala Glu Lys Ile
340 345 350
Asp Leu Gly Arg Ala Lys Ala Gly Glu Gln Ile Phe Lys Asn Thr Cys
355 360 365
Ala Lys Cys His Gly His Tyr Glu Lys Ala Trp Asn Leu Pro Gln Ala
370 375 380
Leu Val Leu Ser Ala Ala Glu Arg Leu Lys Thr Val Glu Val Arg Tyr
385 390 395 400
Lys Glu Lys Thr Pro Val Val Asn Val Gly Thr Asp Pro Phe Arg Arg
405 410 415
Gln Gly Met Lys Ser Leu Glu Gln Leu Asn Asp Leu Glu Ile Ser Lys
420 425 430
Lys Asn Gly Ile Val Ile Lys Ala Gln Glu Gly Tyr Val Pro Pro Pro
435 440 445
Leu Val Gly Ile Trp Ala Arg Trp Pro Tyr Met His Asn Asn Ser Ile
450 455 460
Pro Asn Leu Cys Val Leu Leu Thr Pro Ala Lys Lys Arg Pro Ser Ile
465 470 475 480
Tyr Tyr Ser Gly Glu Ala Leu Asn Lys Asp Thr Asp Tyr Asp Phe Ser
485 490 495
Cys Gly Gly Tyr Pro Ile Gly Asp Lys Thr Pro Lys Ala Trp Lys Thr
500 505 510
Arg Glu His Leu Tyr Asp Thr Arg Asn Pro Gly Met Gly Asn Met Gly
515 520 525
His Asp Glu Gly Ile Phe Ile Lys Asp Gly Lys Glu Ile Leu Ser Ala
530 535 540
Glu Asp Lys Tyr Asn Leu Ile Gln Phe Leu Gln Thr Leu
545 550 555

<210> 893
<211> 813
<212> PRT
<213> Propionibacterium acnes

<220>
<223> hyaluronan lyase

<400> 893
Met Phe Gly Thr Pro Ser Arg Arg Thr Phe Leu Thr Ala Ser Ala Leu
1 5 10 15
Ser Ala Met Ala Leu Ala Ala Ser Pro Thr Val Thr Asp Ala Ile Ala
20 25 30
Ala Pro Gly Pro Asp Ser Trp Ser Ala Leu Cys Glu Arg Trp Ile Asp
35 40 45
Ile Ile Thr Gly Arg Arg Ala Ala Arg Thr Ser Asp Pro Arg Ala Arg
50 55 60
Ala Ile Ile Ala Lys Thr Asp Arg Lys Val Ala Glu Ile Leu Thr Asp
65 70 75 80
Leu Val Ser Gly Ser Ser Arg Gln Thr Val Leu Ile Ser Ala Asp Leu
85 90 95
Arg Lys Glu Gln Ser Pro Phe Ile Thr Lys Thr Ala Arg Ala Ile Glu
100 105 110
Ser Met Ala Cys Ala Trp Ala Thr Pro Gly Ser Ser Tyr His Lys Asp
115 120 125
Pro Glu Ile Leu Ser Ala Cys Ile Glu Gly Leu Arg Asp Phe Cys Arg
130 135 140
Leu Arg Tyr Asn Pro Ser Gln Asp Glu Tyr Gly Asn Trp Trp Asp Trp
145 150 155 160
Glu Asp Gly Ala Ser Arg Ala Val Ala Asp Val Met Cys Ile Leu His
165 170 175

```
Asp Val Leu Pro Pro Glu Val Met Ser Ala Ala Ala Ala Gly Ile Asp
            180                 185                 190
His Phe Ile Pro Asp Pro Trp Phe Gln Gln Pro Ala Ser Val Lys Pro
        195                 200                 205
Thr Ala Asn Pro Val Gln Pro Val Val Ser Thr Gly Ala Asn Arg Met
    210                 215                 220
Asp Leu Thr Arg Ala Val Met Cys Arg Ser Ile Ala Thr Gly Asp Glu
225                 230                 235                 240
Lys Arg Leu Arg His Ala Val Asp Gly Leu Pro Asp Ala Trp Arg Val
                245                 250                 255
Thr Thr Glu Gly Asp Gly Phe Arg Ala Asp Gly Gly Phe Ile Gln His
            260                 265                 270
Ser His Ile Pro Tyr Thr Gly Gly Tyr Gly Asp Val Leu Phe Ser Gly
        275                 280                 285
Leu Ala Met Leu Phe Pro Leu Val Ser Gly Met Arg Phe Asp Ile Val
    290                 295                 300
Glu Ser Ala Arg Lys Ala Phe His Asp Gln Val Glu Arg Gly Phe Ile
305                 310                 315                 320
Pro Val Met Tyr Asn Gly Gln Ile Leu Asp Asp Val Arg Gly Arg Ser
                325                 330                 335
Ile Ser Arg Ile Asn Glu Ser Ala Ala Met His Gly Ile Ser Ile Ala
            340                 345                 350
Arg Ala Met Leu Met Met Ala Asp Ala Leu Pro Thr His Arg Ala Glu
        355                 360                 365
Gln Trp Arg Gly Ile Val His Gly Trp Met Ala Arg Asn Thr Phe Asp
    370                 375                 380
His Leu Ser Glu Pro Ser Thr Leu Val Asp Ile Ser Leu Phe Asp Ala
385                 390                 395                 400
Ala Ala Lys Ala Arg Pro Val Pro Glu Ser Ser Thr Pro Ser Tyr Phe
                405                 410                 415
Ala Ser Met Asp Arg Leu Val His Arg Thr Ala Asp Trp Leu Ile Thr
            420                 425                 430
Val Ser Asn Cys Ser Asp Arg Ile Ala Trp Tyr Glu Tyr Gly Asn Gly
        435                 440                 445
Glu Asn Glu Trp Ala Ser Arg Thr Ser Gln Gly Met Arg Tyr Leu Leu
    450                 455                 460
Leu Pro Gly Asp Met Gly Gln Tyr Glu Asp Gly Tyr Trp Ala Thr Val
465                 470                 475                 480
Asp Tyr Ser Ala Pro Thr Gly Thr Thr Val Asp Ser Thr Pro Leu Lys
                485                 490                 495
Arg Ala Val Gly Ala Ser Trp Ala Ala Lys Thr Pro Thr Asn Glu Trp
            500                 505                 510
Ser Gly Gly Leu Ala Ser Gly Ser Trp Ser Ala Ala Ala Ser His Ile
        515                 520                 525
Thr Ser Gln Asp Ser Ala Leu Lys Ala Arg Arg Leu Trp Val Gly Leu
    530                 535                 540
Lys Asp Ala Met Val Glu Leu Thr Thr Asp Val Thr Thr Asp Ala Ser
545                 550                 555                 560
Arg Ala Ile Thr Val Val Glu His Arg Lys Val Ala Ser Ser Ser Thr
                565                 570                 575
Lys Leu Leu Val Asp Gly Asn Arg Val Ser Ser Ala Thr Ser Phe Gln
            580                 585                 590
Asn Pro Arg Trp Ala His Leu Asp Gly Val Gly Gly Tyr Val Phe Ala
        595                 600                 605
Thr Asp Thr Asp Leu Ser Ala Asp Val Ala Thr Arg Lys Gly Thr Trp
    610                 615                 620
Ile Asp Val Asn Pro Ser Arg Lys Val Lys Gly Ala Asp Glu Val Ile
625                 630                 635                 640
Glu Arg Ala Tyr Ala Ser Leu His Val Thr His His Asp Arg Pro Val
                645                 650                 655
Ala Trp Ala Leu Leu Pro Thr Ala Ser Arg Ser His Thr Met Ala Leu
            660                 665                 670
Ala Thr Arg Pro Gly Val Glu Pro Phe Thr Val Leu Arg Asn Asp Ala
        675                 680                 685
Thr Val Gln Ala Val Arg Ser Ala Gly Ala Leu Leu Thr Lys Asp Pro
    690                 695                 700
Thr Val Val Thr Thr Leu Ala Phe Trp Lys Pro Ala Thr Cys Gly Gly
705                 710                 715                 720
```

Val Ala Val Asn Arg Pro Ala Leu Val Gln Thr Arg Glu Ser Ala Asn
725 730 735
Gln Met Glu Val Val Ile Val Glu Pro Thr Gln Lys Arg Gly Ser Leu
740 745 750
Thr Val Thr Ile Glu Gly Ser Trp Lys Val Lys Thr Ala Asp Ser His
755 760 765
Val Asp Val Ser Cys Glu Asn Ala Ala Gly Thr Leu His Val Asp Thr
770 775 780
Ala Gly Leu Gly Gly Gln Ser Val Arg Val Thr Leu Ala Arg Gln Val
785 790 795 800
Thr Gln Thr Pro Ser Gly Gly Gly Arg His Asp Arg Ala
805 810

<210> 894
<211> 1072
<212> PRT
<213> Streptococcus agalactiae

<220>
<223> hyaluronan lyase

<400> 894
Met Glu Ile Lys Lys Lys Tyr Arg Ile Met Leu Tyr Ser Ala Leu Ile
1 5 10 15
Leu Gly Thr Ile Leu Val Asn Asn Ser Tyr Gln Ala Lys Ala Glu Glu
20 25 30
Leu Thr Lys Thr Thr Ser Thr Ser Gln Ile Arg Asp Thr Gln Thr Asn
35 40 45
Asn Ile Glu Val Leu Gln Thr Glu Ser Thr Thr Val Lys Glu Thr Ser
50 55 60
Thr Thr Thr Thr Gln Gln Asp Leu Ser Asn Pro Thr Ala Ser Thr Ala
65 70 75 80
Thr Ala Thr Ala Thr His Ser Thr Met Lys Gln Val Val Asp Asn Gln
85 90 95
Thr Gln Asn Lys Glu Leu Val Lys Asn Gly Asp Phe Asn Gln Thr Asn
100 105 110
Pro Val Ser Gly Ser Trp Ser His Thr Ser Ala Arg Glu Trp Ser Ala
115 120 125
Trp Ile Asp Lys Glu Asn Thr Ala Asp Lys Ser Pro Ile Ile Gln Arg
130 135 140
Thr Glu Gln Gly Gln Val Ser Leu Ser Ser Asp Lys Gly Phe Arg Gly
145 150 155 160
Ala Val Thr Gln Lys Val Asn Ile Asp Pro Thr Lys Lys Tyr Glu Val
165 170 175
Lys Phe Asp Ile Glu Thr Ser Asn Lys Ala Gly Gln Ala Phe Leu Arg
180 185 190
Ile Met Glu Lys Lys Asp Asn Asn Thr Arg Leu Trp Leu Ser Glu Met
195 200 205
Thr Ser Gly Thr Thr Asn Lys His Thr Leu Thr Lys Ile Tyr Asn Pro
210 215 220
Lys Leu Asn Val Ser Glu Val Thr Leu Glu Leu Tyr Tyr Glu Lys Gly
225 230 235 240
Thr Gly Ser Ala Thr Phe Asp Asn Ile Ser Met Lys Ala Lys Gly Pro
245 250 255
Lys Asp Ser Glu His Pro Gln Pro Val Thr Thr Gln Ile Glu Glu Ser
260 265 270
Val Asn Thr Ala Leu Asn Lys Asn Tyr Val Phe Asn Lys Ala Asp Tyr
275 280 285
Gln Tyr Thr Leu Thr Asn Pro Ser Leu Gly Lys Ile Val Gly Gly Ile
290 295 300
Leu Tyr Pro Asn Ala Thr Gly Ser Thr Thr Val Lys Ile Ser Asp Lys
305 310 315 320
Ser Gly Lys Ile Ile Lys Glu Val Pro Leu Ser Val Thr Ala Ser Thr
325 330 335
Glu Asp Lys Phe Thr Lys Leu Leu Asp Lys Trp Asn Asp Val Thr Ile
340 345 350
Gly Asn His Val Tyr Asp Thr Asn Asp Ser Asn Met Gln Lys Ile Asn

```
        355                 360                 365
Gln Lys Leu Asp Glu Thr Asn Ala Lys Asn Ile Lys Thr Ile Lys Leu
    370                 375                 380
Asp Ser Asn His Thr Phe Leu Trp Lys Asp Leu Asp Asn Leu Asn Asn
385                 390                 395                 400
Ser Ala Gln Leu Thr Ala Thr Tyr Arg Arg Leu Glu Asp Leu Ala Lys
                405                 410                 415
Gln Ile Thr Asn Pro His Ser Thr Ile Tyr Lys Asn Glu Lys Ala Ile
            420                 425                 430
Arg Thr Val Lys Glu Ser Leu Ala Trp Leu His Gln Asn Phe Tyr Asn
        435                 440                 445
Val Asn Lys Asp Ile Glu Gly Ser Ala Asn Trp Trp Asp Phe Glu Ile
    450                 455                 460
Gly Val Pro Arg Ser Ile Thr Ala Thr Leu Ala Leu Met Asn Asn Tyr
465                 470                 475                 480
Phe Thr Asp Ala Glu Ile Lys Thr Tyr Thr Asp Pro Ile Glu His Phe
                485                 490                 495
Val Pro Asp Ala Gly Tyr Phe Arg Lys Thr Leu Asp Asn Pro Phe Lys
            500                 505                 510
Ala Leu Gly Gly Asn Leu Val Asp Met Gly Arg Val Lys Ile Ile Glu
        515                 520                 525
Gly Leu Leu Arg Lys Asp Asn Thr Ile Ile Glu Lys Thr Ser His Ser
    530                 535                 540
Leu Lys Asn Leu Phe Thr Thr Ala Thr Lys Ala Glu Gly Phe Tyr Ala
545                 550                 555                 560
Asp Gly Ser Tyr Ile Asp His Thr Asn Val Ala Tyr Thr Gly Ala Tyr
                565                 570                 575
Gly Asn Val Leu Ile Asp Gly Leu Thr Gln Leu Leu Pro Ile Ile Gln
            580                 585                 590
Glu Thr Asp Tyr Lys Ile Ser Asn Gln Glu Leu Asp Met Val Tyr Lys
        595                 600                 605
Trp Ile Asn Gln Ser Phe Leu Pro Leu Ile Val Lys Gly Glu Leu Met
    610                 615                 620
Asp Met Ser Arg Gly Arg Ser Ile Ser Arg Glu Ala Ala Ser Ser His
625                 630                 635                 640
Ala Ala Ala Val Glu Val Leu Arg Gly Phe Leu Arg Leu Ala Asn Met
                645                 650                 655
Ser Asn Glu Glu Arg Asn Leu Asp Leu Lys Ser Thr Ile Lys Thr Ile
            660                 665                 670
Ile Thr Ser Asn Lys Phe Tyr Asn Val Phe Asn Asn Leu Lys Ser Tyr
        675                 680                 685
Ser Asp Ile Ala Asn Met Asn Lys Met Leu Asn Asp Ser Thr Val Ala
    690                 695                 700
Thr Lys Pro Leu Lys Ser Asn Leu Ser Thr Phe Asn Ser Met Asp Arg
705                 710                 715                 720
Leu Ala Tyr Tyr Asn Ala Glu Lys Asp Phe Gly Phe Ala Leu Ser Leu
                725                 730                 735
His Ser Lys Arg Thr Leu Asn Tyr Glu Gly Met Asn Asp Glu Asn Thr
            740                 745                 750
Arg Gly Trp Tyr Thr Gly Asp Gly Met Phe Tyr Leu Tyr Asn Ser Asp
        755                 760                 765
Gln Ser His Tyr Ser Asn His Phe Trp Pro Thr Val Asn Pro Tyr Lys
    770                 775                 780
Met Ala Gly Thr Thr Glu Lys Asp Ala Lys Arg Glu Asp Thr Thr Lys
785                 790                 795                 800
Glu Phe Met Ser Lys His Ser Lys Asp Ala Lys Glu Lys Thr Gly Gln
                805                 810                 815
Val Thr Gly Thr Ser Asp Phe Val Gly Ser Val Lys Leu Asn Asp His
            820                 825                 830
Phe Ala Leu Ala Ala Met Asp Phe Thr Asn Trp Asp Arg Thr Leu Thr
        835                 840                 845
Ala Gln Lys Gly Trp Val Ile Leu Asn Asp Lys Ile Val Phe Leu Gly
    850                 855                 860
Ser Asn Ile Lys Asn Thr Asn Gly Ile Gly Asn Val Ser Thr Thr Ile
865                 870                 875                 880
Asp Gln Arg Lys Asp Asp Ser Lys Thr Pro Tyr Thr Thr Tyr Val Asn
                885                 890                 895
Gly Lys Thr Ile Asp Leu Lys Gln Ala Ser Ser Gln Gln Phe Thr Asp
```

900 905 910
Thr Lys Ser Val Phe Leu Glu Ser Lys Glu Pro Gly Arg Asn Ile Gly
915 920 925
Tyr Ile Phe Phe Lys Asn Ser Thr Ile Asp Ile Glu Arg Lys Glu Gln
930 935 940
Thr Gly Thr Trp Asn Ser Ile Asn Arg Thr Ser Lys Asn Thr Ser Ile
945 950 955 960
Val Ser Asn Pro Phe Ile Thr Ile Ser Gln Lys His Asp Asn Lys Gly
965 970 975
Asp Ser Tyr Gly Tyr Met Met Val Pro Asn Ile Asp Arg Thr Ser Phe
980 985 990
Asp Lys Leu Ala Asn Ser Lys Glu Val Glu Leu Leu Glu Asn Ser Ser
995 1000 1005
Lys Gln Gln Val Ile Tyr Asp Lys Asn Ser Gln Thr Trp Ala Val Ile
1010 1015 1020
Lys His Asp Asn Gln Glu Ser Leu Ile Asn Asn Gln Phe Lys Met Asn
1025 1030 1035 1040
Lys Ala Gly Leu Tyr Leu Val Gln Lys Val Gly Asn Asp Tyr Gln Asn
1045 1050 1055
Val Tyr Tyr Gln Pro Gln Thr Met Thr Lys Thr Asp Gln Leu Ala Ile
1060 1065 1070

<210> 895
<211> 1072
<212> PRT
<213> Streptococcus agalactiae 18RS21

<220>
<223> hyaluronan lyase

<400> 895
Met Glu Ile Lys Lys Lys His Arg Ile Met Leu Tyr Ser Ala Leu Ile
1 5 10 15
Leu Gly Thr Ile Leu Val Asn Asn Ser Tyr Gln Ala Lys Ala Glu Glu
20 25 30
Leu Thr Lys Thr Thr Ser Thr Ser Gln Ile Arg Asp Thr Gln Thr Asn
35 40 45
Asn Ile Glu Val Leu Gln Thr Glu Ser Thr Thr Val Lys Glu Thr Ser
50 55 60
Thr Thr Thr Thr Gln Gln Asp Leu Ser Asn Pro Thr Ala Ser Thr Ala
65 70 75 80
Thr Ala Thr Ala Thr His Ser Thr Met Lys Gln Val Val Asp Asn Gln
85 90 95
Thr Gln Asn Lys Glu Leu Val Lys Asn Gly Asp Phe Asn Gln Thr Asn
100 105 110
Pro Val Ser Gly Ser Trp Ser His Thr Ser Ala Arg Glu Trp Ser Ala
115 120 125
Trp Ile Asp Lys Glu Asn Thr Ala Asp Lys Ser Pro Ile Ile Gln Arg
130 135 140
Thr Glu Gln Gly Gln Val Ser Leu Ser Ser Asp Lys Gly Phe Arg Gly
145 150 155 160
Ala Val Thr Gln Lys Val Asn Ile Asp Pro Thr Lys Lys Tyr Glu Val
165 170 175
Lys Phe Asp Ile Glu Thr Ser Asn Lys Ala Gly Gln Ala Phe Leu Arg
180 185 190
Ile Met Glu Lys Lys Asp Asn Asn Thr Arg Leu Trp Leu Ser Glu Met
195 200 205
Thr Ser Gly Thr Thr Asn Lys His Thr Leu Thr Lys Ile Tyr Asn Pro
210 215 220
Lys Leu Asn Val Ser Glu Val Thr Leu Glu Leu Tyr Tyr Glu Lys Gly
225 230 235 240
Thr Gly Ser Ala Thr Phe Asp Asn Ile Ser Met Lys Ala Lys Gly Pro
245 250 255
Lys Asp Ser Glu His Pro Gln Pro Val Thr Thr Gln Ile Glu Glu Ser
260 265 270
Val Asn Thr Ala Leu Asn Lys Asn Tyr Val Phe Asn Lys Ala Asp Tyr
275 280 285

```
Gln Tyr Thr Leu Thr Asn Pro Ser Leu Gly Lys Ile Val Gly Gly Ile
    290                 295                 300
Leu Tyr Pro Asn Ala Thr Gly Ser Thr Thr Val Lys Ile Ser Asp Lys
305                 310                 315                 320
Ser Gly Lys Ile Ile Lys Glu Val Pro Leu Ser Val Thr Ala Ser Thr
                325                 330                 335
Glu Asp Lys Phe Thr Lys Leu Leu Asp Lys Trp Asn Asp Val Thr Ile
            340                 345                 350
Gly Asn His Val Tyr Asp Thr Asn Asp Ser Asn Met Gln Lys Ile Asn
        355                 360                 365
Gln Lys Leu Asp Glu Thr Asn Ala Lys Asn Ile Lys Thr Ile Lys Leu
    370                 375                 380
Asp Ser Asn His Thr Phe Leu Trp Lys Asp Leu Asp Asn Leu Asn Asn
385                 390                 395                 400
Ser Ala Gln Leu Thr Ala Thr Tyr Arg Arg Leu Glu Asp Leu Ala Lys
                405                 410                 415
Gln Ile Thr Asn Pro His Ser Thr Ile Tyr Lys Asn Glu Lys Ala Ile
            420                 425                 430
Arg Thr Val Lys Glu Ser Leu Ala Trp Leu His Gln Asn Phe Tyr Asn
        435                 440                 445
Val Asn Lys Asp Ile Glu Gly Ser Ala Asn Trp Trp Asp Phe Glu Ile
    450                 455                 460
Gly Val Pro Arg Ser Ile Thr Ala Thr Leu Ala Leu Met Asn Asn Tyr
465                 470                 475                 480
Phe Thr Asp Ala Glu Ile Lys Thr Tyr Thr Asp Pro Ile Glu His Phe
                485                 490                 495
Val Pro Asp Ala Gly Tyr Phe Arg Lys Thr Leu Asp Asn Pro Phe Lys
            500                 505                 510
Ala Leu Gly Gly Asn Leu Val Asp Met Gly Arg Val Lys Ile Ile Glu
        515                 520                 525
Gly Leu Leu Arg Lys Asp Asn Thr Ile Ile Glu Lys Thr Ser His Ser
    530                 535                 540
Leu Lys Asn Leu Phe Thr Thr Ala Thr Lys Ala Glu Gly Phe Tyr Ala
545                 550                 555                 560
Asp Gly Ser Tyr Ile Asp His Thr Asn Val Ala Tyr Thr Gly Ala Tyr
                565                 570                 575
Gly Asn Val Leu Ile Asp Gly Leu Thr Gln Leu Leu Pro Ile Ile Gln
            580                 585                 590
Glu Thr Asp Tyr Lys Ile Ser Asn Gln Glu Leu Asp Met Val Tyr Lys
        595                 600                 605
Trp Ile Asn Gln Ser Phe Leu Pro Leu Ile Val Lys Gly Glu Leu Met
    610                 615                 620
Asp Met Ser Arg Gly Arg Ser Ile Ser Arg Glu Ala Ala Ser Ser His
625                 630                 635                 640
Ala Ala Ala Val Glu Val Leu Arg Gly Phe Leu Arg Leu Ala Asn Met
                645                 650                 655
Ser Asn Glu Glu Arg Asn Leu Asp Leu Ile Ser Thr Ile Lys Thr Ile
            660                 665                 670
Ile Thr Ser Asn Lys Phe Tyr Asn Val Phe Asn Asn Leu Lys Ser Tyr
        675                 680                 685
Ser Asp Ile Ala Asn Met Asn Lys Met Leu Asn Asp Ser Thr Val Ala
    690                 695                 700
Thr Lys Pro Leu Lys Ser Asn Leu Ser Thr Phe Asn Ser Met Asp Arg
705                 710                 715                 720
Leu Ala Tyr Tyr Asn Ala Glu Lys Asp Phe Gly Phe Ala Leu Ser Leu
                725                 730                 735
His Ser Lys Arg Thr Leu Asn Tyr Glu Gly Met Asn Asp Glu Asn Thr
            740                 745                 750
Arg Gly Trp Tyr Thr Gly Asp Gly Met Phe Tyr Leu Tyr Asn Ser Asp
        755                 760                 765
Gln Ser His Tyr Ser Asn His Phe Trp Pro Thr Val Asn Pro Tyr Lys
    770                 775                 780
Met Ala Gly Thr Thr Glu Lys Asp Ala Lys Arg Glu Asp Thr Thr Lys
785                 790                 795                 800
Glu Phe Met Ser Lys His Ser Lys Asp Ala Lys Glu Lys Thr Gly Gln
                805                 810                 815
Val Thr Gly Thr Ser Asp Phe Val Gly Ser Val Lys Leu Asn Asp His
            820                 825                 830
```

```
Phe Ala Leu Ala Ala Met Asp Phe Thr Asn Trp Asp Arg Thr Leu Thr
        835                 840                 845
Ala Gln Lys Gly Trp Val Ile Leu Asn Asp Lys Ile Val Phe Leu Gly
    850                 855                 860
Ser Asn Ile Lys Asn Thr Asn Gly Ile Gly Asn Val Ser Thr Thr Ile
865                 870                 875                 880
Asp Gln Arg Lys Asp Asp Ser Lys Thr Pro Tyr Thr Thr Tyr Val Asn
                885                 890                 895
Gly Lys Thr Ile Asp Leu Lys Gln Ala Ser Ser Gln Gln Phe Thr Asp
            900                 905                 910
Thr Lys Ser Val Phe Leu Glu Ser Lys Glu Pro Gly Arg Asn Ile Gly
        915                 920                 925
Tyr Ile Phe Phe Lys Asn Ser Thr Ile Asp Ile Glu Arg Lys Glu Gln
    930                 935                 940
Thr Gly Thr Trp Asn Ser Ile Asn Arg Thr Ser Lys Asn Thr Ser Ile
945                 950                 955                 960
Val Ser Asn Pro Phe Ile Thr Ile Ser Gln Lys His Asp Asn Lys Gly
                965                 970                 975
Asp Ser Tyr Gly Tyr Met Met Val Pro Asn Ile Asp Arg Thr Ser Phe
            980                 985                 990
Asp Lys Leu Ala Asn Ser Lys Glu Val Glu Leu Leu Glu Asn Ser Ser
        995                 1000                1005
Lys Gln Gln Val Ile Tyr Asp Lys Asn Ser Gln Thr Trp Ala Val Ile
    1010                1015                1020
Lys His Asp Asn Gln Glu Ser Leu Ile Asn Asn Gln Phe Lys Met Asn
1025                1030                1035                1040
Lys Ala Gly Leu Tyr Leu Val Gln Lys Val Gly Asn Asp Tyr Gln Asn
                1045                1050                1055
Val Tyr Tyr Gln Pro Gln Thr Met Thr Lys Thr Asp Gln Leu Ala Ile
            1060                1065                1070


<210> 896
<211> 1081
<212> PRT
<213> Streptococcus agalactiae serotype Ia

<220>
<223> hyaluronan lyase

<400> 896
Met Glu Ile Lys Lys Lys His Arg Ile Met Leu Tyr Ser Ala Leu Ile
 1                5                  10                  15
Leu Gly Thr Ile Leu Val Asn Asn Ser Tyr Gln Ala Lys Ala Glu Glu
            20                  25                  30
Phe Thr Lys Thr Thr Ser Thr Ser Gln Ile Arg Asp Thr Gln Thr Asn
        35                  40                  45
Asn Val Glu Val Pro Gln Thr Glu Ser Thr Thr Val Lys Gly Thr Ser
    50                  55                  60
Thr Thr Thr Thr Gln Gln Asp Leu Ser Asn Ser Thr Ala Ser Thr Ala
65                  70                  75                  80
Thr Ala Thr Ala Thr His Ser Thr Met Lys Gln Val Val Asp Asn Gln
                85                  90                  95
Thr Gln Asn Lys Glu Leu Val Lys Asn Gly Asp Phe Lys Glu Lys Ile
            100                 105                 110
Ile Asp Lys Lys Ile Asp Lys Lys Ser Gln Trp Thr Asn Leu Tyr Gly
        115                 120                 125
Ala Lys Asp Trp Asn Thr Tyr Ile Asp Gln Thr Lys Ser Val Asn Lys
    130                 135                 140
Ser Pro Ile Ile Gln Arg Thr Glu Gln Gly Gln Val Ser Leu Ser Ser
145                 150                 155                 160
Asp Lys Gly Phe Arg Gly Ala Val Thr Gln Lys Val Asn Ile Asp Pro
                165                 170                 175
Thr Lys Lys Tyr Glu Val Lys Phe Asp Ile Glu Thr Ser Asn Lys Val
            180                 185                 190
Gly Gln Ala Phe Leu Arg Ile Met Lys Lys Lys Asp Lys Asn Thr Arg
        195                 200                 205
Leu Trp Leu Ser Glu Met Thr Ser Gly Thr Thr Asn Lys His Thr Leu
```

```
    210                 215                 220
Thr Lys Ile Tyr Asn Pro Lys Leu Asn Val Ser Glu Val Thr Leu Glu
225                 230                 235                 240
Leu Tyr Tyr Glu Lys Gly Thr Gly Ser Val Thr Phe Asp Asn Ile Ser
                245                 250                 255
Met Lys Ala Lys Gly Pro Lys Asp Ser Glu His Pro Gln Pro Val Thr
            260                 265                 270
Thr Gln Ile Glu Glu Ser Val Asn Thr Ala Leu Asn Lys Asn Tyr Val
        275                 280                 285
Phe Asn Lys Ala Asp Tyr Gln Tyr Thr Leu Thr Asn Pro Ser Leu Gly
    290                 295                 300
Lys Ile Val Gly Gly Ile Leu Tyr Pro Ser Ala Thr Gly Ser Thr Thr
305                 310                 315                 320
Val Lys Ile Ser Asp Lys Ser Gly Lys Ile Ile Lys Glu Val Pro Leu
                325                 330                 335
Ser Val Thr Ala Ser Thr Glu Asp Asn Phe Thr Lys Leu Leu Asp Lys
            340                 345                 350
Trp Asn Asp Val Thr Ile Gly Asn His Val Tyr Asp Thr Asn Asp Ser
        355                 360                 365
Asn Met Gln Lys Leu Asn Gln Lys Leu Asp Glu Thr Asn Ala Lys Asn
    370                 375                 380
Ile Lys Asp Ile Lys Leu Asp Ser Asn Arg Thr Phe Leu Trp Glu Asp
385                 390                 395                 400
Leu Lys Gly Leu Asn Asn Ser Ala Gln Leu Thr Ala Thr Tyr Arg Arg
                405                 410                 415
Leu Glu Asp Leu Ala Lys Gln Ile Thr Asn Pro His Ser Thr Ile Tyr
            420                 425                 430
Lys Asn Glu Lys Ala Ile Arg Thr Val Lys Glu Ser Leu Ala Trp Leu
        435                 440                 445
His Gln Asn Phe Tyr Asn Val Asn Lys Asp Ile Glu Gly Ser Ala Asn
    450                 455                 460
Trp Trp Asp Phe Glu Ile Gly Val Pro Arg Ser Ile Thr Ala Thr Leu
465                 470                 475                 480
Ala Leu Met Asn Asn Tyr Phe Thr Asp Ala Glu Ile Lys Thr Tyr Thr
                485                 490                 495
Asp Pro Ile Glu His Phe Val Pro Asp Ala Gly Tyr Phe Arg Lys Thr
            500                 505                 510
Leu Val Asn Pro Phe Lys Ala Leu Gly Gly Asn Leu Val Asp Met Gly
        515                 520                 525
Arg Val Lys Ile Ile Glu Gly Leu Leu Arg Lys Asp Asn Thr Ile Ile
    530                 535                 540
Lys Lys Thr Ser His Ser Leu Lys Asn Leu Phe Thr Thr Ala Thr Lys
545                 550                 555                 560
Ala Glu Gly Phe Tyr Ala Asp Gly Ser Tyr Ile Asp His Thr Asn Val
                565                 570                 575
Ala Tyr Thr Gly Ala Tyr Gly Asn Val Leu Ile Asp Gly Leu Thr Gln
            580                 585                 590
Leu Leu Pro Ile Ile Gln Glu Thr Asp Tyr Lys Ile Ser Asn Gln Glu
        595                 600                 605
Leu Asp Met Val Tyr Lys Trp Ile Asn Gln Ser Phe Leu Pro Leu Ile
    610                 615                 620
Val Lys Gly Glu Leu Met Asp Met Ser Arg Gly Arg Ser Ile Ser Arg
625                 630                 635                 640
Glu Ala Ala Ser Ser His Ala Ala Ala Val Glu Val Leu Arg Gly Phe
                645                 650                 655
Leu Arg Leu Ala Asn Met Ser Asn Glu Glu Arg Asn Leu Asp Leu Lys
            660                 665                 670
Ser Thr Ile Lys Thr Ile Ile Thr Ser Asn Lys Phe Tyr Asn Val Phe
        675                 680                 685
Asn Asn Leu Lys Ser Tyr Ser Asp Ile Ala Asn Met Asn Lys Leu Leu
    690                 695                 700
Asn Asp Ser Thr Val Ala Thr Lys Pro Leu Lys Ser Asn Leu Ser Thr
705                 710                 715                 720
Phe Asn Ser Met Asp Arg Leu Ala Tyr Tyr Asn Ala Glu Lys Asp Phe
                725                 730                 735
Gly Phe Ala Leu Ser Leu His Ser Lys Arg Thr Leu Asn Tyr Glu Gly
            740                 745                 750
Met Asn Asp Glu Asn Thr Arg Gly Trp Tyr Thr Gly Asp Gly Met Phe
```

```
        755                 760                 765
Tyr Leu Tyr Asn Ser Asp Gln Ser His Tyr Ser Asn His Phe Trp Pro
    770                 775                 780
Thr Val Asn Pro Tyr Lys Met Ala Gly Thr Thr Glu Lys Asp Thr Gly
785                 790                 795                 800
Arg Glu Asp Thr Ile Lys Lys Leu Met Asn Arg Tyr Asp Lys Thr Asn
                805                 810                 815
Lys Asn Ser Lys Val Met Thr Gly Gln Val Thr Gly Thr Ser Asp Phe
            820                 825                 830
Val Gly Ser Val Lys Leu Asn Asp His Phe Ala Leu Ala Ala Met Asp
        835                 840                 845
Phe Thr Asn Trp Asp Arg Thr Leu Thr Ala Gln Lys Gly Trp Val Ile
    850                 855                 860
Leu Asn Asp Lys Ile Val Phe Leu Gly Ser Asn Ile Lys Asn Thr Asn
865                 870                 875                 880
Gly Val Gly Asn Val Ser Thr Thr Ile Asp Gln Arg Lys Asp Asp Ser
                885                 890                 895
Lys Thr Pro Tyr Thr Thr Tyr Val Asn Gly Lys Thr Val Asp Leu Lys
            900                 905                 910
Gln Ala Ser Ser Gln Gln Phe Thr Asp Thr Lys Ser Val Phe Leu Glu
        915                 920                 925
Ser Lys Glu Pro Gly Arg Asn Ile Gly Tyr Ile Phe Phe Lys Asn Ser
    930                 935                 940
Thr Ile Asp Ile Glu Arg Lys Glu Gln Thr Gly Thr Trp Asn Ser Ile
945                 950                 955                 960
Asn Arg Thr Ser Lys Asn Thr Ser Ile Val Ser Asn Pro Phe Ile Thr
                965                 970                 975
Ile Ser Gln Lys His Asp Asn Lys Gly Asp Ser Tyr Gly Tyr Met Met
            980                 985                 990
Val Pro Asn Ile Asp Arg Thr Ser Phe Asp Lys Leu Ala Asn Ser Lys
        995                 1000                1005
Glu Val Glu Leu Leu Glu Asn Ser Ser Lys Gln Gln Val Ile Tyr Asp
    1010                1015                1020
Lys Asn Ser Gln Thr Trp Ala Val Ile Lys His Asp Asn Gln Glu Ser
1025                1030                1035                1040
Leu Ile Asn Asn Gln Phe Lys Met Asn Lys Ala Gly Leu Tyr Leu Val
                1045                1050                1055
Gln Lys Val Gly Asn Asp Tyr Gln Asn Val Tyr Tyr Gln Pro Gln Thr
            1060                1065                1070
Met Thr Lys Thr Asp Gln Leu Ala Ile
        1075                1080


<210> 897
<211> 984
<212> PRT
<213> Streptococcus agalactiae serotype III

<220>
<223> hyaluronan lyase

<400> 897
Met Lys Gln Val Val Asp Asn Gln Thr Gln Asn Lys Glu Leu Val Lys
 1               5                  10                  15
Asn Gly Asp Phe Asn Gln Thr Asn Pro Val Ser Gly Ser Trp Ser His
            20                  25                  30
Thr Ser Ala Arg Glu Trp Ser Ala Trp Ile Asp Lys Glu Asn Thr Ala
        35                  40                  45
Asp Lys Ser Pro Ile Ile Gln Arg Thr Glu Gln Gly Gln Val Ser Leu
    50                  55                  60
Ser Ser Asp Lys Gly Phe Arg Gly Ala Val Thr Gln Lys Val Asn Ile
65                  70                  75                  80
Asp Pro Thr Lys Lys Tyr Glu Val Lys Phe Asp Ile Glu Thr Ser Asn
                85                  90                  95
Lys Ala Gly Gln Ala Phe Leu Arg Ile Met Glu Lys Lys Asp Asn Asn
            100                 105                 110
Thr Arg Leu Trp Leu Ser Glu Met Thr Ser Gly Thr Thr Asn Lys His
        115                 120                 125
```

```
Thr Leu Thr Lys Ile Tyr Asn Pro Lys Leu Asn Val Ser Glu Val Thr
    130                 135                 140
Leu Glu Leu Tyr Tyr Glu Lys Gly Thr Gly Ser Ala Thr Phe Asp Asn
145                 150                 155                 160
Ile Ser Met Lys Ala Lys Gly Pro Lys Asp Ser Glu His Pro Gln Pro
                165                 170                 175
Val Thr Thr Gln Ile Glu Glu Ser Val Asn Thr Ala Leu Asn Lys Asn
            180                 185                 190
Tyr Val Phe Asn Lys Ala Asp Tyr Gln Tyr Thr Leu Thr Asn Pro Ser
        195                 200                 205
Leu Gly Lys Ile Val Gly Gly Ile Leu Tyr Pro Asn Ala Thr Gly Ser
    210                 215                 220
Thr Thr Val Lys Ile Ser Asp Lys Ser Gly Lys Ile Ile Lys Glu Val
225                 230                 235                 240
Pro Leu Ser Val Thr Ala Ser Thr Glu Asp Lys Phe Thr Lys Leu Leu
                245                 250                 255
Asp Lys Trp Asn Asp Val Thr Ile Gly Asn His Val Tyr Asp Thr Asn
            260                 265                 270
Asp Ser Asn Met Gln Lys Ile Asn Gln Lys Leu Asp Glu Thr Asn Ala
        275                 280                 285
Lys Asn Ile Lys Thr Ile Lys Leu Asp Ser Asn His Thr Phe Leu Trp
    290                 295                 300
Lys Asp Leu Asp Asn Leu Asn Asn Ser Ala Gln Leu Thr Ala Thr Tyr
305                 310                 315                 320
Arg Arg Leu Glu Asp Leu Ala Lys Gln Ile Thr Asn Pro His Ser Thr
                325                 330                 335
Ile Tyr Lys Asn Glu Lys Ala Ile Arg Thr Val Lys Glu Ser Leu Ala
            340                 345                 350
Trp Leu His Gln Asn Phe Tyr Asn Val Asn Lys Asp Ile Glu Gly Ser
        355                 360                 365
Ala Asn Trp Trp Asp Phe Glu Ile Gly Val Pro Arg Ser Ile Thr Ala
    370                 375                 380
Thr Leu Ala Leu Met Asn Asn Tyr Phe Thr Asp Ala Glu Ile Lys Thr
385                 390                 395                 400
Tyr Thr Asp Pro Ile Glu His Phe Val Pro Asp Ala Gly Tyr Phe Arg
                405                 410                 415
Lys Thr Leu Asp Asn Pro Phe Lys Ala Leu Gly Gly Asn Leu Val Asp
            420                 425                 430
Met Gly Arg Val Lys Ile Ile Glu Gly Leu Leu Arg Lys Asp Asn Thr
        435                 440                 445
Ile Ile Glu Lys Thr Ser His Ser Leu Lys Asn Leu Phe Thr Thr Ala
    450                 455                 460
Thr Lys Ala Glu Gly Phe Tyr Ala Asp Gly Ser Tyr Ile Asp His Thr
465                 470                 475                 480
Asn Val Ala Tyr Thr Gly Ala Tyr Gly Asn Val Leu Ile Asp Gly Leu
                485                 490                 495
Thr Gln Leu Leu Pro Ile Ile Gln Glu Thr Asp Tyr Lys Ile Ser Asn
            500                 505                 510
Gln Glu Leu Asp Met Val Tyr Lys Trp Ile Asn Gln Ser Phe Leu Pro
        515                 520                 525
Leu Ile Val Lys Gly Glu Leu Met Asp Met Ser Arg Gly Arg Ser Ile
    530                 535                 540
Ser Arg Glu Ala Ala Ser Ser His Ala Ala Ala Val Glu Val Leu Arg
545                 550                 555                 560
Gly Phe Leu Arg Leu Ala Asn Met Ser Asn Glu Glu Arg Asn Leu Asp
                565                 570                 575
Leu Lys Ser Thr Ile Lys Thr Ile Ile Thr Ser Asn Lys Phe Tyr Asn
            580                 585                 590
Val Phe Asn Asn Leu Lys Ser Tyr Ser Asp Ile Ala Asn Met Asn Lys
        595                 600                 605
Met Leu Asn Asp Ser Thr Val Ala Thr Lys Pro Leu Lys Ser Asn Leu
    610                 615                 620
Ser Thr Phe Asn Ser Met Asp Arg Leu Ala Tyr Tyr Asn Ala Glu Lys
625                 630                 635                 640
Asp Phe Gly Phe Ala Leu Ser Leu His Ser Lys Arg Thr Leu Asn Tyr
                645                 650                 655
Glu Gly Met Asn Asp Glu Asn Thr Arg Asp Trp Tyr Thr Gly Asp Gly
            660                 665                 670
```

Met Phe Tyr Leu Tyr Asn Ser Asp Gln Ser His Tyr Ser Asn His Phe
675 680 685
Trp Pro Thr Val Asn Pro Tyr Lys Met Ala Gly Thr Thr Glu Lys Asp
690 695 700
Ala Lys Arg Glu Asp Thr Thr Lys Glu Phe Met Ser Lys His Ser Lys
705 710 715 720
Asp Ala Lys Glu Lys Thr Gly Gln Val Thr Gly Thr Ser Asp Phe Val
725 730 735
Gly Ser Val Lys Leu Asn Asp His Phe Ala Leu Ala Ala Met Asp Phe
740 745 750
Thr Asn Trp Asp Arg Thr Leu Thr Ala Gln Lys Gly Trp Val Ile Leu
755 760 765
Asn Asp Lys Ile Val Phe Leu Gly Ser Asn Ile Lys Asn Thr Asn Gly
770 775 780
Ile Gly Asn Val Ser Thr Thr Ile Asp Gln Arg Lys Asp Asp Ser Lys
785 790 795 800
Thr Pro Tyr Thr Thr Tyr Val Asn Gly Lys Thr Ile Asp Leu Lys Gln
805 810 815
Ala Ser Ser Gln Gln Phe Thr Asp Thr Lys Ser Val Phe Leu Glu Ser
820 825 830
Lys Glu Pro Gly Arg Asn Ile Gly Tyr Ile Phe Phe Lys Asn Ser Thr
835 840 845
Ile Asp Ile Glu Arg Lys Glu Gln Thr Gly Thr Trp Asn Ser Ile Asn
850 855 860
Arg Thr Ser Lys Asn Thr Ser Ile Val Ser Asn Pro Phe Ile Thr Ile
865 870 875 880
Ser Gln Lys His Asp Asn Lys Gly Asp Ser Tyr Gly Tyr Met Met Val
885 890 895
Pro Asn Ile Asp Arg Thr Ser Phe Asp Lys Leu Ala Asn Ser Lys Glu
900 905 910
Val Glu Leu Leu Glu Asn Ser Ser Lys Gln Gln Val Ile Tyr Asp Lys
915 920 925
Asn Ser Gln Thr Trp Ala Val Ile Lys His Asp Asn Gln Glu Ser Leu
930 935 940
Ile Asn Asn Gln Phe Lys Met Asn Lys Ala Gly Leu Tyr Leu Val Gln
945 950 955 960
Lys Val Gly Asn Asp Tyr Gln Asn Val Tyr Tyr Gln Pro Gln Thr Met
965 970 975
Thr Lys Thr Asp Gln Leu Ala Ile
980

<210> 898
<211> 807
<212> PRT
<213> Staphylococcus aureus (strain COL)

<220>
<223> hyaluronan lyase

<400> 898
Met Thr Tyr Arg Ile Lys Lys Trp Gln Lys Leu Ser Thr Ile Thr Leu
1 5 10 15
Leu Met Ala Gly Val Ile Thr Leu Asn Gly Gly Glu Phe Arg Ser Val
20 25 30
Asp Lys His Gln Ile Ala Val Ala Asp Thr Asn Val Gln Thr Pro Asp
35 40 45
Tyr Glu Lys Leu Arg Asn Thr Trp Leu Asp Val Asn Tyr Gly Tyr Asp
50 55 60
Lys Tyr Asp Glu Asn Asn Pro Asp Met Lys Lys Lys Phe Asp Ala Thr
65 70 75 80
Glu Lys Glu Ala Thr Asn Leu Leu Lys Glu Met Lys Thr Glu Ser Gly
85 90 95
Arg Lys Tyr Leu Trp Ser Gly Ala Glu Thr Leu Glu Thr Asn Ser Ser
100 105 110
His Met Thr Arg Thr Tyr Arg Asn Ile Glu Lys Ile Ala Glu Ala Met
115 120 125
Arg Asn Pro Lys Thr Thr Leu Asn Thr Asp Glu Asn Lys Lys Lys Val

```
    130                 135                 140
Lys Asp Ala Leu Glu Trp Leu His Lys Asn Ala Tyr Gly Lys Glu Pro
145                 150                 155                 160
Asp Lys Lys Val Lys Glu Leu Ser Glu Asn Phe Thr Lys Thr Thr Gly
                165                 170                 175
Lys Asn Thr Asn Leu Asn Trp Trp Asp Tyr Glu Ile Gly Thr Pro Lys
            180                 185                 190
Ser Leu Thr Asn Thr Leu Ile Leu Leu Asn Asp Gln Phe Ser Asn Glu
        195                 200                 205
Glu Lys Lys Lys Phe Thr Ala Pro Ile Lys Thr Phe Ala Pro Asp Ser
    210                 215                 220
Asp Lys Ile Leu Ser Ser Val Gly Lys Ala Glu Leu Ala Lys Gly Gly
225                 230                 235                 240
Asn Leu Val Asp Ile Ser Lys Val Lys Leu Leu Glu Cys Ile Ile Glu
                245                 250                 255
Glu Asp Lys Asp Met Met Lys Lys Ser Ile Asp Ser Phe Asn Lys Val
            260                 265                 270
Phe Thr Tyr Val Gln Asp Ser Ala Thr Gly Lys Glu Arg Asn Gly Phe
        275                 280                 285
Tyr Lys Asp Gly Ser Tyr Ile Asp His Gln Asp Val Pro Tyr Thr Gly
    290                 295                 300
Ala Tyr Gly Val Val Leu Leu Glu Gly Ile Ser Gln Met Met Pro Met
305                 310                 315                 320
Ile Lys Glu Thr Pro Phe Asn Asp Lys Thr Gln Asn Asp Thr Thr Leu
                325                 330                 335
Lys Ser Trp Ile Asp Asp Gly Phe Met Pro Leu Ile Tyr Lys Gly Glu
            340                 345                 350
Met Met Asp Leu Ser Arg Gly Arg Ala Ile Ser Arg Glu Asn Glu Thr
        355                 360                 365
Ser His Ser Ala Ser Ala Thr Val Met Lys Ser Leu Leu Arg Leu Ser
    370                 375                 380
Asp Ala Met Asp Asp Ser Thr Lys Ala Lys Tyr Lys Lys Ile Val Lys
385                 390                 395                 400
Ser Ser Val Glu Ser Asp Ser Ser Tyr Lys Gln Asn Asp Tyr Leu Asn
                405                 410                 415
Ser Tyr Ser Asp Ile Asp Lys Met Lys Ser Leu Met Thr Asp Asn Ser
            420                 425                 430
Ile Ser Lys Asn Gly Leu Thr Gln Gln Leu Lys Ile Tyr Asn Asp Met
        435                 440                 445
Asp Arg Val Thr Tyr His Asn Lys Asp Leu Asp Phe Ala Phe Gly Leu
    450                 455                 460
Ser Met Thr Ser Lys Asn Val Ala Arg Tyr Glu Ser Ile Asn Gly Glu
465                 470                 475                 480
Asn Leu Lys Gly Trp His Thr Gly Ala Gly Met Ser Tyr Leu Tyr Asn
                485                 490                 495
Ser Asp Val Lys His Tyr His Asp Asn Phe Trp Val Thr Ala Asp Met
            500                 505                 510
Lys Arg Leu Ser Gly Thr Thr Thr Leu Asp Asn Glu Ile Leu Lys Asp
        515                 520                 525
Thr Asp Asp Lys Lys Ser Ser Lys Thr Phe Val Gly Gly Thr Lys Val
    530                 535                 540
Asp Asp Gln His Ala Ser Ile Gly Met Asp Phe Glu Asn Gln Asp Lys
545                 550                 555                 560
Thr Leu Thr Ala Lys Lys Ser Tyr Phe Ile Leu Asn Asp Lys Ile Val
                565                 570                 575
Phe Leu Gly Thr Gly Ile Lys Ser Thr Asp Ser Ser Lys Asn Pro Val
            580                 585                 590
Thr Thr Ile Glu Asn Arg Lys Ala Asn Gly Tyr Thr Leu Tyr Thr Asp
        595                 600                 605
Asp Lys Gln Thr Thr Asn Ser Asp Asn Gln Glu Asn Asn Ser Val Phe
    610                 615                 620
Leu Glu Ser Thr Asp Thr Lys Lys Asn Ile Gly Tyr His Phe Leu Asn
625                 630                 635                 640
Lys Pro Lys Ile Thr Val Lys Lys Glu Ser His Thr Gly Lys Trp Lys
                645                 650                 655
Glu Ile Asn Lys Ser Gln Lys Asp Thr Gln Lys Thr Asp Glu Tyr Tyr
            660                 665                 670
Glu Val Thr Gln Lys His Ser Asn Ser Asp Asn Lys Tyr Gly Tyr Val
```

675 680 685
Leu Tyr Pro Gly Leu Ser Lys Asp Val Phe Lys Thr Lys Lys Asp Glu
690 695 700
Val Thr Val Val Lys Gln Glu Asp Asp Phe His Val Val Lys Asp Asn
705 710 715 720
Glu Ser Val Trp Ala Gly Val Asn Tyr Ser Asn Ser Thr Gln Thr Phe
725 730 735
Asp Ile Asn Asn Thr Lys Val Glu Val Lys Ala Lys Gly Met Phe Ile
740 745 750
Leu Lys Lys Lys Asp Asp Asn Thr Tyr Glu Cys Ser Phe Tyr Asn Pro
755 760 765
Glu Ser Thr Asn Ser Ala Ser Asp Ile Glu Ser Lys Ile Ser Met Thr
770 775 780
Gly Tyr Ser Ile Thr Asn Lys Asn Thr Ser Thr Ser Asn Glu Ser Gly
785 790 795 800
Val His Phe Glu Leu Thr Lys
805

<210> 899
<211> 420
<212> PRT
<213> Staphylococcus aureus (strain MRSA252)

<220>
<223> hyaluronan lyase

<400> 899
Met Thr Tyr Arg Met Lys Lys Trp Gln Lys Leu Ser Thr Ile Thr Leu
1 5 10 15
Leu Met Ala Gly Val Ile Thr Leu Asn Gly Gly Glu Phe Arg Ser Ile
20 25 30
Asp Lys His Gln Ile Ala Val Ala Asp Thr Asn Val Gln Thr Thr Asp
35 40 45
Tyr Glu Lys Leu Arg Asn Ile Trp Leu Asp Val Asn Tyr Gly Tyr Asp
50 55 60
Lys Tyr Asp Glu Asn Asn Pro Asp Met Lys Lys Lys Phe Glu Ala Thr
65 70 75 80
Glu Asn Glu Ala Glu Lys Leu Leu Lys Glu Met Lys Thr Glu Ser Asp
85 90 95
Arg Lys Tyr Leu Trp Glu Ser Ser Lys Asp Leu Asp Thr Lys Ser Ala
100 105 110
Asp Met Thr Arg Thr Tyr Arg Asn Ile Glu Lys Ile Ser Glu Ala Met
115 120 125
Lys His Lys Asn Thr Lys Leu Lys Thr Asp Glu Asn Lys Thr Lys Val
130 135 140
Lys Asp Ala Leu Glu Trp Leu His Lys Asn Ala Tyr Gly Lys Glu Pro
145 150 155 160
Asp Lys Lys Val Ala Asp Leu Thr Ser Asn Phe Lys Asn Lys Thr Ser
165 170 175
Arg Asn Thr Asn Leu Asn Trp Trp Asp Tyr Glu Ile Gly Thr Pro Arg
180 185 190
Ala Leu Thr Asn Thr Leu Ile Leu Leu Gln Glu Asp Phe Thr Asp Glu
195 200 205
Glu Lys Lys Lys Tyr Thr Ala Pro Ile Lys Thr Phe Ala Pro Asp Ser
210 215 220
Asp Lys Ile Leu Ser Ser Val Gly Lys Ser Glu Pro Ala Lys Gly Gly
225 230 235 240
Asn Leu Val Asp Ile Ser Lys Val Lys Leu Leu Glu Ser Ile Ile Glu
245 250 255
Glu Asp Lys Asp Met Met Lys Lys Ser Ile Asp Ser Phe Asn Thr Val
260 265 270
Phe Thr Tyr Ala Gln Asn Ser Ala Thr Gly Lys Glu Arg Asn Gly Phe
275 280 285
Tyr Lys Asp Gly Ser Tyr Ile Asp His Gln Asp Val Pro Tyr Thr Gly
290 295 300
Ala Tyr Gly Val Val Leu Leu Glu Gly Ile Ser Gln Met Met Pro Met

305 310 315 320
Ile Lys Glu Thr Pro Phe Asn Asp Ser Asn Gln Asn Asp Thr Thr Leu
325 330 335
Lys Ser Trp Ile Asp Asp Gly Phe Met Pro Leu Ile Tyr Lys Gly Glu
340 345 350
Met Met Asp Leu Ser Arg Gly Arg Ala Ile Ser Arg Glu Asn Glu Thr
355 360 365
Ser His Ser Ala Ser Ala Thr Val Met Lys Ser Leu Leu Arg Leu Ser
370 375 380
Asp Thr Met Asp Lys Ser Thr Lys Ala Lys Tyr Lys Lys Ile Val Lys
385 390 395 400
Thr Ser Val Glu Ser Asp Ser Ser Tyr Lys Gln Thr Asp Tyr Leu Ser
405 410 415
Ser Tyr Ser Asp
420

<210> 900
<211> 806
<212> PRT
<213> Staphylococcus aureus (strain MRSA252)

<220>
<223> hyaluronan lyase

<400> 900
Met Thr Asn Lys Met Lys Lys Trp Gln Lys Leu Ser Thr Ile Thr Leu
1 5 10 15
Leu Met Thr Gly Val Ile Ala Leu Asn Asn Gly Glu Phe Arg Asn Val
20 25 30
Asp Lys His Gln Ile Ala Val Ala Asp Thr Asn Val Gln Thr Pro Asp
35 40 45
Tyr Glu Lys Leu Lys Lys Thr Trp Leu Asp Val Asn Tyr Gly Tyr Asp
50 55 60
Gln Tyr Asp Glu Asn Asn Gln Asp Met Lys Lys Lys Phe Asp Ala Lys
65 70 75 80
Glu Lys Glu Ala Lys Lys Leu Leu Asp Asp Met Lys Thr Asp Thr Asn
85 90 95
Arg Thr Tyr Leu Trp Ser Gly Ala Glu Asn Leu Glu Thr Asn Ser Ser
100 105 110
His Met Thr Lys Thr Tyr Arg Asn Ile Glu Lys Ile Ala Glu Ser Met
115 120 125
Gln His Lys Asn Thr Val Leu Lys Thr Val Glu Asn Lys Leu Lys Ile
130 135 140
Lys Glu Ala Leu Asp Trp Met His Lys Asn Val Tyr Gly Lys Asn Pro
145 150 155 160
Ser Gln Lys Val Glu Asp Leu Thr Lys Asn Arg Lys Gly Gln Thr Thr
165 170 175
Pro Lys Asn Asn Ser Leu Asn Trp Trp Asp Tyr Glu Ile Gly Thr Pro
180 185 190
Arg Ala Leu Thr Asn Thr Leu Leu Leu Met Asp Asp Met Leu Thr Lys
195 200 205
Asp Glu Met Lys Asn Tyr Ser Lys Pro Ile Ser Thr Tyr Ala Pro Ser
210 215 220
Ser Asp Lys Ile Leu Ser Ser Val Gly Glu Ser Glu Asp Ala Lys Gly
225 230 235 240
Gly Asn Leu Val Asp Ile Ser Lys Val Lys Leu Leu Glu Ser Val Ile
245 250 255
Glu Glu Asp Val Asp Met Leu Lys Lys Ser Ile Asp Ser Phe Asn Lys
260 265 270
Val Phe Thr Tyr Val Gln Asp Ser Ala Thr Gly Lys Gly Arg Asn Gly
275 280 285
Phe Tyr Lys Asp Gly Ser Tyr Ile Asp His Gln Asp Val Pro Tyr Thr
290 295 300
Gly Ala Tyr Gly Val Val Leu Leu Glu Gly Ile Ser Gln Met Met Pro
305 310 315 320
Met Ile Lys Glu Ser Pro Phe Lys Thr Thr Gln Asp Asn Ala Thr Leu
325 330 335

```
Ser Asn Trp Ile Asp Glu Gly Phe Met Pro Leu Ile Tyr Lys Gly Glu
            340                 345                 350
Met Met Asp Leu Ser Arg Gly Arg Ala Ile Ser Arg Glu Asn Glu Thr
        355                 360                 365
Ser His Thr Ala Ser Ala Thr Val Met Lys Ser Leu Leu Arg Leu Asn
    370                 375                 380
Asp Thr Met Asp Asp Ser Thr Lys Thr Arg Tyr Lys Gln Ile Val Lys
385                 390                 395                 400
Thr Ser Val Asn Ser Asp Ser Ser Tyr Asn Gln Asn Asn Tyr Leu Asn
                405                 410                 415
Ser Tyr Ser Asp Ile Ala Lys Met Lys Lys Leu Met Asn Asp Ser Thr
            420                 425                 430
Ile Ser Lys Asn Asp Leu Thr Gln Gln Leu Lys Ile Tyr Asn Asp Met
        435                 440                 445
Asp Arg Val Thr Tyr His Asn Lys Asp Leu Asp Phe Ala Phe Gly Leu
    450                 455                 460
Ser Met Thr Ser Lys Asn Ile Ala Arg Tyr Glu Asn Ile Asn Gly Glu
465                 470                 475                 480
Asn Leu Lys Gly Trp His Thr Gly Ala Gly Met Ser Tyr Leu Tyr Asn
                485                 490                 495
Ser Asp Val Lys His Tyr Arg Asp Asn Phe Trp Ala Thr Ala Asp Met
            500                 505                 510
Thr Cys Leu Pro Gly Thr Thr Thr Leu Asn Asp Met Pro Ser Thr Asn
        515                 520                 525
Thr Lys Asn Asp Lys Ser Phe Val Gly Gly Thr Lys Leu Asn Asn Lys
    530                 535                 540
Tyr Ala Ser Ile Gly Met Asp Phe Glu Asn Gln Asp Lys Thr Leu Thr
545                 550                 555                 560
Ala Lys Lys Ser Tyr Phe Ile Leu Asn Asp Lys Ile Val Phe Leu Gly
                565                 570                 575
Thr Gly Ile Lys Ser Thr Asp Ser Ser Lys Asn Pro Val Thr Ser Val
            580                 585                 590
Glu Asn Arg Lys Ala Asn Gly Tyr Lys Leu Phe Lys Asp Asp Ile Glu
        595                 600                 605
Ile Thr Thr Ser Asp Val Asn Ala Gln Glu Thr His Ser Val Phe Leu
    610                 615                 620
Glu Ser Asn Asp Thr Lys Lys Asn Ile Gly Tyr His Phe Leu Asp Lys
625                 630                 635                 640
Pro Lys Ile Thr Val Lys Lys Glu Ser His Thr Gly Lys Trp Ser Glu
                645                 650                 655
Ile Asn Lys Ser Gln Lys Lys Asp Asp Lys Lys Asp Glu Tyr Tyr Glu
            660                 665                 670
Val Thr Gln Thr His Asn Thr Ser Asp Ser Lys Tyr Ala Tyr Val Leu
        675                 680                 685
Tyr Pro Gly Leu Ser Lys Ser Asp Phe Lys Ser Lys Asn Asn Asn Val
    690                 695                 700
Ser Ile Val Lys Gln Asp Glu Asp Phe His Val Ile Lys Asp Asn Asp
705                 710                 715                 720
Gly Val Phe Ala Gly Val Asn Tyr Ser Asp Asn Thr Lys Ser Phe Asp
                725                 730                 735
Ile Asn Gly Ile Thr Val Glu Leu Lys Glu Lys Gly Met Phe Val Ile
            740                 745                 750
Lys Lys Lys Asp Asp Lys Ala Tyr Lys Cys Ser Phe Tyr Asn Pro Glu
        755                 760                 765
Thr Thr Asn Thr Ala Ser Asn Ile Glu Ser Lys Ile Phe Ile Lys Gly
    770                 775                 780
Tyr Thr Ile Thr Asn Lys Ser Val Ile Asn Ser Asn Asp Ala Gly Val
785                 790                 795                 800
Asn Phe Glu Leu Thr Lys
                805
```

<210> 901
<211> 815
<212> PRT
<213> Staphylococcus aureus (strain MSSA476)

<220>

<223> hyaluronan lyase

<400> 901

```
Met Thr Tyr Arg Ile Lys Lys Trp Gln Lys Leu Ser Thr Ile Thr Leu
 1               5                  10                  15
Leu Met Ala Gly Val Ile Thr Leu Asn Gly Gly Glu Phe Arg Ser Ile
            20                  25                  30
Asp Lys Tyr Gln Ile Ala Val Ala Asp Thr Asn Val Gln Thr Pro Asp
        35                  40                  45
Tyr Glu Lys Leu Arg Asn Thr Trp Leu Asp Val Asn Tyr Gly Tyr Asp
    50                  55                  60
Lys Tyr Asp Glu Lys Asn Asp Ala Met Lys Lys Lys Phe Glu Ala Thr
65                  70                  75                  80
Glu Asn Glu Ala Lys Lys Leu Leu Ser Glu Met Lys Thr Glu Ser Asp
                85                  90                  95
Arg Lys Tyr Leu Trp Glu Asn Ser Lys Asp Leu Asp Thr Lys Ser Ala
            100                 105                 110
Asp Met Thr Arg Thr Tyr Arg Asn Ile Glu Lys Ile Ala Glu Ala Met
        115                 120                 125
Lys His Lys Asp Thr Lys Leu Lys Ile Asp Glu Asn Lys Lys Lys Val
    130                 135                 140
Lys Asp Ala Leu Glu Trp Leu His Lys Asn Ala Tyr Gly Lys Glu Pro
145                 150                 155                 160
Asp Lys Lys Val Ala Asp Leu Thr Ser Asn Phe Lys Asn Lys Thr Ser
                165                 170                 175
Arg Asn Thr Asn Leu Asn Trp Trp Asp Tyr Glu Ile Gly Thr Pro Arg
            180                 185                 190
Ala Leu Thr Asn Thr Leu Ile Leu Leu Asn Asp Gln Phe Ser Asn Asp
        195                 200                 205
Glu Lys Lys Lys Tyr Thr Ala Pro Ile Lys Thr Phe Ala Pro Glu Ser
    210                 215                 220
Asp Lys Ile Leu Ser Ser Val Gly Gln Pro Glu Gln Ala Lys Gly Gly
225                 230                 235                 240
Asn Leu Val Asp Ile Ala Lys Val Lys Leu Leu Glu Ser Ile Ile Glu
                245                 250                 255
Glu Asp Lys Asp Ile Thr Lys Asn Ser Ile Asp Ala Phe Asn Lys Val
            260                 265                 270
Phe Thr Tyr Val Gln Ser Asn Ala Thr Gly Lys Glu Arg Asn Gly Phe
        275                 280                 285
Tyr Lys Asp Gly Ser Tyr Ile Asp His Gln Asp Val Pro Tyr Thr Gly
    290                 295                 300
Ala Tyr Gly Val Val Leu Leu Glu Gly Ile Ser Gln Met Met Pro Met
305                 310                 315                 320
Ile Lys Glu Thr Pro Phe Asn Asp Lys Thr Gln Asn Asp Thr Thr Leu
                325                 330                 335
Lys Ser Trp Ile Asp Asp Gly Phe Met Pro Leu Ile Tyr Lys Gly Glu
            340                 345                 350
Met Met Asp Leu Ser Arg Gly Arg Ala Ile Ser Arg Glu Asn Glu Thr
        355                 360                 365
Ser His Thr Ala Ser Ala Thr Val Met Lys Ser Leu Leu Arg Leu Ser
    370                 375                 380
Asp Ala Met Asp Asp Ser Thr Lys Ala Lys Tyr Lys Gln Ile Val Lys
385                 390                 395                 400
Thr Ser Val Lys Ser Asp Ser Ser Tyr Gly Gln Asn Asp Thr Leu Ser
                405                 410                 415
Ser Tyr Ser Asp Ile Ser Lys Met Lys Ser Leu Met Glu Asp Ser Thr
            420                 425                 430
Ile Ser Thr Asn Gly Leu Thr Gln Gln Leu Lys Ile Tyr Asn Asp Met
        435                 440                 445
Asp Arg Val Thr Tyr His Asn Lys Asp Leu Asp Phe Ala Phe Gly Leu
    450                 455                 460
Ser Met Thr Ser Lys Asn Val Ala Arg Tyr Glu Ser Ile Asn Gly Glu
465                 470                 475                 480
Asn Leu Lys Gly Trp His Thr Gly Ala Gly Met Ser Tyr Leu Tyr Asn
                485                 490                 495
Ser Asp Val Lys His Tyr Arg Asp Asn Phe Trp Ala Thr Ala Asp Met
            500                 505                 510
Lys Arg Leu Ala Gly Thr Thr Thr Leu Glu Asn Glu Glu Pro Lys Gly
```

```
        515                 520                 525
Thr Asp Val Lys Lys Ser Ser Lys Thr Phe Val Gly Gly Thr Lys Phe
    530                 535                 540
Asp Asp Gln His Ala Ser Ile Gly Met Asp Phe Glu Asn Gln Asp Lys
545                 550                 555                 560
Thr Leu Thr Ala Lys Lys Ser Tyr Phe Ile Leu Asn Asp Lys Ile Val
                565                 570                 575
Phe Leu Gly Thr Gly Ile Lys Ser Thr Asp Ser Ser Lys Asn Pro Val
            580                 585                 590
Thr Thr Ile Glu Asn Arg Lys Ala Asn Gly Tyr Thr Leu Tyr Thr Asp
        595                 600                 605
Asp Lys Gln Thr Thr Ala Ser Asp Asn Gln Gly Thr Asn Ser Val Phe
    610                 615                 620
Leu Glu Ser Thr Asn Lys Pro Lys Asn Asn Ile Gly Tyr His Phe Leu
625                 630                 635                 640
Asn Glu Ser Lys Ile Thr Val Lys Lys Glu Ser His Thr Gly Lys Trp
                645                 650                 655
Ser Asp Ile Asn Lys Ser Gln Lys Gln Asp Ser Lys Thr Asn Gln Tyr
            660                 665                 670
Tyr Glu Val Thr Gln Lys His Ser Asn Thr Asp Ser Lys Tyr Ala Tyr
        675                 680                 685
Val Leu Tyr Pro Gly Leu Ser Lys Asp Asp Phe Asn Thr Lys Lys Asp
    690                 695                 700
Lys Val Thr Val Val Lys Gln Asp Asp Asp Phe His Val Val Lys Asp
705                 710                 715                 720
Asn Glu Ser Val Trp Ala Gly Val Asn Tyr Ser Asp Ser Thr Gln Thr
                725                 730                 735
Phe Ile Ile Asn Asn Thr Lys Val Glu Val Lys Ala Lys Gly Met Phe
            740                 745                 750
Ile Leu Lys Lys Lys Asp Asp Lys Thr Tyr Glu Cys Ser Phe Tyr Asn
        755                 760                 765
Pro Glu Ser Thr Asn Thr Ala Ser Asp Ile Glu Ser Lys Ile Ser Met
    770                 775                 780
Thr Gly Tyr Ser Ile Thr Asn Lys Asn Thr Ser Thr Ser Asn Glu Ser
785                 790                 795                 800
Gly Val Arg Phe Glu Leu Gln Gln Thr Leu Asn Lys Asp Asp Asn
                805                 810                 815


<210> 902
<211> 807
<212> PRT
<213> Staphylococcus aureus (strain NCTC 8325)

<220>
<223> hyaluronan lyase

<400> 902
Met Thr Tyr Arg Ile Lys Lys Trp Gln Lys Leu Ser Thr Ile Thr Leu
 1                  5                  10                  15
Leu Met Ala Gly Val Ile Thr Leu Asn Gly Gly Glu Phe Arg Ser Val
            20                  25                  30
Asp Lys His Gln Ile Ala Val Ala Asp Thr Asn Val Gln Thr Pro Asp
        35                  40                  45
Tyr Glu Lys Leu Arg Asn Thr Trp Leu Asp Val Asn Tyr Gly Tyr Asp
    50                  55                  60
Lys Tyr Asp Glu Asn Asn Pro Asp Met Lys Lys Lys Phe Asp Ala Thr
65                  70                  75                  80
Glu Lys Glu Ala Thr Asn Leu Leu Lys Glu Met Lys Thr Glu Ser Gly
                85                  90                  95
Arg Lys Tyr Leu Trp Ser Gly Ala Glu Thr Leu Glu Thr Asn Ser Ser
            100                 105                 110
His Met Thr Arg Thr Tyr Arg Asn Ile Glu Lys Ile Ala Glu Ala Met
        115                 120                 125
Arg Asn Pro Lys Thr Thr Leu Asn Thr Asp Glu Asn Lys Lys Lys Val
    130                 135                 140
Lys Asp Ala Leu Glu Trp Leu His Lys Asn Ala Tyr Gly Lys Glu Pro
145                 150                 155                 160
```

```
Asp Lys Lys Val Lys Glu Leu Ser Glu Asn Phe Thr Lys Thr Thr Gly
                165                 170                 175
Lys Asn Thr Asn Leu Asn Trp Trp Asp Tyr Glu Ile Gly Thr Pro Lys
            180                 185                 190
Ser Leu Thr Asn Thr Leu Ile Leu Leu Asn Asp Gln Phe Ser Asn Glu
        195                 200                 205
Glu Lys Lys Lys Phe Thr Ala Pro Ile Lys Thr Phe Ala Pro Asp Ser
    210                 215                 220
Asp Lys Ile Leu Ser Ser Val Gly Lys Ala Glu Leu Ala Lys Gly Gly
225                 230                 235                 240
Asn Leu Val Asp Ile Ser Lys Val Lys Leu Leu Glu Cys Ile Ile Glu
                245                 250                 255
Glu Asp Lys Asp Met Met Lys Lys Ser Ile Asp Ser Phe Asn Lys Val
            260                 265                 270
Phe Thr Tyr Val Gln Asp Ser Ala Thr Gly Lys Glu Arg Asn Gly Phe
        275                 280                 285
Tyr Lys Asp Gly Ser Tyr Ile Asp His Gln Asp Val Pro Tyr Thr Gly
    290                 295                 300
Ala Tyr Gly Val Val Leu Leu Glu Gly Ile Ser Gln Met Met Pro Met
305                 310                 315                 320
Ile Lys Glu Thr Pro Phe Asn Asp Lys Thr Gln Asn Asp Thr Thr Leu
                325                 330                 335
Lys Ser Trp Ile Asp Asp Gly Phe Met Pro Leu Ile Tyr Lys Gly Glu
            340                 345                 350
Met Met Asp Leu Ser Arg Gly Arg Ala Ile Ser Arg Glu Asn Glu Thr
        355                 360                 365
Ser His Ser Ala Ser Ala Thr Val Met Lys Ser Leu Leu Arg Leu Ser
    370                 375                 380
Asp Ala Met Asp Asp Ser Thr Lys Ala Lys Tyr Lys Lys Ile Val Lys
385                 390                 395                 400
Ser Ser Val Glu Ser Asp Ser Ser Tyr Lys Gln Asn Asp Tyr Leu Asn
                405                 410                 415
Ser Tyr Ser Asp Ile Asp Lys Met Lys Ser Leu Met Thr Asp Asn Ser
            420                 425                 430
Ile Ser Lys Asn Gly Leu Thr Gln Gln Leu Lys Ile Tyr Asn Asp Met
        435                 440                 445
Asp Arg Val Thr Tyr His Asn Lys Asp Leu Asp Phe Ala Phe Gly Leu
    450                 455                 460
Ser Met Thr Ser Lys Asn Val Ala Arg Tyr Glu Ser Ile Asn Gly Glu
465                 470                 475                 480
Asn Leu Lys Gly Trp His Thr Gly Ala Gly Met Ser Tyr Leu Tyr Asn
                485                 490                 495
Ser Asp Val Lys His Tyr His Asp Asn Phe Trp Val Thr Ala Asp Met
            500                 505                 510
Lys Arg Leu Ser Gly Thr Thr Thr Leu Asp Asn Glu Ile Leu Lys Asp
        515                 520                 525
Thr Asp Asp Lys Lys Ser Ser Lys Thr Phe Val Gly Gly Thr Lys Val
    530                 535                 540
Asp Asp Gln His Ala Ser Ile Gly Met Asp Phe Glu Asn Gln Asp Lys
545                 550                 555                 560
Thr Leu Thr Ala Lys Lys Ser Tyr Phe Ile Leu Asn Asp Lys Ile Val
                565                 570                 575
Phe Leu Gly Thr Gly Ile Lys Ser Thr Asp Ser Ser Lys Asn Pro Val
            580                 585                 590
Thr Thr Ile Glu Asn Arg Lys Ala Asn Gly Tyr Thr Leu Tyr Thr Asp
        595                 600                 605
Asp Lys Gln Thr Thr Asn Ser Asp Asn Gln Glu Asn Asn Ser Val Phe
    610                 615                 620
Leu Glu Ser Thr Asp Thr Lys Lys Asn Ile Gly Tyr His Phe Leu Asn
625                 630                 635                 640
Lys Pro Lys Ile Thr Val Lys Lys Glu Ser His Thr Gly Lys Trp Lys
                645                 650                 655
Glu Ile Asn Lys Ser Gln Lys Asp Thr Gln Lys Thr Asp Glu Tyr Tyr
            660                 665                 670
Glu Val Thr Gln Lys His Ser Asn Ser Asp Asn Lys Tyr Gly Tyr Val
        675                 680                 685
Leu Tyr Pro Gly Leu Ser Lys Asp Val Phe Lys Thr Lys Lys Asp Glu
    690                 695                 700
```

```
Val Thr Val Val Lys Gln Glu Asp Asp Phe His Val Val Lys Asp Asn
705                 710                 715                 720
Glu Ser Val Trp Ala Gly Val Asn Tyr Ser Asn Ser Thr Gln Thr Phe
                725                 730                 735
Asp Ile Asn Asn Thr Lys Val Glu Val Lys Ala Lys Gly Met Phe Ile
            740                 745                 750
Leu Lys Lys Lys Asp Asp Asn Thr Tyr Glu Cys Ser Phe Tyr Asn Pro
        755                 760                 765
Glu Ser Thr Asn Ser Ala Ser Asp Ile Glu Ser Lys Ile Ser Met Thr
    770                 775                 780
Gly Tyr Ser Ile Thr Asn Lys Asn Thr Ser Thr Ser Asn Glu Ser Gly
785                 790                 795                 800
Val His Phe Glu Leu Thr Lys
                805
```

<210> 903
<211> 809
<212> PRT
<213> Staphylococcus aureus (strain bovine RF122)

<220>
<223> hyaluronan lyase

<400> 903

```
Met Thr Tyr Arg Met Lys Lys Trp Gln Lys Leu Ser Thr Ile Thr Leu
 1                5                  10                  15
Leu Met Ala Gly Gly Ile Thr Phe Asn Asp Ser Glu Phe Arg Ser Val
            20                  25                  30
Asp Lys His Gln Ile Ala Val Ala Asp Thr Asn Val Gln Thr Pro Asn
        35                  40                  45
Tyr Glu Lys Leu Lys Asn Thr Trp Leu Asp Val Asn Tyr Gly Tyr Asp
    50                  55                  60
Lys Tyr Asp Glu Ser Asn Pro Asp Met Lys Lys Lys Phe Glu Ala Thr
65                  70                  75                  80
Glu Lys Glu Ala Arg Lys Leu Leu Ser Glu Met Lys Thr Glu Ser Asp
                85                  90                  95
Arg Lys Tyr Leu Trp Glu Asn Ser Lys Asp Leu Asp Thr Lys Ser Ala
            100                 105                 110
Asp Met Thr Arg Thr Tyr Arg Asn Ile Glu Lys Ile Ala Glu Ala Met
        115                 120                 125
Lys His Pro Lys Thr Thr Leu Lys Asn Asp Glu Asn Lys Lys Lys Val
    130                 135                 140
Lys Asp Ala Leu Glu Trp Leu His Lys Asn Ala Tyr Gly Lys Glu Pro
145                 150                 155                 160
Gly Lys Lys Val Ala Asp Leu Lys Thr Asn Phe Ser Lys Ser Ala Pro
                165                 170                 175
Gln Lys Asn Thr Asn Leu Asn Trp Trp Asp Tyr Glu Ile Gly Thr Pro
            180                 185                 190
Arg Ala Leu Thr Asn Thr Leu Ile Leu Leu Lys Glu Asp Phe Thr Asp
        195                 200                 205
Glu Glu Lys Lys Lys Tyr Thr Ala Pro Ile Lys Thr Phe Ala Pro Lys
    210                 215                 220
Ser Asp Glu Ile Leu Ser Ser Val Gly Lys Ala Glu Pro Ala Lys Gly
225                 230                 235                 240
Gly Asn Leu Val Asp Ile Ser Lys Val Lys Leu Leu Glu Ser Ile Ile
                245                 250                 255
Glu Glu Asp Lys Asp Met Met Lys Asn Ser Ile Asp Ser Phe Asn Lys
            260                 265                 270
Val Phe Thr Tyr Val Gln Asp Ser Ala Thr Asp Lys Glu Arg Asn Gly
        275                 280                 285
Phe Tyr Lys Asp Gly Ser Tyr Ile Asp His Lys Asp Val Pro Tyr Thr
    290                 295                 300
Gly Ala Tyr Gly Val Val Leu Leu Glu Gly Ile Ser Gln Met Met Pro
305                 310                 315                 320
Met Ile Lys Glu Thr Pro Phe Asn Asp Lys Thr Gln Asn Asn Thr Thr
                325                 330                 335
```

```
Leu Thr Ser Trp Ile Asp Asp Gly Phe Met Pro Leu Ile Tyr Lys Gly
            340                 345                 350
Glu Met Met Asp Leu Ser Arg Gly Arg Ala Ile Ser Arg Glu Asn Glu
        355                 360                 365
Thr Ser His Ser Ala Ser Ala Thr Val Met Lys Ser Leu Leu Arg Leu
    370                 375                 380
Ser Asp Ala Met Asp Glu Ser Thr Lys Ala Lys Tyr Lys Gln Ile Val
385                 390                 395                 400
Lys Asn Ser Val Lys Ser Asp Ser Ser Tyr Gly Gln Asn Asp Thr Leu
                405                 410                 415
Ser Ser Tyr Ser Asp Ile Asp Lys Met Lys Ser Leu Met Thr Asp Ser
            420                 425                 430
Thr Ile Ser Thr Asn Gly Leu Thr Gln Gln Leu Lys Ile Tyr Asn Ala
        435                 440                 445
Met Asp Arg Val Thr Tyr His Asn Lys Asp Leu Asp Phe Ala Phe Gly
    450                 455                 460
Leu Ser Met Thr Ser Lys Asn Val Ala Arg Tyr Glu Asn Ile Asn Gly
465                 470                 475                 480
Glu Asn Leu Lys Gly Trp His Thr Gly Ala Gly Met Ser Tyr Leu Tyr
                485                 490                 495
Asn Ser Asp Val Arg His Tyr Arg Asp Asn Phe Trp Ala Thr Ala Asp
            500                 505                 510
Met Lys Arg Leu Ala Asp Thr Thr Thr Leu Glu Asn Glu Glu Pro Lys
        515                 520                 525
Gly Thr Asp Val Lys Lys Ser Ser Lys Thr Phe Val Gly Gly Thr Lys
    530                 535                 540
Phe Asp Asp Gln His Ala Ser Ile Gly Met Asp Phe Glu Asn Gln Asp
545                 550                 555                 560
Lys Thr Leu Thr Ala Lys Lys Ser Tyr Phe Ile Leu Asn Asp Lys Ile
                565                 570                 575
Val Phe Leu Gly Thr Gly Ile Lys Thr Thr Asp Ser Ser Lys Asn Pro
            580                 585                 590
Val Thr Thr Ile Glu Asn Arg Lys Ala His Gly Tyr Thr Leu Tyr Thr
        595                 600                 605
Asp Asp Lys Gln Thr Thr Asn Ser Asn Asn Gln Glu Thr Asn Ser Val
    610                 615                 620
Phe Leu Glu Ser Thr Asn Ser Thr Gln Asn Asn Ile Gly Tyr His Phe
625                 630                 635                 640
Leu Asn Lys Ser Lys Ile Thr Val Lys Lys Glu Ser His Thr Gly Lys
                645                 650                 655
Trp Ser Asp Ile Asn Lys Ser Gln Lys Asp Thr Gln Lys Thr Asp Glu
            660                 665                 670
Tyr Tyr Glu Val Thr Gln Lys His Ser Asn Thr Asp Asp Lys Tyr Ala
        675                 680                 685
Tyr Val Leu Tyr Pro Gly Ile Thr Lys Asp Asn Phe Lys Ser Lys Ala
    690                 695                 700
Ser Gln Val Thr Val Val Lys Gln Asp Asp Asp Phe His Val Val Lys
705                 710                 715                 720
Asp Asn Glu Ser Val Trp Ala Gly Val Asn Tyr Ser Asp Ser Thr Gln
                725                 730                 735
Thr Phe Asp Ile Asn Gly Thr Lys Val Glu Val Lys Ala Lys Gly Met
            740                 745                 750
Phe Ile Leu Lys Lys Lys Asp Asp Asn Thr Tyr Glu Cys Ser Phe Tyr
        755                 760                 765
Asn Pro Glu Ser Thr Asn Ser Ala Ser Asp Ile Glu Ser Lys Ile Ser
    770                 775                 780
Met Thr Gly Tyr Ser Ile Thr Asn Lys Asn Thr Ser Asn Thr Asn Glu
785                 790                 795                 800
Ser Gly Val Arg Phe Glu Leu Thr Lys
                805
```

<210> 904
<211> 807
<212> PRT
<213> Staphylococcus aureus (strain bovine RF122)

<220>

<223> hyaluronan lyase

<400> 904

```
Met Thr Tyr Lys Met Lys Lys Trp Gln Lys Leu Ser Thr Ile Thr Leu
 1               5                  10                  15
Leu Met Ala Gly Val Ile Thr Leu Asn Asn Gly Glu Phe Arg Asn Val
            20                  25                  30
Asp Lys His Gln Ile Ala Val Ala Asp Thr Asn Val Gln Thr Pro Asp
        35                  40                  45
Tyr Glu Lys Leu Lys Lys Thr Trp Leu Asp Val Asn Tyr Gly Asn Asp
    50                  55                  60
Gln Tyr Asp Glu Asn Asn Gln Asp Met Lys Lys Lys Phe Asp Ala Lys
65                  70                  75                  80
Glu Asn Glu Ala Lys Lys Leu Leu Glu Asp Met Lys Thr Asp Thr Asn
                85                  90                  95
Arg Thr Tyr Leu Trp Ser Gly Ala Glu Asn Leu Glu Thr Asn Ser Ser
            100                 105                 110
His Met Thr Lys Thr Tyr Arg Asn Ile Glu Lys Ile Ala Glu Ala Met
        115                 120                 125
Arg His Lys Asn Thr Ser Leu Lys Thr Asp Glu Asn Lys Leu Lys Ile
    130                 135                 140
Lys Asp Ala Ile Lys Trp Leu His His Asn Val Tyr Gly Lys Asp Pro
145                 150                 155                 160
Asp Lys Lys Val Ala Asp Leu Thr Thr Asn Arg Lys Glu Lys Asp Ser
                165                 170                 175
Ser Lys Lys Asn Asn Ser Leu Asn Trp Trp Asp Tyr Glu Ile Gly Thr
            180                 185                 190
Pro Arg Ala Leu Thr Asn Thr Leu Leu Leu Met Asp Asn Met Leu Thr
        195                 200                 205
Lys Asp Glu Met Lys Asn Tyr Ser Lys Pro Ile Ser Ile Tyr Ser Pro
    210                 215                 220
Ser Ser Tyr Lys Ile Leu Ser Ser Val Gly Glu Ser Glu Asp Ala Lys
225                 230                 235                 240
Gly Gly Asn Leu Val Asp Ile Ala Lys Val Lys Phe Leu Glu Ser Val
                245                 250                 255
Ile Glu Glu Asp Val Asp Met Met Lys Lys Ser Ile Asp Ser Phe Asn
            260                 265                 270
Lys Val Phe Thr Tyr Val Gln Asp Ser Ala Thr Gly Lys Ala Arg Asn
        275                 280                 285
Gly Phe Tyr Lys Asp Gly Ser Tyr Ile Asp His Gln Asp Val Pro Tyr
    290                 295                 300
Thr Gly Ala Tyr Gly Val Val Leu Leu Glu Gly Ile Ser Gln Met Met
305                 310                 315                 320
Pro Met Ile Lys Glu Ser Pro Phe Lys His Thr Gln Asp Lys Ala Thr
                325                 330                 335
Leu Ser Asn Trp Ile Asp Glu Gly Phe Met Pro Leu Ile Tyr Lys Gly
            340                 345                 350
Glu Met Met Asp Leu Ser Arg Gly Arg Ala Ile Ser Arg Glu Asn Glu
        355                 360                 365
Thr Ser His Thr Ala Ser Ala Thr Val Met Lys Ser Leu Leu Arg Leu
    370                 375                 380
Ser Asp Thr Met Asp Glu Ser Thr Lys Thr Lys Tyr Lys Gln Ile Val
385                 390                 395                 400
Lys Thr Ser Val Lys Ser Asp Ser Ser Tyr Asp Ser Asn Asp Thr Leu
                405                 410                 415
Asn Ser Tyr Ser Asp Ile Asp Lys Met Lys Lys Leu Met Asn Asp Ser
            420                 425                 430
Thr Ile Ser Lys Asn Asp Leu Thr Gln Gln Leu Lys Ile Tyr Asn Asp
        435                 440                 445
Met Asp Arg Val Thr Tyr His Asn Lys Glu Leu Asp Phe Ala Phe Gly
    450                 455                 460
Leu Ser Met Thr Ser Lys Asn Ile Ala Arg Tyr Glu Asn Ile Asn Gly
465                 470                 475                 480
Glu Asn Leu Lys Gly Trp His Thr Gly Ala Gly Met Ser Tyr Leu Tyr
                485                 490                 495
Asn Ser Asp Val Lys His Tyr Arg Asp Asn Phe Trp Ala Thr Ala Asp
            500                 505                 510
Met Thr Arg Leu Pro Gly Thr Thr Thr Leu Asn Asp Met Pro Ser Thr
```

```
        515                 520                 525
Asn Thr Lys Asn Asp Lys Ser Phe Val Gly Gly Thr Lys Leu Asn Asn
    530                 535                 540
Lys Tyr Ala Ser Ile Gly Met Asp Phe Glu Asn Gln Asp Lys Thr Leu
545                 550                 555                 560
Thr Ala Lys Lys Ser Tyr Phe Ile Leu Asn Asp Lys Ile Val Phe Ile
                565                 570                 575
Gly Thr Gly Ile Lys Ser Thr Asp Ser Ser Lys Asn Pro Val Thr Ser
            580                 585                 590
Val Glu Asn Arg Lys Ala Asn Gly Tyr Lys Leu Phe Lys Gly Asp Ile
        595                 600                 605
Glu Ile Thr Thr Ser Asp Val Asn Ala Gln Glu Thr His Ser Val Phe
    610                 615                 620
Leu Glu Ser Asn Asp Thr Lys Lys Asn Ile Gly Tyr His Phe Leu Asp
625                 630                 635                 640
Lys Pro Lys Ile Thr Val Lys Lys Glu Ser His Thr Gly Lys Trp Ser
                645                 650                 655
Glu Ile Asn Lys Ser Gln Lys Thr Asp Asp Lys Lys Asp Glu Tyr Tyr
            660                 665                 670
Glu Val Thr Gln Thr His Asn Thr Ser Asp Ser Lys Tyr Ala Tyr Val
        675                 680                 685
Leu Tyr Pro Gly Leu Ser Lys Ser Asp Phe Lys Ser Lys Asn Asn Asn
    690                 695                 700
Val Ser Ile Val Lys Gln Asp Glu Asp Phe His Val Ile Lys Asp Asn
705                 710                 715                 720
Asp Gly Val Phe Ala Gly Val Asn Tyr Ser Asp Ser Thr Lys Ser Phe
                725                 730                 735
Asp Ile Asn Gly Thr Ile Val Glu Leu Lys Glu Lys Gly Met Phe Val
            740                 745                 750
Ile Lys Lys Lys Asp Asp Asn Thr Tyr Glu Cys Ser Phe Tyr Asn Pro
        755                 760                 765
Thr Ser Thr Asn Ser Thr Ser Asn Lys Glu Ser Lys Ile Ser Val Thr
    770                 775                 780
Gly Tyr Thr Ile Thr Asn Gln Ser Val Ser Asn Phe Lys Glu Ser Asp
785                 790                 795                 800
Ile His Phe Glu Leu Thr Lys
                805
```

<210> 905
<211> 807
<212> PRT
<213> Staphylococcus aureus (strain USA300)

<220>
<223> hyaluronan lyase

<400> 905

```
Met Thr Tyr Arg Ile Lys Lys Trp Gln Lys Leu Ser Thr Ile Thr Leu
 1                5                  10                  15
Leu Met Ala Gly Val Ile Thr Leu Asn Gly Gly Glu Phe Arg Ser Val
            20                  25                  30
Asp Lys His Gln Ile Ala Val Ala Asp Thr Asn Val Gln Thr Pro Asp
        35                  40                  45
Tyr Glu Lys Leu Arg Asn Thr Trp Leu Asp Val Asn Tyr Gly Tyr Asp
    50                  55                  60
Lys Tyr Asp Glu Asn Asn Pro Asp Met Lys Lys Lys Phe Asp Ala Thr
65                  70                  75                  80
Glu Lys Glu Ala Thr Asn Leu Leu Lys Glu Met Lys Thr Glu Ser Gly
                85                  90                  95
Arg Lys Tyr Leu Trp Ser Gly Ala Glu Thr Leu Glu Thr Asn Ser Ser
            100                 105                 110
His Met Thr Arg Thr Tyr Arg Asn Ile Glu Lys Ile Ala Glu Ala Met
        115                 120                 125
Arg Asn Pro Lys Thr Thr Leu Asn Thr Asp Glu Asn Lys Lys Lys Val
    130                 135                 140
Lys Asp Ala Leu Glu Trp Leu His Lys Asn Ala Tyr Gly Lys Glu Pro
145                 150                 155                 160
```

```
Asp Lys Lys Val Lys Glu Leu Ser Glu Asn Phe Thr Lys Thr Thr Gly
                165                 170                 175
Lys Asn Thr Asn Leu Asn Trp Trp Asp Tyr Glu Ile Gly Thr Pro Lys
            180                 185                 190
Ser Leu Thr Asn Thr Leu Ile Leu Leu Asn Asp Gln Phe Ser Asn Glu
        195                 200                 205
Glu Lys Lys Lys Phe Thr Ala Pro Ile Lys Thr Phe Ala Pro Asp Ser
    210                 215                 220
Asp Lys Ile Leu Ser Ser Val Gly Lys Ala Glu Leu Ala Lys Gly Gly
225                 230                 235                 240
Asn Leu Val Asp Ile Ser Lys Val Lys Leu Leu Glu Cys Ile Ile Glu
                245                 250                 255
Glu Asp Lys Asp Met Met Lys Lys Ser Ile Asp Ser Phe Asn Lys Val
            260                 265                 270
Phe Thr Tyr Val Gln Asp Ser Ala Thr Gly Lys Glu Arg Asn Gly Phe
        275                 280                 285
Tyr Lys Asp Gly Ser Tyr Ile Asp His Gln Asp Val Pro Tyr Thr Gly
    290                 295                 300
Ala Tyr Gly Val Val Leu Leu Glu Gly Ile Ser Gln Met Met Pro Met
305                 310                 315                 320
Ile Lys Glu Thr Pro Phe Asn Asp Lys Thr Gln Asn Asp Thr Thr Leu
                325                 330                 335
Lys Ser Trp Ile Asp Asp Gly Phe Met Pro Leu Ile Tyr Lys Gly Glu
            340                 345                 350
Met Met Asp Leu Ser Arg Gly Arg Ala Ile Ser Arg Glu Asn Glu Thr
        355                 360                 365
Ser His Ser Ala Ser Ala Thr Val Met Lys Ser Leu Leu Arg Leu Ser
    370                 375                 380
Asp Ala Met Asp Asp Ser Thr Lys Ala Lys Tyr Lys Lys Ile Val Lys
385                 390                 395                 400
Ser Ser Val Glu Ser Asp Ser Ser Tyr Lys Gln Asn Asp Tyr Leu Asn
                405                 410                 415
Ser Tyr Ser Asp Ile Asp Lys Met Lys Ser Leu Met Thr Asp Asn Ser
            420                 425                 430
Ile Ser Lys Asn Gly Leu Thr Gln Gln Leu Lys Ile Tyr Asn Asp Met
        435                 440                 445
Asp Arg Val Thr Tyr His Asn Lys Asp Leu Asp Phe Ala Phe Gly Leu
    450                 455                 460
Ser Met Thr Ser Lys Asn Val Ala Arg Tyr Glu Ser Ile Asn Gly Glu
465                 470                 475                 480
Asn Leu Lys Gly Trp His Thr Gly Ala Gly Met Ser Tyr Leu Tyr Asn
                485                 490                 495
Ser Asp Val Lys His Tyr His Asp Asn Phe Trp Val Thr Ala Asp Met
            500                 505                 510
Lys Arg Leu Ser Gly Thr Thr Thr Leu Asp Asn Glu Ile Leu Lys Asp
        515                 520                 525
Thr Asp Asp Lys Lys Ser Ser Lys Thr Phe Val Gly Gly Thr Lys Val
    530                 535                 540
Asp Asp Gln His Ala Ser Ile Gly Met Asp Phe Glu Asn Gln Asp Lys
545                 550                 555                 560
Thr Leu Thr Ala Lys Lys Ser Tyr Phe Ile Leu Asn Asp Lys Ile Val
                565                 570                 575
Phe Leu Gly Thr Gly Ile Lys Ser Thr Asp Ser Ser Lys Asn Pro Val
            580                 585                 590
Thr Thr Ile Glu Asn Arg Lys Ala Asn Gly Tyr Thr Leu Tyr Thr Asp
        595                 600                 605
Asp Lys Gln Thr Thr Asn Ser Asp Asn Gln Glu Asn Asn Ser Val Phe
    610                 615                 620
Leu Glu Ser Thr Asp Thr Lys Lys Asn Ile Gly Tyr His Phe Leu Asn
625                 630                 635                 640
Lys Pro Lys Ile Thr Val Lys Lys Glu Ser His Thr Gly Lys Trp Lys
                645                 650                 655
Glu Ile Asn Lys Ser Gln Lys Asp Thr Gln Lys Thr Asp Glu Tyr Tyr
            660                 665                 670
Glu Val Thr Gln Lys His Ser Asn Ser Asp Asn Lys Tyr Gly Tyr Val
        675                 680                 685
Leu Tyr Pro Gly Leu Ser Lys Asp Val Phe Lys Thr Lys Lys Asp Glu
    690                 695                 700
```

```
Val Thr Val Val Lys Gln Glu Asp Asp Phe His Val Val Lys Asp Asn
705                 710                 715                 720
Glu Ser Val Trp Ala Gly Val Asn Tyr Ser Asn Ser Thr Gln Thr Phe
                725                 730                 735
Asp Ile Asn Asn Thr Lys Val Glu Val Lys Ala Lys Gly Met Phe Ile
            740                 745                 750
Leu Lys Lys Lys Asp Asp Asn Thr Tyr Glu Cys Ser Phe Tyr Asn Pro
        755                 760                 765
Glu Ser Thr Asn Ser Ala Ser Asp Ile Glu Ser Lys Ile Ser Met Thr
    770                 775                 780
Gly Tyr Ser Ile Thr Asn Lys Asn Thr Ser Thr Ser Asn Glu Ser Gly
785                 790                 795                 800
Val His Phe Glu Leu Thr Lys
                805
```

<210> 906
<211> 1066
<212> PRT
<213> Streptococcus pneumoniae

<220>
<223> hyaluronan lyase

<400> 906

```
Met Gln Thr Lys Thr Lys Lys Leu Ile Val Ser Leu Ser Ser Leu Val
 1                5                  10                  15
Leu Ser Gly Phe Leu Leu Asn His Tyr Met Thr Ile Gly Ala Glu Glu
            20                  25                  30
Thr Thr Thr Asn Thr Ile Gln Gln Ser Gln Lys Glu Val Gln Tyr Gln
        35                  40                  45
Gln Arg Asp Thr Lys Asn Leu Val Glu Asn Gly Asp Phe Gly Gln Thr
    50                  55                  60
Glu Asp Gly Ser Ser Pro Trp Thr Gly Ser Lys Ala Gln Gly Trp Ser
65                  70                  75                  80
Ala Trp Val Asp Gln Lys Asn Ser Ala Asp Ala Ser Thr Arg Val Ile
                85                  90                  95
Glu Ala Lys Asp Gly Ala Ile Thr Ile Ser Ser His Glu Lys Leu Arg
            100                 105                 110
Ala Ala Leu His Arg Met Val Pro Ile Glu Ala Lys Lys Lys Tyr Lys
        115                 120                 125
Leu Arg Phe Lys Ile Lys Thr Asp Asn Lys Ile Gly Ile Ala Lys Val
    130                 135                 140
Arg Ile Ile Glu Glu Ser Gly Lys Asp Lys Arg Leu Trp Asn Ser Ala
145                 150                 155                 160
Thr Thr Ser Gly Thr Lys Asp Trp Gln Thr Ile Glu Ala Asp Tyr Ser
                165                 170                 175
Pro Thr Leu Asp Val Asp Lys Ile Lys Leu Glu Leu Phe Tyr Glu Thr
            180                 185                 190
Gly Thr Gly Thr Val Ser Phe Lys Asp Ile Glu Leu Val Glu Val Ala
        195                 200                 205
Asp Gln Leu Ser Glu Asp Ser Gln Thr Asp Lys Gln Leu Glu Glu Lys
    210                 215                 220
Ile Asp Leu Pro Ile Gly Lys Lys His Val Phe Ser Leu Ala Asp Tyr
225                 230                 235                 240
Thr Tyr Lys Val Glu Asn Pro Asp Val Ala Ser Val Lys Asn Gly Ile
                245                 250                 255
Leu Glu Pro Leu Lys Glu Gly Thr Thr Asn Val Ile Val Ser Lys Asp
            260                 265                 270
Gly Lys Glu Val Lys Lys Ile Pro Leu Lys Ile Leu Ala Ser Val Lys
        275                 280                 285
Asp Ala Tyr Thr Asp Arg Leu Asp Asp Trp Asn Gly Ile Ile Ala Gly
    290                 295                 300
Asn Gln Tyr Tyr Asp Ser Lys Asn Glu Gln Met Ala Lys Leu Asn Gln
305                 310                 315                 320
Glu Leu Glu Gly Lys Val Ala Asp Ser Leu Ser Ser Ile Ser Ser Gln
                325                 330                 335
Ala Asp Arg Thr Tyr Leu Trp Glu Lys Phe Ser Asn Tyr Lys Thr Ser
```

```
            340                 345                 350
Ala Asn Leu Thr Ala Thr Tyr Arg Lys Leu Glu Glu Met Ala Lys Gln
        355                 360                 365
Val Thr Asn Pro Ser Ser Arg Tyr Tyr Gln Asp Glu Thr Val Val Arg
    370                 375                 380
Thr Val Arg Asp Ser Met Glu Trp Met His Lys His Val Tyr Asn Ser
385                 390                 395                 400
Glu Lys Ser Ile Val Gly Asn Trp Trp Asp Tyr Glu Ile Gly Thr Pro
                405                 410                 415
Arg Ala Ile Asn Asn Thr Leu Ser Leu Met Lys Glu Tyr Phe Ser Asp
            420                 425                 430
Glu Glu Ile Lys Lys Tyr Thr Asp Val Ile Glu Lys Phe Val Pro Asp
        435                 440                 445
Pro Glu His Phe Arg Lys Thr Thr Asp Asn Pro Phe Lys Ala Leu Gly
    450                 455                 460
Gly Asn Leu Val Asp Met Gly Arg Val Lys Val Ile Ala Gly Leu Leu
465                 470                 475                 480
Arg Lys Asp Asp Gln Glu Ile Ser Ser Thr Ile Arg Ser Ile Glu Gln
                485                 490                 495
Val Phe Lys Leu Val Asp Gln Gly Glu Gly Phe Tyr Gln Asp Gly Ser
            500                 505                 510
Tyr Ile Asp His Thr Asn Val Ala Tyr Thr Gly Ala Tyr Gly Asn Val
        515                 520                 525
Leu Ile Asp Gly Leu Ser Gln Leu Leu Pro Val Ile Gln Lys Thr Lys
    530                 535                 540
Asn Pro Ile Asp Lys Asp Lys Met Gln Thr Met Tyr His Trp Ile Asp
545                 550                 555                 560
Lys Ser Phe Ala Pro Leu Leu Val Asn Gly Glu Leu Met Asp Met Ser
                565                 570                 575
Arg Gly Arg Ser Ile Ser Arg Ala Asn Ser Glu Gly His Val Ala Ala
            580                 585                 590
Val Glu Val Leu Arg Gly Ile His Arg Ile Ala Asp Met Ser Glu Gly
        595                 600                 605
Glu Thr Lys Gln Cys Leu Gln Ser Leu Val Lys Thr Ile Val Gln Ser
    610                 615                 620
Asp Ser Tyr Tyr Asp Val Phe Lys Asn Leu Lys Thr Tyr Lys Asp Ile
625                 630                 635                 640
Ser Leu Met Gln Ser Leu Leu Ser Asp Ala Gly Val Ala Ser Val Pro
                645                 650                 655
Arg Pro Ser Tyr Leu Ser Ala Phe Asn Lys Met Asp Lys Thr Ala Met
            660                 665                 670
Tyr Asn Ala Glu Lys Gly Phe Gly Phe Gly Leu Ser Leu Phe Ser Ser
        675                 680                 685
Arg Thr Leu Asn Tyr Glu His Met Asn Lys Glu Asn Lys Arg Gly Trp
    690                 695                 700
Tyr Thr Ser Asp Gly Met Phe Tyr Leu Tyr Asn Gly Asp Leu Ser His
705                 710                 715                 720
Tyr Ser Asp Gly Tyr Trp Pro Thr Val Asn Pro Tyr Lys Met Pro Gly
                725                 730                 735
Thr Thr Glu Thr Asp Ala Lys Arg Ala Asp Ser Asp Thr Gly Lys Val
            740                 745                 750
Leu Pro Ser Ala Phe Val Gly Thr Ser Lys Leu Asp Asp Ala Asn Ala
        755                 760                 765
Thr Ala Thr Met Asp Phe Thr Asn Trp Asn Gln Thr Leu Thr Ala His
    770                 775                 780
Lys Ser Trp Phe Met Leu Lys Asp Lys Ile Ala Phe Leu Gly Ser Asn
785                 790                 795                 800
Ile Gln Asn Thr Ser Thr Asp Thr Ala Ala Thr Thr Ile Asp Gln Arg
                805                 810                 815
Lys Leu Glu Ser Gly Asn Pro Tyr Lys Val Tyr Val Asn Asp Lys Glu
            820                 825                 830
Ala Ser Leu Thr Glu Gln Glu Lys Asp Tyr Pro Glu Thr Gln Ser Val
        835                 840                 845
Phe Leu Glu Ser Phe Asp Ser Lys Lys Asn Ile Gly Tyr Phe Phe Phe
    850                 855                 860
Lys Lys Ser Ser Ile Ser Met Ser Lys Ala Leu Gln Lys Gly Ala Trp
865                 870                 875                 880
Lys Asp Ile Asn Glu Gly Gln Ser Asp Lys Glu Val Glu Asn Glu Phe
```

885 890 895
Leu Thr Ile Ser Gln Ala His Lys Gln Asn Arg Asp Ser Tyr Gly Tyr
900 905 910
Met Leu Ile Pro Asn Val Asp Arg Ala Thr Phe Asn Gln Met Ile Lys
915 920 925
Glu Leu Glu Ser Ser Leu Ile Glu Asn Asn Glu Thr Leu Gln Ser Val
930 935 940
Tyr Asp Ala Lys Gln Gly Val Trp Gly Ile Val Lys Tyr Asp Asp Ser
945 950 955 960
Val Ser Thr Ile Ser Asn Gln Phe Gln Val Leu Lys Arg Gly Val Tyr
965 970 975
Thr Ile Arg Lys Glu Gly Asp Glu Tyr Lys Ile Ala Tyr Tyr Asn Pro
980 985 990
Glu Thr Gln Glu Ser Ala Pro Asp Gln Glu Val Phe Lys Lys Leu Glu
995 1000 1005
Gln Ala Ala Gln Pro Gln Val Gln Asn Ser Lys Glu Lys Glu Lys Ser
1010 1015 1020
Glu Glu Glu Lys Asn His Ser Asp Gln Lys Asn Leu Pro Gln Thr Gly
1025 1030 1035 1040
Glu Gly Gln Ser Ile Leu Ala Ser Leu Gly Phe Leu Leu Leu Gly Ala
1045 1050 1055
Phe Tyr Leu Phe Arg Arg Gly Lys Asn Asn
1060 1065

<210> 907
<211> 1078
<212> PRT
<213> Streptococcus pneumoniae (strain ATCC BAA-255/R6)

<220>
<223> hyaluronan lyase

<400> 907
Met Ile Leu Gln Tyr Val Tyr Trp Ser Val Tyr Met Gln Thr Lys Thr
1 5 10 15
Lys Lys Leu Ile Val Ser Leu Ser Ser Leu Val Leu Ser Gly Phe Leu
20 25 30
Leu Asn His Tyr Met Thr Val Gly Ala Glu Glu Thr Thr Thr Asn Thr
35 40 45
Ile Gln Gln Ser Gln Lys Glu Val Gln Tyr Gln Gln Arg Asp Thr Lys
50 55 60
Asn Leu Val Glu Asn Gly Asp Phe Gly Gln Thr Glu Asp Gly Ser Ser
65 70 75 80
Pro Trp Thr Gly Ser Lys Ala Gln Gly Trp Ser Ala Trp Val Asp Gln
85 90 95
Lys Asn Ser Ser Ala Asp Ala Ser Thr Arg Val Ile Glu Ala Lys Asp
100 105 110
Gly Ala Ile Thr Ile Ser Ser Pro Glu Lys Leu Arg Ala Ala Val His
115 120 125
Arg Met Val Pro Ile Glu Ala Lys Lys Lys Tyr Lys Leu Arg Phe Lys
130 135 140
Ile Lys Thr Asp Asn Lys Val Gly Ile Ala Lys Val Arg Ile Ile Glu
145 150 155 160
Glu Ser Gly Lys Asp Lys Arg Leu Trp Asn Ser Ala Thr Thr Ser Gly
165 170 175
Thr Lys Asp Trp Gln Thr Ile Glu Ala Asp Tyr Ser Pro Thr Leu Asp
180 185 190
Val Asp Lys Ile Lys Leu Glu Leu Phe Tyr Glu Thr Gly Thr Gly Thr
195 200 205
Val Ser Phe Lys Asp Ile Glu Leu Val Glu Val Ala Asp Gln Pro Ser
210 215 220
Glu Asp Ser Gln Thr Asp Lys Gln Leu Glu Glu Lys Ile Asp Leu Pro
225 230 235 240
Ile Gly Lys Lys His Val Phe Ser Leu Ala Asp Tyr Thr Tyr Lys Val
245 250 255
Glu Asn Pro Asp Val Ala Ser Val Lys Asn Gly Ile Leu Glu Pro Leu
260 265 270

```
Lys Glu Gly Thr Thr Asn Val Ile Val Ser Lys Asp Gly Lys Glu Val
        275                 280                 285
Lys Lys Ile Pro Leu Lys Ile Leu Ala Ser Val Lys Asp Thr Tyr Thr
    290                 295                 300
Asp Arg Leu Asp Asp Trp Asn Gly Ile Ile Ala Gly Asn Gln Tyr Tyr
305                 310                 315                 320
Asp Ser Lys Asn Glu Gln Met Ala Lys Leu Asn Gln Glu Leu Glu Gly
                325                 330                 335
Lys Val Ala Asp Ser Leu Ser Ser Ile Ser Ser Gln Ala Asp Arg Ile
            340                 345                 350
Tyr Leu Trp Glu Lys Phe Ser Asn Tyr Lys Thr Ser Ala Asn Leu Thr
        355                 360                 365
Ala Thr Tyr Arg Lys Leu Glu Glu Met Ala Lys Gln Val Thr Asn Pro
    370                 375                 380
Ser Ser Arg Tyr Tyr Gln Asp Glu Thr Val Val Arg Thr Val Arg Asp
385                 390                 395                 400
Ser Met Glu Trp Met His Lys His Val Tyr Asn Ser Glu Lys Ser Ile
                405                 410                 415
Val Gly Asn Trp Trp Asp Tyr Glu Ile Gly Thr Pro Arg Ala Ile Asn
            420                 425                 430
Asn Thr Leu Ser Leu Met Lys Glu Tyr Phe Ser Asp Glu Glu Ile Lys
        435                 440                 445
Lys Tyr Thr Asp Val Ile Glu Lys Phe Val Pro Asp Pro Glu His Phe
    450                 455                 460
Arg Lys Thr Thr Asp Asn Pro Phe Lys Ala Leu Gly Gly Asn Leu Val
465                 470                 475                 480
Asp Met Gly Arg Val Lys Val Ile Ala Gly Leu Leu Arg Lys Asp Asp
                485                 490                 495
Gln Glu Ile Ser Ser Thr Ile Arg Ser Ile Glu Gln Val Phe Lys Leu
            500                 505                 510
Val Asp Gln Gly Glu Gly Phe Tyr Gln Asp Gly Ser Tyr Ile Asp His
        515                 520                 525
Thr Asn Val Ala Tyr Thr Gly Ala Tyr Gly Asn Val Leu Ile Asp Gly
    530                 535                 540
Leu Ser Gln Leu Leu Pro Val Ile Gln Lys Thr Lys Asn Pro Ile Asp
545                 550                 555                 560
Lys Asp Lys Met Gln Thr Met Tyr His Trp Ile Asp Lys Ser Phe Ala
                565                 570                 575
Pro Leu Leu Val Asn Gly Glu Leu Met Asp Met Ser Arg Gly Arg Ser
            580                 585                 590
Ile Ser Arg Ala Asn Ser Glu Gly His Val Ala Ala Val Glu Val Leu
        595                 600                 605
Arg Gly Ile His Arg Ile Ala Asp Met Ser Glu Gly Glu Thr Lys Gln
    610                 615                 620
Arg Leu Gln Ser Leu Val Lys Thr Ile Val Gln Ser Asp Ser Tyr Tyr
625                 630                 635                 640
Asp Val Phe Lys Asn Leu Lys Thr Tyr Lys Asp Ile Ser Leu Met Gln
                645                 650                 655
Ser Leu Leu Ser Asp Ala Gly Val Ala Ser Val Pro Arg Thr Ser Tyr
            660                 665                 670
Leu Ser Ala Phe Asn Lys Met Asp Lys Thr Ala Met Tyr Asn Ala Glu
        675                 680                 685
Lys Gly Phe Gly Phe Gly Leu Ser Leu Phe Ser Ser Arg Thr Leu Asn
    690                 695                 700
Tyr Glu His Met Asn Lys Glu Asn Lys Arg Gly Trp Tyr Thr Ser Asp
705                 710                 715                 720
Gly Met Phe Tyr Leu Tyr Asn Gly Asp Leu Ser His Tyr Ser Asp Gly
                725                 730                 735
Tyr Trp Pro Thr Val Asn Pro Tyr Lys Met Pro Gly Thr Thr Glu Thr
            740                 745                 750
Asp Ala Lys Arg Ala Asp Ser Asp Thr Gly Lys Val Leu Pro Ser Ala
        755                 760                 765
Phe Val Gly Thr Ser Lys Leu Asp Asp Ala Asn Ala Thr Ala Thr Met
    770                 775                 780
Asp Phe Thr Asn Trp Asn Gln Thr Leu Thr Ala His Lys Ser Trp Phe
785                 790                 795                 800
Met Leu Lys Asp Lys Ile Ala Phe Leu Gly Ser Asn Ile Gln Asn Thr
                805                 810                 815
```

```
Ser Thr Asp Thr Ala Ala Thr Thr Ile Asp Gln Arg Lys Leu Glu Ser
            820                 825                 830
Ser Asn Pro Tyr Lys Val Tyr Val Asn Asp Lys Glu Ala Ser Leu Thr
        835                 840                 845
Glu Gln Glu Lys Asp Tyr Pro Glu Thr Gln Ser Val Phe Leu Glu Ser
    850                 855                 860
Ser Asp Ser Lys Lys Asn Ile Gly Tyr Phe Phe Phe Lys Lys Ser Ser
865                 870                 875                 880
Ile Ser Met Ser Lys Ala Leu Gln Lys Gly Ala Trp Lys Asp Ile Asn
                885                 890                 895
Glu Gly Gln Ser Asp Lys Glu Val Glu Asn Glu Phe Leu Thr Ile Ser
            900                 905                 910
Gln Ala His Lys Gln Asn Gly Asp Ser Tyr Gly Tyr Met Leu Ile Pro
        915                 920                 925
Asn Val Asp Arg Ala Thr Phe Asn Gln Met Ile Lys Glu Leu Glu Ser
    930                 935                 940
Ser Leu Ile Glu Asn Asn Glu Thr Leu Gln Ser Val Tyr Asp Ala Lys
945                 950                 955                 960
Gln Gly Val Trp Gly Ile Val Lys Tyr Asp Asp Ser Val Ser Thr Ile
                965                 970                 975
Ser Asn Gln Phe Gln Val Leu Lys Arg Gly Val Tyr Thr Ile Arg Lys
            980                 985                 990
Glu Gly Asp Glu Tyr Lys Ile Ala Tyr Tyr Asn Pro Glu Thr Gln Glu
        995                 1000                1005
Ser Ala Pro Asp Gln Glu Val Phe Lys Lys Leu Glu Gln Ala Ala Gln
    1010                1015                1020
Pro Gln Val Gln Asn Ser Lys Glu Lys Glu Lys Ser Glu Glu Glu Lys
1025                1030                1035                1040
Asn His Ser Asp Gln Lys Asn Leu Pro Gln Thr Gly Glu Gly Gln Ser
                1045                1050                1055
Ile Leu Ala Ser Leu Gly Phe Leu Leu Leu Gly Ala Phe Tyr Leu Phe
            1060                1065                1070
Arg Arg Gly Lys Asn Asn
        1075


<210> 908
<211> 1067
<212> PRT
<213> Streptococcus pneumoniae serotype 2 (strain D39/N)

<220>
<223> hyaluronan lyase


<400> 908
Met Gln Thr Lys Thr Lys Lys Leu Ile Val Ser Leu Ser Ser Leu Val
 1               5                  10                  15
Leu Ser Gly Phe Leu Leu Asn His Tyr Met Thr Val Gly Ala Glu Glu
            20                  25                  30
Thr Thr Thr Asn Thr Ile Gln Gln Ser Gln Lys Glu Val Gln Tyr Gln
        35                  40                  45
Gln Arg Asp Thr Lys Asn Leu Val Glu Asn Gly Asp Phe Gly Gln Thr
    50                  55                  60
Glu Asp Gly Ser Ser Pro Trp Thr Gly Ser Lys Ala Gln Gly Trp Ser
65                  70                  75                  80
Ala Trp Val Asp Gln Lys Asn Ser Ser Ala Asp Ala Ser Thr Arg Val
                85                  90                  95
Ile Glu Ala Lys Asp Gly Ala Ile Thr Ile Ser Ser Pro Glu Lys Leu
            100                 105                 110
Arg Ala Ala Val His Arg Met Val Pro Ile Glu Ala Lys Lys Lys Tyr
        115                 120                 125
Lys Leu Arg Phe Lys Ile Lys Thr Asp Asn Lys Val Gly Ile Ala Lys
    130                 135                 140
Val Arg Ile Ile Glu Glu Ser Gly Lys Asp Lys Arg Leu Trp Asn Ser
145                 150                 155                 160
Ala Thr Thr Ser Gly Thr Lys Asp Trp Gln Thr Ile Glu Ala Asp Tyr
                165                 170                 175
```

```
Ser Pro Thr Leu Asp Val Asp Lys Ile Lys Leu Glu Leu Phe Tyr Glu
            180                 185                 190
Thr Gly Thr Gly Thr Val Ser Phe Lys Asp Ile Glu Leu Val Glu Val
        195                 200                 205
Ala Asp Gln Pro Ser Glu Asp Ser Gln Thr Asp Lys Gln Leu Glu Glu
    210                 215                 220
Lys Ile Asp Leu Pro Ile Gly Lys Lys His Val Phe Ser Leu Ala Asp
225                 230                 235                 240
Tyr Thr Tyr Lys Val Glu Asn Pro Asp Val Ala Ser Val Lys Asn Gly
                245                 250                 255
Ile Leu Glu Pro Leu Lys Glu Gly Thr Thr Asn Val Ile Val Ser Lys
            260                 265                 270
Asp Gly Lys Glu Val Lys Lys Ile Pro Leu Lys Ile Leu Ala Ser Val
        275                 280                 285
Lys Asp Thr Tyr Thr Asp Arg Leu Asp Asp Trp Asn Gly Ile Ile Ala
    290                 295                 300
Gly Asn Gln Tyr Tyr Asp Ser Lys Asn Glu Gln Met Ala Lys Leu Asn
305                 310                 315                 320
Gln Glu Leu Glu Gly Lys Val Ala Asp Ser Leu Ser Ser Ile Ser Ser
                325                 330                 335
Gln Ala Asp Arg Ile Tyr Leu Trp Glu Lys Phe Ser Asn Tyr Lys Thr
            340                 345                 350
Ser Ala Asn Leu Thr Ala Thr Tyr Arg Lys Leu Glu Glu Met Ala Lys
        355                 360                 365
Gln Val Thr Asn Pro Ser Ser Arg Tyr Tyr Gln Asp Glu Thr Val Val
    370                 375                 380
Arg Thr Val Arg Asp Ser Met Glu Trp Met His Lys His Val Tyr Asn
385                 390                 395                 400
Ser Glu Lys Ser Ile Val Gly Asn Trp Trp Asp Tyr Glu Ile Gly Thr
                405                 410                 415
Pro Arg Ala Ile Asn Asn Thr Leu Ser Leu Met Lys Glu Tyr Phe Ser
            420                 425                 430
Asp Glu Glu Ile Lys Lys Tyr Thr Asp Val Ile Glu Lys Phe Val Pro
        435                 440                 445
Asp Pro Glu His Phe Arg Lys Thr Thr Asp Asn Pro Phe Lys Ala Leu
    450                 455                 460
Gly Gly Asn Leu Val Asp Met Gly Arg Val Lys Val Ile Ala Gly Leu
465                 470                 475                 480
Leu Arg Lys Asp Asp Gln Glu Ile Ser Ser Thr Ile Arg Ser Ile Glu
                485                 490                 495
Gln Val Phe Lys Leu Val Asp Gln Gly Glu Gly Phe Tyr Gln Asp Gly
            500                 505                 510
Ser Tyr Ile Asp His Thr Asn Val Ala Tyr Thr Gly Ala Tyr Gly Asn
        515                 520                 525
Val Leu Ile Asp Gly Leu Ser Gln Leu Leu Pro Val Ile Gln Lys Thr
    530                 535                 540
Lys Asn Pro Ile Asp Lys Asp Lys Met Gln Thr Met Tyr His Trp Ile
545                 550                 555                 560
Asp Lys Ser Phe Ala Pro Leu Leu Val Asn Gly Glu Leu Met Asp Met
                565                 570                 575
Ser Arg Gly Arg Ser Ile Ser Arg Ala Asn Ser Glu Gly His Val Ala
            580                 585                 590
Ala Val Glu Val Leu Arg Gly Ile His Arg Ile Ala Asp Met Ser Glu
        595                 600                 605
Gly Glu Thr Lys Gln Arg Leu Gln Ser Leu Val Lys Thr Ile Val Gln
    610                 615                 620
Ser Asp Ser Tyr Tyr Asp Val Phe Lys Asn Leu Lys Thr Tyr Lys Asp
625                 630                 635                 640
Ile Ser Leu Met Gln Ser Leu Leu Ser Asp Ala Gly Val Ala Ser Val
                645                 650                 655
Pro Arg Thr Ser Tyr Leu Ser Ala Phe Asn Lys Met Asp Lys Thr Ala
            660                 665                 670
Met Tyr Asn Ala Glu Lys Gly Phe Gly Phe Gly Leu Ser Leu Phe Ser
        675                 680                 685
Ser Arg Thr Leu Asn Tyr Glu His Met Asn Lys Glu Asn Lys Arg Gly
    690                 695                 700
Trp Tyr Thr Ser Asp Gly Met Phe Tyr Leu Tyr Asn Gly Asp Leu Ser
705                 710                 715                 720
```

His Tyr Ser Asp Gly Tyr Trp Pro Thr Val Asn Pro Tyr Lys Met Pro
725 730 735
Gly Thr Thr Glu Thr Asp Ala Lys Arg Ala Asp Ser Asp Thr Gly Lys
740 745 750
Val Leu Pro Ser Ala Phe Val Gly Thr Ser Lys Leu Asp Asp Ala Asn
755 760 765
Ala Thr Ala Thr Met Asp Phe Thr Asn Trp Asn Gln Thr Leu Thr Ala
770 775 780
His Lys Ser Trp Phe Met Leu Lys Asp Lys Ile Ala Phe Leu Gly Ser
785 790 795 800
Asn Ile Gln Asn Thr Ser Thr Asp Thr Ala Ala Thr Thr Ile Asp Gln
805 810 815
Arg Lys Leu Glu Ser Ser Asn Pro Tyr Lys Val Tyr Val Asn Asp Lys
820 825 830
Glu Ala Ser Leu Thr Glu Gln Glu Lys Asp Tyr Pro Glu Thr Gln Ser
835 840 845
Val Phe Leu Glu Ser Ser Asp Ser Lys Lys Asn Ile Gly Tyr Phe Phe
850 855 860
Phe Lys Lys Ser Ser Ile Ser Met Ser Lys Ala Leu Gln Lys Gly Ala
865 870 875 880
Trp Lys Asp Ile Asn Glu Gly Gln Ser Asp Lys Glu Val Glu Asn Glu
885 890 895
Phe Leu Thr Ile Ser Gln Ala His Lys Gln Asn Gly Asp Ser Tyr Gly
900 905 910
Tyr Met Leu Ile Pro Asn Val Asp Arg Ala Thr Phe Asn Gln Met Ile
915 920 925
Lys Glu Leu Glu Ser Ser Leu Ile Glu Asn Asn Glu Thr Leu Gln Ser
930 935 940
Val Tyr Asp Ala Lys Gln Gly Val Trp Gly Ile Val Lys Tyr Asp Asp
945 950 955 960
Ser Val Ser Thr Ile Ser Asn Gln Phe Gln Val Leu Lys Arg Gly Val
965 970 975
Tyr Thr Ile Arg Lys Glu Gly Asp Glu Tyr Lys Ile Ala Tyr Tyr Asn
980 985 990
Pro Glu Thr Gln Glu Ser Ala Pro Asp Gln Glu Val Phe Lys Lys Leu
995 1000 1005
Glu Gln Ala Ala Gln Pro Gln Val Gln Asn Ser Lys Glu Lys Glu Lys
1010 1015 1020
Ser Glu Glu Glu Lys Asn His Ser Asp Gln Lys Asn Leu Pro Gln Thr
1025 1030 1035 1040
Gly Glu Gly Gln Ser Ile Leu Ala Ser Leu Gly Phe Leu Leu Leu Gly
1045 1050 1055
Ala Phe Tyr Leu Phe Arg Arg Gly Lys Asn Asn
1060 1065

<210> 909
<211> 805
<212> PRT
<213> Streptococcus pyogenes serotype M1

<220>
<223> hyaluronan lyase

<400> 909
Met Asn Thr Tyr Phe Cys Thr His His Lys Gln Leu Leu Leu Tyr Ser
1 5 10 15
Asn Leu Phe Leu Ser Phe Ala Met Met Gly Gln Gly Thr Ala Ile Tyr
20 25 30
Ala Asp Thr Leu Thr Ser Asn Ser Glu Pro Asn Asn Thr Tyr Phe Gln
35 40 45
Thr Gln Thr Leu Thr Thr Thr Asp Ser Glu Lys Lys Val Val Gln Pro
50 55 60
Gln Gln Lys Asp Tyr Tyr Thr Glu Leu Leu Asp Gln Trp Asn Ser Ile
65 70 75 80
Ile Ala Gly Asn Asp Ala Tyr Asp Lys Thr Asn Pro Asp Met Val Thr
85 90 95
Phe His Asn Lys Ala Glu Lys Asp Ala Gln Asn Ile Ile Lys Ser Tyr

```
            100                 105                 110
Gln Gly Pro Asp His Glu Asn Arg Thr Tyr Leu Trp Glu His Ala Lys
        115                 120                 125
Asp Tyr Ser Ala Ser Ala Asn Ile Thr Lys Thr Tyr Arg Asn Ile Glu
    130                 135                 140
Lys Ile Ala Lys Gln Ile Thr Asn Pro Glu Ser Cys Tyr Tyr Gln Asp
145                 150                 155                 160
Ser Lys Ala Ile Ala Ile Val Lys Asp Gly Met Ala Phe Met Tyr Glu
                165                 170                 175
His Ala Tyr Asn Leu Asp Arg Glu Asn His Gln Thr Thr Gly Lys Glu
            180                 185                 190
Asn Lys Glu Asn Trp Trp Val Tyr Glu Ile Gly Thr Pro Arg Ala Ile
        195                 200                 205
Asn Asn Thr Leu Ser Leu Met Tyr Pro Tyr Phe Thr Gln Glu Glu Ile
    210                 215                 220
Leu Lys Tyr Thr Ala Pro Ile Glu Lys Phe Val Pro Asp Pro Thr Arg
225                 230                 235                 240
Phe Arg Val Arg Ala Ala Asn Phe Ser Pro Phe Glu Ala Asn Ser Gly
                245                 250                 255
Asn Leu Ile Asp Met Gly Arg Val Lys Leu Ile Ser Gly Ile Leu Arg
            260                 265                 270
Lys Asp Asp Leu Glu Ile Ser Asp Thr Ile Lys Ala Ile Glu Lys Val
        275                 280                 285
Phe Thr Leu Val Asp Glu Gly Asn Gly Phe Tyr Gln Asp Gly Ser Leu
    290                 295                 300
Ile Asp His Val Val Thr Asn Ala Gln Ser Pro Leu Tyr Lys Lys Gly
305                 310                 315                 320
Ile Ala Tyr Thr Gly Ala Tyr Gly Asn Val Leu Ile Asp Gly Leu Ser
                325                 330                 335
Gln Leu Ile Pro Ile Ile Gln Lys Thr Lys Ser Pro Ile Lys Ala Asp
            340                 345                 350
Lys Met Ala Thr Ile Tyr His Trp Ile Asn His Ser Phe Phe Pro Ile
        355                 360                 365
Ile Val Arg Gly Glu Met Met Asp Met Thr Arg Gly Arg Ser Ile Ser
    370                 375                 380
Arg Phe Asn Ala Gln Ser His Val Ala Gly Ile Glu Ala Leu Arg Ala
385                 390                 395                 400
Ile Leu Arg Ile Ala Asp Met Ser Glu Glu Pro His Arg Leu Ala Leu
                405                 410                 415
Lys Thr Arg Ile Lys Thr Leu Val Thr Gln Gly Asn Ala Phe Tyr Asn
            420                 425                 430
Val Tyr Asp Asn Leu Lys Thr Tyr His Asp Ile Lys Leu Met Lys Glu
        435                 440                 445
Leu Leu Ser Asp Thr Ser Val Pro Val Gln Lys Leu Asp Ser Tyr Val
    450                 455                 460
Ala Ser Phe Asn Ser Met Asp Lys Leu Ala Leu Tyr Asn Asn Lys His
465                 470                 475                 480
Asp Phe Ala Phe Gly Leu Ser Met Phe Ser Asn Arg Thr Gln Asn Tyr
                485                 490                 495
Glu Ala Met Asn Asn Glu Asn Leu His Gly Trp Phe Thr Ser Asp Gly
            500                 505                 510
Met Phe Tyr Leu Tyr Asn Asn Asp Leu Gly His Tyr Ser Glu Asn Tyr
        515                 520                 525
Trp Ala Thr Val Asn Pro Tyr Arg Leu Pro Gly Thr Thr Glu Thr Glu
    530                 535                 540
Gln Lys Pro Leu Glu Gly Thr Pro Glu Asn Ile Lys Thr Asn Tyr Gln
545                 550                 555                 560
Gln Val Gly Met Thr Gly Leu Ser Asp Asp Ala Phe Val Ala Ser Lys
                565                 570                 575
Lys Leu Asn Asn Thr Ser Ala Leu Ala Ala Met Thr Phe Thr Asn Trp
            580                 585                 590
Asn Lys Ser Leu Thr Leu Asn Lys Gly Trp Phe Ile Leu Gly Asn Lys
        595                 600                 605
Ile Ile Phe Val Gly Ser Asn Ile Lys Asn Gln Ser Ser His Lys Ala
    610                 615                 620
Tyr Thr Thr Ile Glu Gln Arg Lys Glu Asn Gln Lys Tyr Pro Tyr Cys
625                 630                 635                 640
Ser Tyr Val Asn Asn Gln Pro Val Asp Leu Asn Asn Gln Leu Val Asp
```

645 650 655
Phe Thr Asn Thr Lys Ser Ile Phe Leu Glu Ser Asp Asp Pro Ala Gln
660 665 670
Asn Ile Gly Tyr Tyr Phe Phe Lys Pro Thr Thr Leu Ser Ile Ser Lys
675 680 685
Ala Leu Gln Thr Gly Lys Trp Gln Asn Ile Lys Ala Asp Asp Lys Ser
690 695 700
Pro Glu Ala Ile Lys Glu Val Ser Asn Thr Phe Ile Thr Ile Met Gln
705 710 715 720
Asn His Thr Gln Asp Gly Asp Arg Tyr Ala Tyr Met Met Leu Pro Asn
725 730 735
Met Thr Arg Gln Glu Phe Glu Thr Tyr Ile Ser Lys Leu Asp Ile Asp
740 745 750
Leu Leu Glu Asn Asn Asp Lys Leu Ala Ala Val Tyr Asp His Asp Ser
755 760 765
Gln Gln Met His Val Ile His Tyr Gly Lys Lys Ala Thr Met Phe Ser
770 775 780
Asn His Asn Leu Ser His Gln Gly Phe Tyr Ser Phe Pro His Pro Val
785 790 795 800
Arg Gln Asn Gln Gln
805

<210> 910
<211> 780
<212> PRT
<213> Streptococcus pyogenes serotype M2 (strain MGAS10)

<220>
<223> hyaluronan lyase

<400> 910
Met Val Tyr Phe Tyr Leu Val Asn Gln Ser Thr Phe Ile Ile Ser Phe
1 5 10 15
Leu Tyr Trp Arg Asn Val Ser Val Asn Thr Tyr Phe Cys Thr His His
20 25 30
Lys Gln Leu Leu Leu Tyr Ser Asn Leu Phe Leu Ser Phe Ala Met Ile
35 40 45
Gly Gln Gly Thr Ala Ile Tyr Ala Asp Thr Leu Thr Ser Asn Ser Glu
50 55 60
Pro Asn Asn Thr Tyr Phe Gln Thr Gln Thr Leu Thr Thr Thr Asp Ser
65 70 75 80
Glu Lys Lys Val Val Gln Pro Gln Gln Lys Asp Tyr Tyr Thr Glu Leu
85 90 95
Leu Asp Gln Trp Asn Ser Ile Ile Ala Gly Asn Asp Ala Tyr Asp Lys
100 105 110
Thr Asn Pro Asp Met Val Thr Phe His Asn Lys Ala Glu Lys Asp Ala
115 120 125
Gln Asn Ile Ile Lys Ser Tyr Gln Gly Pro Asp His Glu Asn Arg Thr
130 135 140
Tyr Leu Trp Glu His Ala Lys Asp Tyr Ser Ala Ser Thr Asn Ile Thr
145 150 155 160
Lys Thr Tyr Arg Asn Ile Glu Lys Ile Ala Lys Gln Ile Thr Asn Pro
165 170 175
Glu Ser Cys Tyr Tyr Gln Asp Ser Lys Ala Ile Ala Ile Val Lys Asp
180 185 190
Gly Met Ala Phe Met Tyr Glu His Ala Tyr Asn Leu Asn Arg Glu Asn
195 200 205
His Gln Thr Thr Gly Lys Glu Asn Lys Glu Asn Trp Trp Val Tyr Glu
210 215 220
Ile Gly Thr Pro Arg Ala Ile Asn Asn Thr Leu Ser Leu Met Tyr Pro
225 230 235 240
Tyr Phe Thr Gln Glu Glu Ile Leu Lys Tyr Thr Ala Pro Ile Glu Lys
245 250 255
Phe Val Pro Asp Pro Thr Arg Phe Arg Val Arg Ala Ala Asn Phe Ser
260 265 270
Pro Phe Glu Ala Asn Ser Gly Asn Leu Ile Asp Met Gly Arg Val Lys
275 280 285

```
Leu Ile Ser Gly Ile Leu Arg Lys Asp Asp Leu Glu Ile Ser Asp Thr
    290                 295                 300
Ile Lys Ala Ile Glu Lys Val Phe Thr Leu Val Asp Glu Gly Asn Gly
305                 310                 315                 320
Phe Tyr Gln Asp Gly Ser Leu Ile Asp His Val Val Thr Asn Thr Gln
                325                 330                 335
Ser Pro Leu Tyr Lys Lys Gly Ile Ala Tyr Thr Gly Ala Tyr Gly Asn
            340                 345                 350
Val Leu Ile Asp Gly Leu Ser Gln Leu Ile Pro Ile Ile Gln Lys Thr
        355                 360                 365
Lys Ser Pro Ile Glu Ala Asp Lys Met Ala Thr Ile Tyr His Trp Ile
    370                 375                 380
Asn His Ser Phe Phe Pro Ile Ile Val Arg Gly Glu Met Met Asp Met
385                 390                 395                 400
Thr Arg Gly Arg Ser Ile Ser Arg Phe Asn Ala Gln Ser His Val Ala
                405                 410                 415
Gly Ile Glu Ala Leu Arg Ala Ile Leu Arg Ile Ala Asp Met Ser Glu
            420                 425                 430
Glu Pro His Arg Leu Glu Leu Lys Thr Arg Ile Lys Thr Leu Val Thr
        435                 440                 445
Gln Gly Asn Ala Phe Tyr Asn Val Tyr Asp Asn Leu Lys Thr Tyr His
    450                 455                 460
Asp Ile Lys Leu Met Lys Glu Leu Leu Ser Asp Thr Ser Val Pro Val
465                 470                 475                 480
Gln Lys Leu Asp Ser Tyr Val Ala Ser Phe Asn Ser Met Asp Lys Leu
                485                 490                 495
Ala Leu Tyr Asn Asn Lys His Asp Phe Ala Phe Gly Leu Ser Met Phe
            500                 505                 510
Ser Asn Arg Thr Gln Asn Tyr Glu Ala Met Asn Asn Glu Asn Leu His
        515                 520                 525
Gly Trp Phe Thr Ser Asp Gly Met Phe Tyr Leu Tyr Asn Asn Asp Leu
    530                 535                 540
Gly His Tyr Ser Glu Asn Tyr Trp Ala Thr Val Asn Pro Tyr Arg Leu
545                 550                 555                 560
Pro Gly Thr Thr Glu Thr Glu Gln Lys Pro Leu Glu Gly Thr Pro Glu
                565                 570                 575
Asn Ile Lys Thr Asn Tyr Gln Gln Val Gly Met Thr Ser Leu Ser Asp
            580                 585                 590
Asp Ala Phe Val Ala Ser Lys Lys Leu Asn Asn Thr Ser Ala Leu Ala
        595                 600                 605
Ala Met Thr Phe Thr Asn Trp Asn Lys Ser Leu Thr Leu Asn Lys Gly
    610                 615                 620
Trp Phe Ile Leu Gly Asn Lys Ile Ile Phe Val Gly Ser Asn Ile Lys
625                 630                 635                 640
Asn Gln Ser Ser His Lys Ala Tyr Thr Thr Ile Glu Gln Arg Lys Glu
                645                 650                 655
Asn Gln Lys His Pro Tyr Cys Ser Tyr Val Asn Asn Gln Pro Val Asp
            660                 665                 670
Leu Asn Asn Gln Leu Val Asp Phe Thr Asn Thr Lys Ser Ile Phe Leu
        675                 680                 685
Glu Ser Asp Asp Pro Ala Gln Asn Ile Gly Tyr Tyr Phe Phe Lys Pro
    690                 695                 700
Arg Thr Leu Ser Ile Ser Lys Ala Leu Gln Thr Gly Lys Trp Gln Asn
705                 710                 715                 720
Ile Lys Ala Asp Asp Lys Ser Pro Glu Ala Ile Lys Glu Val Ser Asn
                725                 730                 735
Thr Phe Ile Thr Ile Met Gln Asn His Thr Gln Glu Gly Asp Arg Tyr
            740                 745                 750
Ala Tyr Met Met Leu Pro Asn Met Thr Arg Gln Glu Phe Glu Thr Tyr
        755                 760                 765
Ile Ser Lys Leu Asp Ile Asp Leu Leu Glu Asn Asn
    770                 775                 780
```

<210> 911
<211> 868
<212> PRT
<213> Streptococcus pyogenes serotype M4 (strain MGAS10)

<220>
<223> hyaluronan lyase

<400> 911
Met Asn Thr Tyr Phe Cys Thr His His Lys Gln Leu Leu Leu Tyr Ser
 1   5   10   15
Asn Leu Phe Leu Ser Phe Ala Met Met Gly Gln Gly Thr Ala Ile Tyr
            20   25   30
Ala Asp Thr Leu Thr Ser Asn Ser Lys Pro Asn Asn Thr Tyr Phe Gln
        35   40   45
Thr Gln Thr Leu Thr Thr Thr Asp Ser Glu Lys Lys Val Val Gln Pro
    50   55   60
Gln Gln Lys Asp Tyr Tyr Thr Glu Leu Leu Asp Gln Trp Asn Ser Ile
65   70   75   80
Ile Ala Gly Asn Asp Ala Tyr Asp Lys Thr Asn Pro Asp Met Val Thr
                85   90   95
Phe His Asn Lys Ala Glu Lys Asp Ala Gln Asn Ile Ile Lys Ser Tyr
            100   105   110
Gln Glu Pro Asp His Glu Asn Arg Thr Tyr Leu Trp Glu His Ala Lys
        115   120   125
Asp Tyr Ser Ala Ser Ala Asn Ile Thr Lys Thr Tyr Arg Asn Ile Glu
    130   135   140
Lys Ile Ala Lys Gln Ile Thr Asn Pro Glu Ser Cys Tyr Tyr Gln Asp
145   150   155   160
Ser Lys Ala Ile Ala Ile Val Lys Asp Gly Met Ala Phe Met Tyr Glu
                165   170   175
His Ala Tyr Asn Leu Asp Arg Glu Asn His Gln Thr Thr Gly Lys Glu
            180   185   190
Asn Lys Glu Asn Trp Trp Asp Tyr Glu Ile Gly Thr Pro Arg Ala Ile
        195   200   205
Asn Asn Thr Leu Ser Leu Met Tyr Pro Tyr Phe Thr Gln Glu Glu Ile
    210   215   220
Leu Lys Tyr Thr Ala Pro Ile Glu Lys Phe Val Pro Asp Pro Thr Arg
225   230   235   240
Phe Arg Val Arg Ala Ala Asn Phe Pro Pro Phe Glu Ala Asn Ser Gly
                245   250   255
Asn Leu Ile Asp Met Gly Arg Val Lys Leu Ile Ser Gly Ile Leu Arg
            260   265   270
Lys Asp Asp Leu Glu Ile Ser Asp Thr Ile Lys Ala Ile Glu Lys Val
        275   280   285
Phe Thr Leu Val Asp Glu Gly Asn Gly Phe Tyr Gln Asp Gly Ser Leu
    290   295   300
Ile Asp His Val Val Thr Asn Ala Gln Ser Pro Leu Tyr Lys Lys Gly
305   310   315   320
Ile Ala Tyr Thr Gly Ala Tyr Gly Asn Val Leu Ile Asp Gly Leu Ser
                325   330   335
Gln Leu Ile Pro Ile Ile Gln Lys Thr Lys Ser Pro Ile Glu Ala Asp
            340   345   350
Lys Met Ala Thr Ile Tyr His Trp Ile Asn His Ser Phe Phe Pro Ile
        355   360   365
Ile Val Arg Gly Glu Met Met Asp Met Thr Arg Gly Arg Ser Ile Ser
    370   375   380
Arg Phe Asn Ala Gln Ser His Val Ala Gly Ile Glu Ala Leu Arg Ala
385   390   395   400
Ile Leu Arg Ile Ala Asp Met Ser Glu Glu Pro His Arg Leu Ala Leu
                405   410   415
Lys Thr Arg Ile Lys Thr Leu Val Thr Gln Gly Asn Val Phe Tyr Asn
            420   425   430
Val Tyr Asp Asn Leu Lys Thr Tyr His Asp Ile Lys Leu Met Lys Glu
        435   440   445
Leu Leu Ser Asp Thr Ser Val Pro Val Gln Lys Leu Asp Ser Tyr Val
    450   455   460
Ala Ser Phe Asn Ser Met Asp Lys Leu Ala Leu Tyr Asn Asn Lys His
465   470   475   480
Asp Phe Ala Phe Gly Leu Ser Met Phe Ser Asn Arg Thr Gln Asn Tyr
                485   490   495
Glu Ala Met Asn Asn Glu Asn Leu His Gly Trp Phe Thr Ser Asp Gly

500 505 510
Met Phe Tyr Leu Tyr Asn Asn Asp Leu Gly His Tyr Ser Glu Asn Tyr
515 520 525
Trp Ala Thr Val Asn Pro Tyr Arg Leu Pro Gly Thr Thr Glu Thr Glu
530 535 540
Gln Lys Pro Leu Glu Gly Thr Pro Glu Asn Ile Lys Thr Asn Tyr Gln
545 550 555 560
Gln Val Gly Met Thr Ser Leu Ser Asp Asp Ala Phe Val Ala Ser Lys
565 570 575
Lys Leu Asn Asn Thr Ser Ala Leu Ala Ala Met Thr Phe Thr Asn Trp
580 585 590
Asn Lys Ser Leu Thr Leu Asn Lys Gly Trp Phe Ile Leu Gly Asn Lys
595 600 605
Ile Ile Phe Val Gly Ser Asn Ile Lys Asn Gln Ser Ser His Lys Ala
610 615 620
Tyr Thr Thr Ile Glu Gln Arg Lys Glu Asn Gln Lys His Pro Tyr Cys
625 630 635 640
Ser Tyr Val Asn Asn Gln Pro Val Asp Leu Asn Asn Gln Leu Val Asp
645 650 655
Phe Thr Asn Thr Lys Ser Ile Phe Leu Glu Ser Asp Asp Pro Ala Gln
660 665 670
Asn Ile Gly Tyr Tyr Phe Phe Lys Pro Thr Thr Leu Ser Ile Ser Lys
675 680 685
Ala Leu Gln Thr Gly Lys Trp Gln Asn Ile Lys Ala Asp Asp Lys Ser
690 695 700
Pro Glu Ala Ile Lys Glu Val Ser Asn Thr Phe Ile Thr Ile Met Gln
705 710 715 720
Asn His Thr Gln Asp Gly Asp Arg Tyr Ala Tyr Met Met Leu Pro Asn
725 730 735
Met Thr Arg Gln Glu Phe Glu Thr Tyr Ile Ser Lys Leu Asp Ile Asp
740 745 750
Leu Leu Glu Asn Asn Asp Lys Leu Ala Ala Val Tyr Asp His Asp Ser
755 760 765
Gln Gln Met His Val Ile His Tyr Glu Lys Lys Ala Thr Thr Phe Ser
770 775 780
Asn His Asn Leu Ser His Gln Gly Phe Tyr Ser Phe Pro His Pro Val
785 790 795 800
Lys Gln Asn Gln Gln Gln Lys Leu Ala His Gln Gly Ile Ala Ala Lys
805 810 815
Asn Asn Ala Leu Asn Ser His Lys Ile Pro His Lys Arg Gln Arg Arg
820 825 830
Leu Pro Arg Thr Gly Tyr Gln Ser Ser Ser Leu Glu Phe Leu Gly Gly
835 840 845
Ala Leu Val Ala Ser Phe Asn His Ile Thr Lys Pro Phe Arg Lys Lys
850 855 860
Asp Leu Arg Ile
865

<210> 912
<211> 828
<212> PRT
<213> Streptococcus pyogenes serotype M6

<220>
<223> hyaluronan lyase

<400> 912
Met Val Tyr Phe Tyr Leu Val Asp Gln Phe Thr Phe Ile Ile Ser Phe
1 5 10 15
Leu Tyr Trp Arg Asn Leu Ser Val Asn Thr Tyr Phe Cys Thr His His
20 25 30
Lys Gln Leu Leu Leu Tyr Ser Asn Leu Phe Leu Ser Phe Ala Met Met
35 40 45
Gly Gln Gly Thr Ala Ile Tyr Ala Asp Thr Leu Thr Ser Asn Ser Glu
50 55 60
Pro Asn Asn Thr Tyr Phe Gln Thr Gln Thr Leu Thr Thr Thr Asp Ser
65 70 75 80

```
Glu Lys Lys Val Val Gln Pro Gln Gln Lys Asp Tyr Tyr Thr Glu Leu
                85                  90                  95
Leu Asp Gln Trp Asn Ser Ile Ile Ala Gly Asn Asp Ala Tyr Asp Lys
            100                 105                 110
Thr Asn Pro Asp Met Val Thr Phe His Asn Lys Ala Glu Lys Asp Ala
        115                 120                 125
Gln Asn Ile Ile Lys Ser Tyr Gln Gly Pro Asp His Glu Asn Arg Thr
    130                 135                 140
Tyr Leu Trp Glu His Ala Lys Asp Tyr Ser Ala Ser Thr Asn Ile Thr
145                 150                 155                 160
Lys Thr Tyr Arg Asn Ile Glu Lys Ile Ala Lys Gln Ile Thr Asn Pro
                165                 170                 175
Glu Ser Cys Tyr Tyr Gln Asp Ser Lys Ala Ile Ala Ile Val Lys Asp
            180                 185                 190
Gly Met Ala Phe Met Tyr Glu His Ala Tyr Asn Leu Asp Arg Glu Asn
        195                 200                 205
His Gln Thr Thr Gly Lys Glu Asn Lys Glu Asn Trp Trp Val Tyr Glu
    210                 215                 220
Ile Gly Thr Pro Arg Ala Ile Asn Asn Thr Leu Ser Leu Met Tyr Pro
225                 230                 235                 240
Tyr Phe Thr Gln Glu Glu Ile Leu Lys Tyr Thr Ala Pro Ile Glu Lys
                245                 250                 255
Phe Val Pro Asp Pro Thr Arg Phe Arg Val Arg Ala Ala Asn Phe Ser
            260                 265                 270
Pro Phe Glu Ala Asn Ser Gly Asn Leu Ile Asp Met Gly Arg Val Lys
        275                 280                 285
Leu Ile Ser Gly Ile Leu Arg Lys Asp Asp Leu Glu Ile Ser Asp Thr
    290                 295                 300
Ile Lys Ala Ile Glu Lys Val Phe Thr Leu Val Asp Glu Gly Asn Gly
305                 310                 315                 320
Phe Tyr Gln Asp Gly Ser Leu Ile Asp His Val Val Thr Asn Ala Gln
                325                 330                 335
Ser Pro Leu Tyr Lys Lys Gly Ile Ala Tyr Thr Gly Ala Tyr Gly Asn
            340                 345                 350
Val Leu Ile Asp Gly Leu Ser Gln Leu Ile Pro Ile Ile Gln Lys Thr
        355                 360                 365
Lys Ser Pro Ile Glu Ala Asp Lys Met Ala Thr Ile Tyr His Trp Ile
    370                 375                 380
Asn His Ser Phe Phe Pro Ile Ile Val Arg Gly Glu Met Met Asp Met
385                 390                 395                 400
Thr Arg Gly Arg Ser Ile Ser Arg Phe Asn Ala Gln Ser His Val Ala
                405                 410                 415
Gly Ile Glu Ala Leu Arg Ala Ile Leu Arg Ile Ala Asp Met Ser Glu
            420                 425                 430
Glu Pro His Arg Leu Ala Leu Lys Thr Arg Ile Lys Thr Leu Val Thr
        435                 440                 445
Gln Gly Asn Ala Phe Tyr Asn Val Tyr Asp Asn Leu Lys Thr Tyr His
    450                 455                 460
Asp Ile Lys Leu Met Lys Glu Leu Leu Ser Asp Thr Phe Val Pro Val
465                 470                 475                 480
Gln Lys Leu Asp Ser Tyr Val Ala Ser Phe Asn Ser Met Asp Lys Leu
                485                 490                 495
Ala Leu Tyr Asn Asn Lys His Asp Phe Ala Phe Gly Leu Ser Met Phe
            500                 505                 510
Ser Asn Arg Thr Gln Asn Tyr Glu Ala Met Asn Asn Glu Asn Leu His
        515                 520                 525
Gly Trp Phe Thr Ser Asp Gly Met Phe Tyr Leu Tyr Asn Asn Asp Leu
    530                 535                 540
Gly His Tyr Ser Glu Asn Tyr Trp Ala Thr Val Asn Pro Tyr Arg Leu
545                 550                 555                 560
Pro Gly Thr Thr Glu Thr Glu Gln Lys Pro Leu Glu Gly Thr Pro Glu
                565                 570                 575
Asn Ile Lys Thr Asp Tyr Gln Gln Val Gly Met Thr Ser Leu Ser Asp
            580                 585                 590
Asp Ala Phe Val Ala Ser Lys Lys Leu Asn Asn Thr Ser Ala Leu Ala
        595                 600                 605
Ala Met Thr Phe Thr Asn Trp Asn Lys Ser Leu Thr Leu Asn Lys Gly
    610                 615                 620
```

Trp Phe Ile Leu Gly Asn Lys Ile Ile Phe Val Gly Ser Asn Ile Lys
625 630 635 640
Asn Gln Ser Ser His Lys Ala Tyr Thr Thr Ile Glu Gln Arg Lys Glu
645 650 655
Asn Gln Lys His Pro Tyr Cys Ser Tyr Val Asn Asn Gln Pro Val Asp
660 665 670
Leu Asn Asn Gln Leu Val Asp Phe Thr Asn Thr Lys Ser Ile Phe Leu
675 680 685
Glu Ser Asp Asp Pro Ala Gln Asn Ile Gly Tyr Tyr Phe Phe Lys Pro
690 695 700
Thr Thr Leu Ser Ile Ser Lys Ala Leu Gln Thr Gly Lys Trp Gln Asn
705 710 715 720
Ile Lys Ala Asp Asp Lys Ser Pro Glu Ala Ile Lys Glu Val Ser Asn
725 730 735
Thr Phe Ile Thr Ile Met Gln Asn His Thr Gln Asp Gly Asp Arg Tyr
740 745 750
Ala Tyr Met Met Leu Pro Asn Met Thr Arg Gln Glu Phe Glu Thr Tyr
755 760 765
Ile Ser Lys Leu Asp Ile Asp Leu Leu Glu Asn Asn Asp Lys Leu Ala
770 775 780
Ala Val Tyr Asp His Asp Ser Gln Gln Met His Val Ile His Tyr Glu
785 790 795 800
Lys Lys Ala Thr Met Phe Ser Asn His Asn Leu Ser His Gln Gly Phe
805 810 815
Tyr Ser Phe Pro His Pro Val Lys Gln Asn Gln Gln
820 825

<210> 913
<211> 556
<212> PRT
<213> Streptococcus pyogenes serotype M12 (strain MGAS2)

<220>
<223> hyaluronan lyase

<400> 913
Met Val Tyr Phe Tyr Leu Val Asn Gln Ser Thr Phe Ile Ile Ser Phe
1 5 10 15
Leu Tyr Trp Arg Asn Leu Ser Val Asn Thr Tyr Phe Cys Thr His His
20 25 30
Lys Gln Leu Leu Leu Tyr Ser Asn Leu Phe Leu Ser Phe Ala Met Met
35 40 45
Gly Gln Gly Thr Ala Ile Tyr Ala Asp Thr Leu Thr Ser Asn Ser Glu
50 55 60
Pro Asn Asn Thr Tyr Phe Gln Thr Gln Thr Leu Thr Thr Thr Asp Ser
65 70 75 80
Glu Lys Lys Val Val Gln Pro Gln Gln Lys Asp Tyr Tyr Thr Glu Leu
85 90 95
Leu Asp Gln Trp Asn Ser Ile Ile Ala Gly Asn Asp Ala Tyr Asp Lys
100 105 110
Thr Asn Pro Asp Met Val Thr Phe His Asn Lys Ala Glu Lys Asp Ala
115 120 125
Gln Asn Ile Ile Lys Ser Tyr Gln Gly Pro Asp His Glu Asn Arg Thr
130 135 140
Tyr Leu Gly Asn Met Gln Arg Ile Ile Pro Leu Leu Leu Ile Ser Arg
145 150 155 160
Lys Leu Thr Ala Ile Leu Lys Lys Ile Ser Lys Met Lys Ser Leu Met
165 170 175
Glu Asp Ser Thr Ile Ser Thr Asn Gly Leu Thr Gln Gln Leu Lys Ile
180 185 190
Tyr Asn Asp Met Asp Arg Val Thr Tyr His Asn Lys Gly Leu Asp Phe
195 200 205
Ala Phe Gly Leu Ser Met Thr Ser Lys Asn Val Ala Arg Tyr Glu Ser
210 215 220
Ile Asn Gly Glu Asn Leu Lys Gly Trp His Thr Gly Ala Gly Met Ser
225 230 235 240
Tyr Leu Tyr Asn Ser Asp Val Lys His Tyr Arg Asp Asn Phe Trp Ala

```
                245                 250                 255
Thr Ala Asp Met Lys Arg Leu Ala Gly Thr Thr Thr Leu Asp Asn Glu
            260                 265                 270
Glu Pro Lys Ser Thr Asp Val Lys Lys Ser Ser Lys Thr Phe Val Gly
        275                 280                 285
Gly Thr Lys Phe Asp Asp Gln His Ala Ser Ile Gly Met Asp Phe Glu
    290                 295                 300
Asn Gln Asp Lys Thr Leu Thr Ala Lys Lys Ser Tyr Phe Ile Leu Asn
305                 310                 315                 320
Asp Lys Ile Val Phe Leu Gly Thr Gly Ile Lys Ser Thr Asp Ser Ser
                325                 330                 335
Lys Asn Pro Val Thr Thr Ile Glu Asn Arg Lys Ala Asn Asp Tyr Lys
            340                 345                 350
Leu Tyr Lys Asp Asp Thr Gln Thr Thr Asn Ser Asp Asn Gln Glu Thr
        355                 360                 365
Asn Ser Leu Phe Leu Glu Ser Thr Asn Ser Thr Gln Asn Asn Ile Gly
    370                 375                 380
Tyr His Phe Leu Asn Glu Ser Lys Ile Thr Val Lys Lys Glu Ser His
385                 390                 395                 400
Thr Gly Lys Trp Ser Asp Ile Asn Lys Ser Gln Lys Asp Ile Gln Lys
                405                 410                 415
Thr Asp Glu Tyr Tyr Glu Val Thr Gln Lys His Ser Asn Thr Asp Ser
            420                 425                 430
Lys Tyr Ala Tyr Val Leu Tyr Pro Gly Leu Ser Lys Asp Val Phe Lys
        435                 440                 445
Ser Lys Ala Ser Lys Val Thr Val Val Lys Gln Glu Asp Asp Phe His
    450                 455                 460
Val Val Lys Asp Asn Glu Ser Val Trp Ala Gly Ile Asn Tyr Ser Asp
465                 470                 475                 480
Ser Ala Lys Thr Phe Glu Ile Asn Asn Thr Lys Val Glu Val Lys Ala
                485                 490                 495
Lys Gly Met Phe Ile Leu Thr Lys Lys Asp Asp Asn Thr Tyr Glu Cys
            500                 505                 510
Ser Phe Tyr Asn Pro Glu Ser Thr Asn Ser Val Ser Asp Ile Glu Ser
        515                 520                 525
Lys Ile Ser Met Thr Gly Tyr Ser Ile Ile Asn Lys Asn Thr Ser Thr
    530                 535                 540
Ser Asn Glu Ser Gly Val Arg Phe Glu Leu Thr Lys
545                 550                 555


<210> 914
<211> 635
<212> PRT
<213> Streptococcus pyogenes serotype M12 (strain MGAS2)

<220>
<223> hyaluronan lyase

<400> 914
Met Ala Phe Met Tyr Glu His Ala Tyr Asn Leu Asn Arg Glu Asn His
 1                5                  10                  15
Gln Thr Thr Gly Lys Glu Asn Lys Glu Asn Trp Trp Val Tyr Glu Ile
            20                  25                  30
Gly Thr Pro Arg Ala Ile Asn Asn Thr Leu Ser Leu Met Tyr Pro Tyr
        35                  40                  45
Phe Thr Gln Glu Glu Ile Leu Lys Tyr Thr Ala Pro Ile Glu Lys Phe
    50                  55                  60
Val Pro Asp Pro Thr Arg Phe Arg Val Arg Ala Ala Asn Phe Ser Pro
65                  70                  75                  80
Phe Glu Ala Ser Ser Gly Asn Leu Ile Asp Met Gly Arg Val Lys Leu
                85                  90                  95
Ile Ser Gly Ile Leu Arg Lys Asp Asp Leu Glu Ile Ser Asp Thr Ile
            100                 105                 110
Lys Ala Ile Glu Lys Val Phe Thr Leu Val Asp Glu Gly Asn Gly Phe
        115                 120                 125
Tyr Gln Asp Gly Ser Leu Ile Asp His Val Val Thr Asn Ala Gln Ser
    130                 135                 140
```

```
Pro Leu Tyr Lys Lys Gly Ile Ala Tyr Thr Gly Ala Tyr Gly Asn Val
145                 150                 155                 160
Leu Ile Asp Gly Leu Ser Gln Leu Ile Pro Ile Ile Gln Lys Thr Lys
                165                 170                 175
Ser Pro Ile Glu Ala Asp Lys Met Ala Thr Ile Tyr His Trp Ile Asn
            180                 185                 190
His Ser Phe Phe Pro Ile Ile Val Arg Gly Glu Met Met Asp Met Thr
        195                 200                 205
Arg Gly Arg Ser Ile Ser Arg Phe Asn Ala Gln Ser His Val Ala Gly
    210                 215                 220
Ile Glu Ala Leu Arg Ala Ile Leu Arg Ile Ala Asp Met Ser Glu Glu
225                 230                 235                 240
Pro His Arg Leu Ala Leu Lys Thr Arg Ile Lys Thr Leu Val Thr Gln
                245                 250                 255
Gly Asn Ala Phe Tyr Asn Val Tyr Asp Asn Leu Lys Thr Tyr His Asp
            260                 265                 270
Ile Lys Leu Met Lys Glu Leu Leu Ser Asp Thr Ser Val Pro Val Gln
        275                 280                 285
Lys Leu Asp Ser Tyr Val Ala Ser Phe Asn Ser Met Asp Lys Leu Ala
    290                 295                 300
Leu Tyr Asn Asn Lys His Asp Phe Ala Phe Gly Leu Ser Met Phe Ser
305                 310                 315                 320
Asn Arg Thr Gln Asn Tyr Glu Ala Met Asn Asn Glu Asn Leu His Gly
                325                 330                 335
Trp Phe Thr Ser Asp Gly Met Phe Tyr Leu Tyr Asn Asn Asp Leu Gly
            340                 345                 350
His Tyr Ser Glu Asn Tyr Trp Ala Thr Val Asn Pro Tyr Arg Leu Pro
        355                 360                 365
Gly Thr Thr Glu Thr Glu Gln Lys Pro Leu Glu Gly Thr Pro Glu Asn
    370                 375                 380
Ile Lys Thr Asn Tyr Gln Gln Val Gly Met Thr Ser Leu Ser Asp Asp
385                 390                 395                 400
Ala Phe Val Ala Ser Lys Lys Leu Asn Asn Thr Ser Ala Leu Ala Ala
                405                 410                 415
Met Thr Phe Thr Asn Trp Asn Lys Ser Leu Thr Leu Asn Lys Gly Trp
            420                 425                 430
Phe Ile Leu Gly Asn Lys Ile Ile Phe Val Gly Ser Asn Ile Lys Asn
        435                 440                 445
Gln Ser Ser His Lys Ala Tyr Thr Thr Ile Glu Gln Arg Lys Glu Asn
    450                 455                 460
Gln Lys His Pro Tyr Cys Ser Tyr Val Asn Asn Gln Pro Val Asp Leu
465                 470                 475                 480
Asn Asn Gln Leu Val Asp Phe Thr Asn Thr Lys Ser Ile Phe Leu Glu
                485                 490                 495
Ser Asp Asp Pro Ala Gln Asn Ile Gly Tyr Tyr Phe Phe Lys Pro Thr
            500                 505                 510
Thr Leu Ser Ile Ser Lys Ala Leu Gln Thr Gly Lys Trp Gln Asn Ile
        515                 520                 525
Lys Ala Asp Asp Lys Ser Pro Glu Ala Ile Lys Glu Val Ser Asn Thr
    530                 535                 540
Phe Ile Thr Ile Met Gln Asn His Thr Gln Asp Gly Asp Arg Tyr Ala
545                 550                 555                 560
Tyr Met Met Leu Pro Asn Met Thr Arg Gln Glu Phe Glu Thr Tyr Ile
                565                 570                 575
Ser Lys Leu Asp Ile Asp Leu Leu Glu Asn Asn Asp Lys Leu Ala Ala
            580                 585                 590
Val Tyr Asp His Asp Ser Gln Gln Met His Val Ile His Tyr Glu Lys
        595                 600                 605
Lys Ala Thr Met Phe Ser Asn His Asn Leu Ser His Gln Gly Phe Tyr
    610                 615                 620
Ser Phe Pro His Pro Val Lys Gln Asn Gln Gln
625                 630                 635
```

<210> 915
<211> 828
<212> PRT
<213> Streptococcus pyogenes serotype M12 (strain MGAS9)

<220>
<223> hyaluronan lyase

<400> 915
Met Val Tyr Phe Tyr Leu Val Asn Gln Ser Thr Phe Ile Ile Ser Phe
 1   5   10   15
Leu Tyr Trp Arg Asn Leu Ser Val Asn Thr Tyr Phe Cys Thr His His
            20   25   30
Lys Gln Leu Leu Leu Tyr Ser Asn Leu Phe Leu Ser Phe Ala Met Met
        35   40   45
Gly Gln Gly Thr Ala Ile Tyr Ala Asp Thr Leu Thr Ser Asn Ser Glu
    50   55   60
Pro Asn Asn Thr Tyr Phe Gln Thr Gln Thr Leu Thr Thr Thr Asp Ser
65   70   75   80
Glu Lys Lys Val Val Gln Pro Gln Gln Lys Asp Tyr Tyr Thr Glu Leu
                85   90   95
Leu Asp Gln Trp Asn Ser Ile Ile Ala Gly Asn Asp Ala Tyr Val Lys
            100   105   110
Thr Asn Pro Asp Met Val Thr Phe His Asn Lys Ala Glu Lys Asp Ala
        115   120   125
Gln Asn Ile Ile Lys Ser Tyr Gln Gly Pro Asp His Glu Asn Arg Thr
    130   135   140
Tyr Leu Trp Glu His Ala Lys Asp Tyr Ser Ala Ser Thr Asn Ile Thr
145   150   155   160
Lys Thr Tyr Arg Asn Ile Glu Lys Ile Ala Lys Gln Ile Thr Asn Pro
                165   170   175
Glu Ser Cys Tyr Tyr Gln Asp Ser Lys Ala Ile Ala Ile Val Lys Asp
            180   185   190
Gly Met Ala Phe Met Tyr Glu His Ala Tyr Asn Leu Asn Arg Glu Asn
        195   200   205
His Gln Thr Thr Gly Lys Glu Asn Lys Glu Asn Trp Trp Val Tyr Glu
    210   215   220
Ile Gly Thr Pro Arg Ala Ile Asn Asn Thr Leu Ser Leu Met Tyr Pro
225   230   235   240
Tyr Phe Thr Gln Glu Glu Ile Leu Lys Tyr Thr Ala Pro Ile Glu Lys
                245   250   255
Phe Val Pro Asp Pro Thr Arg Phe Arg Val Arg Ala Ala Asn Phe Ser
            260   265   270
Pro Phe Glu Ala Ser Ser Gly Asn Leu Ile Asp Met Gly Arg Val Lys
        275   280   285
Leu Ile Ser Gly Ile Leu Arg Lys Asp Asp Leu Glu Ile Ser Asp Thr
    290   295   300
Ile Lys Ala Ile Glu Lys Val Phe Thr Leu Val Asp Glu Gly Asn Gly
305   310   315   320
Phe Tyr Gln Asp Gly Ser Leu Ile Asp His Val Val Thr Asn Ala Gln
                325   330   335
Ser Pro Leu Tyr Lys Lys Gly Ile Ala Tyr Thr Gly Ala Tyr Gly Asn
            340   345   350
Val Leu Ile Asp Gly Leu Ser Gln Leu Ile Pro Ile Ile Gln Lys Thr
        355   360   365
Lys Ser Pro Ile Glu Ala Asp Lys Met Ala Thr Ile Tyr His Trp Ile
    370   375   380
Asn His Ser Phe Phe Pro Ile Ile Val Arg Gly Glu Met Met Asp Met
385   390   395   400
Thr Arg Gly Arg Ser Ile Ser Arg Phe Asn Ala Gln Ser His Val Ala
                405   410   415
Gly Ile Glu Ala Leu Arg Ala Ile Leu Arg Ile Ala Asp Met Ser Glu
            420   425   430
Glu Pro His Arg Leu Ala Leu Lys Thr Arg Ile Lys Thr Leu Val Thr
        435   440   445
Gln Gly Asn Ala Phe Tyr Asn Val Tyr Asp Asn Leu Lys Thr Tyr His
    450   455   460
Asp Ile Lys Leu Met Lys Glu Leu Leu Ser Asp Thr Ser Val Pro Val
465   470   475   480
Gln Lys Leu Asp Ser Tyr Val Ala Ser Phe Asn Ser Met Asp Lys Leu
                485   490   495
Ala Leu Tyr Asn Asn Lys His Asp Phe Ala Phe Gly Leu Ser Met Phe

500 505 510
Ser Asn Arg Thr Gln Asn Tyr Glu Ala Met Asn Asn Glu Asn Leu His
515 520 525
Gly Trp Phe Thr Ser Asp Gly Met Phe Tyr Leu Tyr Asn Asn Asp Leu
530 535 540
Gly His Tyr Ser Glu Asn Tyr Trp Ala Thr Val Asn Pro Tyr Arg Leu
545 550 555 560
Pro Gly Thr Thr Glu Thr Glu Gln Lys Pro Leu Glu Gly Thr Pro Glu
565 570 575
Asn Ile Lys Thr Asn Tyr Gln Gln Val Gly Met Thr Ser Leu Ser Asp
580 585 590
Asp Ala Phe Val Ala Ser Lys Lys Leu Asn Asn Thr Ser Ala Leu Ala
595 600 605
Ala Met Thr Phe Thr Asn Trp Asn Lys Ser Leu Thr Leu Asn Lys Gly
610 615 620
Trp Phe Ile Leu Gly Asn Lys Ile Ile Phe Val Gly Ser Asn Ile Lys
625 630 635 640
Asn Gln Ser Ser His Lys Ala Tyr Thr Thr Ile Glu Gln Arg Lys Glu
645 650 655
Asn Gln Lys His Pro Tyr Cys Ser Tyr Val Asn Asn Gln Pro Val Asp
660 665 670
Leu Asn Asn Gln Leu Val Asp Phe Thr Asn Thr Lys Ser Ile Phe Leu
675 680 685
Glu Ser Asp Asp Pro Ala Gln Asn Ile Gly Tyr Tyr Phe Phe Lys Pro
690 695 700
Thr Thr Leu Ser Ile Ser Lys Ala Leu Gln Thr Gly Lys Trp Gln Asn
705 710 715 720
Ile Lys Ala Asp Asp Lys Ser Pro Glu Ala Ile Lys Glu Val Ser Asn
725 730 735
Thr Phe Ile Thr Ile Met Gln Asn His Thr Gln Asp Gly Asp Arg Tyr
740 745 750
Ala Tyr Met Met Leu Pro Asn Met Thr Arg Gln Glu Phe Glu Thr Tyr
755 760 765
Ile Ser Lys Leu Asp Ile Asp Leu Leu Glu Asn Asn Asp Lys Leu Ala
770 775 780
Ala Val Tyr Asp His Asp Ser Gln Gln Met His Val Ile His Tyr Glu
785 790 795 800
Lys Lys Ala Thr Met Phe Ser Asn His Asn Leu Ser His Gln Gly Phe
805 810 815
Tyr Ser Phe Pro His Pro Val Lys Gln Asn Gln Gln
820 825

<210> 916
<211> 828
<212> PRT
<213> Streptococcus pyogenes serotype M28

<220>
<223> hyaluronan lyase

<400> 916
Met Val Tyr Phe Tyr Leu Val Asn Gln Phe Thr Phe Ile Ile Ser Phe
1 5 10 15
Leu Tyr Arg Arg Asn Leu Ser Val Asn Thr Tyr Phe Cys Thr His His
20 25 30
Lys Gln Leu Leu Leu Tyr Ser Asn Leu Phe Leu Ser Phe Ala Met Met
35 40 45
Gly Gln Gly Thr Ala Ile Tyr Ala Asp Thr Leu Thr Ser Asn Ser Glu
50 55 60
Pro Asn Asn Thr Tyr Phe Gln Thr Gln Met Leu Thr Thr Thr Asp Ser
65 70 75 80
Glu Lys Lys Val Val Gln Pro Gln Gln Lys Asp Tyr Tyr Thr Glu Leu
85 90 95
Leu Asp Gln Trp Asn Ser Ile Ile Ala Gly Asn Asp Ala Tyr Asp Lys
100 105 110
Thr Asn Pro Asp Met Val Thr Phe His Asn Lys Ala Glu Lys Asp Ala
115 120 125

```
Gln Asn Ile Ile Lys Ser Tyr Gln Gly Pro Asp His Glu Asn Arg Thr
    130                 135                 140
Tyr Leu Trp Glu His Ala Lys Asp Tyr Ser Ala Ser Ala Asn Ile Thr
145                 150                 155                 160
Lys Thr Tyr Arg Asn Ile Glu Lys Ile Ala Lys Gln Ile Thr Asn Pro
                165                 170                 175
Glu Ser Cys Tyr Tyr Gln Asp Ser Lys Ala Ile Ala Ile Val Lys Asp
            180                 185                 190
Gly Met Ala Phe Met Tyr Glu His Ala Tyr Asn Leu Asp Arg Glu Asn
        195                 200                 205
His Gln Thr Thr Gly Lys Glu Asn Lys Glu Asn Trp Trp Val Tyr Glu
    210                 215                 220
Ile Gly Thr Pro Arg Ala Ile Asn Asn Thr Leu Ser Leu Met Tyr Pro
225                 230                 235                 240
Tyr Phe Thr Gln Glu Glu Ile Leu Lys Tyr Thr Ala Pro Ile Glu Lys
                245                 250                 255
Phe Val Pro Asp Pro Thr Arg Phe Arg Val Arg Ala Ala Asn Phe Ser
            260                 265                 270
Pro Phe Glu Ala Asn Ser Gly Asn Leu Ile Asp Met Gly Arg Val Lys
        275                 280                 285
Leu Ile Ser Gly Ile Leu Arg Lys Asp Asp Leu Glu Ile Ser Asp Thr
    290                 295                 300
Ile Lys Ala Ile Glu Lys Val Phe Thr Leu Val Asp Glu Gly Asn Gly
305                 310                 315                 320
Phe Tyr Gln Asp Gly Ser Leu Ile Asp His Val Val Thr Asn Ala Gln
                325                 330                 335
Ser Pro Leu Tyr Lys Lys Gly Ile Ala Tyr Thr Gly Ala Tyr Gly Asn
            340                 345                 350
Val Leu Ile Asp Gly Leu Ser Gln Leu Ile Pro Ile Ile Gln Lys Thr
        355                 360                 365
Lys Ser Ser Ile Glu Ala Asp Lys Met Ala Thr Ile Tyr His Trp Ile
    370                 375                 380
Asn His Ser Phe Phe Pro Ile Ile Val Arg Gly Glu Met Met Asp Met
385                 390                 395                 400
Thr Arg Gly Arg Ser Ile Ser Arg Phe Asn Ala Gln Ser His Val Ala
                405                 410                 415
Gly Ile Glu Ala Leu Arg Ala Ile Leu Arg Ile Ala Asp Met Ser Glu
            420                 425                 430
Glu Pro His Arg Leu Ala Leu Lys Thr Arg Ile Lys Thr Leu Val Thr
        435                 440                 445
Gln Gly Asn Ala Phe Tyr Asn Val Tyr Asp Asn Leu Lys Thr Tyr His
    450                 455                 460
Asp Ile Lys Leu Met Lys Glu Leu Leu Ser Asp Thr Ser Val Pro Val
465                 470                 475                 480
Gln Lys Leu Asp Ser Tyr Val Ala Ser Phe Asn Ser Met Asp Lys Leu
                485                 490                 495
Ala Leu Tyr Asn Asn Lys His Asp Phe Ala Phe Gly Leu Ser Met Phe
            500                 505                 510
Ser Asn Arg Thr Gln Asn Tyr Glu Ala Met Asn Asn Glu Asn Leu His
        515                 520                 525
Gly Trp Phe Thr Ser Asp Gly Met Phe Tyr Leu Tyr Asn Asn Asp Leu
    530                 535                 540
Gly His Tyr Ser Glu Asn Tyr Trp Ala Thr Val Asn Pro Tyr Arg Leu
545                 550                 555                 560
Pro Gly Thr Thr Glu Thr Glu Gln Lys Pro Leu Glu Gly Thr Pro Glu
                565                 570                 575
Asn Ile Lys Thr Asn Tyr Gln Gln Val Gly Met Thr Ser Leu Ser Asp
            580                 585                 590
Asp Ala Phe Val Ala Ser Lys Lys Leu Asn Asn Thr Ser Ala Leu Ala
        595                 600                 605
Ala Met Thr Phe Thr Asn Trp Asn Lys Ser Leu Thr Leu Asn Lys Gly
    610                 615                 620
Trp Phe Ile Leu Gly Asn Lys Ile Ile Phe Val Gly Ser Asn Ile Lys
625                 630                 635                 640
Asn Gln Ser Ser His Lys Ala Tyr Thr Thr Ile Glu Gln Arg Lys Glu
                645                 650                 655
Asn Gln Lys His Pro Tyr His Ala Tyr Val Asn Asn Gln Pro Val Asp
            660                 665                 670
```

Leu Asn Asn Gln Leu Val Asp Phe Thr Asn Thr Lys Ser Ile Phe Leu
675 680 685
Glu Ser Asp Asp Ser Ala Gln Asn Ile Gly Tyr Tyr Phe Phe Lys Pro
690 695 700
Thr Thr Leu Ser Ile Ser Lys Ala Leu Gln Thr Gly Lys Trp Gln Asn
705 710 715 720
Ile Lys Ala Asp Asp Lys Ser Pro Glu Ala Ile Lys Glu Val Ser Asn
725 730 735
Thr Phe Ile Thr Ile Met Gln Asn His Thr Gln Asp Gly Asp Arg Tyr
740 745 750
Ala Tyr Met Met Leu Pro Asn Met Thr Arg Gln Glu Phe Glu Thr Tyr
755 760 765
Ile Ser Lys Leu Asp Ile Asp Leu Leu Glu Asn Asn Asp Lys Leu Ala
770 775 780
Ala Val Tyr Asp His Asp Ser Gln Gln Met His Val Ile His Tyr Glu
785 790 795 800
Lys Lys Ala Thr Met Phe Ser Asn His Asn Leu Ser His Gln Gly Phe
805 810 815
Tyr Ser Phe Pro His Pro Val Lys Gln Asn Gln Gln
820 825

<210> 917
<211> 522
<212> PRT
<213> Streptococcus suis

<220>
<223> hyaluronan lyase

<400> 917
Met Gly Phe Phe Ile Ser Gln Ser Lys Gln His Tyr Gly Ile Arg Lys
1 5 10 15
Tyr Lys Val Gly Val Cys Ser Ala Leu Ile Ala Leu Ser Ile Leu Gly
20 25 30
Thr Arg Val Ala Ala Asn Gln Leu Pro Ser Thr Glu Thr Ala Ser Pro
35 40 45
Gln Ser Ser Gln Leu Val Glu Thr Thr Pro Glu Thr Thr Glu Ala Val
50 55 60
Asn Leu Thr Thr Glu Ala Val Met Thr Ser Glu Val Ser Ser Glu Val
65 70 75 80
Ser Pro Val Thr Ser Thr Glu Thr Gln Pro Ser Ser Thr Ala Ala Glu
85 90 95
Thr Leu Ala Ser Pro Gln Ala Val Gln Ala Thr Lys Glu Glu Glu Lys
100 105 110
Asn Leu Val Ala Asn Gly Glu Phe Ala Ser Thr Thr Ala Ala Ser Gly
115 120 125
Asn Trp Ala Asp Pro Ala Ala Thr Asn Trp Glu Thr Trp Ile Pro Ala
130 135 140
Asn Val Lys Lys Glu Asn Gly Gln Val Arg Ile Asp Glu Gly Arg Leu
145 150 155 160
His Ile Ser Ser Thr Ala Ser Tyr Arg Val Ala Val His Gln Thr Val
165 170 175
Asp Val Asp Pro Asn Lys Arg Tyr Leu Phe Ser Tyr Asn Val Glu Thr
180 185 190
Lys Asp Leu Lys Gly Ser Gly Val Arg Val Arg Leu Arg Ser Leu Thr
195 200 205
Ala Glu Gly Lys Asp Leu Ser Pro Gln Glu Phe Ala Tyr Thr Pro Tyr
210 215 220
Lys Asn Gly Ser Gln Ala Glu His Ile Glu Gln Ile Leu Thr Val Ser
225 230 235 240
Pro Glu Thr Arg Lys Leu Lys Val Glu Leu Phe Phe Glu Asn Ser Val
245 250 255
Gly Gln Ala Trp Leu Asp Asn Ile Ser Leu Val Glu Tyr Val Glu Lys
260 265 270
Thr Pro Glu Thr Pro Glu Pro Ser Leu Glu Leu Val Gln Pro Glu Thr
275 280 285
Gly Gln Ile Ser Leu Ala Ser Asn Lys Val Tyr Leu Pro Val Arg Pro

```
    290                 295                 300
Asp Leu Thr Tyr Arg Ile Ala Asp Ala Ala Val Ala Ile Val Glu Lys
305                 310                 315                 320
Asn Met Ile Arg Pro Leu Ala Ala Gly Lys Thr Gln Val Asp Val Tyr
                325                 330                 335
Asp Lys Asp Thr Lys Leu Ser Ser Phe Glu Leu Thr Val Thr Glu His
            340                 345                 350
Gln Ala Thr Val Phe Asp Thr Leu Arg Asn Asn Trp Glu Asp Ile Ser
        355                 360                 365
Leu Ala Asn Lys Arg Tyr Gln Ser Asn Asp Thr Gln Met Lys Ala Phe
    370                 375                 380
Leu Gly Arg Leu Asp Ala Gly Val Ala Ser Ser Leu Lys Lys Trp Val
385                 390                 395                 400
Glu Pro Thr Asn Gln Gly Lys Thr Ile Phe Asn Asp Ile Asp Phe Ser
                405                 410                 415
Lys Ser Ser His Leu Thr Thr Val Tyr Arg Arg Leu Glu Gln Met Ala
            420                 425                 430
Gln Val Val Glu Asn Pro Asp Ser Ala Tyr Tyr His Asp Arg Ser Leu
        435                 440                 445
Ile Asp Leu Val Arg Lys Gly Met Asn Trp Leu Tyr Thr Asn Val Tyr
    450                 455                 460
Asn Glu Asn Lys Ser Ile Asp Gly Asn Trp Trp Asp Tyr Glu Ile Gly
465                 470                 475                 480
Thr Pro Arg Ala Val Val Asn Thr Leu Ile Tyr Met His Pro Tyr Phe
                485                 490                 495
Ser Gln Glu Glu Ile Leu Thr Tyr Thr Lys Pro Ile Ser Lys Phe Val
            500                 505                 510
Pro Asp Pro Thr Thr Ile Ser Val Lys His
        515                 520


<210> 918
<211> 1164
<212> PRT
<213> Streptococcus suis

<220>
<223> hyaluronan lyase

<400> 918
Met Gly Phe Phe Ile Ser Gln Ser Lys Gln His Tyr Gly Ile Arg Lys
 1                5                  10                  15
Tyr Lys Val Gly Val Cys Ser Ala Leu Ile Ala Leu Ser Ile Leu Gly
            20                  25                  30
Thr Arg Val Ala Ala Asn Gln Leu Pro Ser Thr Glu Thr Ala Ser Pro
        35                  40                  45
Gln Ser Ser Gln Leu Val Glu Thr Thr Pro Glu Thr Thr Glu Ala Val
    50                  55                  60
Met Thr Ser Glu Val Ser Ser Glu Val Ser Pro Val Thr Ser Thr Glu
65                  70                  75                  80
Thr Gln Pro Ser Ser Thr Thr Ala Glu Thr Leu Ala Ser Pro Gln Ala
                85                  90                  95
Val Gln Ala Thr Lys Glu Glu Lys Asn Leu Val Ala Asn Gly Glu Phe
            100                 105                 110
Ile Ser Thr Thr Ala Pro Ser Gly Asn Trp Lys Glu Leu Ala Ala Thr
        115                 120                 125
Asn Trp Glu Thr Trp Ile Pro Ala Asn Val Lys Lys Glu Asn Gly Gln
    130                 135                 140
Val Arg Ile Asp Glu Gly Arg Leu His Ile Ser Ser Thr Ala Ser Tyr
145                 150                 155                 160
Arg Val Ala Val His Gln Thr Val Asp Val Asp Pro Asn Lys Arg Tyr
                165                 170                 175
Leu Phe Ser Tyr Asp Val Glu Thr Lys Asp Leu Lys Gly Ser Gly Val
            180                 185                 190
Arg Val Arg Leu Arg Ser Leu Thr Ala Glu Gly Lys Asp Leu Ser Pro
        195                 200                 205
Gln Glu Phe Ala Tyr Thr Pro Tyr Lys Asn Gly Ser Gln Ala Glu His
    210                 215                 220
```

```
Ile Glu Gln Ile Leu Thr Val Ser Pro Glu Thr Arg Lys Leu Lys Val
225                 230                 235                 240
Glu Leu Phe Phe Glu Asn Ser Val Gly Gln Ala Trp Leu Asp Asn Ile
                245                 250                 255
Ser Leu Val Glu Tyr Val Glu Lys Thr Pro Glu Thr Pro Glu Gln Ser
            260                 265                 270
Pro Glu Leu Val Gln Pro Glu Thr Gly Gln Ile Ser Leu Ala Ser Asn
        275                 280                 285
Lys Val Tyr Leu Pro Val Arg Pro Asp Leu Thr Tyr Arg Ile Ala Asp
    290                 295                 300
Ala Ala Val Ala Thr Val Glu Lys Asn Met Ile Arg Pro Leu Ala Ala
305                 310                 315                 320
Gly Lys Thr Gln Val Asp Val Tyr Asp Lys Asp Thr Lys Leu Ser Ser
                325                 330                 335
Phe Glu Leu Ile Val Thr Glu His Gln Ala Thr Val Phe Asp Thr Leu
            340                 345                 350
Arg Asn Asn Trp Glu Asp Ile Ser Leu Ala Asn Lys Arg Tyr Gln Ser
        355                 360                 365
Asn Asp Ala Gln Met Lys Ala Phe Leu Gly Arg Leu Asp Ala Gly Val
    370                 375                 380
Ala Ser Ser Leu Glu Lys Trp Val Glu Pro Thr Glu Gln Ser Lys Thr
385                 390                 395                 400
Ile Phe Asn Asp Ile Asp Phe Ser Lys Ser Ser His Leu Thr Thr Val
                405                 410                 415
Tyr Arg Arg Leu Glu Gln Met Ala Gln Val Val Glu Asn Pro Asp Ser
            420                 425                 430
Ala Tyr Tyr His Asp Arg Ser Leu Ile Asp Leu Val Arg Lys Gly Met
        435                 440                 445
Asn Trp Leu Tyr Ala Asn Val Tyr Asn Glu Asn Lys Ser Ile Asp Gly
    450                 455                 460
Asn Trp Trp Asp Tyr Glu Ile Gly Thr Ser Arg Ala Val Val Asn Thr
465                 470                 475                 480
Leu Ile Tyr Met His Pro Tyr Phe Ser Gln Glu Glu Ile Leu Thr Tyr
                485                 490                 495
Thr Lys Pro Ile Ser Lys Phe Val Pro Asp Pro Thr Thr Ile Arg Lys
            500                 505                 510
Thr Leu Thr Asn Pro Val Pro Ala Val Gly Gly Asn Gln Thr Asp Leu
        515                 520                 525
Ser Lys Val Ala Ile Leu Glu Gly Ala Leu Arg Glu Asp Ala Asp Arg
    530                 535                 540
Val Arg Ala Gly Ala Gln Gly Leu Thr Thr Ile Met Lys Phe Val Asp
545                 550                 555                 560
Lys Gly Glu Gly Phe Tyr Arg Asp Gly Ser Phe Ile Asp His Thr Asn
                565                 570                 575
Val Ala Tyr Thr Gly Ala Tyr Gly Asn Val Leu Ile Glu Gly Phe Ser
            580                 585                 590
Gln Leu Leu Pro Val Ile Gln Pro Thr Glu Phe Ala Leu Lys Glu Glu
        595                 600                 605
Gln Thr Asn Ile Leu Tyr Glu Trp Ile Glu Lys Ala Phe Met Pro Ile
    610                 615                 620
Leu Val Arg Gly Glu Leu Met Asp Met Thr Arg Gly Arg Ser Ile Ser
625                 630                 635                 640
Arg Ala Thr Gly Glu Ser His Val Gln Ala Met Glu Ile Leu Arg Ser
                645                 650                 655
Leu Val Arg Ile Ala Glu Ser Ala Gln Pro Glu Gln Lys Thr Lys Leu
            660                 665                 670
Leu Ser Phe Val Lys Ala Gln Leu Thr Ser Asp Thr Phe Tyr Asp Ser
        675                 680                 685
Tyr Arg Ser Leu Lys Ser Tyr Lys Asp Ile Asp Leu Val Asn Lys Leu
    690                 695                 700
Leu Ala Asp Asn Gln Ile Pro Ala Glu Val Asp Lys Asp Tyr Ile Ala
705                 710                 715                 720
Ala Phe Asn Asn Met Asp Lys Phe Val Tyr Arg Ser Ala Gln Glu Gly
                725                 730                 735
Phe Thr Phe Ala Leu Ser Met Tyr Ser Ser Arg Thr Gln Asn Tyr Glu
            740                 745                 750
Asp Met Asn Asn Glu Asn Arg Lys Gly Trp Tyr Thr Ala Asp Gly Met
        755                 760                 765
```

```
Val Tyr Leu Tyr Asn Asp Asp Leu Ser His Tyr Ser Asn His Tyr Trp
    770                 775                 780
Ala Thr Val Asp Pro Tyr Arg Leu Pro Gly Thr Thr Thr Thr Lys Asp
785                 790                 795                 800
Lys Arg Glu Asp Gly Ser Gly Glu Val Thr Leu Ala Ser Asp Phe Val
                805                 810                 815
Gly Ala Ser Gln Leu Gly Asn Arg Leu Ala Thr Ile Ala Met Asp Phe
            820                 825                 830
Asn Asn Trp Asn Asn Ser Leu Thr Ala Arg Lys Ala Trp Ile Val Leu
        835                 840                 845
Gly Asn Lys Ile Val Phe Leu Gly Thr Asp Ile Gln His Gln Ser Ala
    850                 855                 860
Gln Gly Ala Glu Thr Thr Ile Glu Asn Arg Lys Leu Leu Thr Gly Glu
865                 870                 875                 880
Lys Tyr Ser Tyr Tyr Ile Asn Gly Gln Pro Val Asp Leu Ser Lys Glu
                885                 890                 895
Val Val Thr Asp Lys Thr Gln Ser Phe Tyr Met Thr Asn Gly Lys Asp
            900                 905                 910
Asn Gln Ser Ile Gly Tyr Val Phe Leu Asn Gln Leu Pro Thr His Ala
        915                 920                 925
Lys Leu Asp Gln Arg Thr Gly Lys Trp Ser Asp Ile Asn Tyr Asn Gln
    930                 935                 940
Ser Lys Glu Glu Val Ser Asn Ser Phe Val Ser Leu Trp His Glu His
945                 950                 955                 960
Ala Gln Thr Ser Ser Asn Tyr Ala Tyr Val Leu Val Pro Asn Gln Ser
                965                 970                 975
Met Glu Lys Val Asn Gln Ala Ala Ala Ser Val Lys Leu Leu His Gln
            980                 985                 990
Asp Arg Asp Leu Gln Val Val Tyr Asp Gln Glu Gln Asn Val Trp Gly
        995                 1000                1005
Val Val Lys Tyr Thr Asp Thr Ala Tyr Lys Leu Thr Asp Asp Ile Thr
    1010                1015                1020
Leu Thr Asp Ala Gly Leu Tyr Thr Ile Gln Lys Val Glu Gly Gly Tyr
1025                1030                1035                1040
Arg Ile Ala Phe Tyr Asn Pro Ser Thr Arg Thr Val Lys Asn Gly Ile
                1045                1050                1055
Glu Leu Thr Lys Ala Gly Ser Ser Leu Thr Val Glu Met Glu Pro Thr
            1060                1065                1070
Ala Ala Tyr Pro Ser Thr Val Trp Lys Val Thr Met Pro Glu Gly Ser
        1075                1080                1085
Asp Lys Gln Thr Gly Ser Val Glu Lys Thr Glu Lys Glu Glu Lys Gln
    1090                1095                1100
Leu Lys Glu Asn Gln Pro Ser Ser Glu Val Lys Gln Val Val His His
1105                1110                1115                1120
Ala Ala Glu Lys Thr Lys Pro Ser Lys Pro Arg Leu Pro Gln Thr Gly
                1125                1130                1135
Glu Glu Ala Ser Leu Gly Leu Gly Phe Leu Gly Leu Leu Thr Leu Gly
            1140                1145                1150
Ala Val Val Asp Phe Lys Cys Arg Arg Ser His Ser
        1155                1160


<210> 919
<211> 1164
<212> PRT
<213> Streptococcus suis

<220>
<223> hyaluronan lyase

<400> 919
Met Gly Phe Phe Ile Ser Gln Ser Lys Gln His Tyr Gly Ile Arg Lys
 1                5                  10                  15
Tyr Lys Val Gly Val Cys Ser Ala Leu Ile Ala Leu Ser Ile Leu Gly
            20                  25                  30
Thr Arg Val Ala Ala Asn Gln Leu Pro Ser Thr Glu Thr Ala Ser Pro
        35                  40                  45
Gln Ser Ser Gln Leu Val Glu Thr Thr Pro Glu Thr Thr Glu Ala Val
```

```
    50                  55                  60
Met Thr Ser Glu Val Ser Ser Glu Val Ser Pro Val Thr Ser Thr Glu
65                  70                  75                  80
Thr Gln Pro Ser Ser Thr Thr Ala Glu Thr Leu Ala Ser Pro Gln Ala
                85                  90                  95
Val Gln Ala Thr Lys Glu Glu Lys Asn Leu Val Ala Asn Gly Glu Phe
            100                 105                 110
Ile Ser Thr Thr Ala Pro Ser Gly Asn Trp Lys Glu Leu Ala Ala Thr
        115                 120                 125
Asn Trp Glu Thr Trp Ile Pro Ala Asn Val Lys Lys Glu Asn Gly Gln
    130                 135                 140
Val Arg Ile Asp Glu Gly Arg Leu His Ile Ser Ser Thr Ala Ser Tyr
145                 150                 155                 160
Arg Val Ala Val His Gln Thr Val Asp Val Asp Pro Asn Lys Arg Tyr
                165                 170                 175
Leu Phe Ser Tyr Asp Val Glu Thr Lys Asp Leu Lys Gly Ser Gly Val
            180                 185                 190
Arg Val Arg Leu Arg Ser Leu Thr Ala Glu Gly Lys Asp Leu Ser Pro
        195                 200                 205
Gln Glu Phe Ala Tyr Thr Pro Tyr Lys Asn Gly Ser Gln Ala Glu His
    210                 215                 220
Ile Glu Gln Ile Leu Thr Val Ser Pro Glu Thr Arg Lys Leu Lys Val
225                 230                 235                 240
Glu Leu Phe Phe Glu Asn Ser Val Gly Gln Ala Trp Leu Asp Asn Ile
                245                 250                 255
Ser Leu Val Glu Tyr Val Glu Lys Thr Pro Glu Thr Pro Glu Gln Ser
            260                 265                 270
Pro Glu Leu Val Gln Pro Glu Thr Gly Gln Ile Ser Leu Ala Ser Asn
        275                 280                 285
Lys Val Tyr Leu Pro Val Arg Pro Asp Leu Thr Tyr Arg Ile Ala Asp
    290                 295                 300
Ala Ala Val Ala Thr Val Glu Lys Asn Met Ile Arg Pro Leu Ala Ala
305                 310                 315                 320
Gly Lys Thr Gln Val Asp Val Tyr Asp Lys Asp Thr Lys Leu Ser Ser
                325                 330                 335
Phe Glu Leu Ile Val Thr Glu His Gln Ala Thr Val Phe Asp Thr Leu
            340                 345                 350
Arg Asn Asn Trp Glu Asp Ile Ser Leu Ala Asn Lys Arg Tyr Gln Ser
        355                 360                 365
Asn Asp Ala Gln Met Lys Ala Phe Leu Gly Arg Leu Asp Ala Gly Val
    370                 375                 380
Ala Ser Ser Leu Glu Lys Trp Val Glu Pro Thr Glu Gln Ser Lys Thr
385                 390                 395                 400
Ile Phe Asn Asp Ile Asp Phe Ser Lys Ser Ser His Leu Thr Thr Val
                405                 410                 415
Tyr Arg Arg Leu Glu Gln Met Ala Gln Val Val Glu Asn Pro Asp Ser
            420                 425                 430
Ala Tyr Tyr His Asp Arg Ser Leu Ile Asp Leu Val Arg Lys Gly Met
        435                 440                 445
Asn Trp Leu Tyr Thr Asn Val Tyr Asn Glu Asn Lys Ser Ile Asp Gly
    450                 455                 460
Asn Trp Trp Asp Tyr Glu Ile Gly Thr Pro Arg Ala Val Val Asn Thr
465                 470                 475                 480
Leu Ile Tyr Met His Pro Tyr Phe Ser Gln Glu Glu Ile Leu Thr Tyr
                485                 490                 495
Thr Lys Pro Ile Ser Lys Phe Val Pro Asp Pro Thr Thr Ile Arg Lys
            500                 505                 510
Thr Leu Thr Asn Pro Val Pro Ala Val Gly Gly Asn Gln Thr Asp Leu
        515                 520                 525
Ser Lys Val Ala Ile Leu Glu Gly Ala Leu Arg Glu Asp Ala Asp Arg
    530                 535                 540
Val Arg Ala Gly Ala Gln Gly Leu Thr Thr Ile Met Lys Phe Val Asp
545                 550                 555                 560
Lys Gly Glu Gly Phe Tyr Arg Asp Gly Ser Phe Ile Asp His Thr Asn
                565                 570                 575
Val Ala Tyr Thr Gly Ala Tyr Gly Asn Val Leu Ile Glu Gly Phe Ser
            580                 585                 590
Gln Leu Leu Pro Val Ile Gln Pro Thr Glu Phe Ala Leu Lys Glu Glu
```

595 600 605

Gln Thr Asn Ile Leu Tyr Glu Trp Ile Glu Lys Ala Phe Met Pro Ile
610 615 620

Leu Val Arg Gly Glu Leu Met Asp Met Thr Arg Gly Arg Ser Ile Ser
625 630 635 640

Arg Ala Thr Gly Glu Ser His Val Gln Ala Met Glu Ile Leu Arg Ser
645 650 655

Leu Val Arg Ile Ala Glu Ser Ala Gln Pro Glu Gln Lys Thr Lys Leu
660 665 670

Leu Ser Phe Val Lys Ala Gln Leu Thr Ser Asp Thr Phe Tyr Asp Ser
675 680 685

Tyr Arg Ser Leu Lys Ser Tyr Lys Asp Ile Asp Leu Val Asn Lys Leu
690 695 700

Leu Ala Asp Asn Gln Ile Pro Ala Glu Val Asp Lys Asp Tyr Ile Ala
705 710 715 720

Ala Phe Asn Asn Met Asp Lys Phe Val Tyr Arg Ser Ala Gln Glu Gly
725 730 735

Phe Thr Phe Ala Leu Ser Met Tyr Ser Ser Arg Thr Gln Asn Tyr Glu
740 745 750

Asp Met Asn Asn Glu Asn Arg Lys Gly Trp Tyr Thr Ala Asp Gly Met
755 760 765

Val Tyr Leu Tyr Asn Asp Asp Leu Ser His Tyr Ser Asn His Tyr Trp
770 775 780

Ala Thr Val Asp Pro Tyr Arg Leu Pro Gly Thr Thr Thr Thr Lys Asp
785 790 795 800

Lys Arg Glu Asp Gly Ser Gly Glu Val Thr Leu Ala Ser Asp Phe Val
805 810 815

Gly Ala Ser Gln Leu Gly Asn Arg Leu Ala Thr Ile Ala Met Asp Phe
820 825 830

Asn Asn Trp Asn Asn Ser Leu Thr Ala Arg Lys Ala Trp Ile Val Leu
835 840 845

Gly Asn Lys Ile Val Phe Leu Gly Thr Asp Ile Gln His Gln Ser Ala
850 855 860

Gln Gly Ala Glu Thr Thr Ile Glu Asn Arg Lys Leu Leu Thr Gly Glu
865 870 875 880

Lys Tyr Ser Tyr Tyr Ile Asn Gly Gln Pro Val Asp Leu Ser Lys Glu
885 890 895

Val Val Thr Asp Lys Thr Gln Ser Phe Tyr Met Thr Asn Gly Lys Asp
900 905 910

Asn Gln Ser Ile Gly Tyr Val Phe Leu Asn Gln Leu Pro Thr His Ala
915 920 925

Lys Leu Asp Gln Arg Thr Gly Lys Trp Ser Asp Ile Asn Tyr Asn Gln
930 935 940

Ser Lys Glu Glu Val Ser Asn Ser Phe Val Ser Leu Trp His Glu His
945 950 955 960

Ala Gln Thr Ser Ser Asn Tyr Ala Tyr Val Leu Val Pro Asn Gln Ser
965 970 975

Met Glu Lys Val Asn Gln Ala Ala Ala Ser Val Lys Leu Leu His Gln
980 985 990

Asp Arg Asp Leu Gln Val Val Tyr Asp Gln Glu Gln Asn Val Trp Gly
995 1000 1005

Val Val Lys Tyr Thr Asp Thr Ala Tyr Lys Leu Thr Asp Asp Ile Thr
1010 1015 1020

Leu Thr Asp Ala Gly Leu Tyr Thr Ile Gln Lys Val Glu Gly Gly Tyr
1025 1030 1035 1040

Arg Ile Ala Phe Tyr Asn Pro Ser Thr Arg Thr Val Lys Asn Gly Ile
1045 1050 1055

Glu Leu Thr Lys Ala Gly Ser Ser Leu Thr Val Glu Met Glu Pro Thr
1060 1065 1070

Ala Ala Tyr Pro Ser Thr Val Trp Lys Val Thr Met Pro Glu Gly Ser
1075 1080 1085

Asp Lys Gln Thr Gly Ser Val Glu Lys Thr Glu Lys Glu Glu Lys Gln
1090 1095 1100

Leu Lys Glu Asn Gln Pro Ser Ser Glu Val Lys Gln Val Val His His
1105 1110 1115 1120

Ala Ala Glu Lys Thr Lys Pro Ser Lys Pro Arg Leu Pro Gln Thr Gly
1125 1130 1135

Glu Glu Ala Ser Leu Gly Leu Gly Phe Leu Gly Leu Leu Thr Leu Gly

1140 1145 1150
Ala Val Val Asp Phe Lys Cys Arg Arg Ser His Ser
1155 1160

<210> 920
<211> 802
<212> PRT
<213> Vibrio fischeri (strain ATCC 700601 / ES114)

<220>
<223> hyaluronan lyase

<400> 920
Met Tyr Met Ile Lys Lys His Arg Leu Asn Thr Ile Ala Leu Ser Met
1 5 10 15
Leu Phe Leu Phe Thr Gly Asn Ala Tyr Ala Ala Lys Asn Thr Gln Thr
20 25 30
Pro Gln Tyr Leu Pro Ser Asp Phe Glu Gln Val Arg Glu Asn Trp Ala
35 40 45
Glu Asn Tyr Leu Gly Asp Pro Ala Ile Thr Phe Asp Gln Thr Leu Lys
50 55 60
Asn Met Val Thr Ser Thr Asn Ser Ser Ala Gln Lys His Trp Asp Ser
65 70 75 80
Met Thr Pro Gln Pro Asn Ala Ser Gly Ile Trp Asp Asp Leu Pro Leu
85 90 95
Ile Asp Lys Asp Thr Thr Leu Gly Pro Asn Ile Arg Asn Ser Tyr Gln
100 105 110
Arg Leu Phe Thr Met Ala Lys Ala Tyr Arg Leu Arg Asp Gly Asn Leu
115 120 125
Glu Asn Asn Gln Leu Met Leu Asn Asp Ile Met Thr Ala Met Asn Tyr
130 135 140
Ile Asn Gln Asn Phe Tyr Phe Val Asn Gln Leu Glu Tyr Gly Asn Trp
145 150 155 160
Trp Gln Trp Glu Leu Ala Ile Pro Lys Asp Ile His Asn Ile Leu Val
165 170 175
Leu Leu Phe Asp Asp Ile Lys Asp Asn Tyr Gln Thr Ile Ile Thr Asn
180 185 190
His Leu Asn Ala Thr Arg Tyr Phe Thr Pro Asp Pro Thr His Leu Gly
195 200 205
Val Ser Pro Gly Ala Ala Glu Ser Thr Asn Pro Asn Tyr Arg Glu Ser
210 215 220
Thr Gly Gly Asn Arg Thr Asp Asn Ala Gln Val Val Leu Ile Arg Gly
225 230 235 240
Met Leu Glu Asn Asn Ser Glu Glu Ile Ser Gln Ala Ile Ala Ala Leu
245 250 255
Pro Ala Val Ile Glu Tyr Val Ser Glu Gly Asp Gly Tyr Tyr Thr Asp
260 265 270
Gly Ser Phe Leu Gln His Ser Asp Ile Ala Tyr Asn Gly Thr Tyr Gly
275 280 285
Asn Val Leu Leu Gly Gly Leu Gly Ile Gln Met Asn Ala Val Ala Gly
290 295 300
Ser Pro Trp Ser Met Asp Asn Gln Thr Ile Ser Asn Val Tyr Asn Ile
305 310 315 320
Ile Asn Gln Ser Tyr Glu Pro Leu Leu Tyr Lys Gly Ala Met Met Asp
325 330 335
Met Val Asn Gly Arg Ser Ile Ser Arg Ser Ala Glu Gln Asn His Asp
340 345 350
Val Gly Leu Asn Ile Val Asn Ser Met Leu Phe Tyr Thr Asn Gly Pro
355 360 365
Asp Ser Asp Lys Asn Lys Gln Leu Ser Ser Leu Ile Lys Thr Gln Ile
370 375 380
Thr Asp Asp Thr Tyr Gln Asn Phe Phe Asp Lys Ile Tyr Tyr Val Ser
385 390 395 400
Thr Tyr Gln Ala Ala Gln His Ile Val Asn Asp Pro Thr Val Ser Leu
405 410 415
Lys Asp Pro Leu Ile Gly Asn Phe Ser Tyr Pro Ser Met Asp Arg Ile
420 425 430

```
Val His Arg Arg Thr Asp Trp Ala Phe Ala Leu Ala Met His Ser Tyr
        435                 440                 445
Arg Ile Gly Asn Tyr Glu Cys Met Asn Gly Glu Asn Leu Lys Gly Trp
    450                 455                 460
Phe Thr Gly Asp Gly Met Ile Tyr Leu Tyr Asn Asp Gln Leu Asp His
465                 470                 475                 480
Tyr Thr Gly Tyr Trp Pro Thr Val Asn Ala Ser Arg Met Pro Gly Thr
                485                 490                 495
Thr Val Asp Ser Gln Ile Met Ala Asp Cys Ser Gly Glu Arg Val Gly
            500                 505                 510
Gly Asn Val Asn Thr Asn Met Gln Trp Val Gly Ser Thr Ser Leu Asn
        515                 520                 525
Asn Tyr Gly Ile Ala Gly Met Gln Phe Tyr Asn Trp Ser Asp Thr Leu
    530                 535                 540
Ser Ala Tyr Lys Ser Trp Phe Met Phe Asp Asn Glu Val Val Met Leu
545                 550                 555                 560
Gly Ser Asn Ile Lys Asp Gln Ser Asn Ala Asn Asn Ile Thr Thr Ile
                565                 570                 575
Glu Asn Arg Lys Arg Leu Ala Glu Thr Lys Leu Phe Ile Asp Gly Thr
            580                 585                 590
Glu Gln Ala Ala Leu Pro Tyr Gln Gly Ala Pro Ala Thr Phe Ser Ile
        595                 600                 605
Arg Asn Lys Thr Leu Ala Asn Ser Asp Leu Ser Tyr Val Met Leu Thr
    610                 615                 620
Pro Lys Thr Ile Ser Ile Ser Gln Asn Asp Val Asp Gly Asn Trp Ser
625                 630                 635                 640
Asp Ile Gly Asn Ser Lys Gly Asp Val Ser Asp Ser Tyr Leu Gln Ala
                645                 650                 655
Thr Leu Thr Gln Val Asp Gln Ala Asp Tyr Gln Tyr Ala Leu Leu Pro
            660                 665                 670
Asn Gln Asn Asn Asp Thr Val Gln Asn Tyr Ala Gln His Pro Asp Val
        675                 680                 685
Thr Val Leu Arg Gln Asp Glu Gln Ala His Ala Val Gln Glu Asn Thr
    690                 695                 700
Leu Asn Ile Ile Ala Ala Asn Asn Trp Lys Asn Asn Pro Val Asn Ile
705                 710                 715                 720
Thr Asp Thr Ile Thr Leu Asn Ser Met Met Gly Phe Met Ile Lys Glu
                725                 730                 735
Glu Ser Ser Asn Thr Phe Thr Val Ala Val Ser Glu Pro Ile Gln Thr
            740                 745                 750
Ile Asp Ser Val Asn Phe Thr Phe Asp Lys Gln Gly Ile Val Ile Lys
        755                 760                 765
Glu Asp Ile Glu Asn Arg Val Val Leu Asn Gly Thr Thr Leu Thr Ile
    770                 775                 780
Asn Thr Ser Gly Leu Gln Gly Gln Ser Tyr Ser Phe Gln Val Thr Ile
785                 790                 795                 800
Gln Asp
```

<210> 921
<211> 517
<212> PRT
<213> Synechococcus sp. (strain RCC307)

<220>
<223> hyaluronan lyase

<400> 921

```
Met Gly Ala Pro Ala Ile Pro Lys Val Pro Arg Ser Pro Ser Lys Ser
 1                5                  10                  15
Glu His Thr Thr Arg Pro Asn Ser Gly Glu Ser Glu Val Val Arg Gln
            20                  25                  30
Ala Glu Glu Leu Phe Glu Gln Thr Leu Val Asn Val Arg Gly Gln Leu
        35                  40                  45
Ala Gly Ala Val Ala Ala Leu Glu Ser Ser Val His Asp Ser Glu Leu
    50                  55                  60
Asn Tyr Gly Glu Ile Phe Leu Arg Asp Asn Val Pro Val Met Val Tyr
```

65 70 75 80
Leu Leu Leu Arg Gly Arg Phe Glu Ile Val Arg His Phe Leu Asp Leu
85 90 95
Cys Leu Glu Leu Gln Ser Arg Ser Tyr Arg Thr Arg Gly Val Phe Pro
100 105 110
Thr Ser Phe Val Glu Glu Asp Asp Lys Ile Leu Ala Asp Tyr Gly Gln
115 120 125
Arg Ser Ile Gly Arg Ile Thr Ser Val Asp Ala Ser Leu Trp Trp Pro
130 135 140
Val Leu Cys Trp Met Tyr Val Arg Ala Ser Gly Asp Thr Ser Tyr Gly
145 150 155 160
Thr Ser Pro Lys Val Gln Arg Ala Val Gln Leu Leu Leu Asp Leu Val
165 170 175
Leu Gln Pro Ser Phe Tyr Glu Pro Pro Val Leu Phe Val Pro Asp Cys
180 185 190
Ala Phe Met Ile Asp Arg Pro Met Asp Val Trp Gly Ala Pro Leu Glu
195 200 205
Val Glu Val Leu Leu Phe Gly Cys Leu Lys Ser Cys Cys Gln Leu Met
210 215 220
Ser Leu Val Glu Gly Gly Gly His Gly Gly Pro Leu Ile Gln Gln Arg
225 230 235 240
Leu Glu Leu Thr Arg Thr Trp Met Arg Asp Leu Arg Val Tyr Leu Leu
245 250 255
Asn His Tyr Trp Val Thr Ser Lys Thr Met Gln Val Leu Arg Arg Arg
260 265 270
Pro Thr Glu Gln Tyr Gly Asp Tyr Gln Ser Arg Asn Glu Phe Asn Val
275 280 285
Gln Pro Glu Val Ile Pro His Trp Leu Gln Glu Trp Leu Asp Asp Arg
290 295 300
Gly Gly Tyr Leu Ile Gly Asn Met Arg Thr Gly Arg Pro Asp Phe Arg
305 310 315 320
Phe Tyr Ser Leu Gly Asn Ala Leu Gly Ser Leu Phe Gly Leu Leu Thr
325 330 335
Gly Pro Gln Gln Leu Ala Leu Phe Arg Leu Val Ile His Asn Arg Gln
340 345 350
His Leu Met Ala Glu Met Pro Met Arg Ile Cys His Pro Pro Met Asp
355 360 365
Gln Asp Glu Trp Ile Thr Asn Thr Gly Met Asp Pro Lys Asn Trp Pro
370 375 380
Trp Ser Tyr His Asn Gly Gly His Trp Pro Ser Leu Leu Trp Pro Met
385 390 395 400
Ala Ala Ala Val Leu Met His Gln Arg Leu Tyr Pro Asn Asp Asp Leu
405 410 415
Leu Leu Leu Gly Gln Thr Arg Thr Met Leu Glu Glu Cys Tyr Trp Gln
420 425 430
Gln Leu Asn Gln Leu Pro Arg Gln Gln Trp Ala Glu Tyr Phe Asp Gly
435 440 445
Pro Thr Gly Thr Trp Val Gly Gln Gln Ala Arg Ile Asn Gln Thr Trp
450 455 460
Thr Ile Val Gly Phe Leu Leu Leu His His Leu Met Arg Lys Ala Pro
465 470 475 480
Gln Asp Val Lys Leu Leu Asp Leu Asp Asp Val Gly Pro Leu Arg Leu
485 490 495
Ser Phe Gln Asp Gln His Glu Lys Ser Ser Thr Asp Glu Arg Lys Ser
500 505 510
Phe Leu Lys Asn Tyr
515

<210> 922
<211> 1021
<212> PRT
<213> Proteus vulgaris

<220>
<223> chondroitin-sulfate-ABC endolyase

<400> 922

```
Met Pro Ile Phe Arg Phe Thr Ala Leu Ala Met Thr Leu Gly Leu Leu
 1               5                  10                  15
Ser Ala Pro Tyr Asn Ala Met Ala Ala Thr Ser Asn Pro Ala Phe Asp
            20                  25                  30
Pro Lys Asn Leu Met Gln Ser Glu Ile Tyr His Phe Ala Gln Asn Asn
        35                  40                  45
Pro Leu Ala Asp Phe Ser Ser Asp Lys Asn Ser Ile Leu Thr Leu Ser
    50                  55                  60
Asp Lys Arg Ser Ile Met Gly Asn Gln Ser Leu Leu Trp Lys Trp Lys
65                  70                  75                  80
Gly Gly Ser Ser Phe Thr Leu His Lys Lys Leu Ile Val Pro Thr Asp
                85                  90                  95
Lys Glu Ala Ser Lys Ala Trp Gly Arg Ser Ser Thr Pro Val Phe Ser
            100                 105                 110
Phe Trp Leu Tyr Asn Glu Lys Pro Ile Asp Gly Tyr Leu Thr Ile Asp
        115                 120                 125
Phe Gly Glu Lys Leu Ile Ser Thr Ser Glu Ala Gln Ala Gly Phe Lys
    130                 135                 140
Val Lys Leu Asp Phe Thr Gly Trp Arg Ala Val Gly Val Ser Leu Asn
145                 150                 155                 160
Asn Asp Leu Glu Asn Arg Glu Met Thr Leu Asn Ala Thr Asn Thr Ser
                165                 170                 175
Ser Asp Gly Thr Gln Asp Ser Ile Gly Arg Ser Leu Gly Ala Lys Val
            180                 185                 190
Asp Ser Ile Arg Phe Lys Ala Pro Ser Asn Val Ser Gln Gly Glu Ile
        195                 200                 205
Tyr Ile Asp Arg Ile Met Phe Ser Val Asp Asp Ala Arg Tyr Gln Trp
    210                 215                 220
Ser Asp Tyr Gln Val Lys Thr Arg Leu Ser Glu Pro Glu Ile Gln Phe
225                 230                 235                 240
His Asn Val Lys Pro Gln Leu Pro Val Thr Pro Glu Asn Leu Ala Ala
                245                 250                 255
Ile Asp Leu Ile Arg Gln Arg Leu Ile Asn Glu Phe Val Gly Gly Glu
            260                 265                 270
Lys Glu Thr Asn Leu Ala Leu Glu Glu Asn Ile Ser Lys Leu Lys Ser
        275                 280                 285
Asp Phe Asp Ala Leu Asn Ile His Thr Leu Ala Asn Gly Gly Thr Gln
    290                 295                 300
Gly Arg His Leu Ile Thr Asp Lys Gln Ile Ile Ile Tyr Gln Pro Glu
305                 310                 315                 320
Asn Leu Asn Ser Gln Asp Lys Gln Leu Phe Asp Asn Tyr Val Ile Leu
                325                 330                 335
Gly Asn Tyr Thr Thr Leu Met Phe Asn Ile Ser Arg Ala Tyr Val Leu
            340                 345                 350
Glu Lys Asp Pro Thr Gln Lys Ala Gln Leu Lys Gln Met Tyr Leu Leu
        355                 360                 365
Met Thr Lys His Leu Leu Asp Gln Gly Phe Val Lys Gly Ser Ala Leu
    370                 375                 380
Val Thr Thr His His Trp Gly Tyr Ser Ser Arg Trp Trp Tyr Ile Ser
385                 390                 395                 400
Thr Leu Leu Met Ser Asp Ala Leu Lys Glu Ala Asn Leu Gln Thr Gln
                405                 410                 415
Val Tyr Asp Ser Leu Leu Trp Tyr Ser Arg Glu Phe Lys Ser Ser Phe
            420                 425                 430
Asp Met Lys Val Ser Ala Asp Ser Ser Asp Leu Asp Tyr Phe Asn Thr
        435                 440                 445
Leu Ser Arg Gln His Leu Ala Leu Leu Leu Leu Glu Pro Asp Asp Gln
    450                 455                 460
Lys Arg Ile Asn Leu Val Asn Thr Phe Ser His Tyr Ile Thr Gly Ala
465                 470                 475                 480
Leu Thr Gln Val Pro Pro Gly Gly Lys Asp Gly Leu Arg Pro Asp Gly
                485                 490                 495
Thr Ala Trp Arg His Glu Gly Asn Tyr Pro Gly Tyr Ser Phe Pro Ala
            500                 505                 510
Phe Lys Asn Ala Ser Gln Leu Ile Tyr Leu Leu Arg Asp Thr Pro Phe
        515                 520                 525
Ser Val Gly Glu Ser Gly Trp Asn Asn Leu Lys Lys Ala Met Val Ser
    530                 535                 540
```

```
Ala Trp Ile Tyr Ser Asn Pro Glu Val Gly Leu Pro Leu Ala Gly Arg
545                 550                 555                 560
His Pro Phe Asn Ser Pro Ser Leu Lys Ser Val Ala Gln Gly Tyr Tyr
                565                 570                 575
Trp Leu Ala Met Ser Ala Lys Ser Ser Pro Asp Lys Thr Leu Ala Ser
            580                 585                 590
Ile Tyr Leu Ala Ile Ser Asp Lys Thr Gln Asn Glu Ser Thr Ala Ile
        595                 600                 605
Phe Gly Glu Thr Ile Thr Pro Ala Ser Leu Pro Gln Gly Phe Tyr Ala
    610                 615                 620
Phe Asn Gly Gly Ala Phe Gly Ile His Arg Trp Gln Asp Lys Met Val
625                 630                 635                 640
Thr Leu Lys Ala Tyr Asn Thr Asn Val Trp Ser Ser Glu Ile Tyr Asn
                645                 650                 655
Lys Asp Asn Arg Tyr Gly Arg Tyr Gln Ser His Gly Val Ala Gln Ile
            660                 665                 670
Val Ser Asn Gly Ser Gln Leu Ser Gln Gly Tyr Gln Gln Glu Gly Trp
        675                 680                 685
Asp Trp Asn Arg Met Glu Gly Ala Thr Thr Ile His Leu Pro Leu Lys
    690                 695                 700
Asp Leu Asp Ser Pro Lys Pro His Thr Leu Met Gln Arg Gly Glu Arg
705                 710                 715                 720
Gly Phe Ser Gly Thr Ser Ser Leu Glu Gly Gln Tyr Gly Met Met Ala
                725                 730                 735
Phe Asn Leu Ile Tyr Pro Ala Asn Leu Glu Arg Phe Asp Pro Asn Phe
            740                 745                 750
Thr Ala Lys Lys Ser Val Leu Ala Ala Asp Asn His Leu Ile Phe Ile
        755                 760                 765
Gly Ser Asn Ile Asn Ser Ser Asp Lys Asn Lys Asn Val Glu Thr Thr
    770                 775                 780
Leu Phe Gln His Ala Ile Thr Pro Thr Leu Asn Thr Leu Trp Ile Asn
785                 790                 795                 800
Gly Gln Lys Ile Glu Asn Met Pro Tyr Gln Thr Thr Leu Gln Gln Gly
                805                 810                 815
Asp Trp Leu Ile Asp Ser Asn Gly Asn Gly Tyr Leu Ile Thr Gln Ala
            820                 825                 830
Glu Lys Val Asn Val Ser Arg Gln His Gln Val Ser Ala Glu Asn Lys
        835                 840                 845
Asn Arg Gln Pro Thr Glu Gly Asn Phe Ser Ser Ala Trp Ile Asp His
    850                 855                 860
Ser Thr Arg Pro Lys Asp Ala Ser Tyr Glu Tyr Met Val Phe Leu Asp
865                 870                 875                 880
Ala Thr Pro Glu Lys Met Gly Glu Met Ala Gln Lys Phe Arg Glu Asn
                885                 890                 895
Asn Gly Leu Tyr Gln Val Leu Arg Lys Asp Lys Asp Val His Ile Ile
            900                 905                 910
Leu Asp Lys Leu Ser Asn Val Thr Gly Tyr Ala Phe Tyr Gln Pro Ala
        915                 920                 925
Ser Ile Glu Asp Lys Trp Ile Lys Lys Val Asn Lys Pro Ala Ile Val
    930                 935                 940
Met Thr His Arg Gln Lys Asp Thr Leu Ile Val Ser Ala Val Thr Pro
945                 950                 955                 960
Asp Leu Asn Met Thr Arg Gln Lys Ala Ala Thr Pro Val Thr Ile Asn
                965                 970                 975
Val Thr Ile Asn Gly Lys Trp Gln Ser Ala Asp Lys Asn Ser Glu Val
            980                 985                 990
Lys Tyr Gln Val Ser Gly Asp Asn Thr Glu Leu Thr Phe Thr Ser Tyr
        995                 1000                1005
Phe Gly Ile Pro Gln Glu Ile Lys Leu Ser Pro Leu Pro
    1010                1015                1020
```

<210> 923
<211> 684
<212> PRT
<213> Pedobacter heparinus

<220>

<223> chondroitin AC lyase

<400> 923

```
Pro Ala Leu Leu Ile Ala Gln Gln Thr Gly Thr Ala Glu Leu Ile Met
 1               5                  10                  15
Lys Arg Val Met Leu Asp Leu Lys Lys Pro Leu Arg Asn Met Asp Lys
            20                  25                  30
Val Ala Glu Lys Asn Leu Asn Thr Leu Gln Pro Asp Gly Ser Trp Lys
        35                  40                  45
Asp Val Pro Tyr Lys Asp Asp Ala Met Thr Asn Trp Leu Pro Asn Asn
    50                  55                  60
His Leu Leu Gln Leu Glu Thr Ile Ile Gln Ala Tyr Ile Glu Lys Asp
65                  70                  75                  80
Ser His Tyr Tyr Gly Asp Asp Lys Val Phe Asp Gln Ile Ser Lys Ala
                85                  90                  95
Phe Lys Tyr Trp Tyr Asp Ser Asp Pro Lys Ser Arg Asn Trp Trp His
            100                 105                 110
Asn Glu Ile Ala Thr Pro Gln Ala Leu Gly Glu Met Leu Ile Leu Met
        115                 120                 125
Arg Tyr Gly Lys Lys Pro Leu Asp Glu Ala Leu Val His Lys Leu Thr
    130                 135                 140
Glu Arg Met Lys Arg Gly Glu Pro Glu Lys Lys Thr Gly Ala Asn Lys
145                 150                 155                 160
Thr Asp Ile Ala Leu His Tyr Phe Tyr Arg Ala Leu Leu Thr Ser Asp
                165                 170                 175
Glu Ala Leu Leu Ser Phe Ala Val Lys Glu Leu Phe Tyr Pro Val Gln
            180                 185                 190
Phe Val His Tyr Glu Glu Gly Leu Gln Tyr Asp Tyr Ser Tyr Leu Gln
        195                 200                 205
His Gly Pro Gln Leu Gln Ile Ser Ser Tyr Gly Ala Val Phe Ile Thr
    210                 215                 220
Gly Val Leu Lys Leu Ala Asn Tyr Val Arg Asp Thr Pro Tyr Ala Leu
225                 230                 235                 240
Ser Thr Glu Lys Leu Ala Ile Phe Ser Lys Tyr Tyr Arg Asp Ser Tyr
                245                 250                 255
Leu Lys Ala Ile Arg Gly Ser Tyr Met Asp Phe Asn Val Glu Gly Arg
            260                 265                 270
Gly Val Ser Arg Pro Asp Ile Leu Asn Lys Lys Ala Glu Lys Lys Arg
        275                 280                 285
Leu Leu Val Ala Lys Met Ile Asp Leu Lys His Thr Glu Glu Trp Ala
    290                 295                 300
Asp Ala Ile Ala Arg Thr Asp Ser Thr Val Ala Ala Gly Tyr Lys Ile
305                 310                 315                 320
Glu Pro Tyr His His Gln Phe Trp Asn Gly Asp Tyr Val Gln His Leu
                325                 330                 335
Arg Pro Ala Tyr Ser Phe Asn Val Arg Met Val Ser Lys Arg Thr Arg
            340                 345                 350
Arg Ser Glu Ser Gly Asn Lys Glu Asn Leu Leu Gly Arg Tyr Leu Ser
        355                 360                 365
Asp Gly Ala Thr Asn Ile Gln Leu Arg Gly Pro Glu Tyr Tyr Asn Ile
    370                 375                 380
Met Pro Val Trp Glu Trp Asp Lys Ile Pro Gly Ile Thr Ser Arg Asp
385                 390                 395                 400
Tyr Leu Thr Asp Arg Pro Leu Thr Lys Leu Trp Gly Glu Gln Gly Ser
                405                 410                 415
Asn Asp Phe Ala Gly Gly Val Ser Asp Gly Val Tyr Gly Ala Ser Ala
            420                 425                 430
Tyr Ala Leu Asp Tyr Asp Ser Leu Gln Ala Lys Lys Ala Trp Phe Phe
        435                 440                 445
Phe Asp Lys Glu Ile Val Cys Leu Gly Ala Gly Ile Asn Ser Asn Ala
    450                 455                 460
Pro Glu Asn Ile Thr Thr Thr Leu Asn Gln Ser Trp Leu Asn Gly Pro
465                 470                 475                 480
Val Ile Ser Thr Ala Gly Lys Thr Gly Arg Gly Lys Ile Thr Thr Phe
                485                 490                 495
Lys Ala Gln Gly Gln Phe Trp Leu Leu His Asp Ala Ile Gly Tyr Tyr
            500                 505                 510
Phe Pro Glu Gly Ala Asn Leu Ser Leu Ser Thr Gln Ser Gln Lys Gly
```

515 520 525
Asn Trp Phe His Ile Asn Asn Ser His Ser Lys Asp Glu Val Ser Gly
530 535 540
Asp Val Phe Lys Leu Trp Ile Asn His Gly Ala Arg Pro Glu Asn Ala
545 550 555 560
Gln Tyr Ala Tyr Ile Val Leu Pro Gly Ile Asn Lys Pro Glu Glu Ile
565 570 575
Lys Lys Tyr Asn Gly Thr Ala Pro Lys Val Leu Ala Asn Thr Asn Gln
580 585 590
Leu Gln Ala Val Tyr His Gln Gln Leu Asp Met Val Gln Ala Ile Phe
595 600 605
Tyr Thr Ala Gly Lys Leu Ser Val Ala Gly Ile Glu Ile Glu Thr Asp
610 615 620
Lys Pro Cys Ala Val Leu Ile Lys His Ile Asn Gly Lys Gln Val Ile
625 630 635 640
Trp Ala Ala Asp Pro Leu Gln Lys Glu Lys Thr Ala Val Leu Ser Ile
645 650 655
Arg Asp Leu Lys Thr Gly Lys Thr Asn Arg Val Lys Ile Asp Phe Pro
660 665 670
Gln Gln Glu Phe Ala Gly Ala Thr Val Glu Leu Lys
675 680

<210> 924
<211> 844
<212> PRT
<213> Victivallis vadensis ATCC BAA-548

<220>
<223> chondroitin AC lyase

<400> 924
Met His Arg Lys Ile Val Phe Pro Leu Phe Val Leu Leu Phe Thr Ala
1 5 10 15
Phe Ala Ala Phe Ala Ala Ser Gln Pro Gln Trp Lys Trp Arg Gln Ser
20 25 30
Lys Tyr Cys Arg Ile Thr Glu His Ala Gly Lys Lys Leu Leu Thr Val
35 40 45
Ala Ile Pro Ala Asp Ala Pro Glu Ile Ser Arg Arg Asn Thr Ala Asp
50 55 60
Thr Pro Val Gly Leu Thr Cys Phe Glu Gly Gln Pro Ile Glu Phe Ser
65 70 75 80
Ile Arg Leu Arg Asn Ser Gly Ile Ser Arg Pro Asp Asn Leu His Asn
85 90 95
Gly Ile Lys Phe Gln Leu Tyr Phe Arg Asp Gly Asn Gly Thr Glu Arg
100 105 110
Trp Thr Gln Ala Glu Ile Pro His Glu Pro Phe Pro Trp Arg Arg Phe
115 120 125
Arg Phe Ser Glu Arg Ile Pro Ala Asp Ala Thr Ser Gly Thr Leu Arg
130 135 140
Leu Gly Leu Gln Gly Ser Ser Gly Asn Val Glu Phe Asp Leu Asp Ser
145 150 155 160
Leu Gln Ile Arg Pro Leu Asp Pro Glu Leu Ser Pro Val Pro Pro Thr
165 170 175
Pro Glu Gln Ile Arg Glu Cys Glu Leu Ile Glu Ser Arg Leu Arg Ala
180 185 190
Gly Leu Pro Ala Gln Gln Pro Pro Gly Pro Glu Val Lys Lys Leu
195 200 205
Leu Glu Arg Gln Asn Gly Asp Gly Thr Phe Arg Asp Leu Asp Tyr Ser
210 215 220
Ala Arg Asn Arg Ser Ile Trp Pro Ala Ala Arg His Leu Lys Arg Thr
225 230 235 240
Phe Glu Leu Ala Leu Ala Arg Ala Thr Pro Gly His Ala Leu Tyr Arg
245 250 255
Asp Pro Ala Ala Gly Glu Ala Val Arg Lys Ala Val Ala Trp Trp Ala
260 265 270
Glu Arg Gln Pro Gln Asn Gly Asn Trp Trp Trp Asn Asp Met Tyr Val
275 280 285

```
Pro Lys Ile Leu Gly Asn Ile Leu Leu Leu Ser Pro Glu Leu Phe Pro
    290                 295                 300
Asp Gly Pro Arg Arg Arg Ala Ala Leu Asn Val Cys Arg Gln Ala Cys
305                 310                 315                 320
Phe Leu Ser Arg Tyr Thr Gly Asn Asn Arg Val Phe Ile Ala Ala Asn
                325                 330                 335
Ile Phe Cys Arg Ala Leu Leu Glu Arg Asn Leu Pro Val Met Asp Arg
            340                 345                 350
Ala Ala Ala Val Leu Ser Glu Glu Ile Arg Phe Ala Pro Ala Glu His
        355                 360                 365
Lys Thr Ala Trp Ser Phe Gly Gly Ile Arg Ala Asp Gly Cys Tyr His
    370                 375                 380
Gln His Gly Pro Gln Ile Gln Phe Gly Asn Tyr Gly Gly Glu Phe Leu
385                 390                 395                 400
Ala Asn Ile Ala Tyr Trp Ser Asn Ile Leu Lys Glu Thr His Trp Glu
                405                 410                 415
Leu Ser Pro Glu Gln Trp Arg Ile Met Arg His Leu Thr Phe Asn Gly
            420                 425                 430
Phe Gln Trp Val Leu Trp Arg Gly Arg Met Asp Leu Leu Ala Cys Gly
        435                 440                 445
Arg Gln Leu Gly Arg Asn Ala Ala Glu Thr Lys Gly Glu Arg Thr Leu
    450                 455                 460
Asn Ala Phe Ala Gln Leu Arg Asn Ala Asp Pro Gly Asp Arg Ala Pro
465                 470                 475                 480
Tyr Asp Ala Ala Leu Arg Arg Asn Arg Asp Gly Glu Asn Thr Leu Thr
                485                 490                 495
Gly Asn Arg His Phe Trp Asn Ser Asp Tyr Met Val His Arg Arg Pro
            500                 505                 510
Thr Trp Tyr Ala Ser Val Arg Met Asn Ser Val Arg Val Arg Pro Ile
        515                 520                 525
Glu Asp Asp Thr Asn Trp Asp Asn Ala Leu Gly Arg Tyr Phe Ser Asp
    530                 535                 540
Gly Ala Cys Leu Val Met Arg Ser Gly Arg Glu Tyr Glu Asn Ile Thr
545                 550                 555                 560
Ala Cys Trp Asp Trp Thr Arg Leu Pro Gly Thr Thr Leu Pro Lys Thr
                565                 570                 575
Pro Val Tyr Thr Gly Glu Asp Ala Arg Arg Phe Gly Leu Lys Ile Gly
            580                 585                 590
Gly Gly Asp Leu Pro Arg Trp Thr His Ser Arg Asn Trp Arg Gln Leu
        595                 600                 605
Gly Glu Thr Gly Phe Val Gly Gly Val Thr Asp Gly Glu Arg Gly Ala
    610                 615                 620
Ala Val Tyr Thr Gln Asp Leu Asp Gly Val Arg Ala Arg Lys Ala Trp
625                 630                 635                 640
Phe Phe Asp Arg Asp Ala Ile Tyr Cys Leu Gly Ser Gly Ile Thr Ser
                645                 650                 655
Thr Ser Pro Tyr Glu Val Ala Thr Thr Val Asn Ser Cys Leu Arg Asn
            660                 665                 670
Gly Glu Ile Gln Gln Gly Asp Gly Trp Phe Arg His Asp Gly Ile Gly
        675                 680                 685
Tyr Arg Gly Glu Asn Leu Lys Leu Thr Ala Gly Pro Arg Thr Gly Asp
    690                 695                 700
Trp Arg Tyr Val Glu Gly Gly Leu Thr Arg Pro Val Pro Glu Thr Lys
705                 710                 715                 720
Glu Leu Phe Thr Leu Thr Val Glu His Gly Val Lys Pro Arg Asn Ala
                725                 730                 735
Ser Tyr Ile Tyr Thr Ile Leu Pro Gly Ala Thr Pro Glu Glu Thr Ala
            740                 745                 750
Gly Thr Pro Pro Gly Arg Val Leu Arg Asn Thr Pro Glu Cys Gln Ala
        755                 760                 765
Val Glu Phe Ala Asp Gly Val Arg Ala Ala Ile Phe Tyr Glu Pro Gly
    770                 775                 780
Arg Leu Asp Asp Phe Glu Thr Asp Thr Pro Gly Val Phe Leu Ile Gly
785                 790                 795                 800
Lys Gly Thr Val His Ala Ala Asp Pro Thr Gly Arg His Ser Ser Phe
                805                 810                 815
Thr Leu Lys Leu Asn Gly Val Ser Arg Lys Val Pro Leu Pro Ala Gly
            820                 825                 830
```

Glu Phe Ala Gly Gln Ser Val Lys Ile Val Leu Lys
835 840

<210> 925
<211> 10690
<212> DNA
<213> Artificial Sequence

<220>
<223> pLV-EF1a-PH20(F204P)-IRES-GFP-Bsd

<400> 925
aagcttaatg tagtcttatg caatactctt gtagtcttgc aacatggtaa cgatgagtta 60
gcaacatgcc ttacaaggag agaaaaagca ccgtgcatgc cgattggtgg aagtaaggtg 120
gtacgatcgt gccttattag gaaggcaaca gacgggtctg acatggattg gacgaaccac 180
tgaattgccg cattgcagag atattgtatt taagtgccta gctcgataca taaacgggtc 240
tctctggtta gaccagatct gagcctggga gctctctggc taactaggga acccactgct 300
taagcctcaa taaagcttgc cttgagtgct tcaagtagtg tgtgcccgtc tgttgtgtga 360
ctctggtaac tagagatccc tcagaccctt ttagtcagtg tggaaaatct ctagcagtgg 420
cgcccgaaca gggacttgaa agcgaaaggg aaaccagagg agctctctcg acgcaggact 480
cggcttgctg aagcgcgcac ggcaagaggc gaggggcggc gactggtgag tacgccaaaa 540
attttgacta gcggaggcta gaaggagaga gatgggtgcg agagcgtcag tattaagcgg 600
gggagaatta gatcgcgatg ggaaaaaatt cggttaaggc caggggaaa gaaaaaatat 660
aaattaaaac atatagtatg ggcaagcagg gagctagaac gattcgcagt taatcctggc 720
ctgttagaaa catcagaagg ctgtagacaa atactgggac agctacaacc atcccttcag 780
acaggatcag aagaacttag atcattatat aatacagtag caaccctcta ttgtgtgcat 840
caaaggatag agataaaaga caccaaggaa gctttagaca agatagagga agagcaaaac 900
aaaagtaaga ccaccgcaca gcaagcggcc gctgatcttc agacctggag gaggagatat 960
gagggacaat tggagaagtg aattatataa atataaagta gtaaaaattg aaccattagg 1020
agtagcaccc accaaggcaa agagaagagt ggtgcagaga gaaaaaagag cagtgggaat 1080
aggagctttg ttccttgggt tcttgggagc agcaggaagc actatgggcg cagcgtcaat 1140
gacgctgacg gtacaggcca gacaattatt gtctggtata gtgcagcagc agaacaattt 1200
gctgagggct attgaggcgc aacagcatct gttgcaactc acagtctggg gcatcaagca 1260
gctccaggca agaatcctgg ctgtggaaag atacctaaag gatcaacagc tcctggggat 1320
ttggggttgc tctggaaaac tcatttgcac cactgctgtg ccttggaatg ctagttggag 1380
taataaatct ctggaacaga tttggaatca cacgacctgg atggagtggg acagagaaat 1440
taacaattac acaagcttaa tacactcctt aattgaagaa tcgcaaaacc agcaagaaaa 1500
gaatgaacaa gaattattgg aattagataa atgggcaagt ttgtggaatt ggtttaacat 1560
aacaaattgg ctgtggtata taaaattatt cataatgata gtaggaggct tggtaggttt 1620
aagaatagtt tttgctgtac tttctatagt gaatagagtt aggcagggat attcaccatt 1680
atcgtttcag acccacctcc caaccccgag gggacccgac aggcccgaag gaatagaaga 1740
agaaggtgga gagagagaca gagacagatc cattcgatta gtgaacggat ctcgacggta 1800
tcggttaact tttaaaagaa aaggggggat tgggggtac agtgcagggg aaagaatagt 1860
agacataata gcaacagaca tacaaactaa agaattacaa aaacaaatta caaaattcaa 1920
aattttatcg atgcctcccc gtcaccaccc cccccaaccc gccccgaccg gagctgagag 1980
taattcatac aaaaggactc gcccctgcct tggggaatcc cagggaccgt cgttaaactc 2040
ccactaacgt agaacccaga gatcgctgcg ttcccgcccc ctcacccgcc cgctctcgtc 2100
atcactgagg tggagaagag catgcgtgag gctccggtgc ccgtcagtgg gcagagcgca 2160
catcgcccac agtccccgag aagttggggg gaggggtcgg caattgaacc ggtgcctaga 2220
gaaggtggcg cggggtaaac tgggaaagtg atgtcgtgta ctggctccgc ctttttcccg 2280
agggtggggg agaaccgtat ataagtgcag tagtcgccgt gaacgttctt tttcgcaacg 2340
ggtttgccgc cagaacacag gtaagtgccg tgtgtggttc ccgcgggcct ggcctcttta 2400
cgggttatgg cccttgcgtg ccttgaatta cttccacgcc cctggctgca gtacgtgatt 2460
cttgatcccg agcttcgggt tggaagtggg tgggagagtt cgaggccttg cgcttaagga 2520
gccccttcgc ctcgtgcttg agttgaggcc tggcctgggc gctggggccg ccgcgtgcga 2580
atctggtggc accttcgcgc ctgtctcgct gctttcgata agtctctagc catttaaaat 2640
ttttgatgat atcctgcgac gctttttttc tggcaagata gtcttgtaaa tgcgggccaa 2700
gatctgcaca ctggtatttc ggtttttggg gccgcgggcg gcgacggggc ccgtgcgtcc 2760
cagcgcacat gttcggcgag gcggggcctg cgagcgcggc caccgagaat cggacggggg 2820
tagtctcaag ctggccggcc tgctctggtg cctggcctcg cgccgccgtg tatcgccccg 2880
ccctgggcgg caaggctggc ccggtcggca ccagttgcgt gagcggaaag atggccgctt 2940
cccggccctg ctgcagggag ctcaaaatgg aggacgcggc gctcgggaga gcgggcgggt 3000
gagtcaccca cacaaaggaa aagggccttt ccgtcctcag ccgtcgcttc atgtgactcc 3060
acggagtacc gggcgccgtc caggcacctc gattagttct cgagcttttg gagtacgtcg 3120
tctttaggtt gggggggaggg gttttatgcg atggagtttc cccacactga gtgggtggag 3180
actgaagtta ggccagcttg gcacttgatg taattctcct tggaatttgc ccttttgag 3240
tttggatctt ggttcattct caagcctcag acagtggttc aaagtttttt tcttccattt 3300

caggtgtcgt gaaaactacc cctctagata atacgactca ctatagggcc cgggttggat 3360
ccgccaccat ggacatgagg gtaccagccc agctgttggg ccttcttctg ctttggctcc 3420
ctggggcaag gggacttaac ttcagagctc cccctgtaat cccaaacgtc cccttcctgt 3480
gggcatggaa cgcccctagc gaattctgtt tggggaaatt tgacgaacct ctggacatgt 3540
ctctgttttc ttttatcggt agccctcgaa tcaacgctac cggacagggg gtgacaatct 3600
tttacgtgga tcgtctgggc tattaccctt acatcgacag cattactggg gtgaccgtga 3660
acggaggcat tcctcagaaa atatcactgc aggaccacct ggacaaagct aagaaggata 3720
ttacattcta catgccagtg gacaatctcg gaatggctgt gattgactgg gaggagtgga 3780
gacctacttg ggcccgaaat tggaagccca aggatgtgta taagaaccga tccattgagc 3840
tggtgcagca gcagaacgtg cagctgtccc ttacagaagc caccgaaaaa gctaagcagg 3900
aattcgagaa agctgggaag gatttcctgg ttgagacaat aaaacttggg aaactgctta 3960
gacctaacca cctctggggc tattatttgt tccccgattg ctacaatcac cactataaga 4020
agcccggcta caacggatct tgtcctaacg tcgaaattaa aagaaacgat gacctctctt 4080
ggttgtggaa tgagtctact gcactctacc cctctatata tctcaacaca cagcagtccc 4140
cagtagccgc taccctctac gttcggaata gagtgaggga agccatcagg gtgtccaaga 4200
tccccgatgc caaatctccc ctcccagtgt ttgcctacac caggatcgtg tttaccgacc 4260
aggtgttgaa gttcctgagc caggacgagc tcgtgtatac ttttggcgag acagttgctc 4320
tgggagcctc tgggatcgtg atctggggca ctctgagtat tatgcgatca atgaagtcct 4380
gcctgctgtt ggataactac atggagacaa tcctgaaccc atatatcatt aacgtgactt 4440
tggccgctaa gatgtgttca caggtgctgt gtcaagagca gggagtatgc attaggaaga 4500
actggaactc aagcgattat ctccatctga acccagataa ttttgcaatc cagctggaaa 4560
agggtggtaa attcactgtc cgagggaagc ccacactcga ggatctcgaa cagtttagtg 4620
aaaagttcta ctgtagctgc tatagcactc tgagttgtaa ggaaaaagcc gatgtgaaag 4680
acactgatgc cgttgacgtt tgcatcgccg atggggtgtg tattgacgcc tttctcaagc 4740
caccaatgga gactgaggag ccccagatct tttactgata agctagcccc tctccctccc 4800
ccccccctaa cgttactggc cgaagccgct tggaataagg ccggtgtgcg tttgtctata 4860
tgttattttc caccatattg ccgtcttttg gcaatgtgag ggcccggaaa cctggccctg 4920
tcttcttgac gagcattcct aggggtcttt cccctctcgc caaaggaatg caaggtctgt 4980
tgaatgtcgt gaaggaagca gttcctctgg aagcttcttg aagacaaaca acgtctgtag 5040
cgacccttg caggcagcgg aacccccac ctggcgacag gtgcctctgc ggccaaaagc 5100
cacgtgtata agatacacct gcaaaggcgg cacaacccca gtgccacgtt gtgagttgga 5160
tagttgtgga aagagtcaaa tggctctcct caagcgtatt caacaagggg ctgaaggatg 5220
cccagaaggt accccattgt atgggatctg atctggggcc tcggtacaca tgctttacat 5280
gtgtttagtc gaggttaaaa aaacgtctag gccccccgaa ccacggggac gtggttttcc 5340
tttgaaaaac acgatgataa tatggccaca ctagagatcc accggtcgcc accatggtga 5400
gcaagggcga ggagctgttc accggggtgg tgcccatcct ggtcgagctg gacggcgacg 5460
taaacggcca caagttcagc gtgtccggcg agggcgaggg cgatgccacc tacggcaagc 5520
tgaccctgaa gttcatctgc accaccggca agctgcccgt gccctggccc accctcgtga 5580
ccaccctgac ctacggcgtg cagtgcttca gccgctaccc cgaccacatg aagcagcacg 5640
acttcttcaa gtccgccatg cccgaaggct acgtccagga gcgcaccatc ttcttcaagg 5700
acgacggcaa ctacaagacc cgcgccgagg tgaagttcga gggcgacacc ctggtgaacc 5760
gcatcgagct gaagggcatc gacttcaagg aggacggcaa catcctgggg cacaagctgg 5820
agtacaacta caacagccac aacgtctata tcatggccga caagcagaag aacggcatca 5880
aggtgaactt caagatccgc cacaacatcg aggacggcag cgtgcagctc gccgaccact 5940
accagcagaa cacccccatc ggcgacggcc ccgtgctgct gcccgacaac cactacctga 6000
gcacccagtc cgccctgagc aaagacccca acgagaagcg cgatcacatg gtcctgctgg 6060
agttcgtgac cgccgccggg atcactctcg gcatggacga gctgtacaag gacccaccgg 6120
tcgccaccat ggccaagcct ttgtctcaag aagaatccac cctcattgaa agagcaacgg 6180
ctacaatcaa cagcatcccc atctctgaag actacagcgt cgccagcgca gctctctcta 6240
gcgacggccg catcttcact ggtgtcaatg tatatcattt tactggggga ccttgtgcag 6300
aactcgtggt gctgggcact gctgctgctg cggcagctgg caacctgact tgtatcgtcg 6360
cgatcggaaa tgagaacagg ggcatcttga gcccctgcgg acggtgccga caggtgcttc 6420
tcgatctgca tcctgggatc aaagccatag tgaaggacag tgatggacag ccgacggcag 6480
ttgggattcg tgaattgctg ccctctggtt atgtgtggga gggctaagcg gccgcgtcga 6540
caatcaacct ctggattaca aaatttgtga aagattgact ggtattctta actatgttgc 6600
tccttttacg ctatgtggat acgctgcttt aatgcctttg tatcatgcta ttgcttcccg 6660
tatggctttc attttctcct ccttgtataa atcctggttg ctgtctcttt atgaggagtt 6720
gtggcccgtt gtcaggcaac gtggcgtggt gtgcactgtg tttgctgacg caacccccac 6780
tggttggggc attgccacca cctgtcagct cctttccggg actttcgctt tccccctccc 6840
tattgccacg gcggaactca tcgccgcctg ccttgcccgc tgctggacag gggctcggct 6900
gttgggcact gacaattccg tggtgttgtc ggggaagctg acgtcctttc catggctgct 6960
cgcctgtgtt gccacctgga ttctgcgcgg gacgtccttc tgctacgtcc cttcggccct 7020
caatccagcg gaccttcctt cccgcggcct gctgccggct ctgcggcctc ttccgcgtct 7080
tcgccttcgc cctcagacga gtcggatctc cctttgggcc gcctccccgc ctggaattcg 7140
agctcggtac ctttaagacc aatgacttac aaggcagctg tagatcttag ccacttttta 7200
aaagaaaagg ggggactgga agggctaatt cactcccaac gaagacaaga tctgcttttt 7260
gcttgtactg ggtctctctg gttagaccag atctgagcct gggagctctc tggctaacta 7320
gggaacccac tgcttaagcc tcaataaagc ttgccttgag tgcttcaagt agtgtgtgcc 7380

```
cgtctgttgt gtgactctgg taactagaga tccctcagac ccttttagtc agtgtggaaa 7440
atctctagca gtagtagttc atgtcatctt attattcagt atttataact tgcaaagaaa 7500
tgaatatcag agagtgagag gaacttgttt attgcagctt ataatggtta caaataaagc 7560
aatagcatca caaatttcac aaataaagca ttttttttcac tgcattctag ttgtggtttg 7620
tccaaactca tcaatgtatc ttatcatgtc tggctctagc tatcccgccc ctaactccgc 7680
ccatcccgcc cctaactccg cccagttccg cccattctcc gccccatggc tgactaattt 7740
ttttattta tgcagaggcc gaggccgcct cggcctctga gctattccag aagtagtgag 7800
gaggcttttt tggaggccta gggacgtacc caattcgccc tatagtgagt cgtattacgc 7860
gcgctcactg gccgtcgttt tacaacgtcg tgactgggaa aaccctggcg ttacccaact 7920
taatcgcctt gcagcacatc ccccctttcgc cagctggcgt aatagcgaag aggcccgcac 7980
cgatcgccct tcccaacagt tgcgcagcct gaatggcgaa tgggacgcgc cctgtagcgg 8040
cgcattaagc gcggcgggtg tggtggttac gcgcagcgtg accgctacac ttgccagcgc 8100
cctagcgccc gctcctttcg ctttcttccc ttcctttctc gccacgttcg ccggctttcc 8160
ccgtcaagct ctaaatcggg ggctcccttt agggttccga tttagtgctt tacggcacct 8220
cgaccccaaa aaacttgatt agggtgatgg ttcacgtagt gggccatcgc cctgatagac 8280
ggtttttcgc cctttgacgt tggagtccac gttctttaat agtggactct tgttccaaac 8340
tggaacaaca ctcaacccta tctcggtcta ttcttttgat ttataaggga ttttgccgat 8400
ttcggcctat tggttaaaaa atgagctgat ttaacaaaaa tttaacgcga attttaacaa 8460
aatattaacg cttacaattt aggtggcact tttcggggaa atgtgcgcgg aacccctatt 8520
tgtttatttt tctaaataca ttcaaatatg tatccgctca tgagacaata accctgataa 8580
atgcttcaat aatattgaaa aaggaagagt atgagtattc aacatttccg tgtcgccctt 8640
attccctttt ttgcggcatt ttgccttcct gtttttgctc acccagaaac gctggtgaaa 8700
gtaaaagatg ctgaagatca gttgggtgca cgagtgggtt acatcgaact ggatctcaac 8760
agcggtaaga tccttgagag ttttcgcccc gaagaacgtt ttccaatgat gagcactttt 8820
aaagttctgc tatgtggcgc ggtattatcc cgtattgacg ccgggcaaga gcaactcggt 8880
cgccgcatac actattctca gaatgacttg gttgagtact caccagtcac agaaaagcat 8940
cttacggatg gcatgacagt aagagaatta tgcagtgctg ccataaccat gagtgataac 9000
actgcggcca acttacttct gacaacgatc ggaggaccga aggagctaac cgcttttttg 9060
cacaacatgg gggatcatgt aactcgcctt gatcgttggg aaccggagct gaatgaagcc 9120
ataccaaacg acgagcgtga caccacgatg cctgtagcaa tggcaacaac gttgcgcaaa 9180
ctattaactg gcgaactact tactctagct tcccggcaac aattaataga ctggatggag 9240
gcggataaag ttgcaggacc acttctgcgc tcggcccttc cggctggctg gtttattgct 9300
gataaatctg gagccggtga gcgtgggtct cgcggtatca ttgcagcact ggggccagat 9360
ggtaagccct cccgtatcgt agttatctac acgacgggga gtcaggcaac tatggatgaa 9420
cgaaatagac agatcgctga gataggtgcc tcactgatta agcattggta actgtcagac 9480
caagtttact catatatact ttagattgat ttaaaacttc atttttaatt taaaaggatc 9540
taggtgaaga tccttttga taatctcatg accaaaatcc cttaacgtga gttttcgttc 9600
cactgagcgt cagaccccgt agaaaagatc aaaggatctt cttgagatcc ttttttttctg 9660
cgcgtaatct gctgcttgca aacaaaaaaa ccaccgctac cagcggtggt ttgtttgccg 9720
gatcaagagc taccaactct ttttccgaag gtaactggct tcagcagagc gcagatacca 9780
aatactgttc ttctagtgta gccgtagtta ggccaccact tcaagaactc tgtagcaccg 9840
cctacatacc tcgctctgct aatcctgtta ccagtggctg ctgccagtgg cgataagtcg 9900
tgtcttaccg ggttggactc aagacgatag ttaccggata aggcgcagcg gtcgggctga 9960
acgggggttt cgtgcacaca gcccagcttg gagcgaacga cctacaccga actgagatac 10020
ctacagcgtg agctatgaga aagcgccacg cttcccgaag ggagaaaggc ggacaggtat 10080
ccggtaagcg gcagggtcgg aacaggagag cgcacgaggg agcttccagg gggaaacgcc 10140
tggtatcttt atagtcctgt cgggtttcgc cacctctgac ttgagcgtcg atttttgtga 10200
tgctcgtcag gggggcggag cctatggaaa aacgccagca acgcggcctt tttacggttc 10260
ctggcctttt gctggccttt tgctcacatg ttctttcctg cgttatcccc tgattctgtg 10320
gataaccgta ttaccgcctt tgagtgagct gataccgctc gccgcagccg aacgaccgag 10380
cgcagcgagt cagtgagcga ggaagcggaa gagcgcccaa tacgcaaacc gcctctcccc 10440
gcgcgttggc cgattcatta atgcagctgg cacgacaggt ttcccgactg gaaagcgggc 10500
agtgagcgca acgcaattaa tgtgagttag ctcactcatt aggcacccca ggctttacac 10560
tttatgcttc cggctcgtat gttgtgtgga attgtgagcg gataacaatt tcacacagga 10620
aacagctatg accatgatta cgccaagcgc gcaattaacc ctcactaaag ggaacaaaag 10680
ctggagctgc                                                       10690
```

<210> 926
<211> 10703
<212> DNA
<213> Artificial Sequence

<220>
<223> psPAX2

<400> 926

gtcgacattg attattgact agttattaat agtaatcaat tacggggtca ttagttcata 60
gcccatatat ggagttccgc gttacataac ttacggtaaa tggcccgcct ggctgaccgc 120
ccaacgaccc ccgcccattg acgtcaataa tgacgtatgt tcccatagta acgccaatag 180
ggactttcca ttgacgtcaa tgggtggact atttacggta aactgcccac ttggcagtac 240
atcaagtgta tcatatgcca agtacgcccc ctattgacgt caatgacggt aaatggcccg 300
cctggcatta tgcccagtac atgaccttat gggactttcc tacttggcag tacatctacg 360
tattagtcat cgctattacc atgggtcgag gtgagcccca cgttctgctt cactctcccc 420
atctcccccc cctccccacc cccaattttg tatttattta ttttttaatt attttgtgca 480
gcgatggggg cgggggggcg gggggcgcgc gccaggcggg gcggggcggg gcgaggggcg 540
gggcggggcg aggcggagag gtgcggcggc agccaatcag agcggcgcgc tccgaaagtt 600
tccttttatg gcgaggcggc ggcggcggcg gccctataaa aagcgaagcg cgcggcgggc 660
gggagtcgct gcgttgcctt cgccccgtgc cccgctccgc gccgcctcgc gccgcccgcc 720
ccggctctga ctgaccgcgt tactcccaca ggtgagcggg cgggacggcc cttctcctcc 780
gggctgtaat tagcgcttgg tttaatgacg gctcgtttct tttctgtggc tgcgtgaaag 840
ccttaaaggg ctccgggagg gccctttgtg cgggggggag cggctcgggg ggtgcgtgcg 900
tgtgtgtgtg cgtggggagc gccgcgtgcg gcccgcgctg cccggcggct gtgagcgctg 960
cgggcgcggc gcggggcttt gtgcgctccg cgtgtgcgcg aggggagcgc ggccgggggc 1020
ggtgccccgc ggtgcggggg ggctgcgagg ggaacaaagg ctgcgtgcgg ggtgtgtgcg 1080
tgggggggtg agcagggggt gtgggcgcgg cggtcgggct gtaacccccc cctgcacccc 1140
cctccccgag ttgctgagca cggcccggct tcgggtgcgg ggctccgtgc ggggcgtggc 1200
gcggggctcg ccgtgccggg cgggggggtgg cggcaggtgg gggtgccggg cggggcgggg 1260
ccgcctcggg ccggggaggg ctcgggggag gggcgcggcg gccccggagc gccggcggct 1320
gtcgaggcgc ggcgagccgc agccattgcc ttttatggta atcgtgcgag agggcgcagg 1380
gacttccttt gtcccaaatc tggcggagcc gaaatctggg aggcgccgcc gcacccccctc 1440
tagcgggcgc gggcgaagcg gtgcggcgcc ggcaggaagg aaatgggcgg ggagggcctt 1500
cgtgcgtcgc cgcgccgccg tccccttctc catctccagc ctcggggctg ccgcaggggg 1560
acggctgcct tcgggggggа cggggcaggg cggggttcgg cttctggcgt gtgaccggcg 1620
gctctagagc ctctgctaac catgttcatg ccttcttctt tttcctacag ctcctgggca 1680
acgtgctggt tattgtgctg tctcatcatt ttggcaaaga attcgggccg gccgcgttga 1740
cgcgcacggc aagaggcgag gggcggcgac tggtgagaga tgggtgcgag agcgtcagta 1800
ttaagcgggg gagaattaga tcgatgggaa aaaattcggt taaggccagg gggaaagaaa 1860
aaatataaat taaaacatat agtatgggca agcagggagc tagaacgatt cgcagttaat 1920
cctggcctgt tagaaacatc agaaggctgt agacaaatac tgggacagct acaaccatcc 1980
cttcagacag gatcagaaga acttagatca ttatataata cagtagcaac cctctattgt 2040
gtgcatcaaa ggatagagat aaaagacacc aaggaagctt tagacaagat agaggaagag 2100
caaaacaaaa gtaagaaaaa agcacagcaa gcagcagctg acacaggaca cagcaatcag 2160
gtcagccaaa attaccctat agtgcagaac atccaggggc aaatggtaca tcaggccata 2220
tcacctagaa ctttaaatgc atgggtaaaa gtagtagaag agaaggcttt cagcccagaa 2280
gtgataccca tgttttcagc attatcagaa ggagccaccc cacaagattt aaacaccatg 2340
ctaaacacag tgggggggaca tcaagcagcc atgcaaatgt taaaagagac catcaatgag 2400
gaagctgcag aatgggatag agtgcatcca gtgcatgcag ggcctattgc accaggccag 2460
atgagagaac caaggggaag tgacatagca ggaactacta gtacccttca ggaacaaata 2520
ggatggatga cacataatcc acctatccca gtaggagaaa tctataaaag atggataatc 2580
ctgggattaa ataaaatagt aagaatgtat agccctacca gcattctgga cataagacaa 2640
ggaccaaagg aacccttag agactatgta gaccgattct ataaaactct aagagccgag 2700
caagcttcac aagaggtaaa aaattggatg acagaaacct tgttggtcca aaatgcgaac 2760
ccagattgta agactatttt aaaagcattg ggaccaggag cgacactaga agaaatgatg 2820
acagcatgtc agggagtggg gggacccggc cataaagcaa gagttttggc tgaagcaatg 2880
agccaagtaa caaatccagc taccataatg atacagaaag gcaattttag gaaccaaaga 2940
aagactgtta agtgtttcaa ttgtggcaaa gaagggcaca tagccaaaaa ttgcagggcc 3000
cctaggaaaa agggctgttg gaaatgtgga aaggaaggac accaaatgaa agattgtact 3060
gagagacagg ctaatttttt agggaagatc tggccttccc acaagggaag gccagggaat 3120
tttcttcaga gcagaccaga gccaacagcc ccaccagaag agagcttcag gtttggggaa 3180
gagacaacaa ctccctctca gaagcaggag ccgatagaca aggaactgta tcctttagct 3240
tccctcagat cactctttgg cagcgacccc tcgtcacaat aaagataggg gggcaattaa 3300
aggaagctct attagataca ggagcagatg atacagtatt agaagaaatg aatttgccag 3360
gaagatggaa accaaaaatg atagggggaa ttggaggttt tatcaaagta ggacagtatg 3420
atcagatact catagaaatc tgcggacata aagctatagg tacagtatta gtaggaccta 3480
cacctgtcaa cataattgga agaaatctgt tgactcagat tggctgcact ttaaattttc 3540
ccattagtcc tattgagact gtaccagtaa aattaaagcc aggaatggat ggcccaaaag 3600
ttaaacaatg gccattgaca gaagaaaaaa taaaagcatt agtagaaatt tgtacagaaa 3660
tggaaaagga aggaaaaatt tcaaaaattg ggcctgaaaa tccatacaat actccagtat 3720
ttgccataaa gaaaaaagac agtactaaat ggagaaaatt agtagatttc agagaactta 3780
ataagagaac tcaagatttc tgggaagttc aattaggaat accacatcct gcagggttaa 3840
aacagaaaaa atcagtaaca gtactggatg tgggcgatgc atatttttca gttcccttag 3900
ataaagactt caggaagtat actgcattta ccatacctag tataaacaat gagacaccag 3960
ggattagata tcagtacaat gtgcttccac agggatggaa aggatcacca gcaatattcc 4020
agtgtagcat gacaaaaatc ttagagcctt ttagaaaaca aaatccagac atagtcatct 4080

atcaatacat ggatgatttg tatgtaggat ctgacttaga aatagggcag catagaacaa 4140
aaatagagga actgagacaa catctgttga ggtggggatt taccacacca gacaaaaaac 4200
atcagaaaga acctccattc ctttggatgg gttatgaact ccatcctgat aaatggacag 4260
tacagcctat agtgctgcca gaaaaggaca gctggactgt caatgacata cagaaattag 4320
tgggaaaatt gaattgggca agtcagattt atgcagggat taaagtaagg caattatgta 4380
aacttcttag gggaaccaaa gcactaacag aagtagtacc actaacagaa gaagcagagc 4440
tagaactggc agaaaacagg gagattctaa aagaaccggt acatggagtg tattatgacc 4500
catcaaaaga cttaatagca gaaatacaga agcaggggca aggccaatgg acatatcaaa 4560
tttatcaaga gccatttaaa aatctgaaaa caggaaaata tgcaagaatg aagggtgccc 4620
acactaatga tgtgaaacaa ttaacagagg cagtacaaaa aatagccaca gaaagcatag 4680
taatatgggg aaagactcct aaatttaaat tacccataca aaaggaaaca tgggaagcat 4740
ggtggacaga gtattggcaa gccacctgga ttcctgagtg ggagtttgtc aataccctc 4800
ccttagtgaa gttatggtac cagttagaga aagaacccat aataggagca gaaactttct 4860
atgtagatgg ggcagccaat agggaaacta aattaggaaa agcaggatat gtaactgaca 4920
gaggaagaca aaaagttgtc cccctaacgg acacaacaaa tcagaagact gagttacaag 4980
caattcatct agctttgcag gattcgggat tagaagtaaa catagtgaca gactcacaat 5040
atgcattggg aatcattcaa gcacaaccag ataagagtga atcagagtta gtcagtcaaa 5100
taatagagca gttaataaaa aaggaaaaag tctacctggc atgggtacca gcacacaaag 5160
gaattggagg aaatgaacaa gtagatgggt tggtcagtgc tggaatcagg aaagtactat 5220
ttttagatgg aatagataag gcccaagaag aacatgagaa atatcacagt aattggagag 5280
caatggctag tgattttaac ctaccacctg tagtagcaaa agaaatagta gccagctgtg 5340
ataaatgtca gctaaaaggg gaagccatgc atggacaagt agactgtagc ccaggaatat 5400
ggcagctaga ttgtacacat ttagaaggaa aagttatctt ggtagcagtt catgtagcca 5460
gtggatatat agaagcagaa gtaattccag cagagacagg gcaagaaaca gcatacttcc 5520
tcttaaaatt agcaggaaga tggccagtaa aaacagtaca tacagacaat ggcagcaatt 5580
tcaccagtac tacagttaag gccgcctgtt ggtgggcggg gatcaagcag gaatttggca 5640
ttccctacaa tccccaaagt caaggagtaa tagaatctat gaataaagaa ttaaagaaaa 5700
ttataggaca ggtaagagat caggctgaac atcttaagac agcagtacaa atggcagtat 5760
tcatccacaa ttttaaaaga aaaggggga ttgggggta cagtgcaggg gaaagaatag 5820
tagacataat agcaacagac atacaaacta aagaattaca aaaacaaatt acaaaaattc 5880
aaaattttcg ggtttattac agggacagca gagatccagt ttggaaagga ccagcaaagc 5940
tcctctggaa aggtgaaggg gcagtagtaa tacaagataa tagtgacata aaagtagtgc 6000
caagaagaaa agcaaagatc atcagggatt atggaaaaca gatggcaggt gatgattgtg 6060
tggcaagtag acaggatgag gattaacaca tggaattctg caacaactgc tgtttatcca 6120
tttcagaatt gggtgtcgac atagcagaat aggcgttact cgacagagga gagcaagaaa 6180
tggagccagt agatcctaga ctagagccct ggaagcatcc aggaagtcag cctaaaactg 6240
cttgtaccaa ttgctattgt aaaaagtgtt gctttcattg ccaagtttgt ttcatgacaa 6300
aagccttagg catctcctat ggcaggaaga agcggagaca gcgacgaaga gctcatcaga 6360
acagtcagac tcatcaagct tctctatcaa agcagtaagt agtacatgta atgcaaccta 6420
taatagtagc aatagtagca ttagtagtag caataataat agcaatagtt gtgtggtcca 6480
tagtaatcat agaatatagg aaaatggccg ctgatcttca gacctggagg aggagatatg 6540
agggacaatt ggagaagtga attatataaa tataaagtag taaaaattga accattagga 6600
gtagcaccca ccaaggcaaa gagaagagtg gtgcagagag aaaaaagagc agtgggaata 6660
ggagctttgt tccttgggtt cttgggagca gcaggaagca ctatgggcgc agcctcaatg 6720
acgctgacgg tacaggccag acaattattg tctggtatag tgcagcagca gaacaatttg 6780
ctgagggcta ttgaggcgca acagcatctg ttgcaactca cagtctgggg catcaagcag 6840
ctccaagcaa gaatcctagc tgtggaaaga tacctaaagg atcaacagct cctagggatt 6900
tggggttgct ctggaaaact catttgcacc actgctgtgc cttggaatgc tagttggagt 6960
aataaatctc tggaacagat ctggaatcac acgacctgga tggagtggga cagagaaatt 7020
aacaattaca caagcttaat acactcctta attgaagaat cgcaaaacca gcaagaaaag 7080
aatgaacaag aattattgga attagataaa tgggcaagtt tgtggaattg gtttaacata 7140
acaaattggc tgtggtatat aaaattattc ataatgatag taggaggctt ggtaggttta 7200
agaatagttt ttgctgtact ttctatagtg aatagagtta ggcagggata ttcaccatta 7260
tcgtttcaga cccacctccc aatcccgagg ggacccgaca ggcccgaagg aatagaagaa 7320
gaaggtggag agagagacag agacagatcc attcgattag tgaacggatc cttggcactt 7380
atctgggacg atctgcggag cctgtgcctc ttcagctacc accgcttgag agacttactc 7440
ttgattgtaa cgaggattgt ggaacttctg ggacgcaggg ggtgggaagc cctcaaatat 7500
tggtggaatc tcctacaata ttggagtcag gagctaaaga atagtgctgt tagcttgctc 7560
aatgccacag ccatagcagt agctgagggg acagataggg ttatagaagt agtacaagga 7620
gcttgtagag ctattcgcca catacctaga agaataagac agggcttgga aaggattttg 7680
ctataagctc gaaacaaccg gtacctctag aactatagct agcagatctt tttccctctg 7740
ccaaaaatta tggggacatc atgaagcccc ttgagcatct gacttctggc taataaagga 7800
aatttatttt cattgcaata gtgtgttgga atttttttgtg tctctcactc ggaaggacat 7860
atgggagggc aaatcattta aaacatcaga atgagtattt ggtttagagt ttggcaacat 7920
atgccatatg ctggctgcca tgaacaaagg tggctataaa gaggtcatca gtatatgaaa 7980
cagccccctg ctgtccattc cttattccat agaaaagcct tgacttgagg ttagattttt 8040
tttatatttt gttttgtgtt attttttttct ttaacatccc taaaattttc cttacatgtt 8100
ttactagcca gatttttcct cctctcctga ctactcccag tcatagctgt ccctcttctc 8160

ttatgaagat ccctcgacct gcagcccaag cttggcgtaa tcatggtcat agctgtttcc 8220
tgtgtgaaat tgttatccgc tcacaattcc acacaacata cgagccggaa gcataaagtg 8280
taaagcctgg ggtgcctaat gagtgagcta actcacatta attgcgttgc gctcactgcc 8340
cgctttccag tcgggaaacc tgtcgtgcca gcggatccgc atctcaatta gtcagcaacc 8400
atagtcccgc ccctaactcc gcccatcccg cccctaactc cgcccagttc cgcccattct 8460
ccgccccatg gctgactaat ttttttatt tatgcagagg ccgaggccgc ctcggcctct 8520
gagctattcc agaagtagtg aggaggcttt tttggaggcc taggcttttg caaaaagcta 8580
acttgtttat tgcagcttat aatggttaca aataaagcaa tagcatcaca aatttcacaa 8640
ataaagcatt tttttcactg cattctagtt gtggtttgtc caaactcatc aatgtatctt 8700
atcatgtctg gatccgctgc attaatgaat cggccaacgc gcggggagag gcggtttgcg 8760
tattgggcgc tcttccgctt cctcgctcac tgactcgctg cgctcggtcg ttcggctgcg 8820
gcgagcggta tcagctcact caaaggcggt aatacggtta tccacagaat caggggataa 8880
cgcaggaaag aacatgtgag caaaaggcca gcaaaaggcc aggaaccgta aaaaggccgc 8940
gttgctggcg tttttccata ggctccgccc ccctgacgag catcacaaaa atcgacgctc 9000
aagtcagagg tggcgaaacc cgacaggact ataaagatac caggcgtttc cccctggaag 9060
ctccctcgtg cgctctcctg ttccgaccct gccgcttacc ggatacctgt ccgcctttct 9120
cccttcggga agcgtggcgc tttctcaatg ctcacgctgt aggtatctca gttcggtgta 9180
ggtcgttcgc tccaagctgg gctgtgtgca cgaaccccc gttcagcccg accgctgcgc 9240
cttatccggt aactatcgtc ttgagtccaa cccggtaaga cacgacttat cgccactggc 9300
agcagccact ggtaacagga ttagcagagc gaggtatgta ggcggtgcta cagagttctt 9360
gaagtggtgg cctaactacg gctacactag aaggacagta tttggtatct gcgctctgct 9420
gaagccagtt accttcggaa aaagagttgg tagctcttga tccggcaaac aaaccaccgc 9480
tggtagcggt ggtttttttg tttgcaagca gcagattacg cgcagaaaaa aaggatctca 9540
agaagatcct ttgatctttt ctacggggtc tgacgctcag tggaacgaaa actcacgtta 9600
agggattttg gtcatgagat tatcaaaaag gatcttcacc tagatccttt taaattaaaa 9660
atgaagtttt aaatcaatct aaagtatata tgagtaaact tggtctgaca gttaccaatg 9720
cttaatcagt gaggcaccta tctcagcgat ctgtctattt cgttcatcca tagttgcctg 9780
actccccgtc gtgtagataa ctacgatacg ggagggctta ccatctggcc ccagtgctgc 9840
aatgataccg cgagacccac gctcaccggc tccagattta tcagcaataa accagccagc 9900
cggaagggcc gagcgcagaa gtggtcctgc aactttatcc gcctccatcc agtctattaa 9960
ttgttgccgg gaagctagag taagtagttc gccagttaat agtttgcgca acgttgttgc 10020
cattgctaca ggcatcgtgg tgtcacgctc gtcgtttggt atggcttcat tcagctccgg 10080
ttcccaacga tcaaggcgag ttacatgatc ccccatgttg tgcaaaaaag cggttagctc 10140
cttcggtcct ccgatcgttg tcagaagtaa gttggccgca gtgttatcac tcatggttat 10200
ggcagcactg cataattctc ttactgtcat gccatccgta agatgctttt ctgtgactgg 10260
tgagtactca accaagtcat tctgagaata gtgtatgcgg cgaccgagtt gctcttgccc 10320
ggcgtcaata cgggataata ccgcgccaca tagcagaact ttaaaagtgc tcatcattgg 10380
aaaacgttct tcggggcgaa aactctcaag gatcttaccg ctgttgagat ccagttcgat 10440
gtaacccact cgtgcaccca actgatcttc agcatctttt actttcacca gcgtttctgg 10500
gtgagcaaaa acaggaaggc aaaatgccgc aaaaaaggga ataagggcga cacggaaatg 10560
ttgaatactc atactcttcc tttttcaata ttattgaagc atttatcagg gttattgtct 10620
catgagcgga tacatatttg aatgtattta gaaaaataaa caaatagggg ttccgcgcac 10680
atttccccga aaagtgccac ctg 10703

<210> 927
<211> 5824
<212> DNA
<213> Artificial Sequence

<220>
<223> PMD2.G

<400> 927
ggatcccctg agggggcccc catgggctag aggatccggc ctcggcctct gcataaataa 60
aaaaaattag tcagccatga gcttggccca ttgcatacgt tgtatccata tcataatatg 120
tacatttata ttggctcatg tccaacatta ccgccatgtt gacattgatt attgactagt 180
tattaatagt aatcaattac ggggtcatta gttcatagcc catatatgga gttccgcgtt 240
acataactta cggtaaatgg cccgcctggc tgaccgccca acgacccccg cccattgacg 300
tcaataatga cgtatgttcc catagtaacg ccaataggga ctttccattg acgtcaatgg 360
gtggagtatt tacggtaaac tgcccacttg gcagtacatc aagtgtatca tatgccaagt 420
acgcccccta ttgacgtcaa tgacggtaaa tggcccgcct ggcattatgc ccagtacatg 480
accttatggg actttcctac ttggcagtac atctacgtat tagtcatcgc tattaccatg 540
gtgatgcggt tttggcagta catcaatggg cgtggatagc ggtttgactc acggggattt 600
ccaagtctcc accccattga cgtcaatggg agtttgtttt ggcaccaaaa tcaacgggac 660
tttccaaaat gtcgtaacaa ctccgcccca ttgacgcaaa tgggcggtag gcgtgtacgg 720
tgggaggtct atataagcag agctcgttta gtgaaccgtc agatcgcctg gagacgccat 780

ccacgctgtt ttgacctcca tagaagacac cgggaccgat ccagcctccc ctcgaagctt 840
acatgtggta ccgagctcgg atcctgagaa cttcagggtg agtctatggg acccttgatg 900
ttttctttcc ccttcttttc tatggttaag ttcatgtcat aggaagggga gaagtaacag 960
ggtacacata ttgaccaaat cagggtaatt ttgcatttgt aattttaaaa aatgctttct 1020
tcttttaata tacttttttg tttatcttat ttctaatact ttccctaatc tctttctttc 1080
agggcaataa tgatacaatg tatcatgcct ctttgcacca ttctaaagaa taacagtgat 1140
aatttctggg ttaaggcaat agcaatattt ctgcatataa atatttctgc atataaattg 1200
taactgatgt aagaggtttc atattgctaa tagcagctac aatccagcta ccattctgct 1260
tttattttat ggttgggata aggctggatt attctgagtc caagctaggc ccttttgcta 1320
atcatgttca tacctcttat cttcctccca cagctcctgg gcaacgtgct ggtctgtgtg 1380
ctggcccatc actttggcaa agcacgtgag atctgaattc aacagagatc gatctgtttc 1440
cttgacacta tgaagtgcct tttgtactta gccttttttat tcattggggt gaattgcaag 1500
ttcaccatag tttttccaca caaccaaaaa ggaaactgga aaaatgttcc ttctaattac 1560
cattattgcc cgtcaagctc agatttaaat tggcataatg acttaatagg cacagccata 1620
caagtcaaaa tgcccaagag tcacaaggct attcaagcag acggttggat gtgtcatgct 1680
tccaaatggg tcactacttg tgatttccgc tggtatggac cgaagtatat aacacagtcc 1740
atccgatcct tcactccatc tgtagaacaa tgcaaggaaa gcattgaaca aacgaaacaa 1800
ggaacttggc tgaatccagg cttccctcct caaagttgtg gatatgcaac tgtgacggat 1860
gccgaagcag tgattgtcca ggtgactcct caccatgtgc tggttgatga atacacagga 1920
gaatgggttg attcacagtt catcaacgga aaatgcagca attacatatg ccccactgtc 1980
cataactcta caacctggca ttctgactat aaggtcaaag ggctatgtga ttctaacctc 2040
atttccatgg acatcacctt cttctcagag gacggagagc tatcatccct gggaaaggag 2100
ggcacagggt tcagaagtaa ctactttgct tatgaaactg gaggcaaggc ctgcaaaatg 2160
caatactgca agcattgggg agtcagactc ccatcaggtg tctggttcga gatggctgat 2220
aaggatctct ttgctgcagc cagattccct gaatgcccag aagggtcaag tatctctgct 2280
ccatctcaga cctcagtgga tgtaagtcta attcaggacg ttgagaggat cttggattat 2340
tccctctgcc aagaaacctg gagcaaaatc agagcgggtc ttccaatctc tccagtggat 2400
ctcagctatc ttgctcctaa aaacccagga accggtcctg ctttcaccat aatcaatggt 2460
accctaaaat actttgagac cagatacatc agagtcgata ttgctgctcc aatcctctca 2520
agaatggtcg gaatgatcag tggaactacc acagaaaggg aactgtggga tgactgggca 2580
ccatatgaag acgtggaaat tggacccaat ggagttctga ggaccagttc aggatataag 2640
tttcctttat acatgattgg acatggtatg ttggactccg atcttcatct tagctcaaag 2700
gctcaggtgt tcgaacatcc tcacattcaa gacgctgctt cgcaacttcc tgatgatgag 2760
agtttatttt ttggtgatac tgggctatcc aaaaatccaa tcgagcttgt agaaggttgg 2820
ttcagtagtt ggaaaagctc tattgcctct tttttcttta tcatagggtt aatcattgga 2880
ctattcttgg ttctccgagt tggtatccat ctttgcatta aattaaagca caccaagaaa 2940
agacagattt atacagacat agagatgaac cgacttggaa agtaactcaa atcctgcaca 3000
acagattctt catgtttgga ccaaatcaac ttgtgatacc atgctcaaag aggcctcaat 3060
tatatttgag tttttaattt ttatggaatt caccccacca gtgcaggctg cctatcagaa 3120
agtggtggct ggtgtggcta atgccctggc ccacaagttt cactaagctc gcttccttgc 3180
tgtccaattt ctattaaagg ttccttggtt ccctaagtcc aactactaaa ctgggggata 3240
ttatgaaggg ccttgagcat ctggattctg cctaataaaa aacatttatt ttcattgcaa 3300
tgatgtattt aaattatttc tgaatatttt actaaaaagg gaatgtggga ggtcagtgca 3360
tttaaaacat aaagaaatga agagctagtt caaaccttgg gaaaatacac tatatcttaa 3420
actccatgaa agaaggtgag gctgcaaaca gctaatgcac attggcaaca gccctgatgc 3480
ctatgcctta ttcatccctc agaaaaggat tcaagtagag gcttgatttg gaggttaaag 3540
tttggctatg ctgtatttta cattacttat tgttttagct gtcctcatga atgtcttttc 3600
actacccatt tgcttatcct gcatctctca gccttgactc cactcagttc tcttgcttag 3660
agataccacc tttcccctga agtgttcctt ccatgtttta cggcgagatg gtttctcctc 3720
gcctggccac tcagccttag ttgtctctgt tgtcttatag aggtctactt gaagaaggaa 3780
aaacaggggg catggtttga ctgtcctgtg agcccttctt ccctgcctcc cccactcaca 3840
gtgacccgga atccctcgac atggcagtct agcactagtg cggccgcaga tctgcttcct 3900
cgctcactga ctcgctgcgc tcggtcgttc ggctgcggcg agcggtatca gctcactcaa 3960
aggcggtaat acggttatcc acagaatcag gggataacgc aggaaagaac atgtgagcaa 4020
aaggccagca aaaggccagg aaccgtaaaa aggccgcgtt gctggcgttt ttccataggc 4080
tccgcccccc tgacgagcat cacaaaaatc gacgctcaag tcagaggtgg cgaaacccga 4140
caggactata aagataccag gcgtttcccc ctggaagctc cctcgtgcgc tctcctgttc 4200
cgaccctgcc gcttaccgga tacctgtccg cctttctccc ttcgggaagc gtggcgcttt 4260
ctcaatgctc acgctgtagg tatctcagtt cggtgtaggt cgttcgctcc aagctgggct 4320
gtgtgcacga acccccgtt cagcccgacc gctgcgcctt atccggtaac tatcgtcttg 4380
agtccaaccc ggtaagacac gacttatcgc cactggcagc agccactggt aacaggatta 4440
gcagagcgag gtatgtaggc ggtgctacag agttcttgaa gtggtggcct aactacggct 4500
acactagaag gacagtattt ggtatctgcg ctctgctgaa gccagttacc ttcggaaaaa 4560
gagttggtag ctcttgatcc ggcaaacaaa ccaccgctgg tagcggtggt ttttttgttt 4620
gcaagcagca gattacgcgc agaaaaaaag gatctcaaga agatcctttg atcttttcta 4680
cggggtctga cgctcagtgg aacgaaaact cacgttaagg gattttggtc atgagattat 4740
caaaaaggat cttcacctag atccttttaa attaaaaatg aagttttaaa tcaatctaaa 4800
gtatatatga gtaaacttgg tctgacagtt accaatgctt aatcagtgag gcacctatct 4860

```
cagcgatctg tctatttcgt tcatccatag ttgcctgact ccccgtcgtg tagataacta 4920
cgatacggga gggcttacca tctggcccca gtgctgcaat gataccgcga gacccacgct 4980
caccggctcc agatttatca gcaataaacc agccagccgg aagggccgag cgcagaagtg 5040
gtcctgcaac tttatccgcc tccatccagt ctattaattg ttgccgggaa gctagagtaa 5100
gtagttcgcc agttaatagt ttgcgcaacg ttgttgccat tgctacaggc atcgtggtgt 5160
cacgctcgtc gtttggtatg gcttcattca gctccggttc ccaacgatca aggcgagtta 5220
catgatcccc catgttgtgc aaaaaagcgg ttagctcctt cggtcctccg atcgttgtca 5280
gaagtaagtt ggccgcagtg ttatcactca tggttatggc agcactgcat aattctctta 5340
ctgtcatgcc atccgtaaga tgcttttctg tgactggtga gtactcaacc aagtcattct 5400
gagaatagtg tatgcggcga ccgagttgct cttgcccggc gtcaatacgg gataataccg 5460
cgccacatag cagaacttta aaagtgctca tcattggaaa acgttcttcg gggcgaaaac 5520
tctcaaggat cttaccgctg ttgagatcca gttcgatgta acccactcgt gcacccaact 5580
gatcttcagc atcttttact ttcaccagcg tttctgggtg agcaaaaaca ggaaggcaaa 5640
atgccgcaaa aaagggaata agggcgacac ggaaatgttg aatactcata ctcttccttt 5700
ttcaatatta ttgaagcatt tatcagggtt attgtctcat gagcggatac atatttgaat 5760
gtatttagaa aaataaacaa atagggggttc cgcgcacatt tccccgaaaa gtgccacctg 5820
acgt                                                               5824
```