


CLAIMS

1. A compound of general formula (I)



(I)

wherein

R₁ is selected from:

- a $-(C(R_3)_2)_m$ -aryl group in which the aryl group may be optionally substituted by at least one halogen atom;
- a $-(C(R_3)_2)_m$ -heteroaryl group in which the heteroaryl group may be optionally substituted by at least one substituent selected from a halogen, C₁₋₃-alkyl, C₁₋₃-alkoxy, C₁₋₃-haloalkoxy or C₁₋₃-haloalkyl and in which the heteroaryl group may optionally be condensed with an additional ring system;
- a $-(C(R_3)_2)_n$ -heterocycloalkyl group, in which the heterocycloalkyl may be optionally substituted by at least one substituent selected from a halogen, C₁₋₃-alkyl, C₁₋₃-alkoxy, C₁₋₃-haloalkoxy or C₁₋₃-haloalkyl and contains at least one oxygen atom;

R₂ is selected from:

- a phenyl group optionally substituted by at least one substituent selected from a halogen, C₁₋₃-alkoxy, C₁₋₃-haloalkoxy, C₁₋₃-haloalkyl or a hydroxyl group;

- a heteroaryl group optionally substituted by at least one substituent selected from a halogen, C₁₋₃-alkyl, C₁₋₃-alkoxy, C₁₋₃-haloalkoxy, C₁₋₃-haloalkyl or a hydroxyl group;

- a heterocycloalkyl group and being optionally substituted by at least one substituent selected from a halogen, C₁₋₃-alkyl, C₁₋₃-alkoxy, C₁₋₃-haloalkoxy, C₁₋₃-haloalkyl or a hydroxyl group;

R₃ is H or C₁₋₃ alkyl;

m is 1 to 3; and

n is 0 to 3;


with the proviso that when **R₁** is a -(C(**R₃**)₂)_m-aryl group, **R₂** is not a phenyl group;

or a pharmaceutically acceptable salt or solvate thereof.

2. A compound according to claim 1 where **R₁** is a benzyl optionally substituted by at least one halogen; a -(C(**R₃**)₂)_m-heteroaryl group in which the heteroaryl is a 5 or 6 membered heteroaryl radical containing from 1 to 3 heteroatoms selected from N or O and is optionally substituted by at least one substituent selected from a halogen, C₁₋₃-alkyl, C₁₋₃-alkoxy or C₁₋₃-haloalkyl; or a -(C(**R₃**)₂)_n-heterocycloalkyl group, in which the heterocycloalkyl group is a tetrahydropyranyl or as tetrahydrofuranyl group.

3. A compound according to any of claim 1 or 2 where **R₁** is selected from:

68




where R_a represents a hydrogen, a halogen, C_{1-3} alkyl, C_{1-3} -alkoxy or C_{1-3} haloalkyl, R_b represents a hydrogen or a halogen and m and n are as defined in claim 1.

4. A compound according to claim 1 where R_2 is a phenyl optionally substituted by at least one substituent selected from a halogen or C_{1-3} haloalkyl; a 5 or 6 membered heteroaryl radical containing from 1 to 3 N atoms and optionally substituted by at least one substituent selected from a halogen, C_{1-3} -alkyl or C_{1-3} -alkoxy; or a tetrahydropyranyl group.

5. A compound according to any of claims 1 or 4 where R_2 is selected from:


69




where R_c represents a hydrogen, halogen, C_{1-3} alkyl, C_{1-3} alkoxy, C_{1-3} haloalkyl.

6. A compound according to claim 1 where R_1 is selected from:

70



R_2 is selected from:



where **R_a** represents a hydrogen, a halogen, C₁₋₃ alkyl, C₁₋₃ -alkoxy or C₁₋₃ haloalkyl, **R_b** represents a hydrogen or a halogen, **R_c** represents a hydrogen, halogen, C₁₋₃ alkyl, C₁₋₃ alkoxy, C₁₋₃ haloalkyl and **m** and **n** are as defined in claim 1

7. A compound according to claim 1 selected from the group consisting of:

- (5aR,8aR)-3-(2-fluorophenyl)-7-(pyridin-3-ylmethyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aRS,8aRS)-3-(2-fluorophenyl)-7-(pyridin-4-ylmethyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aRS,8aRS)-3-(2-fluorophenyl)-7-(pyridin-2-ylmethyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(4-fluorophenyl)-7-(tetrahydro-2H-pyran-4-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-3-(4-fluorophenyl)-7-(tetrahydro-2H-pyran-4-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2-fluorophenyl)-7-(tetrahydro-2H-pyran-4-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-3-(2-fluorophenyl)-7-(tetrahydro-2H-pyran-4-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(6-methoxypyridin-3-yl)-7-(tetrahydro-2H-pyran-4-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2-fluorophenyl)-7-((tetrahydro-2H-pyran-4-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-3-(2-fluorophenyl)-7-((tetrahydro-2H-pyran-4-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride

- (5aR,8aR)-3-(2-fluorophenyl)-7-((6-fluoropyridin-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-3-(2-fluorophenyl)-7-((6-methoxypyridin-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2-fluorophenyl)-7-((6-methoxypyridin-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-3-(2-fluorophenyl)-7-((6-(trifluoromethyl)pyridin-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2-fluorophenyl)-7-(((R)-tetrahydrofuran-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-3-(2-fluorophenyl)-7-(((S)-tetrahydrofuran-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2-fluorophenyl)-7-(((S)-tetrahydrofuran-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-3-(2-fluorophenyl)-7-(((R)-tetrahydrofuran-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-7-((6-ethoxypyridin-3-yl)methyl)-3-(2-fluorophenyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-7-((6-ethoxypyridin-3-yl)methyl)-3-(2-fluorophenyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aRS,8aRS)-3-(4-fluorophenyl)-7-(furan-3-ylmethyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2,4-difluorophenyl)-7-((2,5-dimethylfuran-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride

- (5aR,8aR)-3-(2,4-difluorophenyl)-7-((2,5-dimethylfuran-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-7-(4-fluorobenzyl)-3-(pyridin-2-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-7-(4-fluorobenzyl)-3-(pyridin-2-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aRS,8aRS)-7-(4-fluorobenzyl)-3-(pyridin-4-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2,4-difluorophenyl)-7-(tetrahydro-2H-pyran-4-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-3-(2,4-difluorophenyl)-7-(tetrahydro-2H-pyran-4-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-7-(4-fluorobenzyl)-3-(3-fluoropyridin-2-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(5-fluoropyridin-2-yl)-7-(tetrahydro-2H-pyran-4-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(pyridin-2-yl)-7-(tetrahydro-2H-pyran-4-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-7-benzyl-3-(pyridin-2-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-7-benzyl-3-(pyridin-2-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-7-(4-fluorobenzyl)-3-(pyridin-3-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride

- (5aR,8aR)-7-(4-fluorobenzyl)-3-(pyridin-3-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-7-(4-fluorobenzyl)-3-(3-fluoropyridin-4-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-7-(4-fluorobenzyl)-3-(3-fluoropyridin-4-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2-chloro-4-fluorophenyl)-7-(tetrahydro-2H-pyran-4-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-3-(2-chloro-4-fluorophenyl)-7-((6-fluoropyridin-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-3-(2,4-difluorophenyl)-7-(2-(tetrahydro-2H-pyran-4-yl)ethyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2,4-difluorophenyl)-7-(2-(tetrahydro-2H-pyran-4-yl)ethyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-3-(2-chloro-4-fluorophenyl)-7-((tetrahydro-2H-pyran-4-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2-chloro-4-fluorophenyl)-7-((tetrahydro-2H-pyran-4-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-3-(2,4-dichlorophenyl)-7-((tetrahydro-2H-pyran-4-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2,4-dichlorophenyl)-7-((tetrahydro-2H-pyran-4-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2,4-dichlorophenyl)-7-(tetrahydro-2H-pyran-4-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride

- (5aR,8aR)-3-(2-chloro-4-fluorophenyl)-7-(2-(tetrahydro-2H-pyran-4-yl)ethyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2-chloro-4-fluorophenyl)-7-(2-(tetrahydro-2H-pyran-4-yl)ethyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-3-(2-chloro-4-fluorophenyl)-7-((6-methoxypyridin-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2-chloro-4-fluorophenyl)-7-((6-methoxypyridin-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-3-(2,4-difluorophenyl)-7-((6-methoxypyridin-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2,4-difluorophenyl)-7-((6-methoxypyridin-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2,4-dichlorophenyl)-7-(2-(tetrahydro-2H-pyran-4-yl)ethyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-3-(2,4-dichlorophenyl)-7-(2-(tetrahydro-2H-pyran-4-yl)ethyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2-chloro-4-(trifluoromethyl)phenyl)-7-(tetrahydro-2H-pyran-4-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2,4-dichlorophenyl)-7-(((S)-tetrahydrofuran-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-3-(2,4-dichlorophenyl)-7-(((R)-tetrahydrofuran-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2,4-dichlorophenyl)-7-(((R)-tetrahydrofuran-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride

- (5aR,8aR)-3-(2,4-dichlorophenyl)-7-(((S)-tetrahydrofuran-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-3-(2,4-difluorophenyl)-7-((2-methylfuran-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2,4-difluorophenyl)-7-((2-methylfuran-3-yl)methyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-3-(2,4-difluorophenyl)-7-(furan-3-ylmethyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-3-(2,4-difluorophenyl)-7-(furan-3-ylmethyl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-7-(4-fluorobenzyl)-3-(tetrahydro-2H-pyran-4-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aS,8aS)-7-(4-fluorobenzyl)-3-(tetrahydro-2H-pyran-4-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride
- (5aR,8aR)-7-(4-fluorobenzyl)-3-(1-methyl-1H-pyrazol-5-yl)-4,5a,6,7,8,8a-hexahydropyrrolo[3,4-b][1,2,3]triazolo[1,5-d][1,4]oxazine hydrochloride

8. Compound according to any of the claims 1 to 7 for its use as a medicament.


9. Compound for use according to claim 8 for its use in the treatment or prophylaxis of a sigma receptor mediated disease or condition.

10. Compound for use according to claim 9 wherein the disease is pain, especially neuropathic pain, inflammatory pain or other pain conditions involving allodynia and/or hyperalgesia.


11. Compound for use according to claim 9 wherein the disease or condition is diarrhea, lipoprotein disorders, hyperlipidemia, hypertriglyceridemia, hypercholesterolemia,

obesity, migraine, arthritis, hypertension, arrhythmia, ulcer, glaucoma, learning, memory and attention deficits, cognition disorders, neurodegenerative diseases, demyelinating diseases, addiction to drugs and chemical substances including cocaine, amphetamine, ethanol and nicotine; tardive dyskinesia, ischemic stroke, epilepsy, stroke, stress, cancer, psychotic conditions, in particular depression, anxiety or schizophrenia; inflammation or autoimmune diseases.


12. Process for the preparation of a compound of general formula (Ia):



comprising the reaction between a compound of general formula (VI):



with an aldehyde of general formula (VII):



where **R₂** is as defined in claim 1 and **R₁'** is selected from:

- a $-(C(R_3)_2)_m$ -aryl group in which the aryl group may be optionally substituted by at least one halogen atom;
- a $-(C(R_3)_2)_m$ -heteroaryl group in which the heteroaryl group may be optionally substituted by at least one substituent selected from a halogen, C_{1-3} -alkyl, C_{1-3} -

alkoxy, C₁₋₃-haloalkoxy or C₁₋₃-haloalkyl and in which the heteroaryl group may optionally be condensed with an additional ring system;

- a -(C(R₃)₂)_n-heterocycloalkyl group, in which the heterocycloalkyl group may be optionally substituted by at least one substituent selected from a halogen, C₁₋₃-alkyl, C₁₋₃-alkoxy, C₁₋₃-haloalkoxy or C₁₋₃-haloalkyl and contains at least one oxygen atom;


being R₃ is H or C₁₋₃ alkyl;

m is 1 to 2; and

n is 0 to 2;


with the proviso that when R₁ is a -(C(R₃)₂)_m-aryl group, R₂ is not a phenyl group.

13. Process for the preparation of a compound of general formula (Ia):



(Ia)

comprising the reduction of a compound of general formula (IX):



(IX)

where R₂ is as defined in claim 1 and R₁' is selected from is selected from:

- a -(C(R₃)₂)_m-aryl group in which the aryl group may be optionally substituted by at least one halogen atom;
- a -(C(R₃)₂)_m-heteroaryl group in which the heteroaryl group may be optionally substituted by at least one substituent selected from a halogen, C₁₋₃-alkyl, C₁₋₃-alkoxy, C₁₋₃-haloalkoxy or C₁₋₃-haloalkyl and in which the heteroaryl group may optionally be condensed with an additional ring system;

- a $-(C(R_3)_2)_n$ -heterocycloalkyl group, in which the heterocycloalkyl group may be optionally substituted by at least one substituent selected from a halogen, C_{1-3} -alkyl, C_{1-3} -alkoxy, C_{1-3} -haloalkoxy or C_{1-3} -haloalkyl and contains at least one oxygen atom;


being R_3 is H or C_{1-3} alkyl;

m is 1 to 2; and


n is 0 to 2;

with the proviso that when R_1 is a $-(C(R_3)_2)_m$ -aryl group, R_2 is not a phenyl group.


14. Process for the preparation of a compound of general formula (I):



comprising the reaction between a compound of general formula (VI):



with an ketone of general formula (VIIa):



(VIIa)

where R_1 represents a $-(C(R_3)_2)_n$ -heterocycloalkyl group, in which the heterocycloalkyl group may be optionally substituted by at least one substituent selected from a halogen, C_{1-3} -alkyl, C_{1-3} -alkoxy, C_{1-3} -haloalkoxy or C_{1-3} -haloalkyl and contains at least one oxygen atom, and $n=0$.

15. A pharmaceutical composition which comprises at least one compound as defined in any of claims 1-7 or a pharmaceutically acceptable salt or solvate thereof, and at least a pharmaceutically acceptable carrier, additive, adjuvant or vehicle.