






FIG. 1

**FIG. 2****FIG. 3**




FIG. 4

4/9




FIG. 5

5/9




FIG. 6




FIG. 7

7/9

800 →

Calculation Name ▽	Calculation, T...	Date	Interpreter	Volume	Unit
☐ Min Contact	GRVCalc	5/15/13 9:30 AM	01STA	1.2035E10	ft3
☐ OOIP	OOIPCalc	5/15/13 9:31 AM	01STA	2.1435E6	bbbl
☐ STOOIP	STOOIPCalc	5/15/13 9:31 AM	01STA	5.3587E6	bbbl
☐ RHCR	RHCRCalc	5/15/13 9:31 AM	01STA	2.1435E6	bbbl
☐ Max Contact	GRVCalc	5/14/13 4:08 PM	01STA	3.4079E8	m3
☐ OOIP	OOIPCalc	5/14/13 4:25 PM	01STA	1.2004E8	bbbl
☐ STOOIP	STOOIPCalc	5/14/13 4:25 PM	01STA	7.0609E7	bbbl
☐ 0.4 R	RHCRCalc	5/14/13 4:25 PM	01STA	2.8244E7	bbbl
☐ 0.2 R	RHCRCalc	5/15/13 9:21 AM	01STA	1.4122E7	bbbl
☐ OOIP	OOIPCalc	5/15/13 9:30 AM	01STA	6.8158E5	m3
☐ STOOIP	STOOIPCalc	5/15/13 9:30 AM	01STA	4.8684E5	m3
☐ RHCR	RHCRCalc	5/15/13 9:30 AM	01STA	2.4342E5	m3
☐ Min	OOIPCalc	5/15/13 9:27 AM	01STA	2.1435E6	bbbl
☐ Low	STOOIPCalc	5/15/13 9:27 AM	01STA	4.287E6	bbbl
☐ 0.7 R	RHCRCalc	5/15/13 9:29 AM	01STA	3.0009E6	bbbl
☐ 0.2 R	RHCRCalc	5/15/13 9:27 AM	01STA	8.574E5	bbbl
☐ High	STOOIPCalc	5/15/13 9:28 AM	01STA	1.2609E6	bbbl
☐ 0.8 R	RHCRCalc	5/15/13 9:28 AM	01STA	1.0087E6	bbbl
☐ 0.3 R	RHCRCalc	5/15/13 9:28 AM	01STA	3.7826E5	bbbl

FIG. 8

8/9

Calculation Name	Compartment GRV	Net to Gross	Porosity	HC Saturation	OOIP	Form Vol Factor	STOOIP	Recovery Factor	RHCR	Date
Max Contact	3.4079E8 m3									2013-01-16 08:16:08
OOIR	3.4079E8 m3	0.10	0.10	0.20	6.8158E5 m3					2013-01-09 30:30:30
STOOIP	3.4079E8 m3	0.10	0.10	0.20	6.8158E5 m3	1.40	4.8684E5 m3			2013-01-09 30:30:30
RHCR	3.4079E8 m3	0.10	0.10	0.20	6.8158E5 m3	1.40	4.8684E5 m3	0.50	2.4342E5 m3	2013-01-09 30:30:30
Min	3.4079E8 m3	0.10	0.10	0.10	2.1435E6 bbl					2013-01-09 27:27:27
Low	3.4079E8 m3	0.10	0.10	0.10	2.1435E6 bbl	0.50	4.287E6 bbl			2013-01-09 27:27:27
0.7 R	3.4079E8 m3	0.10	0.10	0.10	2.1435E6 bbl	0.50	4.287E6 bbl	0.70	3.0009E6 bbl	2013-01-09 27:27:27
0.2 R	3.4079E8 m3	0.10	0.10	0.10	2.1435E6 bbl	0.50	4.287E6 bbl	0.20	8.574E5 bbl	2013-01-09 27:27:27
High	3.4079E8 m3	0.10	0.10	0.10	2.1435E6 bbl	1.70	1.2609E6 bbl			2013-01-09 27:27:27
0.8 R	3.4079E8 m3	0.10	0.10	0.10	2.1435E6 bbl	1.70	1.2609E6 bbl	0.80	1.0007E6 bbl	2013-01-09 27:27:27
<										>

FIG. 9




FIG. 10