


FIG. 1
(Synergy Score = 9.8)




FIG. 2
(Synergy Score = 15.3)

FIG. 3

(Synergy Score = 8.5)




FIG. 4




(Synergy Score = 8.6)
Dose Matrix | MCF7.6
Loewe Excess | MCF7.6
Loewe Model | MCF7.6
Palbociclib (uM)
Compound 2 (uM)
Growth Inhibition (%) N=1
0 2.5e-5 2.5e-4 .0025 .025 .25 2.5
0 1e-5 1e-4 1e-3 .01 .1 1

FIG. 5

(Synergy Score = 15.1)






FIG. 6
(Synergy Score = 8.7)




FIG. 7
(Synergy Score = 14.6)



Tumor volume (mm³)
mean ± SEM
2000
1500
1000
500
0
0
100
200
300
Treatment time (days)
Compound 1 vehicle + palbo vehicle
Compound 1 vehicle + palbo 25 mg/kg
Compound 1 vehicle + palbo 75 mg/kg
Compound 1 3 mg/kg + palbo vehicle
Compound 1 3 mg/kg + palbo 25 mg/kg
Compound 1 3 mg/kg + palbo 75 mg/kg
Body weight (g) ± SEM
30
25
20
0
100
200
300
Treatment time (days)

FIG. 8



Tumor volume (mm³)
mean ± SEM
2000
1500
1000
500
0
0
100
200
300
Treatment time (days)
Compound 1 vehicle + palbo vehicle
Compound 1 vehicle + palbo 25 mg/kg
Compound 1 vehicle + palbo 75 mg/kg
Compound 1 10 mg/kg + palbo vehicle
Compound 1 10 mg/kg + palbo 25 mg/kg
Compound 1 10 mg/kg+ palbo 75 mg/kg
Body weight (g) ± SEM
35
30
25
20
15
0
100
200
300
Treatment time (days)

FIG. 9