




FIG. 1A




FIG. 1B




FIG. 2



FIG. 3A



FIG. 3B



FIG. 3C




FIG. 3D




FIG. 4A




FIG. 4B




FIG. 5A




FIG. 5B




FIG. 6A




FIG. 6B




FIG. 7A




FIG. 7B




FIG. 7C




FIG. 7D






FIG. 9A



FIG. 9B




FIG. 9C




FIG. 9D




FIG. 9E




FIG. 9F




FIG. 9G




FIG. 10A




FIG. 10B




FIG. 11




FIG. 13




FIG. 12




FIG. 14




FIG. 17




FIG. 15




FIG. 16A



512

Setup Single Test Sample

Sample Name:

Test Sample

Assay Type:

hydrocortisone

Time to Result:

<

>

 min ☐ Priority

Dilution Factor:

<

>

 1.000

Volume:

<

>

 10.0 ml

Submitter:


User

OK

Cancel

FIG. 16B

┌



└

┌

532




FIG. 16D

└




FIG. 16E

┌




FIG. 16F

└




FIG. 16G




FIG. 18




FIG. 19




FIG. 20




FIG. 21





FIG. 22

**FIG. 23**




FIG. 24

830




FIG. 25




FIG. 26A




FIG. 26B





FIG. 26C






FIG. 27B




FIG. 28




FIG. 29




FIG. 30






FIG. 31

**FIG. 32****FIG. 33**





FIG. 34A

**FIG. 34B**





FIG. 35A

**FIG. 35B**





FIG. 36

**FIG. 37**




FIG. 38




FIG. 39A

Sample 2 Raw Data Fraction 1

Sample/Assay Identifier	Analyte	RT	AA	AH	TIC

FIG. 39B




FIG. 39C




FIG. 39D




FIG. 39E




FIG. 40