Claims

[Claim 1]

An aqueous composition comprising 0.001 - 0.1 % (w/v) atropine or a salt thereof as a single active ingredient, a water-soluble polymer, and buffer (I), which is at a pH range of 6 or lower, wherein the buffer (I) is at least one selected from the group consisting of a phosphate buffer and an aminocarboxylate buffer.

[Claim 2]

The aqueous composition of claim 1, wherein the buffer (I) is a phosphate buffer.

[Claim 3]

The aqueous composition of claim 1, wherein the aminocarboxylate buffer is at least one selected from the group consisting of epsilon-aminocaproic acid, a glutamate buffer, and an aspartate buffer.

[Claim 4]

The aqueous composition according to any one of claims 1 to 3, wherein

the phosphate buffer is derived from at least one selected from the group consisting of dibasic sodium phosphate hydrate,

sodium dihydrogen phosphate, sodium dihydrogen phosphate monohydrate, sodium dihydrogen phosphate dihydrate, potassium dihydrogen phosphate, sodium monohydrogen phosphate heptahydrate, trisodium phosphate, and dipotassium phosphate.

[Claim 5]

The aqueous composition according to any one of claims 1 to 4, further comprising a citrate buffer as buffer (II).

[Claim 6]

The aqueous composition of claim 5 wherein the citrate buffer is derived from at least one selected from the group consisting of citric acid hydrate, sodium citrate, sodium citrate hydrate, potassium citrate, calcium citrate, sodium dihydrogen citrate, and disodium citrate.

[Claim 7]

The aqueous composition according to any one of claims 1 to 6, wherein the water-soluble polymer is at least one selected from the group consisting of a cellulose derivative, carboxyvinyl polymer and sodium alginate.

[Claim 8]

The aqueous composition of claim 7, wherein the cellulose

derivative is at least one selected from the group consisting of hydroxyethyl cellulose, hydroxypropyl methylcellulose, methyl cellulose, ethyl cellulose, hydroxymethyl cellulose, hydroxypropyl cellulose, hydroxyethyl methyl cellulose, carboxymethyl cellulose, sodium carboxymethyl cellulose, hypromellose acetate succinate, hypromellose phthalate, carboxymethylethyl cellulose, and cellulose acetate phthalate.

[Claim 9]

The aqueous composition of claim 7 or 8, wherein the cellulose derivative is at least one selected from the group consisting of hydroxyethyl cellulose and hydroxypropyl methylcellulose.

[Claim 10]

The aqueous composition according to any one of claims 7 to 9, wherein the cellulose derivative is hydroxyethyl cellulose.

[Claim 11]

An aqueous composition comprising 0.001 - 0.1 % (w/v) atropine or a salt thereof as a single active ingredient, hydroxyethyl cellulose, and buffer (I), which is at a pH range of 6 or lower, wherein the buffer (I) is a phosphate

buffer.

[Claim 12]

The aqueous composition of claim 11, further comprising a citrate buffer as buffer (II).

[Claim 13]

The aqueous composition according to any one of claims 1 to 12, which comprises less than 50 ppm benzalkonium chloride.

[Claim 14]

The aqueous composition according to any one of claims 1 to 13, which does not substantially comprise benzalkonium chloride.

[Claim 15]

The aqueous composition according to any one of claims 1 to 14, further comprising a nonionic tonicity agent.

[Claim 16]

The aqueous composition of claim 15, wherein the nonionic tonicity agent is at least one selected from the group consisting of glycerin, mannitol, propylene glycol, polyethylene glycol, glucose, sorbitol, xylitol and trehalose.

[Claim 17]

The aqueous composition of claim 15 or 16, wherein the nonionic tonicity agent is at least one compound selected from the group consisting of glycerin and mannitol.

[Claim 18]

The aqueous composition according to any one of claims 15 to 17, wherein the nonionic tonicity agent is glycerin.

[Claim 19]

The aqueous composition according to any one of claims 1 to 18, wherein the concentration of the buffer is 0.001 - 10 % (w/v).

[Claim 20]

The aqueous composition according to any one of claims 5 to 10 and 12 to 19, wherein the concentration of citrate buffer is 0.001 - 1.0 % (w/v).

[Claim 21]

The aqueous composition of claim 20, wherein the concentration of citrate buffer is 0.01 - 0.05 % (w/v).

[Claim 22]

The aqueous composition according to any one of claims 1 to

21, wherein the concentration of the water-soluble polymer is 0.01 - 5 % (w/v).

[Claim 23]

The aqueous composition according to any one of claims 15 to 22, wherein the concentration of the nonionic tonicity agent is 0.01 to 10 % (w/v).

[Claim 24]

The aqueous composition according to any one of claims 1 to 23, which is at a pH range of less than 5.

[Claim 25]

The aqueous composition according to any one of claims 1 to 23, which is at a pH range of 4 - 6.

[Claim 26]

The aqueous composition according to any one of claims 1 to 25, wherein the concentration of phosphate buffer is 0.01 - 1.0 % (w/v).

[Claim 27]

The aqueous composition according to any one of claims 1 to 26, wherein the concentration of the atropine or a salt thereof is 0.001 to 0.025% (w/v).

[Claim 28]

The aqueous composition according to any one of claims 1 to 27, wherein the concentration of the atropine or a salt thereof is 0.001 to 0.01% (w/v).

[Claim 29]

The aqueous composition according to any one of claims 1 to 28, wherein the atropine or a salt thereof is atropine sulfate or a hydrate thereof.

[Claim 30]

The aqueous composition according to any one of claims 1 to 29, which is enclosed in a unit-dose container.

[Claim 31]

The aqueous composition according to any one of claims 1 to 30, wherein the aqueous composition is an eyedrop.

[Claim 32]

The aqueous composition according to any one of claims 1 to 31, for inhibiting and/or preventing progression of myopia.

[Claim 33]

Use of an aqueous composition according to any one of claims 1 to 31 in the preparation of a medicament to inhibit and/or preventing the progression of myopia.