

Description

The invention relates to slacks comprising one or more pockets each accessible through a pocket opening, and a plurality of belt loops attached to the slacks at the height of the waist band thereof, wherein the pocket opening of at least one pocket is arranged in the waist band between two of the belt loops in such a manner that during the wearing of the slacks the pocket opening is covered by a belt passed through the belt loops.

Such slacks is known from GB—A—229.950. At this known slacks the pocket, the pocket opening of which is provided at the outside of the waist band, is provided within an outer pocket. A part of the outer pocket can be swung away by untightening a button arranged on the waist band adjacent a belt loop. As the button is arranged near a belt loop, untightening thereof will be difficult so that the accessibility of the pocket is not as good as would be desired. Moreover, as the pocket is arranged between two belt loops the dimension of the pocket can only be relatively small, so that only small articles could be inserted in the pocket.

The invention aims to provide a slacks of the above-mentioned type, wherein these disadvantages are obviated in a simple but nevertheless effective manner.

To this end, the slacks according to the invention have a pocket opening of one pocket which is arranged at the outside of the waist band, a pocketing joining the pocket opening at the inside of the waist band, wherein one of the belt loops being formed as a closed loop is arranged across the pocket opening in the waist band and is sewn to the slacks only at the lower side.

In this manner a so-called secret pocket with relatively large dimensions is obtained in which greater articles, such as for example a wallet or a driver licence, may be put. As one of the belt loops is arranged across the pocket opening the normal distribution of the belt loops along the waist band is not changed so that the presence of the pocket opening is effectively camouflaged. As this belt loop is sewn to the slacks only at the lower side a closure means for the pocket opening, preferably a zip-fastener, can still be easily operated, while the accessibility of the pocket is easy.

The invention is further described by reference to the drawing in which an embodiment of the slacks according to the invention is shown.

Fig. 1 is a partially shown side view of the slacks according to the invention.

Fig. 2 is a cross-section according to the line II—II of Fig. 1 on a larger scale.

In Fig. 1 a slacks 1 is shown, which slacks 1 can be worn with a belt 2 (see Fig. 2) passed through loops 3, 4, which are sewn to the slacks

1 at the height of the waist band 5. A pocket 6 is accessible through a pocket opening 7 arranged horizontally at a side of the slacks on the outside of the waist band 5. The pocket opening 7 can be closed by means of a zip-fastener 8. The pocket 6 is formed by attaching a pocketing 9 at the inner side against the waist band 5.

The waist band 5 is firmly sewn up by applying the interlining between the cloth 10 and the lining 11, such that even by applying the zip-fastener 8 in the pocket opening 7 in the waist band 5 the shape will not be distorted. As appears from the Figs. 1 and 2 the pocket opening 7 is formed in the cloth 10 of the waist band 5, while the pocketing 9 is attached at the inner side. In this manner, the pocket opening 7 is always covered by the belt 2.

Therefore, articles which have been put in the pocket 6 cannot be lost or stolen, since pick-pocketing is substantially impossible.

Because the pocket opening 7 is formed at the outside of the waist band 5, inserting or extracting articles from the pocket 6 can be easily done by loosening the belt 2 a little. Thereby, the insertion or extraction of articles can be more easily done than by using the stomach band.

To improve the accessibility of the pocket the belt loop 4 placed over said pocket 6 is only sewn at the lower side, whereby more space is obtained between the belt loop 4 and the pocket opening 7. The putting in or taking out of articles can now be done without loosening the belt 2, while the pocket opening 7 is still always covered by the belt 2.

The invention is not restricted to the embodiment described which can be varied in several ways within the scope of the invention.

Claims

1. Slacks (1) comprising one or more pockets each accessible through a pocket opening (7), and a plurality of belt loops (3, 4) attached to the slacks (1) at the height of the waist band (5) thereof, wherein the pocket opening (7) of at least one pocket (6) is arranged in the waist band (5) between two of the belt loops (3) in such a manner that during the wearing of the slacks (1) the pocket opening (7) is covered by a belt (2) passed through the belt loop (3, 4), the pocket opening (7) of one pocket (6) being arranged at the outside of the waist band (5), a pocketing (9) joining the pocket opening (7) at the inside of the waist band (5) characterized in that one (4) of the belt loops is formed as a closed loop, is arranged across the pocket opening in the waist band (5) and is sewn to the slacks (1) only at the lower side.

2. Slacks according to claim 1, characterized in that the pocket opening (6) can be closed by a zip-fastener.



11

0044 587

2

Description

The invention relates to slacks comprising one or more pockets each accessible through a pocket opening, and a plurality of belt loops attached to the slacks at the height of the waist band thereof, wherein the pocket opening of at least one pocket is arranged in the waist band between two of the belt loops in such a manner that during the wearing of the slacks the pocket opening is covered by a belt passed through the belt loops.

Such slacks is known from GB-A-229.950. At this known slacks the pocket, the pocket opening of which is provided at the outside of the waist band, is provided within an outer pocket. A part of the outer pocket can be swung away by untightening a button arranged on the waist band adjacent a belt loop. As the button is arranged near a belt loop, untightening thereof will be difficult so that the accessibility of the pocket is not as good as would be desired. Moreover, as the pocket is arranged between two belt loops the dimension of the pocket can only be relatively small, so that only small articles could be inserted in the pocket.

The invention aims to provide a slacks of the above-mentioned type, wherein these disadvantages are obviated in a simple but nevertheless effective manner.

To this end, the slacks according to the invention have a pocket opening of one pocket which is arranged at the outside of the waist band, a pocketing joining the pocket opening at the inside of the waist band, wherein one of the belt loops being formed as a closed loop is arranged across the pocket opening in the waist band and is sewn to the slacks only at the lower side.

In this manner a so-called secret pocket with relatively large dimensions is obtained in which greater articles, such as for example a wallet or a driver licence, may be put. As one of the belt loops is arranged across the pocket opening the normal distribution of the belt loops along the waist band is not changed so that the presence of the pocket opening is effectively camouflaged. As this belt loop is sewn to the slacks only at the lower side a closure means for the pocket opening, preferably a zip-fastener, can still be easily operated, while the accessibility of the pocket is easy.

The invention is further described by reference to the drawing in which an embodiment of the slacks according to the invention is shown.

Fig. 1 is a partially shown side view of the slacks according to the invention.

Fig. 2 is a cross-section according to the line II-II of Fig. 1 on a larger scale.

In Fig. 1 a slacks 1 is shown, which slacks 1 can be worn with a belt 2 (see Fig. 2) passed through loops 3, 4, which are sewn to the slacks

1 at the height of the waist band 5. A pocket 6 is accessible through a pocket opening 7 arranged horizontally at a side of the slacks on the outside of the waist band 5. The pocket opening 7 can be closed by means of a zip-fastener 8. The pocket 6 is formed by attaching a pocketing 9 at the inner side against the waist band 5.

The waist band 5 is firmly sewn up by applying the interlining between the cloth 10 and the lining 11, such that even by applying the zip-fastener 8 in the pocket opening 7 in the waist band 5 the shape will not be distorted. As appears from the Figs. 1 and 2 the pocket opening 7 is formed in the cloth 10 of the waist band 5, while the pocketing 9 is attached at the inner side. In this manner, the pocket opening 7 is always covered by the belt 2.

Therefore, articles which have been put in the pocket 6 cannot be lost or stolen, since pick-pocketing is substantially impossible.

Because the pocket opening 7 is formed at the outside of the waist band 5, inserting or extracting articles from the pocket 6 can be easily done by loosening the belt 2 a little. Thereby, the insertion or extraction of articles can be more easily done than by using the stomach band.

To improve the accessibility of the pocket the belt loop 4 placed over said pocket 6 is only sewn at the lower side, whereby more space is obtained between the belt loop 4 and the pocket opening 7. The putting in or taking out of articles can now be done without loosening the belt 2, while the pocket opening 7 is still always covered by the belt 2.

The invention is not restricted to the embodiment described which can be varied in several ways within the scope of the invention.

Claims

1. Slacks (1) comprising one or more pockets each accessible through a pocket opening (7), and a plurality of belt loops (3, 4) attached to the slacks (1) at the height of the waist band (5) thereof, wherein the pocket opening (7) of at least one pocket (6) is arranged in the waist band (5) between two of the belt loops (3) in such a manner that during the wearing of the slacks (1) the pocket opening (7) is covered by a belt (2) passed through the belt loop (3, 4), the pocket opening (7) of one pocket (6) being arranged at the outside of the waist band (5), a pocketing (9) joining the pocket opening (7) at the inside of the waist band (5) characterized in that one (4) of the belt loops is formed as a closed loop, is arranged across the pocket opening in the waist band (5) and is sewn to the slacks (1) only at the lower side.

2. Slacks according to claim 1, characterized in that the pocket opening (6) can be closed by a zip-fastener.

65

2



12

Patentansprüche

1. Hose (1) mit einer oder mehreren, jeweils durch eine Taschenöffnung (7) zugänglichen Taschen und einer Anzahl von Gürtelschlaufen (3, 4), welche in Höhe des Hosenbundes (5) an der Hose (1) befestigt sind, wobei die Öffnung (7) wenigstens einer Tasche (6) derart im Hosenbund (5) zwischen zwei Gürtelschlaufen (3) angeordnet ist, daß beim Tragen der Hose (1) die Taschenöffnung (7) von einem durch die Gürtelschlaufen (3, 4) hindurchgeführten Gürtel (20) verdeckt ist, wobei die Öffnung (7) einer Tasche (6) an der Außenseite des Hosenbundes (5) und das an die Taschenöffnung (7) anschließende Taschenfutter (9) an der Innenseite des Hosenbundes (5) angeordnet ist, dadurch gekennzeichnet, daß eine (4) der Gürtelschlaufen als geschlossen Schlaufe ausgebildet ist, quer über der Taschenöffnung (7) im Hosenbund (5) angeordnet ist und nur am unteren Ende an der Hose (1) festgenäht ist.

2. Hose nach anspruch 1, dadurch gekennzeichnet, daß die Taschenöffnung (7) durch einen Reißverschluß verschließbar ist.

Revendications

1. Pantalon (1) comportant une ou plusieurs poches accessibles chacune par une ouverture (7), et plusieurs passants (3, 4) de ceinture fixés au pantalon (1), à la hauteur de la bande de taille (5), dans lequel l'ouverture (7) d'au moins une poche (6) est disposée dans la bande (5) de taille entre deux des passants (3) de ceinture de manière que, pendant que le pantalon (1) est porté, l'ouverture (7) de la poche soit recouverte par un ceinture (2) passée dans les passants (3, 4) de ceinture, l'ouverture (7) d'une poche (6) étant disposée à l'extérieur de la bande (5) de taille, une doublure pour poche (9) reliant l'ouverture (7) de poche à l'intérieur de la bande (5) de taille, caractérisé en ce que l'un (4) des passants de ceinture est formé en boucle fermée, est disposé en travers de l'ouverture (7) de poche de la bande (5) de taille et est cousu uniquement par son côté inférieur au pantalon (1).

2. Pantalon selon la revendication 1, caractérisé en ce que l'ouverture (6) de poche peut être fermée par une fermeture à glissière.

5
10
15
20
25
30
35
40
45
50
55
60
65
3