
What is claimed is:

1. A compound of compounds of formula (I)



(I)

wherein

X and Z are selected independently from the group consisting of hydrogen, (C_1-C_8)alkyl, (C_2-C_8)alkenyl, (C_2-C_8)alkynyl, unsubstituted or substituted (C_3-C_8)cycloalkyl, unsubstituted or substituted (C_3-C_8)cycloalkyl-(C_1-C_8)alkyl or -(C_2-C_8)alkenyl, unsubstituted or substituted (C_5-C_8)cycloalkenyl, unsubstituted or substituted (C_5-C_8)cycloalkenyl-(C_1-C_8)alkyl or -(C_2-C_8)alkenyl, (C_6-C_{10})bicycloalkyl, unsubstituted or substituted heterocycloalkyl, unsubstituted or substituted heterocycloalkyl-(C_1-C_8)alkyl or -(C_2-C_8)alkenyl, unsubstituted or substituted aryl, unsubstituted or substituted aryl-(C_1-C_8)alkyl or -(C_2-C_8)alkenyl, unsubstituted or substituted heteroaryl, unsubstituted or substituted heteroaryl-(C_1-C_8)alkyl or -(C_2-C_8)alkenyl, halo, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-CONR^aNR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-NR^aNR^aR^b$, $-NR^aNR^aC(O)R^b$, $-NR^aNR^aC(O)NR^aR^b$, $-NR^aNR^aC(O)OR^a$, $-OR^a$, $-OC(O)R^a$, and $-OC(O)NR^aR^b$;

Y is H or halo;

R^1 is (C_1-C_8)alkyl, (C_2-C_8)alkenyl, (C_2-C_8)alkynyl, unsubstituted or substituted (C_3-C_8)cycloalkyl, unsubstituted or substituted (C_3-C_8)cycloalkyl-(C_1-C_8)alkyl or -(C_2-C_8)alkenyl, unsubstituted or substituted (C_5-C_8)cycloalkenyl, unsubstituted or substituted (C_5-C_8)cycloalkenyl-(C_1-C_8)alkyl or -(C_2-C_8)alkenyl, unsubstituted or substituted (C_6-C_{10})bicycloalkyl, unsubstituted or substituted heterocycloalkyl or -(C_2-C_8)alkenyl, unsubstituted or substituted heterocycloalkyl-(C_1-C_8)alkyl, unsubstituted or substituted aryl, unsubstituted or substituted aryl-(C_1-C_8)alkyl or -(C_2-C_8)alkenyl, unsubstituted or substituted heteroaryl, unsubstituted or substituted heteroaryl-(C_1-C_8)alkyl or -(C_2-C_8)alkenyl, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-CONR^aNR^aR^b$;

R^2 is hydrogen, (C_1-C_8)alkyl, trifluoromethyl, alkoxy, or halo, in which said (C_1-C_8)alkyl maybe substituted with one to two groups selected from: amino, and (C_1-C_3)alkylamino;

R^7 is hydrogen, (C_1-C_3)alkyl, or alkoxy; R^3 is hydrogen, (C_1-C_8)alkyl, cyano, trifluoromethyl, $-NR^aR^b$, or halo;

R^6 is selected from the group consisting of hydrogen, halo, $(C_1$-$C_8)$alkyl, $(C_2$-$C_8)$alkenyl, $-B(OH)_2$, substituted or unsubstituted $(C_2$-$C_8)$alkynyl, unsubstituted or substituted $(C_3$-$C_8)$cycloalkyl, unsubstituted or substituted $(C_3$-$C_8)$cycloalkyl-$(C_1$-$C_8)$alkyl, unsubstituted or substituted $(C_5$-$C_8)$cycloalkenyl, unsubstituted or substituted $(C_5$-$C_8)$cycloalkenyl-$(C_1$-$C_8)$alkyl, $(C_6$-$C_{10})$bicycloalkyl, unsubstituted or substituted heterocycloalkyl, unsubstituted or substituted heterocycloalkyl-$(C_1$-$C_8)$alkyl, unsubstituted or substituted aryl, unsubstituted or substituted aryl-$(C_1$-$C_8)$alkyl, unsubstituted or substituted heteroaryl, unsubstituted or substituted heteroaryl-$(C_1$-$C_8)$alkyl, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-CONR^aNR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-NR^aNR^aR^b$, $-NR^aNR^aC(O)R^b$, $-NR^aNR^aC(O)NR^aR^b$, $-NR^aNR^aC(O)OR^a$, $-OR^a$, $-OC(O)R^a$, $-OC(O)NR^aR^b$;

wherein any $(C_1$-$C_8)$alkyl, $(C_2$-$C_8)$alkenyl, $(C_2$-$C_8)$alkynyl, cycloalkyl, cycloalkenyl, bicycloalkyl, heterocycloalkyl, aryl, or heteroaryl group is optionally substituted by 1, 2 or 3 groups independently selected from the group consisting of $-O(C_1$-$C_6)$alkyl$(R^c)_{1\text{-}2}$, $-S(C_1$-$C_6)$alkyl$(R^c)_{1\text{-}2}$, $-(C_1$-$C_6)$alkyl$(R^c)_{1\text{-}2}$, $(C_1$-$C_8)$alkyl-heterocycloalkyl, $(C_3$-$C_8)$cycloalkyl-heterocycloalkyl, halo, $(C_1$-$C_6)$alkyl, $(C_3$-$C_8)$cycloalkyl, $(C_5$-$C_8)$cycloalkenyl, $(C_1$-$C_6)$haloalkyl, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-OR^a$, $-OC(O)R^a$, $-OC(O)NR^aR^b$, heterocycloalkyl, aryl, heteroaryl, aryl$(C_1$-$C_4)$alkyl, and heteroaryl$(C_1$-$C_4)$alkyl;

wherein any aryl or heteroaryl moiety of said aryl, heteroaryl, aryl$(C_1$-$C_4)$alkyl, or heteroaryl$(C_1$-$C_4)$alkyl is optionally substituted by 1, 2 or 3 groups independently selected from the group consisting of halo, $(C_1$-$C_6)$alkyl, $(C_3$-$C_8)$cycloalkyl, $(C_5$-$C_8)$cycloalkenyl, $(C_1$-$C_6)$haloalkyl, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-OR^a$, $-OC(O)R^a$, and $-OC(O)NR^aR^b$;

each R^c is independently $(C_1$-$C_4)$alkylamino, $-NR^aSO_2R^b$, $-SOR^a$, $-SO_2R^a$, $-NR^aC(O)OR^a$, $-NR^aR^b$, or $-CO_2R^a$;

R^a and R^b are each independently hydrogen, $(C_1$-$C_8)$alkyl, $(C_2$-$C_8)$alkenyl, $(C_2$-$C_8)$alkynyl, $(C_3$-$C_8)$cycloalkyl, $(C_5$-$C_8)$cycloalkenyl, $(C_6$-$C_{10})$bicycloalkyl, heterocycloalkyl, aryl, heteroaryl, wherein said $(C_1$-$C_8)$alkyl, $(C_2$-$C_8)$alkenyl, $(C_2$-$C_8)$alkynyl, cycloalkyl, cycloalkenyl, bicycloalkyl, heterocycloalkyl, aryl or heteroaryl group is optionally substituted by 1, 2 or 3 groups independently selected from halo, hydroxyl, $(C_1$-$C_4)$alkoxy, amino, $(C_1$-$C_4)$alkylamino, $((C_1$-$C_4)$alkyl$)((C_1$-$C_4)$alkyl)amino, $-CO_2H$, $-CO_2(C_1$-$C_4)$alkyl, $-CONH_2$, $-CONH(C_1$-$C_4)$alkyl, $-CON((C_1$-$C_4)$alkyl$)((C_1$-$C_4)$alkyl), $-SO_2(C_1$-$C_4)$alkyl, $-SO_2NH_2$, $-SO_2NH(C_1$-$C_4)$alkyl, or $-SO_2N((C_1$-$C_4)$alkyl$)((C_1$-$C_4)$alkyl);

or R^a and R^b taken together with the nitrogen to which they are attached represent a 5-8 membered saturated or unsaturated ring, optionally containing an additional heteroatom selected from oxygen, nitrogen, and sulfur, wherein said ring is optionally substituted by 1, 2 or 3 groups independently selected from $(C_1$-$C_4)$alkyl, $(C_1$-$C_4)$haloalkyl, amino, $(C_1$-$C_4)$alkylamino, $((C_1$-$C_4)$alkyl$)((C_1$-$C_4)$alkyl)amino, hydroxyl, oxo, $(C_1$-$C_4)$alkoxy, and $(C_1$-$C_4)$alkoxy$(C_1$-$C_4)$alkyl, wherein said ring is optionally fused to a $(C_3$-$C_8)$cycloalkyl, heterocycloalkyl, aryl, or heteroaryl ring;

or R^a and R^b taken together with the nitrogen to which they are attached represent a 6- to 10-membered bridged bicyclic ring system optionally fused to a $(C_3$-$C_8)$cycloalkyl, heterocycloalkyl, aryl, or heteroaryl ring;

or a salt thereof.

2. A compound of formula (I) according to claim 1 wherein:

X and Z are independently selected from the group consisting of $(C_1$-$C_8)$alkyl, $(C_3$-$C_8)$cycloalkyl, heterocycloalkyl, aryl, heteroaryl, $-NR^aR^b$, and $-OR^a$;

Y is H or F;

R^1 is selected from the group consisting of $(C_1$-$C_8)$alkyl, $(C_3$-$C_8)$cycloalkyl, heterocycloalkyl, aryl, and heteroaryl;

R^2 is hydrogen, $(C_1$-$C_8)$alkyl, trifluoromethyl, alkoxy, or halo, in which said $(C_1$-$C_8)$alkyl maybe substituted with one to two groups selected from: amino, and $(C_1$-$C_3)$alkylamino;

R^7 is hydrogen, $(C_1$-$C_3)$alkyl, or alkoxy;

R^3 is selected from the group consisting of hydrogen, $(C_1$-$C_8)$alkyl, cyano, trifluoromethyl, $-NR^aR^b$, and halo;

R^6 is selected from the group consisting of hydrogen, halo, cyano, trifluoromethyl, amino, $(C_1$-$C_8)$alkyl, $(C_3$-$C_8)$cycloalkyl, aryl, heteroaryl, acylamino; $(C_2$-$C_8)$alkynyl, arylalkynyl, heteroarylalkynyl, $-SO_2R^a$, $-SO_2NR^aR^b$, and $-NR^aSO_2R^b$;


wherein any $(C_1$-$C_8)$alkyl, $(C_3$-$C_8)$cycloalkyl, $(C_2$-$C_8)$alkynyl, arylalkynyl, heteroarylalkynyl group is optionally substituted by 1, 2 or 3 groups independently selected from $-O(C_1$-$C_6)$alkyl$(R^c)_{1\text{-}2}$, $-S(C_1$-$C_6)$alkyl$(R^c)_{1\text{-}2}$, $-(C_1$-$C_6)$alkyl$(R^c)_{1\text{-}2}$, $(C_1$-$C_8)$alkyl-heterocycloalkyl, $(C_3$-$C_8)$cycloalkyl-heterocycloalkyl, halo, $(C_1$-$C_6)$alkyl, $(C_3$-$C_8)$cycloalkyl, $(C_5$-$C_8)$cycloalkenyl, $(C_1$-$C_6)$haloalkyl, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-OR^a$, $-OC(O)R^a$, $-OC(O)NR^aR^b$, heterocycloalkyl, aryl, heteroaryl, aryl$(C_1$-$C_4)$alkyl, and heteroaryl$(C_1$-$C_4)$alkyl;

each R^c is independently $(C_1$-$C_4)$alkylamino, $-NR^aSO_2R^b$, $-SOR^a$, $-SO_2R^a$, $-NR^aC(O)OR^a$, $-NR^aR^b$, or $-CO_2R^a$;

R^a and R^b are each independently hydrogen, (C_1-C_8)alkyl, (C_2-C_8)alkenyl, (C_2-C_8)alkynyl, (C_3-C_8)cycloalkyl, (C_5-C_8)cycloalkenyl, (C_6-C_{10})bicycloalkyl, heterocycloalkyl, aryl, heteroaryl, wherein said (C_1-C_8)alkyl, (C_2-C_8)alkenyl, (C_2-C_8)alkynyl, cycloalkyl, cycloalkenyl, bicycloalkyl, heterocycloalkyl ,aryl or heteroaryl group is optionally substituted by 1, 2 or 3 groups independently selected from halo, hydroxyl, (C_1-C_4)alkoxy, amino, (C_1-C_4)alkylamino, $((C_1-C_4)alkyl)((C_1-C_4)alkyl)amino$, $-CO_2H$, $-CO_2(C_1-C_4)alkyl$, $-CONH_2$, $-CONH(C_1-C_4)alkyl$, $-CON((C_1-C_4)alkyl)((C_1-C_4)alkyl)$, $-SO_2(C_1-C_4)alkyl$, $-SO_2NH_2$, $-SO_2NH(C_1-C_4)alkyl$, and $-SO_2N((C_1-C_4)alkyl)((C_1-C_4)alkyl)$;

or R^a and R^b taken together with the nitrogen to which they are attached represent a 5-8 membered saturated or unsaturated ring, optionally containing an additional heteroatom selected from oxygen, nitrogen, and sulfur, wherein said ring is optionally substituted by 1, 2 or 3 groups independently selected from (C_1-C_4)alkyl, (C_1-C_4)haloalkyl, amino, (C_1-C_4)alkylamino, $((C_1-C_4)alkyl)((C_1-C_4)alkyl)amino$, hydroxyl, oxo, (C_1-C_4)alkoxy, and $(C_1-C_4)alkoxy(C_1-C_4)alkyl$, wherein said ring is optionally fused to a (C_3-C_8)cycloalkyl, heterocycloalkyl, aryl, or heteroaryl ring;


or R^a and R^b taken together with the nitrogen to which they are attached represent a 6- to 10-membered bridged bicyclic ring system optionally fused to a (C_3-C_8)cycloalkyl, heterocycloalkyl, aryl, or heteroaryl ring. An aryl or heteroaryl group in this particular subgroup A is selected independently from the group consisting of furan, thiophene, pyrrole, oxazole, thiazole, imidazole, pyrazole, oxadiazole, thiadiazole, triazole, tetrazole, benzofuran, benzothiophene, benzoxazole, benzothiazole, phenyl, pyridine, pyridazine, pyrimidine, pyrazine, triazine, tetrazine, quinoline, cinnoline, quinazoline, quinoxaline, and naphthyridine or another aryl or heteroaryl group as follows:



(1)

wherein in (1),


A is O, NH, or S; B is CH or N, and C is hydrogen or C_1-C_8 alkyl; or



(2)

wherein in (2),


D is N or C optionally substituted by hydrogen or C_1-C_8 alkyl; or



(3)

wherein in (3),


E is NH or CH_2; F is O or CO; and G is NH or CH_2; or



(4)

wherein in (4),

J is O, S or CO; or



(5)


wherein in (5),

Q is CH or N;

M is CH or N; and

L/(5) is hydrogen, halo, amino, cyano, $(C_1\text{-}C_8)$alkyl, $(C_3\text{-}C_8)$cycloalkyl, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-CONR^aNR^aR^b$, $-SO_2R^a$, $-SO_2NR^aR^b$, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-NR^aNR^aR^b$, $-NR^aNR^aC(O)R^b$, $-NR^aNR^aC(O)NR^aR^b$, $-OR^a$,


wherein any $(C_1\text{-}C_8)$alkyl, $(C_3\text{-}C_8)$cycloalkyl, group is optionally substituted by 1, 2 or 3 groups independently selected from $(C_1\text{-}C_6)$alkyl, $(C_3\text{-}C_8)$cycloalkyl, $(C_5\text{-}C_8)$cycloalkenyl, $(C_1\text{-}C_6)$haloalkyl, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-OR^a$, $-OC(O)R^a$, $-OC(O)NR^aR^b$; wherein R^a and R^b are defined as above; or



(6)

wherein in 6,

L/(6) is NH or CH_2; or




(7)

wherein in 7,

M/(7) is hydrogen, halo, amino, cyano, $(C_1$-$C_8)$alkyl, $(C_3$-$C_8)$cycloalkyl, heterocycloalkyl, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-CONR^aNR^aR^b$, $-SO_2R^a$, $-SO_2NR^aR^b$, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-NR^aNR^aR^b$, $-NR^aNR^aC(O)R^b$, $-NR^aNR^aC(O)NR^aR^b$, $-OR^a$,


wherein any $(C_1$-$C_8)$alkyl, $(C_3$-$C_8)$cycloalkyl, heterocycloalkyl group is optionally substituted by 1, 2 or 3 groups independently selected from $(C_1$-$C_6)$alkyl, $(C_3$-$C_8)$cycloalkyl, $(C_5$-$C_8)$cycloalkenyl, $(C_1$-$C_6)$haloalkyl, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-OR^a$, $-OC(O)R^a$, $-OC(O)NR^aR^b$; wherein R^a and R^b are defined as above; or



(8)

wherein in (8),

P is CH_2, NH, O, or S; Q/(8) is CH or N; and n is 0-2; or



(9)

wherein in (9),

S/(9) and T(9) is C, or S/(9) is C and T(9) is N, or S/(9) is N and T/(9) is C;

R is hydrogen, amino, methyl, trifluoromethyl, halo;

U is hydrogen, halo, amino, cyano, nitro, trifluoromethyl, $(C_1$-$C_8)$alkyl, $(C_3$-$C_8)$cycloalkyl, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-SO_2R^a$, $-SO_2NR^aR^b$, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-NR^aNR^aR^b$, $-NR^aNR^aC(O)R^b$, , $-OR^a$, 4-(1H-pyrazol-4-yl),

wherein any $(C_1$-$C_8)$alkyl, $(C_3$-$C_8)$cycloalkyl, group is optionally substituted by 1, 2 or 3 groups independently selected from $(C_1$-$C_6)$alkyl, $(C_3$-$C_8)$cycloalkyl, $(C_5$-$C_8)$cycloalkenyl, $(C_1$-$C_6)$haloalkyl, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-OR^a$, $-OC(O)R^a$, $-OC(O)NR^aR^b$; wherein R^a and R^b are defined as above.

3. A compound of formula (I) according to claim 1 or 2 wherein:

X and Z are selected independently from the group consisting of $(C_1$-$C_8)$alkyl, $(C_3$-$C_8)$cycloalkyl, heterocycloalkyl, aryl, heteroaryl, $-NR^aR^b$, and $-OR^a$;

Y is H;

R^1 is $(C_1$-$C_8)$alkyl, $(C_3$-$C_8)$cycloalkyl, or heterocycloalkyl;

R_2 is hydrogen, $(C_1$-$C_3)$alkyl, or halo, in which said $(C_1$-$C_3)$alkyl maybe substituted with one to two groups selected from: amino, and $(C_1$-$C_3)$alkylamino;

R^7 is hydrogen, $(C_1$-$C_3)$alkyl, or alkoxy; R^3 is hydrogen, $(C_1$-$C_8)$alkyl or halo;

R^6 is hydrogen, halo, cyano, trifluoromethyl, amino, $(C_1$-$C_8)$alkyl, $(C_3$-$C_8)$cycloalkyl, aryl, heteroaryl, acylamino, $(C_2$-$C_8)$alkynyl, arylalkynyl, heteroarylalkynyl, $-SO_2R^a$, $-SO_2NR^aR^b$, or $-NR^aSO_2R^b$;


wherein any $(C_1$-$C_8)$alkyl, $(C_3$-$C_8)$cycloalkyl, $(C_2$-$C_8)$alkynyl, arylalkynyl, heteroarylalkynyl group is optionally substituted by 1, 2 or 3 groups independently selected from halo, $(C_1$-$C_6)$alkyl, $(C_3$-$C_8)$cycloalkyl, $(C_5$-$C_8)$cycloalkenyl, $(C_1$-$C_6)$haloalkyl, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-OR^a$, $-OC(O)R^a$, $-OC(O)NR^aR^b$, heterocycloalkyl, aryl, heteroaryl, aryl$(C_1$-$C_4)$alkyl, and heteroaryl$(C_1$-$C_4)$alkyl;

R^a and R^b are each independently hydrogen, $(C_1$-$C_8)$alkyl, $(C_2$-$C_8)$alkenyl, $(C_2$-$C_8)$alkynyl, $(C_3$-$C_8)$cycloalkyl, $(C_5$-$C_8)$cycloalkenyl, $(C_6$-$C_{10})$bicycloalkyl, heterocycloalkyl, aryl, heteroaryl, wherein said $(C_1$-$C_8)$alkyl, $(C_2$-$C_8)$alkenyl, $(C_2$-$C_8)$alkynyl, cycloalkyl, cycloalkenyl, bicycloalkyl, heterocycloalkyl ,aryl or heteroaryl group is optionally substituted by 1, 2 or 3 groups independently selected from halo, hydroxyl, $(C_1$-$C_4)$alkoxy, amino, $(C_1$-$C_4)$alkylamino, $((C_1$-$C_4)$alkyl$)((C_1$-$C_4)$alkyl)amino, $-CO_2H$, $-CO_2(C_1$-$C_4)$alkyl, $-CONH_2$, $-CONH(C_1$-$C_4)$alkyl, $-CON((C_1$-$C_4)$alkyl$)((C_1$-$C_4)$alkyl), $-SO_2(C_1$-$C_4)$alkyl, $-SO_2NH_2$, $-SO_2NH(C_1$-$C_4)$alkyl, and $-SO_2N((C_1$-$C_4)$alkyl$)((C_1$-$C_4)$alkyl);

or R^a and R^b taken together with the nitrogen to which they are attached represent a 5-8 membered saturated or unsaturated ring, optionally containing an additional heteroatom selected from oxygen, nitrogen, and sulfur, wherein said ring is optionally substituted by 1, 2 or 3 groups independently selected from $(C_1$-$C_4)$alkyl, $(C_1$-$C_4)$haloalkyl, amino, $(C_1$-$C_4)$alkylamino, $((C_1$-$C_4)$alkyl$)((C_1$-$C_4)$alkyl)amino, hydroxyl, oxo, $(C_1$-$C_4)$alkoxy, and $(C_1$-$C_4)$alkoxy$(C_1$-$C_4)$alkyl, wherein said ring is optionally fused to a $(C_3$-$C_8)$cycloalkyl, heterocycloalkyl, aryl, or heteroaryl ring;

or R^a and R^b taken together with the nitrogen to which they are attached represent a 6- to 10-membered bridged bicyclic ring system optionally fused to a $(C_3$-$C_8)$cycloalkyl, heterocycloalkyl, aryl, or heteroaryl ring. Aryl and heteroaryl in this definition are selected from the group consisting of furan, thiophene, pyrrole, oxazole, thiazole, imidazole, pyrazole, oxadiazole, thiadiazole, triazole,


tetrazole, benzofuran, benzothiophene, benzoxazole, benzothiazole, phenyl, pyridine, pyridazine, pyrimidine, pyrazine, triazine, tetrazine, quinoline, cinnoline, quinazoline, quinoxaline, and naphthyridine as or a compound of or another aryl or heteroaryl group as follows:



(1)

wherein in (1),


A is O, NH, or S; B is CH or N, and C is hydrogen or C_1-C_8 alkyl; or



(2)

wherein in (2),


D is N or C optionally substituted by hydrogen or C_1-C_8 alkyl; or



(3)

wherein in (3),


E is NH or CH_2; F is O or CO; and G is NH or CH_2; or



(4)

wherein in (4),

J is O, S or CO; or



(5)

wherein in (5),


Q is CH or N;

M is CH or N; and

L (5) is hydrogen, halo, amino, cyano, (C_1-C_8)alkyl, (C_3-C_8)cycloalkyl, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-CONR^aNR^aR^b$, $-SO_2R^a$, $-SO_2NR^aR^b$, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-NR^aNR^aR^b$, $-NR^aNR^aC(O)R^b$, $-NR^aNR^aC(O)NR^aR^b$, $-OR^a$,

wherein any (C_1-C_8)alkyl, (C_3-C_8)cycloalkyl, group is optionally substituted by 1, 2 or 3 groups independently selected from (C_1-C_6)alkyl, (C_3-C_8)cycloalkyl, (C_5-C_8)cycloalkenyl, (C_1-C_6)haloalkyl, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-OR^a$, $-OC(O)R^a$, $-OC(O)NR^aR^b$,


wherein R^a and R^b are defined as above; or



(6)

wherein in (6),

L/(6) is NH or CH_2; or




(7)

wherein in (7),

M/(7) is hydrogen, halo, amino, cyano, (C_1-C_8)alkyl, (C_3-C_8)cycloalkyl, heterocycloalkyl, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-CONR^aNR^aR^b$, $-SO_2R^a$, $-SO_2NR^aR^b$, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-NR^aNR^aR^b$, $-NR^aNR^aC(O)R^b$, $-NR^aNR^aC(O)NR^aR^b$, $-OR^a$,


wherein any (C_1-C_8)alkyl, (C_3-C_8)cycloalkyl, heterocycloalkyl group is optionally substituted by 1, 2 or 3 groups independently selected from (C_1-C_6)alkyl, (C_3-C_8)cycloalkyl, (C_5-C_8)cycloalkenyl, (C_1-C_6)haloalkyl, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-OR^a$, $-OC(O)R^a$, $-OC(O)NR^aR^b$; wherein R^a and R^b are defined as above; or



(8)

wherein in (8),

P is CH_2, NH, O, or S; Q/(8) is CH or N; and n is 0-2; or



(9)

wherein in (9),

S/(9) and T(9) is C, or S/(9) is C and T(9) is N, or S/(9) is N and T/(9) is C;

R is hydrogen, amino, methyl, trifluoromethyl, halo;

U is hydrogen, halo, amino, cyano, nitro, trifluoromethyl, (C_1-C_8)alkyl, (C_3-C_8)cycloalkyl, –COR^a, –CO_2R^a, –$CONR^aR^b$, –SO_2R^a, –$SO_2NR^aR^b$, –NR^aR^b, –$NR^aC(O)R^b$, –$NR^aSO_2R^b$, –$NR^aSO_2NR^aR^b$, –$NR^aNR^aR^b$, –$NR^aNR^aC(O)R^b$, , –OR^a, 4-(1H-pyrazol-4-yl),

wherein any (C_1-C_8)alkyl, (C_3-C_8)cycloalkyl, group is optionally substituted by 1, 2 or 3 groups independently selected from (C_1-C_6)alkyl, (C_3-C_8)cycloalkyl, (C_5-C_8)cycloalkenyl, (C_1-C_6)haloalkyl, cyano, –COR^a, –CO_2R^a, –$CONR^aR^b$, –SR^a, –SOR^a, –SO_2R^a, –$SO_2NR^aR^b$, nitro, –NR^aR^b, –$NR^aC(O)R^b$, –$NR^aC(O)NR^aR^b$, –$NR^aC(O)OR^a$, –$NR^aSO_2R^b$, –$NR^aSO_2NR^aR^b$, –OR^a, –$OC(O)R^a$, –$OC(O)NR^aR^b$, wherein R^a and R^b are defined as above;

or a salt thereof.

4. A compound according to any one of claims 1, 2 or 3 wherein:

X is methyl, ethyl, n-propyl, isopropyl , cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, phenyl, trifluoromethyl, tetrahydropyran, hydroxymethyl, methoxymethyl, or benzyl;

Y is H;

Z is methyl, ethyl, n-propyl, isopropyl, trifluoromethyl, or benzyl;

R^1 is isopropyl, tert-butyl, cyclobutyl, cyclopentyl, cyclohexyl, (1-methylethyl)cyclopropyl, 1,1-dioxo-tetrahydrothiophene-3-yl, 1-Me-piperidin-4-yl, tetrahydrofuran-3-yl, tetrahydropyran-4-yl, *N*,*N*-dimethyl-1-propanaminyl, benzyl, or 4-pyridyl;

R_2 is hydrogen, (C_1-C_3)alkyl, or halo, in which said (C_1-C_3)alkyl maybe substituted with one to two groups selected from: amino, and (C_1-C_3)alkylamino;

R^7 is hydrogen, (C_1-C_3)alkyl, or alkoxy;

R^3 is H, methyl, or Br; and

R^6 is methyl, bis(1,1-dimethylethyl), bis(1-methylethyl), cyclopropyl, propyl, dimethylamino, ethylamino, (2-hydroxyethyl)amino, 2-propen-1-ylamino, 1-piperazinyl, 1-piperidinyl, 4-morpholinyl, 4-piperidinylamino, tetrahydro-2H-pyran-4-ylamino, phenylamino, (phenylmethyl)amino, (4-pyridinylmethyl)amino, [2-(2-pyridinylamino)ethyl]amino, 2-(dimethylamino)ethyl]amino, 4-

pyridinylamino , 4-(aminocarbonyl)phenyl]amino, 3-hydroxy-3-methyl-1-butyn-1-yl, 4-pyridinylethynyl, phenylethynyl, 2-furanyl, 3-thienyl, 1H-pyrazol-4-yl, 1H-indazol-5-yl, 1H-indazol-6-yl, 3-methyl-1H-indazol-5-yl, 1H-1,2,3-benzotriazol-5-yl, 2-oxo-2,3-dihydro-1H-benzimidazol-5-yl, 2-oxo-2,3-dihydro-1H-indol-5-yl, 2-oxo-2,3-dihydro-1H-indol-6-yl, 2,1,3-benzoxadiazol-5-yl, 2-amino-6-quinazolinyl, 2,4-dioxo-1,2,3,4-tetrahydro-5-pyrimidinyl, 2-amino-5-pyrimidinyl, 7-oxo-1,5,6,7-tetrahydro-1,8-naphthyridin-3-yl, phenyl, 2-methylphenyl, 2-nitrophenyl, 2-phenylethyl, 3-aminophenyl, 4-aminophenyl, 4-chlorophenyl, 4-fluorophenyl, 4-(methyloxy)phenyl, 3-(acetylamino)phenyl, 4-(acetylamino)phenyl, 4-(aminocarbonyl)phenyl, 4-(1H-pyrazol-4-yl)phenyl, 4-(aminosulfonyl)phenyl, 4-(methylsulfonyl)phenyl, 4-[(dimethylamino)sulfonyl]phenyl, 4-[(methylamino)carbonyl]phenyl, 4-[(methylamino)sulfonyl]phenyl, 4-[(methylsulfonyl)amino]phenyl, 3-pyridinyl, 4-pyridinyl, 2-(4-morpholinyl)-4-pyridinyl, 2-amino-4-pyridinyl, 5-(methyloxy)-3-pyridinyl, 5-(methylsulfonyl)-3-pyridinyl, 5-[(cyclopropylsulfonyl)amino]-6-(methyloxy)-3-pyridinyl, 5-[(phenylsulfonyl)amino]-3-pyridinyl, 6-(4-methyl-1-piperazinyl)-3-pyridinyl, 6-(4-morpholinyl)-3-pyridinyl, 6-(acetylamino)-3-pyridinyl, 6-(dimethylamino)-3-pyridinyl, 6-(methyloxy)-3-pyridinyl, 6-[(methylamino)carbonyl]-3-pyridinyl, 6-[(methylamino)sulfonyl]-3-pyridinyl, 6-methyl-3-pyridinyl, 4-pyridinyloxy;

or a salt thereof.

5. A compound of formula (I) according to claim 1 or 2 wherein:

X is $(C_1\text{-}C_8)$alkyl or $(C_3\text{-}C_8)$cycloalkyl;

Y is H;

Z is $(C_1\text{-}C_3)$alkyl;

R^1 is $(C_3\text{-}C_8)$alkyl, $(C_3\text{-}C_8)$cycloalkyl, or heterocycloalkyl;

R_2 is hydrogen, $(C_1\text{-}C_3)$alkyl, or halo, in which said $(C_1\text{-}C_3)$alkyl maybe substituted with one to two groups selected from: amino, and $(C_1\text{-}C_3)$alkylamino;

R^7 is hydrogen, $(C_1\text{-}C_3)$alkyl, or alkoxy;

R^3 is hydrogen, $(C_1\text{-}C_3)$alkyl or halo;

R^6 is selected from the group consisting of hydrogen, halo, cyano, trifluoromethyl, amino, $(C_1\text{-}C_8)$alkyl, $(C_3\text{-}C_8)$cycloalkyl, aryl, heteroaryl, acylamino, $(C_2\text{-}C_8)$alkynyl, arylalkynyl, heteroarylalkynyl, $-SO_2R^a$; $-SO_2NR^aR^b$, and $-NR^aSO_2R^b$;

wherein any $(C_1\text{-}C_8)$alkyl, $(C_3\text{-}C_8)$cycloalkyl, $(C_2\text{-}C_8)$alkynyl, arylalkynyl, heteroarylalkynyl group is optionally substituted by 1, 2 or 3 groups independently selected from $-O(C_1\text{-}C_6)$alkyl$(R^c)_{1\text{-}2}$, $-S(C_1\text{-}C_6)$alkyl$(R^c)_{1\text{-}2}$, $-(C_1\text{-}C_6)$alkyl$(R^c)_{1\text{-}2}$, $(C_1\text{-}C_8)$alkyl-heterocycloalkyl, $(C_3\text{-}C_8)$cycloalkyl-heterocycloalkyl, halo, $(C_1\text{-}C_6)$alkyl, $(C_3\text{-}C_8)$cycloalkyl, $(C_5\text{-}C_8)$cycloalkenyl, $(C_1\text{-}C_6)$haloalkyl, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, –

$NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-OR^a$, $-OC(O)R^a$, $-OC(O)NR^aR^b$, heterocycloalkyl, aryl, heteroaryl, aryl(C_1-C_4)alkyl, and heteroaryl(C_1-C_4)alkyl;

R^a and R^b are each independently hydrogen, (C_1-C_8)alkyl, (C_2-C_8)alkenyl, (C_2-C_8)alkynyl, (C_3-C_8)cycloalkyl, (C_5-C_8)cycloalkenyl, (C_6-C_{10})bicycloalkyl, heterocycloalkyl, aryl, heteroaryl, wherein said (C_1-C_8)alkyl, (C_2-C_8)alkenyl, (C_2-C_8)alkynyl, cycloalkyl, cycloalkenyl, bicycloalkyl, heterocycloalkyl ,aryl or heteroaryl group is optionally substituted by 1, 2 or 3 groups independently selected from halo, hydroxyl, (C_1-C_4)alkoxy, amino, (C_1-C_4)alkylamino, ((C_1-C_4)alkyl)((C_1-C_4)alkyl)amino, $-CO_2H$, $-CO_2$(C_1-C_4)alkyl, $-CONH_2$, $-CONH$(C_1-C_4)alkyl, $-CON$((C_1-C_4)alkyl)((C_1-C_4)alkyl), $-SO_2$(C_1-C_4)alkyl, $-SO_2NH_2$,$-SO_2NH$(C_1-C_4)alkyl, and $-SO_2N$((C_1-C_4)alkyl)((C_1-C_4)alkyl);

each R^c is independently (C_1-C_4)alkylamino, $-NR^aSO_2R^b$, $-SOR^a$, $-SO_2R^a$, $-NR^aC(O)OR^a$, $-NR^aR^b$, or $-CO_2R^a$;

or a pharmaceutically acceptable salt thereof.

6. A compound according to any preceding claim wherein R^6 is selected from the group consisting of: halo, cyano, trifluoromethyl, amino, (C_1-C_8)alkyl, (C_3-C_8)cycloalkyl, acylamino, (C_2-C_8)alkynyl, arylalkynyl, heteroarylalkynyl, $-SO_2R^a$; $-SO_2NR^aR^b$, and $-NR^aSO_2R^b$; or a pharmaceutically acceptable salt thereof.

7. A compound according to any preceding claim wherein R^6 is aryl or heteroaryl, wherein said aryl or heteroaryl is optionally substituted by 1, 2 or 3 groups independently selected from $-O$(C_1-C_6)alkyl(R^c)$_{1-2}$, $-S$(C_1-C_6)alkyl(R^c)$_{1-2}$, $-$(C_1-C_6)alkyl(R^c)$_{1-2}$, (C_1-C_8)alkyl-heterocycloalkyl, (C_3-C_8)cycloalkyl-heterocycloalkyl, halo, (C_1-C_6)alkyl, (C_3-C_8)cycloalkyl, (C_5-C_8)cycloalkenyl, (C_1-C_6)haloalkyl, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-OR^a$, $-OC(O)R^a$, $-OC(O)NR^aR^b$, heterocycloalkyl, aryl, heteroaryl, aryl(C_1-C_4)alkyl, and heteroaryl(C_1-C_4)alkyl;

R^a and R^b are each independently hydrogen, (C_1-C_8)alkyl, (C_2-C_8)alkenyl, (C_2-C_8)alkynyl, (C_3-C_8)cycloalkyl, (C_5-C_8)cycloalkenyl, (C_6-C_{10})bicycloalkyl, heterocycloalkyl, aryl, heteroaryl, wherein said (C_1-C_8)alkyl, (C_2-C_8)alkenyl, (C_2-C_8)alkynyl, cycloalkyl, cycloalkenyl, bicycloalkyl, heterocycloalkyl ,aryl or heteroaryl group is optionally substituted by 1, 2 or 3 groups independently selected from halo, hydroxyl, (C_1-C_4)alkoxy, amino, (C_1-C_4)alkylamino, ((C_1-C_4)alkyl)((C_1-C_4)alkyl)amino, $-CO_2H$, $-CO_2$(C_1-C_4)alkyl, $-CONH_2$, $-CONH$(C_1-C_4)alkyl, $-CON$((C_1-C_4)alkyl)((C_1-C_4)alkyl), $-SO_2$(C_1-C_4)alkyl, $-SO_2NH_2$,$-SO_2NH$(C_1-C_4)alkyl, and $-SO_2N$((C_1-C_4)alkyl)((C_1-C_4)alkyl);

each R^c is independently (C_1-C_4)alkylamino, $-NR^aSO_2R^b$, $-SOR^a$, $-SO_2R^a$, $-NR^aC(O)OR^a$, $-NR^aR^b$, or $-CO_2R^a$;

or a pharmaceutically acceptable salt thereof.

8. A compound according to any preceding claim which is:

6-Bromo-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4,6-Dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

N-[(4,6-Dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-phenyl-1H-indole-4-carboxamide;

N-[(4,6-Dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-(2-oxo-2,3-dihydro-1*H*-benzimidazol-5-yl)-1*H*-indole-4-carboxamide;

1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-[2-(4-methyl-1-piperazinyl)-4-pyridinyl]-1*H*-indole-4-carboxamide;

1-(1-Methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(2-oxo-2,3-dihydro-1*H*-benzimidazol-5-yl)-1*H*-indole-4-carboxamide;

6-Bromo-1-cyclopentyl-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

1-(1-Methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(3-pyridinyl)-1*H*-indole-4-carboxamide;

6-Bromo-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

1-(1-Methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-phenyl-1*H*-indole-4-carboxamide;

6-Bromo-*N*-[(4-cyclopropyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-Bromo-1-(1-methylethyl)-*N*-{[6-methyl-4-(1-methylethyl)-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-1*H*-indole-4-carboxamide;

6-Bromo-*N*-[(4-cyclobutyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-Bromo-1-(1-methylethyl)-*N*-[(4-methyl-2-oxo-6-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

6-Bromo-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-phenyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(6-(2-oxopyrrolidin-1-yl)pyridin-3-yl)-1H-indole-4-carboxamide;

1-isopropyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(2-methylpyridin-3-yl)-

1H-indole-4-carboxamide;
1-isopropyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(2-methylpyrimidin-5-yl)-1H-indole-4-carboxamide;
1-isopropyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(6-methylpyridin-3-yl)-1H-indole-4-carboxamide;
N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(4-((dimethylamino)methyl)phenyl)-1-isopropyl-3-methyl-1H-indole-4-carboxamide;
N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(6-methoxypyridin-3-yl)-3-methyl-1H-indole-4-carboxamide;
N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(6-morpholinopyridin-3-yl)-1H-indole-4-carboxamide;
N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(4-(4-methylpiperazin-1-yl)phenyl)-1H-indole-4-carboxamide;
N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(3-((methylsulfonyl)methyl)phenyl)-1H-indole-4-carboxamide;
N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(2-methylpyrimidin-5-yl)-1H-indole-4-carboxamide;
6-(2-aminopyrimidin-5-yl)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-1H-indole-4-carboxamide;
6-(6-aminopyridin-3-yl)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-1H-indole-4-carboxamide;
N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(6-(dimethylamino)pyridin-3-yl)-1-isopropyl-3-methyl-1H-indole-4-carboxamide;
N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(6-(pyrrolidin-1-yl)pyridin-3-yl)-1H-indole-4-carboxamide;
N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(4-fluorophenyl)-1-isopropyl-3-methyl-1H-indole-4-carboxamide;
N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(4-(4-isopropylpiperazin-1-yl)phenyl)-3-methyl-1H-indole-4-carboxamide;
N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(1H-indazol-6-yl)-1-isopropyl-3-methyl-1H-indole-4-carboxamide;
6-bromo-N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;
N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;
6-{3-[(dimethylamino)methyl]phenyl}-N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-

3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;
6-{4-[(dimethylamino)methyl]phenyl}-N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;
N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(methyloxy)-3-pyridinyl]-1H-indole-4-carboxamide;
N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(2-methyl-5-pyrimidinyl)-1H-indole-4-carboxamide;
6-(6-amino-3-pyridinyl)-N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;
6-[6-(dimethylamino)-3-pyridinyl]-N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;
N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(6-methyl-3-pyridinyl)-1H-indole-4-carboxamide;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(1H-pyrazol-3-yl)-1H-indole-4-carboxamide;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(1-methyl-1H-pyrazol-4-yl)-1H-indole-4-carboxamide;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(1H-pyrazol-4-yl)-1H-indole-4-carboxamide;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[1-(2-pyridinylmethyl)-1H-pyrazol-4-yl]-1H-indole-4-carboxamide;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(1H-pyrrolo[2,3-b]pyridin-5-yl)-1H-indole-4-carboxamide;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[1-(2-thienylmethyl)-1H-pyrazol-4-yl]-1H-indole-4-carboxamide;
N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(3-(methylsulfonamidomethyl)phenyl)-1H-indole-4-carboxamide;
N-((4-benzyl-6-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-bromo-1-isopropyl-3-methyl-1H-indole-4-carboxamide;
6-(6-acetamidopyridin-3-yl)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-1H-indole-4-carboxamide;
6-(6-acetamidopyridin-3-yl)-1-isopropyl-3-methyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-1H-indole-4-carboxamide;
1-isopropyl-3-methyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(1-(2-morpholinoethyl)-1H-pyrazol-4-yl)-1H-indole-4-carboxamide;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(3-pyridinyl)-

1*H*-indole-4-carboxamide;

6-bromo-3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(2-methyl-3-pyridinyl)-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-[5-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(6-methyl-3-pyridinyl)-1*H*-indole-4-carboxamide;

6-{4-[(dimethylamino)methyl]phenyl}-3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-(3-pyridinyl)-1H-indole-4-carboxamide;

6-bromo-1-cyclopentyl-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1H-indole-4-carboxamide;

1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;

6-bromo-1-cyclobutyl-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1H-indole-4-carboxamide;

1-cyclobutyl-6-{4-[(dimethylamino)methyl]phenyl}-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1H-indole-4-carboxamide;

1-cyclopropyl-6-{4-[(dimethylamino)methyl]phenyl}-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1H-indole-4-carboxamide;

1-cyclopropyl-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-[6-(methyloxy)-3-pyridinyl]-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[3-(methylsulfonyl)phenyl]-1H-indole-4-carboxamide;

6-bromo-1-cyclopentyl-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1H-indole-4-carboxamide;

1-cyclopentyl-6-{4-[(dimethylamino)methyl]phenyl}-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-

pyridinyl)methyl]-3-methyl-1H-indole-4-carboxamide;
3-methyl-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(1-methyl-1H-pyrazol-4-yl)-1H-indole-4-carboxamide;
N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(2-(4-methylpiperazin-1-yl)pyrimidin-5-yl)-1H-indole-4-carboxamide;
6-bromo-1-(1-methylethyl)-N-[(6-methyl-2-oxo-1,2-dihydro-4,4'-bipyridin-3-yl)methyl]-1H-indole-4-carboxamide;
6-bromo-N-{[4-(ethylamino)-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-1-(1-methylethyl)-1H-indole-4-carboxamide;
N-{[4-(ethylamino)-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-1-(1-methylethyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;
6-bromo-1-(1-methylethyl)-N-{[6-methyl-2-oxo-4-(1-pyrrolidinyl)-1,2-dihydro-3-pyridinyl]methyl}-1H-indole-4-carboxamide;
1-(1-methylethyl)-N-{[6-methyl-2-oxo-4-(phenylamino)-1,2-dihydro-3-pyridinyl]methyl}-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;
6-bromo-N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1H-indole-4-carboxamide;
6-{4-[(dimethylamino)methyl]phenyl}-N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1H-indole-4-carboxamide;
N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;
N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-[6-(methyloxy)-3-pyridinyl]-1H-indole-4-carboxamide;
6-[6-(acetylamino)-3-pyridinyl]-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1H-indole-4-carboxamide;
6-(4-fluorophenyl)-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1H-indole-4-carboxamide;
6-[4-(acetylamino)phenyl]-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1H-indole-4-carboxamide;
methyl 4-[4-({[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-3-methyl-1-(1-methylethyl)-1H-indol-6-yl]benzoate;
methyl 5-[3-methyl-1-(1-methylethyl)-4-({[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-1H-indol-6-yl]-2-pyridinecarboxylate;
methyl 3-[3-methyl-1-(1-methylethyl)-4-({[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-1H-indol-6-yl]benzoate;
6-bromo-N-((6-ethyl-4-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-1H-indole-4-

carboxamide;
N-((6-benzyl-4-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-bromo-1-isopropyl-1H-indole-4-carboxamide;
6-bromo-N-((6-cyclobutyl-4-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-1H-indole-4-carboxamide;
6-bromo-1-(1-methylethyl)-N-({6-methyl-4-[(methyloxy)methyl]-2-oxo-1,2-dihydro-3-pyridinyl}methyl)-1H-indole-4-carboxamide;
1-(1-methylethyl)-N-({6-methyl-4-[(methyloxy)methyl]-2-oxo-1,2-dihydro-3-pyridinyl}methyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;
1-(1-methylethyl)-N-({6-methyl-4-[(methyloxy)methyl]-2-oxo-1,2-dihydro-3-pyridinyl}methyl)-6-[2-(4-methyl-1-piperazinyl)-4-pyridinyl]-1H-indole-4-carboxamide;
1-(1-methylethyl)-N-({6-methyl-4-[(methyloxy)methyl]-2-oxo-1,2-dihydro-3-pyridinyl}methyl)-6-(3-pyridinyl)-1H-indole-4-carboxamide;
1-(1-methylethyl)-N-({6-methyl-4-[(methyloxy)methyl]-2-oxo-1,2-dihydro-3-pyridinyl}methyl)-6-[6-(4-morpholinyl)-3-pyridinyl]-1H-indole-4-carboxamide;
6-bromo-1-cyclopropyl-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1H-indole-4-carboxamide;
1-cyclopropyl-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;
1-cyclopropyl-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(3-pyridinyl)-1H-indole-4-carboxamide;
N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(4-(piperazin-1-yl)phenyl)-1H-indole-4-carboxamide;
N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;
1-isopropyl-3-methyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(2-(piperazin-1-yl)pyridin-4-yl)-1H-indole-4-carboxamide;
N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(2-(piperazin-1-yl)pyridin-4-yl)-1H-indole-4-carboxamide;
1-cyclopropyl-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-[6-(1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;
methyl 4-[4-({[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-3-methyl-1-(1-methylethyl)-1H-indol-6-yl]benzoate;
methyl 3-[3-methyl-1-(1-methylethyl)-4-({[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-1H-indol-6-yl]benzoate;
methyl 5-[3-methyl-1-(1-methylethyl)-4-({[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-

pyridinyl)methyl]amino}carbonyl)-1H-indol-6-yl]-2-pyridinecarboxylate;
1-isopropyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(methylsulfonyl)-1H-indole-4-carboxamide;
N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(methylsulfonyl)-1H-indole-4-carboxamide;
N-((4-ethyl-6-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(methylsulfonyl)-1H-indole-4-carboxamide;
N-((4-benzyl-6-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(methylsulfonyl)-1H-indole-4-carboxamide;
1-isopropyl-3-methyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(methylsulfonyl)-1H-indole-4-carboxamide;
3-({2-[6-(cyclopropylsulfonyl)-3-methyl-1-(1-methylethyl)-1*H*-indol-4-yl]-2-oxoethyl}amino)-4,6-dimethyl-2(1*H*)-pyridinone;
3-({2-[6-(cyclopropylsulfonyl)-3-methyl-1-(1-methylethyl)-1*H*-indol-4-yl]-2-oxoethyl}amino)-4,6-dimethyl-2(1*H*)-pyridinone;
3-methyl-1-(1-methylethyl)-N-{[6-methyl-2-oxo-4-(phenylmethyl)-1,2-dihydro-3-pyridinyl]methyl}-6-(methyloxy)-1H-indole-4-carboxamide;
N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(methyloxy)-1H-indole-4-carboxamide;
3-methyl-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(methyloxy)-1H-indole-4-carboxamide;
6-bromo-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-(methyloxy)-1H-indole-4-carboxamide;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(methyloxy)-1H-indole-4-carboxamide;
6-chloro-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;
6-{3-[(dimethylamino)methyl]phenyl}-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;
6-bromo-3-methyl-1-(1-methylethyl)-N-{[6-methyl-4-(4-morpholinylmethyl)-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-1H-indole-4-carboxamide;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-iodo-1-(1-methylethyl)-1H-indole-4-carboxamide;
6-iodo-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1H-indole-

4-carboxamide;

6-bromo-1-ethyl-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

6-bromo-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1-propyl-1*H*-indole-4-carboxamide;

3-({2-[6-chloro-1-(1-methylethyl)-1*H*-indol-4-yl]-2-oxoethyl}amino)-4,6-dimethyl-2(1*H*)-pyridinone;

3-({2-[6-chloro-1-(1-methylethyl)-1*H*-indol-4-yl]-2-oxoethyl}amino)-6-methyl-4-propyl-2(1*H*)-pyridinone;

3-({2-[6-chloro-3-methyl-1-(1-methylethyl)-1*H*-indol-4-yl]-2-oxoethyl}amino)-6-methyl-4-propyl-2(1*H*)-pyridinone;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-fluoro-1-(1-methylethyl)-1H-indole-4-carboxamide;

3-({2-[6-fluoro-1-(1-methylethyl)-1*H*-indol-4-yl]-2-oxoethyl}amino)-6-methyl-4-propyl-2(1*H*)-pyridinone;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(1H-tetrazol-5-yl)-1H-indole-4-carboxamide;

1-isopropyl-3-methyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(2H-tetrazol-5-yl)-1H-indole-4-carboxamide;

6-cyano-3-methyl-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1H-indole-4-carboxamide;

6-bromo-3-chloro-1-isopropyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-1H-indole-4-carboxamide;

6-bromo-3-chloro-1-(1-methylethyl)-N-({6-methyl-4-[(methyloxy)methyl]-2-oxo-1,2-dihydro-3-pyridinyl}methyl)-1H-indole-4-carboxamide;

6-bromo-3-chloro-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1H-indole-4-carboxamide;

3-chloro-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(4-(morpholinomethyl)phenyl)-1H-indole-4-carboxamide;

3-chloro-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(3-fluoro-4-(morpholinomethyl)phenyl)-1-isopropyl-1H-indole-4-carboxamide;

6-(4-((1H-pyrazol-1-yl)methyl)phenyl)-3-chloro-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-1H-indole-4-carboxamide;

3-chloro-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(2-fluorophenyl)-1-isopropyl-1H-indole-4-carboxamide;

3-chloro-6-{4-[(dimethylamino)methyl]phenyl}-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-

pyridinyl)methyl]-1-(1-methylethyl)-1H-indole-4-carboxamide;
3-chloro-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-[6-(methyloxy)-3-pyridinyl]-1H-indole-4-carboxamide;
3-chloro-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-(3-pyridinyl)-1H-indole-4-carboxamide;
3-chloro-6-{4-[(dimethylamino)methyl]phenyl}-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1H-indole-4-carboxamide;
3-chloro-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(methyloxy)-3-pyridinyl]-1H-indole-4-carboxamide;
3-chloro-6-{4-[(dimethylamino)methyl]phenyl}-1-(1-methylethyl)-N-({6-methyl-4-[(methyloxy)methyl]-2-oxo-1,2-dihydro-3-pyridinyl}methyl)-1H-indole-4-carboxamide;
3-chloro-1-(1-methylethyl)-N-({6-methyl-4-[(methyloxy)methyl]-2-oxo-1,2-dihydro-3-pyridinyl}methyl)-6-[6-(methyloxy)-3-pyridinyl]-1H-indole-4-carboxamide;
3-chloro-1-isopropyl-N-((4-(methoxymethyl)-6-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(pyridin-3-yl)-1H-indole-4-carboxamide;
3-chloro-1-isopropyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-1H-indole-4-carboxamide;
3-chloro-N-((4-ethyl-6-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-1H-indole-4-carboxamide;
3-chloro-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-1H-indole-4-carboxamide;
3-chloro-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(4-(trifluoromethyl)phenyl)-1H-indole-4-carboxamide;
3-chloro-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(6-(trifluoromethyl)pyridin-3-yl)-1H-indole-4-carboxamide;
3-chloro-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(3-fluorophenyl)-1-isopropyl-1H-indole-4-carboxamide;
3-chloro-6-(3,5-difluorophenyl)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-1H-indole-4-carboxamide;
3-chloro-6-(3,4-difluorophenyl)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-1H-indole-4-carboxamide;
3-chloro-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(4-fluoro-3-hydroxyphenyl)-1-isopropyl-1H-indole-4-carboxamide;
3-chloro-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(4-fluoro-3-methoxyphenyl)-1-isopropyl-1H-indole-4-carboxamide;
3-chloro-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(4-methoxyphenyl)-

1H-indole-4-carboxamide;
3-chloro-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(3-methoxyphenyl)-1H-indole-4-carboxamide;
3-chloro-6-(3-cyano-4-fluorophenyl)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-1H-indole-4-carboxamide;
3-chloro-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-phenyl-1H-indole-4-carboxamide;
3-chloro-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(4-fluorophenyl)-1-isopropyl-1H-indole-4-carboxamide;
3-chloro-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(3-fluoro-4-morpholinophenyl)-1-isopropyl-1H-indole-4-carboxamide;
3-chloro-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(6-fluoropyridin-3-yl)-1-isopropyl-1H-indole-4-carboxamide;
3-chloro-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-(1H-pyrrolo[2,3-b]pyridin-5-yl)-1H-indole-4-carboxamide;
3-chloro-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(1-methyl-1H-pyrazol-4-yl)-1H-indole-4-carboxamide;
6-bromo-1-cyclopropyl-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1H-indole-4-carboxamide;
6-bromo-3-chloro-1-cyclopentyl-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1H-indole-4-carboxamide;
6-cyano-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-1H-indole-4-carboxamide;
3-methyl-1-(1-methylethyl)-N-{[6-methyl-4-(1-methylethyl)-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;
6-(4-{[2-(dimethylamino)ethyl]oxy}phenyl)-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;
6-bromo-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-fluoro-1-(1-methylethyl)-1H-indole-4-carboxamide;
6-bromo-3-fluoro-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1H-indole-4-carboxamide;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-fluoro-1-(1-methylethyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;
3-bromo-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;

3-fluoro-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(4-pyridazinyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(6-phenyl-3-pyridinyl)-1H-indole-4-carboxamide;

6-[3-(aminomethyl)phenyl]-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[5-(4-morpholinylcarbonyl)-3-pyridinyl]-1H-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-N-{[6-methyl-4-(1-methylethyl)-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-6-[6-(1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-(6-formyl-3-pyridinyl)-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(4-cyclopropyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1-(1-methylpropyl)-1H-indole-4-carboxamide;

6-(4-(2-(dimethylamino)ethyl)phenyl)-1-isopropyl-3-methyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-1H-indole-4-carboxamide;

3,6-dibromo-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-{[(1,1-dimethylethyl)oxy]carbonyl}-4-[4-({[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-3-methyl-1-(1-methylethyl)-1H-indol-6-yl]-L-phenylalanine;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(1H-imidazol-1-ylmethyl)-3-pyridinyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(5,6,7,8-tetrahydro-1,6-naphthyridin-3-yl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[2-(4-methyl-1-piperazinyl)-1,3-thiazol-5-yl]-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-{6-[(9aS)-hexahydropyrazino[2,1-c][1,4]oxazin-8(1H)-yl]-3-pyridinyl}-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(5,6,7,8-tetrahydro-1,8-naphthyridin-3-yl)-1H-indole-4-carboxamide;

6-[6-(4-ethyl-1-piperazinyl)-3-pyridinyl]-3-methyl-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1-(1-methylpropyl)-1H-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-6-{6-[4-(1-methylethyl)-1-piperazinyl]-3-pyridinyl}-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(4-morpholinylmethyl)-2-pyridinyl]-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(4-morpholinyl)-2-pyridinyl]-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(6-methyl-2-pyridinyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[2-(4-morpholinyl)-4-pyrimidinyl]-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(2-pyrimidinyl)-1H-indole-4-carboxamide;

6-{6-[(dimethylamino)methyl]-2-pyridinyl}-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

6-(6-amino-2-pyridinyl)-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

6-[2-amino-6-(4-morpholinyl)-4-pyrimidinyl]-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-[2-(methylamino)-4-pyrimidinyl]-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(4-pyrimidinyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-[2-(ethylamino)-4-pyrimidinyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

6-(2-amino-4-pyrimidinyl)-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

6-(1H-benzimidazol-5-yl)-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

6-(3-amino-1H-indazol-6-yl)-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(1-methyl-1H-indazol-6-yl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(5-methyl-1H-indazol-6-yl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(4-ethyl-1-piperazinyl)-3-pyridinyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-{6-[4-(1-methylethyl)-1-piperazinyl]-3-pyridinyl}-1H-indole-4-carboxamide;

6-chloro-3-methyl-1-(1-methylethyl)-N-{[6-methyl-4-(1-methylpropyl)-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-1H-indole-4-carboxamide;

6-bromo-3-methyl-1-(1-methylethyl)-N-{[6-methyl-4-(1-methylpropyl)-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-1H-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-N-{[6-methyl-4-(1-methylpropyl)-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;

6-(6-chloro-3-pyridinyl)-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(1H-imidazol-1-yl)-3-pyridinyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

6-[6-(4-cyclopropyl-1-piperazinyl)-3-pyridinyl]-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

6-bromo-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylpropyl)-1H-indole-4-carboxamide;

6-{6-[2-(dimethylamino)ethyl]-3-pyridinyl}-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

6-{3-[(dimethylamino)methyl]phenyl}-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylpropyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1-(1-methylpropyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-{6-[(3R,5S)-3,5-dimethyl-1-piperazinyl]-3-pyridinyl}-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

6-{6-[3-(dimethylamino)-1-pyrrolidinyl]-3-pyridinyl}-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylpropyl)-6-[6-(1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(4-methylhexahydro-1H-1,4-diazepin-1-yl)-3-pyridinyl]-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(4-piperidinyl)-3-pyridinyl]-1H-indole-4-carboxamide;

6-bromo-1-isopropyl-N-((6-methyl-2-oxo-4-((6-(trifluoromethyl)pyridin-2-yl)methyl)-1,2-dihydropyridin-3-yl)methyl)-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(pyridazin-4-yl)-1H-indole-4-carboxamide;

N-[(6-amino-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-chloro-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(6-amino-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-bromo-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

6-bromo-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-[(3R)-tetrahydro-3-furanyl]-1H-indole-4-carboxamide;

6-bromo-3-methyl-1-(1-methylethyl)-N-{[6-methyl-2-oxo-4-(1H-pyrazol-1-ylmethyl)-1,2-dihydro-3-pyridinyl]methyl}-1H-indole-4-carboxamide;

6-bromo-1-(1-methylethyl)-N-{[6-methyl-2-oxo-4-(1H-pyrazol-1-ylmethyl)-1,2-dihydro-3-pyridinyl]methyl}-1H-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(3-pyridinyl)-1H-indole-4-carboxamide;

6-[(aminocarbonyl)amino]-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

1-cyclopentyl-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylpropyl)-6-[6-(1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylpropyl)-6-[6-(1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;

1-cyclopentyl-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-[6-(1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;

6-bromo-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-[(1R)-1-methyl-2-(methyloxy)ethyl]-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-[(1S)-1-methyl-2-(methyloxy)ethyl]-6-[6-(1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-[(1S)-1-methyl-2-(methyloxy)ethyl]-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;

6-bromo-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-[(1S)-1-methyl-2-(methyloxy)ethyl]-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-{6-[(methylamino)methyl]-3-pyridinyl}-1-(1-methylethyl)-1H-indole-4-carboxamide;

6-[6-(2,6-dimethyl-4-morpholinyl)-3-pyridinyl]-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(2-methyl-4-morpholinyl)-3-pyridinyl]-1H-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(7-oxo-5,6,7,8-tetrahydro-1,8-naphthyridin-3-yl)-1H-indole-4-carboxamide;

N-[(6-amino-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1-(1-methylpropyl)-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(pyridazin-4-yl)-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-fluoro-1-isopropyl-6-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-1H-indole-4-carboxamide;

(R)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-6-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-1-(tetrahydrofuran-3-yl)-1H-indole-4-carboxamide;

(S)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-(1-methoxypropan-2-yl)-3-methyl-6-(6-(piperazin-1-yl)pyridin-3-yl)-1H-indole-4-carboxamide;

6-bromo-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-(1-(dimethylamino)propan-2-yl)-3-methyl-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(1H-pyrazolo[3,4-b]pyridin-5-yl)-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-(2-(dimethylamino)propyl)-3-methyl-6-(6-(piperazin-1-yl)pyridin-3-yl)-1H-indole-4-carboxamide;

6-bromo-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-1-(pentan-2-yl)-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(2-methoxypyrimidin-4-yl)-3-methyl-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(1H-pyrazolo[4,3-c]pyridin-6-yl)-1H-indole-4-carboxamide;

6-methyl-3-({2-[3-methyl-1-(1-methylethyl)-6-(1,2,3,6-tetrahydro-4-pyridinyl)-1*H*-indol-4-yl]-2-oxoethyl}amino)-4-propyl-2(1*H*)-pyridinone;

6-(1H-benzo[d]imidazol-2-yl)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-(2-(dimethylamino)propyl)-3-methyl-6-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(2-methylpyrimidin-4-yl)-1H-indole-4-carboxamide;

6-bromo-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-1-(tetrahydro-2H-pyran-4-yl)-1H-indole-4-carboxamide;

6-bromo-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-(2-(dimethylamino)propyl)-3-methyl-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;

6-bromo-1-(sec-butyl)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-1H-indole-4-carboxamide;

(R)-6-Bromo-1-(sec-butyl)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-1H-indole-4-carboxamide; and (S)-6-bromo-1-(sec-butyl)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-1H-indole-4-carboxamide;

1-(sec-butyl)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-6-(6-(piperazin-1-yl)pyridin-3-yl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-[(1*S*)-1-methylpropyl]-6-[6-(1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-[(1R)-1-methylpropyl]-6-[6-(1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;

1-(sec-Butyl)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(3-((dimethylamino)methyl)phenyl)-3-methyl-1H-indole-4-carboxamide;

6-{3-[(Dimethylamino)methyl]phenyl}-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-[(1*S*)-1-methylpropyl]-1*H*-indole-4-carboxamide;

6-{3-[(dimethylamino)methyl]phenyl}-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-[(1*R*)-1-methylpropyl]-1*H*-indole-4-carboxamide;

1-cyclopentyl-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-6-(6-(piperazin-1-yl)pyridin-3-yl)-1H-indole-4-carboxamide;

1-isopropyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(6-(piperazin-1-yl)pyridin-3-yl)-1H-indole-4-carboxamide;

1-isopropyl-3-methyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(4-(2-oxopiperazin-1-yl)phenyl)-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(6-(piperazin-1-yl)pyridin-3-yl)-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(1-(piperidin-4-yl)-1H-pyrazol-4-yl)-1H-indole-4-carboxamide;

6-methyl-3-[(2-{3-methyl-1-(1-methylethyl)-6-[6-(1-piperazinyl)-3-pyridinyl]-1*H*-indol-4-yl}-2-oxoethyl)amino]-4-propyl-2(1*H*)-pyridinone;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(2-(piperazin-1-

yl)pyrimidin-5-yl)-1H-indole-4-carboxamide;
3-methyl-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(1H-pyrazol-4-yl)-1H-indole-4-carboxamide;
N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(5-(piperazin-1-yl)pyridin-3-yl)-1H-indole-4-carboxamide;
4-[4-({[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-3-methyl-1-(1-methylethyl)-1H-indol-6-yl]-L-phenylalanine;
6-[6-(aminomethyl)-3-pyridinyl]-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(3-methyl-1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;
4-[4-({[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-3-methyl-1-(1-methylethyl)-1H-indol-6-yl]benzoic acid;
3-[3-methyl-1-(1-methylethyl)-4-({[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-1H-indol-6-yl]benzoic acid;
5-[3-methyl-1-(1-methylethyl)-4-({[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-1H-indol-6-yl]-2-pyridinecarboxylic acid;
N-[(4,6-Dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1H-indole-4-carboxamide;
N-((4-benzyl-6-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-1H-indole-4-carboxamide;
N-((4-benzyl-6-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-1H-indole-4-carboxamide;
1-cyclopentyl-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-1H-indole-4-carboxamide;
6-methyl-3-({2-[3-methyl-1-(1-methylethyl)-6-(4-piperidinyl)-1*H*-indol-4-yl]-2-oxoethyl}amino)-4-propyl-2(1*H*)-pyridinone;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(2-piperidinyl)-3-pyridinyl]-1H-indole-4-carboxamide;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;
1-cyclopropyl-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-(methylsulfonyl)-1H-indole-4-carboxamide;
1-cyclopentyl-6-(cyclopropylsulfonyl)-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1H-indole-4-carboxamide;
1-cyclopentyl-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-(methylsulfonyl)-

1H-indole-4-carboxamide;

3-({2-[6-(cyclopropylsulfonyl)-3-methyl-1-(1-methylethyl)-1*H*-indol-4-yl]-2-oxoethyl}amino)-4,6-dimethyl-2(1*H*)-pyridinone;

3-({2-[6-(cyclopropylsulfonyl)-3-methyl-1-(1-methylethyl)-1*H*-indol-4-yl]-2-oxoethyl}amino)-4,6-dimethyl-2(1*H*)-pyridinone;

1-cyclopentyl-6-(cyclopropylsulfonyl)-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1H-indole-4-carboxamide;

1-cyclopentyl-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-(methylsulfonyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-(trifluoromethyl)-1H-indole-4-carboxamide;

1-Isopropyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(trifluoromethyl)-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(4-((dimethylamino)methyl)piperidin-1-yl)-1-isopropyl-3-methyl-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(3-((dimethylamino)methyl)pyrrolidin-1-yl)-1-isopropyl-3-methyl-1H-indole-4-carboxamide;

1-cyclopentyl-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(pyrrolidin-1-yl)-1H-indole-4-carboxamide;

6-(1,1-dioxidothiomorpholino)-1-isopropyl-3-methyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(pyridin-3-ylamino)-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(4-(4-fluorophenyl)piperidin-1-yl)-1-isopropyl-3-methyl-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(4-(4-methylpiperazin-1-yl)piperidin-1-yl)-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(4-(1-methylpiperidin-4-yl)piperazin-1-yl)-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(4-fluoropiperidin-1-yl)-1-isopropyl-3-methyl-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(4-(3-fluorophenyl)piperidin-1-yl)-1-isopropyl-3-methyl-1H-indole-4-carboxamide;

N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(4-morpholinyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(4-

morpholinyl)-1H-indole-4-carboxamide;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-{[3-methyl-1-(1-methylethyl)-1H-pyrazol-5-yl]amino}-1H-indole-4-carboxamide;
6-(2-dimethylamino-ethoxy)-1-isopropyl-1H-indole-4-carboxylic acid (6-methyl-2-oxo-4-propyl-1, 2-dihydro-pyridin-3-ylmethyl)-amide;
1-isopropyl-6-[2-(4-methyl-piperazin-1-yl)-ethoxy]-1H-indole-4-carboxylic acid (6-methyl-2-oxo-4-propyl-1,2-dihydro-pyridin-3-ylmethyl)-amide;
1-isopropyl-6-(2-morpholin-4-yl-ethoxy)-1H-indole-4-carboxylic acid (6-methyl-2-oxo-4-propyl-1, 2-dihydro-pyridin-3-ylmethyl)-amide;
1-Isopropyl-6-(2-piperazin-1-yl-ethoxy)-1H-indole-4-carboxylic acid (6-methyl-2-oxo-4-propyl-1,2-dihydro-pyridin-3-ylmethyl)-amide;
N-{[4-(ethylamino)-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-1-(1-methylethyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;
6-bromo-N-{[4-(ethylamino)-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-1-(1-methylethyl)-1H-indole-4-carboxamide;
6-bromo-1-(1-methylethyl)-N-{[6-methyl-2-oxo-4-(1-pyrrolidinyl)-1,2-dihydro-3-pyridinyl]methyl}-1H-indole-4-carboxamide;
6-bromo-1-(1-methylethyl)-N-{[6-methyl-2-oxo-4-(phenylamino)-1,2-dihydro-3-pyridinyl]methyl}-1H-indole-4-carboxamide;
N-((6-amino-4-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-bromo-1-isopropyl-3-methyl-1H-indole-4-carboxamide;
N-((6-amino-4-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-chloro-1-isopropyl-3-methyl-1H-indole-4-carboxamide;
N-[(6-amino-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;
N-[(6-amino-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-{3-[(dimethylamino)methyl]phenyl}-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;
N-[(6-amino-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-bromo-3-methyl-1-(1-methylpropyl)-1H-indole-4-carboxamide;
N-[(6-amino-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-bromo-3-methyl-1-(1-methylpropyl)-1H-indole-4-carboxamide;
N-[(6-amino-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-bromo-3-methyl-1-(1-methylpropyl)-1H-indole-4-carboxamide;
N-[(6-amino-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1-(1-methylpropyl)-1H-indole-4-carboxamide;

N-((6-amino-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-bromo-1-isopropyl-3-methyl-1H-indole-4-carboxamide;

6-bromo-1-isopropyl-3-methyl-N-((4-methyl-6-(methylamino)-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-{6-[(2*R*)-2-methyl-1-piperazinyl]-3-pyridinyl}-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(3,4-dimethyl-1-piperazinyl)-3-pyridinyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(hexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)-3-pyridinyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(hexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)-3-pyridinyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(3,3-dimethyl-1-piperazinyl)-3-pyridinyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-{6-[(2S)-2-methyl-1-piperazinyl]-3-pyridinyl}-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-3-pyridinyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

6-{6-[(1S,4S)-2,5-diazabicyclo[2.2.1]hept-2-yl]-3-pyridinyl}-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

6-{6-[(1R,4R)-2,5-diazabicyclo[2.2.1]hept-2-yl]-3-pyridinyl}-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-{6-[(2S,5S)-2,5-dimethyl-1-piperazinyl]-3-pyridinyl}-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

6-[6-(3,8-diazabicyclo[3.2.1]oct-3-yl)-3-pyridinyl]-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(6-((2R,5R)-2,5-dimethylpiperazin-1-yl)pyridin-3-yl)-1-isopropyl-3-methyl-1H-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(6-(pyrrolidin-1-ylmethyl)pyridin-3-yl)-1H-indole-4-carboxamide;

6-(6-{[(2R,6S)-2,6-dimethyl-4-morpholinyl]methyl}-3-pyridinyl)-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-{6-[(4-methyl-1-piperazinyl)methyl]-3-pyridinyl}-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(4-morpholinylmethyl)-3-pyridinyl]-1H-indole-4-carboxamide;

6-Bromo-N-((6-(hydroxymethyl)-4-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-1H-indole-4-carboxamide;

N-((6-(aminomethyl)-4-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-bromo-1-isopropyl-3-methyl-1H-indole-4-carboxamide;

3-Methyl-1-(1-methylethyl)-4-({[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-1H-indole-6-carboxylic acid;

3-[3-methyl-1-(1-methylethyl)-4-({[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-1H-indol-6-yl]propanoic acid;

6-(2-Aminoethyl)-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

6-{3-[(dimethylamino)methyl]-4-fluorophenyl}-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

6-(4,5-Dihydro-1H-imidazol-2-yl)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-1H-indole-4-carboxamide;

[4-({[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-3-methyl-1-(1-methylethyl)-1H-indol-6-yl]boronic acid;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(hydroxymethyl)-3-pyridinyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(3-oxetanyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-{[6-(4-methyl-1-piperazinyl)-3-pyridinyl]amino}-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-{[(4-methyl-1-piperazinyl)carbonyl]amino}-1H-indole-4-carboxamide;

6-{[3-(dimethylamino)propyl]thio}-N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-(3-hydroxy-3-methyl-1-butyn-1-yl)-3-methyl-1-(1-methylethyl)-1H-indole-4-carboxamide;

6-(3-hydroxy-3-methyl-1-butyn-1-yl)-3-methyl-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1H-indole-4-carboxamide;

6-(cyclopropylethynyl)-3-methyl-1-(1-methylethyl)-N-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1H-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-7-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

7-Methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

1-(1-Methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-7-(methyloxy)-1*H*-indole-4-carboxamide;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-7-(methyloxy)-1*H*-indole-4-carboxamide;
6-chloro-1-isopropyl-2,3-dimethyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-1H-indole-4-carboxamide;
6-Chloro-2-((dimethylamino)methyl)-1-isopropyl-3-methyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-1H-indole-4-carboxamide;
2-(2-aminoethyl)-6-chloro-1-isopropyl-3-methyl-N-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-1H-indole-4-carboxamide;
or a pharmaceutically acceptable salt thereof.

9. A compound according to claim 1 which is:
N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-1H-indole-4-carboxamide;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;
6-bromo-1-(sec-butyl)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-1H-indole-4-carboxamide;
(R)-6-Bromo-1-(sec-butyl)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-1H-indole-4-carboxamide; and (S)-6-bromo-1-(sec-butyl)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-1H-indole-4-carboxamide;
1-(sec-butyl)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-6-(6-(piperazin-1-yl)pyridin-3-yl)-1H-indole-4-carboxamide;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-[(1*S*)-1-methylpropyl]-6-[6-(1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;
N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-[(1R)-1-methylpropyl]-6-[6-(1-piperazinyl)-3-pyridinyl]-1H-indole-4-carboxamide;
1-(sec-Butyl)-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(3-((dimethylamino)methyl)phenyl)-3-methyl-1H-indole-4-carboxamide;
6-{3-[(Dimethylamino)methyl]phenyl}-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-[(1*S*)-1-methylpropyl]-1*H*-indole-4-carboxamide;
6-{3-[(dimethylamino)methyl]phenyl}-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-[(1*R*)-1-methylpropyl]-1*H*-indole-4-carboxamide; or
1-cyclopentyl-N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-6-(6-(piperazin-1-yl)pyridin-3-yl)-1H-indole-4-carboxamide; or a pharmaceutically acceptable salt thereof.

10. A compound according to any preceding claim which is:

6-bromo-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-phenyl-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-(2-oxo-2,3-dihydro-1*H*-benzimidazol-5-yl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-[2-(4-methyl-1-piperazinyl)-4-pyridinyl]-1*H*-indole-4-carboxamide;

1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(2-oxo-2,3-dihydro-1*H*-benzimidazol-5-yl)-1*H*-indole-4-carboxamide;

6-bromo-1-cyclopentyl-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(3-pyridinyl)-1*H*-indole-4-carboxamide;

6-bromo-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-phenyl-1*H*-indole-4-carboxamide;

6-bromo-*N*-[(4-cyclopropyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-bromo-1-(1-methylethyl)-*N*-{[6-methyl-4-(1-methylethyl)-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-1*H*-indole-4-carboxamide;

6-bromo-*N*-[(4-cyclobutyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-bromo-1-(1-methylethyl)-*N*-[(4-methyl-2-oxo-6-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

6-bromo-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-phenyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

or a salt thereof.


11. A method of treating cancer comprising administering to a patient with cancer a therapeutically effective amount of a compound of formula (I) according to claim 1 or a pharmaceutically acceptable salt thereof, alone or admixed with a pharmaceutically acceptable carrier.

12. A method of claim 9, wherein said cancer is selected from the group consisting of: brain (gliomas), glioblastomas, leukemias, lymphomas, Bannayan-Zonana syndrome, Cowden disease, Lhermitte-Duclos disease, breast, inflammatory breast cancer, Wilm's tumor, Ewing's sarcoma, Rhabdomyosarcoma, ependymoma, medulloblastoma, colon, gastric, bladder, head and neck, kidney, lung, liver, melanoma, renal, ovarian, pancreatic, prostate, sarcoma, osteosarcoma, giant cell tumor of bone and thyroid.

13. The use of a compound of formula (I) according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, in the preparation of a medicament for use in the treatment of a disorder mediated by inhibiting EZH2.

What is claimed is:

1. A compound of formula (I):



(I)

wherein:

X and Z are selected independently from the group consisting of hydrogen, $(C_1$-$C_8)$alkyl, $(C_2$-$C_8)$alkenyl, $(C_2$-$C_8)$alkynyl, unsubstituted or substituted $(C_3$-$C_8)$cycloalkyl, unsubstituted or substituted $(C_3$-$C_8)$cycloalkyl-$(C_1$-$C_8)$alkyl or -$(C_2$-$C_8)$alkenyl, unsubstituted or substituted $(C_5$-$C_8)$cycloalkenyl, unsubstituted or substituted $(C_5$-$C_8)$cycloalkenyl-$(C_1$-$C_8)$alkyl or -$(C_2$-$C_8)$alkenyl, $(C_6$-$C_{10})$bicycloalkyl, unsubstituted or substituted heterocycloalkyl, unsubstituted or substituted heterocycloalkyl-$(C_1$-$C_8)$alkyl or -$(C_2$-$C_8)$alkenyl, unsubstituted or substituted aryl, unsubstituted or substituted aryl-$(C_1$-$C_8)$alkyl or -$(C_2$-$C_8)$alkenyl, unsubstituted or substituted heteroaryl, unsubstituted or substituted heteroaryl-$(C_1$-$C_8)$alkyl or -$(C_2$-$C_8)$alkenyl, halo, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-CONR^aNR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-NR^aNR^aR^b$, $-NR^aNR^aC(O)R^b$, $-NR^aNR^aC(O)NR^aR^b$, $-NR^aNR^aC(O)OR^a$, $-OR^a$, $-OC(O)R^a$, and $-OC(O)NR^aR^b$;

Y is H or halo;

R^1 is $(C_1$-$C_8)$alkyl, $(C_2$-$C_8)$alkenyl, $(C_2$-$C_8)$alkynyl, unsubstituted or substituted $(C_3$-$C_8)$cycloalkyl, unsubstituted or substituted $(C_3$-$C_8)$cycloalkyl-$(C_1$-$C_8)$alkyl or -$(C_2$-$C_8)$alkenyl, unsubstituted or substituted $(C_5$-$C_8)$cycloalkenyl, unsubstituted or substituted $(C_5$-$C_8)$cycloalkenyl-$(C_1$-$C_8)$alkyl or -$(C_2$-$C_8)$alkenyl, unsubstituted or substituted $(C_6$-$C_{10})$bicycloalkyl, unsubstituted or substituted heterocycloalkyl, unsubstituted or substituted heterocycloalkyl-$(C_1$-$C_8)$alkyl or -$(C_2$-$C_8)$alkenyl, unsubstituted or substituted aryl, unsubstituted or substituted aryl-$(C_1$-$C_8)$alkyl or -$(C_2$-$C_8)$alkenyl, unsubstituted or substituted heteroaryl, unsubstituted or substituted heteroaryl-$(C_1$-$C_8)$alkyl or -$(C_2$-$C_8)$alkenyl, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-CONR^aNR^aR^b$;

R^2 is hydrogen;

R^3 is hydrogen, $(C_1\text{-}C_8)$alkyl, cyano, trifluoromethyl, $-NR^aR^b$, or halo;

R^6 is selected from the group consisting of hydrogen, halo, $(C_1\text{-}C_8)$alkyl, $(C_2\text{-}C_8)$alkenyl, $(C_2\text{-}C_8)$alkynyl, unsubstituted or substituted $(C_3\text{-}C_8)$cycloalkyl, unsubstituted or substituted $(C_3\text{-}C_8)$cycloalkyl-$(C_1\text{-}C_8)$alkyl, unsubstituted or substituted $(C_5\text{-}C_8)$cycloalkenyl, unsubstituted or substituted $(C_5\text{-}C_8)$cycloalkenyl-$(C_1\text{-}C_8)$alkyl, $(C_6\text{-}C_{10})$bicycloalkyl, unsubstituted or substituted heterocycloalkyl, unsubstituted or substituted heterocycloalkyl-$(C_1\text{-}C_8)$alkyl, unsubstituted or substituted aryl, unsubstituted or substituted aryl-$(C_1\text{-}C_8)$alkyl, unsubstituted or substituted heteroaryl, unsubstituted or substituted heteroaryl-$(C_1\text{-}C_8)$alkyl, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-CONR^aNR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-NR^aNR^aR^b$, $-NR^aNR^aC(O)R^b$, $-NR^aNR^aC(O)NR^aR^b$, $-NR^aNR^aC(O)OR^a$, $-OR^a$, $-OC(O)R^a$, and $-OC(O)NR^aR^b$;

wherein any $(C_1\text{-}C_8)$alkyl, $(C_2\text{-}C_8)$alkenyl, $(C_2\text{-}C_8)$alkynyl, cycloalkyl, cycloalkenyl, bicycloalkyl, heterocycloalkyl, aryl, or heteroaryl group is optionally substituted by 1, 2, or 3 groups independently selected from the group consisting of halo, $(C_1\text{-}C_6)$alkyl, $(C_3\text{-}C_8)$cycloalkyl, $(C_5\text{-}C_8)$cycloalkenyl, $(C_1\text{-}C_6)$haloalkyl, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-OR^a$, $-OC(O)R^a$, $-OC(O)NR^aR^b$, heterocycloalkyl, aryl, heteroaryl, aryl$(C_1\text{-}C_4)$alkyl, and heteroaryl$(C_1\text{-}C_4)$alkyl;

wherein any aryl or heteroaryl moiety of said aryl, heteroaryl, aryl$(C_1\text{-}C_4)$alkyl, or heteroaryl$(C_1\text{-}C_4)$alkyl is optionally substituted by 1, 2, or 3 groups independently selected from the group consisting of halo, $(C_1\text{-}C_6)$alkyl, $(C_3\text{-}C_8)$cycloalkyl, $(C_5\text{-}C_8)$cycloalkenyl, $(C_1\text{-}C_6)$haloalkyl, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-OR^a$, $-OC(O)R^a$, and $-OC(O)NR^aR^b$;

R^7 is hydrogen; and

R^a and R^b are each independently hydrogen, $(C_1\text{-}C_8)$alkyl, $(C_2\text{-}C_8)$alkenyl, $(C_2\text{-}C_8)$alkynyl, $(C_3\text{-}C_8)$cycloalkyl, $(C_5\text{-}C_8)$cycloalkenyl, $(C_6\text{-}C_{10})$bicycloalkyl, heterocycloalkyl, aryl, or heteroaryl, wherein said $(C_1\text{-}C_8)$alkyl, $(C_2\text{-}C_8)$alkenyl, $(C_2\text{-}C_8)$alkynyl, cycloalkyl, cycloalkenyl, bicycloalkyl, heterocycloalkyl, aryl, or heteroaryl

group is optionally substituted by 1, 2, or 3 groups independently selected from halo, hydroxyl, $(C_1$-$C_4)$alkoxy, amino, $(C_1$-$C_4)$alkylamino, $((C_1$-$C_4)$alkyl$)((C_1$-$C_4)$alkyl)amino, $-CO_2H$, $-CO_2(C_1$-$C_4)$alkyl, $-CONH_2$,$-CONH(C_1$-$C_4)$alkyl, $-CON((C_1$-$C_4)$alkyl$)((C_1$-$C_4)$alkyl), $-SO_2(C_1$-$C_4)$alkyl, $-SO_2NH_2$,$-SO_2NH(C_1$-$C_4)$alkyl, or $-SO_2N((C_1$-$C_4)$alkyl$)((C_1$-$C_4)$alkyl);

or R^a and R^b taken together with the nitrogen to which they are attached represent a 5-8 membered saturated or unsaturated ring, optionally containing an additional heteroatom selected from oxygen, nitrogen, and sulfur, wherein said ring is optionally substituted by 1, 2, or 3 groups independently selected from $(C_1$-$C_4)$alkyl, $(C_1$-$C_4)$haloalkyl, amino, $(C_1$-$C_4)$alkylamino, $((C_1$-$C_4)$alkyl$)((C_1$-$C_4)$alkyl)amino, hydroxyl, oxo, $(C_1$-$C_4)$alkoxy, and $(C_1$-$C_4)$alkoxy$(C_1$-$C_4)$alkyl, wherein said ring is optionally fused to a $(C_3$-$C_8)$cycloalkyl, heterocycloalkyl, aryl, or heteroaryl ring;

or R^a and R^b taken together with the nitrogen to which they are attached represent a 6- to 10-membered bridged bicyclic ring system optionally fused to a $(C_3$-$C_8)$cycloalkyl, heterocycloalkyl, aryl, or heteroaryl ring;

or a pharmaceutically acceptable salt thereof.

2. The compound or salt according to claim 1 wherein:

X and Z are selected independently from the group consisting of $(C_1$-$C_8)$alkyl, $(C_3$-$C_8)$cycloalkyl, heterocycloalkyl, aryl, heteroaryl, $-NR^aR^b$, and $-OR^a$;

Y is H;

R^1 is $(C_1$-$C_8)$alkyl, $(C_3$-$C_8)$cycloalkyl, or heterocycloalkyl;

R_2 is hydrogen;

R^3 is hydrogen, $(C_1$-$C_8)$alkyl, or halo;

R^6 is hydrogen, halo, cyano, trifluoromethyl, amino, $(C_1$-$C_8)$alkyl, $(C_3$-$C_8)$cycloalkyl, aryl, heteroaryl, acylamino, $(C_2$-$C_8)$alkynyl, arylalkynyl, heteroarylalkynyl, $-SO_2R^a$, $-SO_2NR^aR^b$, or $-NR^aSO_2R^b$;

wherein any $(C_1$-$C_8)$alkyl, $(C_3$-$C_8)$cycloalkyl, $(C_2$-$C_8)$alkynyl, aryl, heteroaryl, arylalkynyl, or heteroarylalkynyl group is optionally substituted by 1, 2, or 3 groups independently selected from halo, $(C_1$-$C_6)$alkyl, $(C_3$-$C_8)$cycloalkyl, $(C_5$-$C_8)$cycloalkenyl, $(C_1$-$C_6)$haloalkyl, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-OR^a$, $-OC(O)R^a$, $-OC(O)NR^aR^b$, heterocycloalkyl, aryl, heteroaryl, aryl$(C_1$-$C_4)$alkyl, and heteroaryl$(C_1$-$C_4)$alkyl;


R^7 is hydrogen; and

R^a and R^b are each independently hydrogen, $(C_1$-$C_8)$alkyl, $(C_2$-$C_8)$alkenyl, $(C_2$-$C_8)$alkynyl, $(C_3$-$C_8)$cycloalkyl, $(C_5$-$C_8)$cycloalkenyl, $(C_6$-$C_{10})$bicycloalkyl, heterocycloalkyl, aryl, or heteroaryl, wherein said $(C_1$-$C_8)$alkyl, $(C_2$-$C_8)$alkenyl, $(C_2$-$C_8)$alkynyl, cycloalkyl, cycloalkenyl, bicycloalkyl, heterocycloalkyl, aryl, or heteroaryl group is optionally substituted by 1, 2, or 3 groups independently selected from halo, hydroxyl, $(C_1$-$C_4)$alkoxy, amino, $(C_1$-$C_4)$alkylamino, $((C_1$-$C_4)$alkyl$)((C_1$-$C_4)$alkyl)amino, $-CO_2H$, $-CO_2(C_1$-$C_4)$alkyl, $-CONH_2$,$-CONH(C_1$-$C_4)$alkyl, $-CON((C_1$-$C_4)$alkyl$)((C_1$-$C_4)$alkyl), $-SO_2(C_1$-$C_4)$alkyl, $-SO_2NH_2$, $-SO_2NH(C_1$-$C_4)$alkyl, and $-SO_2N((C_1$-$C_4)$alkyl$)((C_1$-$C_4)$alkyl);

or R^a and R^b taken together with the nitrogen to which they are attached represent a 5-8 membered saturated or unsaturated ring, optionally containing an additional heteroatom selected from oxygen, nitrogen, and sulfur, wherein said ring is optionally substituted by 1, 2, or 3 groups independently selected from $(C_1$-$C_4)$alkyl, $(C_1$-$C_4)$haloalkyl, amino, $(C_1$-$C_4)$alkylamino, $((C_1$-$C_4)$alkyl$)((C_1$-$C_4)$alkyl)amino, hydroxyl, oxo, $(C_1$-$C_4)$alkoxy, and $(C_1$-$C_4)$alkoxy$(C_1$-$C_4)$alkyl, wherein said ring is optionally fused to a $(C_3$-$C_8)$cycloalkyl, heterocycloalkyl, aryl, or heteroaryl ring;

or R^a and R^b taken together with the nitrogen to which they are attached represent a 6- to 10-membered bridged bicyclic ring system optionally fused to a $(C_3$-$C_8)$cycloalkyl, heterocycloalkyl, aryl, or heteroaryl ring;


wherein any aryl or heteroaryl is selected from the group consisting of furan, thiophene, pyrrole, oxazole, thiazole, imidazole, pyrazole, oxadiazole, thiadiazole, triazole, tetrazole, benzofuran, benzothiophene, benzoxazole, benzothiazole, phenyl, pyridine, pyridazine, pyrimidine, pyrazine, triazine, tetrazine, quinoline, cinnoline, quinazoline, quinoxaline, and naphthyridine, or another aryl or heteroaryl group as follows:



(1)

wherein in (1),


A is O, NH, or S; B is CH or N; and C is hydrogen or C_1-C_8 alkyl; or



(2)

wherein in (2),


D is N or C optionally substituted by hydrogen or C_1-C_8 alkyl; or



(3)

wherein in (3),


E is NH or CH_2; F is O or CO; and G is NH or CH_2; or



(4)

wherein in (4),

J is O, S or CO; or



(5)

wherein in (5),


Q is CH or N;

M is CH or N; and

L/(5) is hydrogen, halo, amino, cyano, $(C_1\text{-}C_8)$alkyl, $(C_3\text{-}C_8)$cycloalkyl, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-CONR^aNR^aR^b$, $-SO_2R^a$, $-SO_2NR^aR^b$, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-NR^aNR^aR^b$, $-NR^aNR^aC(O)R^b$, $-NR^aNR^aC(O)NR^aR^b$, or $-OR^a$;

wherein any $(C_1\text{-}C_8)$alkyl or $(C_3\text{-}C_8)$cycloalkyl group is optionally substituted by 1, 2, or 3 groups independently selected from $(C_1\text{-}C_6)$alkyl, $(C_3\text{-}C_8)$cycloalkyl, $(C_5\text{-}C_8)$cycloalkenyl, $(C_1\text{-}C_6)$haloalkyl, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-OR^a$, $-OC(O)R^a$, and $-OC(O)NR^aR^b$;


or



(6)

wherein in (6),

L/(6) is NH or CH_2; or




(7)

wherein in (7),

M/(7) is hydrogen, halo, amino, cyano, $(C_1\text{-}C_8)$alkyl, $(C_3\text{-}C_8)$cycloalkyl, heterocycloalkyl, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-CONR^aNR^aR^b$, $-SO_2R^a$, $-SO_2NR^aR^b$, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-NR^aNR^aR^b$, $-NR^aNR^aC(O)R^b$, $-NR^aNR^aC(O)NR^aR^b$, or $-OR^a$;


wherein any $(C_1\text{-}C_8)$alkyl, $(C_3\text{-}C_8)$cycloalkyl, or heterocycloalkyl group is optionally substituted by 1, 2, or 3 groups independently selected from $(C_1\text{-}C_6)$alkyl, $(C_3\text{-}C_8)$cycloalkyl, $(C_5\text{-}C_8)$cycloalkenyl, $(C_1\text{-}C_6)$haloalkyl, cyano, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-SR^a$, $-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-OR^a$, $-OC(O)R^a$, and $-OC(O)NR^aR^b$; or



(8)

wherein in (8),

P is CH_2, NH, O, or S; Q/(8) is CH or N; and n is 0-2; or



(9)

wherein in (9),

S/(9) and T(9) are each CH, or S/(9) is CH and T(9) is N, or S/(9) is N and T/(9) is CH;

R is hydrogen, amino, methyl, trifluoromethyl, or halo;

U is hydrogen, halo, amino, cyano, nitro, trifluoromethyl, $(C_1\text{-}C_8)$alkyl, $(C_3\text{-}C_8)$cycloalkyl, $-COR^a$, $-CO_2R^a$, $-CONR^aR^b$, $-SO_2R^a$, $-SO_2NR^aR^b$, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-NR^aNR^aR^b$, $-NR^aNR^aC(O)R^b$, $-OR^a$, or 4-(1H-pyrazol-4-yl);

wherein any $(C_1\text{-}C_8)$alkyl or $(C_3\text{-}C_8)$cycloalkyl group is optionally substituted by 1, 2, or 3 groups independently selected from $(C_1\text{-}C_6)$alkyl, $(C_3\text{-}C_8)$cycloalkyl, $(C_5\text{-}C_8)$cycloalkenyl, $(C_1\text{-}C_6)$haloalkyl, cyano, $-COR^a$, $-CO_2R^a$,$-CONR^aR^b$, $-SR^a$,

$-SOR^a$, $-SO_2R^a$, $-SO_2NR^aR^b$, nitro, $-NR^aR^b$, $-NR^aC(O)R^b$, $-NR^aC(O)NR^aR^b$, $-NR^aC(O)OR^a$, $-NR^aSO_2R^b$, $-NR^aSO_2NR^aR^b$, $-OR^a$, $-OC(O)R^a$, and $-OC(O)NR^aR^b$.

3. The compound or salt according to claim 1 wherein:

X is methyl, ethyl, n-propyl, isopropyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, phenyl, trifluoromethyl, tetrahydropyran, hydroxymethyl, methoxymethyl, or benzyl;

Y is H;

Z is methyl, ethyl, n-propyl, isopropyl, trifluoromethyl, or benzyl;

R^1 is isopropyl, tert-butyl, cyclobutyl, cyclopentyl, cyclohexyl, (1-methylethyl)cyclopropyl, 1,1-dioxo-tetrahydrothiophene-3-yl, 1-Me-piperidin-4-yl, tetrahydrofuran-3-yl, tetrahydropyran-4-yl, *N*,*N*-dimethyl-1-propanaminyl, benzyl, or 4-pyridyl;

R_2 is hydrogen;

R^3 is H, methyl, or Br;

R^6 is methyl, cyclopropyl, propyl, dimethylamino, ethylamino, (2-hydroxyethyl)amino, 2-propen-1-ylamino, 1-piperazinyl, 1-piperidinyl, 4-morpholinyl, 4-piperidinylamino, tetrahydro-2H-pyran-4-ylamino, phenylamino, (phenylmethyl)amino, (4-pyridinylmethyl)amino, [2-(2-pyridinylamino)ethyl]amino, 2-(dimethylamino)ethyl]amino, 4-pyridinylamino, 4-[(aminocarbonyl)phenyl]amino, 3-hydroxy-3-methyl-1-butyn-1-yl, 4-pyridinylethynyl, phenylethynyl, 2-furanyl, 3-thienyl, 1H-pyrazol-4-yl, 1H-indazol-5-yl, 1H-indazol-6-yl, 3-methyl-1H-indazol-5-yl, 1H-1,2,3-benzotriazol-5-yl, 2-oxo-2,3-dihydro-1H-benzimidazol-5-yl, 2-oxo-2,3-dihydro-1H-indol-5-yl, 2-oxo-2,3-dihydro-1H-indol-6-yl, 2,1,3-benzoxadiazol-5-yl, 2-amino-6-quinazolinyl, 2,4-dioxo-1,2,3,4-tetrahydro-5-pyrimidinyl, 2-amino-5-pyrimidinyl, 7-oxo-1,5,6,7-tetrahydro-1,8-naphthyridin-3-yl, phenyl, 2-methylphenyl, 2-nitrophenyl, 2-phenylethyl, 3-aminophenyl, 4-aminophenyl, 4-chlorophenyl, 4-fluorophenyl, 4-(methyloxy)phenyl, 3-(acetylamino)phenyl, 4-(acetylamino)phenyl, 4-(aminocarbonyl)phenyl, 4-(1H-pyrazol-4-yl)phenyl, 4-(aminosulfonyl)phenyl, 4-(methylsulfonyl)phenyl, 4-[(dimethylamino)sulfonyl]phenyl, 4-[(methylamino)carbonyl]phenyl, 4-[(methylamino)sulfonyl]phenyl, 4-[(methylsulfonyl)amino]phenyl, 3-pyridinyl, 4-pyridinyl, 2-(4-morpholinyl)-4-pyridinyl, 2-amino-4-pyridinyl, 5-(methyloxy)-3-pyridinyl, 5-(methylsulfonyl)-3-pyridinyl, 5-[(cyclopropylsulfonyl)amino]-6-(methyloxy)-3-pyridinyl,

5-[(phenylsulfonyl)amino]-3-pyridinyl, 6-(4-methyl-1-piperazinyl)-3-pyridinyl, 6-(4-morpholinyl)-3-pyridinyl, 6-(acetylamino)-3-pyridinyl, 6-(dimethylamino)-3-pyridinyl, 6-(methyloxy)-3-pyridinyl, 6-[(methylamino)carbonyl]-3-pyridinyl, 6-[(methylamino)sulfonyl]-3-pyridinyl, 6-methyl-3-pyridinyl, or 4-pyridinyloxy; and

R^7 is hydrogen.

4. A compound which is:

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(4-((dimethylamino)methyl)phenyl)-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(6-methoxypyridin-3-yl)-3-methyl-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(6-morpholinopyridin-3-yl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(4-(4-methylpiperazin-1-yl)phenyl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(3-((methylsulfonyl)methyl)phenyl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(2-methylpyrimidin-5-yl)-1*H*-indole-4-carboxamide;

6-(2-aminopyrimidin-5-yl)-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

6-(6-aminopyridin-3-yl)-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(6-(dimethylamino)pyridin-3-yl)-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(6-(pyrrolidin-1-yl)pyridin-3-yl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(4-fluorophenyl)-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(4-(4-isopropylpiperazin-1-yl)phenyl)-3-methyl-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(1*H*-indazol-6-yl)-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

6-bromo-*N*-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(methyloxy)-3-pyridinyl]-1*H*-indole-4-carboxamide;

N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(2-methyl-5-pyrimidinyl)-1*H*-indole-4-carboxamide;

6-(6-amino-3-pyridinyl)-*N*-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-[6-(dimethylamino)-3-pyridinyl]-*N*-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(6-methyl-3-pyridinyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(1*H*-pyrazol-3-yl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(1-methyl-1*H*-pyrazol-4-yl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(1*H*-pyrazol-4-yl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[1-(2-pyridinylmethyl)-1*H*-pyrazol-4-yl]-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(1*H*-pyrrolo[2,3-b]pyridin-5-yl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[1-(2-thienylmethyl)-1*H*-pyrazol-4-yl]-1*H*-indole-4-carboxamide;

N-((4-benzyl-6-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-bromo-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

6-(6-acetamidopyridin-3-yl)-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

6-(6-acetamidopyridin-3-yl)-1-isopropyl-3-methyl-*N*-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-

6-(3-pyridinyl)-1*H*-indole-4-carboxamide;

6-bromo-3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(2-methyl-3-pyridinyl)-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-[5-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(6-methyl-3-pyridinyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-(3-pyridinyl)-1*H*-indole-4-carboxamide;

6-bromo-1-cyclopentyl-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

6-bromo-1-cyclobutyl-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

1-cyclopropyl-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-[6-(methyloxy)-3-pyridinyl]-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[3-(methylsulfonyl)phenyl]-1*H*-indole-4-carboxamide;

6-bromo-1-cyclopentyl-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(1-methyl-1*H*-pyrazol-4-yl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(2-(4-methylpiperazin-1-yl)pyrimidin-5-yl)-1*H*-indole-4-carboxamide;

6-bromo-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-1,2-dihydro-4,4'-bipyridin-3-yl)methyl]-1*H*-indole-4-carboxamide;

6-bromo-*N*-{[4-(ethylamino)-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-{[4-(ethylamino)-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-1-(1-methylethyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

6-bromo-1-(1-methylethyl)-*N*-{[6-methyl-2-oxo-4-(1-pyrrolidinyl)-1,2-dihydro-3-pyridinyl]methyl}-1*H*-indole-4-carboxamide;

1-(1-methylethyl)-*N*-{[6-methyl-2-oxo-4-(phenylamino)-1,2-dihydro-3-pyridinyl]methyl}-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

6-bromo-*N*-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-{4-[(dimethylamino)methyl]phenyl}-*N*-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-[6-(methyloxy)-3-pyridinyl]-1*H*-indole-4-carboxamide;

6-[6-(acetylamino)-3-pyridinyl]-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

6-(4-fluorophenyl)-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

6-[4-(acetylamino)phenyl]-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

methyl 4-[4-({[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-3-methyl-1-(1-methylethyl)-1*H*-indol-6-yl]benzoate;

methyl 5-[3-methyl-1-(1-methylethyl)-4-({[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-1*H*-indol-6-yl]-2-pyridinecarboxylate;

methyl 3-[3-methyl-1-(1-methylethyl)-4-({[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-1*H*-indol-6-yl]benzoate;

6-bromo-*N*-((6-ethyl-4-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-1*H*-indole-4-carboxamide;

N-((6-benzyl-4-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-bromo-1-isopropyl-1*H*-indole-4-carboxamide;

6-bromo-*N*-((6-cyclobutyl-4-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-

isopropyl-1*H*-indole-4-carboxamide;

6-bromo-1-(1-methylethyl)-*N*-({6-methyl-4-[(methyloxy)methyl]-2-oxo-1,2-dihydro-3-pyridinyl}methyl)-1*H*-indole-4-carboxamide;

1-(1-methylethyl)-*N*-({6-methyl-4-[(methyloxy)methyl]-2-oxo-1,2-dihydro-3-pyridinyl}methyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

1-(1-methylethyl)-*N*-({6-methyl-4-[(methyloxy)methyl]-2-oxo-1,2-dihydro-3-pyridinyl}methyl)-6-[2-(4-methyl-1-piperazinyl)-4-pyridinyl]-1*H*-indole-4-carboxamide;

1-(1-methylethyl)-*N*-({6-methyl-4-[(methyloxy)methyl]-2-oxo-1,2-dihydro-3-pyridinyl}methyl)-6-(3-pyridinyl)-1*H*-indole-4-carboxamide;

1-(1-methylethyl)-*N*-({6-methyl-4-[(methyloxy)methyl]-2-oxo-1,2-dihydro-3-pyridinyl}methyl)-6-[6-(4-morpholinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

6-bromo-1-cyclopropyl-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

1-cyclopropyl-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

1-cyclopropyl-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(3-pyridinyl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(4-(piperazin-1-yl)phenyl)-1*H*-indole-4-carboxamide;

N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

1-isopropyl-3-methyl-*N*-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(2-(piperazin-1-yl)pyridin-4-yl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(2-(piperazin-1-yl)pyridin-4-yl)-1*H*-indole-4-carboxamide;

1-cyclopropyl-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-[6-(1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

1-isopropyl-*N*-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(methylsulfonyl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(methylsulfonyl)-1*H*-indole-4-carboxamide;

N-((4-ethyl-6-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(methylsulfonyl)-1*H*-indole-4-carboxamide;

N-((4-benzyl-6-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(methylsulfonyl)-1*H*-indole-4-carboxamide;

1-isopropyl-3-methyl-*N*-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(methylsulfonyl)-1*H*-indole-4-carboxamide;

3-({2-[6-(cyclopropylsulfonyl)-1-(1-methylethyl)-1*H*-indol-4-yl]-2-oxoethyl}amino)-4,6-dimethyl-2(1*H*)-pyridinone;

3-({2-[6-(cyclopropylsulfonyl)-3-methyl-1-(1-methylethyl)-1*H*-indol-4-yl]-2-oxoethyl}amino)-4,6-dimethyl-2(1*H*)-pyridinone;

3-methyl-1-(1-methylethyl)-*N*-{[6-methyl-2-oxo-4-(phenylmethyl)-1,2-dihydro-3-pyridinyl]methyl}-6-(methyloxy)-1*H*-indole-4-carboxamide;

N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(methyloxy)-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(methyloxy)-1*H*-indole-4-carboxamide;

6-bromo-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-(methyloxy)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(methyloxy)-1*H*-indole-4-carboxamide;

6-chloro-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-bromo-3-methyl-1-(1-methylethyl)-*N*-{[6-methyl-4-(4-morpholinylmethyl)-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-iodo-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-iodo-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

6-bromo-1-ethyl-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

6-bromo-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1-propyl-1*H*-indole-4-carboxamide;

3-({2-[6-chloro-1-(1-methylethyl)-1*H*-indol-4-yl]-2-oxoethyl}amino)-4,6-dimethyl-

2(1*H*)-pyridinone;

3-({2-[6-chloro-1-(1-methylethyl)-1*H*-indol-4-yl]-2-oxoethyl}amino)-6-methyl-4-propyl-2(1*H*)-pyridinone;

3-({2-[6-chloro-3-methyl-1-(1-methylethyl)-1*H*-indol-4-yl]-2-oxoethyl}amino)-6-methyl-4-propyl-2(1*H*)-pyridinone;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-fluoro-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

3-({2-[6-fluoro-1-(1-methylethyl)-1*H*-indol-4-yl]-2-oxoethyl}amino)-6-methyl-4-propyl-2(1*H*)-pyridinone;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(1*H*-tetrazol-5-yl)-1*H*-indole-4-carboxamide;

1-isopropyl-3-methyl-*N*-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(2*H*-tetrazol-5-yl)-1*H*-indole-4-carboxamide;

6-cyano-3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

6-bromo-3-chloro-1-isopropyl-*N*-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-1*H*-indole-4-carboxamide;

6-bromo-3-chloro-1-(1-methylethyl)-*N*-({6-methyl-4-[(methyloxy)methyl]-2-oxo-1,2-dihydro-3-pyridinyl}methyl)-1*H*-indole-4-carboxamide;

6-bromo-3-chloro-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-(4-((1*H*-pyrazol-1-yl)methyl)phenyl)-3-chloro-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-1*H*-indole-4-carboxamide;

3-chloro-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(2-fluorophenyl)-1-isopropyl-1*H*-indole-4-carboxamide;

3-chloro-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-[6-(methyloxy)-3-pyridinyl]-1*H*-indole-4-carboxamide;

3-chloro-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-(3-pyridinyl)-1*H*-indole-4-carboxamide;

3-chloro-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(methyloxy)-3-pyridinyl]-1*H*-indole-4-carboxamide;

3-chloro-1-(1-methylethyl)-*N*-({6-methyl-4-[(methyloxy)methyl]-2-oxo-1,2-dihydro-3-pyridinyl}methyl)-6-[6-(methyloxy)-3-pyridinyl]-1*H*-indole-4-carboxamide;

3-chloro-1-isopropyl-*N*-((4-(methoxymethyl)-6-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(pyridin-3-yl)-1*H*-indole-4-carboxamide;

3-chloro-1-isopropyl-*N*-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-1*H*-indole-4-carboxamide;

3-chloro-*N*-((4-ethyl-6-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-1*H*-indole-4-carboxamide;

3-chloro-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-1*H*-indole-4-carboxamide;

3-chloro-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(4-(trifluoromethyl)phenyl)-1*H*-indole-4-carboxamide;

3-chloro-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(6-(trifluoromethyl)pyridin-3-yl)-1*H*-indole-4-carboxamide;

3-chloro-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(3-fluorophenyl)-1-isopropyl-1*H*-indole-4-carboxamide;

3-chloro-6-(3,5-difluorophenyl)-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-1*H*-indole-4-carboxamide;

3-chloro-6-(3,4-difluorophenyl)-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-1*H*-indole-4-carboxamide;

3-chloro-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(4-fluoro-3-hydroxyphenyl)-1-isopropyl-1*H*-indole-4-carboxamide;

3-chloro-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(4-fluoro-3-methoxyphenyl)-1-isopropyl-1*H*-indole-4-carboxamide;

3-chloro-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(4-methoxyphenyl)-1*H*-indole-4-carboxamide;

3-chloro-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(3-methoxyphenyl)-1*H*-indole-4-carboxamide;

3-chloro-6-(3-cyano-4-fluorophenyl)-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-1*H*-indole-4-carboxamide;

3-chloro-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-phenyl-1*H*-indole-4-carboxamide;

3-chloro-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(4-fluorophenyl)-1-isopropyl-1*H*-indole-4-carboxamide;

3-chloro-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(3-fluoro-4-

morpholinophenyl)-1-isopropyl-1*H*-indole-4-carboxamide;

3-chloro-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(6-fluoropyridin-3-yl)-1-isopropyl-1*H*-indole-4-carboxamide;

3-chloro-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-(1*H*-pyrrolo[2,3-b]pyridin-5-yl)-1*H*-indole-4-carboxamide;

3-chloro-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(1-methyl-1*H*-pyrazol-4-yl)-1*H*-indole-4-carboxamide;

6-bromo-1-cyclopropyl-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1*H*-indole-4-carboxamide;

6-bromo-3-chloro-1-cyclopentyl-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1*H*-indole-4-carboxamide;

6-cyano-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-*N*-{[6-methyl-4-(1-methylethyl)-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

6-bromo-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-fluoro-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-bromo-3-fluoro-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-fluoro-1-(1-methylethyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

3-bromo-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

3-fluoro-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(4-pyridazinyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(6-phenyl-3-pyridinyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[5-(4-morpholinylcarbonyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-*N*-{[6-methyl-4-(1-methylethyl)-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-6-[6-(1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-(6-formyl-3-pyridinyl)-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4-cyclopropyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1-(1-methylpropyl)-1*H*-indole-4-carboxamide;

3,6-dibromo-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(1*H*-imidazol-1-ylmethyl)-3-pyridinyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(5,6,7,8-tetrahydro-1,6-naphthyridin-3-yl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[2-(4-methyl-1-piperazinyl)-1,3-thiazol-5-yl]-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-{6-[(9a*S*)-hexahydropyrazino[2,1-c][1,4]oxazin-8(1*H*)-yl]-3-pyridinyl}-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(5,6,7,8-tetrahydro-1,8-naphthyridin-3-yl)-1*H*-indole-4-carboxamide;

6-[6-(4-ethyl-1-piperazinyl)-3-pyridinyl]-3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-6-{6-[4-(1-methylethyl)-1-piperazinyl]-3-pyridinyl}-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(4-morpholinyl)-2-pyridinyl]-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(6-methyl-2-pyridinyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[2-(4-morpholinyl)-4-pyrimidinyl]-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(2-pyrimidinyl)-1*H*-indole-4-carboxamide;

6-(6-amino-2-pyridinyl)-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-[2-amino-6-(4-morpholinyl)-4-pyrimidinyl]-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-[2-(methylamino)-4-pyrimidinyl]-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(4-pyrimidinyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-[2-(ethylamino)-4-pyrimidinyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-(2-amino-4-pyrimidinyl)-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-(1*H*-benzimidazol-5-yl)-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-(3-amino-1*H*-indazol-6-yl)-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(1-methyl-1*H*-indazol-6-yl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(5-methyl-1*H*-indazol-6-yl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(4-ethyl-1-piperazinyl)-3-pyridinyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-{6-[4-(1-methylethyl)-1-piperazinyl]-3-pyridinyl}-1*H*-indole-4-carboxamide;

6-chloro-3-methyl-1-(1-methylethyl)-*N*-{[6-methyl-4-(1-methylpropyl)-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-1*H*-indole-4-carboxamide;

6-bromo-3-methyl-1-(1-methylethyl)-*N*-{[6-methyl-4-(1-methylpropyl)-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-*N*-{[6-methyl-4-(1-methylpropyl)-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

6-(6-chloro-3-pyridinyl)-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(1*H*-imidazol-1-yl)-3-pyridinyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-[6-(4-cyclopropyl-1-piperazinyl)-3-pyridinyl]-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-bromo-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylpropyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-{6-[(3*R*,5*S*)-3,5-dimethyl-1-piperazinyl]-3-pyridinyl}-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-{6-[3-(dimethylamino)-1-pyrrolidinyl]-3-pyridinyl}-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylpropyl)-6-[6-(1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(4-methylhexahydro-1*H*-1,4-diazepin-1-yl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(4-piperidinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

6-bromo-1-isopropyl-*N*-((6-methyl-2-oxo-4-((6-(trifluoromethyl)pyridin-2-yl)methyl)-1,2-dihydropyridin-3-yl)methyl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(pyridazin-4-yl)-1*H*-indole-4-carboxamide;

N-[(6-amino-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-chloro-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(6-amino-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-bromo-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-bromo-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-[(3*R*)-tetrahydro-3-furanyl]-1*H*-indole-4-carboxamide;

6-bromo-3-methyl-1-(1-methylethyl)-*N*-{[6-methyl-2-oxo-4-(1*H*-pyrazol-1-ylmethyl)-1,2-dihydro-3-pyridinyl]methyl}-1*H*-indole-4-carboxamide;

6-bromo-1-(1-methylethyl)-*N*-{[6-methyl-2-oxo-4-(1*H*-pyrazol-1-ylmethyl)-1,2-dihydro-3-pyridinyl]methyl}-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(3-pyridinyl)-1*H*-indole-4-carboxamide;

6-[(aminocarbonyl)amino]-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

1-cyclopentyl-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

1-cyclopentyl-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-[6-(1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

6-[6-(2,6-dimethyl-4-morpholinyl)-3-pyridinyl]-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(2-methyl-4-morpholinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

N-[(6-amino-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1-(1-methylpropyl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-fluoro-1-isopropyl-6-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-1*H*-indole-4-carboxamide;

(*R*)-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-6-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-1-(tetrahydrofuran-3-yl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(1*H*-pyrazolo[3,4-b]pyridin-5-yl)-1*H*-indole-4-carboxamide;

6-bromo-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-1-(pentan-2-yl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-6-(2-methoxypyrimidin-4-yl)-3-methyl-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(1*H*-pyrazolo[4,3-c]pyridin-6-yl)-1*H*-indole-4-carboxamide;

6-methyl-3-({2-[3-methyl-1-(1-methylethyl)-6-(1,2,3,6-tetrahydro-4-pyridinyl)-1*H*-indol-4-yl]-2-oxoethyl}amino)-4-propyl-2(1*H*)-pyridinone;

6-(1*H*-benzo[d]imidazol-2-yl)-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(2-methylpyrimidin-4-yl)-1*H*-indole-4-carboxamide;

6-bromo-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-1-(tetrahydro-2*H*-pyran-4-yl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(6-(4-methylpiperazin-1-yl)pyridin-3-yl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

6-bromo-1-(*sec*-butyl)-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-1*H*-indole-4-carboxamide;

(*R*)-6-bromo-1-(*sec*-butyl)-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-1*H*-indole-4-carboxamide;

(*S*)-6-bromo-1-(*sec*-butyl)-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-1*H*-indole-4-carboxamide;

1-(*sec*-butyl)-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-6-(6-(piperazin-1-yl)pyridin-3-yl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-[(1*R*)-1-methylpropyl]-6-[6-(1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

1-cyclopentyl-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-6-(6-(piperazin-1-yl)pyridin-3-yl)-1*H*-indole-4-carboxamide;

1-isopropyl-*N*-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(6-(piperazin-1-yl)pyridin-3-yl)-1*H*-indole-4-carboxamide;

1-isopropyl-3-methyl-*N*-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(4-(2-oxopiperazin-1-yl)phenyl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(6-(piperazin-1-yl)pyridin-3-yl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(1-(piperidin-4-yl)-1*H*-pyrazol-4-yl)-1*H*-indole-4-carboxamide;

6-methyl-3-[(2-{3-methyl-1-(1-methylethyl)-6-[6-(1-piperazinyl)-3-pyridinyl]-1*H*-indol-4-yl}-2-oxoethyl)amino]-4-propyl-2(1*H*)-pyridinone;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(2-(piperazin-1-yl)pyrimidin-5-yl)-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(1*H*-pyrazol-4-yl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(5-(piperazin-1-yl)pyridin-3-yl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(3-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

4-[4-({[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-3-

methyl-1-(1-methylethyl)-1*H*-indol-6-yl]benzoic acid;

3-[3-methyl-1-(1-methylethyl)-4-({[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-1*H*-indol-6-yl]benzoic acid;

5-[3-methyl-1-(1-methylethyl)-4-({[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-1*H*-indol-6-yl]-2-pyridinecarboxylic acid;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-((4-benzyl-6-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-1*H*-indole-4-carboxamide;

N-((4-benzyl-6-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

1-cyclopentyl-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-3-methyl-1*H*-indole-4-carboxamide;

6-methyl-3-({2-[3-methyl-1-(1-methylethyl)-6-(4-piperidinyl)-1*H*-indol-4-yl]-2-oxoethyl}amino)-4-propyl-2(1*H*)-pyridinone;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(2-piperidinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

1-cyclopropyl-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-(methylsulfonyl)-1*H*-indole-4-carboxamide;

1-cyclopentyl-6-(cyclopropylsulfonyl)-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1*H*-indole-4-carboxamide;

1-cyclopentyl-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-6-(methylsulfonyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-(trifluoromethyl)-1*H*-indole-4-carboxamide;

1-Isopropyl-*N*-((6-methyl-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-(trifluoromethyl)-1*H*-indole-4-carboxamide;

1-cyclopentyl-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(pyrrolidin-1-yl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(pyridin-3-ylamino)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(4-(4-fluorophenyl)piperidin-1-yl)-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-6-(4-(4-methylpiperazin-1-yl)piperidin-1-yl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(4-fluoropiperidin-1-yl)-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(4-(3-fluorophenyl)piperidin-1-yl)-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

N-[(4-ethyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(4-morpholinyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(4-morpholinyl)-1*H*-indole-4-carboxamide;

6-(2-dimethylamino-ethoxy)-1-isopropyl-1*H*-indole-4-carboxylic acid (6-methyl-2-oxo-4-propyl-1, 2-dihydro-pyridin-3-ylmethyl)-amide;

6-bromo-1-(1-methylethyl)-*N*-{[6-methyl-2-oxo-4-(phenylamino)-1,2-dihydro-3-pyridinyl]methyl}-1*H*-indole-4-carboxamide;

N-((6-amino-4-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-bromo-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

N-((6-amino-4-methyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-chloro-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

N-[(6-amino-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-[6-(4-methyl-1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide;

N-[(6-amino-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-bromo-3-methyl-1-(1-methylpropyl)-1*H*-indole-4-carboxamide;

N-((6-amino-2-oxo-4-propyl-1,2-dihydropyridin-3-yl)methyl)-6-bromo-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

6-bromo-1-isopropyl-3-methyl-*N*-((4-methyl-6-(methylamino)-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-{6-[(2*R*)-2-methyl-1-piperazinyl]-3-pyridinyl}-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(3,4-dimethyl-1-piperazinyl)-3-pyridinyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(hexahydropyrrolo[3,4-b]pyrrol-5(1*H*)-yl)-3-pyridinyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(3,3-dimethyl-1-piperazinyl)-3-pyridinyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-{6-[(2*S*)-2-methyl-1-piperazinyl]-3-pyridinyl}-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-[6-(hexahydropyrrolo[3,4-c]pyrrol-2(1*H*)-yl)-3-pyridinyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-6-{6-[(2*S*,5*S*)-2,5-dimethyl-1-piperazinyl]-3-pyridinyl}-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-6-(6-((2*R*,5*R*)-2,5-dimethylpiperazin-1-yl)pyridin-3-yl)-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

3-methyl-1-(1-methylethyl)-4-({[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-1*H*-indole-6-carboxylic acid;

3-[3-methyl-1-(1-methylethyl)-4-({[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]amino}carbonyl)-1*H*-indol-6-yl]propanoic acid;

6-(2-aminoethyl)-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-(4,5-dihydro-1*H*-imidazol-2-yl)-*N*-((4,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl)methyl)-1-isopropyl-3-methyl-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-(3-oxetanyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-6-{[(4-methyl-1-piperazinyl)carbonyl]amino}-1*H*-indole-4-carboxamide;

6-{[3-(dimethylamino)propyl]thio}-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-(cyclopropylethynyl)-3-methyl-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

6-bromo-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

N-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-6-phenyl-1*H*-indole-4-carboxamide;

1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-[2-(4-methyl-1-piperazinyl)-4-pyridinyl]-1*H*-indole-4-carboxamide;

6-bromo-1-cyclopentyl-*N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-(3-pyridinyl)-1*H*-indole-4-carboxamide;

6-bromo-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl)methyl]-6-phenyl-1*H*-indole-4-carboxamide;

6-bromo-*N*-[(4-cyclopropyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-bromo-1-(1-methylethyl)-*N*-{[6-methyl-4-(1-methylethyl)-2-oxo-1,2-dihydro-3-pyridinyl]methyl}-1*H*-indole-4-carboxamide;


6-bromo-*N*-[(4-cyclobutyl-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-1-(1-methylethyl)-1*H*-indole-4-carboxamide;

6-bromo-1-(1-methylethyl)-*N*-[(4-methyl-2-oxo-6-propyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide; or

6-bromo-1-(1-methylethyl)-*N*-[(6-methyl-2-oxo-4-phenyl-1,2-dihydro-3-pyridinyl)methyl]-1*H*-indole-4-carboxamide;

or a pharmaceutically acceptable salt thereof.


5. A compound which is *N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-[(1*S*)-1-methylpropyl]-6-[6-(1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide, represented by the formula:



;

or a pharmaceutically acceptable salt thereof.

6. A compound which is *N*-[(4,6-dimethyl-2-oxo-1,2-dihydro-3-pyridinyl)methyl]-3-methyl-1-[(1*S*)-1-methylpropyl]-6-[6-(1-piperazinyl)-3-pyridinyl]-1*H*-indole-4-carboxamide, represented by the formula:



7. A pharmaceutical composition comprising the compound or pharmaceutically acceptable salt thereof according to any one of claims 1 to 6 and a pharmaceutically acceptable excipient.