CLAIMS:

1. A compound of formula (I) or a pharmaceutically acceptable salt or solvate thereof,



formula (I)

wherein

Ar is selected from the group consisting of phenyl and heteroaryl, each of which is optionally substituted by one or more independently selected substituents R^{Ar};

R^{Ar} is selected from the group consisting of halogen, -OH, -CN, alkoxy, haloalkoxy, alkyl, haloalkyl, mono- or dialkylamino-alkyl, mono- or di-alkylamino-alkoxy, -COOR', -CONHR', -CO-R', -SO_2NHR', -NH-CO-R', -NO_2, -NH-SO_2-R', -SO_2-R', benzyloxy, -CO-heterocyclyl, -CO-cycloalkyl, -CONH-cycloalkyl, -CONH- heterocyclyl, -O-alkyl-heterocyclyl, -O-alkyl-cycloalkyl, (2-oxa-6-azaspiro[3.3]hept-6-yl)-C_{1-4}-alkoxy, amino, aralkyl, cycloalkyl, heterocyclyl, phenyl and heteroaryl, wherein each of said alkoxy, aralkyl, alkyl, cycloalkyl, heterocyclyl, phenyl and heteroaryl groups is optionally substituted be one or more substituents independently selected from alkyl, haloalkyl, halogen and OH, and wherein R' is independently selected from the group consisting of independently represents H, OH, alkyl and haloalkyl;

Z is selected from the group consisting of H, halogen, -CO-R^Z, -CH_2-O-R^Z, -CO-CH_2-R^Z, -CO-CH_2-O-R^Z, -$COOR^Z$, -NHCO-R^Z, -CO-NHR^Z, -$N(R^Z)_2$, -CN, -$NHCOOR^Z$, -SO_2-R^Z, -SO_2NHR^Z, -alkyl-O-R^Z, -alkyl-O-alkyl-O-R^Z, amino, alkyl, phenyl, heteroaryl, heterocyclyl and cycloalkyl, wherein each of said alkyl, phenyl, heteroaryl, heterocyclyl and cycloalkyl groups is optionally substituted be one or more substituents independently selected from the group

consisting of halogen, alkyl, alkoxy, haloalkyl, -COO-alkyl, OH and cycloalkyl;

R^Z is selected from the group consisting of H, halogen, -OH, alkyl, haloalkyl, cycloalkyl, heterocyclyl, heterocyclyl, phenyl and heteroaryl,

Y is H, halogen, haloalkyl, alkyl or an alkylester;

R1 is a group of the structure



wherein

n is 0 or 1; and

R2 is H, deuterium or methyl;

R3 is methyl, trifluoromethyl or ethyl,
or taken with R2 together forms a cyclopropyl group, or

R3 forms a methylene bridge to the carbon atom marked *

2. The compound of formula (I) according to claim 1 or a pharmaceutically acceptable salt or solvate thereof, wherein

Ar is selected from the group consisting of phenyl and heteroaryl, each of which is optionally substituted by one or more independently selected substituents R^{Ar};

R^{Ar} is selected from the group consisting of halogen, -OH, -CN, alkoxy, haloalkoxy, alkyl, haloalkyl, mono- or dialkylamino-alkyl, mono- or di-alkylamino-alkoxy,
-COOR', -CONHR', -CO-R', -SO_2NHR', -NH-CO-R', -NO_2, -NH-SO_2-R', -SO_2-R', benzyloxy, -CO-heterocyclyl, -CO-cycloalkyl, -CONH-cycloalkyl, -CONH- heterocyclyl, -O-alkyl-heterocyclyl, -O-alkyl-cycloalkyl, (2-oxa-6-azaspiro[3.3]hept-6-yl)-C_{1-4}-alkoxy, amino, aralkyl, cycloalkyl, heterocyclyl,

phenyl and heteroaryl, wherein each of said alkoxy, aralkyl, alkyl, cycloalkyl, heterocyclyl, phenyl and heteroaryl groups is optionally substituted be one or more substituents independently selected from alkyl, haloalkyl, halogen and OH, and wherein R' is independently selected from the group consisting of independently represents H, OH, alkyl and haloalkyl;

Z is selected from the group consisting of H, halogen, -CO-R^Z, -CH_2-O-R^Z, -CO-CH_2-R^Z, -CO-CH_2-O-R^Z, -$COOR^Z$, -NHCO-R^Z, -CO-NHR^Z, -$N(R^Z)_2$, -CN, -$NHCO_2R^Z$, -SO_2-R^Z, -SO_2NHR^Z, -alkyl-O-R^Z, -alkyl-O-alkyl-O-R^Z, amino, alkyl, phenyl, heteroaryl, heterocyclyl and cycloalkyl, wherein each of said alkyl, phenyl, heteroaryl, heterocyclyl and cycloalkyl groups is optionally substituted be one or more substituents independently selected from the group consisting of halogen, alkyl, alkoxy, haloalkyl, -COO-alkyl, OH and cycloalkyl;

R^Z is selected from the group consisting of H, halogen, -OH, alkyl, haloalkyl, cycloalkyl, heterocyclyl, heterocyclyl, phenyl and heteroaryl,

Y is H, halogen, haloalkyl, alkyl or an alkylester;

R1 is a group of the structure



wherein

n is 0 or 1;

R2 is H, deuterium or methyl;

R3 is methyl, trifluoromethyl, ethyl, or taken with R2 together forms a cyclopropyl group;

or

n is 1, R2 is H, deuterium or methyl and R3 forms a methylene bridge to the carbon atom marked *.

3. The compound of formula (I) according to claim 1 or 2 or a pharmaceutically acceptable salt or solvate thereof, wherein

Ar is selected from the group consisting of phenyl and 5- or 6-membered heteroaryl, each of which is optionally substituted by one or more substituents R^{Ar};

R^{Ar} is selected from the group consisting of halogen, OH, CN, C_{1-4}-alkyl, C_{1-4}-haloalkyl, $-NH_2$, acetamido, $-COO-C_{1-4}$-alkyl, C_{1-4}-alkoxy, and (mono- or di-C_{1-4}-alkyl-amino)-C_{1-4}-alkoxy, more particularly halogen, C_{1-4}-alkoxy, and (mono- or di-C_{1-4}-alkyl-amino)-C_{1-4}-alkoxy, benzyloxy, $-CO-N(R^N)_2$ wherein one R^N is H and the other is C_{1-3}-alkyl, C_{3-4}cycloalkyl or both R^N taken together with the N to which they are attached form an azetane, pyrrolidine or morpholine ring, $-CONR^N$ wherein one R^N is H and the other is isopropyl or cyclobutyl or both R^N taken together with the N to which they are attached form a pyrrolidine, morpholine, 1,1-dioxothiomorpholine, 4-methyl-piperazin,or 2-oxa-6-azaspiro[3.3]heptane ring;

Z is selected from the group consisting of H, halogen, $-CO-C_{1-4}$-alkyl, $-CO-CH_2-C_{1-4}$-alkoxy, $-CO-CH_2-O-C_{3-5}$-cycloalkyl, -CO-heterocyclyl, $-CH_2-OH$, $-CH_2-O-C_{1-4}$-alkyl, $-CH_2-O-C_{3-5}$-cycloalkyl, $-NH_2$, $-NH-COO-C_{1-4}$alkyl, -CN, $-COO-C_{1-4}$alkyl, $-CONH-C_{1-4}$alkyl, -CONH-arylalkyl, -CONH-cycloalkyl, $-CON(C_{1-4}alkyl)_2$, $-CON(C_{1-4}alkyl)-O-C_{1-4}$alkyl, $-CO-CH_2$-cycloalkyl, COO-heterocyclyl, -COO-cycloalkyl, cycloalkylmethyl, alken-1-one, alkyloxyalkyl, $-C_{1-2}$-alkyl-O-C_{1-2}-alkyl-O-C_{1-4}-alkyl, cycloalkylmethyl-alken-1-ol, heteroaryl, phenyl, or heterocyclyl, wherein said phenyl, and heterocyclyl is optionally substituted by one or more substituents independently selected from the group comprising halogen, alkyl, alkoxy, haloalkyl, -COO-alkyl, OH and cycloalkyl;

Y is selected from the group consisting of H, alkyl, haloalkyl, and alkylester;

R1 is a group of the structure



wherein

n is 0;

R2 is H, deuterium or methyl;

R3 is methyl, trifluoromethyl, ethyl, or taken with R2 together forms a cyclopropyl group;

or

n is 1;

R2 is H, deuterium or methyl;

R3 is methyl or trifluoromethyl or forms a methylene bridge to the carbon atom marked *.

4. The compound according to any one of claims 1 to 3 or a pharmaceutically acceptable salt or solvate thereof, wherein

Ar is selected from the group consisting of phenyl and pyridyl, each of which is optionally substituted by one or more substituents R^{Ar};

R^{Ar} is selected from the group consisting of halogen, OH, -O-C_{1-3}-alkyl, -O-C_{1-3}-haloalkyl, C_{1-4}-alkyl, C_{1-4}-haloalkyl, (mono- or dimethylamino)-C_{1-3}-alkyl and (mono- or dimethylamino)-C_{1-2}-alkoxy;

Z is selected from the group consisting of COO-C_{1-3}-alkyl, -CO-CH_2-O-C_{1-2}-alkyl, 5- or 6-membered heteroaryl, phenyl, -COO-C_{3-6}-cycloalkyl, -COO-C_{3-6}-heterocyclyl, -CON-C_{3-6}-cycloalkyl, -CON-C_{3-6}-heterocyclyl, -CO-CH_2-C_{3-6}-cycloalkyl, -CH_2-O-C_{3-6}-cycloalkyl, -CO-C_{1-4}-alkyl, -C_{1-2}-alkyl-O-C_{1-2}-alkyl, -C_{1-2}-alkyl-O-C_{1-2}-alkyl-O-C_{1-2}-alkyl and -C(OH)(C_{1-4}-alkyl)(CH_2-C_{3-6}-cycloalkyl), wherein said heteroaryl, phenyl, heterocyclyl, cycloalkyl and alkyl is optionally substituted with one or more substituents independently selected from the group consisting of methyl, halogen, CF_3, OMe and OH;

Y is selected from the group consisting of CF_3 and Me;

R1 is selected from the group consisting of 3-hydroxy-3-methylbutyl, 2-hydroxy-2-methylpropyl, 3-hydroxy-3-methyl-cyclobutyl, 2-hydroxypropyl, 2-hydroxybutyl, 3-hydroxy-cyclobutyl, 2-hydroxy-3,3,3-trifluoropropyl, 2-hydroxy-2-deutero-propyl, and 1-hydroxy-cyclopropylmethyl.

5. The compound according to any one of claims 1 to 4 or a pharmaceutically acceptable salt or solvate thereof, wherein

Ar is selected from the group consisting of phenyl optionally substituted by one or more substituents R^{Ar};

R^{Ar} is selected from the group consisting of halogen, -O-C_{1-3}-alkyl, -O-C_{1-3}-haloalkyl, C_{1-4}-alkyl, C_{1-4}-haloalkyl and (dimethylamino)-C_{1-2}-alkoxy;

Z is selected from the group consisting of H, COO-C_{1-3}-alkyl, pyrimidyl, pyrazinyl, thiazolyl, oxazolyl, isoxazolyl, isothiazolyl imidazolyl, oxadiazolyl, thiadiazolyl, thiophenyl, furan, tetrahydrofuran, cyclopropoxymethyl, cyclohexoxymethyl, cyclopentoxymethyl, -COO-cyclopropyl, -COO-cyclobutyl, -COO-cyclopentyl, -COO-cyclohexyl, pent-4-en-1-one, hydroxymethyl, methoxymethyl, ethoxymethyl, isopropoxymethyl, cyclobutoxymethyl, methoxyethyl, acetyl, methoxyacetyl, -CO-CH_2-cyclobutyl, -CO-CH_2-cyclopropyl, -CO-CH_2-cyclopentyl, -CO-CH_2-cyclohexyl, -COO-oxetan, 1-cyclopropylmethyl-pent-4-en-1-ol, -methoxy-ethoxy-methyl, -CONH-cyclopropyl, -CONH-cyclobutyl, -CONH-cyclopentyl, and -CONH-cyclohexyl, wherein said pyrimidyl, pyrazinyl, thiazolyl, oxazolyl, isoxazolyl, isothiazolyl imidazolyl, oxadiazolyl, thiadiazolyl, thiophenyl, tetrahydrofuran and furan is optionally substituted with one or more substituents independently selected from the group consisting of methyl, halogen, CF_3, OMe and OH;

Y is selected from the group consisting of CF_3 and Me;

R1 is selected from the group consisting of 3-hydroxy-3-methylbutyl, 2-hydroxy-2-methylpropyl, 3-hydroxy-3-methyl-cyclobutyl, 2-hydroxypropyl, 2-hydroxybutyl, 3-hydroxy-cyclobutyl, 2-hydroxy-3,3,3-trifluoropropyl, 2-hydroxy-2-deutero-propyl, and 1-hydroxy-cyclopropylmethyl.

6. The compound according to any one of claims 1 to 5 or a pharmaceutically acceptable salt or solvate thereof, wherein

Ar is phenyl which is optionally substituted by one or more substituents R^{Ar};

R^{Ar} is selected from the group consisting of Cl, -OMe, F and 2-(dimethylamino)-ethoxy;

Z is selected from the group consisting of -COOMe, -COOEt, pyrimidin-2-yl, thiazol-2-yl, cyclopropoxymethyl, -COO-cyclopropyl, -COO-cyclobutyl, pent-4-en-1-one, pyrimidin-4-yl, methoxymethyl, pyrazin-2-yl, -CO-CH_2-cyclobutyl, COO-oxetan, 5-methyl-isoxazol-2-yl, 1-cyclopropylmethyl-pent-4-en-1-ol, -CONH-cyclopentyl;

Y is selected from the group consisting of CF_3 and Me;

R1 is selected from the group consisting of 3-hydroxy-3-methylbutyl, 3-hydroxy-3-methyl-cyclobutyl, 2-hydroxypropyl, 2-hydroxybutyl, 3-hydroxy-cyclobutyl, 2-hydroxy-3,3,3-trifluoropropyl, 2-hydroxy-2-deutero-propyl, and 1-hydroxy-cyclopropylmethyl.

7. The compound according to any one of claims 1 to 6, wherein the compound is selected from the group consisting of

1-{4-[3-(2-chloro-6-fluorophenyl)-4-(1,3-thiazol-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-2-methylpropan-2-ol

1-({4-[3-(2-chloro-6-fluorophenyl)-4-(1,3-thiazol-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}methyl)cyclopropan-1-ol

4-{4-[3-(2-chloro-6-fluorophenyl)-4-(1,3-thiazol-2-yl)-1,2-oxazol-5-yl]-5-

(trifluoromethyl)-1H-pyrazol-1-yl}-2-methylbutan-2-ol

(2*R*)-1-{4-[3-(2-chloro-6-fluorophenyl)-4-(1,3-thiazol-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}propan-2-ol

(2*S*)-1-{4-[3-(2-chloro-6-fluorophenyl)-4-(1,3-thiazol-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}propan-2-ol

1-{4-[3-(2-chloro-6-fluorophenyl)-4-(1,3-thiazol-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}butan-2-ol (*rac*)

3-{4-[3-(2-chloro-6-fluorophenyl)-4-(1,3-thiazol-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-1,1,1-trifluoropropan-2-ol (*rac*)

ethyl 3-(2-chloro-6-fluorophenyl)-5-[1-(2-hydroxy-2-methylpropyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-1,2-oxazole-4-carboxylate

ethyl 3-(2-chloro-6-fluorophenyl)-5-[1-(3-hydroxy-3-methylbutyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-1,2-oxazole-4-carboxylate

ethyl 3-(2-chloro-6-fluorophenyl)-5-{1-[(1*R*,3*S*)-3-hydroxy-3-methylcyclobutyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*syn*)

ethyl 3-(2-chloro-6-fluorophenyl)-5-{1-[(1*S*,3*R*)-3-hydroxy-3-methylcyclobutyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*anti*)

ethyl 3-(2-chloro-6-fluorophenyl)-5-{1-[(2*R*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate

ethyl 3-(2-chloro-6-fluorophenyl)-5-{1-[(2*S*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate

ethyl 3-(2-chloro-6-fluorophenyl)-5-[1-(2-hydroxybutyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-1,2-oxazole-4-carboxylate (*rac*)

ethyl 3-(2-chloro-6-fluorophenyl)-5-[1-(3,3,3-trifluoro-2-hydroxypropyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-1,2-oxazole-4-carboxylate (*rac*)

ethyl 3-(2-chloro-6-fluorophenyl)-5-{1-[(2*R*)-3,3,3-trifluoro-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate

methyl 3-(2-chlorophenyl)-5-{5-methyl-1-[(1*S*,3*R*)-3-hydroxy-3-methylcyclobutyl]-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*anti*)

methyl 3-(2-chlorophenyl)-5-{5-methyl-1-[(1*R*,3*S*)-3-hydroxy-3-methylcyclobutyl]-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*syn*)

methyl 3-(2-chlorophenyl)-5-[1-(3-hydroxy-3-methylbutyl)-5-methyl-1H-pyrazol-4-yl]-1,2-oxazole-4-carboxylate

methyl 3-(2-chloro-6-fluorophenyl)-5-[1-(3-hydroxy-3-methylbutyl)-5-methyl-1H-pyrazol-

4-yl]-1,2-oxazole-4-carboxylate

methyl 5-{1-[(2*R*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-3-(2-methoxypyridin-3-yl)-1,2-oxazole-4-carboxylate

methyl 3-(2-chlorophenyl)-5-{1-[(2*S*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate

methyl 3-(2-chloro-6-fluorophenyl)-5-{1-[(2*S*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate

methyl 3-(2-chlorophenyl)-5-{1-[(2*S*)-2-hydroxypropyl]-5-methyl-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate

methyl 3-(2-chloro-3-methoxyphenyl)-5-[1-(3-hydroxy-3-methylbutyl)-5-methyl-1H-pyrazol-4-yl]-1,2-oxazole-4-carboxylate

methyl 3-(2-chloro-6-fluorophenyl)-5-{1-[(1*S*,3*R*)-3-hydroxy-3-methylcyclobutyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*anti*)

methyl 3-(2-chloro-6-fluorophenyl)-5-{1-[(1*R*,3*S*)-3-hydroxy-3-methylcyclobutyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*syn*)

methyl 3-(2-chloro-6-fluorophenyl)-5-[1-(3-hydroxycyclobutyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-1,2-oxazole-4-carboxylate

methyl 3-(2-chlorophenyl)-5-{1-[(1*S*,3*S*)-3-hydroxy-3-(methoxymethyl)cyclobutyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*syn*)

1-{4-[3-(2-chloro-6-fluorophenyl)-4-(5-methyl-1,3,4-oxadiazol-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-2-methylpropan-2-ol

1-{4-[3-(2-chloro-6-fluorophenyl)-4-(1,3-thiazol-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}(2-^{2}H)propan-2-ol (*rac*)

ethyl 3-(2-chloro-6-fluorophenyl)-5-{1-[2-hydroxy(2-^{2}H)propyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*rac*)

methyl 3-(2-chloro-6-fluorophenyl)-5-{1-[2-hydroxy(2-^{2}H)propyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*rac*)

1-[3-(2-chloro-6-fluorophenyl)-5-[1-(2-hydroxy-2-methylpropyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-1,2-oxazol-4-yl]ethan-1-one

1-[3-(2-chloro-6-fluorophenyl)-5-{1-[(2*R*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazol-4-yl]ethan-1-one

1-[3-(2-chloro-6-fluorophenyl)-5-[1-(2-hydroxy-2-methylpropyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-1,2-oxazol-4-yl]-2-cyclobutylethan-1-one

1-[3-(2-chloro-6-fluorophenyl)-5-[1-(2-hydroxy-2-methylpropyl)-5-(trifluoromethyl)-1H-

pyrazol-4-yl]-1,2-oxazol-4-yl]pent-4-en-1-one

2-[3-(2-chloro-6-fluorophenyl)-5-[1-(2-hydroxy-2-methylpropyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-1,2-oxazol-4-yl]-1-cyclopropylhex-5-en-2-ol (*rac*)

1-[3-(2-chloro-6-fluorophenyl)-5-[1-(2-hydroxy-2-methylpropyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-1,2-oxazol-4-yl]-2-methoxyethan-1-one

1-[3-(2-chloro-6-fluorophenyl)-5-{1-[(2*R*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazol-4-yl]-2-methoxyethan-1-one

3-(2-chloro-6-fluorophenyl)-*N*-cyclopentyl-5-[1-(2-hydroxy-2-methylpropyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-1,2-oxazole-4-carboxamide

3-(2-chloro-6-fluorophenyl)-*N*-cyclopropyl-5-[1-(2-hydroxy-2-methylpropyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-1,2-oxazole-4-carboxamide

3-(2-chloro-6-fluorophenyl)-*N*-cyclobutyl-5-[1-(2-hydroxy-2-methylpropyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-1,2-oxazole-4-carboxamide

3-(2-chloro-6-fluorophenyl)-*N*-cyclopentyl-5-{1-[(2*R*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxamide

3-(2-chloro-6-fluorophenyl)-*N*-cyclopropyl-5-{1-[(2*R*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxamide

3-(2-chloro-6-fluorophenyl)-*N*-cyclobutyl-5-{1-[(2*R*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxamide

oxetan-3-yl 3-(2-chlorophenyl)-5-{1-[(2*S*)-2-hydroxypropyl]-5-methyl-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate

cyclopropyl 3-(2-chlorophenyl)-5-{1-[(1*S*,3*R*)-3-hydroxy-3-methylcyclobutyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*anti*)

cyclopropyl 3-(2-chlorophenyl)-5-{1-[(1*R*,3*S*)-3-hydroxy-3-methylcyclobutyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*syn*)

cyclopropyl 3-(2-chloro-6-fluorophenyl)-5-{1-[(1*S*,3*R*)-3-hydroxy-3-methylcyclobutyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*anti*)

cyclopropyl 3-(2-chloro-6-fluorophenyl)-5-{1-[(1*R*,3*S*)-3-hydroxy-3-methylcyclobutyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*syn*)

oxetan-3-yl 3-(2-chlorophenyl)-5-{1-[(1*R*,3*S*)-3-hydroxy-3-methylcyclobutyl]-5-methyl-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*syn*)

cyclopropyl 3-(2-chlorophenyl)-5-{5-methyl-1-[(1*R*,3*S*)-3-hydroxy-3-methylcyclobutyl]-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*syn*)

cyclopropyl 3-(2-chlorophenyl)-5-{5-methyl-1-[(1*S*,3*R*)-3-hydroxy-3-methylcyclobutyl]-

1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*anti*)

cyclopropyl 3-(2-chloro-6-fluorophenyl)-5-[1-(2-hydroxy-2-methylpropyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-1,2-oxazole-4-carboxylate

cyclobutyl 3-(2-chloro-6-fluorophenyl)-5-[1-(2-hydroxy-2-methylpropyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-1,2-oxazole-4-carboxylate

oxetan-3-yl 3-(2-chloro-6-fluorophenyl)-5-[1-(2-hydroxy-2-methylpropyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-1,2-oxazole-4-carboxylate

oxetan-3-yl 3-(2-chloro-6-fluorophenyl)-5-{1-[(2*R*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate

cyclopropyl 3-(2-chloro-6-fluorophenyl)-5-{1-[(2*S*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate

oxetan-3-yl 3-(2-chloro-6-fluorophenyl)-5-{1-[(2*S*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate

cyclopropyl 3-(2-chloro-6-fluorophenyl)-5-{5-methyl-1-[(1*R*,3*S*)-3-hydroxy-3-methylcyclobutyl]-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*syn*)

cyclopropyl 3-(2-chloro-6-fluorophenyl)-5-{5-methyl-1-[(1*S*,3*R*)-3-hydroxy-3-methylcyclobutyl]-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*anti*)

1-{4-[3-(2-chloro-6-fluorophenyl)-4-(hydroxymethyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-2-methylpropan-2-ol

(1*R*,3*S*)-3-{4-[3-(2-chlorophenyl)-4-(hydroxymethyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

1-{4-[3-(2-chloro-6-fluorophenyl)-4-(methoxymethyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-2-methylpropan-2-ol

(2*R*)-1-{4-[3-(2-chloro-6-fluorophenyl)-4-(methoxymethyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}propan-2-ol

4-{4-[3-(2-chloro-6-fluorophenyl)-4-(methoxymethyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-2-methylbutan-2-ol

(2*S*)-1-{4-[3-(2-chloro-6-fluorophenyl)-4-(methoxymethyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}propan-2-ol

(1*R*,3*S*)-3-{4-[3-(2-chloro-6-fluorophenyl)-4-(methoxymethyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*R*,3*S*)-3-{4-[3-(2-chloro-6-fluorophenyl)-4-(methoxymethyl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*S*,3*R*)-3-{4-[3-(2-chloro-6-fluorophenyl)-4-(methoxymethyl)-1,2-oxazol-5-yl]-5-methyl-

1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*anti*)

(1*R*,3*S*)-3-{4-[3-(2-chlorophenyl)-4-(methoxymethyl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*S*,3*R*)-3-{4-[3-(2-chlorophenyl)-4-(methoxymethyl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*anti*)

(1*R*,3*S*)-3-{4-[3-(2-chlorophenyl)-4-(methoxymethyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(2*S*)-1-{4-[3-(2-chlorophenyl)-4-[(2-methoxyethoxy)methyl]-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}propan-2-ol

(2*R*)-1-{4-[3-(2-chloro-6-fluorophenyl)-4-(ethoxymethyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}propan-2-ol

4-{4-[3-(2-chloro-6-fluorophenyl)-4-(cyclopropoxymethyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-2-methylbutan-2-ol

4-{4-[3-(2-chlorophenyl)-4-(cyclopropoxymethyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-2-methylbutan-2-ol

4-{4-[3-(2-chlorophenyl)-4-(cyclopropoxymethyl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-2-methylbutan-2-ol

(1*R*,3*S*)-3-{4-[3-(2-chlorophenyl)-4-(cyclopropoxymethyl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*S*,3*R*)-3-{4-[3-(2-chlorophenyl)-4-(cyclopropoxymethyl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*anti*)

4-{4-[3-(2-chloro-6-fluorophenyl)-4-(cyclopropoxymethyl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-2-methylbutan-2-ol

(1*R*,3*S*)-3-{4-[3-(2-chloro-6-fluorophenyl)-4-(cyclopropoxymethyl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*S*,3*R*)-3-{4-[3-(2-chloro-6-fluorophenyl)-4-(cyclopropoxymethyl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*anti*)

(2*R*)-1-{4-[3-(2-chloro-6-fluorophenyl)-4-(cyclopropoxymethyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}propan-2-ol

(1*R*,3*S*)-3-{4-[3-(2-chloro-6-fluorophenyl)-4-(cyclopropoxymethyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*R*,3*S*)-3-{4-[3-(2-chlorophenyl)-4-(cyclopropoxymethyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(2*S*)-1-{4-[3-(2-chlorophenyl)-4-[(oxetan-3-yloxy)methyl]-1,2-oxazol-5-yl]-5-

(trifluoromethyl)-1H-pyrazol-1-yl}propan-2-ol

(2*R*)-1-{4-[3-(2-chloro-6-fluorophenyl)-4-[(propan-2-yloxy)methyl]-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}propan-2-ol

(2*R*)-1-{4-[3-(2-chloro-6-fluorophenyl)-4-(cyclobutoxymethyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}propan-2-ol

4-{4-[3-(2-chloro-3-methoxyphenyl)-4-(cyclopropoxymethyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-2-methylbutan-2-ol

(1*R*,3*S*)-3-[4-(3-{2-chloro-3-[2-(morpholin-4-yl)ethoxy]phenyl}-4-(cyclopropoxymethyl)-1,2-oxazol-5-yl)-5-(trifluoromethyl)-1H-pyrazol-1-yl]-1-methylcyclobutan-1-ol (*syn*)

methyl 5-[1-(2-hydroxy-2-methylpropyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-3-(2-hydroxypyridin-3-yl)-1,2-oxazole-4-carboxylate

(2*R*)-1-{4-[3-(2-chloro-6-fluorophenyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}propan-2-ol

1-{4-[3-(2-chloro-6-fluorophenyl)-4-(methoxymethyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}(2-2H)propan-2-ol (*rac*)

(2*S*)-1-{4-[3-(2-chlorophenyl)-4-(oxolan-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}propan-2-ol

(2*R*)-1-{4-[3-(2-chloro-6-fluorophenyl)-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}propan-2-ol

(1*R*,3*S*)-3-{4-[3-(2-chloro-6-fluorophenyl)-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*R*,3*S*)-3-{4-[3-(2-chlorophenyl)-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*R*,3*S*)-3-{4-[3-(2-chloro-6-fluorophenyl)-4-(pyrazin-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*R*,3*S*)-3-{4-[3-(2-chlorophenyl)-4-(pyrazin-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*R*,3*S*)-3-{4-[3-(2-chlorophenyl)-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*R*,3*S*)-3-{4-[3-(2-chloro-3-methoxyphenyl)-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*R*,3*S*)-3-{4-[3-(2-chloro-6-fluorophenyl)-4-(pyrimidin-4-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*S*,3*R*)-3-{4-[3-(2-chloro-6-fluorophenyl)-4-(pyrimidin-4-yl)-1,2-oxazol-5-yl]-5-

(trifluoromethyl)-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*anti*)

(1*R*,3*S*)-3-{4-[3-(2-chlorophenyl)-4-(pyrimidin-4-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*R*,3*S*)-3-{4-[3-(2-chlorophenyl)-4-(pyrimidin-4-yl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*R*,3*S*)-3-{4-[3-(2-chloro-6-fluorophenyl)-4-(pyrimidin-4-yl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*R*,3*S*)-3-{4-[3-(2-chlorophenyl)-4-(pyrazin-2-yl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*R*,3*S*)-3-{4-[3-(2-chloro-6-fluorophenyl)-4-(pyrazin-2-yl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*R*,3*S*)-3-{4-[3-(2-chloro-6-fluorophenyl)-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(1*R*,3*S*)-3-{4-[3-(2-chloro-3-methoxyphenyl)-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

(2*R*)-1-{4-[3-(2-methoxyphenyl)-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}propan-2-ol

1-{4-[3-(2-methoxyphenyl)-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-2-methylpropan-2-ol

(2*R*)-1-{4-[3-(2-methoxyphenyl)-4-(pyrimidin-4-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}propan-2-ol

1-{4-[3-(2-methoxyphenyl)-4-(pyrimidin-4-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-2-methylpropan-2-ol

(2*R*)-1-{4-[3-(2-chloro-3-methoxyphenyl)-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}propan-2-ol

1-{4-[3-(2-chloro-6-fluorophenyl)-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-2-methylpropan-2-ol

(2*R*)-1-{4-[3-(2-chloro-3-methoxyphenyl)-4-(pyrimidin-4-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}propan-2-ol

1-{4-[3-(2-chloro-3-methoxyphenyl)-4-(pyrimidin-4-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-2-methylpropan-2-ol

4-{4-[3-(2-chloro-3-methoxyphenyl)-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-2-methylbutan-2-ol

4-{4-[3-(2-chlorophenyl)-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-

pyrazol-1-yl}-2-methylbutan-2-ol

4-{4-[3-(2-chloro-6-fluorophenyl)-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-2-methylbutan-2-ol

4-{4-[3-(2-chloro-3-methoxyphenyl)-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-2-methylbutan-2-ol

4-{4-[3-(2,6-dichloro-3-methoxyphenyl)-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-2-methylbutan-2-ol

4-{4-[3-(2-chlorophenyl)-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-2-methylbutan-2-ol

4-{4-[3-(2-chloro-6-fluorophenyl)-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl]-5-methyl-1H-pyrazol-1-yl}-2-methylbutan-2-ol

4-(4-{3-[3-(benzyloxy)-2-chlorophenyl]-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl}-5-(trifluoromethyl)-1H-pyrazol-1-yl)-2-methylbutan-2-ol

2-chloro-3-{5-[1-(3-hydroxy-3-methylbutyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-4-(pyrimidin-2-yl)-1,2-oxazol-3-yl}phenol

(1*R*,3*S*)-3-{4-[3-(2-chloro-3-methoxyphenyl)-4-(cyclopropoxymethyl)-1,2-oxazol-5-yl]-5-(trifluoromethyl)-1H-pyrazol-1-yl}-1-methylcyclobutan-1-ol (*syn*)

ethyl 3-(2-chloro-3-methoxyphenyl)-5-{1-[(1*R*,3*S*)-3-hydroxy-3-methylcyclobutyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate (*syn*)

ethyl 3-(2-chloro-3-methoxyphenyl)-5-[1-(3-hydroxy-3-methylbutyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-1,2-oxazole-4-carboxylate

4-[4-(3-{2-chloro-3-[2-(morpholin-4-yl)ethoxy]phenyl}-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl)-5-(trifluoromethyl)-1H-pyrazol-1-yl]-2-methylbutan-2-ol

4-[4-(3-{2-chloro-3-[2-(dimethylamino)ethoxy]phenyl}-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl)-5-(trifluoromethyl)-1H-pyrazol-1-yl]-2-methylbutan-2-ol

4-[4-(3-{2-chloro-3-[2-(pyrrolidin-1-yl)ethoxy]phenyl}-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl)-5-(trifluoromethyl)-1H-pyrazol-1-yl]-2-methylbutan-2-ol

4-[4-(3-{2-chloro-3-[2-(4-methylpiperazin-1-yl)ethoxy]phenyl}-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl)-5-(trifluoromethyl)-1H-pyrazol-1-yl]-2-methylbutan-2-ol

4-[4-(3-{2-chloro-3-[2-(diethylamino)ethoxy]phenyl}-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl)-5-(trifluoromethyl)-1H-pyrazol-1-yl]-2-methylbutan-2-ol

4-[2-(2-chloro-3-{5-[1-(3-hydroxy-3-methylbutyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-4-(pyrimidin-2-yl)-1,2-oxazol-3-yl}phenoxy)ethyl]-1lambda6-thiomorpholine-1,1-dione

4-(4-{3-[2-chloro-3-(2-{2-oxa-6-azaspiro[3.3]heptan-6-yl}ethoxy)phenyl]-4-(pyrimidin-2-

yl)-1,2-oxazol-5-yl}-5-(trifluoromethyl)-1H-pyrazol-1-yl)-2-methylbutan-2-ol

4-[4-(3-{2-chloro-3-[3-(dimethylamino)propoxy]phenyl}-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl)-5-(trifluoromethyl)-1H-pyrazol-1-yl]-2-methylbutan-2-ol

4-[3-(2-chloro-3-{5-[1-(3-hydroxy-3-methylbutyl)-5-(trifluoromethyl)-1H-pyrazol-4-yl]-4-(pyrimidin-2-yl)-1,2-oxazol-3-yl}phenoxy)propyl]-1lambda6-thiomorpholine-1,1-dione

4-[4-(3-{2-chloro-3-[3-(pyrrolidin-1-yl)propoxy]phenyl}-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl)-5-(trifluoromethyl)-1H-pyrazol-1-yl]-2-methylbutan-2-ol

4-[4-(3-{2-chloro-3-[3-(diethylamino)propoxy]phenyl}-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl)-5-(trifluoromethyl)-1H-pyrazol-1-yl]-2-methylbutan-2-ol

4-[4-(3-{2-chloro-3-[2-(diethylamino)ethoxy]phenyl}-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl)-5-methyl-1H-pyrazol-1-yl]-2-methylbutan-2-ol

4-[4-(3-{2-chloro-3-[2-(dimethylamino)ethoxy]phenyl}-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl)-5-methyl-1H-pyrazol-1-yl]-2-methylbutan-2-ol

4-[4-(3-{2-chloro-3-[2-(pyrrolidin-1-yl)ethoxy]phenyl}-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl)-5-methyl-1H-pyrazol-1-yl]-2-methylbutan-2-ol

4-[4-(3-{2-chloro-3-[3-(diethylamino)propoxy]phenyl}-4-(pyrimidin-2-yl)-1,2-oxazol-5-yl)-5-methyl-1H-pyrazol-1-yl]-2-methylbutan-2-ol

methyl 3-{2-chloro-3-[2-(morpholin-4-yl)ethoxy]phenyl}-5-{1-[(2*S*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate

methyl 3-{2-chloro-3-[2-(dimethylamino)ethoxy]phenyl}-5-{1-[(2*S*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-1,2-oxazole-4-carboxylate

(1*R*,3*S*)-3-[4-(3-{2-chloro-3-[2-(morpholin-4-yl)ethoxy]phenyl}-4-(methoxymethyl)-1,2-oxazol-5-yl)-5-(trifluoromethyl)-1H-pyrazol-1-yl]-1-methylcyclobutan-1-ol (*syn*)

(1*R*,3*S*)-3-[4-(3-{2-chloro-3-[2-(dimethylamino)ethoxy]phenyl}-4-(methoxymethyl)-1,2-oxazol-5-yl)-5-(trifluoromethyl)-1H-pyrazol-1-yl]-1-methylcyclobutan-1-ol (*syn*)

(1*S*,3*R*)-3-[4-(3-{2-chloro-3-[2-(morpholin-4-yl)ethoxy]phenyl}-4-(methoxymethyl)-1,2-oxazol-5-yl)-5-(trifluoromethyl)-1H-pyrazol-1-yl]-1-methylcyclobutan-1-ol (*anti*)

(1*S*,3*R*)-3-[4-(3-{2-chloro-3-[2-(dimethylamino)ethoxy]phenyl}-4-(methoxymethyl)-1,2-oxazol-5-yl)-5-(trifluoromethyl)-1H-pyrazol-1-yl]-1-methylcyclobutan-1-ol (*anti*)

(2*R*)-1-(4-{3-[2-chloro-3-(morpholine-4-carbonyl)phenyl]-4-(pyrimidin-4-yl)-1,2-oxazol-5-yl}-5-(trifluoromethyl)-1H-pyrazol-1-yl)propan-2-ol

2-chloro-*N*-cyclobutyl-3-(5-{1-[(2*R*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-4-(pyrimidin-4-yl)-1,2-oxazol-3-yl)benzamide

2-chloro-*N*-ethyl-3-(5-{1-[(2*R*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-4-

(pyrimidin-4-yl)-1,2-oxazol-3-yl)benzamide
2-chloro-3-(5-{1-[(2*R*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-4-(pyrimidin-4-yl)-1,2-oxazol-3-yl)-*N*-(propan-2-yl)benzamide
(2*R*)-1-(4-{3-[3-(azetidine-1-carbonyl)-2-chlorophenyl]-4-(pyrimidin-4-yl)-1,2-oxazol-5-yl}-5-(trifluoromethyl)-1H-pyrazol-1-yl)propan-2-ol
2-chloro-*N*-cyclopropyl-3-(5-{1-[(2*R*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-4-(pyrimidin-4-yl)-1,2-oxazol-3-yl)benzamide
(2*R*)-1-(4-{3-[2-chloro-3-(pyrrolidine-1-carbonyl)phenyl]-4-(pyrimidin-4-yl)-1,2-oxazol-5-yl}-5-(trifluoromethyl)-1H-pyrazol-1-yl)propan-2-ol
N-cyclopropyl-3-(5-{1-[(2*R*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-4-(pyrimidin-4-yl)-1,2-oxazol-3-yl)-2-methoxybenzamide
3-(5-{1-[(2*R*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-4-(pyrimidin-4-yl)-1,2-oxazol-3-yl)-2-methoxy-*N*-(propan-2-yl)benzamide
(2*R*)-1-(4-{3-[3-(azetidine-1-carbonyl)-2-methoxyphenyl]-4-(pyrimidin-4-yl)-1,2-oxazol-5-yl}-5-(trifluoromethyl)-1H-pyrazol-1-yl)propan-2-ol
N-cyclobutyl-3-(5-{1-[(2*R*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-4-(pyrimidin-4-yl)-1,2-oxazol-3-yl)-2-methoxybenzamide
N-ethyl-3-(5-{1-[(2*R*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-4-(pyrimidin-4-yl)-1,2-oxazol-3-yl)-2-methoxybenzamide
N-cyclobutyl-3-(5-{1-[(2*R*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-4-(pyrimidin-4-yl)-1,2-oxazol-3-yl)benzamide
3-(5-{1-[(2*R*)-2-hydroxypropyl]-5-(trifluoromethyl)-1H-pyrazol-4-yl}-4-(pyrimidin-4-yl)-1,2-oxazol-3-yl)-*N*-(propan-2-yl)benzamide

8. The compound according to any of claims 1 to 7 for use as a medicament.

9. The compound according to any of claims 1 to 7 for use in the treatment of a disease or medical condition selected from the group consisting of psoriasis, psoriatic arthritis, autoimmune thyroiditis, Grave's disease, rheumatoid arthritis, vitiligo, Crohn's disease, ulcerative colitis, inflammatory bowel disease, ankylosing spondylitis, diabetes type I, multiple sclerosis, celiac disease, systemic lupus erythematosus, uveitis, Behcet disease, atopic dermatitis, Lichen planus, Sjögren's syndrome, spinal disc herniation, acne, Graft-versus-Host-Reaction, Host-versus-Graft-Reaction, AIH (Autoimmunhepatitis), PBC (peripheral biliary cholangitis), PSC (primary scleroting

cholangitis), obesity, Lupus nephritis, Autoimmune Thyroid Disorders including Graves Disease and Hashimoto's Disease, Autoimmune Uveitis, Colitis, IMQ Psoriasis, Juvenile Idiopathic Arthritis, Myasthenia Gravis, Systemic Sclerosis, diabetis melitus and osteoarthritis.

10. Use of a compound of the formula (I) as defined in any of claims 1 to 7, or a pharmaceutically acceptable salt or solvate thereof in the manufacture of a medicament for the treatment of a disease or medical condition associated with overexpression of interleukin-17 (IL-17) or Interferon-γ (INF-γ), wherein the disease or medical condition is selected from the group consisting of psoriasis, psoriatic arthritis, autoimmune thyroiditis, Grave's disease, rheumatoid arthritis, vitiligo, Crohn's disease, ulcerative colitis, inflammatory bowel disease, ankylosing spondylitis, diabetes type I, multiple sclerosis, celiac disease, systemic lupus erythematosus, uveitis, Behcet disease, atopic dermatitis, Lichen planus, Sjögren's syndrome, spinal disc herniation, acne, Graft-versus-Host-Reaction, Host-versus-Graft-Reaction, AIH (Autoimmunhepatitis), PBC (peripheral biliary cholangitis), PSC (primary scleroting cholangitis), obesity, Lupus nephritis, Autoimmune Thyroid Disorders including Graves Disease and Hashimoto's Disease, Autoimmune Uveitis, Colitis, IMQ Psoriasis, Juvenile Idiopathic Arthritis, Myasthenia Gravis, Systemic Sclerosis, diabetes mellitus and osteoarthritis.