


WHAT IS CLAIMED IS:

1. Use of a combination of compounds for treating a disease or condition, wherein the combination includes an effective amount of Compound (A) and an effective amount of one or more of Compound (B), or a pharmaceutically acceptable salt thereof, wherein:

the Compound (A) has the structure:



wherein:

R<sup>1</sup> is selected from the group consisting of hydrogen, halogen, a substituted or unsubstituted C<sub>1</sub>-C<sub>6</sub> alkyl, a substituted or unsubstituted C<sub>1</sub>-C<sub>6</sub> haloalkyl, a substituted or unsubstituted C<sub>3</sub>-C<sub>6</sub> cycloalkyl, a substituted or unsubstituted C<sub>1</sub>-C<sub>6</sub> alkoxy, an unsubstituted mono-C<sub>1</sub>-C<sub>6</sub> alkylamine and an unsubstituted di-C<sub>1</sub>-C<sub>6</sub> alkylamine;

each R<sup>2</sup> is independently selected from the group consisting of halogen, a substituted or unsubstituted C<sub>1</sub>-C<sub>6</sub> alkyl, a substituted or unsubstituted C<sub>1</sub>-C<sub>6</sub> haloalkyl and a substituted or unsubstituted C<sub>3</sub>-C<sub>6</sub> cycloalkyl; or

when m is 2 or 3, each R<sup>2</sup> is independently selected from the group consisting of halogen, a substituted or unsubstituted C<sub>1</sub>-C<sub>6</sub> alkyl, a substituted or unsubstituted C<sub>1</sub>-C<sub>6</sub> haloalkyl and a substituted or unsubstituted C<sub>3</sub>-C<sub>6</sub> cycloalkyl, or two R<sup>2</sup> groups taken together with the atom(s) to which they are attached form a substituted or unsubstituted C<sub>3</sub>-C<sub>6</sub> cycloalkyl or a substituted or unsubstituted 3 to 6 membered heterocyclyl;

R<sup>4</sup> is selected from the group consisting of NO<sub>2</sub>, S(O)R<sup>6</sup>, SO<sub>2</sub>R<sup>6</sup>, halogen, cyano and an unsubstituted C<sub>1</sub>-C<sub>6</sub> haloalkyl;

R<sup>5</sup> is -X<sup>1</sup>-(Alk<sup>1</sup>)<sub>n</sub>-R<sup>7</sup>;

Alk<sup>1</sup> is selected from an unsubstituted C<sub>1</sub>-C<sub>4</sub> alkylene and a C<sub>1</sub>-C<sub>4</sub> alkylene substituted with 1, 2 or 3 substituents independently selected from fluoro, chloro, an unsubstituted C<sub>1</sub>-C<sub>3</sub> alkyl and an unsubstituted C<sub>1</sub>-C<sub>3</sub> haloalkyl;

R<sup>6</sup> is selected from the group consisting of a substituted or unsubstituted C<sub>1</sub>-C<sub>6</sub> alkyl, a substituted or unsubstituted C<sub>1</sub>-C<sub>6</sub> haloalkyl and a substituted or unsubstituted C<sub>3</sub>-C<sub>6</sub> cycloalkyl;


R<sup>7</sup> is selected from a substituted or unsubstituted C<sub>1</sub>-C<sub>6</sub> alkoxy, a substituted or unsubstituted C<sub>3</sub>-C<sub>10</sub> cycloalkyl, a substituted or unsubstituted 3 to 10 membered heterocyclyl, hydroxy, amino, a substituted or unsubstituted mono-substituted amine group, a substituted or unsubstituted di-substituted amine group, a substituted or unsubstituted N-carbamyl, a substituted or unsubstituted C-amido and a substituted or unsubstituted N-amido;

m is 0, 1, 2 or 3;

n is selected from the group consisting of 0 and 1; and

X<sup>1</sup> is selected from the group consisting of -O-, -S- and -NH-; and

the one or more of Compound (B) has the structure




wherein:

R<sup>1a</sup> is selected from the group consisting of hydrogen, halogen and a substituted or unsubstituted C<sub>1</sub>-C<sub>6</sub> alkyl;

Ring A-a is selected from the group consisting of a substituted or unsubstituted phenyl and a substituted or unsubstituted 5-6 membered monocyclic heteroaryl;

Ring B-a is selected from the group consisting of a substituted or unsubstituted monocyclic 5-7 membered carbocyclyl and a substituted or unsubstituted 5-7 membered monocyclic heterocyclyl;



m-a is 0, 1, 2 or 3;

R<sup>3a</sup> is selected from the group consisting of halogen and a substituted or unsubstituted C<sub>1</sub>-C<sub>6</sub> alkyl;

X-a is selected from the group consisting of hydrogen, halogen, hydroxy, cyano, a substituted or unsubstituted 4-6 membered monocyclic heterocyclyl, a substituted or unsubstituted amine(C<sub>1</sub>-C<sub>6</sub> alkyl), a substituted or unsubstituted -NH-(CH<sub>2</sub>)<sub>1-6</sub>-amine, a mono-substituted amine, a di-substituted amine, an amino, a substituted or unsubstituted C<sub>1</sub>-C<sub>6</sub> alkyl, a substituted or unsubstituted C<sub>1</sub>-C<sub>6</sub> alkoxy, a substituted or unsubstituted C<sub>3</sub>-C<sub>6</sub> cycloalkoxy, a substituted or unsubstituted (C<sub>1</sub>-C<sub>6</sub> alkyl)acyl, a substituted or unsubstituted C-amido, a substituted or unsubstituted N-amido, a substituted or unsubstituted C-carboxy, a substituted or unsubstituted O-carboxy, a substituted or unsubstituted O-carbamyl and a substituted or unsubstituted N-carbamyl;

Y-a is CH or N;

Y<sup>1-a</sup> is CR<sup>4A-a</sup> or N;


Y<sup>2-a</sup> is CR<sup>4B-a</sup> or N;







Ring C-a is selected from the group consisting of a substituted or unsubstituted C<sub>6</sub>-C<sub>10</sub> aryl, a substituted or unsubstituted monocyclic 5-10 membered heteroaryl, a substituted or unsubstituted monocyclic 5-7 membered carbocyclyl, a substituted or unsubstituted 5-7 membered monocyclic heterocyclyl and a substituted or unsubstituted 7-10 membered bicyclic heterocyclyl;







R<sup>4A-a</sup> and R<sup>4B-a</sup> are independently selected from the group consisting of hydrogen, halogen and an unsubstituted C<sub>1-4</sub> alkyl; and







R<sup>5-a</sup> is a substituted or unsubstituted 5-7 membered monocyclic heterocyclyl.







2. The use of Claim 1, wherein the Compound (A) is selected from the group consisting of:
















































, and




, or a

pharmaceutically acceptable salt of any of the foregoing.


3. The use of Claim 1 or 2, wherein the Compound (B) is selected from the group consisting of:




,




,




,





,




,



,















and




, or a pharmaceutically acceptable salt of any of the foregoing.


4. The use of Claim 1 or 2, wherein the Compound (B) is selected from the group consisting of:











acceptable salt of any of any of the foregoing.

5. The use of any one of Claims 1-4, wherein the disease or condition is a hematological malignancy.

6. The use of Claim 5, wherein the hematological malignancy is acute myeloid leukemia (AML), acute lymphoblastic leukemia (ALL), chronic lymphocytic leukemia (CLL) and chronic myeloid leukemia (CML).

7. The use of Claim 5, wherein the hematological malignancy is non-Hodgkin's lymphoma.

8. The use of Claim 5, wherein the hematological malignancy is Multiple Myeloma and blastic plasmacytoid dendritic cell neoplasm.

9. The use of any one of Claims 1-4, wherein the disease or condition is a solid tumor.

10. The use of Claim 9, wherein the disease or condition is selected from the group consisting of a bladder cancer, a brain cancer, a breast cancer, a cervical cancer, a choriocarcinoma, a cervicocerebral cancer, a colon cancer, an endometrial cancer, an esophageal cancer, a gallbladder/bile duct cancer, a head and neck cancer (including oral cancer), a hepatocellular cancer, a lung cancer, a non-small cell cancer, a mesothelioma, an ovarian cancer, an osteosarcoma, a pancreatic cancer, a penis cancer, an anal cancer, a prostate cancer, a

testicular cancer, a small cell cancer, a small cell lung cancer, a stomach cancer, a rectal cancer, a renal pelvis/ureter cancer, a skin cancer, a soft tissue sarcoma, a stomach cancer, a testicular cancer, a thyroid cancer, an uterus body cancer and an uterocervical cancer.

11. The use of Claim 10, wherein the disease or condition is a breast cancer.
12. The use of Claim 10, wherein the disease or condition is small cell lung cancer.
13. The use of Claim 10, wherein the disease or condition is pancreatic cancer.