


170








FIG. 2A





FIG. 2B



உள்ளே




FIG. 4

5/70




FIG. 5A




FIG. 5B




FIG. 5C




FIG. 6




FIG. 7

10/70




FIG. 8A

11/70




FIG. 8B

12/70




FIG. 8C

13/70




FIG. 9




FIG. 10

Binding of AbD Ab #40 & #60 to rat MASP2 polypeptides




FIG. 11




FIG. 12

17/70




FIG. 13A

18/70




FIG. 13B

19/70




FIG. 14

20/70




FIG. 15A




FIG. 15B

21/70




FIG. 16A




FIG. 16B

22/70




FIG. 17

23/70




FIG. 18




FIG. 19

24/70




FIG. 20

25/70




FIG. 21




FIG. 22

26/70




FIG. 23

27/70




FIG. 24A

28/70




FIG. 24B




FIG. 25A

30/70




FIG. 25B




FIG. 25C

32/70




FIG. 26A




FIG. 26B

33/70




FIG. 27A




FIG. 27B

34/70




FIG. 28A




FIG. 28B

35/70




FIG. 28C




FIG. 28D

36/70




FIG. 29A




FIG. 29B




FIG. 30




FIG. 31

39/70




FIG. 32A




FIG. 32B

40/70




FIG. 33

41/70




FIG. 34

42/70




FIG. 35

43/70




FIG. 36




FIG. 37

45/70




FIG. 38

46/70




FIG. 39

47/70




FIG. 40

48/70




FIG. 41

49/70




FIG. 42

50/70




FIG. 43

51/70

Time to onset of microvascular occlusion
following LPS injection (Schwarzman model)




FIG. 44

52/70




FIG. 45

53/70

mAbH6 inhibits thrombus formation in
the mouse model of FITC-Dextran induced
thrombotic microangiopathy




FIG. 46

54/70




FIG. 47

55/70




FIG. 48

56/70




FIG. 49

57/70




FIG. 50

58/70




FIG. 51

59/70




FIG. 52

60/70




FIG. 53A

61/70




FIG. 53B

62/70




FIG. 53C

63/70




FIG. 54

64/70




FIG. 55A

65/70




FIG. 55B

66/70




FIG. 56

67/70




FIG. 57

68/70

Platelet Count Change from Baseline over Time




FIG. 58

LDH Change from Baseline over Time




FIG. 59

70/70




FIG. 60