
Claims

1. A compound of formula (**I**):



(**I**)

, wherein X^1 is CR^1 or N;

X^2 is CR^2 or N;

X^3 is CR^3 or N;

Q is C=O, S=O, SO_2, C=S or CR^4R^5;

L is optionally substituted C_1-C_6 alkyl, C_1-C_3 polyfluoroalkyl, optionally substituted C_3-C_6 cycloalkyl, optionally substituted C_2-C_6 alkenyl, optionally substituted C_2-C_6 alkynyl, C=O, S=O, SO_2, -CH_2C(O)-, -CH_2CONH-, or -CONH-;

R^1, R^2 and R^3 are each independently selected from the group consisting of H, halogen, CN, hydroxyl, COOH, $CONR^1R^2$, NR^1R^2, $NHCOR^1$, optionally substituted C_1-C_6 alkyl, C_1-C_3 polyfluoroalkyl, optionally substituted C_1-C_6 alkylsulfonyl, optionally substituted mono or bicyclic C_3-C_6 cycloalkyl, optionally substituted C_2-C_6 alkenyl, optionally substituted C_2-C_6 alkynyl, optionally substituted C_1-C_6 alkoxy, optionally substituted C_1-C_6 alkoxycarbonyl group, mono or bicyclic optionally substituted C_5-C_{10} aryl, mono or bicyclic optionally substituted 5 to 10 membered heteroaryl, optionally substituted mono or bicyclic 3 to 8 membered heterocycle, optionally substituted aryloxy, optionally substituted heteroaryloxy, and optionally substituted heterocyclyloxy;

R^4 and R^5 are each independently selected from the group consisting of H, halogen, optionally substituted C_1-C_6 alkyl and optionally substituted (C_3-C_6) cycloalkyl; or R^4 and R^5 together with the atom to which they are attached form a spirocyclic ring;

R^6 is a ring optionally substituted with one or more R^{12} groups, wherein the ring is selected from the group consisting of a mono or bicyclic C_5-C_{10} aryl; a mono or bicyclic 5 to 10 membered heteroaryl; a C_3-C_6 cycloalkyl; and a mono or bicyclic 3 to 8 membered heterocycle;

Y is an optionally substituted C_1-C_6 alkyl, C_1-C_3 polyfluoroalkyl, an optionally substituted C_2-C_6 alkenyl, an optionally substituted C_2-C_6 alkynyl, an optionally substituted C_3-C_6 cycloalkyl, or an optionally substituted mono or bicyclic 3 to 8 membered heterocycle;


R^7 is H, optionally substituted C_1-C_6 alkyl, optionally substituted sulfonyl, optionally substituted C_1-C_6 alkylsulfonyl, optionally substituted C_3-C_6 cycloalkyl, optionally substituted C_2-C_6 alkenyl or optionally substituted C_2-C_6 alkynyl;
R^8 is a mono or bicyclic optionally substituted C_5-C_{10} aryl, mono or bicyclic optionally substituted 5 to 10 membered heteroaryl, optionally substituted mono or bicyclic C_3-C_6 cycloalkyl or an optionally substituted mono or bicyclic 3 to 8 membered heterocycle;
R^9 and R^{10} are each independently selected from the group consisting of optionally substituted C_1-C_6 alkyl, H, halogen, CN, CO_2H, $CONR^1R^2$, azido, sulfonyl, C_1-C_3 polyfluoroalkyl, optionally substituted C_1-C_6 thioalkyl, optionally substituted C_1-C_6 alkylsulfonyl, optionally substituted C_3-C_6 cycloalkyl, optionally substituted C_2-C_6 alkenyl, optionally substituted C_2-C_6 alkynyl, optionally substituted C_1-C_6 alkoxy, optionally substituted C_1-C_6 alkoxycarbonyl, mono or bicyclic optionally substituted C_5-C_{10} aryl, mono or bicyclic optionally substituted 5 to 10 membered heteroaryl, optionally substituted heterocycle, optionally substituted aryloxy, and an optionally substituted heteroaryloxy; or R^9 and R^{10} together with the C atom to which they are attached can combine to form an optionally substituted spirocyclic ring;
R^{11} is selected from the group consisting of optionally substituted C_1-C_6 alkyl, H, hydroxyl, C_1-C_3 polyfluoroalkyl, optionally substituted C_1-C_6 thioalkyl, optionally substituted C_1-C_6 alkylsulfonyl, optionally substituted C_3-C_6 cycloalkyl, optionally substituted C_2-C_6 alkenyl, optionally substituted C_2-C_6 alkynyl, optionally substituted C_1-C_6 alkoxy, optionally substituted C_1-C_6 alkoxycarbonyl, mono or bicyclic optionally substituted C_5-C_{10} aryl, mono or bicyclic optionally substituted 5 to 10 membered heteroaryl, optionally substituted heterocycle, optionally substituted aryloxy, and an optionally substituted heteroaryloxy;
the or each R^{12} group is independently selected from the group consisting of halogen, OH, $OP(O)(OH)_2$, $NR^{13}R^{14}$, $CONR^{13}R^{14}$, CN, $COOR^{13}$, NO_2, azido, SO_2R^{13}, OSO_2R^{13}, $NR^{13}SO_2R^{14}$, $NR^{13}C(O)R^{14}$, $O(CH_2)_nOC(O)R^{13}$, $NR^{13}(CH_2)_nOC(O)R^{14}$, $OC(O)R^{13}$, $OC(O)OR^{13}$, $OC(O)NR^{13}R^{14}$, $OC(O)O(CH_2)_nCOOR^{14}$, $OC(O)NR^{13}(CH_2)_nCOOR^{14}$, optionally substituted C_1-C_6 alkyl, optionally substituted C_1-C_6 alkoxy, optionally substituted aryloxy, optionally substituted heteroaryloxy, an optionally substituted mono or bicyclic C_5-C_{10} aryl, an optionally substituted mono or bicyclic 5 to 10 membered heteroaryl, an optionally substituted C_3-C_6 cycloalkyl and an optionally substituted mono or bicyclic 3 to 8 membered heterocycle;
R^{13} and R^{14} are each independently selected from the group consisting of H, optionally substituted C_1-C_6 alkyl, optionally substituted mono or bicyclic C_3-C_6 cycloalkyl, mono or bicyclic optionally substituted C_5-C_{10} aryl, mono or bicyclic optionally substituted 5 to 10 membered heteroaryl, and optionally substituted mono or bicyclic 3 to 8 membered heterocycle; and
n is an integer between 0 and 6;

or a pharmaceutically acceptable complex, salt, solvate, tautomeric form or polymorphic form thereof.

2. A compound according to claim 1, wherein:

- X^1 is CR^1, X^2 is CR^2 and X^3 is CR^3, optionally wherein R^1, R^2 and R^3 are each H; or
- one or two of X^1, X^2 and X^3 is N.

3. A compound according to any preceding claim, wherein R^9 is different to R^{10} such that the compound of formula (**I**) defines the carbon atom to which R^9 and R^{10} are covalently bonded is a first stereogenic centre and defines an S enantiomer, preferably wherein the compound is a compound of formula (**I**)-ent 1:



(I) ent.1

R^9 is H and R^{10} is an optionally substituted C_1-C_6 alkyl, halogen, a C_3-C_6 cycloalkyl or C_1-C_3 polyfluoroalkyl, more preferably wherein R^{10} is methyl.

4. A compound according to any preceding claim, wherein

- R^{11} is selected from the group consisting of optionally substituted C_1-C_6 alkyl, H, hydroxyl, C_1-C_3 polyfluoroalkyl, optionally substituted C_3-C_6 cycloalkyl, optionally substituted C_1-C_6 alkoxy and optionally substituted C_2-C_6 alkenyl, optionally wherein R^{11} is methyl;
- Q is C=O, SO_2 or CR^4R^5, and is preferably C=O;
- L is an optionally substituted C_1-C_6 alkyl, $-CH_2C(O)-$ or $-CH_2CONH-$, optionally wherein L is $-CH_2-$, $-CH_2CH_2-$, $-CH_2CH_2CH_2-$, C(Me)H, CF_2 or C(H)F;
- R^7 is H or an optionally substituted C_1-C_6 alkyl; and/or
- Y is an optionally substituted C_1-C_6 alkyl.

5. A compound according to any preceding claim, wherein R^6 is a ring optionally substituted with one or more R^{12} groups, wherein the ring is selected from the group consisting of a mono or bicyclic C_5-C_{10} aryl; and mono or bicyclic 5 to 10 membered heteroaryl, optionally wherein R^6 comprises a ring substituted with between 1 and 5 R^{12} groups, and the or each R^{12} group is independently selected from the list consisting of halogen, C_1-C_6 alkyl, CN, C_1-C_6 alkoxy, C_1-C_3 polyfluoroalkyl, azido, NR^1R^2, $CONR^1R^2$, OR^1,

OH and $OP(O)(OH)_2$, preferably wherein R^6 is a phenyl or a naphthyl optionally substituted with one or more R^{12} groups, more preferably wherein R^6 is a phenyl or a naphthyl substituted by 1 or 2 halogens, and optionally further substituted with a hydroxyl.

6. A compound according to any preceding claim, wherein R^8 is a mono or bicyclic optionally substituted C_5-C_{10} aryl or a mono or bicyclic optionally substituted 5 to 10 membered heteroaryl, optionally wherein:

- R^8 is an optionally substituted phenyl, an optionally substituted pyridine, an optionally substituted naphthyl, an optionally substituted furanyl, an optionally substituted benzofuranyl, an optionally substituted thiophene, an optionally substituted pyridofuran, an optionally substituted benzoxazole or an optionally substituted benzothiazole; and/or
- R^8 comprises between 1 and 5 substituents, and the or each substituent is independently selected from the list consisting of C_1-C_6 alkyl, halogen, OH, C_1-C_6 alkoxy, $CONR^1R^2$, CN, azido, NO_2, NH_2, OCH_2CH_2OH, $OCH_2C(O)OH$, $OP(O)(OH)_2$ and an optionally substituted mono or bicyclic 3 to 8 membered heterocycle.

7. A compound according to claim 1, wherein:

X^1 is CR^1;

X^2 is CR^2;

X^3 is CR^3;

Q is C=O or CR^4R^5;

L is optionally substituted C_1-C_3 alkyl;

Y is an optionally substituted C_1-C_6 alkyl;

R^1, R^2 and R^3 are each independently selected from the group consisting of H, halogen, CN, optionally substituted C_1-C_6 alkyl, C_1-C_3 polyfluoroalkyl, and optionally substituted mono or bicyclic C_3-C_6 cycloalkyl;

R^4 and R^5 are each independently selected from the group consisting of H and C_1-C_6 alkyl;

R^6 is a ring optionally substituted with one or more R^{12} groups, wherein the ring is selected from the group consisting of a mono or bicyclic C_5-C_{10} aryl; a mono or bicyclic 5 to 10 membered heteroaryl; and a C_3-C_6 cycloalkyl;

R^7 is H;

R^8 is a mono or bicyclic optionally substituted C_5-C_{10} aryl, a mono or bicyclic optionally substituted 5 to 10 membered heteroaryl;

R^9 and R^{10} are each independently selected from the group consisting of optionally substituted C_1-C_6 alkyl, H, halogen, CN, hydroxyl, azido, NR^1R^2, C_1-C_3 polyfluoroalkyl, optionally substituted C_3-C_6 cycloalkyl, optionally substituted C_1-C_6 alkoxy or optionally substituted C_2-C_6 alkenyl; and

R^{11} is selected from the group consisting of optionally substituted C_1-C_6 alkyl, H, hydroxyl, NR^1R^2, C_1-C_3 polyfluoroalkyl, optionally substituted C_3-C_6 cycloalkyl, optionally substituted C_1-C_6 alkoxy or optionally substituted C_2-C_6 alkenyl.

8. A compound according to claim 7, wherein:
X^1 is CH;
X^2 is CH;
X^3 is CH;
Q is C=O;
L is a C_1-C_2 alkyl;
Y is a C_1-C_2 alkyl;
R^6 is a ring optionally substituted with one or more R^{12} groups, wherein the ring is selected from the group consisting of a mono or bicyclic C_5-C_{10} aryl; and a mono or bicyclic 5 to 10 membered heteroaryl;
R^8 is a mono or bicyclic optionally substituted C_5-C_{10} aryl or a mono or bicyclic optionally substituted 5 to 10 membered heteroaryl;
R^9 and R^{10} are each independently selected from the group consisting of optionally substituted C_1-C_6 alkyl, optionally substituted C_2-C_4 alkenyl, H, halogen, CN and azido; and
R^{11} is selected from the group consisting of optionally substituted C_1-C_6 alkyl, optionally substituted C_2-C_4 alkenyl and H;
and/or wherein:
L is $-CH_2-$;
Y is $-CH_2-$;
R^6 is a phenyl or a pyridinyl optionally substituted with one or more R^{12} groups;
R^8 is an optionally substituted phenyl ring;
R^9 and R^{10} are each independently selected from the group consisting of C_1-C_3 alkyl and H; and
R^{11} is selected from the group consisting of C_1-C_3 alkyl and H.

9. A compound according to claim 8, wherein:
R^6 is a ring optionally substituted with at least one R^{12} group, wherein the or each R^{12} group is independently substituent selected from the group consisting of a halogen, -OH, optionally substituted C_1-C_4 alkoxy, amino, optionally substituted C_1-C_3 alkyl and $C(O)NH_2$;
R^8 is substituted with at least one halogen;
R^9 and R^{10} are each independently selected from the group consisting of CH_3 and H; and
R^{11} is selected from the group consisting of CH_3 and H,
optionally wherein:

R^6 is substituted with one or two halogens, and the or each halogen is independently chlorine or fluorine, optionally wherein R^6 is further substituted with a hydroxyl; and
R^8 is substituted 2 or 3 halogens, and the or each halogen is fluorine.

10. A compound according to claim 1, wherein the compound is:
1-(3,5-difluorobenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(3,5-difluorobenzyl)-3-methyl-N-((5-methylfuran-2-yl)methyl)-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
3-cyclopropyl-1-(3,5-difluorobenzyl)-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
N-(2,4-difluorobenzyl)-1-(3,5-difluorobenzyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(4-fluorobenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(3,5-difluorobenzyl)-3-ethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2,4-difluorobenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluoro-6-methylbenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluoro-6-methoxybenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-bromo-6-fluorobenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluorobenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluoro-3-methylbenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(3-carbamoylbenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(3,5-difluorobenzyl)-3-isopropyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
N-(benzofuran-2-ylmethyl)-1-(3,5-difluorobenzyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;

1-(2-chloro-4-fluorobenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(3,5-difluorobenzyl)-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chlorobenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
3-methyl-1-((2-methylthiazol-5-yl)methyl)-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-2-oxo-3-(pyrimidin-2-yl)-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-N-((6-methoxybenzofuran-2-yl)methyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-N-((6-fluorobenzofuran-2-yl)methyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-N-((5-fluorobenzofuran-2-yl)methyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-3-methyl-N-(3-(oxazol-2-yl)benzyl)-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
N-(2-(1H-1,2,4-triazol-1-yl)ethyl)-1-(2-chloro-6-fluorobenzyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-N-((5-hydroxybenzofuran-2-yl)methyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-3-methyl-N-(3-(1-methyl-1H-pyrazol-3-yl)benzyl)-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-3-methyl-N-(3-(1-methyl-1H-pyrazol-5-yl)benzyl)-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-N-(2-fluorobenzyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-3-methyl-N-(3-(4-methylpiperazin-1-yl)benzyl)-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
N-(benzofuran-5-ylmethyl)-1-(2-chloro-6-fluorobenzyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
3-methyl-1-((5-methylisoxazol-3-yl)methyl)-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-3-(1-methyl-1H-imidazol-4-yl)-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;

1-((1,2,5-thiadiazol-3-yl)methyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
3-methyl-1-((2-methyloxazol-4-yl)methyl)-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
3-methyl-1-((1-methyl-1H-imidazol-4-yl)methyl)-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
3-methyl-1-((5-methyl-2-(m-tolyl)oxazol-4-yl)methyl)-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-cyano-6-fluorobenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
3-methyl-1-((5-methyl-2-(p-tolyl)oxazol-4-yl)methyl)-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-N-(2-fluoro-6-methoxybenzyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-((2-(4-fluorophenyl)-5-methyloxazol-4-yl)methyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
N-(benzo[d][1,3]dioxol-4-ylmethyl)-1-(2-chloro-6-fluorobenzyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-N-((2,3-dihydrobenzo[b][1,4]dioxin-5-yl)methyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-((6-fluoroimidazo[1,2-a]pyridin-2-yl)methyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(4-fluoro-2-methoxybenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-N-((7-methoxybenzofuran-2-yl)methyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-3-methyl-N-((5-nitrobenzofuran-2-yl)methyl)-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-3-methoxy-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
N-(benzofuran-4-ylmethyl)-1-(2-chloro-6-fluorobenzyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-3-methyl-N-((1-methyl-1H-indazol-6-yl)methyl)-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
N-(benzofuran-6-ylmethyl)-1-(2-chloro-6-fluorobenzyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;

3-methyl-1-((1-methyl-1H-pyrazol-5-yl)methyl)-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
3-methyl-1-((3-methylisoxazol-5-yl)methyl)-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
3-methyl-1-((1-methyl-1H-1,2,3-triazol-4-yl)methyl)-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluoro-6-(trifluoromethyl)benzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-((1,5-dimethyl-1H-pyrazol-3-yl)methyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
N-((5-aminobenzofuran-2-yl)methyl)-1-(2-chloro-6-fluorobenzyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-3-methyl-2-oxo-N-((2-oxoindolin-5-yl)methyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-N-(2,6-difluoro-4-methoxybenzyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-N-(4-fluoro-2-methoxybenzyl)-3-methyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2,6-dichlorobenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluoro-3-methoxybenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-((3-cyclopropylisoxazol-5-yl)methyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(imidazo[1,2-a]pyridin-2-ylmethyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(6-chloro-2-fluoro-3-methylbenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-((4-bromo-1,3-dimethyl-1H-pyrazol-5-yl)methyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
3-(benzyloxy)-1-(2-chloro-6-fluorobenzyl)-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-3-hydroxy-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(3,5-difluorobenzyl)-3-methyl-N-(2,4,6-trifluorobenzyl)-3,4-dihydro-1H-benzo[c][1,2,6]thiadiazine-7-carboxamide 2,2-dioxide;

1-(2-chloro-6-fluorobenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydropyrido[3,2-d]pyrimidine-7-carboxamide;
1-(3,5-difluorobenzyl)-3-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydropyrido[3,2-d]pyrimidine-7-carboxamide;
N-(benzofuran-2-ylmethyl)-1-(2-chloro-6-fluorobenzyl)-3-methyl-2-oxo-1,2,3,4-tetrahydropyrido[3,2-d]pyrimidine-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(*S*)-1-(2-Chloro-6-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(*R*)-1-(2-chloro-6-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(*S*)-1-((5-chloro-3-fluoro-2-methylpyridin-4-yl)methyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(*S*)-1-(2,6-difluoro-4-hydroxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(*S*)-1-(2,6-Difluoro-4-methoxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(*S*)-1-(2,6-difluoro-4-(2-hydroxyethoxy)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(*S*)-1-(2,6-difluoro-4-(3-hydroxypropoxy)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(*S*)-3-(4-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-3,5-difluorophenoxy)propyl dihydrogen phosphate;
(*S*)-(4-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-3,5-difluorophenoxy)methyl dihydrogen phosphate;
(*S*)-4-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-3,5-difluorophenyl dihydrogen phosphate;
(*S*)-4-Acetamidobenzyl-(4-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-3,5-difluorophenyl) carbonate;
(*S*)-Benzyl-3-(((4-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-3,5-difluorophenoxy)carbonyl)(methyl)amino)propanoate;
(*S*)-1-(2-Chloro-6-fluoro-3-hydroxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(*S*)-1-(2-Chloro-6-fluoro-3-methoxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;

(*S*)-2-chloro-3-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-4-fluorophenyl dihydrogen phosphate;
(*S*)-(2-Chloro-3-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-4-fluorophenoxy)methyl dihydrogen phosphate;
(S)-2-(2-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-3,4-difluorophenoxy)ethyl dihydrogen phosphate;
(S)-4-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-3-fluorophenyl dihydrogen phosphate;
(S)-2-((1-(2-chloro-6-fluorobenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamido)methyl)-5-fluorophenyl dihydrogen phosphate;
(S)-3-(2-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-3,5-difluorophenoxy)propyl dihydrogen phosphate;
(S)-2-(2-chloro-3-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-4-fluorophenoxy)ethyl dihydrogen phosphate;
(S)-3-(2-chloro-3-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-4-fluorophenoxy)propyl dihydrogen phosphate;
(S)-2-(4-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-3,5-difluorophenoxy)ethyl dihydrogen phosphate;
(S)-3-chloro-4-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-5-fluorophenyl dihydrogen phosphate;
(S)-2-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-3,4-difluorophenyl dihydrogen phosphate;
(S)-2-((1-(2-chloro-6-fluorobenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamido)methyl)-3-fluorophenyl dihydrogen phosphate;
(*S*)-4-((1-(2-chloro-6-fluorobenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamido)methyl)-3,5-difluorophenyl dihydrogen phosphate;
(S)-3-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-2,4-difluorophenyl dihydrogen phosphate;
(S)-2-(3-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-2,4-difluorophenoxy)ethyl dihydrogen phosphate;
(S)-3-(3-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-2,4-difluorophenoxy)propyl dihydrogen phosphate;
(S)-2-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-3,5-difluorophenyl dihydrogen phosphate;
(*S*)-1-(2-Chloro-6-fluoro-3-(2-hydroxyethoxy)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;

(*S*)-1-(2-Chloro-6-fluoro-3-(3-hydroxypropoxy)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(*S*)-4-Acetamidobenzyl-(2-chloro-3-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-4-fluorophenyl) carbonate;
(*S*)-Benzyl 3-(((2-chloro-3-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-4-fluorophenoxy)carbonyl)(methyl)amino)propanoate;
(*S*)-1-(3-Carbamoyl-2,6-difluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(*S*)-3-((3,4-Dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-2,4-difluorobenzoic acid;
(*S*)-1-(2,6-Difluoro-3-((2-hydroxyethyl)carbamoyl)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(*S*)-1-(4-(Allyloxy)-2,6-difluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(4*S*)-1-(4-(2,3-Dihydroxypropoxy)-2,6-difluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(*S*)-1-(4-((R)-2,3-Dihydroxypropoxy)-2,6-difluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(*S*)-1-(4-((S)-2,3-Dihydroxypropoxy)-2,6-difluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-Chloro-6-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydropyrido[3,2-d]pyrimidine-7-carboxamide;
(*S*)-N,1-bis(2,6-difluoro-4-methoxybenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(*S*)-N,1-bis(2,6-Difluoro-4-hydroxybenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(*S*)-1-(2-Chloro-6-fluorobenzyl)-N-(2-hydroxyethyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(3,5-difluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluoro-6-methoxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-bromo-6-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluoro-6-hydroxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;

1-(2-fluoro-6-methylbenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(6-chloro-2-fluoro-3-methylbenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluoro-3-methylbenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2,6-difluoro-4-methoxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluoro-5-methoxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(5-carbamoyl-2-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-fluoro-3-methylbenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(6-chloro-2-fluoro-3-methylbenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-fluoro-4-methylbenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-amino-6-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluoro-6-(methylamino)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-(dimethylamino)-6-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-((5-chloro-3-fluoro-2-methylpyridin-4-yl)methyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(6-chloro-2,3-difluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2,3-difluoro-6-methoxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-chloro-3,6-difluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-((3-fluoro-2-methylpyridin-4-yl)methyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluoro-4-hydroxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;

(S)-1-(2-amino-6-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-fluoro-5-methoxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-((5-chloro-3-fluoro-2-methoxypyridin-4-yl)methyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-methyl 2-chloro-3-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-4-fluorobenzoate;
(S)-1-(3-carbamoyl-2-chloro-6-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-2-(4-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-3,5-difluorophenoxy)ethyl 2-aminoacetate;
(S)-1-(3-amino-2-chloro-6-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-4-methyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-benzyl-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2,6-difluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluoro-6-(trifluoromethyl)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
N-(2,4-difluorobenzyl)-1-(2-fluorobenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
3,4-dimethyl-1-((2-methylpyridin-4-yl)methyl)-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
3,4-dimethyl-1-((3-methylisoxazol-5-yl)methyl)-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
3,4-dimethyl-1-((5-methylisoxazol-3-yl)methyl)-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
2-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-3-fluorophenyl methanesulfonate;
1-(2,4-difluoro-6-(trifluoromethoxy)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;

1-((3-fluoropyridin-4-yl)methyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-6-fluorobenzyl)-3,4-dimethyl-N-((5-methylfuran-2-yl)methyl)-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
N-(benzofuran-2-ylmethyl)-1-(2-chloro-6-fluorobenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
N,1-dibenzyl-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2,6-dimethylbenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-(difluoromethoxy)-6-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluoro-4-methoxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(4-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(4-chloro-2-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-bromo-6-fluoro-3-methylbenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-chloro-4-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(4-chloro-2,6-difluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-((1,3-dimethyl-1H-pyrazol-5-yl)methyl)-N-((5-fluorobenzofuran-2-yl)methyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-((4-fluoro-1,3-dimethyl-1H-pyrazol-5-yl)methyl)-N-((5-fluorobenzofuran-2-yl)methyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluoro-6-(methylsulfonamido)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide
1-(2-acetamido-6-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-((3-fluoropyridin-2-yl)methyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
2-(4-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-3-fluorophenoxy)acetic acid;
2-(3-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-4-fluorophenoxy)acetic acid;

1-(2-fluoro-4-(2-hydroxyethoxy)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluoro-5-hydroxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-((3-bromo-5-fluoropyridin-4-yl)methyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluoro-5-(2-hydroxyethoxy)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
2-(2-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-3-fluorophenoxy)acetic acid;
1-(2-chloro-6-fluorobenzyl)-N-(4-hydroxybenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-(2-fluoro-6-(2-hydroxyethoxy)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-((5-fluoro-2-methylpyridin-4-yl)methyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
1-((3-fluoro-6-methylpyridin-2-yl)methyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(4-azidobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
2-(4-((1-(2-chloro-6-fluorobenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamido)methyl)phenoxy)acetic acid;
(S)-1-(2,3-difluoro-6-methoxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2,3-difluoro-6-hydroxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(4-aminobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-2-(2-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-3,4-difluorophenoxy)acetic acid;
(S)-1-(2-chloro-6-fluorobenzyl)-N-(2-fluoro-6-methoxybenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-chloro-6-fluorobenzyl)-N-(2,6-difluoro-4-methoxybenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-chloro-6-fluorobenzyl)-N-(4-fluoro-2-methoxybenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;

(S)-1-(2-chloro-6-fluorobenzyl)-N-(3-fluoro-5-methoxybenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-chloro-6-fluorobenzyl)-N-(2-fluoro-3-methoxybenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-chloro-6-fluorobenzyl)-N-(3-fluoro-5-hydroxybenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-chloro-6-fluorobenzyl)-N-(2-fluoro-6-hydroxybenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-chloro-6-fluorobenzyl)-N-(2,6-difluoro-4-hydroxybenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-chloro-6-fluorobenzyl)-N-(4-fluoro-2-hydroxybenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2,3-difluoro-6-(2-hydroxyethoxy)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2,6-difluoro-3-hydroxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2,6-difluoro-3-(2-hydroxyethoxy)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2,6-difluoro-3-(3-hydroxypropoxy)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2,6-difluoro-3-methoxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2,4-difluoro-6-methoxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2,4-difluoro-6-hydroxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-((3-fluoro-2-methylpyridin-4-yl)methyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-fluoro-5-hydroxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-fluoro-5-(2-hydroxyethoxy)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-fluoro-6-((2-hydroxyethyl)amino)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide hydrochloride;
(S)-1-(2-fluoro-4,5-dimethoxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;

(S)-1-(2-chloro-6-fluorobenzyl)-N-(3-fluoro-5-(2-hydroxyethoxy)benzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-chloro-6-fluorobenzyl)-N-(2-fluoro-3-hydroxybenzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
-(2-fluoro-5-(hydroxymethyl)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2,6-difluoro-3-(hydroxymethyl)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2,3-difluoro-5-methoxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-fluoro-5-(3-hydroxypropoxy)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-(2-aminoacetamido)-6-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide dihydrochloride;
(S)-1-(5-amino-2-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-fluoro-4,5-dihydroxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2,4-difluoro-6-(3-hydroxypropoxy)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-chloro-6-fluorobenzyl)-N-(2-fluoro-3-(2-hydroxyethoxy)benzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide
(S)-2-(4-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-3,5-difluorophenoxy)acetic acid;
(S)-1-(2-fluoro-6-((3-hydroxypropyl)amino)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-fluoro-3-methoxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(4-(3-aminopropoxy)-2,6-difluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2,3-difluoro-5-hydroxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2,3-difluoro-5-(2-hydroxyethoxy)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2,3-difluoro-5-(3-hydroxypropoxy)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;

(S)-1-(2-chloro-6-fluorobenzyl)-N-(4-fluoro-2-(2-hydroxyethoxy)benzyl)-3,4-dimethyl-2-oxo-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(6-amino-2,3-difluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(4-amino-2,6-difluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-((5-chloro-3-fluoro-2-oxo-1,2-dihydropyridin-4-yl)methyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-((5-chloro-3-fluoro-1-methyl-2-oxo-1,2-dihydropyridin-4-yl)methyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(4S)-1-(2,6-difluoro-3-(1-hydroxyethyl)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2,6-difluoro-4-(2-(methylsulfonamido)ethoxy)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2,6-difluoro-4-(2-morpholinoethoxy)benzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(4-(2-aminoethoxy)-2,6-difluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide hydrochloride;
(S)-1-(2-chloro-6-fluoro-4-methoxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-4-(4-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-3,5-difluorophenoxy)butanoic acid;
(S)-1-((3,5-difluoropyridin-4-yl)methyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-((3-fluoro-5-methoxy-2-methylpyridin-4-yl)methyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-((5-chloro-3-fluoro-1-(2-hydroxyethyl)-2-oxo-1,2-dihydropyridin-4-yl)methyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(2-chloro-6-fluoro-4-hydroxybenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide;
(S)-1-(4-(2-aminoethoxy)-2-chloro-6-fluorobenzyl)-3,4-dimethyl-2-oxo-N-(2,4,6-trifluorobenzyl)-1,2,3,4-tetrahydroquinazoline-7-carboxamide hydrochloride; or
(S)-2-chloro-3-((3,4-dimethyl-2-oxo-7-((2,4,6-trifluorobenzyl)carbamoyl)-3,4-dihydroquinazolin-1(2H)-yl)methyl)-4-fluorophenyl methyl(2-(methylamino)ethyl)carbamate hydrochloride.

11. A pharmaceutical composition comprising a compound according to any one of claims 1 to 11 or a pharmaceutically acceptable complex, salt, solvate, tautomeric form or polymorphic form thereof, and a pharmaceutically acceptable vehicle.


12. A compound, as defined by any one of claims 1 to 10, or a pharmaceutically acceptable complex, salt, solvate, tautomeric form or polymorphic form thereof, or a composition, as defined by claim 11, for use in therapy.

13. A compound, as defined by any one of claims 1 to 10, or a pharmaceutically acceptable complex, salt, solvate, tautomeric form or polymorphic form thereof, or a composition, as defined by claim 11, for use in treating, ameliorating or preventing a disease selected from cancer, bacterial infection, viral infection, fungal infection, parasitic infection, immune-mediated disorder, central nervous system disease, peripheral nervous system disease, neurodegenerative disease, mood disorder, sleep disorder, cerebrovascular disease, peripheral artery disease or cardiovascular disease.


14. A compound or composition for use according to claim 13, wherein:

- the disease is cancer, optionally wherein the cancer is selected from the group consisting of colorectal cancer, aero-digestive squamous cancer, lung cancer, brain cancer, liver cancer, stomach cancer, sarcoma, leukaemia, lymphoma, multiple myeloma, ovarian cancer, uterine cancer, breast cancer, melanoma, prostate cancer, bladder cancer, pancreatic carcinoma or renal carcinoma; and/or
- the compound or composition is for use with a second therapeutic agent, optionally wherein the second therapeutic agent comprises an antiviral agent, an anti-inflammation agent, conventional chemotherapy, an anti-cancer vaccine and/or hormonal therapy, optionally wherein the second therapeutic agent comprises a B7 costimulatory molecule, interleukin-2, interferon-g, GM-CSF, a CTLA-4 antagonist, an IDO inhibitor or IDO/TDO inhibitor, a PD-1 inhibitor, a PD-L1 inhibitor, an OX-40 ligand, a LAG3 inhibitor, a CD40 ligand, a 41BB/CD137 ligand, a CD27 ligand, Bacille Calmette-Guerin (BCG), liposomes, alum, Freund's complete or incomplete adjuvant, a TLR agonist and/or detoxified endotoxins.

15. A compound of the formula (**II**) or (**III**):



Formula (**II**)




Formula (**III**)



















wherein, X^1, X^2, X^3, Q, L, Y, R^6, R^7, R^8, R^9, R^{10} and R^{11} are as defined in any one of claims 1 to 9; and


R is H or a C_1-C_6 alkyl,

or a pharmaceutically acceptable complex, salt, solvate, tautomeric form or polymorphic form thereof.


16. A compound according to claim 15, wherein the compound is selected from:





17. A conjugate of formula (**VI**):



(**VI**)

wherein C is a compound of formula (**I**) as defined in any one of claims 1 to 10;

L^1 is a linker;

T is a targeting moiety comprising an antibody or antibody fragment; and

a is an integer between 1 and 10.