
CLAIMS

1. A compound of general formula (I)



(I) ,

3-[(3S,4R)-3-methyl-6-(7H-pyrrolo[2,3d]pyrimidin-4-yl)-1,6-diazaspiro[3,4]octan-1-yl]-3-oxopropanenitrile, or a pharmaceutically acceptable salt thereof for use in the treatment of ~~hand eczema~~chronic hand eczema, wherein the compound of formula (I), or a pharmaceutically acceptable salt thereof, is administered as a twice daily application and wherein the treatment is topical treatment.

2. The compound for use according to claim 1 ~~wherein the treatment is topical treatment.~~

~~3. The compound according to claim 1 or 2~~ wherein the compound of formula (I) or a pharmaceutically acceptable salt thereof is administered in an ointment.

~~4~~3. The compound for use according to any one of the preceding claims wherein the compound of formula (I), or a pharmaceutically acceptable salt thereof is administered in a concentration of 30 mg/g.


~~5. The compound~~

4. The compound for use according to any one of the preceding claims 1-2, wherein the compound of formula (I), or a pharmaceutically acceptable salt thereof is administered in a pharmaceutical composition in a concentration of 2.00 wt% of the entire pharmaceutical composition.

5. The compound for use according to any one of the preceding claims wherein the compound of formula (I), or a pharmaceutically acceptable salt thereof is administered as a twice daily application for 8 weeks.

6. The compound for use according to any one of the preceding claims wherein the compound of formula (I), or a pharmaceutically acceptable salt thereof is administered in an amount of 1.7 mg/cm^2.

~~7. A pharmaceutical composition comprising a compound of formula (I)~~



~~(I)~~

~~3 [(3S,4R) 3 methyl 6 (7H pyrrolo[2,3d]pyrimidin 4 yl) 1,6 diazaspiro[3,4]octan 1 yl] 3 oxopropanenitrile, or a pharmaceutically acceptable salt thereof, for the treatment of hand eczema.~~

~~8. The pharmaceutical composition according to claim 7 wherein the treatment is topical treatment.~~


~~9. The pharmaceutical composition according to claim 7 or 8 wherein the pharmaceutical composition is an ointment.~~

~~10. The pharmaceutical composition according to any one of the preceding claims 7-9 wherein the compound of formula (I), or a pharmaceutically acceptable salt thereof is administered in a concentration of 30 mg/g.~~

~~11. The pharmaceutical composition according to any one of the preceding claims 7-10 wherein the compound of formula (I), or a pharmaceutically acceptable salt thereof is administered as a twice daily application for 8 weeks.~~

~~12. The pharmaceutical composition according to any one of the preceding claims 7-11 wherein the compound of formula (I), or a pharmaceutically acceptable salt thereof isadministered in an amount of 1.7 mg/cm^2.~~

~~13. A method for treating hand eczema in a subject in need thereof, which method comprises the step of administering to said subject a therapeutically effective amount of the compound of formula (I)~~



(I),

3-[(3S,4R)-3-methyl-6-(7H-pyrrolo[2,3d]pyrimidin-4-yl)-1,6-diazaspiro[3,4]octan-1-yl]-3-oxopropanenitrile, or a pharmaceutically acceptable salt thereof.

14. The method according to claim 13 wherein the administration is topical.

15. The method according to claim 13 or 14 wherein the topical administration is an ointment.