

Title: System and method for managing replacement of consumables including recyclable gas purifiers

Field

The invention relates to system for the replacement of consumables having a limited lifetime including gas purifiers that can be recycled.

5 Background

Gas purifiers for purifying gas, for example carrier gas that is used in a gas chromatograph, a liquid gas chromatograph, a spectrometer or a mass-spectrometer, are known from EP-0 606 960 and EP-1 479 430. The gas purifiers are consumables that are mounted in an equipment assembly, for
10 example, a gas chromatograph equipment assembly, a liquid chromatograph equipment assembly, a spectrometer equipment assembly or a mass-spectrometer equipment assembly. The equipment assembly includes a gas system with a gas source and gas channel that includes gas pipes and that connects the gas source with the gas chromatograph, the liquid
15 chromatograph, the spectrometer or the mass spectrometer. The gas source may be a gas bottle containing carrier gas with certain purity or a gas generator or a liquid gas tank. Generally, a quick change gas purifier base is part of the gas channel. A gas purifier can be mounted by hand on the gas purifier base via a quick change coupling. The known gas purifiers include a
20 purifier material housing in which purifier material is stored and via which the gas flows when the gas purifier is mounted on the base. Generally, the purifier material housing is transparent and at a downstream end is partly filled with indicator material that discolours when the purifier material is saturated and not anymore able to purify the gas flowing through the purifier
25 material. Discolouring indicator material serves as a signal for the end user that the gas purifier should be replaced in order to prevent contamination of the downstream gas channel and apparatus. The purifier material housing is preferably manufactured from glass in order to prevent contamination of the

gas flowing through the purifier material housing. In view of the high pressure that may prevail in the purifier material housing, the known purifiers having a purifier material housing that is manufactured from glass are encased by a transparent guard that is made of plastic.

5

Summary of the Invention

The inventor has established that, in practice, the sensitivity of the indicator material is in some situations too low to protect the downstream system from contamination with non-purified gas. In such cases, the
10 discolouration of the indicator material is too slow and contaminated gas may exit the gas purifier before the end user may be able to see discolouration of the indicator material. This is especially relevant when the downstream apparatus is very sensitive. Apart from the above, the use of indicator material may be undesired, for example, from an environmental point of view. When the
15 gas purifier has no indicator, the user has no clue when breakthrough of non-purified gas through the filter material occurs. The present invention is directed at solving or alleviating the above problems.

To that end the invention provides a system for managing
20 replacement of consumables, the system including:

- an installed base of equipment assemblies, each equipment assembly including at least one of a gas chromatograph, a liquid chromatograph, a spectrometer and a mass-spectrometer;
- an installed base of consumables, each consumable having a limited
25 lifetime and being used in combination with a said equipment assembly, the installed base of consumables including gas purifiers that are recyclable;
- a server for registering the consumables, the server including:

- a database for storing various data about the consumables that are used in combination with the installed base of equipment assemblies; and
 - a module for calculating a replacement advice with respect to the consumable that has been registered in the server;
- a web portal configured to give an end user or a provider, such as a manufacturer, a channel partner, a distributor or a service agent of the consumable, access to the server, the web portal being accessible via the internet;
- the web portal being configured for inputting at least the following data:
 - data identifying the end user;
 - a serial number of the consumable that is registered in the server;
 - a date of installation of the consumable in the equipment assembly;
 - a type of the equipment assembly in which the consumable is installed; and
- the web portal being configured to output at least the replacement advice that is associated with the registered consumable of a said end user.

20

The invention also provides a method for managing replacement of consumables having a limited lifetime, the method including:

- providing a system according to any of the preceding claims;
- inputting via the web portal at least the following data:
 - data identifying the end user;
 - a serial number of the consumable that is registered in the server;
 - a date of installation of the consumable in the equipment assembly;

25

- a type of the equipment assembly in which the consumable is installed;
- outputting via the web portal at least the replacement advice that is associated with the registered consumable of a said end user.

5

By virtue of the system according to claim 1 and the method according to claim 7, the end user is provided with a virtual indicator that is more sensitive than the discolouring indicator material that has been described in the background section. With the system according to the invention it is even possible to use gas purifiers that do not include a discolouring indicator material. As a consequence, the relative expensive transparent purifier material housing may even be dispensed with and be replaced by a non-transparent purifier material housing. As a further consequence, the transparent guard that forms an encasing for the transparent purifier material housing may also be dispensed with. The gas purifier that can be applied in a system according to the invention may be simplified in that the purifier material is stored in a metal purifier material housing. Metal is very suitable to resist high gas pressures. By virtue of the system according to the invention, the end user may be provided with a supply of gas to his equipment of which the purity is guaranteed and that with minimized burdening of the environment. The minimized burdening of the environment may be obtained by the fact that indicator material may be dispensed with and may be promoted by giving end users an incentive to register their consumables and to return their consumables to their provider for recycling. The returning of the consumables to the provider may be done at the right time. A replacement of the consumable that is too late may lead to contamination of the downstream gas system. On the other hand, a replacement that is too early leads to an unnecessary environmental burden in view of the recycling that takes place too soon.

10

15

20

25

Further embodiments are described in the dependent claims and will be further elucidated with reference to an example that is shown in the figure.

5 Brief Description of the Drawings

Fig. 1 shows a schematic embodiment of the a system for managing replacement of consumables;

Fig. 2 shows a first example of a web page of an embodiment of a web portal;

10 Fig. 3 shows a second example of a web page of an embodiment of a web portal; and

Fig. 4 shows a third example of a web page of an embodiment of a web portal.

15 Detailed Description

Fig. 1 shows an example of an embodiment of a system for managing replacement of consumables. The system 10 includes an installed base 12 of equipment assemblies 14. Each equipment assembly 14 includes at least one of a gas chromatograph, a liquid chromatograph, a spectrometer and a mass-
20 spectrometer. The system 10 also includes an installed base 16 of consumables 18. Each consumable 18 has a limited lifetime and is used in combination with a said equipment assembly 14. The installed base 16 of consumables 18 includes gas purifiers 18' that are recyclable. Additionally, the consumables 18 may also include chromatography columns 18'' and other types of consumables
25 that may be used in an equipment assembly 14. The system 10 includes a server 20 for registering the consumables 18. The server 20 includes a database 22 for storing various data about the consumables 18 that are used in combination with the installed base 12 of equipment assemblies 14. The server 20 also includes a module 24 for calculating a replacement advice 26 with
30 respect to the consumable 18 that has been registered in the server 20. The

system also includes a web portal 28 configured to give an end user 30 or a provider 32, such as a manufacturer 32a, a channel partner 32b, a distributor or a service agent 32c of the consumable 18, access to the server 20. The web portal 28 is accessible via the internet 34. The web portal 28 is configured for inputting at least the following data:

- data 36 identifying the end user 30;
- a serial number 38 of the consumable 18 that is registered in the server 20;
- a date of installation 40 of the consumable in the equipment assembly 14;
- a type 42 of the equipment assembly 14 in which the consumable 18 is installed.

In a further embodiment, the web portal 28 may also be configured to enter at least one of the following type of data:

- the type of gas that is used in the system;
- the type of consumable that is used in the system;
- the type of service contract the end user has;
- the type of “Standard of Operation” (S.O.P.) the end user applies;
- the type of gas chromatography column that is used.

Additionally, the web portal 28 is configured to output at least the replacement advice 26 that is associated with the registered consumable 18 of a said end user 30.

With such a system 10, the end user 30 is provided with a virtual indicator of the lifetime of its consumables 18. The system 10 even provides the possibility to use gas purifiers 18' that do not include an indicator material. Thus, the environmental burden may be minimized as well as the costs for the gas purifier 18'. Additionally, the end user may be stimulated by discounts or bonuses to return their consumables 18 to the manufacturer.

The output of the replacement advice 26 may also be executed via SMS, APPS as well as social media platforms such as twitter and facebook.

In an embodiment channel partners 32b and/or distributors or service agents 32c may be provide discount codes to their end users 30. When an end user inputs a given discount code in the web portal, the system may be configured to give both the end user 30 and the channel partner 32b and/or the distributor or service agent 32c a discount on new consumables that are to be delivered to the end user 30. Thus, use of the system by end users 30 as well as channel partner 32b and distributors or service agents 32c may be promoted.

The system 10 gives all type providers 32 knowledge about the installed base 12 of equipment assemblies 14 and the installed base 16 of consumables 18 at the end users 30 that are associated with them, which is very valuable from a commercial point of view.

Additionally, various requirements that are imposed by the law, for example the REACH requirments (European Community Regulation on chemicals and their safe use (EC 1907/2006)) or the RoHS Regulation (Directive 2002/95/EC), may be met with the system according to the invention. Indeed, with the system according to the invention it is easy to register what chemical substances (enclosed by the purifiers) are bought, how the substances are recycled, and at which site the chemicals are.

In an embodiment of the system 10, the module 24 for calculating the replacement advice 26 is configured to calculate an advisable renewal date 44 for the consumable 18 and to include that advisable renewal date 44 in the replacement advice 26.

Thus, the replacement advices 26 may be provided in accordance with a Standard Operation Procedure (S.O.P.) that may be prescribed by the supplier of the consumable or by a independent institute that is responsible for defining Standard Operations Procedures for various analyses that may be standardized. Based on the S.O.P. the amount of gas that is used may be indicative for the number of analyses that have been performed. Thus, a replacement advice 26 including a renewal date 44 to replace a gas purifier 18'

or a gas chromatography column 18” may be given that is based on the amount of gas that has been supplied.

In an embodiment of the system 10, the system may also include a servicing advice module 24’ that may provide a service advice 26’. The service advice may be given to the end user 30 but may also be give to a provider 32, such as a manufacturer 32a, a channel partner 32b, and/or a distributor or service agent 32c.

In an embodiment of the system 10 a said equipment assembly 14 may include a controller 46 that is connected to the internet 34. The controller 46 may be configured to collect a use indication value 48 that is indicative of one of the following parameters:

- the amount of gas that has passed the consumable 18; and
- the duration gas has flown through the consumable 18.

The controller 46 may be configured to input the use indication value 48 into the server 20 via the internet connection 34. The module 24 of the server 20 may be configured include the use indication value 48 in its calculation of the replacement advice 26. Thus the actual use of the consumable 18 of a specific end user 30 may be taken into account when calculating the replacement advice 26. This additional functionality provides more accurate replacement advices 26. In this embodiment, the module 24 may be configured to calculate an advisable renewal date 44 that is dependent on the use indication value 48, wherein the accuracy of the advisable renewal date 44 will, as a consequence, be more accurate. As a consequence, the advisable renewal date 44 may be closer to the actual end of lifetime date, thus resulting in an extended lifetime of the consumable 18.

The consumables 18 may be equipped with a transponder 62, for example, an RFID-transponder that may store just an ID-number, including a serial number, or that may also store data about the use of the consumable 18. The transponder 62 exchange relevant data with the controller 46, that may,

in turn exchange the relevant data via the internet connection 34 with the server 20.

In an embodiment of the system 10 the web portal 28 may include pages that are exclusively accessible for the provider 32 and that provide data
5 including at least one of:

- the replacement advices 26 relating to the various registered consumables 18 of a said end user 30;
- the type equipment assembly 14 or equipment assemblies 14 used by a said end user 30;
- 10 – a replacement cycle of consumables 18 of a said end user 30; and
- a purchase and/or usage history of consumables 18 of a said end user 30.

Such information may help the provider to predict future demand of consumables 18 of the respective end users 30 and may thus help the provider
15 to keep an efficient number of consumables 18 in stock.

In yet another embodiment the web portal 28 may include pages that are exclusively accessible for the end user 30 and that provide data including at least one of

- the replacement advices 26 relating to the various registered
20 consumables 18 of the end user 30;
- a quality certificate 50 of the consumables 18 used by the end user 30.

In another embodiment, the web portal 28 may include pages that are accessible to both end users 30 and providers 32 and that provide data
25 including at least one of:

- a training video 52;
- a manual 54;
- a knowledge base 56;
- on-line technical support 58; and

- an on-line user forum 60.

In an embodiment, the web portal 28 may include pages that provide validation information of the system 10. Validation of a system 10 and validation information about that validation is in many cases necessary or
5 compulsory to have for the end user in order to be able to prove that the values of his analyses are indeed valid.

In yet another embodiment, the web portal 28 may include pages that provide the service advice 26' that is determined by the service module 24'. This service advice 26' may be directed to the equipment assembly 14, for
10 example, a gas chromatograph equipment assembly, a liquid chromatograph equipment assembly, a spectrometer equipment assembly or a mass-spectrometer equipment assembly. The service information may also be directed to parts of the equipment assembly 14, for example, the gas
15 chromatograph, the liquid chromatograph, the spectrometer, or the mass-spectrometer. But also other parts of the equipment assembly 14, for example, the gas bottle, the gas generator, the pumps, the valves, the restriction, the gas lines, the columns, the liners etc. For example, the timely exchange of gas
bottles may be advised by such a service which is of high importance because the purity the gas delivered by gas bottle diminishes when the gas bottle is
20 emptied.

In another embodiment, the web portal 28 may also be used to input data about the types of analyses that are performed by the equipment assembly 14. When, for example, hazardous substances are involved including radioactive substances, it is of the utmost importance that the company that
25 recycles the consumables has the relevant information about these facts. The web portal 28 may be an convenient means to input such data in the database 22 of the server 20.

As stated before, the web portal 28 may provide an on-line user forum 60 that may promote the dissemination of knowledge relating to the
30 optimal use of the consumables.

The invention also provides a method for managing replacement of consumables having a limited lifetime. The method includes providing a system according to the invention. A provider 32 of consumables 18, for example a manufacturer 32a, a channel partner 32b or a distributor or service agent 32c, or alternatively an end user 30 may input via the web portal 28 at least the following data:

- data 36 identifying the end user 30;
- a serial number 38 of the consumable 18 that is registered in the server 20;
- 10 – a date 40 of installation of the consumable 18 in the equipment assembly 14;
- a type 42 of the equipment assembly 14 in which the consumable 18 is installed.

The method also includes that at least the replacement advice 26 that is associated with the registered consumable 18 of a said end user 30 is outputted via the web portal 28.

In an embodiment, the method may include that the provider 32 sends, triggered by the replacement advice 26 or by an order from the end user 30, a replacement consumable 18 to the end user 30. The end user 30 may send the consumable 18 to be recycled to the provider 32. A schedule of bonuses or discounts may be implemented to encourage end users 30 and channel partner 32b and distributors or service agents 32c to use the system. By virtue of using the system, the end user 30 obtains a guaranteed supply of clean gas to his equipment assemblies 14 with a minimized burden to the environment in view of the fact that the consumables are returned to the manufacturer for recycling or environmental processing of the consumable 18. Additionally, the providers 32 obtain knowledge of the use of the consumables 18 by their clients, thus facilitating a more efficient stock control of the consumables.

Fig. 2 shows an input page of an example of the web portal 28 in which the type of equipment may be selected.

Fig. 3 shows an input page of an example of the web portal 28 in data about the usage of the system may be inputted. For example the frequency of use, the flow of the gas, the pressure of the gas, the number of samples that is measured, the type of tubing, as well as the runtime per
5 sample.

Fig. 4 shows an example of an output page of an example of the web portal 28. The output page shows the various types of consumables that are used by the end user 30. A virtual indicator 64, in the form of, for example, a bar of pie graph shows the number of days during which the consumable may
10 be used still.

It will be clear that multiple modifications of the various pages of the web portal 28 are possible.

Although illustrative embodiments of the present invention have been described above, in part with reference to the accompanying drawings, it
15 is to be understood that the invention is not limited to these embodiments. Variations to the disclosed embodiments can be understood and effected by those skilled in the art in practicing the claimed invention, from a study of the drawings, the disclosure, and the appended claims. Reference throughout this specification to "one embodiment" or "an embodiment" means that a particular
20 feature, structure or characteristic described in connection with the embodiment is included in at least one embodiment of the present invention. Thus, the appearances of the phrases "in one embodiment" or "in an embodiment" in various places throughout this specification are not necessarily all referring to the same embodiment. Furthermore, it is noted that
25 particular features, structures, or characteristics of one or more embodiments may be combined in any suitable manner to form new, not explicitly described embodiments.

Claims

1. A system for managing replacement of consumables, the system (10) including:
 - an installed base (12) of equipment assemblies (14), each equipment assembly (14) including at least one of a gas chromatograph, a liquid chromatograph, a spectrometer and a mass-spectrometer;
 - an installed base (16) of consumables (18, 18', 18''), each consumable having a limited lifetime and being used in combination with a said equipment assembly (14), the installed base of consumables (18, 18', 18'') including gas purifiers (18') that are recyclable;
 - a server (20) for registering the consumables (18, 18', 18''), the server (20) including:
 - a database (22) for storing various data about the consumables (18, 18', 18'') that are used in combination with the installed base (12) of equipment assemblies (14); and
 - a module (24) for calculating a replacement advice (26) with respect to the consumable (18, 18', 18'') that has been registered in the server (20);
 - a web portal (28) configured to give an end user (30) or a provider (32), such as a manufacturer (32a), a channel partner (32b), a distributor or a service agent (32c) of the consumable (18, 18', 18''), access to the server (20), the web portal (28) being accessible via the internet (34);
 - the web portal (28) being configured for inputting at least the following data:
 - data (36) identifying the end user (30);
 - a serial number (38) of the consumable (18, 18', 18'') that is registered in the server (20);

- a date of installation (40) of the consumable (18, 18', 18'') in the equipment assembly (14);
 - a type (42) of the equipment assembly (14) in which the consumable (18, 18', 18'') is installed; and-
- 5 – the web portal (28) being configured to output at least the replacement advice (26) that is associated with the registered consumable (18, 18', 18'') of a said end user (30).

- 2. The system according to claim 1, wherein the module (24) for calculating
- 10 the replacement advice (26) is configured to calculate an advisable renewal date (44) for the consumable (18, 18', 18'') and to include that advisable renewal date (44) in the replacement advice (26).

- 3. The system according to claim 1 or 2, including:
- 15 – a servicing advice module (24') configured to provide a service advice (26').

- 4. The system according to any one of the preceding claims, a said equipment assembly (14) thereof including:
- 20 – a controller (46) that is connected to the internet (34), the controller (46) being configured to collect a use indication value (48) that is indicative of one of the following parameters:
 - the amount of gas that has passed the consumable (18, 18', 18'');
 - and
 - 25 ○ the duration gas has flown through the consumable (18, 18', 18'');
 the controller (46) being configured to input the use indication value (48) into the server (20) via the internet (34); and
- the module (24) of the server (20) being configured include the use indication value (48) in its calculation of the replacement advice (26).

5. The system according to the combination of claims 2 and 4, wherein the module (24) is configured to calculate an advisable renewal date (44) that is dependent on the use indication value (48).
- 5 6. The system according to any one of the preceding claims, wherein the web portal (28) includes pages that are exclusively accessible for the provider (32) and provides data including at least one of:
- the replacement advices (26) relating to the various registered consumables (18, 18', 18'') of a said end user (30);
 - 10 – the type equipment assembly or equipment assemblies (14) used by a said end user (30);
 - a replacement cycle of consumables of a said end user (30); and
 - a purchase and/or usage history of consumables (18, 18', 18'') of a said end user (30).
- 15
7. The system according to any of the preceding claims, wherein the web portal (28) includes pages that are exclusively accessible for the end user (30) and provides data including at least one of:
- the replacement advices (26) relating to the various registered consumables (18, 18', 18'') of the end user (30);
 - 20 – a quality certificate (52) of the consumables (18, 18', 18'') used by the end user (30);
8. The system according to any of the preceding claims, wherein the web portal (28) includes pages that are accessible to both end users (30) and providers (32) and that provide data including at least one of:
- a training video (52);
 - a manual (54);
 - a knowledge base (56);
- 25

- on-line technical support (58) ; and
- an on-line user forum (60).

9. The system according to any of the preceding claims, wherein the web
5 portal (28) includes pages that are accessible to at least the end user (30) of the system and that provide data including validation information of the system (10).

10. The system according to at least claim 3, wherein the web portal (28)
10 includes pages that are accessible to at least the end user (30) of the system and that provide data including the service advice (26') that is determined by the service module (24'), wherein the service advice includes data that is directed to the equipment assembly (14) or parts of the equipment assembly (14).

15

11. The system according to any of the preceding claims, wherein the web
portal (28) includes pages that are accessible to the end user (30) and that is
configured to inputting data relating to the types of analyses that are
performed by the equipment assembly (14).

20

12. A method for managing replacement of consumables (18, 18', 18'') having
a limited lifetime, the method including:

- providing a system (10) according to any of the preceding claims;
- inputting via the web portal (28) at least the following data:
25
 - data (36) identifying the end user (30);
 - a serial number (38) of the consumable (18, 18', 18'') that is registered in the server (20);
 - a date of installation (40) of the consumable (18, 18', 18'') in the equipment assembly (14);

- a type (42) of the equipment assembly (14) in which the consumable (18, 18', 18'') is installed;
 - outputting via the web portal (28) at least the replacement advice (26) that is associated with the registered consumable (18, 18', 18'') of a said end user (30).
- 5

13. The method of claim 12, including that:
- the provider (32) sends, triggered by the replacement advice (26) or by an order from the end user (30), a replacement consumable (18, 18', 18'')
 - 10 to the end user (30); and that
 - the end user (30) sends the consumable (18, 18', 18'') to be recycled to the provider (32).
- 15