







FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

**Determination of micelle morphology using
Electron Transmission Microscopy (TEM)**




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21

Experimental design




FIG. 22A




FIG. 22B

Regression assay




FIG. 23

Sprouting assay




FIG. 24

Sprouting assay: quantification




FIG. 25

Regression assay: quantification




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30

Ex-Vivo Porcine Eye-drop




FIG. 31

In-Vivo Mice Corneal Penetration




FIG. 32

Aflibercept Detected in Vitreous




FIG. 33

In-Vivo Mice Corneal retention




FIG. 34A

In-Vivo Mice Corneal retention




FIG. 34B

In-Vivo Mice Corneal retention




FIG. 34C




FIG. 35

Corneal retention after 20 blinks




FIG. 36




FIG. 37A




FIG. 37B

Integrity of porcine cornea




FIG. 38




FIG. 39A




FIG. 39B




FIG. 39C




FIG. 39D




FIG. 39E




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44A




FIG. 44B




FIG. 45




FIG. 46





FIG. 47






FIG. 49




FIG. 50




FIG. 51




FIG. 52

In-Vivo Mice Corneal Penetration after a Single Eye-drop




FIG. 53