


Figure 1




Figure 2




Figure 3



401
INITIATING TRANSACTION
402
EXCHANGING STORED TRUSTED TIME VALUES
403
INTERPRETING RECEIVED TRUSTED TIME VALUE
404
COMPARING STORED AND RECEIVED TRUSTED TIME VALUES
405
REPLACING STORED TRUSTED TIME VALUE WITH RECEIVED TRUSTED TIME VALUE, IF LATER

Figure 4




Figure 5



610
INITIATING TRANSACTION
620
CARD REQUESTS TERMINAL TRUSTED TIME IN CDOL1
630
TERMINAL PROVIDES TERMINAL TRUSTED TIME IN GENERATE AC, TERMINAL REQUESTS CARD TRUSTED TIME IN GENERATE AC
640
CARD PROVIDES CARD TRUSTED TIME IN APPLICATION CRYPTOGRAM
650
CARD AND TERMINAL COMPARE STORED TRUSTED TIME AND RECEIVED TRUSTED TIME, UPDATING IF NECESSARY

Figure 6A



610
INITIATING TRANSACTION
625
TERMINAL OBTAINS CARD TRUSTED TIME USING GET DATA
635
TERMINAL PROVIDES TERMINAL TRUSTED TIME USING PUT DATA
650
CARD AND TERMINAL COMPARE STORED TRUSTED TIME AND RECEIVED TRUSTED TIME, UPDATING IF NECESSARY

Figure 6B