


Cellular Assays

Example	Cell PI3K δ / IC50 [μ mol l ⁻¹]	RWB/ IC50 CD86 [nmol l ⁻¹]
A1	0.043	37
B1	0.154	29
C1	0.081	68
D1	0.147	84
E1	0.007	78
E3	0.018	14
F1	0.011	7
F3	0.050	
F7	0.018	40
Q	0.145	37

Claims:

1. A compound of formula (I)



5

or a salt thereof, wherein

Y is selected from O or NH;

V is selected from CR⁵ or N;

W is selected from CH₂, or O;

10 U is selected from N or CH;

Q is selected from N or CR₆;

wherein U and Q are not both N;

R¹ is selected from phenyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,2,3-triazinyl, 1,2,4-triazinyl, 1,3,5-triazinyl,

15 or

-X-R⁴

wherein X is selected from C(O), S(O)₂ or CH₂

and

20

R⁴ is selected from C₁-C₈-alkyl, halo-C₁-C₈-alkyl, hydroxy-C₁-C₈-alkyl, C₁-C₈-alkoxy-C₁-C₈-alkyl, cyano-C₁-C₈-alkyl, N,N-di-C₁-C₄-alkyl-amino-C₁-C₈-alkyl, C₁-C₄-alkyl-sulfonyl-C₁-C₈-alkyl, phenyl, heterocyclyl, heterocyclyl-oxy, heterocyclyl-C₁-C₈-alkyl, C₃-C₁₂-cycloalkyl, C₃-C₁₂-cycloalkyl-oxy, C₃-C₁₂-cycloalkyl-C₁-C₈-alkyl, heteroaryl, heteroaryl-oxy, heteroaryl-C₁-C₈-alkyl, hydroxy, C₁-C₈-alkoxy, amino, N-C₁-C₈-alkyl-amino or N,N-di-C₁-C₈-alkyl-amino,

25

wherein C₁-C₈-alkyl in N-C₁-C₈-alkyl-amino and in N,N-di-C₁-C₈-alkyl-amino may be unsubstituted or substituted by halogen, hydroxy or C₁-C₄-alkoxy,

wherein C₃-C₁₂-cycloalkyl in C₃-C₁₂-cycloalkyl and in C₃-C₁₂-cycloalkyl-C₁-C₈-alkyl may be unsubstituted or substituted by 1-5 substituents selected from halogen, hydroxy or C₁-C₄-alkoxy;

wherein 'heterocyclyl' is a 3 to 7 membered saturated or partially unsaturated monocyclic ring system containing 1 to 3 heteroatoms selected from N, O or S, each of which is unsubstituted or substituted by 1-5 substituents selected from oxo, halogen, C₁-C₈-alkyl, halo-C₁-C₈-alkyl, hydroxy-C₁-C₈-alkyl, hydroxyl, C₁-C₈-alkoxy, C₁-C₈-alkoxy-C₁-C₈-alkyl, amino, N-C₁-C₈-alkyl-amino, N,N-di-C₁-C₈-alkyl-amino, C₁-C₈-alkyl-carbonyl, halo-C₁-C₈-alkyl-carbonyl, hydroxy-C₁-C₈-alkyl-carbonyl or C₁-C₈-alkoxy-C₁-C₈-alkyl-carbonyl; wherein 'heterocyclyl' can be attached at a heteroatom or a carbon atom and where the N and/or S heteroatoms can also optionally be oxidized to various oxidation states,

wherein 'heteroaryl' is a 3 to 7 membered fully unsaturated monocyclic ring system containing 1 to 3 heteroatoms selected from N, O or S, or pyrazolo[1,5-a]pyrimidine or imidazo[2,1-b]thiazole, each of which is unsubstituted or substituted by 1-5 substituents selected from halogen, C₁-C₈-alkyl, halo-C₁-C₈-alkyl, hydroxy-C₁-C₈-alkyl, hydroxyl, C₁-C₈-alkoxy, C₁-C₈-alkoxy-C₁-C₈-alkyl, amino, N-C₁-C₈-alkyl-amino, N,N-di-C₁-C₈-alkyl-amino, C₁-C₈-alkyl-carbonyl, halo-C₁-C₈-alkyl-carbonyl, hydroxy-C₁-C₈-alkyl-carbonyl or C₁-C₈-alkoxy-C₁-C₈-alkyl-carbonyl; wherein 'heteroaryl' can be attached at a heteroatom or a carbon atom and where the N and/or S heteroatoms can also optionally be oxidized to various oxidation states;

R⁶ is selected from hydrogen, halogen, C₁-C₄-alkyl, halo-C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-alkyl-sulfonyl, C₁-C₄-alkyl-sulfinyl, C₁-C₄-alkyl-sulfanyl, halo-C₁-C₄-alkoxy, C₁-C₄-alkoxy-C₁-C₄-alkyl, amino, N-C₁-C₈-alkyl-amino, N,N-di-C₁-C₈-alkyl-amino;


R⁷ is selected from hydrogen, halogen, cyano, nitro, C₁-C₄-alkyl, halo-C₁-C₄-alkyl, C₁-C₄-alkoxy, N(R⁸)₂-sulfonyl, C₁-C₄-alkyl-sulfonyl, C₁-C₄-alkyl-sulfonyl-amino, C₁-C₈-alkoxy-C₁-C₈-alkyl, amino, N-C₁-C₈-alkyl-amino, or N,N-di-C₁-C₈-alkyl-amino; or R⁶ and R⁷, together are CH=CH-CH=CH,

wherein R⁸ is independently selected from hydrogen, C₁-C₄-alkyl, C₁-C₄-alkoxy or two R⁸ together with the nitrogen they are attached to form a 4 to 7 membered heterocyclic ring containing 1-2 heteroatoms selected from N, O, S, which is unsubstituted or substituted by 1-3 substituents selected from C₁-C₄-alkyl;


R⁵ is independently selected from H, D, F or C₁-C₂-alkyl;

R³⁰ is independently selected from H, D or F.


2. A compound according to claim 1 or a salt thereof, of the formula (lc')




- 5 3. A compound according to claim 1 or a salt thereof, of the formula (ld')



4. A compound according to any one of claim 1 or 2 or a salt thereof, of the formula (le')



5. A compound according to claim 1 or 3 or a salt thereof, of the formula (lf')



6. A compound according to any one of claims 1 to 5 or a salt thereof, wherein R^1 is selected from phenyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,2,3-triazinyl, 1,2,4-triazinyl, 1,3,5-triazinyl,

or

$-X-R^4$, wherein

R^4 is selected from C_1 - C_8 -alkyl, hydroxy- C_1 - C_8 -alkyl, C_1 - C_8 -alkoxy- C_1 - C_8 -alkyl, cyano- C_1 - C_8 -alkyl, N,N-di- C_1 - C_4 -alkyl-amino- C_1 - C_8 -alkyl, C_1 - C_4 -alkyl-sulfonyl- C_1 - C_8 -alkyl, phenyl, heterocyclyl, heterocyclyl- C_1 - C_8 -alkyl, C_3 - C_{12} -cycloalkyl, heteroaryl, heteroaryl- C_1 - C_8 -alkyl, C_1 - C_8 -alkoxy, wherein C_1 - C_8 -alkyl in N- C_1 - C_8 -alkyl-amino and in N,N-di- C_1 - C_8 -alkyl-amino may be unsubstituted or substituted by halogen, hydroxy or C_1 - C_4 -alkoxy,

wherein C_3 - C_{12} -cycloalkyl in C_3 - C_{12} -cycloalkyl and in C_3 - C_{12} -cycloalkyl- C_1 - C_8 -alkyl may be unsubstituted or substituted by halogen, hydroxy or C_1 - C_4 -alkoxy;

wherein 'heterocyclyl' is a 3 to 7 membered saturated or partially unsaturated monocyclic ring system containing 1 to 3 heteroatoms selected from N, O or S, which is unsubstituted or substituted by 1-5 substituents selected from oxo, halogen, C_1 - C_8 -alkyl, halo- C_1 - C_8 -alkyl, hydroxy- C_1 - C_8 -alkyl, hydroxyl, C_1 - C_8 -alkoxy, C_1 - C_8 -alkoxy- C_1 - C_8 -alkyl, amino, N- C_1 - C_8 -alkyl-amino, N,N-di- C_1 - C_8 -alkyl-amino, C_1 - C_8 -alkyl-carbonyl, halo- C_1 - C_8 -alkyl-carbonyl, hydroxy- C_1 - C_8 -alkyl-carbonyl or C_1 - C_8 -alkoxy- C_1 - C_8 -alkyl-carbonyl, wherein 'heterocyclyl' can be attached at a heteroatom or a carbon atom and where the N and/or S heteroatoms can also optionally be oxidized to various oxidation states,

wherein 'heteroaryl' is a 3 to 7 membered fully unsaturated monocyclic ring system containing 1 to 3 heteroatoms selected from N, O or S, or pyrazolo[1,5-a]pyrimidine or imidazo[2,1-b]thiazole, each of which is unsubstituted or substituted by 1-5 substituents selected from halogen, C_1 - C_8 -alkyl, halo- C_1 - C_8 -alkyl, hydroxy- C_1 - C_8 -alkyl, hydroxyl, C_1 - C_8 -alkoxy, C_1 - C_8 -alkoxy- C_1 - C_8 -alkyl,

amino, N-C₁-C₈-alkyl-amino, N,N-di-C₁-C₈-alkyl-amino, C₁-C₈-alkyl-carbonyl, halo-C₁-C₈-alkyl-carbonyl, hydroxy-C₁-C₈-alkyl-carbonyl or C₁-C₈-alkoxy-C₁-C₈-alkyl-carbonyl; wherein 'heteroaryl' can be attached at a heteroatom or a carbon atom and where the N and/or S heteroatoms can also optionally be oxidized to various oxidation states.

7. A compound according to any one of claims 1 to 6 or a salt thereof, wherein R¹ is selected from

-X-R⁴, wherein

R⁴ is selected from C₁-C₈-alkyl, hydroxy-C₁-C₈-alkyl, C₁-C₈-alkoxy-C₁-C₈-alkyl, cyano-C₁-C₈-alkyl, N,N-di-C₁-C₄-alkyl-amino-C₁-C₈-alkyl, C₁-C₄-alkyl-sulfonyl-C₁-C₈-alkyl, phenyl, heterocyclyl, heterocyclyl-C₁-C₈-alkyl, C₃-C₁₂-cycloalkyl, heteroaryl, heteroaryl-C₁-C₈-alkyl, C₁-C₈-alkoxy, wherein C₁-C₈-alkyl in N-C₁-C₈-alkyl-amino and in N,N-di-C₁-C₈-alkyl-amino may be unsubstituted or substituted by halogen, hydroxy or C₁-C₄-alkoxy,

wherein C₃-C₁₂-cycloalkyl in C₃-C₁₂-cycloalkyl and in C₃-C₁₂-cycloalkyl-C₁-C₈-alkyl may be unsubstituted or substituted by halogen, hydroxy or C₁-C₄-alkoxy;

wherein 'heterocyclyl' is a 3 to 7 membered saturated or partially unsaturated monocyclic ring system containing 1 to 3 heteroatoms selected from N, O or S, which is unsubstituted or substituted by 1-5 substituents selected from oxo, halogen, C₁-C₈-alkyl, halo-C₁-C₈-alkyl, hydroxy-C₁-C₈-alkyl, hydroxyl, C₁-C₈-alkoxy, C₁-C₈-alkoxy-C₁-C₈-alkyl, amino, N-C₁-C₈-alkyl-amino, N,N-di-C₁-C₈-alkyl-amino, C₁-C₈-alkyl-carbonyl, halo-C₁-C₈-alkyl-carbonyl, hydroxy-C₁-C₈-alkyl-carbonyl or C₁-C₈-alkoxy-C₁-C₈-alkyl-carbonyl; wherein 'heterocyclyl' can be attached at a heteroatom or a carbon atom and where the N and/or S heteroatoms can also optionally be oxidized to various oxidation states,

wherein 'heteroaryl' is a 3 to 7 membered fully unsaturated monocyclic ring system containing 1 to 3 heteroatoms selected from N, O or S, or pyrazolo[1,5-a]pyrimidine or imidazo[2,1-b]thiazole, each of which is unsubstituted or substituted by 1-5 substituents selected from halogen, C₁-C₈-alkyl, halo-C₁-C₈-alkyl, hydroxy-C₁-C₈-alkyl, hydroxyl, C₁-C₈-alkoxy, C₁-C₈-alkoxy-C₁-C₈-alkyl, amino, N-C₁-C₈-alkyl-amino, N,N-di-C₁-C₈-alkyl-amino, C₁-C₈-alkyl-carbonyl, halo-C₁-C₈-alkyl-carbonyl, hydroxy-C₁-C₈-alkyl-carbonyl or C₁-C₈-alkoxy-C₁-C₈-alkyl-carbonyl; wherein 'heteroaryl' can be attached at a heteroatom or a carbon atom and where the N and/or S heteroatoms can also optionally be oxidized to various oxidation states;

R⁶ is selected from halogen, C₁-C₄-alkoxy, C₁-C₄-alkyl-sulfonyl or halo-C₁-C₄-alkoxy and R⁷ is selected from hydrogen, halogen, cyano, C₁-C₄-alkyl, halo-C₁-C₄-alkyl or C₁-C₄-alkoxy.

- 5 8. A compound of claim 1 in crystalline form.
9. A compound according to any one of claims 1 to 8, or a pharmaceutically acceptable salt thereof, for use as a medicament.
- 10 10. A combination comprising a therapeutically effective amount of a compound according to any one of claims 1 to 8, or a pharmaceutically acceptable salt thereof, and one or more therapeutically active co-agents.
11. A compound according to any one of claims 1 to 8, or a pharmaceutically acceptable salt thereof, for use in the treatment of a disorder or a disease selected from rheumatoid arthritis (RA), pemphigus vulgaris (PV), endemic form of Brazilian pemphigus (Fogo selvagem), idiopathic thrombocytopenia purpura (ITP), thrombotic thrombocytopenic purpura (TTP), autoimmune hemolytic anemia (AIHA), acquired hemophilia type A (AHA), systemic lupus erythematosus (SLE), multiple sclerosis (MS),
15 myasthenia gravis (MG), Sjögren's syndrome (SS), ANCA-associated vasculitides, cryoglobulinemia, chronic autoimmune urticaria (CAU), allergy (atopic dermatitis, contact dermatitis, allergic rhinitis), goodpasture's syndrome, transplant rejection, cancers of haematopoietic origin, severe and cerebral malaria, trypanosomiasis, leishmaniasis, toxoplasmosis and neurocysticercosis.
20
12. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to any one of claims 1 to 8, or a pharmaceutically acceptable salt thereof, and one or more pharmaceutically acceptable carriers.
- 25
13. A method of modulating the activity of the PI3K enzymes, preferably of the PI3K δ isoform, in a subject, wherein the method comprises administering to the subject a therapeutically effective amount of a compound according to any one of claims 1 to 8, or a pharmaceutically acceptable salt thereof.
30

14. A method of treating a disorder or a disease selected from rheumatoid arthritis (RA), pemphigus vulgaris (PV), endemic form of Brazilian pemphigus (Fogo selvagem), idiopathic thrombocytopenia purpura (ITP), thrombotic thrombocytopenic purpura (TTP), autoimmune hemolytic anemia (AIHA), acquired hemophilia type A (AHA), systemic lupus erythematosus (SLE), multiple sclerosis (MS), myasthenia gravis (MG), Sjögren's syndrome (SS), ANCA-associated vasculitides, cryoglobulinemia, chronic autoimmune urticaria (CAU), allergy (atopic dermatitis, contact dermatitis, allergic rhinitis), goodpasture's syndrome, transplant rejection, cancers of haematopoietic origin, severe and cerebral malaria, trypanosomiasis, leishmaniasis, toxoplasmosis and neurocysticercosis comprising administering to a subject a therapeutically effective amount of a compound according to any one of claims 1 to 8, or a pharmaceutically acceptable salt thereof.

15. Use of a compound according to anyone of claims 1 to 8, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for the treatment of a disorder or a disease selected from rheumatoid arthritis (RA), pemphigus vulgaris (PV), endemic form of Brazilian pemphigus (Fogo selvagem), idiopathic thrombocytopenia purpura (ITP), thrombotic thrombocytopenic purpura (TTP), autoimmune hemolytic anemia (AIHA), acquired hemophilia type A (AHA), systemic lupus erythematosus (SLE), multiple sclerosis (MS), myasthenia gravis (MG), Sjögren's syndrome (SS), ANCA-associated vasculitides, cryoglobulinemia, chronic autoimmune urticaria (CAU), allergy (atopic dermatitis, contact dermatitis, allergic rhinitis), goodpasture's syndrome, transplant rejection, cancers of haematopoietic origin, severe and cerebral malaria, trypanosomiasis, leishmaniasis, toxoplasmosis and neurocysticercosis.

Cellular Assays


Example	Cell PI3K δ / IC50 [μ mol l ⁻¹]	RWB/ IC50 CD86 [nmol l ⁻¹]
A1	0.043	37
B1	0.154	29
C1	0.081	68
D1	0.147	84
E1	0.007	78
E3	0.018	14
F1	0.011	7
F3	0.050	
F7	0.018	40
Q	0.145	37

The reference in this specification to any prior publication (or information derived from it), or to any matter which is known, is not, and should not be taken as an acknowledgment or admission or any form of suggestion that that prior publication (or information derived from it) or known matter forms part of the common general knowledge in the field of endeavour to which this specification relates.

Throughout this specification and the claims which follow, unless the context requires otherwise, the word "comprise", and variations such as "comprises" and "comprising", will be understood to imply the inclusion of a stated integer or step or group of integers or steps but not the exclusion of any other integer or step or group of integers or steps.

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A compound of formula (I)



or a salt thereof, wherein

Y is selected from O or NH;

V is selected from CR⁵ or N;

W is selected from CH₂, or O;

U is selected from N or CH;

Q is selected from N or CR₆;

wherein U and Q are not both N;

R¹ is selected from phenyl, pyridyl, pyriminyl, pyrazinyl, pyridazinyl, 1,2,3-triazinyl, 1,2,4-triazinyl, 1,3,5-triazinyl,

or

-X-R⁴

wherein X is selected from C(O), S(O)₂ or CH₂

and

R⁴ is selected from C₁-C₈-alkyl, halo-C₁-C₈-alkyl, hydroxy-C₁-C₈-alkyl, C₁-C₈-alkoxy-C₁-C₈-alkyl, cyano-C₁-C₈-alkyl, N,N-di-C₁-C₄-alkyl-amino-C₁-C₈-alkyl, C₁-C₄-alkyl-sulfonyl-C₁-C₈-alkyl, phenyl, heterocyclyl, heterocyclyl-oxy, heterocyclyl-C₁-C₈-alkyl, C₃-C₁₂-cycloalkyl, C₃-C₁₂-cycloalkyl-oxy, C₃-C₁₂-cycloalkyl-C₁-C₈-alkyl, heteroaryl, heteroaryl-oxy, heteroaryl-C₁-C₈-alkyl, hydroxy, C₁-C₈-alkoxy, amino, N-C₁-C₈-alkyl-amino or N,N-di-C₁-C₈-alkyl-amino,

wherein C₁-C₈-alkyl in N-C₁-C₈-alkyl-amino and in N,N-di-C₁-C₈-alkyl-amino may be unsubstituted or substituted by halogen, hydroxy or C₁-C₄-alkoxy,

wherein C₃-C₁₂-cycloalkyl in C₃-C₁₂-cycloalkyl and in C₃-C₁₂-cycloalkyl-C₁-C₈-alkyl may be unsubstituted or substituted by 1-5 substituents selected from halogen, hydroxy or C₁-C₄-alkoxy;

wherein 'heterocyclyl' is a 3 to 7 membered saturated or partially unsaturated monocyclic ring system containing 1 to 3 heteroatoms selected from N, O or S, each of which is unsubstituted or substituted by 1-5 substituents selected from oxo, halogen, C₁-C₈-alkyl, halo-C₁-C₈-alkyl, hydroxy-C₁-C₈-alkyl, hydroxyl, C₁-C₈-alkoxy, C₁-C₈-alkoxy-C₁-C₈-alkyl, amino, N-C₁-C₈-alkyl-amino, N,N-di-C₁-C₈-alkyl-amino, C₁-C₈-alkyl-carbonyl, halo-C₁-C₈-alkyl-carbonyl, hydroxy-C₁-C₈-alkyl-carbonyl or C₁-C₈-alkoxy-C₁-C₈-alkyl-carbonyl; wherein 'heterocyclyl' can be attached at a heteroatom or a carbon atom and where the N and/or S heteroatoms can also optionally be oxidized to various oxidation states,

wherein 'heteroaryl' is a 3 to 7 membered fully unsaturated monocyclic ring system containing 1 to 3 heteroatoms selected from N, O or S, or pyrazolo[1,5-a]pyrimidine or imidazo[2,1-b]thiazole, each of which is unsubstituted or substituted by 1-5 substituents selected from halogen, C₁-C₈-alkyl, halo-C₁-C₈-alkyl, hydroxy-C₁-C₈-alkyl, hydroxyl, C₁-C₈-alkoxy, C₁-C₈-alkoxy-C₁-C₈-alkyl, amino, N-C₁-C₈-alkyl-amino, N,N-di-C₁-C₈-alkyl-amino, C₁-C₈-alkyl-carbonyl, halo-C₁-C₈-alkyl-carbonyl, hydroxy-C₁-C₈-alkyl-carbonyl or C₁-C₈-alkoxy-C₁-C₈-alkyl-carbonyl; wherein 'heteroaryl' can be attached at a heteroatom or a carbon atom and where the N and/or S heteroatoms can also optionally be oxidized to various oxidation states;

R⁶ is selected from hydrogen, halogen, C₁-C₄-alkyl, halo-C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-alkyl-sulfonyl, C₁-C₄-alkyl-sulfinyl, C₁-C₄-alkyl-sulfanyl, halo-C₁-C₄-alkoxy, C₁-C₄-alkoxy-C₁-C₄-alkyl, amino, N-C₁-C₈-alkyl-amino, N,N-di-C₁-C₈-alkyl-amino;

R⁷ is selected from hydrogen, halogen, cyano, nitro, C₁-C₄-alkyl, halo-C₁-C₄-alkyl, C₁-C₄-alkoxy, N(R⁸)₂-sulfonyl, C₁-C₄-alkyl-sulfonyl, C₁-C₄-alkyl-sulfonyl-amino, C₁-C₈-alkoxy-C₁-C₈-alkyl, amino, N-C₁-C₈-alkyl-amino, or N,N-di-C₁-C₈-alkyl-amino;

or R⁶ and R⁷, together are CH=CH-CH=CH,


wherein R⁸ is independently selected from hydrogen, C₁-C₄-alkyl, C₁-C₄-alkoxy or two R⁸ together with the nitrogen they are attached to form a 4 to 7 membered

heterocyclic ring containing 1-2 heteroatoms selected from N, O, S, which is unsubstituted or substituted by 1-3 substituents selected from C₁-C₄-alkyl;


R⁵ is independently selected from H, D, F or C₁-C₂-alkyl;

R³⁰ is independently selected from H, D or F.


2. A compound according to claim 1 or a salt thereof, of the formula (lc')




3. A compound according to claim 1 or a salt thereof, of the formula (ld')



4. A compound according to any one of claim 1 or 2 or a salt thereof, of the formula (Ie')



5. A compound according to claim 1 or 3 or a salt thereof, of the formula (If')



6. A compound according to any one of claims 1 to 5 or a salt thereof, wherein R^1 is selected from phenyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, 1,2,3-triazinyl, 1,2,4-triazinyl, 1,3,5-triazinyl,

or

-X- R^4 , wherein

R^4 is selected from C_1 - C_8 -alkyl, hydroxy- C_1 - C_8 -alkyl, C_1 - C_8 -alkoxy- C_1 - C_8 -alkyl, cyano- C_1 - C_8 -alkyl, N,N-di- C_1 - C_4 -alkyl-amino- C_1 - C_8 -alkyl, C_1 - C_4 -alkyl-sulfonyl- C_1 - C_8 -alkyl, phenyl, heterocyclyl, heterocyclyl- C_1 - C_8 -alkyl, C_3 - C_{12} -cycloalkyl, heteroaryl, heteroaryl- C_1 - C_8 -alkyl, C_1 - C_8 -alkoxy, wherein C_1 - C_8 -alkyl in N- C_1 - C_8 -alkyl-amino and in N,N-di- C_1 - C_8 -alkyl-amino may be unsubstituted or substituted by halogen, hydroxy or C_1 - C_4 -alkoxy,

wherein C₃-C₁₂-cycloalkyl in C₃-C₁₂-cycloalkyl and in C₃-C₁₂-cycloalkyl-C₁-C₈-alkyl may be unsubstituted or substituted by halogen, hydroxy or C₁-C₄-alkoxy;

wherein 'heterocyclyl' is a 3 to 7 membered saturated or partially unsaturated monocyclic ring system containing 1 to 3 heteroatoms selected from N, O or S, which is unsubstituted or substituted by 1-5 substituents selected from oxo, halogen, C₁-C₈-alkyl, halo-C₁-C₈-alkyl, hydroxy-C₁-C₈-alkyl, hydroxyl, C₁-C₈-alkoxy, C₁-C₈-alkoxy-C₁-C₈-alkyl, amino, N-C₁-C₈-alkyl-amino, N,N-di-C₁-C₈-alkyl-amino, C₁-C₈-alkyl-carbonyl, halo-C₁-C₈-alkyl-carbonyl, hydroxy-C₁-C₈-alkyl-carbonyl or C₁-C₈-alkoxy-C₁-C₈-alkyl-carbonyl; wherein 'heterocyclyl' can be attached at a heteroatom or a carbon atom and where the N and/or S heteroatoms can also optionally be oxidized to various oxidation states,

wherein 'heteroaryl' is a 3 to 7 membered fully unsaturated monocyclic ring system containing 1 to 3 heteroatoms selected from N, O or S, or pyrazolo[1,5-a]pyrimidine or imidazo[2,1-b]thiazole, each of which is unsubstituted or substituted by 1-5 substituents selected from halogen, C₁-C₈-alkyl, halo-C₁-C₈-alkyl, hydroxy-C₁-C₈-alkyl, hydroxyl, C₁-C₈-alkoxy, C₁-C₈-alkoxy-C₁-C₈-alkyl, amino, N-C₁-C₈-alkyl-amino, N,N-di-C₁-C₈-alkyl-amino, C₁-C₈-alkyl-carbonyl, halo-C₁-C₈-alkyl-carbonyl, hydroxy-C₁-C₈-alkyl-carbonyl or C₁-C₈-alkoxy-C₁-C₈-alkyl-carbonyl; wherein 'heteroaryl' can be attached at a heteroatom or a carbon atom and where the N and/or S heteroatoms can also optionally be oxidized to various oxidation states.

7. A compound according to any one of claims 1 to 6 or a salt thereof, wherein

R¹ is selected from

-X-R⁴, wherein

R⁴ is selected from C₁-C₈-alkyl, hydroxy-C₁-C₈-alkyl, C₁-C₈-alkoxy-C₁-C₈-alkyl, cyano-C₁-C₈-alkyl, N,N-di-C₁-C₄-alkyl-amino-C₁-C₈-alkyl, C₁-C₄-alkyl-sulfonyl-C₁-C₈-alkyl, phenyl, heterocyclyl, heterocyclyl-C₁-C₈-alkyl, C₃-C₁₂-cycloalkyl, heteroaryl, heteroaryl-C₁-C₈-alkyl, C₁-C₈-alkoxy, wherein C₁-C₈-alkyl in N-C₁-C₈-alkyl-amino and in N,N-di-C₁-C₈-alkyl-amino may be unsubstituted or substituted by halogen, hydroxy or C₁-C₄-alkoxy,

wherein C₃-C₁₂-cycloalkyl in C₃-C₁₂-cycloalkyl and in C₃-C₁₂-cycloalkyl-C₁-C₈-alkyl may be unsubstituted or substituted by halogen, hydroxy or C₁-C₄-alkoxy;

wherein 'heterocyclyl' is a 3 to 7 membered saturated or partially unsaturated monocyclic ring system containing 1 to 3 heteroatoms selected from N, O or S, which is unsubstituted or substituted by 1-5 substituents selected from oxo, halogen, C₁-C₈-alkyl, halo-C₁-C₈-alkyl, hydroxy-C₁-C₈-alkyl, hydroxyl, C₁-C₈-alkoxy, C₁-C₈-alkoxy-C₁-C₈-alkyl, amino, N-C₁-C₈-alkyl-amino, N,N-di-C₁-C₈-alkyl-amino, C₁-C₈-alkyl-carbonyl, halo-C₁-C₈-alkyl-carbonyl, hydroxy-C₁-C₈-alkyl-carbonyl or C₁-C₈-alkoxy-C₁-C₈-alkyl-carbonyl; wherein 'heterocyclyl' can be attached at a heteroatom or a carbon atom and where the N and/or S heteroatoms can also optionally be oxidized to various oxidation states,

wherein 'heteroaryl' is a 3 to 7 membered fully unsaturated monocyclic ring system containing 1 to 3 heteroatoms selected from N, O or S, or pyrazolo[1,5-a]pyrimidine or imidazo[2,1-b]thiazole, each of which is unsubstituted or substituted by 1-5 substituents selected from halogen, C₁-C₈-alkyl, halo-C₁-C₈-alkyl, hydroxy-C₁-C₈-alkyl, hydroxyl, C₁-C₈-alkoxy, C₁-C₈-alkoxy-C₁-C₈-alkyl, amino, N-C₁-C₈-alkyl-amino, N,N-di-C₁-C₈-alkyl-amino, C₁-C₈-alkyl-carbonyl, halo-C₁-C₈-alkyl-carbonyl, hydroxy-C₁-C₈-alkyl-carbonyl or C₁-C₈-alkoxy-C₁-C₈-alkyl-carbonyl; wherein 'heteroaryl' can be attached at a heteroatom or a carbon atom and where the N and/or S heteroatoms can also optionally be oxidized to various oxidation states;

R⁶ is selected from halogen, C₁-C₄-alkoxy, C₁-C₄-alkyl-sulfonyl or halo-C₁-C₄-alkoxy and R⁷ is selected from hydrogen, halogen, cyano, C₁-C₄-alkyl, halo-C₁-C₄-alkyl or C₁-C₄-alkoxy.

8. A compound of claim 1, which is selected from the group consisting of (S)-(3-((4-(6-Methoxy-5-methylpyridin-3-yl)-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl)oxy)pyrrolidin-1-yl)(tetrahydro-2H-pyran-4-yl)methanone; 5-{6-[(S)-1-(Tetrahydro-pyran-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-pyridine-3-sulfonic acid dimethylamide; ((S)-3-{4-[5-(Morpholine-4-sulfonyl)-pyridin-3-yl]-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy}-pyrrolidin-1-yl)-(tetrahydro-pyran-4-yl)-methanone; {(S)-3-[4-(6-Methyl-5-nitro-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl)-(tetrahydro-pyran-4-yl)-methanone;

{{(S)-3-[4-(6-Methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;
(Tetrahydro-pyran-4-yl)-{(S)-3-[4-(5-trifluoromethyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;
5-{6-[(S)-1-(Tetrahydro-pyran-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;
1-{(S)-3-[4-(6-Methanesulfonyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-propan-1-one;
2-Methoxy-5-[6-((S)-1-propionyl-pyrrolidin-3-yloxy)-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;
1-{(S)-3-[4-(6-Methoxy-5-trifluoromethyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-propan-1-one;
1-{(S)-3-[4-(5-Fluoro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-propan-1-one;
1-{(S)-3-[4-(5-Chloro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-propan-1-one;
1-{(S)-3-[4-(6-Methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-propan-1-one;
1-{(S)-3-[4-(6-Amino-5-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-propan-1-one;
2-Methoxy-N,N-dimethyl-5-[6-((S)-1-propionyl-pyrrolidin-3-yloxy)-2,3-dihydro-benzo[1,4]oxazin-4-yl]-benzenesulfonamide;
1-{(S)-3-[4-(3-Methanesulfonyl-4-methoxy-phenyl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-propan-1-one;
1-{(S)-3-[4-(6-Amino-5-trifluoromethyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-propan-1-one;
1-((S)-3-{4-[6-Methoxy-5-(4-methyl-piperazine-1-sulfonyl)-pyridin-3-yl]-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy}-pyrrolidin-1-yl)-propan-1-one;
{{(S)-3-[4-(2-Methyl-pyridin-4-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;
{{(S)-3-[4-(6-Methoxymethyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;
(Tetrahydro-pyran-4-yl)-{(S)-3-[4-(2-trifluoromethyl-pyridin-4-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;

{{(S)-3-[4-(2-Methoxy-pyridin-4-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

{{(S)-3-[4-(6-Amino-5-trifluoromethyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

1-((S)-3-{4-[4-Methyl-3-(piperidine-1-sulfonyl)-phenyl]-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy}-pyrrolidin-1-yl)-propan-1-one;

1-((S)-3-{4-[4-Methoxy-3-(morpholine-4-sulfonyl)-phenyl]-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy}-pyrrolidin-1-yl)-propan-1-one;

1-((S)-3-{4-[5-(Morpholine-4-sulfonyl)-pyridin-3-yl]-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy}-pyrrolidin-1-yl)-propan-1-one;

1-((S)-3-{4-[4-Methoxy-3-(4-methyl-piperazine-1-sulfonyl)-phenyl]-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy}-pyrrolidin-1-yl)-propan-1-one;

1-((S)-3-{4-[5-(4-Methyl-piperazine-1-sulfonyl)-pyridin-3-yl]-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy}-pyrrolidin-1-yl)-propan-1-one;

2,N-Dimethoxy-N-methyl-5-[6-((S)-1-propionyl-pyrrolidin-3-yloxy)-2,3-dihydro-benzo[1,4]oxazin-4-yl]-benzenesulfonamide;

5-[6-((S)-1-Propionyl-pyrrolidin-3-yloxy)-2,3-dihydro-benzo[1,4]oxazin-4-yl]-pyridine-3-sulfonic acid methoxy-methyl-amide;

2,N-Dimethoxy-5-[6-((S)-1-propionyl-pyrrolidin-3-yloxy)-2,3-dihydro-benzo[1,4]oxazin-4-yl]-benzenesulfonamide;

5-[6-((S)-1-Propionyl-pyrrolidin-3-yloxy)-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;

{{(S)-3-[4-(5-Methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

{{(S)-3-[4-(5-Chloro-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

1-((S)-3-[4-(3,4-Dimethoxy-phenyl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl)-propan-1-one;

1-[(S)-3-(4-Quinolin-3-yl-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy)-pyrrolidin-1-yl]-propan-1-one;

1-((S)-3-[4-(5-Methanesulfonyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl)-propan-1-one;

1-((S)-3-[4-(5-Trifluoromethyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl)-propan-1-one;

5-[6-((S)-1-Propionyl-pyrrolidin-3-yloxy)-2,3-dihydro-benzo[1,4]oxazin-4-yl]-pyridine-3-sulfonic acid dimethylamide;

2-Methyl-5-[6-((S)-1-propionyl-pyrrolidin-3-yloxy)-2,3-dihydro-benzo[1,4]oxazin-4-yl]-benzonitrile;

1-((S)-3-[4-(4-Methoxy-3-trifluoromethyl-phenyl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl)-propan-1-one;

(Tetrahydro-pyran-4-yl)-((S)-3-[4-(6-trifluoromethyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl)-methanone;

((S)-3-[4-(6-Methanesulfonyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl)-(tetrahydro-pyran-4-yl)-methanone;

((S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl)-(tetrahydro-pyran-4-yl)-methanone;

((S)-3-[4-(6-Ethoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl)-(tetrahydro-pyran-4-yl)-methanone;

4-[6-((S)-1-Propionyl-pyrrolidin-3-yloxy)-2,3-dihydro-benzo[1,4]oxazin-4-yl]-pyridine-2-carbonitrile;

1-((S)-3-[4-(5,6-Dimethoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl)-propan-1-one;

1-((S)-3-[4-[5-(Propane-2-sulfonyl)-pyridin-3-yl]-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl)-propan-1-one;

((S)-3-[4-[5-(Propane-2-sulfonyl)-pyridin-3-yl]-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl)-(tetrahydro-pyran-4-yl)-methanone;

((S)-3-[4-(6-Ethanesulfinyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl)-(tetrahydro-pyran-4-yl)-methanone;

((S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl)-(1-methyl-1H-imidazol-4-yl)-methanone;

((S)-3-[4-(6-Methanesulfonyl-5-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl)-(tetrahydro-pyran-4-yl)-methanone;

(4,4-Difluoro-cyclohexyl)-((S)-3-[4-(6-methanesulfonyl-5-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl)-methanone;

(1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-((S)-3-[4-(5-fluoro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl)-methanone;

((S)-3-[4-(5-Chloro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl)-(1,1-dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-methanone;

(1,1-Dioxo-tetrahydro-1 λ 6*-thiophen-3-yl)-{(S)-3-[4-(6-methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;

(1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-{(S)-3-[4-(6-methoxy-5-trifluoromethyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;

{(S)-3-[4-(6-Methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-furan-3-yl)-methanone;

{(S)-3-[4-(6-Methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-furan-3-yl)-methanone;

(1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-{(S)-3-[4-(6-ethoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;

{(S)-3-[4-(5-Fluoro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

(1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-{(S)-3-[4-(5-ethyl-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;

{(S)-3-[4-(6-Methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(1-methyl-1H-pyrazol-4-yl)-methanone;

{(S)-3-[4-(6-Methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(1-methyl-1H-pyrazol-3-yl)-methanone;

{(S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-pyridin-4-yl-methanone;

{(S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-pyrimidin-5-yl-methanone;

{(S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-oxazol-4-yl-methanone;

{(S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-oxazol-5-yl-methanone;

(2,2-Dimethyl-tetrahydro-pyran-4-yl)-{(S)-3-[4-(6-methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;

(1,1-Dioxo-tetrahydro-1 λ 6*-thiophen-3-yl)-{(S)-3-[4-(6-methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;

(1,1-Dioxo-tetrahydro-1 λ 6*-thiophen-3-yl)-{(S)-3-[4-(6-methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;

(1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-{(S)-3-[4-[5-(propane-2-sulfonyl)-pyridin-3-yl]-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;

2-Methoxy-5-{6-[(S)-1-(1-methyl-1H-imidazole-4-carbonyl)-pyrrolidin-3-yloxy]-3,3-dideutero-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

{(S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-furan-3-yl)-methanone;

1-{(S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-2-methoxy-ethanone;

1-{(S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-2-methyl-propan-1-one;

{(S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-phenyl-methanone;

(1,1-Dioxo-tetrahydro-1 λ 6*-thiophen-3-yl)-{(S)-3-[4-(6-methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;

[1,4]Dioxan-2-yl-{(S)-3-[4-(6-methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;

1-{(S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-3-methoxy-propan-1-one;

{(S)-3-[4-(5,6-Dimethoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

{(S)-3-[4-(5,6-Dimethoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-[1,4]dioxan-2-yl-methanone;

{(S)-3-[4-(5,6-Dimethoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-furan-3-yl)-methanone;

{(S)-3-[4-(5,6-Dimethoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(1,1-dioxo-tetrahydro-1 λ 6*-thiophen-3-yl)-methanone;

{(S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-3-yl)-methanone;

{(S)-3-[4-(5,6-Dimethoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-3-yl)-methanone;

1-{(S)-3-[4-(5,6-Dimethoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-2-methoxy-ethanone;

1-{(S)-3-[4-(5,6-Dimethoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-3-methanesulfonyl-propan-1-one;

1-{(S)-3-[4-(5,6-Dimethoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-3-methoxy-propan-1-one;

{{(S)-3-[4-(5,6-Dimethoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(1,1-dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-methanone;

{{(S)-3-[4-(5,6-Dimethoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(1-methyl-1H-imidazol-4-yl)-methanone;

Cyclohexyl-{{(S)-3-[4-(6-methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;

(4-Hydroxy-cyclohexyl)-{{(S)-3-[4-(6-methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;

{{(S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-furan-3-yl)-methanone;

{{(S)-3-[4-(6-Chloro-5-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

1-{{(S)-3-[4-(6-Chloro-5-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-propan-1-one;

{{(S)-3-[4-(6-Chloro-5-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(1,1-dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-methanone;

1-{{(S)-3-[4-(6-Chloro-5-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-3-hydroxy-propan-1-one;

{{(S)-3-[4-(6-Chloro-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

1-{{(S)-3-[4-(6-Chloro-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-propan-1-one;

{{(S)-3-[4-(6-Chloro-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(1,1-dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-methanone;

1-{{(S)-3-[4-(6-Chloro-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-3-hydroxy-propan-1-one;

{{(S)-3-[4-(6-Chloro-5-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(1-methyl-1H-imidazol-4-yl)-methanone;

5-{{(S)-3-[4-(6-Chloro-5-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidine-1-carbonyl}-1H-pyridin-2-one;

{{(S)-3-[4-(6-Chloro-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(1-methyl-1H-imidazol-4-yl)-methanone;

5-{{(S)-3-[4-(6-Chloro-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidine-1-carbonyl}-1H-pyridin-2-one;

{{(S)-3-[4-(5,6-Dimethoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(4-hydroxy-cyclohexyl)-methanone;

{{(S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(3-methyl-pyridin-4-yl)-methanone;

1-{{(S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-2-pyridin-4-yl}-ethanone;

{{(S)-3-[4-(6-Methanesulfonyl-5-trifluoromethyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

{{(S)-3-[4-(5-Difluoromethyl-6-methanesulfonyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

{{(S)-3-[4-(5-Fluoromethyl-6-methanesulfonyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

{{(S)-3-[4-(6-Difluoromethoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

{{(S)-3-[4-(6-Difluoromethoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(1,1-dioxo-hexahydro-6-thiopyran-4-yl)-methanone;

{{(S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(1-methyl-1H-imidazol-4-yl)-methanone;

{{(S)-3-[4-(5-Difluoromethyl-6-methanesulfonyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(R)-tetrahydro-furan-3-yl)-methanone;

{{(S)-3-[4-(6-Methanesulfonyl-5-methylamino-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

{{(S)-3-[4-(5-Dimethylamino-6-methanesulfonyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

{{(S)-3-[4-(5-Chloro-6-methanesulfonyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

Cyclopropyl-{{(S)-3-[4-(6-methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;

4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-6-[(S)-1-(tetrahydro-pyran-4-sulfonyl)-pyrrolidin-3-yloxy]-3,4-dihydro-2H-benzo[1,4]oxazine;

4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-6-[(S)-1-(propane-2-sulfonyl)-pyrrolidin-3-yloxy]-3,4-dihydro-2H-benzo[1,4]oxazine;

6-((S)-1-Cyclopropanesulfonyl-pyrrolidin-3-yloxy)-4-(6-methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazine;

6-((S)-1-Ethanesulfonyl-pyrrolidin-3-yloxy)-4-(6-methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazine;

(S)-3-[4-(5-Fluoro-6-methanesulfonyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidine-1-carboxylic acid tert-butyl ester;

{{(S)-3-[4-(5-Fluoro-6-methanesulfonyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

{{(S)-3-[4-(6-Ethanesulfonyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

{{(S)-3-[4-(6-Methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(3-methyl-3H-imidazol-4-yl)-methanone;

{{(S)-3-[4-(6-Methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(1-methyl-1H-imidazol-4-yl)-methanone;

1-(4-{{(S)-3-[4-(6-Methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidine-1-carbonyl}-piperidin-1-yl)-ethanone;

4-{{(S)-3-[4-(6-Methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidine-1-carbonyl}-1H-pyridin-2-one;

5-{{(S)-3-[4-(6-Methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidine-1-carbonyl}-1H-pyridin-2-one;

(1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-{{(S)-3-[4-(6-methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;

{{(S)-3-[4-(6-Methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-furan-3-yl)-methanone;

5-{{(S)-3-[4-(6-Methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidine-1-carbonyl}-1-methyl-1H-pyridin-2-one;

1-{{(S)-3-[4-(6-Ethanesulfonyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-propan-1-one;

1-{{(S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-propan-1-one;

{{(S)-3-[4-(5-Fluoro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-furan-3-yl)-methanone;

1-{{(S)-3-[4-(5-Fluoro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-2-methoxy-ethanone;

{{(S)-3-[4-(5-Fluoro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-oxazol-4-yl-methanone;

(1,1-Dioxo-tetrahydro-1 λ 6*-thiophen-3-yl)-{(S)-3-[4-(5-fluoro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;
{(S)-3-[4-(5-Fluoro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(1-methyl-1H-imidazol-4-yl)-methanone;
{(S)-3-[4-(5-Fluoro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-oxazol-5-yl-methanone;
{(S)-3-[4-(5-Fluoro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-pyrimidin-5-yl-methanone;
{(S)-3-[4-(5-Chloro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(1,1-dioxo-tetrahydro-1 λ 6*-thiophen-3-yl)-methanone;
1-{(S)-3-[4-(5-Chloro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-3-methanesulfonyl-propan-1-one;
1-{(S)-3-[4-(5-Chloro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-3-hydroxy-propan-1-one;
{(S)-3-[4-(5-Chloro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-oxazol-5-yl-methanone;
3-{(S)-3-[4-(5-Chloro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-3-oxo-propionitrile;
1-{(S)-3-[4-(5-Chloro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-2-methanesulfonyl-ethanone;
1-{(S)-3-[4-(5-Fluoro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-2-methanesulfonyl-ethanone;
1-{(S)-3-[4-(5-Fluoro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-3-methanesulfonyl-propan-1-one;
1-{(S)-3-[4-(5-Fluoro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-3-hydroxy-propan-1-one;
1-{(S)-3-[4-(5-Fluoro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-3-methoxy-propan-1-one;
[1,4]Dioxan-2-yl-{(S)-3-[4-(5-fluoro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;
3-{(S)-3-[4-(5-Fluoro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-3-oxo-propionitrile;
{(S)-3-[4-(5-Fluoro-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(4-hydroxy-cyclohexyl)-methanone;

{{(S)-3-[4-(5-Difluoromethyl-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(1,1-dioxo-hexahydro-6-thiopyran-4-yl)-methanone;
{{(S)-3-[4-(5-Difluoromethyl-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;
1-{{(S)-3-[4-(6-Ethanesulfinyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-propan-1-one;
1-((R)-3-{{(S)-3-[4-(6-Methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidine-1-carbonyl}-pyrrolidin-1-yl)-ethanone;
2-Methoxy-5-{6-[(S)-1-(tetrahydro-pyran-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;
2-Methoxy-5-{6-[(R)-1-(tetrahydro-pyran-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;
1-{{(R)-3-[4-(6-Methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-propan-1-one;
1-{{(S)-3-[4-(6-Methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-propan-1-one;
2-Methoxy-5-{3-methyl-6-[(S)-1-(tetrahydro-pyran-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;
5-{6-[(S)-1-(Furazan-3-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-2-methoxy-nicotinonitrile;
2-Methoxy-5-{6-[(S)-1-(2-methyl-2H-pyrazole-3-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;
5-{6-[(S)-1-(Isoxazole-5-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-2-methoxy-nicotinonitrile;
2-Methoxy-5-{6-[(S)-1-(1H-pyrazole-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;
5-{6-[(S)-1-(2-Methanesulfonyl-acetyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-2-methoxy-nicotinonitrile;
2-Methoxy-5-{6-[(S)-1-(5-methyl-[1,3,4]oxadiazole-2-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;
2-Methoxy-5-{6-[(S)-1-(pyrimidine-5-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;
2-Methoxy-5-{6-[(S)-1-(thiazole-5-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

2-Methoxy-5-{6-[(S)-1-(pyrazine-2-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

2-Methoxy-5-{6-[(S)-1-(pyridine-3-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

2-Methoxy-5-{6-[(S)-1-(pyridine-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

5-{6-[(S)-1-(1,3-Dimethyl-1H-pyrazole-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-2-methoxy-nicotinonitrile;

2-Methoxy-5-{6-[(S)-1-(5-oxo-pyrrolidine-3-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

5-{6-[(S)-1-(2,4-Dimethyl-oxazole-5-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-2-methoxy-nicotinonitrile;

5-{6-[(S)-1-(6,6-Dimethyl-4-oxo-5,6-dihydro-4H-pyran-2-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-2-methoxy-nicotinonitrile;

2-Methoxy-5-{6-[(S)-1-(pyrazolo[1,5-a]pyrimidine-3-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

2-Methoxy-5-{6-[(S)-1-(5-oxo-pyrrolidine-2-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

5-{6-[(S)-1-([1,4]Dioxane-2-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-2-methoxy-nicotinonitrile;

5-{6-[(S)-1-([1,4]Dioxane-2-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-2-methoxy-nicotinonitrile;

2-Methoxy-5-{6-[(S)-1-(tetrahydro-pyran-3-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

(S)-2-methoxy-5-{6-[(1-(1-methyl-1H-imidazole-4-carbonyl)pyrrolidin-3-yl)oxy]-2H-benzo[b][1,4]oxazin-4(3H)-yl}nicotinonitrile;

1-{(S)-3-[4-(6-Methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-2-morpholin-4-yl-ethanone;

2-Dimethylamino-1-{(S)-3-[4-(6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-ethanone;

2-Methoxy-5-{6-[(S)-1-(tetrahydro-pyran-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

5-{6-[(S)-1-(1-Acetyl-piperidine-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-2-methoxy-nicotinonitrile;

5-{6-[(S)-1-(2-Dimethylamino-acetyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-2-methoxy-nicotinonitrile;

2-Methoxy-5-{6-[(S)-1-(2-morpholin-4-yl-acetyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

5-[6-((S)-1-Isobutyryl-pyrrolidin-3-yloxy)-2,3-dihydro-benzo[1,4]oxazin-4-yl]-2-methoxy-nicotinonitrile;

5-{6-[(S)-1-(3,3-Dimethyl-butyryl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-2-methoxy-nicotinonitrile;

2-Methoxy-5-{6-[(S)-1-(3-methyl-butyryl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

(S)-3-[4-(5-Cyano-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidine-1-carboxylic acid methyl ester;

2-Methoxy-5-{6-[(S)-1-(2-methoxy-acetyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

5-[6-((S)-1-Cyclohexanecarbonyl-pyrrolidin-3-yloxy)-2,3-dihydro-benzo[1,4]oxazin-4-yl]-2-methoxy-nicotinonitrile;

2-Methoxy-5-{6-[(S)-1-(1-methyl-piperidine-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

5-{6-[(S)-1-(2-Hydroxy-2-methyl-propionyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-2-methoxy-nicotinonitrile;

5-{6-[(S)-1-(1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-2-methoxy-nicotinonitrile;

2-Methoxy-5-{6-[(S)-1-(1-methyl-6-oxo-1,6-dihydro-pyridine-3-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

2-Methoxy-5-{6-[(S)-1-(oxazole-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

2-Methoxy-5-{6-[(S)-1-(1-methyl-2-oxo-1,2-dihydro-pyridine-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

2-Methoxy-5-{6-[(S)-1-(6-oxo-1,6-dihydro-pyridine-3-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

2-Methoxy-5-{6-[(S)-1-(2-oxo-1,2-dihydro-pyridine-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

2-Methoxy-5-{6-[(R)-2-(tetrahydro-pyran-4-carbonyl)-isoxazolidin-4-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;

2-Methoxy-5-[6-((R)-2-propionyl-isoxazolidin-4-yloxy)-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;

2-Methoxy-5-[6-[(S)-2-(tetrahydro-pyran-4-carbonyl)-isoxazolidin-4-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;

2-Methoxy-5-[6-((S)-2-propionyl-isoxazolidin-4-yloxy)-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;

2-Methoxy-5-[6-[(R)-2-(1-methyl-1H-imidazole-4-carbonyl)-isoxazolidin-4-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;

2-Methoxy-5-[6-[(S)-1-(1-methyl-1H-pyrazole-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;

2-Methoxy-5-[6-[(S)-1-(tetrahydro-furan-3-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;

{(S)-3-[4-(6-Methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

2-Methoxy-5-[6-[(S)-1-(3-methyl-3H-imidazole-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;

2-Methoxy-5-[6-[(S)-1-(oxazole-5-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;

2-Methoxy-5-[6-[(S)-1-(4-methyl-oxazole-5-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;

2-Methoxy-5-[6-[(S)-1-(morpholine-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;

2-Methoxy-5-[6-[(S)-1-(4-methoxy-cyclohexanecarbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;

2-Methoxy-5-[6-[(S)-1-(4-methoxy-cyclohexanecarbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;

2-Methoxy-5-[6-[(S)-1-[2-(1-methyl-1H-imidazol-4-yl)-acetyl]-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;

2-Methoxy-5-[6-[(S)-1-(piperidine-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;

2-Methoxy-5-[6-[(S)-1-((S)-pyrrolidine-3-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;

2-Methoxy-5-[6-[(S)-1-((R)-pyrrolidine-3-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;

{{(S)-3-[1-(6-Methoxy-5-methyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-(1-methyl-1H-imidazol-4-yl)-methanone;
(S)-3-[1-(6-Methoxy-5-methyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidine-1-carboxylic acid tert-butyl ester;
{{(S)-3-[1-(6-Methoxy-5-methyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;
{{(S)-3-[1-(6-Difluoromethoxy-5-methyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-(1,1-dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-methanone;
{{(S)-3-[1-(5-Chloro-6-methoxy-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-(1,1-dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-methanone;
(1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-{{(S)-3-[1-(6-methoxy-5-trifluoromethyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-methanone;
{{(S)-3-[1-(6-Methoxy-5-trifluoromethyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-(1-methyl-1H-imidazol-4-yl)-methanone;
{{(S)-3-[1-(5-Chloro-6-methoxy-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-(1-methyl-1H-imidazol-4-yl)-methanone;
{{(S)-3-[1-(6-Difluoromethoxy-5-methyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;
{{(S)-3-[1-(6-Difluoromethoxy-5-methyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-(1-methyl-1H-imidazol-4-yl)-methanone;
Cyclopropyl-{{(S)-3-[1-(6-difluoromethoxy-5-methyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-methanone;
(1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-{{(S)-3-[1-(6-hydroxy-5-methyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-methanone;
(1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-{{(S)-3-[1-(5-hydroxymethyl-6-methoxy-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-methanone;
(1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-{{(S)-3-[1-(6-methoxy-5-methyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-methanone;
(1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-{{(S)-3-[1-(5-fluoro-6-methoxy-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-methanone;
{{(S)-3-[1-(5-Fluoro-6-methoxy-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-(1-methyl-1H-imidazol-4-yl)-methanone;

2-Methoxy-5-{7-[(S)-1-(tetrahydro-pyran-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-pyrido[3,4-b][1,4]oxazin-1-yl}-nicotinonitrile;

2-Methoxy-5-{7-[(S)-1-(1-methyl-1H-imidazole-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-pyrido[3,4-b][1,4]oxazin-1-yl}-nicotinonitrile;

{(S)-3-[1-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

{(S)-3-[1-(5-Difluoromethyl-6-methoxy-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-(1,1-dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-methanone;

{(S)-3-[1-(5-Difluoromethyl-6-methoxy-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;

1-{(S)-3-[1-(5-Difluoromethyl-6-methoxy-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-2-methoxy-ethanone;

{(S)-3-[1-(5-Difluoromethyl-6-methoxy-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-(1-methyl-1H-imidazol-4-yl)-methanone;

1-{(S)-3-[1-(5-Difluoromethyl-6-methanesulfonyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-2-methoxy-ethanone;

(1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-{3-[1-(6-methoxy-5-methyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-methanone;

5-{7-[(S)-1-(1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-pyrido[3,4-b][1,4]oxazin-1-yl}-2-methoxy-nicotinonitrile;

(1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-{(R)-3-fluoro-4-[1-(6-methoxy-5-methyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-methanone;

Imidazo[2,1-b]thiazol-6-yl-{(S)-3-[1-(6-methoxy-5-trifluoromethyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-methanone;

(1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-{(R)-3-[1-(6-methoxy-5-methyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-methanone;

(5-Amino-1-methyl-1H-imidazol-4-yl)-{(S)-3-[1-(6-methoxy-5-trifluoromethyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-methanone;

(1,1-Dioxo-tetrahydro-1 λ 6*-thiophen-3-yl)-{(S)-3-[1-(6-methanesulfonyl-5-methyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-methanone;

{(S)-3-[4-(5,6-Dimethoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-furan-2-yl)-methanone;

(1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-{(S)-3-[5-fluoro-4-(6-methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;
{(S)-3-[4-(5-Difluoromethyl-6-methoxy-pyridin-3-yl)-5-fluoro-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(1,1-dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-methanone;
{(S)-3-[5-Fluoro-4-(6-methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;
5-{6-[(S)-1-((S)-1-Acetyl-pyrrolidine-3-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]-oxazin-4-yl}-2-methoxy-nicotinonitrile;
5-{6-[(S)-1-((R)-1-Acetyl-pyrrolidine-3-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-2-methoxy-nicotinonitrile;
2-Methoxy-5-{6-[(S)-1-((R)-1-methyl-pyrrolidine-3-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;
4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-6-((S)-1-pyridin-2-yl-pyrrolidin-3-yloxy)-3,4-dihydro-2H-benzo[1,4]oxazine;
4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-6-((S)-1-pyrimidin-2-yl-pyrrolidin-3-yloxy)-3,4-dihydro-2H-benzo[1,4]oxazine;
2-Methoxy-5-{2-methyl-6-[(S)-1-(tetrahydro-pyran-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;
2-Methoxy-5-[(S)-2-methyl-6-[(S)-1-(tetrahydro-pyran-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl]-nicotinonitrile;
2-Methoxy-5-{6-[(S)-1-(1-methyl-piperidin-4-ylmethyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;
{(S)-3-[4-(6-Methoxy-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;
5-{6-[(S)-1-(4-Hydroxy-cyclohexanecarbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-2-methoxy-nicotinonitrile;
2-Methoxy-5-{6-[(S)-1-(2-pyridin-4-yl-acetyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;
{(S)-3-[4-(5-Amino-6-methoxy-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(1-methyl-1H-imidazol-4-yl)-methanone;
N-(2-Methoxy-5-{6-[(S)-1-(1-methyl-1H-imidazole-4-carbonyl)-pyrrolidin-3-yloxy]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-pyridin-3-yl)-methanesulfonamide;

(1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-{(S)-3-[4-(6-methoxy-5-methyl-pyridin-3-yl)-5-methyl-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-methanone;
{(S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-5-methyl-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone;
{(S)-3-[4-(5-Difluoromethyl-6-methoxy-pyridin-3-yl)-5-methyl-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(1,1-dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-methanone; or
2-Methoxy-5-{6-[(S)-1-(tetrahydro-pyran-4-carbonyl)-pyrrolidin-3-ylamino]-2,3-dihydro-benzo[1,4]oxazin-4-yl}-nicotinonitrile;
or a salt thereof.

9. A compound of claim 1 in crystalline form.

10. (S)-(3-((4-(6-Methoxy-5-methylpyridin-3-yl)-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl)oxy)pyrrolidin-1-yl)(tetrahydro-2H-pyran-4-yl)methanone or salt thereof.

11. {(S)-3-[4-(6-Methanesulfonyl-5-methyl-pyridin-3-yl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yloxy]-pyrrolidin-1-yl}-(tetrahydro-pyran-4-yl)-methanone or salt thereof.

12. {(S)-3-[1-(6-Methoxy-5-methyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-(1-methyl-1H-imidazol-4-yl)-methanone or salt thereof.

13. (1,1-Dioxo-hexahydro-1 λ 6*-thiopyran-4-yl)-{(S)-3-[1-(6-methoxy-5-methyl-pyridin-3-yl)-2,3-dihydro-1H-pyrido[3,4-b][1,4]oxazin-7-yloxy]-pyrrolidin-1-yl}-methanone or salt thereof.

14. A compound according to any one of claims 1 to 13, or a pharmaceutically acceptable salt thereof, for use as a medicament.

15. A combination comprising a therapeutically effective amount of a compound according to any one of claims 1 to 13, or a pharmaceutically acceptable salt thereof, and one or more therapeutically active co-agents.

16. A compound according to any one of claims 1 to 13, or a pharmaceutically acceptable salt thereof, for use in the treatment of a disorder or a disease selected from rheumatoid arthritis (RA), pemphigus vulgaris (PV), endemic form of Brazilian pemphigus (Fogo selvagem), idiopathic thrombocytopenia purpura (ITP), thrombotic thrombocytopenic purpura (TTP), autoimmune hemolytic anemia (AIHA), acquired hemophilia type A (AHA), systemic lupus erythematosus (SLE), multiple sclerosis (MS), myasthenia gravis (MG), Sjögren's syndrome (SS), ANCA-associated vasculitides, cryoglobulinemia, chronic autoimmune urticaria (CAU), allergy (atopic dermatitis, contact dermatitis, allergic rhinitis), goodpasture's syndrome, transplant rejection, cancers of haematopoietic origin, severe and cerebral malaria, trypanosomiasis, leishmaniasis, toxoplasmosis and neurocysticercosis.

17. A pharmaceutical composition comprising a therapeutically effective amount of a compound according to any one of claims 1 to 13, or a pharmaceutically acceptable salt thereof, and one or more pharmaceutically acceptable carriers.

18. Use of a compound according to any one of claims 1 to 13, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for modulating the activity of the PI3K enzymes in a subject.

19. The use according to claim 18, wherein the PI3K enzyme is the PI3K δ isoform.

20. Use of a compound according to any one of claims 1 to 13, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for the treatment of a disorder or a disease selected from rheumatoid arthritis (RA), pemphigus vulgaris (PV), endemic form of Brazilian pemphigus (Fogo selvagem),

idiopathic thrombocytopenia purpura (ITP), thrombotic thrombocytopenic purpura (TTP), autoimmune hemolytic anemia (AIHA), acquired hemophilia type A (AHA), systemic lupus erythematosus (SLE), multiple sclerosis (MS), myasthenia gravis (MG), Sjögren's syndrome (SS), ANCA-associated vasculitides, cryoglobulinemia, chronic autoimmune urticaria (CAU), allergy (atopic dermatitis, contact dermatitis, allergic rhinitis), goodpasture's syndrome, transplant rejection, cancers of haematopoietic origin, severe and cerebral malaria, trypanosomiasis, leishmaniasis, toxoplasmosis and neurocysticercosis.