




[図1]




[図2]




[図3]




[図4]




[図5]




[図6]



[図7]



[図8]




(C)

時限	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
制限値	93.1	88.9	88.9	95.3	97.6	93.1	93.1	91	97.6	95.3	65.1	63.5	59.3	139	77.3	164	94.2	83.9	85.4	88.3	89.3	80.6	65.8	61


時限	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
制限値	74.1	82.9	84.4	85.1	78	75.2	75.4	99.6	156	188	119	50.2	52.3	58.6	60.6	52.3	39.6	44	34.6	46	88.9	63.5	66.7	63.5

需要家(1)の制限値


[図9]




[図10]



[図11]



[図12]



[図13]

グループ 目標電力 = 900kW					需要家(1) 制限値 = 200kW	需要家(1) 抑制制御 無し	制限値との乖離 ▲40kW	需要家(1) 再配分値 = 180kW	制限値 - 20kW
					需要家(2) 制限値 = 50kW	需要家(2) 抑制制御 実行		需要家(2) 再配分値 = 55kW	制限値 + 5kW 抑制制御が緩和
					需要家(3) 制限値 = 100kW	需要家(3) 抑制制御 実行		需要家(3) 再配分値 = 110kW	制限値 + 10kW 抑制制御が緩和
					需要家(4) 制限値 = 300kW	需要家(4) 抑制制御 実行		需要家(4) 再配分値 = 330kW	制限値 + 30kW 抑制制御が緩和
					需要家(5) 制限値 = 250kW	需要家(5) 抑制制御 無し	制限値との乖離 ▲50kW	需要家(5) 再配分値 = 225kW	制限値 - 25kW
					時間開始前に 振り分けた制限値			再配分後の制限値	
					制御状況				