FIG. 1



Degradation products of Atorvastatin during Long-term Storage (RRT 1.81)
Example 5
Comp. Ex. 1
Comp. Ex. 2
Comp. Ex. 3
Impurity (%)
0.5
0.4
0.3
0.2
0.1
0
0
5
10
15
20
25
30
35
40
Time (month)

FIG. 2



Impurities of Irbesartan during Long-term Storage (RRT 0.8)
Example 5
Comp. Ex. 1
Comp. Ex. 2
Comp. Ex. 3
Impurity (%)
0.2
0.15
0.1
0.05
0
0
1
2
3
4
5
6
Time (month)

FIG. 3



Dissolution Rates of Irbesartan
Dissolution rate (%)
120
100
80
60
40
20
0
0
5
10
15
20
25
30
35
Time (min)
Aprovel
Example 5
Comp. Ex. 1
Comp. Ex. 2
Comp. Ex. 3

FIG. 4



Dissolution Rates of Atorvastatin
Dissolution rate (%)
120
100
80
60
40
20
0
0
5
10
15
20
25
30
35
Time (min)
Lipitor
Example 5
Comp. Ex. 1
Comp. Ex. 2
Comp. Ex. 3

FIG. 5



Solubility of Irbesartan
Solubility (ppm)
1000
800
600
400
200
0
Example 5
Comp. Ex. 1
Example 5
Comp. Ex. 1
Water
pH 6.8

FIG. 6



Pharmacokinetic Parameters of Irbesartan in Dog
Serum level (ng/mL)
12000
10000
8000
6000
4000
2000
0
0
10
20
30
40
50
60
Time (hr)
Example 5
Comp. Ex. 1

FIG. 7

