


[Fig. 1]


Blood concentration profile of olmesartan (n=12)
Concentration (ng/ml)
1200
1000
800
600
400
200
0
0
12
24
36
48
60
72
Time (hr)
Reference formulation
Test formulation


[Fig. 2]


Blood concentration profile of rosuvastatin (n=12)
Concentration (ng/ml)
25
20
15
10
5
0
0
12
24
36
48
60
72
Time (hr)
Reference formulation
Test formulation


[Fig. 3]


Blood concentration profile of olmesartan (n=6)
Concentration (ng/ml)
1000
800
600
400
200
0
0
4
8
12
16
20
24
Time (hr)
Reference formulation
Test formulation


[Fig. 4]


Blood concentration profile of rosuvastatin (n=6)
Concentration (ng/ml)
25
20
15
10
5
0
0
4
8
12
16
20
24
Time (hr)
Reference formulation
Test formulation

[Fig. 5]


Blood concentration profile of olmesartan (n=6)
Olmesartan Conc. (ng/mL)
1600
1400
1200
1000
800
600
400
200
0
0
6
12
18
24
Time (hr)
Reference formulation
Test formulation

[Fig. 6]


Blood concentration profile of rosuvastatin (n=6)
Rosuvastatin Conc. (ng/mL)
35
30
25
20
15
10
5
0
0
4
8
12
16
20
24
Time (hr)
Reference formulation
Test formulation