
CLAIMS


1. Use of Compound (2):



di-HCl

in the manufacture of a medicament for the treatment of one or more of brain cancer, glioblastoma, astrocytoma, atypical teratoid tumors, rhabdoid tumors, brain tumors, spinal cord tumors, central nervous system atypical teratoid tumors, central nervous system atypical rhabdoid tumors, leptomeningeal disease, central nervous system embryonal tumors, central nervous system lymphoma, chordoma, craniopharyngioma, embryonal tumors of central nervous system, ependymoblastoma, ependymoma, extracranial germ cell tumors, extragonadal germ cell tumors, germ cell tumors, glioma, primary central nervous system lymphoma, medulloblastoma, medulloepithelioma, neuroblastoma, pineal parenchymal tumors of intermediate differentiation, pineoblastoma, supratentorial primitive neuroectodermal tumors, pituitary tumors, and primary central nervous system lymphoma.

2. Use of Compound (2):



di-HCl

in the manufacture of a pharmaceutical composition for the treatment of one or more of brain cancer, glioblastoma, astrocytoma, atypical teratoid tumors, rhabdoid tumors, brain tumors, spinal cord tumors, central nervous system atypical teratoid tumors, central nervous system


atypical rhabdoid tumors, leptomeningeal disease, central nervous system embryonal tumors, central nervous system lymphoma, chordoma, craniopharyngioma, embryonal tumors of central nervous system, ependymoblastoma, ependymoma, extracranial germ cell tumors, extragonadal germ cell tumors, germ cell tumors, glioma, primary central nervous system lymphoma, medulloblastoma, medulloepithelioma, neuroblastoma, pineal parenchymal tumors of intermediate differentiation, pineoblastoma, supratentorial primitive neuroectodermal tumors, pituitary tumors, and primary central nervous system lymphoma.

3. The use of claims 1 or 2, wherein the treatment is for one or more of brain cancer, glioblastoma, astrocytoma, atypical teratoid tumors, rhabdoid tumors, brain tumors, craniopharyngioma, ependymoblastoma, glioma, and medulloblastoma,

4. The use of any one of claims 1 to 3, wherein the treatment is for an adult patient.


5. The use of any one of claims 1 to 3, wherein the treatment is for a pediatric patient.

6. Use of Compound (18):



or a salt thereof in the manufacture of a medicament for the treatment of one or more of brain cancer, glioblastoma, astrocytoma, atypical teratoid tumors, rhabdoid tumors, brain tumors, spinal cord tumors, central nervous system atypical teratoid tumors, central nervous system atypical rhabdoid tumors, leptomeningeal disease, central nervous system embryonal tumors, central nervous system lymphoma, chordoma, craniopharyngioma, embryonal tumors of central nervous system, ependymoblastoma, ependymoma, extracranial germ cell tumors, extragonadal germ cell tumors, germ cell tumors, glioma, primary central nervous system lymphoma, medulloblastoma, medulloepithelioma, neuroblastoma, pineal parenchymal tumors of intermediate differentiation, pineoblastoma, supratentorial primitive neuroectodermal tumors, pituitary tumors, and primary central nervous system lymphoma.

7. Use of Compound (18):




or a salt thereof in the manufacture of a pharmaceutical composition for the treatment of one or more of brain cancer, glioblastoma, astrocytoma, atypical teratoid tumors, rhabdoid tumors, brain tumors, spinal cord tumors, central nervous system atypical teratoid tumors, central nervous system atypical rhabdoid tumors, leptomeningeal disease, central nervous system embryonal tumors, central nervous system lymphoma, chordoma, craniopharyngioma, embryonal tumors of central nervous system, ependymoblastoma, ependymoma, extracranial germ cell tumors, extragonadal germ cell tumors, germ cell tumors, glioma, primary central nervous system lymphoma, medulloblastoma, medulloepithelioma, neuroblastoma, pineal parenchymal tumors of intermediate differentiation, pineoblastoma, supratentorial primitive neuroectodermal tumors, pituitary tumors, and primary central nervous system lymphoma.

8. The use of claims 6 or 7, wherein the treatment is for one or more of brain cancer, glioblastoma, astrocytoma, atypical teratoid tumors, rhabdoid tumors, brain tumors, craniopharyngioma, ependymoblastoma, glioma, and medulloblastoma,

9. The use of any one of claims 6 to 8, wherein the treatment is for an adult patient.

10. The use of any one of claims 6 to 8, wherein the treatment is for a pediatric patient.


11. Use of Compound (2):



di-HCl

in the manufacture of a medicament for the treatment of a brain tumor.


12. Use of Compound (2):



di-HCl


in the manufacture of a pharmaceutical composition for treatment of a brain tumor.

13. Use of Compound (18):



or a salt thereof in the manufacture of a medicament for the treatment of a brain tumor.

14. Use of Compound (18):



or a salt thereof in the manufacture of a pharmaceutical composition for the treatment of a brain tumor.