Figure 1: Native H1N1 polypeptide fragment (Chain A)

```
HEADER    ----                                        XX-XXX-XX    xxxx
COMPND    ---
REMARK   3
REMARK   3 REFINEMENT.
REMARK   3   PROGRAM     : REFMAC 5.5.0102
REMARK   3   AUTHORS     : MURSHUDOV,VAGIN,DODSON
REMARK   3
REMARK   3    REFINEMENT TARGET : MAXIMUM LIKELIHOOD
REMARK   3
REMARK   3  DATA USED IN REFINEMENT.
REMARK   3   RESOLUTION RANGE HIGH (ANGSTROMS) :   2.10
REMARK   3   RESOLUTION RANGE LOW  (ANGSTROMS) :  20.00
REMARK   3   DATA CUTOFF             (SIGMA(F)) : NONE
REMARK   3   COMPLETENESS FOR RANGE        (%) :  98.97
REMARK   3   NUMBER OF REFLECTIONS             :   63279
REMARK   3
REMARK   3  FIT TO DATA USED IN REFINEMENT.
REMARK   3   CROSS-VALIDATION METHOD           : THROUGHOUT
REMARK   3   FREE R VALUE TEST SET SELECTION   : RANDOM
REMARK   3   R VALUE      (WORKING + TEST SET) : 0.22341
REMARK   3   R VALUE            (WORKING SET) :  0.22159
REMARK   3   FREE R VALUE                      :  0.26801
REMARK   3   FREE R VALUE TEST SET SIZE   (%) :  4.0
REMARK   3   FREE R VALUE TEST SET COUNT       :  2639
REMARK   3
REMARK   3  FIT IN THE HIGHEST RESOLUTION BIN.
REMARK   3   TOTAL NUMBER OF BINS USED           :      20
REMARK   3   BIN RESOLUTION RANGE HIGH           :   2.100
REMARK   3   BIN RESOLUTION RANGE LOW            :   2.154
REMARK   3   REFLECTION IN BIN     (WORKING SET) :    4547
REMARK   3   BIN COMPLETENESS (WORKING+TEST) (%) :   97.48
REMARK   3   BIN R VALUE           (WORKING SET) :   0.248
REMARK   3   BIN FREE R VALUE SET COUNT          :     204
REMARK   3   BIN FREE R VALUE                    :   0.291
REMARK   3
REMARK   3  NUMBER OF NON-HYDROGEN ATOMS USED IN REFINEMENT.
REMARK   3   ALL ATOMS                 :     6568
REMARK   3
REMARK   3  B VALUES.
REMARK   3   FROM WILSON PLOT           (A**2) : NULL
REMARK   3   MEAN B VALUE      (OVERALL, A**2) :  33.980
REMARK   3   OVERALL ANISOTROPIC B VALUE.
REMARK   3    B11 (A**2) :     0.00
REMARK   3    B22 (A**2) :     0.04
REMARK   3    B33 (A**2) :    -0.04
REMARK   3    B12 (A**2) :     0.00
REMARK   3    B13 (A**2) :    -0.02
REMARK   3    B23 (A**2) :     0.00
REMARK   3
REMARK   3  ESTIMATED OVERALL COORDINATE ERROR.
REMARK   3   ESU BASED ON R VALUE                                (A):   0.199
REMARK   3   ESU BASED ON FREE R VALUE                           (A):   0.184
REMARK   3   ESU BASED ON MAXIMUM LIKELIHOOD                     (A):   0.131
REMARK   3   ESU FOR B VALUES BASED ON MAXIMUM LIKELIHOOD (A**2):   4.762
REMARK   3
REMARK   3 CORRELATION COEFFICIENTS.
REMARK   3   CORRELATION COEFFICIENT FO-FC      :   0.928
REMARK   3   CORRELATION COEFFICIENT FO-FC FREE :   0.893
REMARK   3
REMARK   3  RMS DEVIATIONS FROM IDEAL VALUES         COUNT    RMS     WEIGHT
```

```
REMARK   3   BOND LENGTHS REFINED ATOMS        (A):  6502 ; 0.026 ; 0.022
REMARK   3   BOND ANGLES REFINED ATOMS   (DEGREES):  8730 ; 2.114 ; 1.941
REMARK   3   TORSION ANGLES, PERIOD 1    (DEGREES):   758 ; 7.213 ; 5.000
REMARK   3   TORSION ANGLES, PERIOD 2    (DEGREES):   346 ;35.310 ;23.526
REMARK   3   TORSION ANGLES, PERIOD 3    (DEGREES):  1222 ;19.330 ;15.000
REMARK   3   TORSION ANGLES, PERIOD 4    (DEGREES):    56 ;20.187 ;15.000
REMARK   3   CHIRAL-CENTER RESTRAINTS       (A**3):   938 ; 0.155 ; 0.200
REMARK   3   GENERAL PLANES REFINED ATOMS     (A):  4900 ; 0.012 ; 0.020
REMARK   3
REMARK   3  ISOTROPIC THERMAL FACTOR RESTRAINTS.     COUNT   RMS    WEIGHT
REMARK   3   MAIN-CHAIN BOND REFINED ATOMS  (A**2):  3820 ; 1.364 ; 1.500
REMARK   3   MAIN-CHAIN ANGLE REFINED ATOMS (A**2):  6192 ; 2.379 ; 2.000
REMARK   3   SIDE-CHAIN BOND REFINED ATOMS  (A**2):  2682 ; 3.867 ; 3.000
REMARK   3   SIDE-CHAIN ANGLE REFINED ATOMS (A**2):  2538 ; 5.937 ; 4.500
REMARK   3
REMARK   3  NCS RESTRAINTS STATISTICS
REMARK   3   NUMBER OF NCS GROUPS : NULL
REMARK   3
REMARK   3  TWIN DETAILS
REMARK   3   NUMBER OF TWIN DOMAINS  : NULL
REMARK   3
REMARK   3
REMARK   3  TLS DETAILS
REMARK   3   NUMBER OF TLS GROUPS  : NULL
REMARK   3
REMARK   3
REMARK   3  BULK SOLVENT MODELLING.
REMARK   3   METHOD USED :  MASK
REMARK   3   PARAMETERS FOR MASK CALCULATION
REMARK   3   VDW PROBE RADIUS   :   1.40
REMARK   3   ION PROBE RADIUS   :   0.80
REMARK   3   SHRINKAGE RADIUS   :   0.80
REMARK   3
REMARK   3  OTHER REFINEMENT REMARKS:
REMARK   3  U VALUES       : REFINED INDIVIDUALLY
REMARK   3
LINKR          GLU A  64                    ASN A  69                gap
LINKR          GLU C  64                    ASN C  69                gap
LINKR          ILE C 138                    ASN C 142                gap
LINKR          GLU B  64                    ASN B  69                gap
LINKR          GLU D  64                    ASN D  69                gap
LINKR          ILE D 138                    ASN D 142                gap
CRYST1  263.630   66.240   66.320  90.00  95.98  90.00 C 1 2 1
SCALE1      0.003793  0.000000  0.000397        0.00000
SCALE2      0.000000  0.015097  0.000000        0.00000
SCALE3      0.000000  0.000000  0.015161        0.00000
ATOM      1  N   GLY A  -2     106.920  36.113 -16.120  1.00 42.11           N
ATOM      2  CA  GLY A  -2     107.197  36.607 -14.722  1.00 42.42           C
ATOM      3  C   GLY A  -2     106.306  37.763 -14.247  1.00 42.64           C
ATOM      4  O   GLY A  -2     106.398  38.220 -13.071  1.00 42.95           O
ATOM      5  N   MET A  -1     105.422  38.235 -15.136  1.00 42.19           N
ATOM      6  CA  MET A  -1     104.454  39.289 -14.808  1.00 41.62           C
ATOM      7  CB  MET A  -1     103.457  39.402 -15.946  1.00 42.52           C
ATOM      8  CG  MET A  -1     102.421  40.555 -15.917  1.00 47.58           C
ATOM      9  SD  MET A  -1     100.922  40.056 -16.866  1.00 59.76           S
ATOM     10  CE  MET A  -1      99.977  39.071 -15.666  1.00 58.22           C
ATOM     11  C   MET A  -1     103.711  38.952 -13.499  1.00 40.62           C
ATOM     12  O   MET A  -1     103.430  39.841 -12.678  1.00 38.80           O
ATOM     13  N   ALA A   0     103.391  37.665 -13.306  1.00 38.62           N
ATOM     14  CA  ALA A   0     102.561  37.313 -12.164  1.00 37.98           C
ATOM     15  CB  ALA A   0     102.144  35.841 -12.242  1.00 38.44           C
ATOM     16  C   ALA A   0     103.311  37.598 -10.850  1.00 35.87           C
ATOM     17  O   ALA A   0     102.751  38.144  -9.897  1.00 34.89           O
```

```
ATOM     18  N   MET A   1     104.590  37.247 -10.790  1.00 33.89           N
ATOM     19  CA  MET A   1     105.271  37.492  -9.543  1.00 33.49           C
ATOM     20  CB  MET A   1     106.518  36.611  -9.384  1.00 34.19           C
ATOM     21  CG  MET A   1     107.436  37.038  -8.233  1.00 33.79           C
ATOM     22  SD  MET A   1     106.782  36.651  -6.599  1.00 37.21           S
ATOM     23  CE  MET A   1     107.366  34.945  -6.546  1.00 34.04           C
ATOM     24  C   MET A   1     105.561  38.983  -9.344  1.00 32.13           C
ATOM     25  O   MET A   1     105.475  39.490  -8.218  1.00 30.65           O
ATOM     26  N   GLU A   2     105.805  39.692 -10.432  1.00 32.04           N
ATOM     27  CA  GLU A   2     106.093  41.143 -10.347  1.00 33.26           C
ATOM     28  CB  GLU A   2     106.453  41.711 -11.741  1.00 34.23           C
ATOM     29  CG  GLU A   2     106.964  43.179 -11.676  1.00 37.06           C
ATOM     30  CD  GLU A   2     106.799  44.010 -13.027  1.00 43.24           C
ATOM     31  OE1 GLU A   2     106.583  43.427 -14.154  1.00 36.15           O
ATOM     32  OE2 GLU A   2     106.889  45.274 -12.911  1.00 44.58           O
ATOM     33  C   GLU A   2     104.889  41.897  -9.827  1.00 33.56           C
ATOM     34  O   GLU A   2     105.031  42.794  -9.016  1.00 34.09           O
ATOM     35  N   ASP A   3     103.706  41.593 -10.377  1.00 33.72           N
ATOM     36  CA  ASP A   3     102.423  42.039  -9.798  1.00 34.07           C
ATOM     37  CB  ASP A   3     101.300  41.380 -10.599  1.00 36.24           C
ATOM     38  CG  ASP A   3     101.268  41.859 -12.022  1.00 39.95           C
ATOM     39  OD1 ASP A   3     102.165  42.658 -12.371  1.00 46.54           O
ATOM     40  OD2 ASP A   3     100.368  41.438 -12.778  1.00 46.06           O
ATOM     41  C   ASP A   3     102.185  41.651  -8.323  1.00 32.78           C
ATOM     42  O   ASP A   3     101.657  42.422  -7.544  1.00 31.80           O
ATOM     43  N   PHE A   4     102.489  40.415  -7.950  1.00 31.44           N
ATOM     44  CA  PHE A   4     102.310  40.074  -6.547  1.00 30.67           C
ATOM     45  CB  PHE A   4     102.654  38.598  -6.293  1.00 30.24           C
ATOM     46  CG  PHE A   4     102.680  38.280  -4.850  1.00 29.43           C
ATOM     47  CD1 PHE A   4     101.477  38.056  -4.165  1.00 30.86           C
ATOM     48  CE1 PHE A   4     101.487  37.848  -2.742  1.00 30.63           C
ATOM     49  CZ  PHE A   4     102.726  37.837  -2.039  1.00 29.79           C
ATOM     50  CE2 PHE A   4     103.933  38.077  -2.737  1.00 30.85           C
ATOM     51  CD2 PHE A   4     103.872  38.292  -4.150  1.00 26.32           C
ATOM     52  C   PHE A   4     103.170  40.984  -5.646  1.00 29.79           C
ATOM     53  O   PHE A   4     102.736  41.450  -4.558  1.00 30.94           O
ATOM     54  N   VAL A   5     104.420  41.216  -6.064  1.00 30.48           N
ATOM     55  CA  VAL A   5     105.391  41.980  -5.260  1.00 29.36           C
ATOM     56  CB  VAL A   5     106.750  41.975  -5.963  1.00 29.08           C
ATOM     57  CG1 VAL A   5     107.689  42.974  -5.341  1.00 30.12           C
ATOM     58  CG2 VAL A   5     107.379  40.663  -5.854  1.00 28.29           C
ATOM     59  C   VAL A   5     104.893  43.391  -5.079  1.00 30.37           C
ATOM     60  O   VAL A   5     104.839  43.988  -3.974  1.00 29.91           O
ATOM     61  N   ARG A   6     104.447  43.938  -6.185  1.00 31.19           N
ATOM     62  CA  ARG A   6     103.939  45.319  -6.118  1.00 33.22           C
ATOM     63  CB  ARG A   6     103.770  45.939  -7.538  1.00 32.70           C
ATOM     64  CG  ARG A   6     105.082  46.029  -8.302  1.00 32.45           C
ATOM     65  CD  ARG A   6     104.899  46.627  -9.647  1.00 35.90           C
ATOM     66  NE  ARG A   6     106.156  46.609 -10.372  1.00 38.38           N
ATOM     67  CZ  ARG A   6     107.124  47.499 -10.167  1.00 39.22           C
ATOM     68  NH1 ARG A   6     106.951  48.504  -9.313  1.00 38.07           N
ATOM     69  NH2 ARG A   6     108.242  47.408 -10.846  1.00 39.11           N
ATOM     70  C   ARG A   6     102.703  45.545  -5.228  1.00 32.81           C
ATOM     71  O   ARG A   6     102.496  46.644  -4.772  1.00 33.19           O
ATOM     72  N   GLN A   7     101.881  44.519  -4.973  1.00 33.24           N
ATOM     73  CA  GLN A   7     100.780  44.711  -4.058  1.00 32.91           C
ATOM     74  CB  GLN A   7      99.476  44.128  -4.612  1.00 33.20           C
ATOM     75  CG  GLN A   7      99.463  42.611  -4.729  1.00 37.26           C
ATOM     76  CD  GLN A   7      98.171  42.066  -5.417  1.00 48.45           C
ATOM     77  OE1 GLN A   7      97.277  42.847  -5.795  1.00 50.00           O
ATOM     78  NE2 GLN A   7      98.102  40.727  -5.626  1.00 48.29           N
ATOM     79  C   GLN A   7     101.079  44.182  -2.654  1.00 33.62           C
ATOM     80  O   GLN A   7     100.299  44.397  -1.770  1.00 32.93           O
```

```
ATOM     81  N   CYS A   8     102.177  43.440  -2.474  1.00 33.35           N
ATOM     82  CA  CYS A   8     102.481  42.866  -1.192  1.00 33.91           C
ATOM     83  CB  CYS A   8     103.316  41.566  -1.329  1.00 32.63           C
ATOM     84  SG  CYS A   8     103.610  40.718   0.309  1.00 39.98           S
ATOM     85  C   CYS A   8     103.208  43.872  -0.253  1.00 33.14           C
ATOM     86  O   CYS A   8     102.930  43.932   0.938  1.00 33.37           O
ATOM     87  N   PHE A   9     104.104  44.667  -0.814  1.00 31.55           N
ATOM     88  CA  PHE A   9     105.010  45.524  -0.030  1.00 30.40           C
ATOM     89  CB  PHE A   9     106.448  45.248  -0.499  1.00 27.69           C
ATOM     90  CG  PHE A   9     106.903  43.833  -0.211  1.00 25.63           C
ATOM     91  CD1 PHE A   9     107.353  43.466   1.062  1.00 26.07           C
ATOM     92  CE1 PHE A   9     107.793  42.130   1.319  1.00 27.24           C
ATOM     93  CZ  PHE A   9     107.717  41.166   0.272  1.00 23.99           C
ATOM     94  CE2 PHE A   9     107.294  41.550  -0.973  1.00 23.73           C
ATOM     95  CD2 PHE A   9     106.831  42.891  -1.179  1.00 21.08           C
ATOM     96  C   PHE A   9     104.685  47.015  -0.164  1.00 29.41           C
ATOM     97  O   PHE A   9     104.147  47.376  -1.159  1.00 30.84           O
ATOM     98  N   ASN A  10     105.003  47.836   0.845  1.00 31.48           N
ATOM     99  CA  ASN A  10     104.954  49.343   0.796  1.00 32.81           C
ATOM    100  CB  ASN A  10     106.003  49.954   1.744  1.00 33.17           C
ATOM    101  CG  ASN A  10     105.617  49.821   3.046  1.00 37.36           C
ATOM    102  OD1 ASN A  10     104.483  49.355   3.258  1.00 47.16           O
ATOM    103  ND2 ASN A  10     106.489  50.111   3.990  1.00 40.42           N
ATOM    104  C   ASN A  10     105.505  49.853  -0.488  1.00 31.88           C
ATOM    105  O   ASN A  10     106.470  49.265  -0.938  1.00 32.03           O
ATOM    106  N   PRO A  11     105.010  51.024  -0.977  1.00 31.02           N
ATOM    107  CA  PRO A  11     105.727  51.649  -2.085  1.00 29.85           C
ATOM    108  CB  PRO A  11     104.879  52.908  -2.416  1.00 29.84           C
ATOM    109  CG  PRO A  11     103.380  52.433  -2.010  1.00 32.11           C
ATOM    110  CD  PRO A  11     103.694  51.680  -0.689  1.00 32.04           C
ATOM    111  C   PRO A  11     107.203  52.062  -1.713  1.00 28.66           C
ATOM    112  O   PRO A  11     107.988  52.180  -2.609  1.00 27.80           O
ATOM    113  N   MET A  12     107.494  52.332  -0.437  1.00 25.87           N
ATOM    114  CA  MET A  12     108.820  52.670   0.038  1.00 28.94           C
ATOM    115  CB  MET A  12     108.774  53.099   1.545  1.00 30.09           C
ATOM    116  CG  MET A  12     110.174  53.272   2.135  1.00 37.54           C
ATOM    117  SD  MET A  12     110.304  53.494   3.953  1.00 56.33           S
ATOM    118  CE  MET A  12     109.646  51.934   4.573  1.00 50.08           C
ATOM    119  C   MET A  12     109.771  51.479  -0.139  1.00 26.98           C
ATOM    120  O   MET A  12     110.867  51.607  -0.653  1.00 25.63           O
ATOM    121  N   ILE A  13     109.308  50.300   0.239  1.00 26.06           N
ATOM    122  CA  ILE A  13     110.072  49.065   0.002  1.00 25.53           C
ATOM    123  CB  ILE A  13     109.369  47.853   0.646  1.00 26.04           C
ATOM    124  CG1 ILE A  13     109.158  48.098   2.166  1.00 27.13           C
ATOM    125  CD1 ILE A  13     110.363  48.591   2.856  1.00 31.35           C
ATOM    126  CG2 ILE A  13     110.138  46.504   0.450  1.00 23.46           C
ATOM    127  C   ILE A  13     110.272  48.842  -1.508  1.00 25.48           C
ATOM    128  O   ILE A  13     111.392  48.579  -1.975  1.00 24.10           O
ATOM    129  N   VAL A  14     109.210  48.994  -2.276  1.00 25.92           N
ATOM    130  CA  VAL A  14     109.285  48.591  -3.719  1.00 25.96           C
ATOM    131  CB  VAL A  14     107.930  48.586  -4.414  1.00 25.30           C
ATOM    132  CG1 VAL A  14     108.071  48.477  -5.978  1.00 26.39           C
ATOM    133  CG2 VAL A  14     106.973  47.441  -3.805  1.00 27.53           C
ATOM    134  C   VAL A  14     110.296  49.496  -4.433  1.00 25.98           C
ATOM    135  O   VAL A  14     111.114  49.020  -5.291  1.00 23.87           O
ATOM    136  N   GLU A  15     110.274  50.764  -4.043  1.00 25.35           N
ATOM    137  CA  GLU A  15     111.147  51.772  -4.683  1.00 27.71           C
ATOM    138  CB  GLU A  15     110.803  53.205  -4.179  1.00 27.39           C
ATOM    139  CG  GLU A  15     111.648  54.380  -4.744  1.00 33.50           C
ATOM    140  CD  GLU A  15     110.861  55.741  -4.786  1.00 39.08           C
ATOM    141  OE1 GLU A  15     110.621  56.357  -3.718  1.00 37.10           O
ATOM    142  OE2 GLU A  15     110.448  56.155  -5.906  1.00 44.04           O
ATOM    143  C   GLU A  15     112.612  51.454  -4.349  1.00 27.40           C
```

```
ATOM    144  O   GLU A  15     113.381  51.391  -5.271  1.00 29.50           O
ATOM    145  N   LEU A  16     112.953  51.231  -3.059  1.00 26.00           N
ATOM    146  CA  LEU A  16     114.324  50.797  -2.607  1.00 25.66           C
ATOM    147  CB  LEU A  16     114.463  50.615  -1.022  1.00 24.84           C
ATOM    148  CG  LEU A  16     114.470  51.912  -0.120  1.00 28.10           C
ATOM    149  CD1 LEU A  16     114.169  51.812   1.363  1.00 24.50           C
ATOM    150  CD2 LEU A  16     115.819  52.795  -0.228  1.00 27.58           C
ATOM    151  C   LEU A  16     114.825  49.601  -3.355  1.00 25.50           C
ATOM    152  O   LEU A  16     115.972  49.577  -3.769  1.00 25.71           O
ATOM    153  N   ALA A  17     113.952  48.600  -3.540  1.00 23.82           N
ATOM    154  CA  ALA A  17     114.260  47.399  -4.263  1.00 23.96           C
ATOM    155  CB  ALA A  17     113.053  46.340  -4.077  1.00 23.48           C
ATOM    156  C   ALA A  17     114.552  47.651  -5.768  1.00 23.90           C
ATOM    157  O   ALA A  17     115.585  47.145  -6.326  1.00 22.52           O
ATOM    158  N   GLU A  18     113.709  48.454  -6.433  1.00 23.41           N
ATOM    159  CA  GLU A  18     113.972  48.771  -7.837  1.00 25.58           C
ATOM    160  CB  GLU A  18     112.837  49.559  -8.481  1.00 27.82           C
ATOM    161  CG  GLU A  18     111.423  48.914  -8.429  1.00 29.86           C
ATOM    162  CD  GLU A  18     110.354  49.936  -8.798  1.00 35.01           C
ATOM    163  OE1 GLU A  18     110.439  51.101  -8.318  1.00 42.13           O
ATOM    164  OE2 GLU A  18     109.441  49.604  -9.572  1.00 37.55           O
ATOM    165  C   GLU A  18     115.299  49.595  -7.982  1.00 26.84           C
ATOM    166  O   GLU A  18     116.003  49.428  -8.947  1.00 27.35           O
ATOM    167  N   LYS A  19     115.580  50.489  -7.035  1.00 27.67           N
ATOM    168  CA  LYS A  19     116.789  51.304  -7.104  1.00 30.64           C
ATOM    169  CB  LYS A  19     116.835  52.322  -5.956  1.00 29.91           C
ATOM    170  CG  LYS A  19     115.802  53.446  -6.099  1.00 36.63           C
ATOM    171  CD  LYS A  19     115.807  54.399  -4.881  1.00 36.59           C
ATOM    172  CE  LYS A  19     115.309  55.763  -5.323  1.00 42.22           C
ATOM    173  NZ  LYS A  19     115.724  56.847  -4.358  1.00 43.08           N
ATOM    174  C   LYS A  19     117.988  50.373  -6.987  1.00 29.27           C
ATOM    175  O   LYS A  19     118.927  50.487  -7.800  1.00 29.84           O
ATOM    176  N   ALA A  20     117.913  49.420  -6.044  1.00 28.62           N
ATOM    177  CA  ALA A  20     119.038  48.541  -5.829  1.00 29.09           C
ATOM    178  CB  ALA A  20     118.866  47.679  -4.563  1.00 28.93           C
ATOM    179  C   ALA A  20     119.296  47.714  -7.075  1.00 29.58           C
ATOM    180  O   ALA A  20     120.446  47.526  -7.525  1.00 28.61           O
ATOM    181  N   MET A  21     118.227  47.198  -7.633  1.00 30.20           N
ATOM    182  CA  MET A  21     118.381  46.327  -8.765  1.00 31.07           C
ATOM    183  CB  MET A  21     117.115  45.554  -9.068  1.00 29.96           C
ATOM    184  CG  MET A  21     116.890  44.360  -8.192  1.00 28.70           C
ATOM    185  SD  MET A  21     115.271  43.605  -8.539  1.00 30.60           S
ATOM    186  CE  MET A  21     115.692  42.772 -10.043  1.00 32.06           C
ATOM    187  C   MET A  21     118.829  47.125 -10.007  1.00 32.07           C
ATOM    188  O   MET A  21     119.651  46.628 -10.738  1.00 32.00           O
ATOM    189  N   LYS A  22     118.302  48.331 -10.227  1.00 32.88           N
ATOM    190  CA  LYS A  22     118.768  49.175 -11.353  1.00 34.41           C
ATOM    191  CB  LYS A  22     118.000  50.488 -11.432  1.00 33.51           C
ATOM    192  CG  LYS A  22     118.217  51.117 -12.801  1.00 40.97           C
ATOM    193  CD  LYS A  22     117.597  52.548 -12.899  1.00 47.64           C
ATOM    194  CE  LYS A  22     118.111  53.312 -14.126  1.00 48.65           C
ATOM    195  NZ  LYS A  22     117.521  54.691 -14.031  1.00 51.01           N
ATOM    196  C   LYS A  22     120.280  49.525 -11.283  1.00 33.38           C
ATOM    197  O   LYS A  22     121.009  49.461 -12.294  1.00 33.44           O
ATOM    198  N   GLU A  23     120.718  49.860 -10.082  1.00 33.00           N
ATOM    199  CA  GLU A  23     122.076  50.205  -9.764  1.00 33.25           C
ATOM    200  CB  GLU A  23     122.188  50.431  -8.248  1.00 33.36           C
ATOM    201  CG  GLU A  23     123.655  50.643  -7.695  1.00 39.45           C
ATOM    202  CD  GLU A  23     124.099  52.084  -7.546  1.00 42.41           C
ATOM    203  OE1 GLU A  23     123.884  52.865  -8.486  1.00 47.54           O
ATOM    204  OE2 GLU A  23     124.663  52.456  -6.467  1.00 45.45           O
ATOM    205  C   GLU A  23     123.119  49.160 -10.244  1.00 32.51           C
ATOM    206  O   GLU A  23     124.209  49.559 -10.663  1.00 33.04           O
```

```
ATOM    207  N   TYR A  24     122.798  47.854 -10.190  1.00 31.10           N
ATOM    208  CA  TYR A  24     123.737  46.822 -10.622  1.00 30.25           C
ATOM    209  CB  TYR A  24     124.091  45.813  -9.509  1.00 29.88           C
ATOM    210  CG  TYR A  24     124.517  46.501  -8.232  1.00 30.66           C
ATOM    211  CD1 TYR A  24     125.845  47.015  -8.087  1.00 28.09           C
ATOM    212  CE1 TYR A  24     126.245  47.603  -6.969  1.00 28.22           C
ATOM    213  CZ  TYR A  24     125.308  47.835  -5.957  1.00 34.66           C
ATOM    214  OH  TYR A  24     125.704  48.479  -4.834  1.00 34.37           O
ATOM    215  CE2 TYR A  24     123.989  47.384  -6.070  1.00 31.70           C
ATOM    216  CD2 TYR A  24     123.617  46.730  -7.235  1.00 29.48           C
ATOM    217  C   TYR A  24     123.221  46.146 -11.871  1.00 31.20           C
ATOM    218  O   TYR A  24     123.556  45.006 -12.127  1.00 30.08           O
ATOM    219  N   GLY A  25     122.392  46.858 -12.632  1.00 31.07           N
ATOM    220  CA  GLY A  25     121.974  46.381 -13.945  1.00 34.02           C
ATOM    221  C   GLY A  25     120.985  45.184 -13.877  1.00 34.74           C
ATOM    222  O   GLY A  25     120.931  44.376 -14.757  1.00 35.69           O
ATOM    223  N   GLU A  26     120.251  45.020 -12.800  1.00 34.56           N
ATOM    224  CA  GLU A  26     119.269  43.951 -12.808  1.00 35.34           C
ATOM    225  CB  GLU A  26     119.283  43.228 -11.465  1.00 33.83           C
ATOM    226  CG  GLU A  26     120.503  42.336 -11.172  1.00 32.93           C
ATOM    227  CD  GLU A  26     120.790  42.208  -9.664  1.00 33.15           C
ATOM    228  OE1 GLU A  26     120.240  43.008  -8.868  1.00 35.33           O
ATOM    229  OE2 GLU A  26     121.564  41.330  -9.234  1.00 37.78           O
ATOM    230  C   GLU A  26     117.884  44.567 -13.123  1.00 36.09           C
ATOM    231  O   GLU A  26     117.529  45.645 -12.584  1.00 36.21           O
ATOM    232  N   ASP A  27     117.067  43.894 -13.939  1.00 35.84           N
ATOM    233  CA  ASP A  27     115.737  44.450 -14.258  1.00 36.21           C
ATOM    234  CB  ASP A  27     115.489  44.325 -15.767  1.00 36.31           C
ATOM    235  CG  ASP A  27     114.170  44.955 -16.193  1.00 39.03           C
ATOM    236  OD1 ASP A  27     113.361  45.405 -15.312  1.00 43.45           O
ATOM    237  OD2 ASP A  27     113.942  44.994 -17.416  1.00 37.86           O
ATOM    238  C   ASP A  27     114.571  43.748 -13.484  1.00 36.73           C
ATOM    239  O   ASP A  27     114.350  42.541 -13.682  1.00 34.87           O
ATOM    240  N   PRO A  28     113.814  44.494 -12.625  1.00 36.93           N
ATOM    241  CA  PRO A  28     112.786  43.801 -11.812  1.00 37.09           C
ATOM    242  CB  PRO A  28     112.158  44.951 -11.003  1.00 36.98           C
ATOM    243  CG  PRO A  28     113.296  45.905 -10.848  1.00 38.10           C
ATOM    244  CD  PRO A  28     113.970  45.897 -12.196  1.00 36.43           C
ATOM    245  C   PRO A  28     111.710  43.016 -12.617  1.00 37.10           C
ATOM    246  O   PRO A  28     111.159  42.070 -12.091  1.00 37.74           O
ATOM    247  N   LYS A  29     111.459  43.375 -13.882  1.00 37.20           N
ATOM    248  CA  LYS A  29     110.421  42.731 -14.707  1.00 37.12           C
ATOM    249  CB  LYS A  29     110.063  43.605 -15.891  1.00 37.66           C
ATOM    250  CG  LYS A  29     109.449  44.938 -15.509  1.00 38.59           C
ATOM    251  CD  LYS A  29     109.174  45.767 -16.782  1.00 43.47           C
ATOM    252  CE  LYS A  29     108.421  47.016 -16.418  1.00 41.22           C
ATOM    253  NZ  LYS A  29     108.888  47.398 -15.082  1.00 43.48           N
ATOM    254  C   LYS A  29     110.909  41.363 -15.153  1.00 36.54           C
ATOM    255  O   LYS A  29     110.125  40.456 -15.431  1.00 35.83           O
ATOM    256  N   ILE A  30     112.225  41.197 -15.146  1.00 35.98           N
ATOM    257  CA  ILE A  30     112.794  39.948 -15.564  1.00 36.07           C
ATOM    258  CB  ILE A  30     113.893  40.186 -16.641  1.00 37.76           C
ATOM    259  CG1 ILE A  30     113.335  41.004 -17.846  1.00 37.27           C
ATOM    260  CD1 ILE A  30     114.434  41.663 -18.646  1.00 38.51           C
ATOM    261  CG2 ILE A  30     114.643  38.790 -17.038  1.00 37.36           C
ATOM    262  C   ILE A  30     113.258  39.054 -14.380  1.00 35.15           C
ATOM    263  O   ILE A  30     112.998  37.819 -14.335  1.00 34.62           O
ATOM    264  N   GLU A  31     113.966  39.627 -13.428  1.00 32.56           N
ATOM    265  CA  GLU A  31     114.387  38.810 -12.285  1.00 31.04           C
ATOM    266  CB  GLU A  31     115.813  39.228 -11.847  1.00 31.30           C
ATOM    267  CG  GLU A  31     116.857  38.566 -12.666  1.00 33.30           C
ATOM    268  CD  GLU A  31     118.271  39.046 -12.332  1.00 34.64           C
ATOM    269  OE1 GLU A  31     118.964  38.310 -11.587  1.00 38.54           O
```

```
ATOM    270  OE2 GLU A  31     118.688  40.120 -12.828  1.00 38.37           O
ATOM    271  C   GLU A  31     113.349  38.971 -11.201  1.00 29.15           C
ATOM    272  O   GLU A  31     113.592  39.601 -10.208  1.00 29.02           O
ATOM    273  N   THR A  32     112.159  38.405 -11.408  1.00 28.35           N
ATOM    274  CA  THR A  32     111.080  38.662 -10.529  1.00 25.14           C
ATOM    275  CB  THR A  32     109.691  38.308 -11.199  1.00 26.11           C
ATOM    276  OG1 THR A  32     109.722  36.935 -11.584  1.00 23.73           O
ATOM    277  CG2 THR A  32     109.484  39.127 -12.468  1.00 26.65           C
ATOM    278  C   THR A  32     111.241  37.956  -9.206  1.00 24.47           C
ATOM    279  O   THR A  32     110.782  38.481  -8.214  1.00 22.40           O
ATOM    280  N   ASN A  33     111.914  36.783  -9.146  1.00 25.61           N
ATOM    281  CA  ASN A  33     112.121  36.141  -7.851  1.00 25.65           C
ATOM    282  CB  ASN A  33     112.519  34.640  -7.967  1.00 27.21           C
ATOM    283  CG  ASN A  33     111.359  33.816  -8.499  1.00 28.50           C
ATOM    284  OD1 ASN A  33     111.547  33.021  -9.402  1.00 36.25           O
ATOM    285  ND2 ASN A  33     110.153  34.146  -8.082  1.00 22.48           N
ATOM    286  C   ASN A  33     113.141  36.898  -6.983  1.00 24.71           C
ATOM    287  O   ASN A  33     112.991  37.015  -5.750  1.00 23.62           O
ATOM    288  N   LYS A  34     114.163  37.395  -7.653  1.00 24.60           N
ATOM    289  CA  LYS A  34     115.119  38.352  -7.043  1.00 25.52           C
ATOM    290  CB  LYS A  34     116.271  38.653  -8.013  1.00 25.03           C
ATOM    291  CG  LYS A  34     117.398  39.618  -7.386  1.00 31.00           C
ATOM    292  CD  LYS A  34     118.579  39.745  -8.336  1.00 37.80           C
ATOM    293  CE  LYS A  34     119.522  38.493  -8.233  1.00 38.22           C
ATOM    294  NZ  LYS A  34     120.773  38.795  -9.012  1.00 39.96           N
ATOM    295  C   LYS A  34     114.430  39.650  -6.544  1.00 24.86           C
ATOM    296  O   LYS A  34     114.581  40.044  -5.351  1.00 25.65           O
ATOM    297  N   PHE A  35     113.654  40.297  -7.417  1.00 24.43           N
ATOM    298  CA  PHE A  35     112.809  41.415  -6.937  1.00 24.24           C
ATOM    299  CB  PHE A  35     111.793  41.709  -8.025  1.00 25.49           C
ATOM    300  CG  PHE A  35     111.020  42.979  -7.844  1.00 27.31           C
ATOM    301  CD1 PHE A  35     111.564  44.076  -7.167  1.00 23.80           C
ATOM    302  CE1 PHE A  35     110.818  45.286  -7.086  1.00 28.99           C
ATOM    303  CZ  PHE A  35     109.554  45.385  -7.706  1.00 24.27           C
ATOM    304  CE2 PHE A  35     109.038  44.301  -8.395  1.00 26.04           C
ATOM    305  CD2 PHE A  35     109.749  43.104  -8.447  1.00 26.96           C
ATOM    306  C   PHE A  35     112.117  41.127  -5.567  1.00 23.64           C
ATOM    307  O   PHE A  35     112.262  41.855  -4.606  1.00 20.80           O
ATOM    308  N   ALA A  36     111.394  40.012  -5.464  1.00 25.29           N
ATOM    309  CA  ALA A  36     110.791  39.587  -4.203  1.00 23.01           C
ATOM    310  CB  ALA A  36     109.813  38.378  -4.474  1.00 23.96           C
ATOM    311  C   ALA A  36     111.694  39.296  -3.030  1.00 22.15           C
ATOM    312  O   ALA A  36     111.330  39.570  -1.885  1.00 21.47           O
ATOM    313  N   ALA A  37     112.884  38.739  -3.270  1.00 22.04           N
ATOM    314  CA  ALA A  37     113.718  38.343  -2.202  1.00 19.77           C
ATOM    315  CB  ALA A  37     114.948  37.380  -2.703  1.00 19.56           C
ATOM    316  C   ALA A  37     114.287  39.694  -1.688  1.00 21.30           C
ATOM    317  O   ALA A  37     114.417  39.867  -0.467  1.00 20.64           O
ATOM    318  N   ILE A  38     114.531  40.644  -2.583  1.00 20.77           N
ATOM    319  CA  ILE A  38     115.086  42.013  -2.119  1.00 21.63           C
ATOM    320  CB  ILE A  38     115.527  42.981  -3.290  1.00 22.23           C
ATOM    321  CG1 ILE A  38     116.592  42.401  -4.242  1.00 26.72           C
ATOM    322  CD1 ILE A  38     117.648  41.799  -3.507  1.00 29.37           C
ATOM    323  CG2 ILE A  38     116.050  44.370  -2.694  1.00 18.26           C
ATOM    324  C   ILE A  38     114.066  42.755  -1.191  1.00 21.39           C
ATOM    325  O   ILE A  38     114.369  43.176  -0.038  1.00 21.05           O
ATOM    326  N   CYS A  39     112.804  42.802  -1.656  1.00 23.05           N
ATOM    327  CA  CYS A  39     111.754  43.498  -0.877  1.00 23.02           C
ATOM    328  CB  CYS A  39     110.359  43.473  -1.615  1.00 21.00           C
ATOM    329  SG  CYS A  39     110.343  44.408  -3.128  1.00 27.59           S
ATOM    330  C   CYS A  39     111.592  42.888   0.464  1.00 22.06           C
ATOM    331  O   CYS A  39     111.417  43.620   1.437  1.00 20.89           O
ATOM    332  N   THR A  40     111.577  41.546   0.512  1.00 22.10           N
```

```
ATOM    333  CA  THR A  40     111.449  40.812   1.751  1.00 21.04           C
ATOM    334  CB  THR A  40     111.403  39.228   1.509  1.00 23.25           C
ATOM    335  OG1 THR A  40     110.391  38.893   0.580  1.00 21.80           O
ATOM    336  CG2 THR A  40     110.932  38.491   2.814  1.00 22.85           C
ATOM    337  C   THR A  40     112.565  41.111   2.745  1.00 21.93           C
ATOM    338  O   THR A  40     112.354  41.300   3.949  1.00 21.15           O
ATOM    339  N   HIS A  41     113.798  41.021   2.247  1.00 21.54           N
ATOM    340  CA  HIS A  41     114.916  41.325   3.035  1.00 21.49           C
ATOM    341  CB  HIS A  41     116.177  41.157   2.212  1.00 22.12           C
ATOM    342  CG  HIS A  41     117.403  41.340   3.023  1.00 26.08           C
ATOM    343  ND1 HIS A  41     118.143  42.501   2.989  1.00 25.08           N
ATOM    344  CE1 HIS A  41     119.173  42.389   3.804  1.00 19.14           C
ATOM    345  NE2 HIS A  41     119.130  41.191   4.359  1.00 28.46           N
ATOM    346  CD2 HIS A  41     118.049  40.501   3.866  1.00 26.32           C
ATOM    347  C   HIS A  41     114.820  42.781   3.560  1.00 19.08           C
ATOM    348  O   HIS A  41     114.944  43.029   4.764  1.00 14.92           O
ATOM    349  N   LEU A  42     114.527  43.705   2.637  1.00 20.28           N
ATOM    350  CA  LEU A  42     114.220  45.068   3.084  1.00 20.07           C
ATOM    351  CB  LEU A  42     113.991  46.070   1.930  1.00 20.76           C
ATOM    352  CG  LEU A  42     115.136  46.439   0.970  1.00 22.35           C
ATOM    353  CD1 LEU A  42     114.681  46.964  -0.436  1.00 20.75           C
ATOM    354  CD2 LEU A  42     116.058  47.459   1.643  1.00 27.69           C
ATOM    355  C   LEU A  42     113.148  45.111   4.139  1.00 19.88           C
ATOM    356  O   LEU A  42     113.377  45.702   5.223  1.00 17.77           O
ATOM    357  N   GLU A  43     111.997  44.439   3.908  1.00 21.82           N
ATOM    358  CA  GLU A  43     110.892  44.570   4.900  1.00 20.65           C
ATOM    359  CB  GLU A  43     109.515  43.943   4.470  1.00 22.30           C
ATOM    360  CG  GLU A  43     108.430  45.007   4.881  1.00 25.46           C
ATOM    361  CD  GLU A  43     107.038  44.589   4.789  1.00 37.53           C
ATOM    362  OE1 GLU A  43     106.699  43.527   5.324  1.00 41.59           O
ATOM    363  OE2 GLU A  43     106.226  45.379   4.206  1.00 48.75           O
ATOM    364  C   GLU A  43     111.317  44.055   6.219  1.00 20.03           C
ATOM    365  O   GLU A  43     111.061  44.669   7.268  1.00 22.15           O
ATOM    366  N   VAL A  44     112.035  42.931   6.233  1.00 19.16           N
ATOM    367  CA  VAL A  44     112.503  42.424   7.522  1.00 18.30           C
ATOM    368  CB  VAL A  44     113.201  41.005   7.320  1.00 19.74           C
ATOM    369  CG1 VAL A  44     113.865  40.613   8.652  1.00 20.11           C
ATOM    370  CG2 VAL A  44     112.076  39.996   6.816  1.00 21.24           C
ATOM    371  C   VAL A  44     113.420  43.346   8.326  1.00 19.87           C
ATOM    372  O   VAL A  44     113.315  43.462   9.570  1.00 19.37           O
ATOM    373  N   CYS A  45     114.348  43.995   7.624  1.00 20.59           N
ATOM    374  CA  CYS A  45     115.312  44.966   8.259  1.00 22.34           C
ATOM    375  CB  CYS A  45     116.368  45.493   7.237  1.00 21.83           C
ATOM    376  SG  CYS A  45     117.587  44.252   6.771  1.00 26.82           S
ATOM    377  C   CYS A  45     114.582  46.155   8.912  1.00 21.91           C
ATOM    378  O   CYS A  45     114.729  46.408  10.111  1.00 22.11           O
ATOM    379  N   PHE A  46     113.714  46.794   8.155  1.00 22.73           N
ATOM    380  CA  PHE A  46     112.823  47.796   8.764  1.00 24.28           C
ATOM    381  CB  PHE A  46     111.922  48.394   7.735  1.00 24.77           C
ATOM    382  CG  PHE A  46     112.628  49.239   6.744  1.00 29.86           C
ATOM    383  CD1 PHE A  46     113.030  50.553   7.089  1.00 36.82           C
ATOM    384  CE1 PHE A  46     113.665  51.350   6.139  1.00 35.81           C
ATOM    385  CZ  PHE A  46     113.882  50.840   4.858  1.00 38.37           C
ATOM    386  CE2 PHE A  46     113.469  49.607   4.518  1.00 36.57           C
ATOM    387  CD2 PHE A  46     112.820  48.803   5.465  1.00 31.36           C
ATOM    388  C   PHE A  46     111.983  47.338   9.940  1.00 23.58           C
ATOM    389  O   PHE A  46     111.850  48.077  10.902  1.00 24.26           O
ATOM    390  N   MET A  47     111.348  46.156   9.874  1.00 23.87           N
ATOM    391  CA  MET A  47     110.578  45.664  11.039  1.00 23.27           C
ATOM    392  CB  MET A  47     109.832  44.332  10.639  1.00 24.23           C
ATOM    393  CG  MET A  47     108.665  44.510   9.651  1.00 23.95           C
ATOM    394  SD  MET A  47     107.762  42.932   9.293  1.00 32.59           S
ATOM    395  CE  MET A  47     106.999  42.762  10.891  1.00 24.89           C
```

```
ATOM    396  C   MET A  47     111.372  45.397  12.307  1.00 23.14           C
ATOM    397  O   MET A  47     110.901  45.537  13.467  1.00 21.96           O
ATOM    398  N   TYR A  48     112.606  44.958  12.091  1.00 22.19           N
ATOM    399  CA  TYR A  48     113.462  44.585  13.136  1.00 21.11           C
ATOM    400  CB  TYR A  48     114.754  44.010  12.506  1.00 19.64           C
ATOM    401  CG  TYR A  48     115.615  43.198  13.444  1.00 19.63           C
ATOM    402  CD1 TYR A  48     115.667  41.797  13.347  1.00 23.15           C
ATOM    403  CE1 TYR A  48     116.517  41.048  14.189  1.00 20.73           C
ATOM    404  CZ  TYR A  48     117.274  41.635  15.172  1.00 23.31           C
ATOM    405  OH  TYR A  48     118.038  40.821  16.043  1.00 21.51           O
ATOM    406  CE2 TYR A  48     117.231  43.047  15.333  1.00 20.56           C
ATOM    407  CD2 TYR A  48     116.385  43.803  14.470  1.00 23.79           C
ATOM    408  C   TYR A  48     113.713  45.865  13.963  1.00 23.18           C
ATOM    409  O   TYR A  48     113.791  45.866  15.205  1.00 20.86           O
ATOM    410  N   SER A  49     113.743  46.972  13.247  1.00 25.22           N
ATOM    411  CA  SER A  49     114.167  48.218  13.852  1.00 28.76           C
ATOM    412  CB  SER A  49     114.856  49.040  12.790  1.00 28.94           C
ATOM    413  OG  SER A  49     113.912  49.388  11.783  1.00 32.93           O
ATOM    414  C   SER A  49     112.932  48.981  14.418  1.00 30.63           C
ATOM    415  O   SER A  49     113.077  49.678  15.395  1.00 29.11           O
ATOM    416  N   ASP A  50     111.739  48.749  13.839  1.00 31.70           N
ATOM    417  CA  ASP A  50     110.465  49.377  14.301  1.00 33.27           C
ATOM    418  CB  ASP A  50     109.215  48.604  13.749  1.00 33.14           C
ATOM    419  CG  ASP A  50     108.724  49.144  12.449  1.00 36.94           C
ATOM    420  OD1 ASP A  50     109.142  50.281  12.102  1.00 42.74           O
ATOM    421  OD2 ASP A  50     107.939  48.427  11.747  1.00 37.80           O
ATOM    422  C   ASP A  50     110.310  49.429  15.819  1.00 32.77           C
ATOM    423  O   ASP A  50     110.406  48.411  16.493  1.00 33.85           O
ATOM    424  N   PHE A  51     110.074  50.610  16.369  1.00 32.76           N
ATOM    425  CA  PHE A  51     109.477  50.740  17.743  1.00 31.19           C
ATOM    426  CB  PHE A  51     108.442  49.613  18.063  1.00 32.43           C
ATOM    427  CG  PHE A  51     107.329  49.501  17.083  1.00 33.43           C
ATOM    428  CD1 PHE A  51     106.787  50.656  16.473  1.00 38.68           C
ATOM    429  CE1 PHE A  51     105.755  50.565  15.527  1.00 39.63           C
ATOM    430  CZ  PHE A  51     105.235  49.277  15.189  1.00 40.25           C
ATOM    431  CE2 PHE A  51     105.777  48.108  15.807  1.00 41.18           C
ATOM    432  CD2 PHE A  51     106.831  48.242  16.736  1.00 38.51           C
ATOM    433  C   PHE A  51     110.494  50.683  18.813  1.00 29.39           C
ATOM    434  O   PHE A  51     110.116  50.767  19.986  1.00 28.70           O
ATOM    435  N   HIS A  52     111.768  50.444  18.458  1.00 28.72           N
ATOM    436  CA  HIS A  52     112.796  50.265  19.472  1.00 27.24           C
ATOM    437  CB  HIS A  52     113.687  49.063  19.164  1.00 27.74           C
ATOM    438  CG  HIS A  52     112.950  47.754  19.087  1.00 29.30           C
ATOM    439  ND1 HIS A  52     112.717  46.977  20.198  1.00 29.47           N
ATOM    440  CE1 HIS A  52     112.012  45.913  19.844  1.00 33.01           C
ATOM    441  NE2 HIS A  52     111.839  45.940  18.528  1.00 33.69           N
ATOM    442  CD2 HIS A  52     112.405  47.092  18.032  1.00 28.21           C
ATOM    443  C   HIS A  52     113.665  51.545  19.614  1.00 28.97           C
ATOM    444  O   HIS A  52     114.308  52.025  18.646  1.00 25.35           O
ATOM    445  N   PHE A  53     113.718  52.019  20.842  1.00 30.92           N
ATOM    446  CA  PHE A  53     114.325  53.320  21.167  1.00 34.45           C
ATOM    447  CB  PHE A  53     113.222  54.406  21.335  1.00 34.83           C
ATOM    448  CG  PHE A  53     112.563  54.748  20.068  1.00 35.99           C
ATOM    449  CD1 PHE A  53     113.166  55.609  19.183  1.00 40.04           C
ATOM    450  CE1 PHE A  53     112.583  55.880  17.958  1.00 40.10           C
ATOM    451  CZ  PHE A  53     111.395  55.278  17.608  1.00 40.74           C
ATOM    452  CE2 PHE A  53     110.781  54.386  18.481  1.00 39.70           C
ATOM    453  CD2 PHE A  53     111.375  54.112  19.698  1.00 42.11           C
ATOM    454  C   PHE A  53     115.141  53.254  22.408  1.00 35.34           C
ATOM    455  O   PHE A  53     114.946  52.398  23.229  1.00 37.62           O
ATOM    456  N   ILE A  54     116.126  54.137  22.520  1.00 39.00           N
ATOM    457  CA  ILE A  54     116.812  54.358  23.775  1.00 40.31           C
ATOM    458  CB  ILE A  54     118.338  54.234  23.570  1.00 42.04           C
```

```
ATOM    459  CG1 ILE A  54     118.734  52.738  23.535  1.00 40.76           C
ATOM    460  CD1 ILE A  54     119.572  52.504  22.328  1.00 39.39           C
ATOM    461  CG2 ILE A  54     119.145  55.027  24.592  1.00 36.99           C
ATOM    462  C   ILE A  54     116.403  55.764  24.163  1.00 42.94           C
ATOM    463  O   ILE A  54     116.412  56.662  23.336  1.00 42.66           O
ATOM    464  N   ASP A  55     116.017  55.963  25.410  1.00 45.93           N
ATOM    465  CA  ASP A  55     115.441  57.267  25.756  1.00 49.47           C
ATOM    466  CB  ASP A  55     114.317  57.120  26.780  1.00 50.32           C
ATOM    467  CG  ASP A  55     114.802  56.476  28.097  1.00 51.50           C
ATOM    468  OD1 ASP A  55     114.018  55.762  28.748  1.00 52.94           O
ATOM    469  OD2 ASP A  55     115.973  56.681  28.482  1.00 53.29           O
ATOM    470  C   ASP A  55     116.505  58.213  26.277  1.00 51.12           C
ATOM    471  O   ASP A  55     117.702  58.051  25.994  1.00 51.23           O
ATOM    472  N   GLU A  56     116.047  59.174  27.071  1.00 53.58           N
ATOM    473  CA  GLU A  56     116.852  60.286  27.601  1.00 55.53           C
ATOM    474  CB  GLU A  56     115.889  61.333  28.161  1.00 56.20           C
ATOM    475  CG  GLU A  56     114.414  60.990  27.806  1.00 57.21           C
ATOM    476  CD  GLU A  56     113.486  61.253  28.921  1.00 59.52           C
ATOM    477  OE1 GLU A  56     112.285  61.089  28.689  1.00 61.14           O
ATOM    478  OE2 GLU A  56     113.938  61.631  30.033  1.00 63.69           O
ATOM    479  C   GLU A  56     117.785  59.810  28.713  1.00 56.99           C
ATOM    480  O   GLU A  56     118.983  60.144  28.750  1.00 58.03           O
ATOM    481  N   ARG A  57     117.226  59.025  29.615  1.00 58.21           N
ATOM    482  CA  ARG A  57     117.955  58.472  30.722  1.00 59.56           C
ATOM    483  CB  ARG A  57     116.976  58.077  31.858  1.00 59.94           C
ATOM    484  CG  ARG A  57     115.743  59.025  32.020  1.00 63.90           C
ATOM    485  CD  ARG A  57     115.248  59.206  33.478  1.00 68.93           C
ATOM    486  NE  ARG A  57     116.099  60.116  34.274  1.00 72.68           N
ATOM    487  CZ  ARG A  57     116.324  60.006  35.596  1.00 74.39           C
ATOM    488  NH1 ARG A  57     115.758  59.027  36.307  1.00 74.29           N
ATOM    489  NH2 ARG A  57     117.119  60.878  36.224  1.00 73.92           N
ATOM    490  C   ARG A  57     118.808  57.287  30.215  1.00 59.66           C
ATOM    491  O   ARG A  57     119.564  56.694  30.983  1.00 59.63           O
ATOM    492  N   GLY A  58     118.660  56.937  28.929  1.00 59.68           N
ATOM    493  CA  GLY A  58     119.575  56.030  28.225  1.00 59.05           C
ATOM    494  C   GLY A  58     119.293  54.534  28.200  1.00 59.03           C
ATOM    495  O   GLY A  58     120.222  53.716  27.981  1.00 58.74           O
ATOM    496  N   GLU A  59     118.037  54.152  28.416  1.00 58.42           N
ATOM    497  CA  GLU A  59     117.682  52.717  28.360  1.00 58.36           C
ATOM    498  CB  GLU A  59     117.211  52.146  29.716  1.00 58.91           C
ATOM    499  CG  GLU A  59     116.727  53.161  30.735  1.00 60.56           C
ATOM    500  CD  GLU A  59     117.838  54.105  31.246  1.00 62.98           C
ATOM    501  OE1 GLU A  59     117.462  55.219  31.670  1.00 62.31           O
ATOM    502  OE2 GLU A  59     119.064  53.757  31.222  1.00 62.07           O
ATOM    503  C   GLU A  59     116.715  52.380  27.230  1.00 57.44           C
ATOM    504  O   GLU A  59     115.942  53.243  26.786  1.00 56.78           O
ATOM    505  N   SER A  60     116.776  51.127  26.773  1.00 56.20           N
ATOM    506  CA  SER A  60     115.984  50.691  25.616  1.00 56.01           C
ATOM    507  CB  SER A  60     116.631  49.510  24.903  1.00 55.49           C
ATOM    508  OG  SER A  60     116.990  48.533  25.856  1.00 56.45           O
ATOM    509  C   SER A  60     114.578  50.335  26.005  1.00 55.06           C
ATOM    510  O   SER A  60     114.366  49.481  26.850  1.00 54.75           O
ATOM    511  N   ILE A  61     113.632  51.000  25.351  1.00 55.19           N
ATOM    512  CA  ILE A  61     112.190  50.864  25.610  1.00 54.35           C
ATOM    513  CB  ILE A  61     111.631  52.139  26.278  1.00 54.74           C
ATOM    514  CG1 ILE A  61     111.996  53.371  25.450  1.00 55.79           C
ATOM    515  CD1 ILE A  61     111.169  54.621  25.788  1.00 58.32           C
ATOM    516  CG2 ILE A  61     112.126  52.282  27.748  1.00 55.82           C
ATOM    517  C   ILE A  61     111.436  50.639  24.292  1.00 53.30           C
ATOM    518  O   ILE A  61     111.963  50.958  23.211  1.00 51.29           O
ATOM    519  N   ILE A  62     110.203  50.123  24.398  1.00 52.71           N
ATOM    520  CA  ILE A  62     109.306  49.964  23.248  1.00 52.41           C
ATOM    521  CB  ILE A  62     108.640  48.535  23.194  1.00 52.13           C
```

```
ATOM    522  CG1 ILE A  62     109.725  47.431  23.123  1.00 52.63           C
ATOM    523  CD1 ILE A  62     109.325  46.065  23.710  1.00 47.97           C
ATOM    524  CG2 ILE A  62     107.749  48.398  21.973  1.00 51.39           C
ATOM    525  C   ILE A  62     108.287  51.122  23.174  1.00 52.81           C
ATOM    526  O   ILE A  62     107.639  51.442  24.160  1.00 52.03           O
ATOM    527  N   VAL A  63     108.208  51.760  22.008  1.00 53.12           N
ATOM    528  CA  VAL A  63     107.306  52.875  21.725  1.00 54.51           C
ATOM    529  CB  VAL A  63     108.119  54.201  21.551  1.00 54.25           C
ATOM    530  CG1 VAL A  63     107.251  55.318  20.983  1.00 55.15           C
ATOM    531  CG2 VAL A  63     108.783  54.618  22.834  1.00 52.54           C
ATOM    532  C   VAL A  63     106.592  52.591  20.400  1.00 55.49           C
ATOM    533  O   VAL A  63     107.255  52.429  19.414  1.00 55.99           O
ATOM    534  N   GLU A  64     105.262  52.597  20.353  1.00 57.01           N
ATOM    535  CA  GLU A  64     104.527  52.232  19.134  1.00 58.58           C
ATOM    536  CB  GLU A  64     103.499  51.142  19.456  1.00 59.63           C
ATOM    537  CG  GLU A  64     104.074  50.011  20.315  1.00 62.16           C
ATOM    538  CD  GLU A  64     103.900  48.633  19.697  1.00 65.82           C
ATOM    539  OE1 GLU A  64     102.788  48.326  19.205  1.00 66.64           O
ATOM    540  OE2 GLU A  64     104.888  47.848  19.727  1.00 68.44           O
ATOM    541  C   GLU A  64     103.847  53.350  18.334  1.00 58.80           C
ATOM    542  O   GLU A  64     103.720  54.477  18.787  1.00 58.79           O
ATOM    543  N   ASN A  69     108.491  60.891  20.150  1.00 47.33           N
ATOM    544  CA  ASN A  69     108.881  61.505  21.428  1.00 49.37           C
ATOM    545  CB  ASN A  69     108.591  60.477  22.512  1.00 49.40           C
ATOM    546  CG  ASN A  69     109.061  60.887  23.884  1.00 52.60           C
ATOM    547  OD1 ASN A  69     109.932  61.749  24.046  1.00 54.70           O
ATOM    548  ND2 ASN A  69     108.517  60.206  24.901  1.00 54.58           N
ATOM    549  C   ASN A  69     110.358  62.047  21.403  1.00 49.37           C
ATOM    550  O   ASN A  69     111.311  61.289  21.601  1.00 50.10           O
ATOM    551  N   ALA A  70     110.527  63.352  21.135  1.00 49.25           N
ATOM    552  CA  ALA A  70     111.761  63.913  20.517  1.00 47.76           C
ATOM    553  CB  ALA A  70     111.534  65.425  20.191  1.00 48.77           C
ATOM    554  C   ALA A  70     113.182  63.655  21.163  1.00 47.17           C
ATOM    555  O   ALA A  70     114.244  63.836  20.515  1.00 46.79           O
ATOM    556  N   LEU A  71     113.226  63.215  22.420  1.00 45.43           N
ATOM    557  CA  LEU A  71     114.508  62.950  23.061  1.00 44.08           C
ATOM    558  CB  LEU A  71     114.449  63.312  24.533  1.00 43.97           C
ATOM    559  CG  LEU A  71     114.368  64.799  24.880  1.00 42.01           C
ATOM    560  CD1 LEU A  71     114.114  64.902  26.375  1.00 38.92           C
ATOM    561  CD2 LEU A  71     115.669  65.502  24.496  1.00 38.65           C
ATOM    562  C   LEU A  71     115.005  61.520  22.932  1.00 44.74           C
ATOM    563  O   LEU A  71     116.169  61.231  23.154  1.00 44.38           O
ATOM    564  N   LEU A  72     114.135  60.595  22.587  1.00 45.46           N
ATOM    565  CA  LEU A  72     114.654  59.244  22.453  1.00 46.52           C
ATOM    566  CB  LEU A  72     113.571  58.194  22.706  1.00 47.21           C
ATOM    567  CG  LEU A  72     112.105  58.530  22.676  1.00 49.53           C
ATOM    568  CD1 LEU A  72     111.594  58.547  21.240  1.00 49.94           C
ATOM    569  CD2 LEU A  72     111.461  57.436  23.473  1.00 53.22           C
ATOM    570  C   LEU A  72     115.385  59.064  21.113  1.00 45.34           C
ATOM    571  O   LEU A  72     115.002  59.701  20.102  1.00 45.79           O
ATOM    572  N   LYS A  73     116.449  58.242  21.160  1.00 43.11           N
ATOM    573  CA  LYS A  73     117.261  57.828  19.997  1.00 42.14           C
ATOM    574  CB  LYS A  73     118.730  57.715  20.418  1.00 42.49           C
ATOM    575  CG  LYS A  73     119.729  57.159  19.308  1.00 45.81           C
ATOM    576  CD  LYS A  73     121.142  56.826  19.913  1.00 48.57           C
ATOM    577  CE  LYS A  73     122.229  56.680  18.853  1.00 50.87           C
ATOM    578  NZ  LYS A  73     122.068  57.614  17.676  1.00 52.28           N
ATOM    579  C   LYS A  73     116.832  56.429  19.509  1.00 39.34           C
ATOM    580  O   LYS A  73     116.624  55.549  20.340  1.00 37.81           O
ATOM    581  N   HIS A  74     116.725  56.284  18.185  1.00 36.23           N
ATOM    582  CA  HIS A  74     116.502  55.024  17.496  1.00 35.73           C
ATOM    583  CB  HIS A  74     116.736  55.212  15.975  1.00 36.37           C
ATOM    584  CG  HIS A  74     115.507  55.632  15.206  1.00 40.54           C
```

```
ATOM    585  ND1 HIS A  74     114.560  54.727  14.750  1.00 41.72           N
ATOM    586  CE1 HIS A  74     113.624  55.374  14.072  1.00 43.42           C
ATOM    587  NE2 HIS A  74     113.941  56.663  14.051  1.00 42.94           N
ATOM    588  CD2 HIS A  74     115.101  56.854  14.768  1.00 37.66           C
ATOM    589  C   HIS A  74     117.493  53.972  18.008  1.00 32.26           C
ATOM    590  O   HIS A  74     118.724  54.233  18.054  1.00 31.60           O
ATOM    591  N   ARG A  75     116.995  52.810  18.408  1.00 29.08           N
ATOM    592  CA  ARG A  75     117.904  51.718  18.901  1.00 27.67           C
ATOM    593  CB  ARG A  75     117.146  50.597  19.648  1.00 28.19           C
ATOM    594  CG  ARG A  75     118.139  49.532  20.388  1.00 27.31           C
ATOM    595  CD  ARG A  75     117.422  48.267  20.769  1.00 31.20           C
ATOM    596  NE  ARG A  75     118.389  47.181  21.055  1.00 31.60           N
ATOM    597  CZ  ARG A  75     118.065  46.050  21.678  1.00 32.06           C
ATOM    598  NH1 ARG A  75     116.800  45.873  22.074  1.00 30.78           N
ATOM    599  NH2 ARG A  75     118.991  45.101  21.920  1.00 33.97           N
ATOM    600  C   ARG A  75     118.873  51.139  17.802  1.00 26.98           C
ATOM    601  O   ARG A  75     120.051  50.868  18.087  1.00 28.42           O
ATOM    602  N   PHE A  76     118.391  51.028  16.573  1.00 26.49           N
ATOM    603  CA  PHE A  76     119.110  50.428  15.442  1.00 26.90           C
ATOM    604  CB  PHE A  76     118.263  49.299  14.823  1.00 26.78           C
ATOM    605  CG  PHE A  76     117.963  48.158  15.786  1.00 27.51           C
ATOM    606  CD1 PHE A  76     118.977  47.227  16.147  1.00 27.11           C
ATOM    607  CE1 PHE A  76     118.710  46.166  17.101  1.00 20.93           C
ATOM    608  CZ  PHE A  76     117.443  46.075  17.647  1.00 21.48           C
ATOM    609  CE2 PHE A  76     116.419  47.006  17.277  1.00 23.38           C
ATOM    610  CD2 PHE A  76     116.679  48.017  16.371  1.00 26.20           C
ATOM    611  C   PHE A  76     119.438  51.511  14.394  1.00 27.87           C
ATOM    612  O   PHE A  76     118.580  52.340  14.081  1.00 28.54           O
ATOM    613  N   GLU A  77     120.673  51.562  13.909  1.00 25.24           N
ATOM    614  CA  GLU A  77     120.965  52.250  12.656  1.00 26.74           C
ATOM    615  CB  GLU A  77     122.473  52.499  12.640  1.00 26.83           C
ATOM    616  CG  GLU A  77     123.077  53.793  12.198  1.00 32.19           C
ATOM    617  CD  GLU A  77     122.239  55.065  12.460  1.00 30.31           C
ATOM    618  OE1 GLU A  77     121.468  55.454  11.582  1.00 35.51           O
ATOM    619  OE2 GLU A  77     122.386  55.638  13.515  1.00 32.50           O
ATOM    620  C   GLU A  77     120.659  51.218  11.560  1.00 25.79           C
ATOM    621  O   GLU A  77     121.008  50.031  11.734  1.00 24.39           O
ATOM    622  N   ILE A  78     120.125  51.657  10.419  1.00 24.55           N
ATOM    623  CA  ILE A  78     119.883  50.760   9.347  1.00 25.64           C
ATOM    624  CB  ILE A  78     118.448  50.859   8.776  1.00 25.37           C
ATOM    625  CG1 ILE A  78     117.389  50.439   9.853  1.00 30.17           C
ATOM    626  CD1 ILE A  78     116.483  51.585  10.530  1.00 34.64           C
ATOM    627  CG2 ILE A  78     118.333  49.789   7.709  1.00 27.85           C
ATOM    628  C   ILE A  78     120.886  51.000   8.209  1.00 26.64           C
ATOM    629  O   ILE A  78     121.053  52.149   7.781  1.00 26.38           O
ATOM    630  N   ILE A  79     121.516  49.922   7.699  1.00 23.83           N
ATOM    631  CA  ILE A  79     122.585  50.100   6.764  1.00 22.98           C
ATOM    632  CB  ILE A  79     123.951  49.382   7.310  1.00 23.51           C
ATOM    633  CG1 ILE A  79     124.300  49.862   8.720  1.00 22.81           C
ATOM    634  CD1 ILE A  79     125.273  48.966   9.523  1.00 26.88           C
ATOM    635  CG2 ILE A  79     125.077  49.497   6.306  1.00 20.50           C
ATOM    636  C   ILE A  79     122.134  49.641   5.382  1.00 23.00           C
ATOM    637  O   ILE A  79     122.437  50.247   4.395  1.00 21.80           O
ATOM    638  N   GLU A  80     121.459  48.508   5.329  1.00 23.94           N
ATOM    639  CA  GLU A  80     120.755  48.052   4.174  1.00 25.99           C
ATOM    640  CB  GLU A  80     119.922  46.837   4.593  1.00 26.50           C
ATOM    641  CG  GLU A  80     119.194  46.095   3.498  1.00 30.22           C
ATOM    642  CD  GLU A  80     120.088  45.520   2.424  1.00 36.91           C
ATOM    643  OE1 GLU A  80     121.264  45.170   2.689  1.00 42.16           O
ATOM    644  OE2 GLU A  80     119.593  45.383   1.292  1.00 42.25           O
ATOM    645  C   GLU A  80     119.812  49.178   3.708  1.00 26.68           C
ATOM    646  O   GLU A  80     119.318  49.987   4.538  1.00 26.87           O
ATOM    647  N   GLY A  81     119.597  49.256   2.409  1.00 25.00           N
```

```
ATOM    648  CA  GLY A  81     118.737  50.303   1.848  1.00 25.66           C
ATOM    649  C   GLY A  81     119.566  51.452   1.296  1.00 27.49           C
ATOM    650  O   GLY A  81     119.066  52.211   0.524  1.00 28.91           O
ATOM    651  N   ARG A  82     120.832  51.578   1.679  1.00 25.71           N
ATOM    652  CA  ARG A  82     121.684  52.695   1.153  1.00 27.02           C
ATOM    653  CB  ARG A  82     122.514  53.299   2.254  1.00 22.81           C
ATOM    654  CG  ARG A  82     121.735  53.488   3.594  1.00 25.76           C
ATOM    655  CD  ARG A  82     122.605  54.074   4.702  1.00 22.32           C
ATOM    656  NE  ARG A  82     121.858  54.133   5.980  1.00 29.84           N
ATOM    657  CZ  ARG A  82     121.140  55.205   6.347  1.00 32.60           C
ATOM    658  NH1 ARG A  82     121.107  56.262   5.544  1.00 28.57           N
ATOM    659  NH2 ARG A  82     120.443  55.215   7.487  1.00 31.43           N
ATOM    660  C   ARG A  82     122.618  52.221   0.049  1.00 28.24           C
ATOM    661  O   ARG A  82     122.981  51.039  -0.045  1.00 26.51           O
ATOM    662  N   ASP A  83     123.044  53.156  -0.769  1.00 29.07           N
ATOM    663  CA  ASP A  83     123.972  52.797  -1.821  1.00 29.79           C
ATOM    664  CB  ASP A  83     123.922  53.845  -2.938  1.00 29.55           C
ATOM    665  CG  ASP A  83     124.780  55.113  -2.614  1.00 36.23           C
ATOM    666  OD1 ASP A  83     125.172  55.334  -1.455  1.00 43.86           O
ATOM    667  OD2 ASP A  83     125.064  55.914  -3.547  1.00 43.76           O
ATOM    668  C   ASP A  83     125.365  52.596  -1.157  1.00 27.22           C
ATOM    669  O   ASP A  83     125.540  52.902   0.023  1.00 25.99           O
ATOM    670  N   ARG A  84     126.342  52.064  -1.890  1.00 24.65           N
ATOM    671  CA  ARG A  84     127.605  51.719  -1.219  1.00 24.50           C
ATOM    672  CB  ARG A  84     128.518  50.936  -2.190  1.00 23.17           C
ATOM    673  CG  ARG A  84     127.913  49.574  -2.510  1.00 27.83           C
ATOM    674  CD  ARG A  84     128.382  48.423  -1.562  1.00 30.58           C
ATOM    675  NE  ARG A  84     128.176  47.187  -2.298  1.00 33.27           N
ATOM    676  CZ  ARG A  84     126.990  46.558  -2.387  1.00 38.36           C
ATOM    677  NH1 ARG A  84     125.928  47.080  -1.785  1.00 37.14           N
ATOM    678  NH2 ARG A  84     126.826  45.443  -3.131  1.00 37.61           N
ATOM    679  C   ARG A  84     128.344  52.887  -0.497  1.00 23.58           C
ATOM    680  O   ARG A  84     128.793  52.747   0.634  1.00 22.35           O
ATOM    681  N   ILE A  85     128.393  54.067  -1.117  1.00 25.70           N
ATOM    682  CA  ILE A  85     129.092  55.228  -0.509  1.00 24.40           C
ATOM    683  CB  ILE A  85     129.068  56.423  -1.444  1.00 26.28           C
ATOM    684  CG1 ILE A  85     129.783  56.105  -2.761  1.00 29.93           C
ATOM    685  CD1 ILE A  85     131.106  55.591  -2.555  1.00 34.08           C
ATOM    686  CG2 ILE A  85     129.755  57.666  -0.783  1.00 27.71           C
ATOM    687  C   ILE A  85     128.439  55.558   0.809  1.00 24.36           C
ATOM    688  O   ILE A  85     129.097  55.567   1.824  1.00 24.48           O
ATOM    689  N   MET A  86     127.095  55.709   0.842  1.00 25.64           N
ATOM    690  CA  MET A  86     126.443  56.186   2.028  1.00 24.45           C
ATOM    691  CB  MET A  86     124.953  56.436   1.752  1.00 25.98           C
ATOM    692  CG  MET A  86     124.689  57.628   0.955  1.00 32.14           C
ATOM    693  SD  MET A  86     125.740  59.004   1.491  1.00 44.80           S
ATOM    694  CE  MET A  86     126.135  59.636  -0.158  1.00 38.55           C
ATOM    695  C   MET A  86     126.494  55.177   3.117  1.00 23.73           C
ATOM    696  O   MET A  86     126.565  55.531   4.305  1.00 23.45           O
ATOM    697  N   ALA A  87     126.314  53.902   2.754  1.00 23.19           N
ATOM    698  CA  ALA A  87     126.461  52.825   3.766  1.00 22.63           C
ATOM    699  CB  ALA A  87     126.153  51.381   3.070  1.00 19.72           C
ATOM    700  C   ALA A  87     127.746  52.775   4.552  1.00 19.18           C
ATOM    701  O   ALA A  87     127.800  52.676   5.791  1.00 20.92           O
ATOM    702  N   TRP A  88     128.831  52.786   3.828  1.00 22.50           N
ATOM    703  CA  TRP A  88     130.159  52.751   4.434  1.00 20.36           C
ATOM    704  CB  TRP A  88     131.225  52.618   3.346  1.00 20.71           C
ATOM    705  CG  TRP A  88     131.428  51.252   2.946  1.00 23.65           C
ATOM    706  CD1 TRP A  88     131.074  50.665   1.793  1.00 23.39           C
ATOM    707  NE1 TRP A  88     131.408  49.330   1.845  1.00 24.15           N
ATOM    708  CE2 TRP A  88     131.949  49.051   3.075  1.00 20.66           C
ATOM    709  CD2 TRP A  88     131.937  50.224   3.805  1.00 22.48           C
ATOM    710  CE3 TRP A  88     132.494  50.242   5.105  1.00 24.89           C
```

```
ATOM    711  CZ3 TRP A  88      132.986  49.032   5.640  1.00 28.04           C
ATOM    712  CH2 TRP A  88      132.913  47.838   4.886  1.00 24.59           C
ATOM    713  CZ2 TRP A  88      132.421  47.823   3.601  1.00 23.83           C
ATOM    714  C   TRP A  88      130.333  54.119   5.133  1.00 21.55           C
ATOM    715  O   TRP A  88      131.074  54.202   6.097  1.00 21.31           O
ATOM    716  N   THR A  89      129.641  55.157   4.669  1.00 22.55           N
ATOM    717  CA  THR A  89      129.718  56.470   5.431  1.00 23.74           C
ATOM    718  CB  THR A  89      129.028  57.623   4.642  1.00 23.90           C
ATOM    719  OG1 THR A  89      129.757  57.813   3.440  1.00 26.28           O
ATOM    720  CG2 THR A  89      129.005  58.954   5.435  1.00 27.11           C
ATOM    721  C   THR A  89      129.071  56.316   6.765  1.00 21.64           C
ATOM    722  O   THR A  89      129.604  56.792   7.778  1.00 24.13           O
ATOM    723  N   VAL A  90      127.938  55.606   6.802  1.00 20.19           N
ATOM    724  CA  VAL A  90      127.269  55.366   8.099  1.00 21.17           C
ATOM    725  CB  VAL A  90      125.840  54.848   7.772  1.00 21.45           C
ATOM    726  CG1 VAL A  90      125.136  54.314   8.980  1.00 23.14           C
ATOM    727  CG2 VAL A  90      125.006  56.025   7.161  1.00 25.54           C
ATOM    728  C   VAL A  90      128.118  54.410   8.956  1.00 20.25           C
ATOM    729  O   VAL A  90      128.440  54.638  10.117  1.00 22.52           O
ATOM    730  N   VAL A  91      128.523  53.290   8.384  1.00 20.69           N
ATOM    731  CA  VAL A  91      129.428  52.423   9.157  1.00 21.28           C
ATOM    732  CB  VAL A  91      129.899  51.253   8.315  1.00 18.74           C
ATOM    733  CG1 VAL A  91      131.108  50.627   9.004  1.00 21.12           C
ATOM    734  CG2 VAL A  91      128.642  50.226   8.134  1.00 18.85           C
ATOM    735  C   VAL A  91      130.663  53.199   9.694  1.00 22.68           C
ATOM    736  O   VAL A  91      131.080  52.976  10.816  1.00 23.09           O
ATOM    737  N   ASN A  92      131.267  54.060   8.895  1.00 24.25           N
ATOM    738  CA  ASN A  92      132.554  54.763   9.373  1.00 26.98           C
ATOM    739  CB  ASN A  92      133.244  55.584   8.261  1.00 26.36           C
ATOM    740  CG  ASN A  92      133.911  54.759   7.173  1.00 32.55           C
ATOM    741  OD1 ASN A  92      134.164  53.518   7.296  1.00 40.81           O
ATOM    742  ND2 ASN A  92      134.184  55.436   6.044  1.00 33.67           N
ATOM    743  C   ASN A  92      132.182  55.736  10.512  1.00 27.38           C
ATOM    744  O   ASN A  92      132.840  55.867  11.497  1.00 28.44           O
ATOM    745  N   SER A  93      131.056  56.388  10.382  1.00 28.83           N
ATOM    746  CA  SER A  93      130.588  57.280  11.476  1.00 29.39           C
ATOM    747  CB  SER A  93      129.422  58.157  10.960  1.00 29.20           C
ATOM    748  OG  SER A  93      128.668  58.681  12.031  1.00 36.15           O
ATOM    749  C   SER A  93      130.223  56.530  12.703  1.00 27.81           C
ATOM    750  O   SER A  93      130.458  56.998  13.829  1.00 27.63           O
ATOM    751  N   ILE A  94      129.682  55.314  12.531  1.00 27.52           N
ATOM    752  CA  ILE A  94      129.370  54.491  13.683  1.00 24.71           C
ATOM    753  CB  ILE A  94      128.529  53.258  13.280  1.00 26.27           C
ATOM    754  CG1 ILE A  94      127.159  53.670  12.712  1.00 24.93           C
ATOM    755  CD1 ILE A  94      126.349  52.474  12.155  1.00 23.61           C
ATOM    756  CG2 ILE A  94      128.351  52.417  14.523  1.00 24.62           C
ATOM    757  C   ILE A  94      130.622  53.978  14.398  1.00 25.53           C
ATOM    758  O   ILE A  94      130.719  53.958  15.632  1.00 25.48           O
ATOM    759  N   CYS A  95      131.591  53.501  13.653  1.00 24.91           N
ATOM    760  CA  CYS A  95      132.861  53.178  14.281  1.00 28.68           C
ATOM    761  CB  CYS A  95      133.812  52.447  13.302  1.00 27.47           C
ATOM    762  SG  CYS A  95      132.943  50.957  12.676  1.00 33.60           S
ATOM    763  C   CYS A  95      133.542  54.397  15.039  1.00 30.70           C
ATOM    764  O   CYS A  95      134.003  54.243  16.159  1.00 32.47           O
ATOM    765  N   ASN A  96      133.455  55.606  14.517  1.00 31.17           N
ATOM    766  CA  ASN A  96      133.886  56.772  15.342  1.00 34.29           C
ATOM    767  CB  ASN A  96      133.859  58.056  14.510  1.00 34.06           C
ATOM    768  CG  ASN A  96      134.879  58.038  13.453  1.00 37.04           C
ATOM    769  OD1 ASN A  96      135.975  57.501  13.686  1.00 45.12           O
ATOM    770  ND2 ASN A  96      134.545  58.544  12.256  1.00 37.27           N
ATOM    771  C   ASN A  96      133.119  57.009  16.625  1.00 34.55           C
ATOM    772  O   ASN A  96      133.709  57.374  17.648  1.00 37.18           O
ATOM    773  N   THR A  97      131.801  56.806  16.590  1.00 34.97           N
```

```
ATOM    774  CA  THR A  97     130.957  57.079  17.746  1.00 33.78           C
ATOM    775  CB  THR A  97     129.505  56.848  17.350  1.00 34.91           C
ATOM    776  OG1 THR A  97     129.269  57.549  16.135  1.00 38.47           O
ATOM    777  CG2 THR A  97     128.484  57.284  18.448  1.00 30.89           C
ATOM    778  C   THR A  97     131.237  56.141  18.888  1.00 34.63           C
ATOM    779  O   THR A  97     131.252  56.583  20.069  1.00 35.31           O
ATOM    780  N   THR A  98     131.383  54.845  18.578  1.00 32.27           N
ATOM    781  CA  THR A  98     131.299  53.823  19.602  1.00 32.11           C
ATOM    782  CB  THR A  98     130.294  52.634  19.277  1.00 34.31           C
ATOM    783  OG1 THR A  98     130.817  51.901  18.172  1.00 29.27           O
ATOM    784  CG2 THR A  98     128.798  53.106  18.997  1.00 32.15           C
ATOM    785  C   THR A  98     132.658  53.191  19.764  1.00 30.79           C
ATOM    786  O   THR A  98     132.964  52.655  20.828  1.00 29.82           O
ATOM    787  N   GLY A  99     133.451  53.245  18.722  1.00 30.71           N
ATOM    788  CA  GLY A  99     134.799  52.674  18.770  1.00 33.01           C
ATOM    789  C   GLY A  99     134.797  51.167  18.530  1.00 33.78           C
ATOM    790  O   GLY A  99     135.782  50.441  18.851  1.00 35.21           O
ATOM    791  N   VAL A 100     133.676  50.700  17.984  1.00 32.38           N
ATOM    792  CA  VAL A 100     133.510  49.319  17.605  1.00 31.73           C
ATOM    793  CB  VAL A 100     132.022  49.029  17.297  1.00 30.21           C
ATOM    794  CG1 VAL A 100     131.627  49.696  15.965  1.00 29.23           C
ATOM    795  CG2 VAL A 100     131.741  47.503  17.320  1.00 33.80           C
ATOM    796  C   VAL A 100     134.357  49.027  16.375  1.00 29.68           C
ATOM    797  O   VAL A 100     134.462  49.843  15.509  1.00 27.97           O
ATOM    798  N   GLU A 101     134.979  47.847  16.348  1.00 30.40           N
ATOM    799  CA  GLU A 101     135.787  47.408  15.230  1.00 29.78           C
ATOM    800  CB  GLU A 101     136.290  45.985  15.510  1.00 30.19           C
ATOM    801  CG  GLU A 101     137.453  45.557  14.676  1.00 35.18           C
ATOM    802  CD  GLU A 101     138.065  44.217  15.194  1.00 41.01           C
ATOM    803  OE1 GLU A 101     137.468  43.156  14.899  1.00 34.44           O
ATOM    804  OE2 GLU A 101     139.115  44.265  15.898  1.00 43.44           O
ATOM    805  C   GLU A 101     134.980  47.455  13.928  1.00 28.95           C
ATOM    806  O   GLU A 101     133.789  47.037  13.866  1.00 27.32           O
ATOM    807  N   LYS A 102     135.599  48.025  12.910  1.00 26.95           N
ATOM    808  CA  LYS A 102     134.976  48.090  11.614  1.00 26.95           C
ATOM    809  CB  LYS A 102     135.659  49.128  10.752  1.00 27.08           C
ATOM    810  CG  LYS A 102     134.920  49.455   9.444  1.00 31.11           C
ATOM    811  CD  LYS A 102     135.721  50.466   8.606  1.00 37.88           C
ATOM    812  CE  LYS A 102     136.068  51.667   9.490  1.00 39.44           C
ATOM    813  NZ  LYS A 102     136.109  52.904   8.671  1.00 42.90           N
ATOM    814  C   LYS A 102     134.956  46.701  10.898  1.00 26.48           C
ATOM    815  O   LYS A 102     135.966  46.025  10.814  1.00 24.28           O
ATOM    816  N   PRO A 103     133.785  46.282  10.424  1.00 26.52           N
ATOM    817  CA  PRO A 103     133.661  44.977   9.755  1.00 26.25           C
ATOM    818  CB  PRO A 103     132.158  44.681   9.835  1.00 26.53           C
ATOM    819  CG  PRO A 103     131.493  46.120   9.778  1.00 26.84           C
ATOM    820  CD  PRO A 103     132.546  47.089  10.386  1.00 25.64           C
ATOM    821  C   PRO A 103     134.096  45.225   8.301  1.00 27.05           C
ATOM    822  O   PRO A 103     134.032  46.371   7.832  1.00 26.40           O
ATOM    823  N   LYS A 104     134.549  44.169   7.636  1.00 26.71           N
ATOM    824  CA  LYS A 104     135.044  44.181   6.243  1.00 29.35           C
ATOM    825  CB  LYS A 104     136.008  42.980   6.066  1.00 28.99           C
ATOM    826  CG  LYS A 104     137.325  43.212   6.750  1.00 29.89           C
ATOM    827  CD  LYS A 104     138.216  41.953   6.664  1.00 34.14           C
ATOM    828  CE  LYS A 104     139.444  42.210   7.460  1.00 33.97           C
ATOM    829  NZ  LYS A 104     140.592  41.452   6.906  1.00 38.04           N
ATOM    830  C   LYS A 104     134.007  44.126   5.126  1.00 28.96           C
ATOM    831  O   LYS A 104     134.283  44.443   3.946  1.00 29.54           O
ATOM    832  N   PHE A 105     132.812  43.720   5.479  1.00 29.04           N
ATOM    833  CA  PHE A 105     131.708  43.743   4.520  1.00 30.31           C
ATOM    834  CB  PHE A 105     131.232  42.302   4.442  1.00 31.46           C
ATOM    835  CG  PHE A 105     130.672  41.867   5.705  1.00 36.41           C
ATOM    836  CD1 PHE A 105     129.290  41.812   5.879  1.00 45.29           C
```

```
ATOM    837  CE1 PHE A 105     128.735  41.454   7.116  1.00 44.10           C
ATOM    838  CZ  PHE A 105     129.571  41.201   8.191  1.00 44.12           C
ATOM    839  CE2 PHE A 105     130.936  41.266   8.054  1.00 41.63           C
ATOM    840  CD2 PHE A 105     131.505  41.619   6.801  1.00 42.87           C
ATOM    841  C   PHE A 105     130.586  44.579   5.147  1.00 27.91           C
ATOM    842  O   PHE A 105     130.584  44.743   6.344  1.00 28.94           O
ATOM    843  N   LEU A 106     129.619  45.052   4.377  1.00 26.08           N
ATOM    844  CA  LEU A 106     128.495  45.800   4.948  1.00 25.85           C
ATOM    845  CB  LEU A 106     127.801  46.539   3.813  1.00 25.11           C
ATOM    846  CG  LEU A 106     128.658  47.729   3.333  1.00 28.47           C
ATOM    847  CD1 LEU A 106     128.032  48.268   2.020  1.00 25.00           C
ATOM    848  CD2 LEU A 106     128.789  48.852   4.393  1.00 26.80           C
ATOM    849  C   LEU A 106     127.459  44.873   5.625  1.00 23.67           C
ATOM    850  O   LEU A 106     126.841  44.064   4.979  1.00 22.75           O
ATOM    851  N   PRO A 107     127.239  45.006   6.911  1.00 21.65           N
ATOM    852  CA  PRO A 107     126.107  44.250   7.445  1.00 21.50           C
ATOM    853  CB  PRO A 107     126.495  44.050   8.916  1.00 21.01           C
ATOM    854  CG  PRO A 107     127.423  45.181   9.206  1.00 25.92           C
ATOM    855  CD  PRO A 107     127.928  45.804   7.929  1.00 23.21           C
ATOM    856  C   PRO A 107     124.772  45.074   7.337  1.00 20.47           C
ATOM    857  O   PRO A 107     124.819  46.181   6.787  1.00 21.40           O
ATOM    858  N   ASP A 108     123.683  44.651   7.994  1.00 18.13           N
ATOM    859  CA  ASP A 108     122.347  45.269   7.759  1.00 19.87           C
ATOM    860  CB  ASP A 108     121.259  44.137   7.728  1.00 18.23           C
ATOM    861  CG  ASP A 108     121.537  43.177   6.613  1.00 19.12           C
ATOM    862  OD1 ASP A 108     121.573  43.526   5.408  1.00 22.66           O
ATOM    863  OD2 ASP A 108     121.803  42.066   6.937  1.00 27.04           O
ATOM    864  C   ASP A 108     121.958  46.266   8.763  1.00 18.51           C
ATOM    865  O   ASP A 108     121.254  47.171   8.421  1.00 24.12           O
ATOM    866  N   LEU A 109     122.239  45.992  10.017  1.00 20.09           N
ATOM    867  CA  LEU A 109     121.941  46.871  11.117  1.00 20.75           C
ATOM    868  CB  LEU A 109     120.740  46.364  11.965  1.00 22.01           C
ATOM    869  CG  LEU A 109     119.437  46.024  11.201  1.00 23.61           C
ATOM    870  CD1 LEU A 109     118.556  44.988  11.897  1.00 25.56           C
ATOM    871  CD2 LEU A 109     118.659  47.297  10.951  1.00 21.63           C
ATOM    872  C   LEU A 109     123.145  47.077  12.052  1.00 21.13           C
ATOM    873  O   LEU A 109     124.139  46.248  12.116  1.00 19.84           O
ATOM    874  N   TYR A 110     123.026  48.139  12.862  1.00 18.38           N
ATOM    875  CA  TYR A 110     123.835  48.314  14.042  1.00 18.86           C
ATOM    876  CB  TYR A 110     124.738  49.545  13.875  1.00 19.35           C
ATOM    877  CG  TYR A 110     125.608  49.673  15.059  1.00 20.54           C
ATOM    878  CD1 TYR A 110     126.630  48.755  15.253  1.00 21.69           C
ATOM    879  CE1 TYR A 110     127.368  48.772  16.386  1.00 20.34           C
ATOM    880  CZ  TYR A 110     127.138  49.755  17.370  1.00 27.19           C
ATOM    881  OH  TYR A 110     127.959  49.778  18.497  1.00 27.25           O
ATOM    882  CE2 TYR A 110     126.072  50.662  17.228  1.00 22.47           C
ATOM    883  CD2 TYR A 110     125.331  50.614  16.071  1.00 25.73           C
ATOM    884  C   TYR A 110     122.965  48.494  15.278  1.00 20.38           C
ATOM    885  O   TYR A 110     121.993  49.249  15.278  1.00 20.57           O
ATOM    886  N   ASP A 111     123.326  47.857  16.358  1.00 20.65           N
ATOM    887  CA  ASP A 111     122.465  47.877  17.553  1.00 24.59           C
ATOM    888  CB  ASP A 111     122.243  46.427  18.028  1.00 23.42           C
ATOM    889  CG  ASP A 111     121.488  46.310  19.310  1.00 23.58           C
ATOM    890  OD1 ASP A 111     121.168  47.299  19.907  1.00 21.89           O
ATOM    891  OD2 ASP A 111     121.136  45.158  19.712  1.00 27.24           O
ATOM    892  C   ASP A 111     123.179  48.671  18.613  1.00 24.74           C
ATOM    893  O   ASP A 111     124.200  48.229  19.054  1.00 25.21           O
ATOM    894  N   TYR A 112     122.633  49.832  19.006  1.00 26.40           N
ATOM    895  CA  TYR A 112     123.326  50.766  19.956  1.00 26.77           C
ATOM    896  CB  TYR A 112     122.802  52.196  19.880  1.00 26.44           C
ATOM    897  CG  TYR A 112     123.312  52.933  18.711  1.00 27.42           C
ATOM    898  CD1 TYR A 112     122.503  53.117  17.629  1.00 30.73           C
ATOM    899  CE1 TYR A 112     122.937  53.801  16.512  1.00 34.75           C
```

```
ATOM    900  CZ  TYR A 112     124.251  54.322  16.463  1.00 29.86           C
ATOM    901  OH  TYR A 112     124.579  54.954  15.262  1.00 29.23           O
ATOM    902  CE2 TYR A 112     125.107  54.156  17.518  1.00 27.39           C
ATOM    903  CD2 TYR A 112     124.638  53.490  18.682  1.00 31.22           C
ATOM    904  C   TYR A 112     123.159  50.289  21.370  1.00 27.89           C
ATOM    905  O   TYR A 112     123.926  50.687  22.261  1.00 27.99           O
ATOM    906  N   LYS A 113     122.240  49.359  21.605  1.00 29.22           N
ATOM    907  CA  LYS A 113     122.257  48.819  22.955  1.00 30.96           C
ATOM    908  CB  LYS A 113     120.919  48.223  23.365  1.00 32.31           C
ATOM    909  CG  LYS A 113     120.822  47.797  24.848  1.00 34.11           C
ATOM    910  CD  LYS A 113     119.778  46.717  24.972  1.00 42.13           C
ATOM    911  CE  LYS A 113     119.274  46.559  26.400  1.00 44.42           C
ATOM    912  NZ  LYS A 113     118.071  45.698  26.322  1.00 49.89           N
ATOM    913  C   LYS A 113     123.360  47.770  23.156  1.00 32.96           C
ATOM    914  O   LYS A 113     124.047  47.810  24.178  1.00 33.42           O
ATOM    915  N   GLU A 114     123.467  46.766  22.276  1.00 32.57           N
ATOM    916  CA  GLU A 114     124.380  45.593  22.565  1.00 32.04           C
ATOM    917  CB  GLU A 114     123.857  44.308  21.919  1.00 31.51           C
ATOM    918  CG  GLU A 114     122.469  43.836  22.471  1.00 31.86           C
ATOM    919  CD  GLU A 114     122.625  43.183  23.815  1.00 37.94           C
ATOM    920  OE1 GLU A 114     123.781  42.998  24.277  1.00 39.64           O
ATOM    921  OE2 GLU A 114     121.613  42.818  24.429  1.00 43.07           O
ATOM    922  C   GLU A 114     125.756  45.954  22.026  1.00 32.14           C
ATOM    923  O   GLU A 114     126.747  45.271  22.266  1.00 32.02           O
ATOM    924  N   ASN A 115     125.775  47.077  21.311  1.00 31.99           N
ATOM    925  CA  ASN A 115     126.875  47.553  20.497  1.00 31.56           C
ATOM    926  CB  ASN A 115     127.980  48.185  21.360  1.00 31.25           C
ATOM    927  CG  ASN A 115     127.597  49.552  21.871  1.00 34.17           C
ATOM    928  OD1 ASN A 115     127.374  49.713  23.065  1.00 37.89           O
ATOM    929  ND2 ASN A 115     127.557  50.553  20.990  1.00 32.94           N
ATOM    930  C   ASN A 115     127.467  46.562  19.507  1.00 29.75           C
ATOM    931  O   ASN A 115     128.653  46.329  19.520  1.00 29.27           O
ATOM    932  N   ARG A 116     126.652  45.951  18.676  1.00 28.67           N
ATOM    933  CA  ARG A 116     127.218  45.144  17.602  1.00 25.74           C
ATOM    934  CB  ARG A 116     127.204  43.671  18.025  1.00 27.34           C
ATOM    935  CG  ARG A 116     125.776  43.205  18.372  1.00 28.20           C
ATOM    936  CD  ARG A 116     125.710  42.102  19.438  1.00 25.80           C
ATOM    937  NE  ARG A 116     124.300  41.665  19.571  1.00 25.41           N
ATOM    938  CZ  ARG A 116     123.820  40.823  20.499  1.00 26.84           C
ATOM    939  NH1 ARG A 116     124.610  40.265  21.384  1.00 27.39           N
ATOM    940  NH2 ARG A 116     122.533  40.505  20.531  1.00 28.58           N
ATOM    941  C   ARG A 116     126.453  45.415  16.312  1.00 24.65           C
ATOM    942  O   ARG A 116     125.378  45.966  16.325  1.00 22.53           O
ATOM    943  N   PHE A 117     127.092  45.123  15.189  1.00 22.12           N
ATOM    944  CA  PHE A 117     126.475  45.053  13.958  1.00 22.26           C
ATOM    945  CB  PHE A 117     127.492  45.108  12.829  1.00 21.72           C
ATOM    946  CG  PHE A 117     128.183  46.450  12.698  1.00 22.55           C
ATOM    947  CD1 PHE A 117     127.539  47.474  12.101  1.00 19.09           C
ATOM    948  CE1 PHE A 117     128.182  48.769  11.990  1.00 27.35           C
ATOM    949  CZ  PHE A 117     129.423  49.008  12.467  1.00 22.15           C
ATOM    950  CE2 PHE A 117     130.137  47.972  13.055  1.00 21.26           C
ATOM    951  CD2 PHE A 117     129.485  46.651  13.152  1.00 19.95           C
ATOM    952  C   PHE A 117     125.675  43.719  13.875  1.00 22.96           C
ATOM    953  O   PHE A 117     125.989  42.731  14.541  1.00 25.10           O
ATOM    954  N   ILE A 118     124.686  43.712  13.003  1.00 24.15           N
ATOM    955  CA  ILE A 118     123.789  42.546  12.755  1.00 21.86           C
ATOM    956  CB  ILE A 118     122.370  42.822  13.179  1.00 22.55           C
ATOM    957  CG1 ILE A 118     122.365  43.631  14.455  1.00 26.73           C
ATOM    958  CD1 ILE A 118     121.691  43.061  15.549  1.00 35.89           C
ATOM    959  CG2 ILE A 118     121.456  41.470  13.204  1.00 19.31           C
ATOM    960  C   ILE A 118     123.741  42.310  11.267  1.00 20.89           C
ATOM    961  O   ILE A 118     123.533  43.232  10.474  1.00 17.21           O
ATOM    962  N   GLU A 119     123.915  41.039  10.902  1.00 20.10           N
```

```
ATOM    963  CA  GLU A 119     123.743  40.632   9.559  1.00 20.80           C
ATOM    964  CB  GLU A 119     124.965  39.722   9.159  1.00 21.09           C
ATOM    965  CG  GLU A 119     124.703  38.961   7.898  1.00 26.34           C
ATOM    966  CD  GLU A 119     124.413  39.937   6.720  1.00 29.79           C
ATOM    967  OE1 GLU A 119     125.044  41.001   6.633  1.00 35.89           O
ATOM    968  OE2 GLU A 119     123.570  39.648   5.878  1.00 30.35           O
ATOM    969  C   GLU A 119     122.435  39.871   9.626  1.00 21.24           C
ATOM    970  O   GLU A 119     122.242  38.967  10.425  1.00 18.50           O
ATOM    971  N   ILE A 120     121.492  40.283   8.801  1.00 23.72           N
ATOM    972  CA  ILE A 120     120.180  39.652   8.763  1.00 23.23           C
ATOM    973  CB  ILE A 120     119.058  40.710   8.511  1.00 23.83           C
ATOM    974  CG1 ILE A 120     118.935  41.682   9.709  1.00 23.83           C
ATOM    975  CD1 ILE A 120     118.508  40.916  10.991  1.00 22.81           C
ATOM    976  CG2 ILE A 120     117.745  39.983   8.239  1.00 20.21           C
ATOM    977  C   ILE A 120     120.097  38.700   7.609  1.00 23.86           C
ATOM    978  O   ILE A 120     120.582  38.993   6.526  1.00 22.92           O
ATOM    979  N   GLY A 121     119.426  37.560   7.803  1.00 25.01           N
ATOM    980  CA  GLY A 121     119.232  36.658   6.659  1.00 24.61           C
ATOM    981  C   GLY A 121     117.769  36.223   6.636  1.00 23.18           C
ATOM    982  O   GLY A 121     117.158  36.076   7.665  1.00 22.81           O
ATOM    983  N   VAL A 122     117.223  36.109   5.445  1.00 24.10           N
ATOM    984  CA  VAL A 122     115.869  35.612   5.177  1.00 23.11           C
ATOM    985  CB  VAL A 122     114.904  36.735   4.643  1.00 22.67           C
ATOM    986  CG1 VAL A 122     113.495  36.113   4.539  1.00 22.36           C
ATOM    987  CG2 VAL A 122     114.848  37.914   5.619  1.00 19.79           C
ATOM    988  C   VAL A 122     115.975  34.511   4.140  1.00 23.74           C
ATOM    989  O   VAL A 122     116.410  34.746   3.015  1.00 24.81           O
ATOM    990  N   THR A 123     115.576  33.293   4.514  1.00 24.85           N
ATOM    991  CA  THR A 123     115.754  32.159   3.617  1.00 24.26           C
ATOM    992  CB  THR A 123     116.843  31.104   4.163  1.00 25.22           C
ATOM    993  OG1 THR A 123     116.857  29.972   3.288  1.00 27.18           O
ATOM    994  CG2 THR A 123     116.491  30.621   5.538  1.00 23.74           C
ATOM    995  C   THR A 123     114.448  31.426   3.377  1.00 23.31           C
ATOM    996  O   THR A 123     113.616  31.321   4.267  1.00 21.78           O
ATOM    997  N   ARG A 124     114.303  30.903   2.163  1.00 25.09           N
ATOM    998  CA  ARG A 124     113.220  29.963   1.794  1.00 27.08           C
ATOM    999  CB  ARG A 124     112.892  30.113   0.287  1.00 25.27           C
ATOM   1000  CG  ARG A 124     112.201  31.455  -0.079  1.00 28.12           C
ATOM   1001  CD  ARG A 124     113.240  32.483  -0.446  1.00 25.39           C
ATOM   1002  NE  ARG A 124     113.468  32.338  -1.876  1.00 29.12           N
ATOM   1003  CZ  ARG A 124     114.397  32.959  -2.571  1.00 31.04           C
ATOM   1004  NH1 ARG A 124     115.255  33.762  -1.985  1.00 32.81           N
ATOM   1005  NH2 ARG A 124     114.455  32.774  -3.864  1.00 29.63           N
ATOM   1006  C   ARG A 124     113.643  28.482   2.045  1.00 29.45           C
ATOM   1007  O   ARG A 124     112.879  27.552   1.718  1.00 30.42           O
ATOM   1008  N   ARG A 125     114.888  28.255   2.451  1.00 30.37           N
ATOM   1009  CA  ARG A 125     115.335  26.867   2.766  1.00 33.50           C
ATOM   1010  CB  ARG A 125     116.751  26.608   2.296  1.00 33.86           C
ATOM   1011  CG  ARG A 125     117.004  26.792   0.812  1.00 38.17           C
ATOM   1012  CD  ARG A 125     118.397  27.434   0.639  1.00 38.05           C
ATOM   1013  NE  ARG A 125     119.447  26.467   1.022  1.00 43.50           N
ATOM   1014  CZ  ARG A 125     120.717  26.763   1.272  1.00 44.97           C
ATOM   1015  NH1 ARG A 125     121.145  28.022   1.221  1.00 45.26           N
ATOM   1016  NH2 ARG A 125     121.564  25.796   1.614  1.00 47.76           N
ATOM   1017  C   ARG A 125     115.280  26.654   4.273  1.00 32.67           C
ATOM   1018  O   ARG A 125     114.366  27.065   4.950  1.00 36.32           O
ATOM   1019  N   GLU A 126     116.260  26.030   4.840  1.00 33.04           N
ATOM   1020  CA  GLU A 126     116.131  25.695   6.247  1.00 31.85           C
ATOM   1021  CB  GLU A 126     116.552  24.241   6.397  1.00 33.19           C
ATOM   1022  CG  GLU A 126     116.246  23.646   7.743  1.00 36.91           C
ATOM   1023  CD  GLU A 126     117.399  23.846   8.698  1.00 42.26           C
ATOM   1024  OE1 GLU A 126     117.112  24.348   9.850  1.00 42.79           O
ATOM   1025  OE2 GLU A 126     118.570  23.493   8.309  1.00 37.69           O
```

```
ATOM   1026  C   GLU A 126     116.982  26.678   7.037  1.00 30.31           C
ATOM   1027  O   GLU A 126     118.039  27.091   6.585  1.00 30.05           O
ATOM   1028  N   VAL A 127     116.535  27.044   8.221  1.00 29.36           N
ATOM   1029  CA  VAL A 127     117.161  28.084   8.983  1.00 29.64           C
ATOM   1030  CB  VAL A 127     116.200  28.526  10.146  1.00 31.07           C
ATOM   1031  CG1 VAL A 127     116.721  28.187  11.511  1.00 30.66           C
ATOM   1032  CG2 VAL A 127     115.922  29.997  10.064  1.00 31.21           C
ATOM   1033  C   VAL A 127     118.629  27.726   9.380  1.00 29.43           C
ATOM   1034  O   VAL A 127     119.588  28.550   9.175  1.00 27.52           O
ATOM   1035  N   HIS A 128     118.820  26.487   9.881  1.00 27.13           N
ATOM   1036  CA  HIS A 128     120.123  26.064  10.345  1.00 28.16           C
ATOM   1037  CB  HIS A 128     120.010  24.701  11.160  1.00 28.60           C
ATOM   1038  CG  HIS A 128     121.196  24.418  12.014  1.00 29.94           C
ATOM   1039  ND1 HIS A 128     121.352  23.250  12.720  1.00 29.01           N
ATOM   1040  CE1 HIS A 128     122.490  23.294  13.383  1.00 30.53           C
ATOM   1041  NE2 HIS A 128     123.126  24.397  13.048  1.00 30.25           N
ATOM   1042  CD2 HIS A 128     122.351  25.109  12.178  1.00 32.97           C
ATOM   1043  C   HIS A 128     121.228  26.123   9.271  1.00 27.06           C
ATOM   1044  O   HIS A 128     122.275  26.768   9.459  1.00 27.42           O
ATOM   1045  N   ILE A 129     120.983  25.497   8.144  1.00 27.67           N
ATOM   1046  CA  ILE A 129     121.965  25.389   7.084  1.00 29.76           C
ATOM   1047  CB  ILE A 129     121.637  24.267   6.007  1.00 32.02           C
ATOM   1048  CG1 ILE A 129     122.898  23.958   5.225  1.00 31.34           C
ATOM   1049  CD1 ILE A 129     122.711  22.950   4.122  1.00 43.21           C
ATOM   1050  CG2 ILE A 129     120.493  24.647   5.091  1.00 32.48           C
ATOM   1051  C   ILE A 129     122.298  26.739   6.458  1.00 28.92           C
ATOM   1052  O   ILE A 129     123.477  27.029   6.174  1.00 26.57           O
ATOM   1053  N   TYR A 130     121.289  27.595   6.383  1.00 26.94           N
ATOM   1054  CA  TYR A 130     121.513  28.921   5.944  1.00 27.00           C
ATOM   1055  CB  TYR A 130     120.146  29.665   5.719  1.00 25.76           C
ATOM   1056  CG  TYR A 130     120.335  30.993   5.027  1.00 28.67           C
ATOM   1057  CD1 TYR A 130     120.631  31.052   3.684  1.00 29.98           C
ATOM   1058  CE1 TYR A 130     120.841  32.281   3.053  1.00 35.41           C
ATOM   1059  CZ  TYR A 130     120.726  33.473   3.752  1.00 28.23           C
ATOM   1060  OH  TYR A 130     120.908  34.640   3.064  1.00 34.08           O
ATOM   1061  CE2 TYR A 130     120.464  33.445   5.095  1.00 29.64           C
ATOM   1062  CD2 TYR A 130     120.256  32.197   5.729  1.00 29.56           C
ATOM   1063  C   TYR A 130     122.417  29.647   6.924  1.00 25.09           C
ATOM   1064  O   TYR A 130     123.366  30.256   6.504  1.00 25.63           O
ATOM   1065  N   TYR A 131     122.148  29.514   8.217  1.00 23.85           N
ATOM   1066  CA  TYR A 131     122.915  30.114   9.217  1.00 23.89           C
ATOM   1067  CB  TYR A 131     122.348  29.743  10.620  1.00 24.32           C
ATOM   1068  CG  TYR A 131     123.233  30.277  11.701  1.00 27.01           C
ATOM   1069  CD1 TYR A 131     123.019  31.548  12.222  1.00 30.13           C
ATOM   1070  CE1 TYR A 131     123.857  32.084  13.168  1.00 30.19           C
ATOM   1071  CZ  TYR A 131     124.958  31.387  13.583  1.00 37.38           C
ATOM   1072  OH  TYR A 131     125.783  31.979  14.511  1.00 42.12           O
ATOM   1073  CE2 TYR A 131     125.244  30.121  13.066  1.00 36.83           C
ATOM   1074  CD2 TYR A 131     124.360  29.559  12.141  1.00 34.49           C
ATOM   1075  C   TYR A 131     124.433  29.754   9.052  1.00 26.44           C
ATOM   1076  O   TYR A 131     125.349  30.661   9.187  1.00 24.68           O
ATOM   1077  N   LEU A 132     124.689  28.462   8.769  1.00 25.67           N
ATOM   1078  CA  LEU A 132     126.054  27.902   8.775  1.00 27.57           C
ATOM   1079  CB  LEU A 132     126.081  26.337   8.684  1.00 26.28           C
ATOM   1080  CG  LEU A 132     125.458  25.542   9.824  1.00 23.94           C
ATOM   1081  CD1 LEU A 132     125.611  23.951   9.620  1.00 26.89           C
ATOM   1082  CD2 LEU A 132     126.083  25.979  11.185  1.00 23.18           C
ATOM   1083  C   LEU A 132     126.737  28.483   7.586  1.00 28.21           C
ATOM   1084  O   LEU A 132     127.853  29.013   7.725  1.00 28.68           O
ATOM   1085  N   GLU A 133     126.040  28.488   6.450  1.00 29.62           N
ATOM   1086  CA  GLU A 133     126.633  29.063   5.258  1.00 32.24           C
ATOM   1087  CB  GLU A 133     125.763  28.842   4.087  1.00 31.82           C
ATOM   1088  CG  GLU A 133     125.769  27.365   3.691  1.00 37.61           C
```

```
ATOM   1089  CD  GLU A 133     124.755  27.093   2.605  1.00 43.83           C
ATOM   1090  OE1 GLU A 133     124.067  28.032   2.161  1.00 48.18           O
ATOM   1091  OE2 GLU A 133     124.630  25.929   2.186  1.00 51.10           O
ATOM   1092  C   GLU A 133     126.946  30.562   5.418  1.00 33.05           C
ATOM   1093  O   GLU A 133     127.993  31.019   4.947  1.00 32.39           O
ATOM   1094  N   LYS A 134     126.101  31.295   6.162  1.00 34.52           N
ATOM   1095  CA  LYS A 134     126.379  32.722   6.436  1.00 36.37           C
ATOM   1096  CB  LYS A 134     125.146  33.484   6.952  1.00 35.60           C
ATOM   1097  CG  LYS A 134     124.347  34.204   5.875  1.00 40.77           C
ATOM   1098  CD  LYS A 134     124.789  35.662   5.801  1.00 43.36           C
ATOM   1099  CE  LYS A 134     123.626  36.588   5.423  1.00 42.20           C
ATOM   1100  NZ  LYS A 134     123.671  37.059   3.981  1.00 36.67           N
ATOM   1101  C   LYS A 134     127.544  32.916   7.384  1.00 36.06           C
ATOM   1102  O   LYS A 134     128.350  33.835   7.170  1.00 36.67           O
ATOM   1103  N   ALA A 135     127.605  32.108   8.444  1.00 37.11           N
ATOM   1104  CA  ALA A 135     128.692  32.198   9.444  1.00 38.75           C
ATOM   1105  CB  ALA A 135     128.355  31.440  10.690  1.00 37.18           C
ATOM   1106  C   ALA A 135     130.071  31.789   8.888  1.00 40.80           C
ATOM   1107  O   ALA A 135     131.118  32.394   9.238  1.00 40.99           O
ATOM   1108  N   ASN A 136     130.082  30.792   8.015  1.00 41.49           N
ATOM   1109  CA  ASN A 136     131.282  30.511   7.203  1.00 44.23           C
ATOM   1110  CB  ASN A 136     130.978  29.413   6.190  1.00 43.80           C
ATOM   1111  CG  ASN A 136     132.208  28.676   5.747  1.00 45.24           C
ATOM   1112  OD1 ASN A 136     132.593  28.745   4.586  1.00 50.31           O
ATOM   1113  ND2 ASN A 136     132.836  27.969   6.661  1.00 45.35           N
ATOM   1114  C   ASN A 136     131.772  31.732   6.423  1.00 45.73           C
ATOM   1115  O   ASN A 136     132.936  32.097   6.496  1.00 46.33           O
ATOM   1116  N   LYS A 137     130.851  32.360   5.692  1.00 47.91           N
ATOM   1117  CA  LYS A 137     131.163  33.359   4.682  1.00 50.18           C
ATOM   1118  CB  LYS A 137     129.972  33.541   3.743  1.00 50.21           C
ATOM   1119  CG  LYS A 137     130.224  34.510   2.650  1.00 52.51           C
ATOM   1120  CD  LYS A 137     128.981  35.312   2.356  1.00 56.82           C
ATOM   1121  CE  LYS A 137     129.306  36.494   1.421  1.00 57.58           C
ATOM   1122  NZ  LYS A 137     128.066  37.179   0.927  1.00 58.58           N
ATOM   1123  C   LYS A 137     131.576  34.685   5.309  1.00 51.35           C
ATOM   1124  O   LYS A 137     132.452  35.375   4.790  1.00 50.74           O
ATOM   1125  N   ILE A 138     130.943  35.037   6.427  1.00 53.13           N
ATOM   1126  CA  ILE A 138     131.298  36.251   7.154  1.00 54.46           C
ATOM   1127  CB  ILE A 138     130.359  36.547   8.370  1.00 53.81           C
ATOM   1128  CG1 ILE A 138     129.005  37.052   7.925  1.00 52.73           C
ATOM   1129  CD1 ILE A 138     128.232  37.686   9.077  1.00 50.31           C
ATOM   1130  CG2 ILE A 138     130.945  37.615   9.255  1.00 55.84           C
ATOM   1131  C   ILE A 138     132.680  35.968   7.664  1.00 55.71           C
ATOM   1132  O   ILE A 138     133.659  36.551   7.163  1.00 56.60           O
ATOM   1133  N   LYS A 139     132.748  35.063   8.646  1.00 56.77           N
ATOM   1134  CA  LYS A 139     133.969  34.720   9.358  1.00 57.96           C
ATOM   1135  CB  LYS A 139     135.003  34.034   8.452  1.00 58.98           C
ATOM   1136  CG  LYS A 139     135.190  32.534   8.752  1.00 59.51           C
ATOM   1137  CD  LYS A 139     136.671  32.152   8.904  1.00 59.96           C
ATOM   1138  CE  LYS A 139     136.873  30.618   8.745  1.00 59.03           C
ATOM   1139  NZ  LYS A 139     138.018  30.068   9.494  1.00 58.17           N
ATOM   1140  C   LYS A 139     134.590  35.885  10.132  1.00 58.82           C
ATOM   1141  O   LYS A 139     135.804  35.895  10.379  1.00 58.81           O
ATOM   1142  N   SER A 140     133.747  36.858  10.516  1.00 58.84           N
ATOM   1143  CA  SER A 140     134.048  37.754  11.654  1.00 58.34           C
ATOM   1144  CB  SER A 140     134.033  39.253  11.295  1.00 58.21           C
ATOM   1145  OG  SER A 140     133.098  39.582  10.279  1.00 57.99           O
ATOM   1146  C   SER A 140     133.161  37.454  12.878  1.00 57.93           C
ATOM   1147  O   SER A 140     131.926  37.491  12.797  1.00 58.35           O
ATOM   1148  N   GLU A 141     133.820  37.121  13.991  1.00 57.36           N
ATOM   1149  CA  GLU A 141     133.186  36.838  15.301  1.00 56.53           C
ATOM   1150  CB  GLU A 141     134.214  36.164  16.278  1.00 56.69           C
ATOM   1151  CG  GLU A 141     133.666  35.616  17.664  1.00 57.49           C
```

```
ATOM   1152  CD  GLU A 141     133.195  34.108  17.687  1.00 57.93           C
ATOM   1153  OE1 GLU A 141     132.589  33.608  16.703  1.00 56.39           O
ATOM   1154  OE2 GLU A 141     133.406  33.435  18.732  1.00 56.13           O
ATOM   1155  C   GLU A 141     132.594  38.166  15.846  1.00 55.02           C
ATOM   1156  O   GLU A 141     131.938  38.210  16.907  1.00 55.80           O
ATOM   1157  N   ASN A 142     132.823  39.234  15.089  1.00 51.90           N
ATOM   1158  CA  ASN A 142     132.262  40.534  15.388  1.00 50.18           C
ATOM   1159  CB  ASN A 142     132.830  41.557  14.397  1.00 51.86           C
ATOM   1160  CG  ASN A 142     134.368  41.496  14.299  1.00 58.45           C
ATOM   1161  OD1 ASN A 142     135.054  41.091  15.263  1.00 64.09           O
ATOM   1162  ND2 ASN A 142     134.916  41.892  13.133  1.00 62.16           N
ATOM   1163  C   ASN A 142     130.746  40.552  15.262  1.00 45.54           C
ATOM   1164  O   ASN A 142     130.008  40.846  16.204  1.00 44.71           O
ATOM   1165  N   THR A 143     130.333  40.242  14.057  1.00 40.26           N
ATOM   1166  CA  THR A 143     129.026  40.551  13.569  1.00 37.76           C
ATOM   1167  CB  THR A 143     129.107  40.626  12.037  1.00 37.80           C
ATOM   1168  OG1 THR A 143     130.010  41.669  11.695  1.00 41.40           O
ATOM   1169  CG2 THR A 143     127.772  40.969  11.397  1.00 38.66           C
ATOM   1170  C   THR A 143     128.064  39.445  13.980  1.00 34.31           C
ATOM   1171  O   THR A 143     128.274  38.308  13.565  1.00 31.88           O
ATOM   1172  N   HIS A 144     127.001  39.808  14.725  1.00 31.19           N
ATOM   1173  CA  HIS A 144     125.919  38.897  15.139  1.00 28.43           C
ATOM   1174  CB  HIS A 144     125.062  39.636  16.150  1.00 29.67           C
ATOM   1175  CG  HIS A 144     124.470  38.772  17.203  1.00 27.10           C
ATOM   1176  ND1 HIS A 144     125.215  38.173  18.194  1.00 27.40           N
ATOM   1177  CE1 HIS A 144     124.434  37.442  18.957  1.00 25.64           C
ATOM   1178  NE2 HIS A 144     123.203  37.552  18.497  1.00 29.95           N
ATOM   1179  CD2 HIS A 144     123.192  38.433  17.442  1.00 28.08           C
ATOM   1180  C   HIS A 144     125.077  38.498  13.918  1.00 27.35           C
ATOM   1181  O   HIS A 144     124.945  39.259  12.970  1.00 26.80           O
ATOM   1182  N   ILE A 145     124.501  37.298  13.903  1.00 26.07           N
ATOM   1183  CA  ILE A 145     123.781  36.900  12.707  1.00 24.79           C
ATOM   1184  CB  ILE A 145     124.475  35.688  11.994  1.00 25.87           C
ATOM   1185  CG1 ILE A 145     125.841  36.096  11.450  1.00 24.90           C
ATOM   1186  CD1 ILE A 145     126.765  34.892  11.080  1.00 27.25           C
ATOM   1187  CG2 ILE A 145     123.588  35.132  10.892  1.00 22.14           C
ATOM   1188  C   ILE A 145     122.389  36.514  13.162  1.00 22.86           C
ATOM   1189  O   ILE A 145     122.240  35.954  14.192  1.00 20.58           O
ATOM   1190  N   HIS A 146     121.371  36.947  12.453  1.00 22.20           N
ATOM   1191  CA  HIS A 146     120.014  36.580  12.820  1.00 22.79           C
ATOM   1192  CB  HIS A 146     119.324  37.715  13.590  1.00 22.24           C
ATOM   1193  CG  HIS A 146     118.098  37.311  14.323  1.00 20.41           C
ATOM   1194  ND1 HIS A 146     117.700  37.911  15.504  1.00 21.91           N
ATOM   1195  CE1 HIS A 146     116.567  37.362  15.908  1.00 18.49           C
ATOM   1196  NE2 HIS A 146     116.244  36.403  15.054  1.00 21.16           N
ATOM   1197  CD2 HIS A 146     117.152  36.383  14.028  1.00 19.39           C
ATOM   1198  C   HIS A 146     119.288  36.240  11.555  1.00 22.31           C
ATOM   1199  O   HIS A 146     119.186  37.079  10.613  1.00 20.78           O
ATOM   1200  N   ILE A 147     118.811  34.998  11.522  1.00 22.70           N
ATOM   1201  CA  ILE A 147     118.213  34.362  10.313  1.00 21.45           C
ATOM   1202  CB  ILE A 147     118.817  33.003   9.982  1.00 22.08           C
ATOM   1203  CG1 ILE A 147     120.356  33.072   9.878  1.00 25.84           C
ATOM   1204  CD1 ILE A 147     120.868  34.126   8.883  1.00 22.00           C
ATOM   1205  CG2 ILE A 147     118.274  32.466   8.631  1.00 22.00           C
ATOM   1206  C   ILE A 147     116.739  34.130  10.508  1.00 21.15           C
ATOM   1207  O   ILE A 147     116.317  33.706  11.542  1.00 21.00           O
ATOM   1208  N   PHE A 148     115.925  34.446   9.510  1.00 20.82           N
ATOM   1209  CA  PHE A 148     114.485  34.142   9.641  1.00 20.72           C
ATOM   1210  CB  PHE A 148     113.612  35.452   9.555  1.00 19.83           C
ATOM   1211  CG  PHE A 148     113.771  36.320  10.733  1.00 21.73           C
ATOM   1212  CD1 PHE A 148     113.122  36.025  11.903  1.00 20.89           C
ATOM   1213  CE1 PHE A 148     113.223  36.844  13.044  1.00 23.63           C
ATOM   1214  CZ  PHE A 148     114.105  37.934  13.023  1.00 22.51           C
```

```
ATOM   1215  CE2 PHE A 148     114.818  38.209  11.823  1.00 18.18           C
ATOM   1216  CD2 PHE A 148     114.629  37.415  10.688  1.00 20.44           C
ATOM   1217  C   PHE A 148     114.085  33.290   8.533  1.00 20.52           C
ATOM   1218  O   PHE A 148     114.632  33.433   7.470  1.00 21.54           O
ATOM   1219  N   SER A 149     113.049  32.454   8.725  1.00 24.56           N
ATOM   1220  CA  SER A 149     112.560  31.700   7.605  1.00 26.69           C
ATOM   1221  CB  SER A 149     112.827  30.194   7.820  1.00 24.67           C
ATOM   1222  OG  SER A 149     111.719  29.628   8.427  1.00 27.98           O
ATOM   1223  C   SER A 149     111.052  32.032   7.379  1.00 27.64           C
ATOM   1224  O   SER A 149     110.435  32.628   8.256  1.00 29.66           O
ATOM   1225  N   PHE A 150     110.502  31.661   6.224  1.00 29.30           N
ATOM   1226  CA  PHE A 150     109.056  31.796   5.863  1.00 31.71           C
ATOM   1227  CB  PHE A 150     108.920  31.651   4.336  1.00 32.58           C
ATOM   1228  CG  PHE A 150     109.451  32.832   3.576  1.00 29.17           C
ATOM   1229  CD1 PHE A 150     108.601  33.893   3.258  1.00 21.99           C
ATOM   1230  CE1 PHE A 150     109.069  34.990   2.562  1.00 26.89           C
ATOM   1231  CZ  PHE A 150     110.440  35.024   2.191  1.00 23.00           C
ATOM   1232  CE2 PHE A 150     111.250  33.977   2.462  1.00 24.93           C
ATOM   1233  CD2 PHE A 150     110.761  32.865   3.158  1.00 28.36           C
ATOM   1234  C   PHE A 150     108.102  30.774   6.487  1.00 33.92           C
ATOM   1235  O   PHE A 150     106.884  30.819   6.299  1.00 33.98           O
ATOM   1236  N   THR A 151     108.669  29.835   7.222  1.00 35.95           N
ATOM   1237  CA  THR A 151     107.916  28.803   7.911  1.00 36.83           C
ATOM   1238  CB  THR A 151     108.551  27.462   7.578  1.00 37.62           C
ATOM   1239  OG1 THR A 151     108.019  26.533   8.506  1.00 45.95           O
ATOM   1240  CG2 THR A 151     110.062  27.511   7.753  1.00 35.76           C
ATOM   1241  C   THR A 151     107.844  29.067   9.444  1.00 36.33           C
ATOM   1242  O   THR A 151     107.544  28.184  10.264  1.00 35.35           O
ATOM   1243  N   GLY A 152     108.168  30.304   9.834  1.00 36.00           N
ATOM   1244  CA  GLY A 152     108.131  30.669  11.247  1.00 33.94           C
ATOM   1245  C   GLY A 152     109.344  30.408  12.101  1.00 32.46           C
ATOM   1246  O   GLY A 152     109.262  30.382  13.352  1.00 32.26           O
ATOM   1247  N   GLU A 153     110.489  30.183  11.487  1.00 30.42           N
ATOM   1248  CA  GLU A 153     111.610  29.822  12.359  1.00 30.30           C
ATOM   1249  CB  GLU A 153     112.237  28.530  11.878  1.00 30.48           C
ATOM   1250  CG  GLU A 153     111.125  27.502  11.689  1.00 38.02           C
ATOM   1251  CD  GLU A 153     111.659  26.100  11.590  1.00 44.11           C
ATOM   1252  OE1 GLU A 153     112.880  25.930  11.336  1.00 48.04           O
ATOM   1253  OE2 GLU A 153     110.849  25.166  11.813  1.00 51.52           O
ATOM   1254  C   GLU A 153     112.638  30.916  12.344  1.00 27.40           C
ATOM   1255  O   GLU A 153     112.682  31.707  11.385  1.00 25.25           O
ATOM   1256  N   GLU A 154     113.482  30.926  13.384  1.00 27.06           N
ATOM   1257  CA  GLU A 154     114.687  31.835  13.399  1.00 26.77           C
ATOM   1258  CB  GLU A 154     114.439  33.092  14.206  1.00 25.11           C
ATOM   1259  CG  GLU A 154     113.856  32.751  15.637  1.00 27.82           C
ATOM   1260  CD  GLU A 154     113.414  33.966  16.435  1.00 32.69           C
ATOM   1261  OE1 GLU A 154     113.886  35.109  16.175  1.00 33.69           O
ATOM   1262  OE2 GLU A 154     112.630  33.784  17.372  1.00 36.65           O
ATOM   1263  C   GLU A 154     115.871  31.096  13.981  1.00 25.56           C
ATOM   1264  O   GLU A 154     115.698  30.175  14.779  1.00 24.36           O
ATOM   1265  N   MET A 155     117.073  31.517  13.591  1.00 23.57           N
ATOM   1266  CA  MET A 155     118.275  31.107  14.316  1.00 23.80           C
ATOM   1267  CB  MET A 155     119.017  30.054  13.568  1.00 21.29           C
ATOM   1268  CG  MET A 155     120.178  29.493  14.390  1.00 29.12           C
ATOM   1269  SD  MET A 155     120.809  27.962  13.614  1.00 35.15           S
ATOM   1270  CE  MET A 155     119.387  26.985  14.088  1.00 36.95           C
ATOM   1271  C   MET A 155     119.240  32.283  14.463  1.00 23.67           C
ATOM   1272  O   MET A 155     119.507  32.977  13.466  1.00 22.85           O
ATOM   1273  N   ALA A 156     119.788  32.461  15.651  1.00 21.76           N
ATOM   1274  CA  ALA A 156     120.684  33.626  15.895  1.00 25.54           C
ATOM   1275  CB  ALA A 156     119.924  34.733  16.666  1.00 24.12           C
ATOM   1276  C   ALA A 156     121.901  33.240  16.657  1.00 25.34           C
ATOM   1277  O   ALA A 156     121.836  32.399  17.563  1.00 28.10           O
```

ATOM	1278	N	THR	A	157	123.010	33.882	16.335	1.00	26.62	N
ATOM	1279	CA	THR	A	157	124.237	33.748	17.093	1.00	25.56	C
ATOM	1280	CB	THR	A	157	125.146	34.995	16.863	1.00	26.58	C
ATOM	1281	OG1	THR	A	157	125.352	35.125	15.482	1.00	23.30	O
ATOM	1282	CG2	THR	A	157	126.478	34.814	17.590	1.00	25.53	C
ATOM	1283	C	THR	A	157	124.091	33.556	18.581	1.00	27.17	C
ATOM	1284	O	THR	A	157	123.459	34.338	19.285	1.00	26.05	O
ATOM	1285	N	LYS	A	158	124.743	32.500	19.068	1.00	29.56	N
ATOM	1286	CA	LYS	A	158	124.823	32.154	20.498	1.00	30.33	C
ATOM	1287	CB	LYS	A	158	125.674	33.157	21.305	1.00	30.65	C
ATOM	1288	CG	LYS	A	158	127.097	33.113	21.036	1.00	35.27	C
ATOM	1289	CD	LYS	A	158	127.744	32.251	22.154	1.00	44.59	C
ATOM	1290	CE	LYS	A	158	129.262	32.191	22.003	1.00	45.76	C
ATOM	1291	NZ	LYS	A	158	129.668	31.511	20.776	1.00	49.48	N
ATOM	1292	C	LYS	A	158	123.497	32.018	21.144	1.00	30.12	C
ATOM	1293	O	LYS	A	158	123.440	32.030	22.369	1.00	30.20	O
ATOM	1294	N	ALA	A	159	122.461	31.768	20.339	1.00	30.87	N
ATOM	1295	CA	ALA	A	159	121.068	31.752	20.835	1.00	31.80	C
ATOM	1296	CB	ALA	A	159	120.807	30.529	21.784	1.00	30.34	C
ATOM	1297	C	ALA	A	159	120.681	33.100	21.526	1.00	30.61	C
ATOM	1298	O	ALA	A	159	119.897	33.152	22.461	1.00	31.33	O
ATOM	1299	N	ASP	A	160	121.237	34.191	21.050	1.00	31.03	N
ATOM	1300	CA	ASP	A	160	120.860	35.488	21.584	1.00	28.96	C
ATOM	1301	CB	ASP	A	160	122.167	36.184	22.013	1.00	30.00	C
ATOM	1302	CG	ASP	A	160	121.986	37.598	22.394	1.00	30.68	C
ATOM	1303	OD1	ASP	A	160	120.823	38.120	22.280	1.00	34.16	O
ATOM	1304	OD2	ASP	A	160	123.012	38.196	22.784	1.00	29.55	O
ATOM	1305	C	ASP	A	160	120.009	36.152	20.461	1.00	28.49	C
ATOM	1306	O	ASP	A	160	120.462	36.486	19.347	1.00	29.35	O
ATOM	1307	N	TYR	A	161	118.725	36.218	20.757	1.00	29.18	N
ATOM	1308	CA	TYR	A	161	117.719	36.613	19.837	1.00	28.85	C
ATOM	1309	CB	TYR	A	161	116.422	35.696	19.949	1.00	29.41	C
ATOM	1310	CG	TYR	A	161	116.766	34.353	19.404	1.00	30.32	C
ATOM	1311	CD1	TYR	A	161	116.680	34.086	18.045	1.00	32.04	C
ATOM	1312	CE1	TYR	A	161	117.078	32.826	17.505	1.00	33.00	C
ATOM	1313	CZ	TYR	A	161	117.657	31.836	18.367	1.00	37.47	C
ATOM	1314	OH	TYR	A	161	118.174	30.617	17.871	1.00	35.26	O
ATOM	1315	CE2	TYR	A	161	117.781	32.115	19.726	1.00	37.19	C
ATOM	1316	CD2	TYR	A	161	117.354	33.369	20.239	1.00	35.58	C
ATOM	1317	C	TYR	A	161	117.517	38.162	19.756	1.00	28.13	C
ATOM	1318	O	TYR	A	161	116.714	38.643	18.946	1.00	27.44	O
ATOM	1319	N	THR	A	162	118.291	38.914	20.561	1.00	27.88	N
ATOM	1320	CA	THR	A	162	118.344	40.387	20.519	1.00	27.05	C
ATOM	1321	CB	THR	A	162	118.830	40.940	19.129	1.00	25.80	C
ATOM	1322	OG1	THR	A	162	120.196	40.513	18.949	1.00	26.05	O
ATOM	1323	CG2	THR	A	162	118.809	42.529	19.044	1.00	22.66	C
ATOM	1324	C	THR	A	162	117.031	40.999	20.943	1.00	28.86	C
ATOM	1325	O	THR	A	162	117.013	41.670	21.937	1.00	29.35	O
ATOM	1326	N	LEU	A	163	115.939	40.702	20.221	1.00	29.90	N
ATOM	1327	CA	LEU	A	163	114.665	41.426	20.384	1.00	30.80	C
ATOM	1328	CB	LEU	A	163	113.992	41.496	19.049	1.00	29.73	C
ATOM	1329	CG	LEU	A	163	114.635	42.351	17.947	1.00	29.60	C
ATOM	1330	CD1	LEU	A	163	113.788	42.182	16.648	1.00	24.71	C
ATOM	1331	CD2	LEU	A	163	114.736	43.834	18.370	1.00	24.30	C
ATOM	1332	C	LEU	A	163	113.745	40.735	21.355	1.00	32.39	C
ATOM	1333	O	LEU	A	163	114.014	39.588	21.701	1.00	33.64	O
ATOM	1334	N	ASP	A	164	112.655	41.372	21.789	1.00	33.97	N
ATOM	1335	CA	ASP	A	164	111.723	40.634	22.689	1.00	35.55	C
ATOM	1336	CB	ASP	A	164	110.623	41.549	23.225	1.00	37.24	C
ATOM	1337	CG	ASP	A	164	110.066	42.424	22.132	1.00	37.16	C
ATOM	1338	OD1	ASP	A	164	110.872	43.169	21.565	1.00	35.69	O
ATOM	1339	OD2	ASP	A	164	108.862	42.341	21.811	1.00	42.57	O
ATOM	1340	C	ASP	A	164	111.057	39.628	21.797	1.00	35.46	C

```
ATOM   1341  O   ASP A 164     111.129  39.739  20.550  1.00 33.31           O
ATOM   1342  N   GLU A 165     110.353  38.685  22.412  1.00 35.82           N
ATOM   1343  CA  GLU A 165     109.581  37.697  21.661  1.00 36.75           C
ATOM   1344  CB  GLU A 165     108.911  36.782  22.671  1.00 38.41           C
ATOM   1345  CG  GLU A 165     109.814  35.841  23.310  1.00 45.07           C
ATOM   1346  CD  GLU A 165     109.125  34.490  23.450  1.00 52.54           C
ATOM   1347  OE1 GLU A 165     109.135  33.762  22.414  1.00 49.98           O
ATOM   1348  OE2 GLU A 165     108.578  34.195  24.565  1.00 48.11           O
ATOM   1349  C   GLU A 165     108.455  38.274  20.768  1.00 36.08           C
ATOM   1350  O   GLU A 165     108.118  37.715  19.701  1.00 35.12           O
ATOM   1351  N   GLU A 166     107.838  39.360  21.228  1.00 35.44           N
ATOM   1352  CA  GLU A 166     106.673  39.888  20.535  1.00 35.56           C
ATOM   1353  CB  GLU A 166     105.890  40.878  21.461  1.00 37.07           C
ATOM   1354  CG  GLU A 166     104.381  40.608  21.543  1.00 40.70           C
ATOM   1355  CD  GLU A 166     103.566  41.902  21.668  1.00 50.09           C
ATOM   1356  OE1 GLU A 166     102.959  42.361  20.658  1.00 53.45           O
ATOM   1357  OE2 GLU A 166     103.543  42.482  22.782  1.00 53.92           O
ATOM   1358  C   GLU A 166     107.097  40.512  19.186  1.00 33.77           C
ATOM   1359  O   GLU A 166     106.529  40.193  18.146  1.00 33.36           O
ATOM   1360  N   SER A 167     108.124  41.380  19.194  1.00 32.33           N
ATOM   1361  CA  SER A 167     108.760  41.843  17.954  1.00 29.96           C
ATOM   1362  CB  SER A 167     109.984  42.656  18.349  1.00 30.89           C
ATOM   1363  OG  SER A 167     109.643  43.712  19.240  1.00 29.23           O
ATOM   1364  C   SER A 167     109.198  40.756  16.927  1.00 27.93           C
ATOM   1365  O   SER A 167     108.985  40.860  15.781  1.00 29.09           O
ATOM   1366  N   ARG A 168     109.866  39.728  17.374  1.00 28.03           N
ATOM   1367  CA  ARG A 168     110.277  38.638  16.572  1.00 26.71           C
ATOM   1368  CB  ARG A 168     111.057  37.736  17.489  1.00 27.66           C
ATOM   1369  CG  ARG A 168     112.520  38.077  17.586  1.00 30.76           C
ATOM   1370  CD  ARG A 168     113.230  36.889  18.088  1.00 31.97           C
ATOM   1371  NE  ARG A 168     113.062  36.916  19.479  1.00 35.28           N
ATOM   1372  CZ  ARG A 168     113.127  35.894  20.326  1.00 37.96           C
ATOM   1373  NH1 ARG A 168     113.318  34.662  19.930  1.00 36.85           N
ATOM   1374  NH2 ARG A 168     112.992  36.172  21.626  1.00 34.61           N
ATOM   1375  C   ARG A 168     109.086  37.833  16.017  1.00 25.51           C
ATOM   1376  O   ARG A 168     109.130  37.375  14.851  1.00 23.96           O
ATOM   1377  N   ALA A 169     108.046  37.640  16.847  1.00 25.04           N
ATOM   1378  CA  ALA A 169     106.794  36.943  16.382  1.00 26.61           C
ATOM   1379  CB  ALA A 169     105.772  36.680  17.583  1.00 26.61           C
ATOM   1380  C   ALA A 169     106.136  37.715  15.276  1.00 27.19           C
ATOM   1381  O   ALA A 169     105.585  37.110  14.369  1.00 28.22           O
ATOM   1382  N   ARG A 170     106.184  39.066  15.345  1.00 26.67           N
ATOM   1383  CA  ARG A 170     105.587  39.967  14.346  1.00 26.51           C
ATOM   1384  CB  ARG A 170     105.845  41.413  14.818  1.00 27.54           C
ATOM   1385  CG  ARG A 170     104.818  42.492  14.422  1.00 31.56           C
ATOM   1386  CD  ARG A 170     105.348  43.878  14.934  1.00 37.15           C
ATOM   1387  NE  ARG A 170     105.402  44.889  13.855  1.00 45.81           N
ATOM   1388  CZ  ARG A 170     106.505  45.478  13.347  1.00 48.22           C
ATOM   1389  NH1 ARG A 170     107.711  45.195  13.818  1.00 43.46           N
ATOM   1390  NH2 ARG A 170     106.386  46.405  12.366  1.00 48.54           N
ATOM   1391  C   ARG A 170     106.295  39.794  12.979  1.00 25.43           C
ATOM   1392  O   ARG A 170     105.658  39.670  11.938  1.00 26.10           O
ATOM   1393  N   ILE A 171     107.628  39.687  13.008  1.00 22.73           N
ATOM   1394  CA  ILE A 171     108.357  39.356  11.786  1.00 22.29           C
ATOM   1395  CB  ILE A 171     109.877  39.514  11.963  1.00 20.69           C
ATOM   1396  CG1 ILE A 171     110.223  40.994  12.215  1.00 20.55           C
ATOM   1397  CD1 ILE A 171     111.587  41.116  12.878  1.00 24.73           C
ATOM   1398  CG2 ILE A 171     110.649  39.013  10.625  1.00 17.15           C
ATOM   1399  C   ILE A 171     108.092  37.925  11.224  1.00 24.02           C
ATOM   1400  O   ILE A 171     107.930  37.775  10.032  1.00 22.47           O
ATOM   1401  N   LYS A 172     108.210  36.894  12.073  1.00 26.04           N
ATOM   1402  CA  LYS A 172     107.944  35.495  11.671  1.00 27.04           C
ATOM   1403  CB  LYS A 172     108.159  34.558  12.842  1.00 26.24           C
```

```
ATOM   1404  CG  LYS A 172     109.602  34.325  13.140  1.00 30.50           C
ATOM   1405  CD  LYS A 172     109.812  33.378  14.336  1.00 34.18           C
ATOM   1406  CE  LYS A 172     109.383  33.989  15.642  1.00 34.48           C
ATOM   1407  NZ  LYS A 172     110.181  33.278  16.690  1.00 34.27           N
ATOM   1408  C   LYS A 172     106.510  35.365  11.131  1.00 27.01           C
ATOM   1409  O   LYS A 172     106.262  34.685  10.141  1.00 28.03           O
ATOM   1410  N   THR A 173     105.565  36.060  11.743  1.00 29.93           N
ATOM   1411  CA  THR A 173     104.151  36.102  11.217  1.00 30.29           C
ATOM   1412  CB  THR A 173     103.260  36.717  12.246  1.00 31.89           C
ATOM   1413  OG1 THR A 173     103.316  35.832  13.368  1.00 33.85           O
ATOM   1414  CG2 THR A 173     101.752  36.862  11.757  1.00 31.43           C
ATOM   1415  C   THR A 173     104.004  36.764   9.840  1.00 30.75           C
ATOM   1416  O   THR A 173     103.257  36.293   8.986  1.00 30.39           O
ATOM   1417  N   ARG A 174     104.784  37.817   9.583  1.00 30.40           N
ATOM   1418  CA  ARG A 174     104.700  38.466   8.324  1.00 28.17           C
ATOM   1419  CB  ARG A 174     105.447  39.811   8.340  1.00 29.56           C
ATOM   1420  CG  ARG A 174     105.689  40.402   6.958  1.00 30.31           C
ATOM   1421  CD  ARG A 174     104.403  41.001   6.402  1.00 37.43           C
ATOM   1422  NE  ARG A 174     104.725  41.826   5.245  1.00 35.70           N
ATOM   1423  CZ  ARG A 174     103.943  42.058   4.186  1.00 41.01           C
ATOM   1424  NH1 ARG A 174     102.730  41.533   4.072  1.00 40.42           N
ATOM   1425  NH2 ARG A 174     104.392  42.854   3.219  1.00 39.63           N
ATOM   1426  C   ARG A 174     105.223  37.586   7.221  1.00 26.53           C
ATOM   1427  O   ARG A 174     104.617  37.512   6.216  1.00 25.92           O
ATOM   1428  N   LEU A 175     106.377  36.942   7.408  1.00 26.25           N
ATOM   1429  CA  LEU A 175     106.986  36.062   6.409  1.00 24.97           C
ATOM   1430  CB  LEU A 175     108.353  35.565   6.936  1.00 23.61           C
ATOM   1431  CG  LEU A 175     109.369  36.726   7.147  1.00 24.02           C
ATOM   1432  CD1 LEU A 175     110.717  36.198   7.619  1.00 21.67           C
ATOM   1433  CD2 LEU A 175     109.528  37.491   5.821  1.00 16.97           C
ATOM   1434  C   LEU A 175     106.039  34.849   6.077  1.00 25.23           C
ATOM   1435  O   LEU A 175     105.838  34.478   4.885  1.00 22.05           O
ATOM   1436  N   PHE A 176     105.467  34.329   7.125  1.00 25.41           N
ATOM   1437  CA  PHE A 176     104.505  33.154   7.078  1.00 28.69           C
ATOM   1438  CB  PHE A 176     104.077  32.744   8.510  1.00 28.11           C
ATOM   1439  CG  PHE A 176     103.256  31.438   8.550  1.00 32.78           C
ATOM   1440  CD1 PHE A 176     103.901  30.210   8.560  1.00 34.00           C
ATOM   1441  CE1 PHE A 176     103.144  28.991   8.607  1.00 38.40           C
ATOM   1442  CZ  PHE A 176     101.757  29.043   8.620  1.00 35.28           C
ATOM   1443  CE2 PHE A 176     101.095  30.272   8.627  1.00 36.37           C
ATOM   1444  CD2 PHE A 176     101.857  31.471   8.598  1.00 31.25           C
ATOM   1445  C   PHE A 176     103.309  33.559   6.232  1.00 27.87           C
ATOM   1446  O   PHE A 176     102.995  32.929   5.255  1.00 29.43           O
ATOM   1447  N   THR A 177     102.720  34.703   6.523  1.00 30.69           N
ATOM   1448  CA  THR A 177     101.618  35.269   5.710  1.00 30.39           C
ATOM   1449  CB  THR A 177     101.209  36.530   6.331  1.00 31.43           C
ATOM   1450  OG1 THR A 177     101.167  36.272   7.727  1.00 38.77           O
ATOM   1451  CG2 THR A 177      99.780  37.023   5.913  1.00 31.72           C
ATOM   1452  C   THR A 177     102.021  35.506   4.257  1.00 30.26           C
ATOM   1453  O   THR A 177     101.218  35.221   3.347  1.00 31.11           O
ATOM   1454  N   ILE A 178     103.254  35.951   3.992  1.00 27.30           N
ATOM   1455  CA  ILE A 178     103.698  36.128   2.561  1.00 25.45           C
ATOM   1456  CB  ILE A 178     105.101  36.843   2.401  1.00 23.58           C
ATOM   1457  CG1 ILE A 178     105.036  38.269   2.985  1.00 25.77           C
ATOM   1458  CD1 ILE A 178     106.506  38.868   3.316  1.00 23.14           C
ATOM   1459  CG2 ILE A 178     105.652  36.759   0.910  1.00 19.72           C
ATOM   1460  C   ILE A 178     103.831  34.824   1.794  1.00 26.04           C
ATOM   1461  O   ILE A 178     103.546  34.773   0.598  1.00 26.19           O
ATOM   1462  N   ARG A 179     104.374  33.800   2.436  1.00 25.98           N
ATOM   1463  CA  ARG A 179     104.498  32.508   1.824  1.00 27.03           C
ATOM   1464  CB  ARG A 179     105.217  31.554   2.765  1.00 26.80           C
ATOM   1465  CG  ARG A 179     105.288  30.121   2.260  1.00 27.93           C
ATOM   1466  CD  ARG A 179     105.910  29.169   3.249  1.00 32.90           C
```

```
ATOM   1467  NE  ARG A 179     105.117  29.142   4.463  1.00 44.55           N
ATOM   1468  CZ  ARG A 179     104.068  28.335   4.659  1.00 45.92           C
ATOM   1469  NH1 ARG A 179     103.690  27.477   3.711  1.00 43.01           N
ATOM   1470  NH2 ARG A 179     103.392  28.411   5.794  1.00 44.90           N
ATOM   1471  C   ARG A 179     103.091  31.921   1.556  1.00 29.37           C
ATOM   1472  O   ARG A 179     102.828  31.432   0.429  1.00 28.76           O
ATOM   1473  N   GLN A 180     102.213  31.937   2.576  1.00 29.72           N
ATOM   1474  CA  GLN A 180     100.786  31.496   2.340  1.00 33.09           C
ATOM   1475  CB  GLN A 180      99.884  31.807   3.496  1.00 31.60           C
ATOM   1476  CG  GLN A 180      99.988  30.864   4.596  1.00 38.26           C
ATOM   1477  CD  GLN A 180      99.076  31.268   5.703  1.00 44.59           C
ATOM   1478  OE1 GLN A 180      99.076  32.430   6.120  1.00 45.64           O
ATOM   1479  NE2 GLN A 180      98.244  30.333   6.164  1.00 45.94           N
ATOM   1480  C   GLN A 180     100.189  32.226   1.136  1.00 33.43           C
ATOM   1481  O   GLN A 180      99.525  31.619   0.324  1.00 35.33           O
ATOM   1482  N   GLU A 181     100.398  33.542   1.038  1.00 33.86           N
ATOM   1483  CA  GLU A 181      99.844  34.326  -0.061  1.00 32.37           C
ATOM   1484  CB  GLU A 181     100.030  35.836   0.174  1.00 34.20           C
ATOM   1485  CG  GLU A 181      99.071  36.445   1.211  1.00 39.61           C
ATOM   1486  CD  GLU A 181      97.556  36.514   0.781  1.00 47.38           C
ATOM   1487  OE1 GLU A 181      97.189  36.466  -0.439  1.00 49.01           O
ATOM   1488  OE2 GLU A 181      96.703  36.659   1.706  1.00 52.25           O
ATOM   1489  C   GLU A 181     100.425  33.870  -1.386  1.00 31.75           C
ATOM   1490  O   GLU A 181      99.660  33.574  -2.336  1.00 30.87           O
ATOM   1491  N   MET A 182     101.754  33.723  -1.448  1.00 29.72           N
ATOM   1492  CA  MET A 182     102.383  33.124  -2.637  1.00 28.02           C
ATOM   1493  CB  MET A 182     103.892  32.991  -2.427  1.00 27.79           C
ATOM   1494  CG  MET A 182     104.633  34.344  -2.260  1.00 29.70           C
ATOM   1495  SD  MET A 182     106.417  34.208  -2.460  1.00 29.37           S
ATOM   1496  CE  MET A 182     106.663  33.894  -4.197  1.00 36.51           C
ATOM   1497  C   MET A 182     101.819  31.722  -2.981  1.00 26.97           C
ATOM   1498  O   MET A 182     101.676  31.353  -4.157  1.00 24.81           O
ATOM   1499  N   ALA A 183     101.626  30.914  -1.967  1.00 26.40           N
ATOM   1500  CA  ALA A 183     101.298  29.487  -2.171  1.00 28.90           C
ATOM   1501  CB  ALA A 183     101.454  28.606  -0.815  1.00 27.54           C
ATOM   1502  C   ALA A 183      99.868  29.428  -2.749  1.00 30.70           C
ATOM   1503  O   ALA A 183      99.632  28.742  -3.748  1.00 33.28           O
ATOM   1504  N   SER A 184      98.967  30.212  -2.178  1.00 31.25           N
ATOM   1505  CA  SER A 184      97.610  30.432  -2.739  1.00 31.98           C
ATOM   1506  CB  SER A 184      96.876  31.462  -1.907  1.00 31.89           C
ATOM   1507  OG  SER A 184      96.797  30.826  -0.617  1.00 35.96           O
ATOM   1508  C   SER A 184      97.563  30.745  -4.221  1.00 31.47           C
ATOM   1509  O   SER A 184      96.784  30.128  -4.988  1.00 29.22           O
ATOM   1510  N   ARG A 185      98.491  31.588  -4.658  1.00 31.19           N
ATOM   1511  CA  ARG A 185      98.608  31.897  -6.085  1.00 31.27           C
ATOM   1512  CB  ARG A 185      99.111  33.334  -6.291  1.00 32.55           C
ATOM   1513  CG  ARG A 185      98.169  34.391  -5.760  1.00 29.13           C
ATOM   1514  CD  ARG A 185      98.996  35.668  -5.456  1.00 27.62           C
ATOM   1515  NE  ARG A 185      98.198  36.845  -5.103  1.00 24.61           N
ATOM   1516  CZ  ARG A 185      97.702  37.075  -3.886  1.00 29.07           C
ATOM   1517  NH1 ARG A 185      97.901  36.222  -2.922  1.00 24.68           N
ATOM   1518  NH2 ARG A 185      97.002  38.179  -3.619  1.00 32.34           N
ATOM   1519  C   ARG A 185      99.554  30.935  -6.764  1.00 31.46           C
ATOM   1520  O   ARG A 185      99.934  31.156  -7.904  1.00 33.55           O
ATOM   1521  N   SER A 186      99.936  29.850  -6.100  1.00 31.68           N
ATOM   1522  CA  SER A 186     100.956  28.920  -6.680  1.00 32.13           C
ATOM   1523  CB  SER A 186     100.287  27.806  -7.480  1.00 32.50           C
ATOM   1524  OG  SER A 186     100.162  28.137  -8.820  1.00 38.14           O
ATOM   1525  C   SER A 186     102.269  29.583  -7.301  1.00 32.44           C
ATOM   1526  O   SER A 186     102.794  29.286  -8.441  1.00 30.76           O
ATOM   1527  N   LEU A 187     102.813  30.479  -6.485  1.00 31.52           N
ATOM   1528  CA  LEU A 187     103.988  31.198  -6.814  1.00 32.49           C
ATOM   1529  CB  LEU A 187     103.760  32.704  -6.634  1.00 31.67           C
```

```
ATOM   1530  CG  LEU A 187     102.934  33.440  -7.724  1.00 34.94           C
ATOM   1531  CD1 LEU A 187     102.652  34.952  -7.322  1.00 34.90           C
ATOM   1532  CD2 LEU A 187     103.593  33.337  -9.078  1.00 34.12           C
ATOM   1533  C   LEU A 187     105.110  30.753  -5.930  1.00 32.67           C
ATOM   1534  O   LEU A 187     106.272  31.115  -6.181  1.00 32.59           O
ATOM   1535  N   TRP A 188     104.770  29.948  -4.926  1.00 31.57           N
ATOM   1536  CA  TRP A 188     105.672  29.686  -3.860  1.00 33.33           C
ATOM   1537  CB  TRP A 188     104.935  29.227  -2.575  1.00 32.39           C
ATOM   1538  CG  TRP A 188     105.893  28.718  -1.582  1.00 33.07           C
ATOM   1539  CD1 TRP A 188     106.086  27.410  -1.226  1.00 35.84           C
ATOM   1540  NE1 TRP A 188     107.081  27.299  -0.286  1.00 31.40           N
ATOM   1541  CE2 TRP A 188     107.583  28.545  -0.011  1.00 32.33           C
ATOM   1542  CD2 TRP A 188     106.849  29.482  -0.820  1.00 32.66           C
ATOM   1543  CE3 TRP A 188     107.160  30.862  -0.725  1.00 30.49           C
ATOM   1544  CZ3 TRP A 188     108.189  31.262   0.175  1.00 23.09           C
ATOM   1545  CH2 TRP A 188     108.904  30.308   0.949  1.00 28.37           C
ATOM   1546  CZ2 TRP A 188     108.601  28.941   0.886  1.00 26.38           C
ATOM   1547  C   TRP A 188     106.777  28.710  -4.257  1.00 33.89           C
ATOM   1548  O   TRP A 188     107.960  28.953  -4.003  1.00 33.34           O
ATOM   1549  N   ASP A 189     106.398  27.610  -4.889  1.00 34.35           N
ATOM   1550  CA  ASP A 189     107.384  26.648  -5.317  1.00 34.70           C
ATOM   1551  CB  ASP A 189     106.643  25.448  -5.915  1.00 36.28           C
ATOM   1552  CG  ASP A 189     107.547  24.255  -6.183  1.00 43.70           C
ATOM   1553  OD1 ASP A 189     108.521  23.999  -5.400  1.00 48.58           O
ATOM   1554  OD2 ASP A 189     107.273  23.560  -7.213  1.00 51.52           O
ATOM   1555  C   ASP A 189     108.442  27.253  -6.285  1.00 35.16           C
ATOM   1556  O   ASP A 189     109.611  26.867  -6.264  1.00 35.34           O
ATOM   1557  N   SER A 190     108.043  28.161  -7.168  1.00 34.10           N
ATOM   1558  CA  SER A 190     109.005  28.833  -8.018  1.00 34.32           C
ATOM   1559  CB  SER A 190     108.278  29.654  -9.058  1.00 33.89           C
ATOM   1560  OG  SER A 190     109.280  30.065  -9.990  1.00 41.67           O
ATOM   1561  C   SER A 190     109.971  29.771  -7.237  1.00 33.71           C
ATOM   1562  O   SER A 190     111.170  29.851  -7.500  1.00 33.55           O
ATOM   1563  N   PHE A 191     109.429  30.490  -6.278  1.00 33.61           N
ATOM   1564  CA  PHE A 191     110.246  31.346  -5.409  1.00 33.24           C
ATOM   1565  CB  PHE A 191     109.323  32.260  -4.637  1.00 30.51           C
ATOM   1566  CG  PHE A 191     110.012  33.216  -3.692  1.00 24.21           C
ATOM   1567  CD1 PHE A 191     110.874  34.201  -4.165  1.00 27.54           C
ATOM   1568  CE1 PHE A 191     111.429  35.157  -3.278  1.00 26.58           C
ATOM   1569  CZ  PHE A 191     111.150  35.091  -1.901  1.00 22.84           C
ATOM   1570  CE2 PHE A 191     110.268  34.130  -1.439  1.00 27.35           C
ATOM   1571  CD2 PHE A 191     109.722  33.185  -2.360  1.00 21.84           C
ATOM   1572  C   PHE A 191     111.122  30.528  -4.454  1.00 34.72           C
ATOM   1573  O   PHE A 191     112.264  30.884  -4.212  1.00 34.69           O
ATOM   1574  N   ARG A 192     110.581  29.462  -3.862  1.00 37.55           N
ATOM   1575  CA  ARG A 192     111.446  28.585  -3.085  1.00 39.47           C
ATOM   1576  CB  ARG A 192     110.653  27.506  -2.313  1.00 40.04           C
ATOM   1577  CG  ARG A 192     111.539  26.596  -1.374  1.00 43.76           C
ATOM   1578  CD  ARG A 192     110.760  25.562  -0.517  1.00 44.57           C
ATOM   1579  NE  ARG A 192     109.696  24.935  -1.286  1.00 51.11           N
ATOM   1580  CZ  ARG A 192     109.851  24.024  -2.255  1.00 52.22           C
ATOM   1581  NH1 ARG A 192     111.055  23.557  -2.583  1.00 53.29           N
ATOM   1582  NH2 ARG A 192     108.777  23.579  -2.897  1.00 52.31           N
ATOM   1583  C   ARG A 192     112.573  28.025  -3.965  1.00 40.71           C
ATOM   1584  O   ARG A 192     113.765  28.151  -3.596  1.00 41.21           O
ATOM   1585  N   GLN A 193     112.244  27.501  -5.151  1.00 41.42           N
ATOM   1586  CA  GLN A 193     113.278  26.837  -5.989  1.00 41.77           C
ATOM   1587  CB  GLN A 193     112.681  26.081  -7.152  1.00 41.08           C
ATOM   1588  CG  GLN A 193     111.610  25.146  -6.682  1.00 46.62           C
ATOM   1589  CD  GLN A 193     112.115  23.826  -6.160  1.00 52.45           C
ATOM   1590  OE1 GLN A 193     113.110  23.758  -5.408  1.00 55.27           O
ATOM   1591  NE2 GLN A 193     111.411  22.745  -6.537  1.00 53.32           N
ATOM   1592  C   GLN A 193     114.399  27.698  -6.519  1.00 41.51           C
```

```
ATOM   1593  O   GLN A 193     115.491  27.185  -6.745  1.00 40.65           O
ATOM   1594  N   SER A 194     114.130  28.981  -6.739  1.00 41.28           N
ATOM   1595  CA  SER A 194     115.136  29.862  -7.274  1.00 42.17           C
ATOM   1596  CB  SER A 194     114.482  31.132  -7.846  1.00 42.35           C
ATOM   1597  OG  SER A 194     113.938  31.877  -6.778  1.00 42.42           O
ATOM   1598  C   SER A 194     116.207  30.223  -6.202  1.00 42.12           C
ATOM   1599  O   SER A 194     117.230  30.768  -6.528  1.00 41.95           O
ATOM   1600  N   GLU A 195     115.983  29.933  -4.926  1.00 43.28           N
ATOM   1601  CA  GLU A 195     117.016  30.275  -3.927  1.00 44.25           C
ATOM   1602  CB  GLU A 195     116.525  30.078  -2.478  1.00 43.64           C
ATOM   1603  CG  GLU A 195     117.634  30.320  -1.461  1.00 44.63           C
ATOM   1604  CD  GLU A 195     117.166  30.739  -0.095  1.00 44.42           C
ATOM   1605  OE1 GLU A 195     117.981  30.661   0.829  1.00 41.25           O
ATOM   1606  OE2 GLU A 195     116.000  31.174   0.068  1.00 46.92           O
ATOM   1607  C   GLU A 195     118.368  29.554  -4.156  1.00 44.00           C
ATOM   1608  O   GLU A 195     118.374  28.347  -4.469  1.00 45.08           O
ATOM   1609  MN   MN A 901     121.549  40.494   5.133  1.00 44.36          MN
ATOM   1610  MG   MG A 902     122.916  43.816   3.714  1.00 40.56          MG
ATOM   6389  OH2 WAT A 901     122.045  42.811  18.783  1.00 26.44      A    O
ATOM   6392  OH2 WAT A 902     119.887  38.331  17.323  1.00 26.18      A    O
ATOM   6394  OH2 WAT A 903     110.707  45.442  15.972  1.00 27.34      A    O
ATOM   6395  OH2 WAT A 904     123.764  46.193   3.887  1.00 25.43      A    O
ATOM   6396  OH2 WAT A 904     118.775  46.035  -1.122  1.00 33.31      A    O
ATOM   6397  OH2 WAT A 905     118.343  33.451   0.684  1.00 39.92      A    O
ATOM   6399  OH2 WAT A 906     127.719  38.320  18.733  1.00 33.07      A    O
ATOM   6400  OH2 WAT A 907     101.260  28.674   4.136  1.00 44.78      A    O
ATOM   6402  OH2 WAT A 908     108.131  51.963  -7.683  1.00 40.55      A    O
ATOM   6403  OH2 WAT A 909     120.504  30.149   0.243  1.00 35.40      A    O
ATOM   6404  OH2 WAT A 910     119.491  54.349  10.527  1.00 25.13      A    O
ATOM   6405  OH2 WAT A 911     112.965  34.751  24.069  1.00 47.07      A    O
ATOM   6406  OH2 WAT A 912     120.559  43.926  -6.265  1.00 43.93      A    O
ATOM   6407  OH2 WAT A 913     126.036  24.176   3.064  1.00 49.41      A    O
ATOM   6408  OH2 WAT A 914     117.926  41.407 -15.080  1.00 48.12      A    O
ATOM   6409  OH2 WAT A 915     125.405  36.981  22.518  1.00 43.66      A    O
ATOM   6410  OH2 WAT A 916     124.778  42.688   4.758  1.00 29.14      A    O
ATOM   6411  OH2 WAT A 917     104.308  44.947 -12.185  1.00 56.88      A    O
ATOM   6412  OH2 WAT A 918     107.575  32.972  -8.947  1.00 64.71      A    O
ATOM   6413  OH2 WAT A 919     119.018  43.026  23.298  1.00 44.05      A    O
ATOM   6415  OH2 WAT A 920     125.055  50.783  24.110  1.00 45.48      A    O
END
```

Figure 2: H1N1 polypeptide fragment (Chain A) with bound EMBL-R05-3

```
HEADER    ----                                      XX-XXX-9-    xxxx
COMPND    ---
REMARK   3
REMARK   3 REFINEMENT.
REMARK   3   PROGRAM     : REFMAC 5.5.0102
REMARK   3   AUTHORS     : MURSHUDOV,VAGIN,DODSON
REMARK   3
REMARK   3    REFINEMENT TARGET : MAXIMUM LIKELIHOOD
REMARK   3
REMARK   3  DATA USED IN REFINEMENT.
REMARK   3   RESOLUTION RANGE HIGH (ANGSTROMS) :   2.50
REMARK   3   RESOLUTION RANGE LOW  (ANGSTROMS) :  89.10
REMARK   3   DATA CUTOFF            (SIGMA(F)) : NONE
REMARK   3   COMPLETENESS FOR RANGE        (%) :  99.04
REMARK   3   NUMBER OF REFLECTIONS             :   28997
REMARK   3
REMARK   3  FIT TO DATA USED IN REFINEMENT.
REMARK   3   CROSS-VALIDATION METHOD           : THROUGHOUT
REMARK   3   FREE R VALUE TEST SET SELECTION   : RANDOM
REMARK   3   R VALUE     (WORKING + TEST SET) : 0.20822
REMARK   3   R VALUE            (WORKING SET) :  0.20459
REMARK   3   FREE R VALUE                      :  0.27625
REMARK   3   FREE R VALUE TEST SET SIZE   (%) :  5.1
REMARK   3   FREE R VALUE TEST SET COUNT       :  1545
REMARK   3
REMARK   3  FIT IN THE HIGHEST RESOLUTION BIN.
REMARK   3   TOTAL NUMBER OF BINS USED           :      20
REMARK   3   BIN RESOLUTION RANGE HIGH           :   2.502
REMARK   3   BIN RESOLUTION RANGE LOW            :   2.567
REMARK   3   REFLECTION IN BIN     (WORKING SET) :    1968
REMARK   3   BIN COMPLETENESS (WORKING+TEST) (%) :   93.65
REMARK   3   BIN R VALUE           (WORKING SET) :   0.268
REMARK   3   BIN FREE R VALUE SET COUNT          :     113
REMARK   3   BIN FREE R VALUE                    :   0.378
REMARK   3
REMARK   3  NUMBER OF NON-HYDROGEN ATOMS USED IN REFINEMENT.
REMARK   3   ALL ATOMS                 :     6523
REMARK   3
REMARK   3  B VALUES.
REMARK   3   FROM WILSON PLOT           (A**2) : NULL
REMARK   3   MEAN B VALUE      (OVERALL, A**2) :  29.083
REMARK   3   OVERALL ANISOTROPIC B VALUE.
REMARK   3    B11 (A**2) :    0.24
REMARK   3    B22 (A**2) :   -0.24
REMARK   3    B33 (A**2) :    0.00
REMARK   3    B12 (A**2) :    0.00
REMARK   3    B13 (A**2) :    0.00
REMARK   3    B23 (A**2) :    0.00
REMARK   3
REMARK   3  ESTIMATED OVERALL COORDINATE ERROR.
REMARK   3   ESU BASED ON R VALUE                                (A):   0.783
REMARK   3   ESU BASED ON FREE R VALUE                           (A):   0.335
REMARK   3   ESU BASED ON MAXIMUM LIKELIHOOD                     (A):   0.240
REMARK   3   ESU FOR B VALUES BASED ON MAXIMUM LIKELIHOOD (A**2):  23.556
REMARK   3
REMARK   3 CORRELATION COEFFICIENTS.
REMARK   3   CORRELATION COEFFICIENT FO-FC      :   0.937
REMARK   3   CORRELATION COEFFICIENT FO-FC FREE :   0.891
REMARK   3
```

```
REMARK   3  RMS DEVIATIONS FROM IDEAL VALUES          COUNT    RMS     WEIGHT
REMARK   3   BOND LENGTHS REFINED ATOMS        (A):  6520 ; 0.016 ; 0.022
REMARK   3   BOND LENGTHS OTHERS               (A):  4574 ; 0.001 ; 0.020
REMARK   3   BOND ANGLES REFINED ATOMS   (DEGREES):  8769 ; 1.513 ; 1.974
REMARK   3   BOND ANGLES OTHERS          (DEGREES): 11027 ; 0.893 ; 3.000
REMARK   3   TORSION ANGLES, PERIOD 1    (DEGREES):   741 ; 6.052 ; 5.000
REMARK   3   TORSION ANGLES, PERIOD 2    (DEGREES):   332 ;35.152 ;23.373
REMARK   3   TORSION ANGLES, PERIOD 3    (DEGREES):  1193 ;19.051 ;15.000
REMARK   3   TORSION ANGLES, PERIOD 4    (DEGREES):    55 ;19.093 ;15.000
REMARK   3   CHIRAL-CENTER RESTRAINTS       (A**3):   920 ; 0.086 ; 0.200
REMARK   3   GENERAL PLANES REFINED ATOMS      (A):  7058 ; 0.006 ; 0.020
REMARK   3   GENERAL PLANES OTHERS             (A):  1441 ; 0.001 ; 0.020
REMARK   3
REMARK   3  ISOTROPIC THERMAL FACTOR RESTRAINTS.      COUNT   RMS     WEIGHT
REMARK   3   MAIN-CHAIN BOND REFINED ATOMS  (A**2):  3740 ; 0.632 ; 1.500
REMARK   3   MAIN-CHAIN BOND OTHER ATOMS    (A**2):  1503 ; 0.123 ; 1.500
REMARK   3   MAIN-CHAIN ANGLE REFINED ATOMS (A**2):  6055 ; 1.173 ; 2.000
REMARK   3   SIDE-CHAIN BOND REFINED ATOMS  (A**2):  2780 ; 1.839 ; 3.000
REMARK   3   SIDE-CHAIN ANGLE REFINED ATOMS (A**2):  2714 ; 2.962 ; 4.500
REMARK   3
REMARK   3  NCS RESTRAINTS STATISTICS
REMARK   3   NUMBER OF NCS GROUPS : NULL
REMARK   3
REMARK   3  TWIN DETAILS
REMARK   3   NUMBER OF TWIN DOMAINS  : NULL
REMARK   3
REMARK   3
REMARK   3  TLS DETAILS
REMARK   3   NUMBER OF TLS GROUPS  :    4
REMARK   3   ATOM RECORD CONTAINS SUM OF TLS AND RESIDUAL B FACTORS
REMARK   3
REMARK   3   TLS GROUP :      1
REMARK   3    NUMBER OF COMPONENTS GROUP :    4
REMARK   3    COMPONENTS        C SSSEQI   TO  C SSSEQI
REMARK   3    RESIDUE RANGE :   A    -2        A   194
REMARK   3    RESIDUE RANGE :   A   901        A   902
REMARK   3    RESIDUE RANGE :   A   401        A   404
REMARK   3    RESIDUE RANGE :   A   801        A   801
REMARK   3    ORIGIN FOR THE GROUP (A): -18.7820 -18.3467  15.6409
REMARK   3    T TENSOR
REMARK   3      T11:   0.0626 T22:   0.0601
REMARK   3      T33:   0.0370 T12:   0.0477
REMARK   3      T13:   0.0061 T23:  -0.0096
REMARK   3    L TENSOR
REMARK   3      L11:   3.8491 L22:   3.1615
REMARK   3      L33:   2.2199 L12:   0.4794
REMARK   3      L13:   0.2562 L23:  -0.2521
REMARK   3    S TENSOR
REMARK   3      S11:   0.0271 S12:  -0.0426 S13:   0.3012
REMARK   3      S21:   0.1037 S22:   0.0068 S23:   0.2311
REMARK   3      S31:  -0.2046 S32:   0.0173 S33:  -0.0339
REMARK   3
REMARK   3   TLS GROUP :      2
REMARK   3    NUMBER OF COMPONENTS GROUP :    4
REMARK   3    COMPONENTS        C SSSEQI   TO  C SSSEQI
REMARK   3    RESIDUE RANGE :   B    -2        B   193
REMARK   3    RESIDUE RANGE :   B   901        B   902
REMARK   3    RESIDUE RANGE :   B   401        B   404
REMARK   3    RESIDUE RANGE :   B   801        B   801
REMARK   3    ORIGIN FOR THE GROUP (A):  -9.5592 -43.9684  15.4406
REMARK   3    T TENSOR
REMARK   3      T11:   0.0655 T22:   0.0616
REMARK   3      T33:   0.0284 T12:   0.0424
```

```
REMARK   3      T13:  -0.0096 T23:   0.0116
REMARK   3     L TENSOR
REMARK   3      L11:   3.5209 L22:   2.7524
REMARK   3      L33:   2.1675 L12:   0.0213
REMARK   3      L13:  -0.8001 L23:   0.2855
REMARK   3     S TENSOR
REMARK   3      S11:   0.0173 S12:  -0.0992 S13:  -0.2131
REMARK   3      S21:   0.1239 S22:  -0.0222 S23:  -0.2049
REMARK   3      S31:   0.2223 S32:  -0.0015 S33:   0.0049
REMARK   3
REMARK   3   TLS GROUP :      3
REMARK   3    NUMBER OF COMPONENTS GROUP :     4
REMARK   3    COMPONENTS         C SSSEQI    TO  C SSSEQI
REMARK   3    RESIDUE RANGE :    C     0         C   195
REMARK   3    RESIDUE RANGE :    C   901         C   902
REMARK   3    RESIDUE RANGE :    C   401         C   403
REMARK   3    RESIDUE RANGE :    C   801         C   801
REMARK   3    ORIGIN FOR THE GROUP (A):  -4.3952 -15.1378  52.3445
REMARK   3    T TENSOR
REMARK   3      T11:   0.0906 T22:   0.0725
REMARK   3      T33:   0.0515 T12:  -0.0225
REMARK   3      T13:  -0.0351 T23:  -0.0026
REMARK   3    L TENSOR
REMARK   3      L11:   3.4910 L22:   2.7740
REMARK   3      L33:   2.4480 L12:   1.0609
REMARK   3      L13:  -0.2109 L23:  -1.3961
REMARK   3    S TENSOR
REMARK   3      S11:  -0.0152 S12:   0.1383 S13:  -0.1047
REMARK   3      S21:  -0.2065 S22:  -0.0565 S23:  -0.0793
REMARK   3      S31:   0.1206 S32:   0.1449 S33:   0.0717
REMARK   3
REMARK   3   TLS GROUP :      4
REMARK   3    NUMBER OF COMPONENTS GROUP :     4
REMARK   3    COMPONENTS         C SSSEQI    TO  C SSSEQI
REMARK   3    RESIDUE RANGE :    D     0         D   195
REMARK   3    RESIDUE RANGE :    D   901         D   902
REMARK   3    RESIDUE RANGE :    D   401         D   403
REMARK   3    RESIDUE RANGE :    D   801         D   801
REMARK   3    ORIGIN FOR THE GROUP (A): -21.2945 -45.7592  51.4140
REMARK   3    T TENSOR
REMARK   3      T11:   0.1308 T22:   0.1190
REMARK   3      T33:   0.0216 T12:  -0.0416
REMARK   3      T13:  -0.0097 T23:   0.0186
REMARK   3    L TENSOR
REMARK   3      L11:   3.6692 L22:   2.1484
REMARK   3      L33:   2.5225 L12:  -0.2058
REMARK   3      L13:  -0.3579 L23:   1.1039
REMARK   3    S TENSOR
REMARK   3      S11:   0.0541 S12:   0.3685 S13:  -0.0165
REMARK   3      S21:  -0.1313 S22:  -0.0722 S23:   0.0569
REMARK   3      S31:   0.0558 S32:  -0.2205 S33:   0.0181
REMARK   3
REMARK   3
REMARK   3  BULK SOLVENT MODELLING.
REMARK   3   METHOD USED :  MASK
REMARK   3   PARAMETERS FOR MASK CALCULATION
REMARK   3   VDW PROBE RADIUS    :   1.40
REMARK   3   ION PROBE RADIUS    :   0.80
REMARK   3   SHRINKAGE RADIUS    :   0.80
REMARK   3
REMARK   3  OTHER REFINEMENT REMARKS:
REMARK   3  HYDROGENS HAVE BEEN ADDED IN THE RIDING POSITIONS
REMARK   3  U VALUES       : WITH TLS ADDED
```

```
REMARK   3
LINKR          GLU A  64                    LEU A  71                gap
LINKR          LYS A 137                    LYS A 142                gap
LINKR          GLU B  64                    LEU B  71                gap
LINKR          PHE D  51                    LEU D  72                gap
CRYST1   54.570  122.540  129.780  90.00  90.00  90.00 P 21 21 21
SCALE1      0.018325  0.000000  0.000000        0.00000
SCALE2      0.000000  0.008161  0.000000        0.00000
SCALE3      0.000000  0.000000  0.007705        0.00000
ATOM      1  N   GLY A  -2     -38.519 -32.846  21.771  1.00 50.75      A    N
ATOM      2  CA  GLY A  -2     -37.114 -32.422  21.506  1.00 47.67      A    C
ATOM      3  C   GLY A  -2     -36.272 -33.439  20.743  1.00 46.67      A    C
ATOM      4  O   GLY A  -2     -35.234 -33.069  20.155  1.00 45.44      A    O
ATOM      5  N   MET A  -1     -36.681 -34.712  20.738  1.00 47.85      A    N
ATOM      6  CA  MET A  -1     -35.956 -35.754  19.979  1.00 46.83      A    C
ATOM      7  CB  MET A  -1     -36.686 -37.113  20.044  1.00 49.48      A    C
ATOM      8  C   MET A  -1     -35.726 -35.349  18.511  1.00 44.43      A    C
ATOM      9  O   MET A  -1     -34.666 -35.599  17.955  1.00 43.39      A    O
ATOM     10  N   ALA A   0     -36.720 -34.719  17.900  1.00 44.28      A    N
ATOM     11  CA  ALA A   0     -36.655 -34.339  16.497  1.00 42.51      A    C
ATOM     12  CB  ALA A   0     -37.986 -33.694  16.075  1.00 43.78      A    C
ATOM     13  C   ALA A   0     -35.474 -33.389  16.265  1.00 39.35      A    C
ATOM     14  O   ALA A   0     -34.733 -33.539  15.297  1.00 38.08      A    O
ATOM     15  N   MET A   1     -35.292 -32.433  17.169  1.00 38.01      A    N
ATOM     16  CA  MET A   1     -34.191 -31.470  17.075  1.00 35.93      A    C
ATOM     17  CB  MET A   1     -34.381 -30.323  18.074  1.00 35.54      A    C
ATOM     18  CG  MET A   1     -33.244 -29.325  18.087  1.00 34.33      A    C
ATOM     19  SD  MET A   1     -33.022 -28.423  16.534  1.00 33.65      A    S
ATOM     20  CE  MET A   1     -33.808 -26.859  16.941  1.00 31.82      A    C
ATOM     21  C   MET A   1     -32.846 -32.119  17.336  1.00 34.49      A    C
ATOM     22  O   MET A   1     -31.846 -31.792  16.687  1.00 32.19      A    O
ATOM     23  N   GLU A   2     -32.812 -33.015  18.317  1.00 35.64      A    N
ATOM     24  CA  GLU A   2     -31.568 -33.679  18.636  1.00 34.77      A    C
ATOM     25  CB  GLU A   2     -31.717 -34.578  19.855  1.00 36.86      A    C
ATOM     26  CG  GLU A   2     -30.425 -34.762  20.606  1.00 37.45      A    C
ATOM     27  CD  GLU A   2     -30.412 -36.006  21.476  1.00 43.71      A    C
ATOM     28  OE1 GLU A   2     -31.509 -36.429  21.931  1.00 47.97      A    O
ATOM     29  OE2 GLU A   2     -29.299 -36.551  21.719  1.00 43.85      A    O
ATOM     30  C   GLU A   2     -31.147 -34.488  17.419  1.00 34.14      A    C
ATOM     31  O   GLU A   2     -29.985 -34.482  17.006  1.00 32.33      A    O
ATOM     32  N   ASP A   3     -32.100 -35.177  16.818  1.00 34.95      A    N
ATOM     33  CA  ASP A   3     -31.771 -35.929  15.636  1.00 34.86      A    C
ATOM     34  CB  ASP A   3     -32.951 -36.772  15.208  1.00 38.04      A    C
ATOM     35  CG  ASP A   3     -33.054 -38.043  16.010  1.00 42.67      A    C
ATOM     36  OD1 ASP A   3     -33.714 -38.974  15.522  1.00 48.58      A    O
ATOM     37  OD2 ASP A   3     -32.445 -38.125  17.107  1.00 45.54      A    O
ATOM     38  C   ASP A   3     -31.316 -34.990  14.532  1.00 31.91      A    C
ATOM     39  O   ASP A   3     -30.341 -35.265  13.839  1.00 30.97      A    O
ATOM     40  N   PHE A   4     -32.002 -33.866  14.402  1.00 29.93      A    N
ATOM     41  CA  PHE A   4     -31.671 -32.913  13.370  1.00 27.51      A    C
ATOM     42  CB  PHE A   4     -32.603 -31.719  13.404  1.00 26.94      A    C
ATOM     43  CG  PHE A   4     -32.205 -30.665  12.461  1.00 25.87      A    C
ATOM     44  CD1 PHE A   4     -32.405 -30.843  11.101  1.00 27.98      A    C
ATOM     45  CE1 PHE A   4     -31.974 -29.878  10.188  1.00 29.31      A    C
ATOM     46  CZ  PHE A   4     -31.333 -28.704  10.653  1.00 26.48      A    C
ATOM     47  CE2 PHE A   4     -31.116 -28.546  11.995  1.00 24.77      A    C
ATOM     48  CD2 PHE A   4     -31.549 -29.527  12.901  1.00 24.87      A    C
ATOM     49  C   PHE A   4     -30.251 -32.415  13.524  1.00 24.87      A    C
ATOM     50  O   PHE A   4     -29.479 -32.359  12.569  1.00 24.18      A    O
ATOM     51  N   VAL A   5     -29.915 -32.020  14.731  1.00 23.79      A    N
ATOM     52  CA  VAL A   5     -28.585 -31.554  14.998  1.00 21.57      A    C
ATOM     53  CB  VAL A   5     -28.420 -31.160  16.467  1.00 21.39      A    C
ATOM     54  CG1 VAL A   5     -26.932 -31.024  16.833  1.00 20.32      A    C
```

```
ATOM     55  CG2 VAL A   5     -29.181 -29.876  16.730  1.00 17.95      A    C
ATOM     56  C   VAL A   5     -27.576 -32.599  14.597  1.00 21.42      A    C
ATOM     57  O   VAL A   5     -26.613 -32.293  13.908  1.00 20.79      A    O
ATOM     58  N   ARG A   6     -27.802 -33.839  14.981  1.00 23.52      A    N
ATOM     59  CA  ARG A   6     -26.811 -34.885  14.715  1.00 24.60      A    C
ATOM     60  CB  ARG A   6     -27.158 -36.180  15.456  1.00 26.20      A    C
ATOM     61  CG  ARG A   6     -26.996 -35.977  16.943  1.00 26.38      A    C
ATOM     62  CD  ARG A   6     -27.362 -37.122  17.837  1.00 30.58      A    C
ATOM     63  NE  ARG A   6     -27.377 -36.649  19.238  1.00 33.78      A    N
ATOM     64  CZ  ARG A   6     -26.311 -36.377  20.015  1.00 33.11      A    C
ATOM     65  NH1 ARG A   6     -25.067 -36.568  19.606  1.00 31.54      A    N
ATOM     66  NH2 ARG A   6     -26.501 -35.918  21.251  1.00 34.64      A    N
ATOM     67  C   ARG A   6     -26.637 -35.086  13.226  1.00 25.83      A    C
ATOM     68  O   ARG A   6     -25.550 -35.332  12.782  1.00 26.84      A    O
ATOM     69  N   GLN A   7     -27.688 -34.913  12.440  1.00 27.44      A    N
ATOM     70  CA  GLN A   7     -27.585 -35.097  11.014  1.00 28.35      A    C
ATOM     71  CB  GLN A   7     -28.937 -35.504  10.426  1.00 30.34      A    C
ATOM     72  CG  GLN A   7     -29.292 -36.929  10.705  1.00 33.32      A    C
ATOM     73  CD  GLN A   7     -30.564 -37.407  10.001  1.00 36.08      A    C
ATOM     74  OE1 GLN A   7     -31.086 -36.771   9.079  1.00 33.80      A    O
ATOM     75  NE2 GLN A   7     -31.054 -38.562  10.441  1.00 38.66      A    N
ATOM     76  C   GLN A   7     -27.085 -33.861  10.297  1.00 27.47      A    C
ATOM     77  O   GLN A   7     -26.649 -33.939   9.153  1.00 29.12      A    O
ATOM     78  N   CYS A   8     -27.169 -32.707  10.931  1.00 25.80      A    N
ATOM     79  CA  CYS A   8     -26.876 -31.460  10.242  1.00 24.20      A    C
ATOM     80  CB  CYS A   8     -27.829 -30.402  10.771  1.00 24.13      A    C
ATOM     81  SG  CYS A   8     -27.679 -28.858  10.002  1.00 25.78      A    S
ATOM     82  C   CYS A   8     -25.417 -30.998  10.402  1.00 21.96      A    C
ATOM     83  O   CYS A   8     -24.829 -30.431   9.482  1.00 20.81      A    O
ATOM     84  N   PHE A   9     -24.837 -31.210  11.576  1.00 20.93      A    N
ATOM     85  CA  PHE A   9     -23.491 -30.717  11.835  1.00 19.41      A    C
ATOM     86  CB  PHE A   9     -23.416 -29.960  13.156  1.00 18.35      A    C
ATOM     87  CG  PHE A   9     -24.257 -28.764  13.175  1.00 17.85      A    C
ATOM     88  CD1 PHE A   9     -23.801 -27.582  12.635  1.00 18.20      A    C
ATOM     89  CE1 PHE A   9     -24.604 -26.492  12.606  1.00 17.55      A    C
ATOM     90  CZ  PHE A   9     -25.904 -26.553  13.103  1.00 15.93      A    C
ATOM     91  CE2 PHE A   9     -26.372 -27.703  13.609  1.00 16.98      A    C
ATOM     92  CD2 PHE A   9     -25.555 -28.820  13.641  1.00 19.53      A    C
ATOM     93  C   PHE A   9     -22.526 -31.860  11.827  1.00 20.11      A    C
ATOM     94  O   PHE A   9     -22.891 -32.984  12.129  1.00 22.44      A    O
ATOM     95  N   ASN A  10     -21.297 -31.556  11.425  1.00 19.59      A    N
ATOM     96  CA  ASN A  10     -20.165 -32.464  11.531  1.00 19.31      A    C
ATOM     97  CB  ASN A  10     -18.866 -31.678  11.312  1.00 18.53      A    C
ATOM     98  CG  ASN A  10     -17.725 -32.563  11.032  1.00 20.99      A    C
ATOM     99  OD1 ASN A  10     -17.170 -33.208  11.931  1.00 25.13      A    O
ATOM    100  ND2 ASN A  10     -17.353 -32.633   9.776  1.00 22.16      A    N
ATOM    101  C   ASN A  10     -20.111 -33.072  12.918  1.00 17.98      A    C
ATOM    102  O   ASN A  10     -20.383 -32.396  13.895  1.00 16.58      A    O
ATOM    103  N   PRO A  11     -19.758 -34.337  13.005  1.00 18.37      A    N
ATOM    104  CA  PRO A  11     -19.655 -34.938  14.315  1.00 19.57      A    C
ATOM    105  CB  PRO A  11     -19.239 -36.371  14.006  1.00 20.39      A    C
ATOM    106  CG  PRO A  11     -19.666 -36.594  12.648  1.00 20.94      A    C
ATOM    107  CD  PRO A  11     -19.656 -35.334  11.929  1.00 19.75      A    C
ATOM    108  C   PRO A  11     -18.625 -34.259  15.224  1.00 19.98      A    C
ATOM    109  O   PRO A  11     -18.788 -34.265  16.440  1.00 19.39      A    O
ATOM    110  N   MET A  12     -17.592 -33.656  14.626  1.00 20.46      A    N
ATOM    111  CA  MET A  12     -16.610 -32.943  15.400  1.00 20.47      A    C
ATOM    112  CB  MET A  12     -15.419 -32.504  14.542  1.00 20.73      A    C
ATOM    113  CG  MET A  12     -14.529 -33.634  14.064  1.00 24.64      A    C
ATOM    114  SD  MET A  12     -13.560 -33.183  12.568  1.00 32.34      A    S
ATOM    115  CE  MET A  12     -12.195 -32.490  13.401  1.00 30.42      A    C
ATOM    116  C   MET A  12     -17.276 -31.757  16.087  1.00 18.94      A    C
ATOM    117  O   MET A  12     -17.098 -31.579  17.289  1.00 19.31      A    O
```

```
ATOM    118  N   ILE A  13     -18.059 -30.970  15.346  1.00 17.39      A    N
ATOM    119  CA  ILE A  13     -18.776 -29.809  15.909  1.00 15.91      A    C
ATOM    120  CB  ILE A  13     -19.720 -29.184  14.906  1.00 16.36      A    C
ATOM    121  CG1 ILE A  13     -18.967 -28.565  13.733  1.00 16.97      A    C
ATOM    122  CD1 ILE A  13     -17.918 -27.616  14.160  1.00 19.34      A    C
ATOM    123  CG2 ILE A  13     -20.622 -28.130  15.569  1.00 14.69      A    C
ATOM    124  C   ILE A  13     -19.675 -30.251  17.064  1.00 16.26      A    C
ATOM    125  O   ILE A  13     -19.704 -29.615  18.131  1.00 15.30      A    O
ATOM    126  N   VAL A  14     -20.368 -31.360  16.834  1.00 16.18      A    N
ATOM    127  CA  VAL A  14     -21.317 -31.891  17.777  1.00 17.15      A    C
ATOM    128  CB  VAL A  14     -22.166 -32.995  17.123  1.00 18.61      A    C
ATOM    129  CG1 VAL A  14     -23.052 -33.625  18.133  1.00 20.90      A    C
ATOM    130  CG2 VAL A  14     -23.022 -32.419  15.921  1.00 17.70      A    C
ATOM    131  C   VAL A  14     -20.612 -32.385  19.039  1.00 18.00      A    C
ATOM    132  O   VAL A  14     -21.056 -32.099  20.145  1.00 18.86      A    O
ATOM    133  N   GLU A  15     -19.501 -33.105  18.899  1.00 18.33      A    N
ATOM    134  CA  GLU A  15     -18.707 -33.444  20.067  1.00 18.94      A    C
ATOM    135  CB  GLU A  15     -17.487 -34.258  19.697  1.00 19.34      A    C
ATOM    136  CG  GLU A  15     -17.805 -35.639  19.181  1.00 22.29      A    C
ATOM    137  CD  GLU A  15     -16.685 -36.607  19.410  1.00 23.71      A    C
ATOM    138  OE1 GLU A  15     -15.565 -36.170  19.714  1.00 27.78      A    O
ATOM    139  OE2 GLU A  15     -16.922 -37.813  19.333  1.00 27.67      A    O
ATOM    140  C   GLU A  15     -18.272 -32.198  20.886  1.00 18.08      A    C
ATOM    141  O   GLU A  15     -18.275 -32.237  22.124  1.00 18.57      A    O
ATOM    142  N   LEU A  16     -17.898 -31.114  20.211  1.00 17.01      A    N
ATOM    143  CA  LEU A  16     -17.514 -29.878  20.928  1.00 16.98      A    C
ATOM    144  CB  LEU A  16     -16.799 -28.848  20.041  1.00 15.14      A    C
ATOM    145  CG  LEU A  16     -15.438 -29.310  19.469  1.00 16.38      A    C
ATOM    146  CD1 LEU A  16     -15.069 -28.378  18.317  1.00 13.21      A    C
ATOM    147  CD2 LEU A  16     -14.281 -29.384  20.520  1.00 14.19      A    C
ATOM    148  C   LEU A  16     -18.713 -29.249  21.589  1.00 16.38      A    C
ATOM    149  O   LEU A  16     -18.609 -28.816  22.706  1.00 18.12      A    O
ATOM    150  N   ALA A  17     -19.859 -29.246  20.923  1.00 15.62      A    N
ATOM    151  CA  ALA A  17     -21.048 -28.606  21.489  1.00 15.78      A    C
ATOM    152  CB  ALA A  17     -22.204 -28.590  20.509  1.00 14.60      A    C
ATOM    153  C   ALA A  17     -21.452 -29.312  22.780  1.00 17.05      A    C
ATOM    154  O   ALA A  17     -21.773 -28.662  23.741  1.00 17.12      A    O
ATOM    155  N   GLU A  18     -21.403 -30.642  22.776  1.00 17.83      A    N
ATOM    156  CA  GLU A  18     -21.733 -31.453  23.930  1.00 19.84      A    C
ATOM    157  CB  GLU A  18     -21.597 -32.942  23.584  1.00 21.03      A    C
ATOM    158  CG  GLU A  18     -22.694 -33.505  22.703  1.00 21.16      A    C
ATOM    159  CD  GLU A  18     -22.538 -34.988  22.429  1.00 22.58      A    C
ATOM    160  OE1 GLU A  18     -21.430 -35.493  22.704  1.00 22.98      A    O
ATOM    161  OE2 GLU A  18     -23.504 -35.639  21.927  1.00 23.47      A    O
ATOM    162  C   GLU A  18     -20.858 -31.138  25.150  1.00 20.89      A    C
ATOM    163  O   GLU A  18     -21.352 -31.123  26.296  1.00 21.49      A    O
ATOM    164  N   LYS A  19     -19.568 -30.897  24.915  1.00 20.66      A    N
ATOM    165  CA  LYS A  19     -18.627 -30.577  26.037  1.00 21.79      A    C
ATOM    166  CB  LYS A  19     -17.169 -30.693  25.605  1.00 20.61      A    C
ATOM    167  CG  LYS A  19     -16.773 -32.098  25.329  1.00 21.87      A    C
ATOM    168  CD  LYS A  19     -15.479 -32.193  24.532  1.00 21.08      A    C
ATOM    169  CE  LYS A  19     -15.017 -33.678  24.362  1.00 23.20      A    C
ATOM    170  NZ  LYS A  19     -14.869 -34.470  25.633  1.00 22.35      A    N
ATOM    171  C   LYS A  19     -18.893 -29.162  26.519  1.00 21.37      A    C
ATOM    172  O   LYS A  19     -18.859 -28.877  27.739  1.00 23.73      A    O
ATOM    173  N   ALA A  20     -19.193 -28.307  25.555  1.00 18.73      A    N
ATOM    174  CA  ALA A  20     -19.483 -26.929  25.837  1.00 19.32      A    C
ATOM    175  CB  ALA A  20     -19.753 -26.157  24.557  1.00 16.73      A    C
ATOM    176  C   ALA A  20     -20.672 -26.878  26.769  1.00 20.89      A    C
ATOM    177  O   ALA A  20     -20.591 -26.270  27.823  1.00 23.74      A    O
ATOM    178  N   MET A  21     -21.739 -27.574  26.426  1.00 20.70      A    N
ATOM    179  CA  MET A  21     -22.901 -27.563  27.251  1.00 22.97      A    C
ATOM    180  CB  MET A  21     -24.045 -28.281  26.556  1.00 23.11      A    C
```

```
ATOM    181  CG  MET A  21     -24.530 -27.534  25.314  1.00 23.06      A    C
ATOM    182  SD  MET A  21     -26.174 -28.016  24.724  1.00 26.35      A    S
ATOM    183  CE  MET A  21     -27.199 -27.416  26.072  1.00 25.56      A    C
ATOM    184  C   MET A  21     -22.639 -28.118  28.648  1.00 25.25      A    C
ATOM    185  O   MET A  21     -23.143 -27.574  29.638  1.00 26.92      A    O
ATOM    186  N   LYS A  22     -21.829 -29.165  28.730  1.00 26.13      A    N
ATOM    187  CA  LYS A  22     -21.489 -29.773  30.020  1.00 29.17      A    C
ATOM    188  CB  LYS A  22     -20.665 -31.035  29.833  1.00 29.20      A    C
ATOM    189  CG  LYS A  22     -20.517 -31.813  31.101  1.00 33.11      A    C
ATOM    190  CD  LYS A  22     -19.465 -32.898  30.998  1.00 36.31      A    C
ATOM    191  CE  LYS A  22     -19.953 -34.225  31.598  1.00 40.17      A    C
ATOM    192  NZ  LYS A  22     -18.954 -35.315  31.374  1.00 42.12      A    N
ATOM    193  C   LYS A  22     -20.763 -28.783  30.952  1.00 30.09      A    C
ATOM    194  O   LYS A  22     -21.119 -28.665  32.135  1.00 31.19      A    O
ATOM    195  N   GLU A  23     -19.802 -28.060  30.376  1.00 28.37      A    N
ATOM    196  CA  GLU A  23     -19.168 -26.908  31.013  1.00 29.67      A    C
ATOM    197  CB  GLU A  23     -18.219 -26.222  30.021  1.00 27.78      A    C
ATOM    198  CG  GLU A  23     -17.129 -25.370  30.606  1.00 28.78      A    C
ATOM    199  CD  GLU A  23     -16.143 -24.850  29.545  1.00 28.63      A    C
ATOM    200  OE1 GLU A  23     -16.335 -25.079  28.335  1.00 29.68      A    O
ATOM    201  OE2 GLU A  23     -15.164 -24.176  29.913  1.00 31.53      A    O
ATOM    202  C   GLU A  23     -20.241 -25.922  31.488  1.00 31.64      A    C
ATOM    203  O   GLU A  23     -20.312 -25.584  32.697  1.00 33.74      A    O
ATOM    204  N   TYR A  24     -21.131 -25.515  30.575  1.00 30.64      A    N
ATOM    205  CA  TYR A  24     -22.137 -24.519  30.947  1.00 32.37      A    C
ATOM    206  CB  TYR A  24     -22.914 -23.970  29.754  1.00 31.23      A    C
ATOM    207  CG  TYR A  24     -22.085 -23.591  28.586  1.00 28.21      A    C
ATOM    208  CD1 TYR A  24     -22.619 -23.581  27.330  1.00 26.36      A    C
ATOM    209  CE1 TYR A  24     -21.845 -23.230  26.230  1.00 27.39      A    C
ATOM    210  CZ  TYR A  24     -20.518 -22.910  26.417  1.00 27.75      A    C
ATOM    211  OH  TYR A  24     -19.693 -22.577  25.369  1.00 24.23      A    O
ATOM    212  CE2 TYR A  24     -19.981 -22.934  27.672  1.00 28.48      A    C
ATOM    213  CD2 TYR A  24     -20.760 -23.265  28.742  1.00 29.94      A    C
ATOM    214  C   TYR A  24     -23.148 -25.039  31.950  1.00 35.13      A    C
ATOM    215  O   TYR A  24     -23.948 -24.251  32.413  1.00 36.84      A    O
ATOM    216  N   GLY A  25     -23.104 -26.338  32.278  1.00 36.28      A    N
ATOM    217  CA  GLY A  25     -24.021 -26.966  33.237  1.00 38.88      A    C
ATOM    218  C   GLY A  25     -25.284 -27.483  32.568  1.00 38.95      A    C
ATOM    219  O   GLY A  25     -26.202 -27.884  33.219  1.00 40.13      A    O
ATOM    220  N   GLU A  26     -25.307 -27.494  31.244  1.00 37.74      A    N
ATOM    221  CA  GLU A  26     -26.493 -27.858  30.501  1.00 38.12      A    C
ATOM    222  CB  GLU A  26     -26.690 -26.821  29.421  1.00 36.54      A    C
ATOM    223  CG  GLU A  26     -27.092 -25.451  30.032  1.00 39.91      A    C
ATOM    224  CD  GLU A  26     -26.490 -24.262  29.316  1.00 39.81      A    C
ATOM    225  OE1 GLU A  26     -25.942 -24.435  28.211  1.00 42.01      A    O
ATOM    226  OE2 GLU A  26     -26.558 -23.144  29.859  1.00 41.95      A    O
ATOM    227  C   GLU A  26     -26.427 -29.266  29.914  1.00 37.96      A    C
ATOM    228  O   GLU A  26     -25.342 -29.809  29.727  1.00 37.23      A    O
ATOM    229  N   ASP A  27     -27.606 -29.849  29.667  1.00 39.12      A    N
ATOM    230  CA  ASP A  27     -27.764 -31.177  29.082  1.00 39.25      A    C
ATOM    231  CB  ASP A  27     -28.707 -32.025  29.928  1.00 42.22      A    C
ATOM    232  CG  ASP A  27     -28.894 -33.440  29.376  1.00 44.32      A    C
ATOM    233  OD1 ASP A  27     -28.229 -33.814  28.376  1.00 44.76      A    O
ATOM    234  OD2 ASP A  27     -29.714 -34.196  29.947  1.00 47.21      A    O
ATOM    235  C   ASP A  27     -28.343 -31.030  27.681  1.00 37.87      A    C
ATOM    236  O   ASP A  27     -29.436 -30.489  27.520  1.00 38.80      A    O
ATOM    237  N   PRO A  28     -27.615 -31.499  26.654  1.00 36.28      A    N
ATOM    238  CA  PRO A  28     -28.056 -31.269  25.280  1.00 35.00      A    C
ATOM    239  CB  PRO A  28     -26.913 -31.846  24.438  1.00 33.33      A    C
ATOM    240  CG  PRO A  28     -26.148 -32.681  25.355  1.00 34.90      A    C
ATOM    241  CD  PRO A  28     -26.269 -32.079  26.693  1.00 35.29      A    C
ATOM    242  C   PRO A  28     -29.369 -31.931  24.904  1.00 36.56      A    C
ATOM    243  O   PRO A  28     -30.044 -31.465  23.979  1.00 35.66      A    O
```

```
ATOM    244  N   LYS A  29     -29.713 -33.017  25.594  1.00 38.93      A    N
ATOM    245  CA  LYS A  29     -30.986 -33.706  25.356  1.00 41.06      A    C
ATOM    246  CB  LYS A  29     -30.915 -35.149  25.867  1.00 43.29      A    C
ATOM    247  CG  LYS A  29     -30.426 -36.155  24.825  1.00 44.43      A    C
ATOM    248  CD  LYS A  29     -30.115 -37.532  25.440  1.00 50.57      A    C
ATOM    249  CE  LYS A  29     -30.527 -38.696  24.510  1.00 53.55      A    C
ATOM    250  NZ  LYS A  29     -29.737 -38.688  23.223  1.00 52.09      A    N
ATOM    251  C   LYS A  29     -32.161 -32.960  25.989  1.00 42.43      A    C
ATOM    252  O   LYS A  29     -33.291 -33.106  25.551  1.00 43.23      A    O
ATOM    253  N   ILE A  30     -31.887 -32.178  27.030  1.00 43.17      A    N
ATOM    254  CA  ILE A  30     -32.903 -31.342  27.663  1.00 45.15      A    C
ATOM    255  CB  ILE A  30     -32.619 -31.102  29.193  1.00 47.04      A    C
ATOM    256  CG1 ILE A  30     -32.764 -32.417  29.971  1.00 49.74      A    C
ATOM    257  CD1 ILE A  30     -32.450 -32.330  31.480  1.00 51.74      A    C
ATOM    258  CG2 ILE A  30     -33.596 -30.095  29.790  1.00 48.66      A    C
ATOM    259  C   ILE A  30     -32.980 -30.027  26.885  1.00 43.30      A    C
ATOM    260  O   ILE A  30     -34.012 -29.715  26.307  1.00 42.91      A    O
ATOM    261  N   GLU A  31     -31.865 -29.293  26.823  1.00 41.69      A    N
ATOM    262  CA  GLU A  31     -31.827 -27.955  26.167  1.00 39.92      A    C
ATOM    263  CB  GLU A  31     -30.974 -26.960  26.983  1.00 39.98      A    C
ATOM    264  CG  GLU A  31     -31.647 -26.570  28.318  1.00 44.32      A    C
ATOM    265  CD  GLU A  31     -31.051 -25.334  28.993  1.00 47.24      A    C
ATOM    266  OE1 GLU A  31     -31.081 -24.241  28.380  1.00 48.73      A    O
ATOM    267  OE2 GLU A  31     -30.601 -25.446  30.163  1.00 49.73      A    O
ATOM    268  C   GLU A  31     -31.419 -28.051  24.693  1.00 36.66      A    C
ATOM    269  O   GLU A  31     -30.393 -27.509  24.240  1.00 34.58      A    O
ATOM    270  N   THR A  32     -32.268 -28.748  23.947  1.00 36.29      A    N
ATOM    271  CA  THR A  32     -32.001 -29.045  22.555  1.00 34.03      A    C
ATOM    272  CB  THR A  32     -33.077 -29.979  21.957  1.00 35.51      A    C
ATOM    273  OG1 THR A  32     -34.351 -29.327  21.960  1.00 38.58      A    O
ATOM    274  CG2 THR A  32     -33.179 -31.259  22.746  1.00 36.42      A    C
ATOM    275  C   THR A  32     -31.864 -27.790  21.697  1.00 31.73      A    C
ATOM    276  O   THR A  32     -31.005 -27.753  20.813  1.00 30.28      A    O
ATOM    277  N   ASN A  33     -32.667 -26.755  21.954  1.00 31.40      A    N
ATOM    278  CA  ASN A  33     -32.523 -25.511  21.179  1.00 29.99      A    C
ATOM    279  CB  ASN A  33     -33.665 -24.495  21.407  1.00 31.18      A    C
ATOM    280  CG  ASN A  33     -34.978 -24.895  20.728  1.00 33.33      A    C
ATOM    281  OD1 ASN A  33     -36.075 -24.692  21.273  1.00 38.17      A    O
ATOM    282  ND2 ASN A  33     -34.878 -25.464  19.548  1.00 34.83      A    N
ATOM    283  C   ASN A  33     -31.173 -24.825  21.406  1.00 28.09      A    C
ATOM    284  O   ASN A  33     -30.518 -24.410  20.464  1.00 26.28      A    O
ATOM    285  N   LYS A  34     -30.766 -24.683  22.652  1.00 28.62      A    N
ATOM    286  CA  LYS A  34     -29.479 -24.117  22.917  1.00 28.25      A    C
ATOM    287  CB  LYS A  34     -29.251 -23.923  24.416  1.00 30.26      A    C
ATOM    288  CG  LYS A  34     -27.921 -23.202  24.718  1.00 31.82      A    C
ATOM    289  CD  LYS A  34     -27.857 -22.715  26.179  1.00 36.92      A    C
ATOM    290  CE  LYS A  34     -26.500 -22.043  26.503  1.00 37.85      A    C
ATOM    291  NZ  LYS A  34     -26.418 -21.555  27.963  1.00 39.77      A    N
ATOM    292  C   LYS A  34     -28.386 -24.993  22.313  1.00 26.26      A    C
ATOM    293  O   LYS A  34     -27.344 -24.489  21.962  1.00 25.42      A    O
ATOM    294  N   PHE A  35     -28.625 -26.303  22.226  1.00 26.66      A    N
ATOM    295  CA  PHE A  35     -27.695 -27.259  21.570  1.00 25.28      A    C
ATOM    296  CB  PHE A  35     -28.263 -28.688  21.714  1.00 26.97      A    C
ATOM    297  CG  PHE A  35     -27.340 -29.815  21.283  1.00 26.72      A    C
ATOM    298  CD1 PHE A  35     -25.971 -29.792  21.536  1.00 28.20      A    C
ATOM    299  CE1 PHE A  35     -25.145 -30.864  21.151  1.00 26.51      A    C
ATOM    300  CZ  PHE A  35     -25.696 -31.956  20.545  1.00 28.02      A    C
ATOM    301  CE2 PHE A  35     -27.089 -31.996  20.296  1.00 27.80      A    C
ATOM    302  CD2 PHE A  35     -27.882 -30.953  20.689  1.00 27.70      A    C
ATOM    303  C   PHE A  35     -27.484 -26.888  20.106  1.00 23.16      A    C
ATOM    304  O   PHE A  35     -26.327 -26.742  19.678  1.00 21.73      A    O
ATOM    305  N   ALA A  36     -28.584 -26.693  19.365  1.00 22.28      A    N
ATOM    306  CA  ALA A  36     -28.507 -26.232  17.959  1.00 21.27      A    C
```

```
ATOM    307  CB  ALA A  36     -29.875 -26.152  17.307  1.00 21.28      A    C
ATOM    308  C   ALA A  36     -27.784 -24.891  17.805  1.00 20.58      A    C
ATOM    309  O   ALA A  36     -26.921 -24.739  16.907  1.00 19.84      A    O
ATOM    310  N   ALA A  37     -28.121 -23.929  18.662  1.00 20.84      A    N
ATOM    311  CA  ALA A  37     -27.501 -22.604  18.566  1.00 20.81      A    C
ATOM    312  CB  ALA A  37     -28.131 -21.587  19.582  1.00 20.93      A    C
ATOM    313  C   ALA A  37     -25.998 -22.715  18.814  1.00 19.61      A    C
ATOM    314  O   ALA A  37     -25.194 -22.007  18.204  1.00 19.55      A    O
ATOM    315  N   ILE A  38     -25.623 -23.573  19.743  1.00 19.45      A    N
ATOM    316  CA  ILE A  38     -24.243 -23.656  20.083  1.00 19.17      A    C
ATOM    317  CB  ILE A  38     -24.019 -24.341  21.439  1.00 20.89      A    C
ATOM    318  CG1 ILE A  38     -24.493 -23.419  22.551  1.00 21.15      A    C
ATOM    319  CD1 ILE A  38     -24.610 -24.148  23.852  1.00 24.96      A    C
ATOM    320  CG2 ILE A  38     -22.500 -24.733  21.641  1.00 18.93      A    C
ATOM    321  C   ILE A  38     -23.488 -24.341  18.960  1.00 17.60      A    C
ATOM    322  O   ILE A  38     -22.420 -23.884  18.630  1.00 17.30      A    O
ATOM    323  N   CYS A  39     -24.028 -25.414  18.373  1.00 17.62      A    N
ATOM    324  CA  CYS A  39     -23.441 -25.979  17.137  1.00 16.85      A    C
ATOM    325  CB  CYS A  39     -24.222 -27.186  16.634  1.00 18.19      A    C
ATOM    326  SG  CYS A  39     -24.155 -28.635  17.642  1.00 15.81      A    S
ATOM    327  C   CYS A  39     -23.377 -24.965  15.982  1.00 16.18      A    C
ATOM    328  O   CYS A  39     -22.406 -24.910  15.261  1.00 16.46      A    O
ATOM    329  N   THR A  40     -24.384 -24.137  15.825  1.00 16.58      A    N
ATOM    330  CA  THR A  40     -24.388 -23.191  14.721  1.00 16.57      A    C
ATOM    331  CB  THR A  40     -25.731 -22.469  14.608  1.00 17.81      A    C
ATOM    332  OG1 THR A  40     -26.813 -23.438  14.570  1.00 17.65      A    O
ATOM    333  CG2 THR A  40     -25.734 -21.609  13.345  1.00 17.88      A    C
ATOM    334  C   THR A  40     -23.269 -22.186  14.865  1.00 16.76      A    C
ATOM    335  O   THR A  40     -22.500 -21.963  13.946  1.00 18.19      A    O
ATOM    336  N   HIS A  41     -23.156 -21.591  16.039  1.00 17.23      A    N
ATOM    337  CA  HIS A  41     -22.100 -20.648  16.340  1.00 16.15      A    C
ATOM    338  CB  HIS A  41     -22.220 -20.238  17.784  1.00 16.60      A    C
ATOM    339  CG  HIS A  41     -21.284 -19.148  18.190  1.00 15.39      A    C
ATOM    340  ND1 HIS A  41     -20.070 -19.397  18.797  1.00 12.33      A    N
ATOM    341  CE1 HIS A  41     -19.486 -18.246  19.071  1.00 14.61      A    C
ATOM    342  NE2 HIS A  41     -20.268 -17.264  18.666  1.00 14.41      A    N
ATOM    343  CD2 HIS A  41     -21.403 -17.803  18.114  1.00 14.71      A    C
ATOM    344  C   HIS A  41     -20.726 -21.233  16.102  1.00 16.02      A    C
ATOM    345  O   HIS A  41     -19.892 -20.616  15.438  1.00 16.87      A    O
ATOM    346  N   LEU A  42     -20.475 -22.422  16.625  1.00 16.35      A    N
ATOM    347  CA  LEU A  42     -19.175 -23.073  16.432  1.00 15.82      A    C
ATOM    348  CB  LEU A  42     -19.107 -24.409  17.136  1.00 16.48      A    C
ATOM    349  CG  LEU A  42     -18.593 -24.388  18.590  1.00 18.28      A    C
ATOM    350  CD1 LEU A  42     -19.483 -25.258  19.436  1.00 20.28      A    C
ATOM    351  CD2 LEU A  42     -17.168 -24.838  18.695  1.00 13.65      A    C
ATOM    352  C   LEU A  42     -18.942 -23.273  14.959  1.00 15.64      A    C
ATOM    353  O   LEU A  42     -17.877 -22.885  14.470  1.00 16.50      A    O
ATOM    354  N   GLU A  43     -19.936 -23.776  14.211  1.00 15.26      A    N
ATOM    355  CA  GLU A  43     -19.687 -23.932  12.796  1.00 16.02      A    C
ATOM    356  CB  GLU A  43     -20.840 -24.582  12.009  1.00 18.04      A    C
ATOM    357  CG  GLU A  43     -20.263 -25.433  10.859  1.00 20.41      A    C
ATOM    358  CD  GLU A  43     -21.292 -26.232  10.118  1.00 26.88      A    C
ATOM    359  OE1 GLU A  43     -22.217 -25.602   9.579  1.00 26.20      A    O
ATOM    360  OE2 GLU A  43     -21.148 -27.495  10.049  1.00 33.05      A    O
ATOM    361  C   GLU A  43     -19.272 -22.616  12.131  1.00 15.14      A    C
ATOM    362  O   GLU A  43     -18.337 -22.594  11.351  1.00 14.71      A    O
ATOM    363  N   VAL A  44     -19.940 -21.521  12.470  1.00 14.64      A    N
ATOM    364  CA  VAL A  44     -19.607 -20.259  11.868  1.00 14.99      A    C
ATOM    365  CB  VAL A  44     -20.672 -19.222  12.222  1.00 16.08      A    C
ATOM    366  CG1 VAL A  44     -20.278 -17.844  11.727  1.00 15.24      A    C
ATOM    367  CG2 VAL A  44     -22.015 -19.641  11.610  1.00 16.62      A    C
ATOM    368  C   VAL A  44     -18.174 -19.808  12.219  1.00 15.20      A    C
ATOM    369  O   VAL A  44     -17.426 -19.405  11.340  1.00 15.01      A    O
```

```
ATOM    370  N   CYS A  45     -17.787 -19.943  13.492  1.00 15.02      A    N
ATOM    371  CA  CYS A  45     -16.418 -19.703  13.917  1.00 15.09      A    C
ATOM    372  CB  CYS A  45     -16.237 -20.043  15.393  1.00 15.14      A    C
ATOM    373  SG  CYS A  45     -17.126 -18.860  16.494  1.00 17.74      A    S
ATOM    374  C   CYS A  45     -15.405 -20.476  13.081  1.00 15.35      A    C
ATOM    375  O   CYS A  45     -14.442 -19.893  12.640  1.00 14.54      A    O
ATOM    376  N   PHE A  46     -15.616 -21.780  12.877  1.00 16.14      A    N
ATOM    377  CA  PHE A  46     -14.668 -22.606  12.105  1.00 16.71      A    C
ATOM    378  CB  PHE A  46     -14.859 -24.095  12.351  1.00 16.76      A    C
ATOM    379  CG  PHE A  46     -14.377 -24.544  13.710  1.00 18.56      A    C
ATOM    380  CD1 PHE A  46     -13.031 -24.565  14.013  1.00 16.99      A    C
ATOM    381  CE1 PHE A  46     -12.581 -24.945  15.277  1.00 18.86      A    C
ATOM    382  CZ  PHE A  46     -13.459 -25.320  16.246  1.00 18.27      A    C
ATOM    383  CE2 PHE A  46     -14.819 -25.313  15.967  1.00 21.68      A    C
ATOM    384  CD2 PHE A  46     -15.279 -24.934  14.699  1.00 20.78      A    C
ATOM    385  C   PHE A  46     -14.764 -22.334  10.620  1.00 17.91      A    C
ATOM    386  O   PHE A  46     -13.767 -22.384   9.909  1.00 18.58      A    O
ATOM    387  N   MET A  47     -15.958 -22.029  10.132  1.00 18.70      A    N
ATOM    388  CA  MET A  47     -16.070 -21.621   8.740  1.00 19.52      A    C
ATOM    389  CB  MET A  47     -17.515 -21.445   8.333  1.00 19.81      A    C
ATOM    390  CG  MET A  47     -18.260 -22.739   8.144  1.00 20.59      A    C
ATOM    391  SD  MET A  47     -19.892 -22.374   7.501  1.00 21.22      A    S
ATOM    392  CE  MET A  47     -19.486 -22.150   5.806  1.00 22.09      A    C
ATOM    393  C   MET A  47     -15.321 -20.325   8.506  1.00 19.33      A    C
ATOM    394  O   MET A  47     -14.673 -20.161   7.502  1.00 20.61      A    O
ATOM    395  N   TYR A  48     -15.412 -19.408   9.445  1.00 19.41      A    N
ATOM    396  CA  TYR A  48     -14.788 -18.082   9.295  1.00 20.50      A    C
ATOM    397  CB  TYR A  48     -15.066 -17.243  10.560  1.00 19.66      A    C
ATOM    398  CG  TYR A  48     -14.976 -15.735  10.449  1.00 19.41      A    C
ATOM    399  CD1 TYR A  48     -16.121 -14.956  10.339  1.00 18.97      A    C
ATOM    400  CE1 TYR A  48     -16.057 -13.595  10.270  1.00 18.30      A    C
ATOM    401  CZ  TYR A  48     -14.851 -12.956  10.353  1.00 18.88      A    C
ATOM    402  OH  TYR A  48     -14.814 -11.588  10.293  1.00 19.64      A    O
ATOM    403  CE2 TYR A  48     -13.696 -13.678  10.485  1.00 20.51      A    C
ATOM    404  CD2 TYR A  48     -13.764 -15.075  10.553  1.00 21.06      A    C
ATOM    405  C   TYR A  48     -13.268 -18.297   9.048  1.00 21.22      A    C
ATOM    406  O   TYR A  48     -12.646 -17.587   8.249  1.00 21.95      A    O
ATOM    407  N   SER A  49     -12.715 -19.323   9.700  1.00 20.73      A    N
ATOM    408  CA  SER A  49     -11.292 -19.622   9.643  1.00 21.92      A    C
ATOM    409  CB  SER A  49     -10.869 -20.369  10.904  1.00 21.47      A    C
ATOM    410  OG  SER A  49      -9.881 -21.354  10.617  1.00 24.24      A    O
ATOM    411  C   SER A  49     -10.851 -20.398   8.404  1.00 22.71      A    C
ATOM    412  O   SER A  49      -9.750 -20.200   7.938  1.00 23.74      A    O
ATOM    413  N   ASP A  50     -11.697 -21.284   7.891  1.00 23.37      A    N
ATOM    414  CA  ASP A  50     -11.408 -22.051   6.690  1.00 25.48      A    C
ATOM    415  CB  ASP A  50     -12.703 -22.647   6.137  1.00 26.38      A    C
ATOM    416  CG  ASP A  50     -13.187 -23.856   6.916  1.00 26.94      A    C
ATOM    417  OD1 ASP A  50     -12.375 -24.528   7.527  1.00 27.01      A    O
ATOM    418  OD2 ASP A  50     -14.401 -24.151   6.884  1.00 32.80      A    O
ATOM    419  C   ASP A  50     -10.777 -21.232   5.556  1.00 27.02      A    C
ATOM    420  O   ASP A  50     -11.207 -20.127   5.236  1.00 27.66      A    O
ATOM    421  N   PHE A  51      -9.762 -21.795   4.928  1.00 28.32      A    N
ATOM    422  CA  PHE A  51      -9.218 -21.253   3.680  1.00 30.00      A    C
ATOM    423  CB  PHE A  51     -10.300 -20.841   2.666  1.00 30.77      A    C
ATOM    424  CG  PHE A  51     -11.406 -21.809   2.519  1.00 31.84      A    C
ATOM    425  CD1 PHE A  51     -11.146 -23.165   2.385  1.00 35.15      A    C
ATOM    426  CE1 PHE A  51     -12.193 -24.068   2.237  1.00 35.39      A    C
ATOM    427  CZ  PHE A  51     -13.507 -23.603   2.208  1.00 34.54      A    C
ATOM    428  CE2 PHE A  51     -13.766 -22.247   2.328  1.00 32.66      A    C
ATOM    429  CD2 PHE A  51     -12.723 -21.364   2.486  1.00 32.53      A    C
ATOM    430  C   PHE A  51      -8.333 -20.059   3.851  1.00 29.55      A    C
ATOM    431  O   PHE A  51      -7.718 -19.646   2.868  1.00 31.06      A    O
ATOM    432  N   HIS A  52      -8.270 -19.511   5.063  1.00 27.47      A    N
```

```
ATOM    433  CA  HIS A  52      -7.437 -18.330   5.348  1.00 27.94      A    C
ATOM    434  CB  HIS A  52      -8.221 -17.342   6.196  1.00 26.83      A    C
ATOM    435  CG  HIS A  52      -9.395 -16.764   5.476  1.00 28.10      A    C
ATOM    436  ND1 HIS A  52      -9.269 -15.736   4.564  1.00 30.46      A    N
ATOM    437  CE1 HIS A  52     -10.456 -15.446   4.067  1.00 30.64      A    C
ATOM    438  NE2 HIS A  52     -11.344 -16.264   4.609  1.00 29.75      A    N
ATOM    439  CD2 HIS A  52     -10.704 -17.111   5.478  1.00 27.35      A    C
ATOM    440  C   HIS A  52      -6.104 -18.662   6.022  1.00 27.57      A    C
ATOM    441  O   HIS A  52      -6.058 -19.355   7.020  1.00 26.50      A    O
ATOM    442  N   PHE A  53      -5.007 -18.188   5.445  1.00 28.94      A    N
ATOM    443  CA  PHE A  53      -3.668 -18.522   5.950  1.00 28.70      A    C
ATOM    444  CB  PHE A  53      -3.054 -19.634   5.084  1.00 30.26      A    C
ATOM    445  CG  PHE A  53      -3.883 -20.872   5.043  1.00 27.97      A    C
ATOM    446  CD1 PHE A  53      -3.801 -21.797   6.065  1.00 26.02      A    C
ATOM    447  CE1 PHE A  53      -4.595 -22.938   6.040  1.00 27.12      A    C
ATOM    448  CZ  PHE A  53      -5.502 -23.147   4.976  1.00 27.38      A    C
ATOM    449  CE2 PHE A  53      -5.603 -22.220   3.978  1.00 26.47      A    C
ATOM    450  CD2 PHE A  53      -4.796 -21.080   4.012  1.00 28.15      A    C
ATOM    451  C   PHE A  53      -2.755 -17.319   5.991  1.00 29.18      A    C
ATOM    452  O   PHE A  53      -3.152 -16.225   5.633  1.00 28.10      A    O
ATOM    453  N   ILE A  54      -1.540 -17.540   6.474  1.00 30.67      A    N
ATOM    454  CA  ILE A  54      -0.461 -16.534   6.439  1.00 33.09      A    C
ATOM    455  CB  ILE A  54      -0.171 -16.011   7.871  1.00 32.95      A    C
ATOM    456  CG1 ILE A  54      -1.306 -15.081   8.306  1.00 32.29      A    C
ATOM    457  CD1 ILE A  54      -1.222 -14.731   9.768  1.00 33.16      A    C
ATOM    458  CG2 ILE A  54       1.171 -15.266   7.959  1.00 34.00      A    C
ATOM    459  C   ILE A  54       0.781 -17.171   5.828  1.00 35.14      A    C
ATOM    460  O   ILE A  54       1.062 -18.342   6.078  1.00 34.60      A    O
ATOM    461  N   ASP A  55       1.509 -16.409   5.018  1.00 38.12      A    N
ATOM    462  CA  ASP A  55       2.678 -16.934   4.304  1.00 40.92      A    C
ATOM    463  CB  ASP A  55       2.691 -16.424   2.857  1.00 42.73      A    C
ATOM    464  CG  ASP A  55       3.250 -15.033   2.723  1.00 44.02      A    C
ATOM    465  OD1 ASP A  55       3.704 -14.675   1.612  1.00 45.40      A    O
ATOM    466  OD2 ASP A  55       3.246 -14.302   3.725  1.00 43.03      A    O
ATOM    467  C   ASP A  55       3.943 -16.580   5.094  1.00 43.06      A    C
ATOM    468  O   ASP A  55       3.813 -16.109   6.219  1.00 41.80      A    O
ATOM    469  N   GLU A  56       5.138 -16.801   4.538  1.00 46.51      A    N
ATOM    470  CA  GLU A  56       6.377 -16.603   5.303  1.00 49.50      A    C
ATOM    471  CB  GLU A  56       7.627 -17.215   4.620  1.00 53.21      A    C
ATOM    472  CG  GLU A  56       7.558 -18.663   4.150  1.00 54.84      A    C
ATOM    473  CD  GLU A  56       7.256 -19.677   5.256  1.00 56.52      A    C
ATOM    474  OE1 GLU A  56       6.878 -19.298   6.393  1.00 56.80      A    O
ATOM    475  OE2 GLU A  56       7.376 -20.889   4.971  1.00 59.29      A    O
ATOM    476  C   GLU A  56       6.732 -15.157   5.629  1.00 51.05      A    C
ATOM    477  O   GLU A  56       7.622 -14.945   6.451  1.00 52.87      A    O
ATOM    478  N   ARG A  57       6.115 -14.171   4.976  1.00 51.60      A    N
ATOM    479  CA  ARG A  57       6.412 -12.744   5.257  1.00 52.92      A    C
ATOM    480  CB  ARG A  57       6.699 -11.942   3.961  1.00 55.63      A    C
ATOM    481  CG  ARG A  57       8.197 -11.818   3.571  1.00 60.48      A    C
ATOM    482  CD  ARG A  57       8.607 -10.393   3.084  1.00 63.64      A    C
ATOM    483  NE  ARG A  57      10.012 -10.323   2.632  1.00 68.09      A    N
ATOM    484  CZ  ARG A  57      10.738  -9.198   2.526  1.00 72.13      A    C
ATOM    485  NH1 ARG A  57      10.205  -8.021   2.853  1.00 72.40      A    N
ATOM    486  NH2 ARG A  57      12.011  -9.233   2.095  1.00 74.08      A    N
ATOM    487  C   ARG A  57       5.298 -12.055   6.052  1.00 50.34      A    C
ATOM    488  O   ARG A  57       5.345 -10.841   6.256  1.00 52.01      A    O
ATOM    489  N   GLY A  58       4.301 -12.811   6.496  1.00 46.96      A    N
ATOM    490  CA  GLY A  58       3.133 -12.227   7.169  1.00 44.46      A    C
ATOM    491  C   GLY A  58       1.970 -11.773   6.285  1.00 43.35      A    C
ATOM    492  O   GLY A  58       0.990 -11.190   6.778  1.00 41.65      A    O
ATOM    493  N   GLU A  59       2.051 -12.058   4.989  1.00 43.75      A    N
ATOM    494  CA  GLU A  59       0.999 -11.670   4.052  1.00 43.17      A    C
ATOM    495  CB  GLU A  59       1.551 -11.641   2.604  1.00 46.48      A    C
```

```
ATOM    496  CG  GLU A  59       2.920 -10.834   2.475  1.00 51.44      A    C
ATOM    497  CD  GLU A  59       3.599 -10.849   1.058  1.00 57.39      A    C
ATOM    498  OE1 GLU A  59       4.797 -11.237   0.973  1.00 60.23      A    O
ATOM    499  OE2 GLU A  59       2.962 -10.439   0.048  1.00 58.61      A    O
ATOM    500  C   GLU A  59      -0.177 -12.635   4.223  1.00 39.22      A    C
ATOM    501  O   GLU A  59       0.008 -13.845   4.367  1.00 37.74      A    O
ATOM    502  N   SER A  60      -1.389 -12.098   4.273  1.00 37.25      A    N
ATOM    503  CA  SER A  60      -2.576 -12.951   4.386  1.00 34.87      A    C
ATOM    504  CB  SER A  60      -3.782 -12.167   4.899  1.00 33.32      A    C
ATOM    505  OG  SER A  60      -4.110 -11.118   3.999  1.00 36.85      A    O
ATOM    506  C   SER A  60      -2.858 -13.579   3.026  1.00 35.08      A    C
ATOM    507  O   SER A  60      -2.465 -13.038   1.996  1.00 37.89      A    O
ATOM    508  N   ILE A  61      -3.507 -14.729   3.023  1.00 33.23      A    N
ATOM    509  CA  ILE A  61      -3.706 -15.477   1.805  1.00 34.51      A    C
ATOM    510  CB  ILE A  61      -2.431 -16.291   1.448  1.00 36.25      A    C
ATOM    511  CG1 ILE A  61      -2.151 -17.423   2.422  1.00 34.55      A    C
ATOM    512  CD1 ILE A  61      -0.658 -17.912   2.382  1.00 34.18      A    C
ATOM    513  CG2 ILE A  61      -1.208 -15.397   1.466  1.00 39.05      A    C
ATOM    514  C   ILE A  61      -4.945 -16.371   1.847  1.00 33.17      A    C
ATOM    515  O   ILE A  61      -5.222 -17.023   2.846  1.00 30.98      A    O
ATOM    516  N   ILE A  62      -5.677 -16.400   0.737  1.00 35.18      A    N
ATOM    517  CA  ILE A  62      -6.905 -17.171   0.617  1.00 34.43      A    C
ATOM    518  CB  ILE A  62      -8.055 -16.309   0.032  1.00 35.05      A    C
ATOM    519  CG1 ILE A  62      -8.295 -15.087   0.940  1.00 34.22      A    C
ATOM    520  CD1 ILE A  62      -9.396 -14.138   0.465  1.00 34.75      A    C
ATOM    521  CG2 ILE A  62      -9.336 -17.160  -0.173  1.00 30.76      A    C
ATOM    522  C   ILE A  62      -6.646 -18.353  -0.293  1.00 37.27      A    C
ATOM    523  O   ILE A  62      -6.224 -18.164  -1.429  1.00 37.86      A    O
ATOM    524  N   VAL A  63      -6.936 -19.562   0.221  1.00 38.57      A    N
ATOM    525  CA  VAL A  63      -6.563 -20.838  -0.426  1.00 41.42      A    C
ATOM    526  CB  VAL A  63      -5.277 -21.378   0.201  1.00 41.01      A    C
ATOM    527  CG1 VAL A  63      -4.850 -22.657  -0.492  1.00 43.16      A    C
ATOM    528  CG2 VAL A  63      -4.173 -20.337   0.137  1.00 42.58      A    C
ATOM    529  C   VAL A  63      -7.619 -21.947  -0.270  1.00 42.62      A    C
ATOM    530  O   VAL A  63      -7.934 -22.335   0.869  1.00 40.60      A    O
ATOM    531  N   GLU A  64      -8.126 -22.494  -1.393  1.00 46.80      A    N
ATOM    532  CA  GLU A  64      -9.155 -23.586  -1.356  1.00 47.65      A    C
ATOM    533  CB  GLU A  64      -9.568 -24.028  -2.768  1.00 50.96      A    C
ATOM    534  CG  GLU A  64     -10.681 -23.204  -3.401  1.00 54.65      A    C
ATOM    535  CD  GLU A  64     -11.841 -22.925  -2.443  1.00 56.63      A    C
ATOM    536  OE1 GLU A  64     -12.296 -23.875  -1.733  1.00 58.48      A    O
ATOM    537  OE2 GLU A  64     -12.277 -21.744  -2.396  1.00 56.99      A    O
ATOM    538  C   GLU A  64      -8.729 -24.829  -0.565  1.00 47.56      A    C
ATOM    539  O   GLU A  64      -8.195 -25.801  -1.128  1.00 50.63      A    O
ATOM    540  N   LEU A  71       0.780 -27.601   4.107  1.00 40.62      A    N
ATOM    541  CA  LEU A  71       0.706 -27.176   5.491  1.00 38.62      A    C
ATOM    542  CB  LEU A  71       1.727 -27.947   6.335  1.00 40.34      A    C
ATOM    543  CG  LEU A  71       1.696 -29.475   6.258  1.00 41.81      A    C
ATOM    544  CD1 LEU A  71       2.947 -30.014   6.868  1.00 44.76      A    C
ATOM    545  CD2 LEU A  71       0.486 -30.066   6.934  1.00 38.80      A    C
ATOM    546  C   LEU A  71       1.037 -25.700   5.576  1.00 37.67      A    C
ATOM    547  O   LEU A  71       2.038 -25.272   5.015  1.00 39.52      A    O
ATOM    548  N   LEU A  72       0.218 -24.939   6.303  1.00 34.72      A    N
ATOM    549  CA  LEU A  72       0.293 -23.478   6.293  1.00 34.00      A    C
ATOM    550  CB  LEU A  72      -0.677 -22.963   5.250  1.00 33.74      A    C
ATOM    551  CG  LEU A  72      -0.154 -23.121   3.834  1.00 36.99      A    C
ATOM    552  CD1 LEU A  72      -1.230 -22.825   2.806  1.00 37.53      A    C
ATOM    553  CD2 LEU A  72       1.057 -22.236   3.666  1.00 39.80      A    C
ATOM    554  C   LEU A  72      -0.075 -22.869   7.618  1.00 31.35      A    C
ATOM    555  O   LEU A  72      -0.939 -23.406   8.274  1.00 30.25      A    O
ATOM    556  N   LYS A  73       0.537 -21.744   8.018  1.00 31.38      A    N
ATOM    557  CA  LYS A  73       0.094 -21.078   9.284  1.00 29.65      A    C
ATOM    558  CB  LYS A  73       0.986 -19.934   9.753  1.00 30.49      A    C
```

```
ATOM    559  CG  LYS A  73       2.505 -20.207   9.780  1.00 36.77      A    C
ATOM    560  CD  LYS A  73       3.335 -18.896   9.514  1.00 40.46      A    C
ATOM    561  CE  LYS A  73       4.764 -19.184   9.082  1.00 45.72      A    C
ATOM    562  NZ  LYS A  73       5.681 -17.976   9.164  1.00 48.12      A    N
ATOM    563  C   LYS A  73      -1.326 -20.529   9.101  1.00 26.75      A    C
ATOM    564  O   LYS A  73      -1.584 -19.752   8.168  1.00 26.71      A    O
ATOM    565  N   HIS A  74      -2.227 -20.952   9.984  1.00 24.13      A    N
ATOM    566  CA  HIS A  74      -3.587 -20.426  10.037  1.00 22.22      A    C
ATOM    567  CB  HIS A  74      -4.400 -21.157  11.104  1.00 20.82      A    C
ATOM    568  CG  HIS A  74      -4.543 -22.609  10.823  1.00 20.84      A    C
ATOM    569  ND1 HIS A  74      -5.595 -23.114  10.104  1.00 22.21      A    N
ATOM    570  CE1 HIS A  74      -5.427 -24.414   9.934  1.00 23.54      A    C
ATOM    571  NE2 HIS A  74      -4.292 -24.764  10.508  1.00 25.28      A    N
ATOM    572  CD2 HIS A  74      -3.714 -23.649  11.061  1.00 24.28      A    C
ATOM    573  C   HIS A  74      -3.581 -18.936  10.306  1.00 21.52      A    C
ATOM    574  O   HIS A  74      -2.757 -18.435  11.003  1.00 21.20      A    O
ATOM    575  N   ARG A  75      -4.502 -18.231   9.694  1.00 21.50      A    N
ATOM    576  CA  ARG A  75      -4.653 -16.795   9.915  1.00 22.33      A    C
ATOM    577  CB  ARG A  75      -5.450 -16.180   8.769  1.00 22.31      A    C
ATOM    578  CG  ARG A  75      -6.043 -14.849   9.140  1.00 22.69      A    C
ATOM    579  CD  ARG A  75      -6.460 -14.042   7.949  1.00 21.24      A    C
ATOM    580  NE  ARG A  75      -6.703 -12.682   8.377  1.00 22.56      A    N
ATOM    581  CZ  ARG A  75      -7.319 -11.749   7.665  1.00 20.85      A    C
ATOM    582  NH1 ARG A  75      -7.727 -11.987   6.437  1.00 20.39      A    N
ATOM    583  NH2 ARG A  75      -7.473 -10.554   8.187  1.00 20.76      A    N
ATOM    584  C   ARG A  75      -5.327 -16.464  11.265  1.00 21.79      A    C
ATOM    585  O   ARG A  75      -4.933 -15.502  11.947  1.00 21.64      A    O
ATOM    586  N   PHE A  76      -6.331 -17.275  11.620  1.00 20.73      A    N
ATOM    587  CA  PHE A  76      -7.072 -17.142  12.853  1.00 19.96      A    C
ATOM    588  CB  PHE A  76      -8.539 -17.227  12.544  1.00 19.36      A    C
ATOM    589  CG  PHE A  76      -8.984 -16.151  11.630  1.00 19.43      A    C
ATOM    590  CD1 PHE A  76      -9.156 -14.874  12.108  1.00 17.29      A    C
ATOM    591  CE1 PHE A  76      -9.549 -13.897  11.273  1.00 18.02      A    C
ATOM    592  CZ  PHE A  76      -9.699 -14.147   9.960  1.00 16.62      A    C
ATOM    593  CE2 PHE A  76      -9.507 -15.392   9.471  1.00 17.48      A    C
ATOM    594  CD2 PHE A  76      -9.145 -16.390  10.284  1.00 15.87      A    C
ATOM    595  C   PHE A  76      -6.752 -18.191  13.890  1.00 20.94      A    C
ATOM    596  O   PHE A  76      -6.583 -19.374  13.560  1.00 21.39      A    O
ATOM    597  N   GLU A  77      -6.618 -17.727  15.137  1.00 21.91      A    N
ATOM    598  CA  GLU A  77      -6.633 -18.584  16.312  1.00 22.56      A    C
ATOM    599  CB  GLU A  77      -5.908 -17.926  17.491  1.00 24.24      A    C
ATOM    600  CG  GLU A  77      -5.729 -18.834  18.705  1.00 26.42      A    C
ATOM    601  CD  GLU A  77      -4.756 -19.978  18.430  1.00 30.22      A    C
ATOM    602  OE1 GLU A  77      -5.206 -21.124  18.406  1.00 31.63      A    O
ATOM    603  OE2 GLU A  77      -3.552 -19.738  18.202  1.00 31.88      A    O
ATOM    604  C   GLU A  77      -8.102 -18.715  16.650  1.00 21.64      A    C
ATOM    605  O   GLU A  77      -8.823 -17.732  16.647  1.00 21.72      A    O
ATOM    606  N   ILE A  78      -8.558 -19.925  16.906  1.00 21.21      A    N
ATOM    607  CA  ILE A  78      -9.928 -20.126  17.216  1.00 20.18      A    C
ATOM    608  CB  ILE A  78     -10.510 -21.255  16.434  1.00 19.64      A    C
ATOM    609  CG1 ILE A  78     -10.391 -20.885  14.944  1.00 21.24      A    C
ATOM    610  CD1 ILE A  78     -11.000 -21.853  13.936  1.00 19.74      A    C
ATOM    611  CG2 ILE A  78     -11.950 -21.442  16.840  1.00 18.74      A    C
ATOM    612  C   ILE A  78     -10.017 -20.332  18.692  1.00 20.84      A    C
ATOM    613  O   ILE A  78      -9.512 -21.303  19.244  1.00 22.65      A    O
ATOM    614  N   ILE A  79     -10.648 -19.365  19.332  1.00 20.69      A    N
ATOM    615  CA  ILE A  79     -10.717 -19.308  20.744  1.00 20.49      A    C
ATOM    616  CB  ILE A  79     -10.499 -17.831  21.182  1.00 22.28      A    C
ATOM    617  CG1 ILE A  79      -9.000 -17.525  21.056  1.00 22.60      A    C
ATOM    618  CD1 ILE A  79      -8.683 -16.112  20.954  1.00 25.33      A    C
ATOM    619  CG2 ILE A  79     -10.990 -17.572  22.645  1.00 22.37      A    C
ATOM    620  C   ILE A  79     -11.993 -19.931  21.248  1.00 19.31      A    C
ATOM    621  O   ILE A  79     -11.981 -20.617  22.240  1.00 19.59      A    O
```

```
ATOM    622  N   GLU A  80     -13.101 -19.702  20.559  1.00 18.55      A    N
ATOM    623  CA  GLU A  80     -14.381 -20.338  20.905  1.00 17.71      A    C
ATOM    624  CB  GLU A  80     -15.449 -19.912  19.891  1.00 17.46      A    C
ATOM    625  CG  GLU A  80     -16.834 -20.518  20.077  1.00 17.47      A    C
ATOM    626  CD  GLU A  80     -17.323 -20.267  21.447  1.00 18.77      A    C
ATOM    627  OE1 GLU A  80     -18.077 -19.282  21.682  1.00 20.03      A    O
ATOM    628  OE2 GLU A  80     -16.879 -21.023  22.314  1.00 20.21      A    O
ATOM    629  C   GLU A  80     -14.160 -21.813  20.796  1.00 16.77      A    C
ATOM    630  O   GLU A  80     -13.317 -22.234  20.002  1.00 18.28      A    O
ATOM    631  N   GLY A  81     -14.923 -22.610  21.527  1.00 16.42      A    N
ATOM    632  CA  GLY A  81     -14.783 -24.090  21.495  1.00 15.55      A    C
ATOM    633  C   GLY A  81     -13.843 -24.656  22.577  1.00 16.45      A    C
ATOM    634  O   GLY A  81     -14.004 -25.781  23.006  1.00 15.16      A    O
ATOM    635  N   ARG A  82     -12.840 -23.896  23.016  1.00 16.78      A    N
ATOM    636  CA  ARG A  82     -11.977 -24.394  24.083  1.00 18.58      A    C
ATOM    637  CB  ARG A  82     -10.622 -23.738  24.022  1.00 19.00      A    C
ATOM    638  CG  ARG A  82     -10.049 -23.729  22.614  1.00 19.26      A    C
ATOM    639  CD  ARG A  82      -8.529 -23.885  22.602  1.00 22.10      A    C
ATOM    640  NE  ARG A  82      -8.005 -22.974  21.612  1.00 25.14      A    N
ATOM    641  CZ  ARG A  82      -6.847 -23.067  20.983  1.00 26.07      A    C
ATOM    642  NH1 ARG A  82      -5.999 -24.041  21.196  1.00 27.20      A    N
ATOM    643  NH2 ARG A  82      -6.553 -22.143  20.102  1.00 30.40      A    N
ATOM    644  C   ARG A  82     -12.616 -24.133  25.422  1.00 19.88      A    C
ATOM    645  O   ARG A  82     -13.398 -23.203  25.550  1.00 19.50      A    O
ATOM    646  N   ASP A  83     -12.275 -24.921  26.433  1.00 21.92      A    N
ATOM    647  CA  ASP A  83     -12.786 -24.616  27.761  1.00 24.32      A    C
ATOM    648  CB  ASP A  83     -12.585 -25.758  28.765  1.00 26.49      A    C
ATOM    649  CG  ASP A  83     -11.182 -25.822  29.354  1.00 31.14      A    C
ATOM    650  OD1 ASP A  83     -10.667 -24.822  29.928  1.00 33.34      A    O
ATOM    651  OD2 ASP A  83     -10.611 -26.931  29.282  1.00 36.31      A    O
ATOM    652  C   ASP A  83     -12.254 -23.284  28.253  1.00 24.76      A    C
ATOM    653  O   ASP A  83     -11.265 -22.766  27.757  1.00 25.46      A    O
ATOM    654  N   ARG A  84     -12.946 -22.719  29.229  1.00 25.80      A    N
ATOM    655  CA  ARG A  84     -12.758 -21.329  29.595  1.00 25.68      A    C
ATOM    656  CB  ARG A  84     -13.786 -21.013  30.654  1.00 26.96      A    C
ATOM    657  CG  ARG A  84     -14.026 -19.572  30.952  1.00 26.70      A    C
ATOM    658  CD  ARG A  84     -14.977 -19.507  32.125  1.00 27.20      A    C
ATOM    659  NE  ARG A  84     -15.605 -18.207  32.234  1.00 28.48      A    N
ATOM    660  CZ  ARG A  84     -16.536 -17.884  33.131  1.00 29.36      A    C
ATOM    661  NH1 ARG A  84     -16.944 -18.771  34.030  1.00 32.29      A    N
ATOM    662  NH2 ARG A  84     -17.047 -16.654  33.141  1.00 27.99      A    N
ATOM    663  C   ARG A  84     -11.321 -20.999  30.053  1.00 26.98      A    C
ATOM    664  O   ARG A  84     -10.717 -20.042  29.585  1.00 26.80      A    O
ATOM    665  N   ILE A  85     -10.753 -21.804  30.931  1.00 28.79      A    N
ATOM    666  CA  ILE A  85      -9.381 -21.570  31.389  1.00 30.65      A    C
ATOM    667  CB  ILE A  85      -8.975 -22.501  32.572  1.00 33.18      A    C
ATOM    668  CG1 ILE A  85      -9.972 -22.386  33.742  1.00 34.22      A    C
ATOM    669  CD1 ILE A  85     -10.276 -20.971  34.143  1.00 36.07      A    C
ATOM    670  CG2 ILE A  85      -7.536 -22.207  33.036  1.00 33.46      A    C
ATOM    671  C   ILE A  85      -8.362 -21.729  30.248  1.00 30.41      A    C
ATOM    672  O   ILE A  85      -7.439 -20.926  30.107  1.00 30.66      A    O
ATOM    673  N   MET A  86      -8.516 -22.757  29.429  1.00 30.29      A    N
ATOM    674  CA  MET A  86      -7.646 -22.911  28.260  1.00 30.11      A    C
ATOM    675  CB  MET A  86      -8.004 -24.163  27.482  1.00 30.47      A    C
ATOM    676  CG  MET A  86      -7.168 -24.362  26.203  1.00 34.57      A    C
ATOM    677  SD  MET A  86      -5.456 -24.872  26.581  1.00 47.42      A    S
ATOM    678  CE  MET A  86      -5.822 -26.631  26.898  1.00 46.36      A    C
ATOM    679  C   MET A  86      -7.825 -21.735  27.348  1.00 27.47      A    C
ATOM    680  O   MET A  86      -6.861 -21.180  26.817  1.00 27.61      A    O
ATOM    681  N   ALA A  87      -9.070 -21.336  27.172  1.00 25.40      A    N
ATOM    682  CA  ALA A  87      -9.361 -20.172  26.327  1.00 24.02      A    C
ATOM    683  CB  ALA A  87     -10.873 -19.921  26.269  1.00 22.34      A    C
ATOM    684  C   ALA A  87      -8.607 -18.914  26.793  1.00 24.83      A    C
```

```
ATOM    685  O   ALA A  87      -7.987 -18.218  26.014  1.00 23.73      A    O
ATOM    686  N   TRP A  88      -8.647 -18.625  28.085  1.00 27.46      A    N
ATOM    687  CA  TRP A  88      -7.946 -17.454  28.569  1.00 29.09      A    C
ATOM    688  CB  TRP A  88      -8.407 -17.101  29.971  1.00 31.42      A    C
ATOM    689  CG  TRP A  88      -9.623 -16.265  29.969  1.00 32.23      A    C
ATOM    690  CD1 TRP A  88     -10.857 -16.633  30.385  1.00 33.83      A    C
ATOM    691  NE1 TRP A  88     -11.745 -15.602  30.219  1.00 32.94      A    N
ATOM    692  CE2 TRP A  88     -11.083 -14.529  29.688  1.00 33.49      A    C
ATOM    693  CD2 TRP A  88      -9.741 -14.913  29.508  1.00 34.13      A    C
ATOM    694  CE3 TRP A  88      -8.839 -13.980  28.978  1.00 35.66      A    C
ATOM    695  CZ3 TRP A  88      -9.316 -12.705  28.639  1.00 35.71      A    C
ATOM    696  CH2 TRP A  88     -10.660 -12.365  28.823  1.00 33.86      A    C
ATOM    697  CZ2 TRP A  88     -11.554 -13.253  29.348  1.00 33.51      A    C
ATOM    698  C   TRP A  88      -6.409 -17.585  28.478  1.00 30.02      A    C
ATOM    699  O   TRP A  88      -5.725 -16.568  28.292  1.00 30.77      A    O
ATOM    700  N   THR A  89      -5.870 -18.801  28.592  1.00 29.92      A    N
ATOM    701  CA  THR A  89      -4.419 -18.982  28.499  1.00 31.72      A    C
ATOM    702  CB  THR A  89      -3.922 -20.431  28.725  1.00 32.18      A    C
ATOM    703  OG1 THR A  89      -4.511 -20.990  29.897  1.00 34.56      A    O
ATOM    704  CG2 THR A  89      -2.441 -20.421  28.932  1.00 33.82      A    C
ATOM    705  C   THR A  89      -3.976 -18.587  27.112  1.00 30.66      A    C
ATOM    706  O   THR A  89      -3.028 -17.815  26.947  1.00 31.67      A    O
ATOM    707  N   VAL A  90      -4.688 -19.094  26.113  1.00 28.11      A    N
ATOM    708  CA  VAL A  90      -4.388 -18.728  24.754  1.00 26.92      A    C
ATOM    709  CB  VAL A  90      -5.294 -19.455  23.731  1.00 24.83      A    C
ATOM    710  CG1 VAL A  90      -5.039 -18.911  22.355  1.00 23.93      A    C
ATOM    711  CG2 VAL A  90      -5.008 -20.967  23.732  1.00 22.64      A    C
ATOM    712  C   VAL A  90      -4.487 -17.233  24.571  1.00 27.87      A    C
ATOM    713  O   VAL A  90      -3.602 -16.610  23.989  1.00 28.85      A    O
ATOM    714  N   VAL A  91      -5.544 -16.640  25.110  1.00 28.70      A    N
ATOM    715  CA  VAL A  91      -5.738 -15.192  24.986  1.00 29.04      A    C
ATOM    716  CB  VAL A  91      -7.113 -14.736  25.578  1.00 28.96      A    C
ATOM    717  CG1 VAL A  91      -7.179 -13.211  25.701  1.00 29.25      A    C
ATOM    718  CG2 VAL A  91      -8.253 -15.289  24.744  1.00 23.50      A    C
ATOM    719  C   VAL A  91      -4.578 -14.460  25.646  1.00 31.68      A    C
ATOM    720  O   VAL A  91      -3.904 -13.687  25.012  1.00 32.87      A    O
ATOM    721  N   ASN A  92      -4.312 -14.717  26.906  1.00 33.65      A    N
ATOM    722  CA  ASN A  92      -3.200 -14.029  27.542  1.00 36.86      A    C
ATOM    723  CB  ASN A  92      -3.006 -14.539  28.970  1.00 38.97      A    C
ATOM    724  CG  ASN A  92      -4.119 -14.106  29.903  1.00 39.87      A    C
ATOM    725  OD1 ASN A  92      -4.844 -13.152  29.628  1.00 39.13      A    O
ATOM    726  ND2 ASN A  92      -4.251 -14.814  31.030  1.00 42.69      A    N
ATOM    727  C   ASN A  92      -1.881 -14.130  26.760  1.00 37.28      A    C
ATOM    728  O   ASN A  92      -1.149 -13.159  26.606  1.00 38.40      A    O
ATOM    729  N   SER A  93      -1.588 -15.307  26.247  1.00 36.94      A    N
ATOM    730  CA  SER A  93      -0.337 -15.503  25.521  1.00 38.34      A    C
ATOM    731  CB  SER A  93      -0.124 -16.968  25.192  1.00 37.18      A    C
ATOM    732  OG  SER A  93       0.898 -17.026  24.224  1.00 40.28      A    O
ATOM    733  C   SER A  93      -0.206 -14.687  24.223  1.00 37.33      A    C
ATOM    734  O   SER A  93       0.896 -14.256  23.872  1.00 39.36      A    O
ATOM    735  N   ILE A  94      -1.320 -14.509  23.522  1.00 34.69      A    N
ATOM    736  CA  ILE A  94      -1.373 -13.709  22.305  1.00 33.75      A    C
ATOM    737  CB  ILE A  94      -2.770 -13.817  21.632  1.00 31.25      A    C
ATOM    738  CG1 ILE A  94      -2.839 -15.093  20.798  1.00 27.80      A    C
ATOM    739  CD1 ILE A  94      -4.235 -15.666  20.631  1.00 21.21      A    C
ATOM    740  CG2 ILE A  94      -3.058 -12.605  20.773  1.00 32.33      A    C
ATOM    741  C   ILE A  94      -1.081 -12.275  22.647  1.00 35.87      A    C
ATOM    742  O   ILE A  94      -0.264 -11.609  22.000  1.00 37.38      A    O
ATOM    743  N   CYS A  95      -1.739 -11.799  23.688  1.00 36.60      A    N
ATOM    744  CA  CYS A  95      -1.440 -10.478  24.220  1.00 39.22      A    C
ATOM    745  CB  CYS A  95      -2.417 -10.153  25.342  1.00 39.48      A    C
ATOM    746  SG  CYS A  95      -4.117 -10.039  24.773  1.00 36.90      A    S
ATOM    747  C   CYS A  95       0.006 -10.357  24.717  1.00 42.33      A    C
```

```
ATOM    748  O   CYS A  95       0.619  -9.297  24.611  1.00 44.48      A    O
ATOM    749  N   ASN A  96       0.547 -11.433  25.273  1.00 43.48      A    N
ATOM    750  CA  ASN A  96       1.951 -11.440  25.730  1.00 46.80      A    C
ATOM    751  CB  ASN A  96       2.222 -12.687  26.595  1.00 47.81      A    C
ATOM    752  CG  ASN A  96       3.569 -13.345  26.293  1.00 50.31      A    C
ATOM    753  OD1 ASN A  96       4.614 -12.854  26.714  1.00 53.01      A    O
ATOM    754  ND2 ASN A  96       3.541 -14.465  25.552  1.00 50.84      A    N
ATOM    755  C   ASN A  96       2.908 -11.383  24.539  1.00 46.83      A    C
ATOM    756  O   ASN A  96       3.914 -10.667  24.543  1.00 47.99      A    O
ATOM    757  N   THR A  97       2.566 -12.151  23.512  1.00 44.55      A    N
ATOM    758  CA  THR A  97       3.365 -12.206  22.307  1.00 44.73      A    C
ATOM    759  CB  THR A  97       2.979 -13.441  21.449  1.00 42.72      A    C
ATOM    760  OG1 THR A  97       3.603 -14.611  21.987  1.00 43.16      A    O
ATOM    761  CG2 THR A  97       3.409 -13.268  19.979  1.00 43.11      A    C
ATOM    762  C   THR A  97       3.229 -10.954  21.442  1.00 44.68      A    C
ATOM    763  O   THR A  97       4.108 -10.694  20.634  1.00 46.45      A    O
ATOM    764  N   THR A  98       2.138 -10.197  21.557  1.00 43.17      A    N
ATOM    765  CA  THR A  98       1.885  -9.140  20.559  1.00 42.50      A    C
ATOM    766  CB  THR A  98       0.774  -9.528  19.530  1.00 40.02      A    C
ATOM    767  OG1 THR A  98      -0.519  -9.388  20.127  1.00 39.65      A    O
ATOM    768  CG2 THR A  98       0.928 -10.950  19.005  1.00 38.10      A    C
ATOM    769  C   THR A  98       1.486  -7.800  21.107  1.00 43.20      A    C
ATOM    770  O   THR A  98       1.238  -6.912  20.329  1.00 43.28      A    O
ATOM    771  N   GLY A  99       1.389  -7.637  22.418  1.00 44.05      A    N
ATOM    772  CA  GLY A  99       1.029  -6.339  22.989  1.00 45.96      A    C
ATOM    773  C   GLY A  99      -0.395  -5.842  22.772  1.00 44.86      A    C
ATOM    774  O   GLY A  99      -0.725  -4.728  23.166  1.00 46.20      A    O
ATOM    775  N   VAL A 100      -1.249  -6.637  22.134  1.00 42.66      A    N
ATOM    776  CA  VAL A 100      -2.643  -6.255  22.034  1.00 42.24      A    C
ATOM    777  CB  VAL A 100      -3.438  -7.106  21.022  1.00 39.82      A    C
ATOM    778  CG1 VAL A 100      -2.855  -8.495  20.861  1.00 39.65      A    C
ATOM    779  CG2 VAL A 100      -4.899  -7.208  21.447  1.00 38.69      A    C
ATOM    780  C   VAL A 100      -3.235  -6.366  23.438  1.00 43.13      A    C
ATOM    781  O   VAL A 100      -2.872  -7.245  24.213  1.00 42.09      A    O
ATOM    782  N   GLU A 101      -4.123  -5.448  23.782  1.00 44.88      A    N
ATOM    783  CA  GLU A 101      -4.626  -5.412  25.143  1.00 46.74      A    C
ATOM    784  CB  GLU A 101      -5.175  -4.039  25.489  1.00 49.49      A    C
ATOM    785  CG  GLU A 101      -4.014  -3.037  25.794  1.00 54.31      A    C
ATOM    786  CD  GLU A 101      -4.266  -1.646  25.254  1.00 57.93      A    C
ATOM    787  OE1 GLU A 101      -5.005  -1.523  24.244  1.00 57.00      A    O
ATOM    788  OE2 GLU A 101      -3.716  -0.677  25.837  1.00 62.35      A    O
ATOM    789  C   GLU A 101      -5.652  -6.488  25.328  1.00 44.56      A    C
ATOM    790  O   GLU A 101      -6.359  -6.857  24.382  1.00 42.09      A    O
ATOM    791  N   LYS A 102      -5.682  -7.027  26.543  1.00 45.57      A    N
ATOM    792  CA  LYS A 102      -6.553  -8.133  26.874  1.00 43.83      A    C
ATOM    793  CB  LYS A 102      -6.235  -8.668  28.282  1.00 45.87      A    C
ATOM    794  CG  LYS A 102      -4.899  -9.419  28.386  1.00 48.08      A    C
ATOM    795  CD  LYS A 102      -4.396  -9.528  29.870  1.00 53.47      A    C
ATOM    796  CE  LYS A 102      -3.050 -10.282  29.960  1.00 54.41      A    C
ATOM    797  NZ  LYS A 102      -2.405 -10.204  31.304  1.00 58.67      A    N
ATOM    798  C   LYS A 102      -7.998  -7.644  26.787  1.00 42.94      A    C
ATOM    799  O   LYS A 102      -8.318  -6.529  27.206  1.00 44.44      A    O
ATOM    800  N   PRO A 103      -8.867  -8.451  26.179  1.00 40.32      A    N
ATOM    801  CA  PRO A 103     -10.274  -8.104  26.212  1.00 40.13      A    C
ATOM    802  CB  PRO A 103     -10.868  -9.008  25.150  1.00 37.14      A    C
ATOM    803  CG  PRO A 103      -9.912 -10.159  25.048  1.00 35.56      A    C
ATOM    804  CD  PRO A 103      -8.594  -9.592  25.285  1.00 37.55      A    C
ATOM    805  C   PRO A 103     -10.846  -8.406  27.590  1.00 41.44      A    C
ATOM    806  O   PRO A 103     -10.265  -9.206  28.325  1.00 41.12      A    O
ATOM    807  N   LYS A 104     -11.945  -7.741  27.949  1.00 42.91      A    N
ATOM    808  CA  LYS A 104     -12.576  -7.967  29.253  1.00 44.59      A    C
ATOM    809  CB  LYS A 104     -13.456  -6.777  29.690  1.00 47.61      A    C
ATOM    810  CG  LYS A 104     -12.841  -5.357  29.568  1.00 50.39      A    C
```

```
ATOM    811  CD  LYS A 104     -11.857  -5.015  30.699  1.00 54.21      A    C
ATOM    812  CE  LYS A 104     -11.561  -3.510  30.765  1.00 57.22      A    C
ATOM    813  NZ  LYS A 104     -11.294  -3.031  32.157  1.00 60.01      A    N
ATOM    814  C   LYS A 104     -13.412  -9.259  29.189  1.00 42.20      A    C
ATOM    815  O   LYS A 104     -13.539  -9.955  30.193  1.00 42.76      A    O
ATOM    816  N   PHE A 105     -13.931  -9.590  27.999  1.00 39.21      A    N
ATOM    817  CA  PHE A 105     -14.756 -10.787  27.779  1.00 36.79      A    C
ATOM    818  CB  PHE A 105     -16.162 -10.349  27.320  1.00 36.78      A    C
ATOM    819  CG  PHE A 105     -16.887  -9.470  28.335  1.00 40.39      A    C
ATOM    820  CD1 PHE A 105     -16.614  -8.096  28.421  1.00 44.91      A    C
ATOM    821  CE1 PHE A 105     -17.246  -7.272  29.373  1.00 46.44      A    C
ATOM    822  CZ  PHE A 105     -18.166  -7.831  30.239  1.00 48.49      A    C
ATOM    823  CE2 PHE A 105     -18.455  -9.211  30.158  1.00 46.08      A    C
ATOM    824  CD2 PHE A 105     -17.809 -10.014  29.221  1.00 41.49      A    C
ATOM    825  C   PHE A 105     -14.095 -11.734  26.748  1.00 33.83      A    C
ATOM    826  O   PHE A 105     -13.360 -11.287  25.888  1.00 33.24      A    O
ATOM    827  N   LEU A 106     -14.347 -13.038  26.822  1.00 31.90      A    N
ATOM    828  CA  LEU A 106     -13.744 -13.971  25.863  1.00 29.47      A    C
ATOM    829  CB  LEU A 106     -14.042 -15.425  26.188  1.00 28.98      A    C
ATOM    830  CG  LEU A 106     -13.058 -16.172  27.051  1.00 31.59      A    C
ATOM    831  CD1 LEU A 106     -13.528 -17.616  27.085  1.00 31.44      A    C
ATOM    832  CD2 LEU A 106     -11.653 -16.028  26.468  1.00 32.35      A    C
ATOM    833  C   LEU A 106     -14.282 -13.777  24.473  1.00 27.08      A    C
ATOM    834  O   LEU A 106     -15.483 -13.754  24.300  1.00 26.62      A    O
ATOM    835  N   PRO A 107     -13.394 -13.686  23.471  1.00 25.12      A    N
ATOM    836  CA  PRO A 107     -13.859 -13.629  22.115  1.00 23.06      A    C
ATOM    837  CB  PRO A 107     -12.793 -12.792  21.395  1.00 23.11      A    C
ATOM    838  CG  PRO A 107     -11.723 -12.584  22.338  1.00 25.26      A    C
ATOM    839  CD  PRO A 107     -11.973 -13.328  23.581  1.00 25.96      A    C
ATOM    840  C   PRO A 107     -13.938 -15.002  21.507  1.00 21.48      A    C
ATOM    841  O   PRO A 107     -13.809 -16.013  22.183  1.00 21.22      A    O
ATOM    842  N   ASP A 108     -14.123 -15.023  20.204  1.00 20.33      A    N
ATOM    843  CA  ASP A 108     -14.236 -16.238  19.495  1.00 19.01      A    C
ATOM    844  CB  ASP A 108     -15.438 -16.120  18.591  1.00 18.62      A    C
ATOM    845  CG  ASP A 108     -16.728 -16.017  19.366  1.00 19.88      A    C
ATOM    846  OD1 ASP A 108     -16.888 -16.782  20.339  1.00 18.38      A    O
ATOM    847  OD2 ASP A 108     -17.604 -15.211  18.966  1.00 24.12      A    O
ATOM    848  C   ASP A 108     -12.983 -16.537  18.696  1.00 19.17      A    C
ATOM    849  O   ASP A 108     -12.559 -17.702  18.649  1.00 19.01      A    O
ATOM    850  N   LEU A 109     -12.424 -15.498  18.052  1.00 19.50      A    N
ATOM    851  CA  LEU A 109     -11.235 -15.604  17.208  1.00 19.30      A    C
ATOM    852  CB  LEU A 109     -11.620 -15.460  15.746  1.00 19.03      A    C
ATOM    853  CG  LEU A 109     -12.797 -16.288  15.245  1.00 18.60      A    C
ATOM    854  CD1 LEU A 109     -13.247 -15.809  13.877  1.00 17.11      A    C
ATOM    855  CD2 LEU A 109     -12.423 -17.774  15.181  1.00 16.39      A    C
ATOM    856  C   LEU A 109     -10.172 -14.527  17.507  1.00 20.42      A    C
ATOM    857  O   LEU A 109     -10.419 -13.529  18.150  1.00 20.87      A    O
ATOM    858  N   TYR A 110      -8.971 -14.772  17.024  1.00 21.17      A    N
ATOM    859  CA  TYR A 110      -7.913 -13.768  17.009  1.00 23.18      A    C
ATOM    860  CB  TYR A 110      -6.738 -14.110  17.960  1.00 23.21      A    C
ATOM    861  CG  TYR A 110      -5.687 -13.026  17.906  1.00 24.16      A    C
ATOM    862  CD1 TYR A 110      -5.849 -11.845  18.609  1.00 23.79      A    C
ATOM    863  CE1 TYR A 110      -4.906 -10.826  18.532  1.00 26.68      A    C
ATOM    864  CZ  TYR A 110      -3.776 -10.973  17.733  1.00 27.84      A    C
ATOM    865  OH  TYR A 110      -2.839  -9.941  17.665  1.00 31.95      A    O
ATOM    866  CE2 TYR A 110      -3.591 -12.146  17.017  1.00 25.34      A    C
ATOM    867  CD2 TYR A 110      -4.546 -13.162  17.105  1.00 24.55      A    C
ATOM    868  C   TYR A 110      -7.424 -13.740  15.567  1.00 23.58      A    C
ATOM    869  O   TYR A 110      -7.307 -14.798  14.936  1.00 23.79      A    O
ATOM    870  N   ASP A 111      -7.129 -12.552  15.057  1.00 24.83      A    N
ATOM    871  CA  ASP A 111      -6.707 -12.396  13.663  1.00 25.09      A    C
ATOM    872  CB  ASP A 111      -7.500 -11.282  12.952  1.00 24.86      A    C
ATOM    873  CG  ASP A 111      -7.183 -11.204  11.449  1.00 27.30      A    C
```

```
ATOM    874  OD1 ASP A 111      -6.028 -11.502  11.071  1.00 29.01      A    O
ATOM    875  OD2 ASP A 111      -8.060 -10.821  10.634  1.00 26.97      A    O
ATOM    876  C   ASP A 111      -5.228 -12.097  13.679  1.00 25.63      A    C
ATOM    877  O   ASP A 111      -4.824 -11.018  14.063  1.00 27.34      A    O
ATOM    878  N   TYR A 112      -4.411 -13.044  13.259  1.00 25.27      A    N
ATOM    879  CA  TYR A 112      -2.948 -12.830  13.295  1.00 26.62      A    C
ATOM    880  CB  TYR A 112      -2.197 -14.151  13.144  1.00 25.93      A    C
ATOM    881  CG  TYR A 112      -2.257 -15.085  14.339  1.00 23.97      A    C
ATOM    882  CD1 TYR A 112      -2.984 -16.261  14.283  1.00 22.17      A    C
ATOM    883  CE1 TYR A 112      -3.018 -17.121  15.342  1.00 20.62      A    C
ATOM    884  CZ  TYR A 112      -2.325 -16.820  16.473  1.00 21.62      A    C
ATOM    885  OH  TYR A 112      -2.389 -17.695  17.511  1.00 22.57      A    O
ATOM    886  CE2 TYR A 112      -1.596 -15.676  16.569  1.00 22.89      A    C
ATOM    887  CD2 TYR A 112      -1.558 -14.815  15.505  1.00 24.02      A    C
ATOM    888  C   TYR A 112      -2.437 -11.792  12.266  1.00 28.99      A    C
ATOM    889  O   TYR A 112      -1.330 -11.242  12.444  1.00 31.17      A    O
ATOM    890  N   LYS A 113      -3.238 -11.515  11.226  1.00 28.59      A    N
ATOM    891  CA  LYS A 113      -2.947 -10.439  10.271  1.00 30.80      A    C
ATOM    892  CB  LYS A 113      -3.686 -10.624   8.939  1.00 30.21      A    C
ATOM    893  CG  LYS A 113      -3.282  -9.610   7.850  1.00 33.82      A    C
ATOM    894  CD  LYS A 113      -4.537  -8.999   7.173  1.00 35.86      A    C
ATOM    895  CE  LYS A 113      -4.288  -8.270   5.800  1.00 38.22      A    C
ATOM    896  NZ  LYS A 113      -5.496  -8.425   4.841  1.00 36.89      A    N
ATOM    897  C   LYS A 113      -3.273  -9.053  10.824  1.00 31.90      A    C
ATOM    898  O   LYS A 113      -2.399  -8.180  10.816  1.00 34.68      A    O
ATOM    899  N   GLU A 114      -4.513  -8.831  11.276  1.00 30.94      A    N
ATOM    900  CA  GLU A 114      -4.925  -7.508  11.744  1.00 31.98      A    C
ATOM    901  CB  GLU A 114      -6.413  -7.294  11.580  1.00 31.77      A    C
ATOM    902  CG  GLU A 114      -6.916  -7.307  10.146  1.00 34.31      A    C
ATOM    903  CD  GLU A 114      -6.555  -6.075   9.344  1.00 39.25      A    C
ATOM    904  OE1 GLU A 114      -5.598  -5.336   9.680  1.00 43.46      A    O
ATOM    905  OE2 GLU A 114      -7.240  -5.858   8.331  1.00 44.48      A    O
ATOM    906  C   GLU A 114      -4.606  -7.285  13.188  1.00 32.10      A    C
ATOM    907  O   GLU A 114      -4.784  -6.180  13.686  1.00 34.06      A    O
ATOM    908  N   ASN A 115      -4.130  -8.322  13.863  1.00 30.43      A    N
ATOM    909  CA  ASN A 115      -3.846  -8.254  15.264  1.00 30.57      A    C
ATOM    910  CB  ASN A 115      -2.616  -7.395  15.519  1.00 33.23      A    C
ATOM    911  CG  ASN A 115      -1.344  -8.024  14.985  1.00 34.24      A    C
ATOM    912  OD1 ASN A 115      -0.663  -7.433  14.140  1.00 33.21      A    O
ATOM    913  ND2 ASN A 115      -0.995  -9.215  15.505  1.00 31.29      A    N
ATOM    914  C   ASN A 115      -5.047  -7.743  16.062  1.00 29.97      A    C
ATOM    915  O   ASN A 115      -4.970  -6.708  16.720  1.00 31.48      A    O
ATOM    916  N   ARG A 116      -6.159  -8.468  16.000  1.00 27.44      A    N
ATOM    917  CA  ARG A 116      -7.314  -8.126  16.829  1.00 27.17      A    C
ATOM    918  CB  ARG A 116      -8.155  -7.025  16.188  1.00 27.75      A    C
ATOM    919  CG  ARG A 116      -8.476  -7.291  14.774  1.00 27.44      A    C
ATOM    920  CD  ARG A 116      -9.170  -6.152  14.091  1.00 30.15      A    C
ATOM    921  NE  ARG A 116      -9.810  -6.632  12.870  1.00 29.20      A    N
ATOM    922  CZ  ARG A 116     -10.027  -5.896  11.790  1.00 31.42      A    C
ATOM    923  NH1 ARG A 116      -9.663  -4.630  11.758  1.00 33.58      A    N
ATOM    924  NH2 ARG A 116     -10.612  -6.445  10.728  1.00 31.88      A    N
ATOM    925  C   ARG A 116      -8.162  -9.331  17.129  1.00 24.70      A    C
ATOM    926  O   ARG A 116      -8.163 -10.278  16.391  1.00 23.44      A    O
ATOM    927  N   PHE A 117      -8.857  -9.295  18.255  1.00 24.79      A    N
ATOM    928  CA  PHE A 117      -9.746 -10.369  18.621  1.00 22.59      A    C
ATOM    929  CB  PHE A 117      -9.951 -10.402  20.131  1.00 23.08      A    C
ATOM    930  CG  PHE A 117      -8.780 -10.915  20.873  1.00 21.97      A    C
ATOM    931  CD1 PHE A 117      -8.537 -12.266  20.941  1.00 21.70      A    C
ATOM    932  CE1 PHE A 117      -7.421 -12.756  21.606  1.00 21.64      A    C
ATOM    933  CZ  PHE A 117      -6.547 -11.891  22.193  1.00 22.64      A    C
ATOM    934  CE2 PHE A 117      -6.756 -10.536  22.104  1.00 23.09      A    C
ATOM    935  CD2 PHE A 117      -7.861 -10.056  21.431  1.00 24.35      A    C
ATOM    936  C   PHE A 117     -11.015 -10.067  17.950  1.00 22.46      A    C
```

```
ATOM    937  O   PHE A 117     -11.314  -8.915  17.702  1.00 24.46      A    O
ATOM    938  N   ILE A 118     -11.785 -11.093  17.665  1.00 21.99      A    N
ATOM    939  CA  ILE A 118     -13.081 -10.925  17.000  1.00 21.97      A    C
ATOM    940  CB  ILE A 118     -13.107 -11.586  15.575  1.00 20.98      A    C
ATOM    941  CG1 ILE A 118     -11.979 -11.073  14.702  1.00 22.82      A    C
ATOM    942  CD1 ILE A 118     -11.952 -11.700  13.359  1.00 22.50      A    C
ATOM    943  CG2 ILE A 118     -14.426 -11.316  14.873  1.00 21.92      A    C
ATOM    944  C   ILE A 118     -14.124 -11.637  17.833  1.00 21.02      A    C
ATOM    945  O   ILE A 118     -13.886 -12.749  18.283  1.00 19.24      A    O
ATOM    946  N   GLU A 119     -15.269 -10.987  18.028  1.00 22.25      A    N
ATOM    947  CA  GLU A 119     -16.474 -11.626  18.595  1.00 22.01      A    C
ATOM    948  CB  GLU A 119     -17.155 -10.674  19.607  1.00 24.47      A    C
ATOM    949  CG  GLU A 119     -18.537 -11.103  20.127  1.00 25.86      A    C
ATOM    950  CD  GLU A 119     -18.518 -12.466  20.786  1.00 27.75      A    C
ATOM    951  OE1 GLU A 119     -17.833 -12.584  21.810  1.00 31.85      A    O
ATOM    952  OE2 GLU A 119     -19.191 -13.409  20.311  1.00 28.17      A    O
ATOM    953  C   GLU A 119     -17.424 -11.954  17.445  1.00 20.38      A    C
ATOM    954  O   GLU A 119     -17.764 -11.065  16.633  1.00 20.55      A    O
ATOM    955  N   ILE A 120     -17.830 -13.222  17.338  1.00 18.50      A    N
ATOM    956  CA  ILE A 120     -18.763 -13.625  16.277  1.00 17.22      A    C
ATOM    957  CB  ILE A 120     -18.403 -14.968  15.633  1.00 15.29      A    C
ATOM    958  CG1 ILE A 120     -17.023 -14.936  14.951  1.00 14.77      A    C
ATOM    959  CD1 ILE A 120     -16.962 -14.259  13.705  1.00 14.15      A    C
ATOM    960  CG2 ILE A 120     -19.444 -15.378  14.609  1.00 13.20      A    C
ATOM    961  C   ILE A 120     -20.147 -13.733  16.862  1.00 17.93      A    C
ATOM    962  O   ILE A 120     -20.367 -14.459  17.816  1.00 18.28      A    O
ATOM    963  N   GLY A 121     -21.076 -12.999  16.289  1.00 19.46      A    N
ATOM    964  CA  GLY A 121     -22.500 -13.163  16.588  1.00 21.04      A    C
ATOM    965  C   GLY A 121     -23.265 -13.921  15.507  1.00 21.01      A    C
ATOM    966  O   GLY A 121     -23.040 -13.718  14.329  1.00 19.79      A    O
ATOM    967  N   VAL A 122     -24.136 -14.835  15.942  1.00 22.40      A    N
ATOM    968  CA  VAL A 122     -25.161 -15.416  15.092  1.00 23.38      A    C
ATOM    969  CB  VAL A 122     -24.883 -16.900  14.793  1.00 22.81      A    C
ATOM    970  CG1 VAL A 122     -25.964 -17.442  13.871  1.00 23.86      A    C
ATOM    971  CG2 VAL A 122     -23.449 -17.119  14.174  1.00 18.25      A    C
ATOM    972  C   VAL A 122     -26.488 -15.262  15.820  1.00 25.57      A    C
ATOM    973  O   VAL A 122     -26.645 -15.798  16.910  1.00 26.52      A    O
ATOM    974  N   THR A 123     -27.423 -14.514  15.226  1.00 27.67      A    N
ATOM    975  CA  THR A 123     -28.718 -14.194  15.833  1.00 29.23      A    C
ATOM    976  CB  THR A 123     -28.847 -12.652  16.054  1.00 31.50      A    C
ATOM    977  OG1 THR A 123     -30.020 -12.357  16.811  1.00 31.34      A    O
ATOM    978  CG2 THR A 123     -28.867 -11.877  14.715  1.00 30.26      A    C
ATOM    979  C   THR A 123     -29.918 -14.655  14.992  1.00 31.33      A    C
ATOM    980  O   THR A 123     -29.984 -14.442  13.779  1.00 31.78      A    O
ATOM    981  N   ARG A 124     -30.882 -15.274  15.659  1.00 33.15      A    N
ATOM    982  CA  ARG A 124     -32.177 -15.560  15.080  1.00 35.18      A    C
ATOM    983  CB  ARG A 124     -32.967 -16.550  15.942  1.00 36.29      A    C
ATOM    984  CG  ARG A 124     -32.343 -17.936  16.226  1.00 37.15      A    C
ATOM    985  CD  ARG A 124     -31.628 -17.978  17.599  1.00 41.14      A    C
ATOM    986  NE  ARG A 124     -32.035 -19.077  18.492  1.00 43.21      A    N
ATOM    987  CZ  ARG A 124     -31.433 -19.385  19.645  1.00 41.99      A    C
ATOM    988  NH1 ARG A 124     -30.369 -18.711  20.062  1.00 40.67      A    N
ATOM    989  NH2 ARG A 124     -31.894 -20.386  20.385  1.00 43.27      A    N
ATOM    990  C   ARG A 124     -32.992 -14.271  14.962  1.00 37.37      A    C
ATOM    991  O   ARG A 124     -34.028 -14.246  14.289  1.00 38.57      A    O
ATOM    992  N   ARG A 125     -32.532 -13.201  15.602  1.00 38.17      A    N
ATOM    993  CA  ARG A 125     -33.250 -11.912  15.562  1.00 41.22      A    C
ATOM    994  CB  ARG A 125     -33.016 -11.156  16.881  1.00 42.21      A    C
ATOM    995  CG  ARG A 125     -33.484 -11.919  18.115  1.00 42.07      A    C
ATOM    996  CD  ARG A 125     -33.430 -11.057  19.354  1.00 41.85      A    C
ATOM    997  NE  ARG A 125     -32.101 -11.061  19.940  1.00 39.46      A    N
ATOM    998  CZ  ARG A 125     -31.717 -10.316  20.975  1.00 40.24      A    C
ATOM    999  NH1 ARG A 125     -32.553  -9.477  21.576  1.00 41.40      A    N
```

```
ATOM   1000  NH2 ARG A 125     -30.471 -10.416  21.416  1.00 39.37      A    N
ATOM   1001  C   ARG A 125     -32.890 -11.034  14.344  1.00 41.74      A    C
ATOM   1002  O   ARG A 125     -32.536 -11.537  13.279  1.00 41.77      A    O
ATOM   1003  N   GLU A 126     -33.043  -9.726  14.478  1.00 43.70      A    N
ATOM   1004  CA  GLU A 126     -32.568  -8.784  13.477  1.00 44.15      A    C
ATOM   1005  CB  GLU A 126     -33.614  -7.682  13.251  1.00 47.73      A    C
ATOM   1006  CG  GLU A 126     -34.960  -8.194  12.678  1.00 50.38      A    C
ATOM   1007  CD  GLU A 126     -36.171  -7.860  13.566  1.00 54.94      A    C
ATOM   1008  OE1 GLU A 126     -37.209  -7.382  13.042  1.00 56.33      A    O
ATOM   1009  OE2 GLU A 126     -36.080  -8.084  14.796  1.00 55.82      A    O
ATOM   1010  C   GLU A 126     -31.270  -8.217  14.007  1.00 42.39      A    C
ATOM   1011  O   GLU A 126     -31.133  -7.997  15.203  1.00 42.57      A    O
ATOM   1012  N   VAL A 127     -30.320  -7.974  13.119  1.00 40.95      A    N
ATOM   1013  CA  VAL A 127     -28.908  -7.865  13.506  1.00 38.67      A    C
ATOM   1014  CB  VAL A 127     -28.023  -8.137  12.283  1.00 37.45      A    C
ATOM   1015  CG1 VAL A 127     -26.599  -8.400  12.690  1.00 36.34      A    C
ATOM   1016  CG2 VAL A 127     -28.501  -9.351  11.567  1.00 37.25      A    C
ATOM   1017  C   VAL A 127     -28.456  -6.546  14.155  1.00 39.69      A    C
ATOM   1018  O   VAL A 127     -27.370  -6.476  14.724  1.00 38.67      A    O
ATOM   1019  N   HIS A 128     -29.246  -5.487  14.077  1.00 41.75      A    N
ATOM   1020  CA  HIS A 128     -28.804  -4.238  14.686  1.00 43.30      A    C
ATOM   1021  CB  HIS A 128     -29.461  -3.024  14.044  1.00 46.76      A    C
ATOM   1022  CG  HIS A 128     -29.172  -2.870  12.586  1.00 49.58      A    C
ATOM   1023  ND1 HIS A 128     -27.886  -2.823  12.078  1.00 50.91      A    N
ATOM   1024  CE1 HIS A 128     -27.947  -2.669  10.764  1.00 52.55      A    C
ATOM   1025  NE2 HIS A 128     -29.219  -2.606  10.407  1.00 52.49      A    N
ATOM   1026  CD2 HIS A 128     -30.005  -2.719  11.526  1.00 51.47      A    C
ATOM   1027  C   HIS A 128     -29.102  -4.272  16.175  1.00 42.90      A    C
ATOM   1028  O   HIS A 128     -28.302  -3.779  16.976  1.00 42.72      A    O
ATOM   1029  N   ILE A 129     -30.265  -4.831  16.526  1.00 42.28      A    N
ATOM   1030  CA  ILE A 129     -30.622  -5.086  17.910  1.00 42.49      A    C
ATOM   1031  CB  ILE A 129     -31.942  -5.844  18.030  1.00 42.88      A    C
ATOM   1032  CG1 ILE A 129     -33.113  -4.987  17.541  1.00 45.10      A    C
ATOM   1033  CD1 ILE A 129     -34.357  -5.759  17.263  1.00 43.33      A    C
ATOM   1034  CG2 ILE A 129     -32.214  -6.231  19.484  1.00 42.58      A    C
ATOM   1035  C   ILE A 129     -29.554  -5.914  18.614  1.00 40.65      A    C
ATOM   1036  O   ILE A 129     -29.225  -5.642  19.755  1.00 41.71      A    O
ATOM   1037  N   TYR A 130     -29.009  -6.911  17.925  1.00 38.48      A    N
ATOM   1038  CA  TYR A 130     -28.003  -7.757  18.481  1.00 36.89      A    C
ATOM   1039  CB  TYR A 130     -27.874  -9.022  17.646  1.00 34.64      A    C
ATOM   1040  CG  TYR A 130     -27.085 -10.161  18.286  1.00 33.81      A    C
ATOM   1041  CD1 TYR A 130     -27.724 -11.168  18.999  1.00 34.44      A    C
ATOM   1042  CE1 TYR A 130     -26.983 -12.229  19.580  1.00 33.80      A    C
ATOM   1043  CZ  TYR A 130     -25.602 -12.273  19.435  1.00 31.71      A    C
ATOM   1044  OH  TYR A 130     -24.883 -13.300  20.008  1.00 34.72      A    O
ATOM   1045  CE2 TYR A 130     -24.945 -11.296  18.738  1.00 30.52      A    C
ATOM   1046  CD2 TYR A 130     -25.683 -10.239  18.161  1.00 33.43      A    C
ATOM   1047  C   TYR A 130     -26.689  -6.982  18.554  1.00 37.66      A    C
ATOM   1048  O   TYR A 130     -26.065  -6.922  19.609  1.00 37.62      A    O
ATOM   1049  N   TYR A 131     -26.283  -6.362  17.449  1.00 38.85      A    N
ATOM   1050  CA  TYR A 131     -25.057  -5.536  17.428  1.00 39.75      A    C
ATOM   1051  CB  TYR A 131     -24.949  -4.739  16.125  1.00 40.66      A    C
ATOM   1052  CG  TYR A 131     -23.663  -3.937  15.975  1.00 41.87      A    C
ATOM   1053  CD1 TYR A 131     -22.590  -4.462  15.294  1.00 41.42      A    C
ATOM   1054  CE1 TYR A 131     -21.422  -3.749  15.131  1.00 42.24      A    C
ATOM   1055  CZ  TYR A 131     -21.305  -2.482  15.642  1.00 45.27      A    C
ATOM   1056  OH  TYR A 131     -20.104  -1.845  15.437  1.00 48.27      A    O
ATOM   1057  CE2 TYR A 131     -22.352  -1.901  16.328  1.00 46.24      A    C
ATOM   1058  CD2 TYR A 131     -23.535  -2.633  16.489  1.00 47.24      A    C
ATOM   1059  C   TYR A 131     -25.030  -4.556  18.583  1.00 42.12      A    C
ATOM   1060  O   TYR A 131     -24.006  -4.341  19.191  1.00 42.27      A    O
ATOM   1061  N   LEU A 132     -26.173  -3.965  18.871  1.00 44.85      A    N
ATOM   1062  CA  LEU A 132     -26.271  -2.966  19.915  1.00 47.90      A    C
```

```
ATOM   1063  CB  LEU A 132     -27.627  -2.268  19.808  1.00 49.90      A    C
ATOM   1064  CG  LEU A 132     -27.693  -0.843  20.312  1.00 51.56      A    C
ATOM   1065  CD1 LEU A 132     -26.648  -0.015  19.587  1.00 49.52      A    C
ATOM   1066  CD2 LEU A 132     -29.101  -0.304  20.116  1.00 50.10      A    C
ATOM   1067  C   LEU A 132     -26.056  -3.567  21.318  1.00 48.76      A    C
ATOM   1068  O   LEU A 132     -25.314  -3.020  22.128  1.00 49.84      A    O
ATOM   1069  N   GLU A 133     -26.692  -4.694  21.601  1.00 48.84      A    N
ATOM   1070  CA  GLU A 133     -26.417  -5.423  22.836  1.00 49.90      A    C
ATOM   1071  CB  GLU A 133     -27.192  -6.722  22.873  1.00 48.99      A    C
ATOM   1072  CG  GLU A 133     -28.610  -6.601  23.299  1.00 51.22      A    C
ATOM   1073  CD  GLU A 133     -29.343  -7.876  23.013  1.00 52.45      A    C
ATOM   1074  OE1 GLU A 133     -28.665  -8.899  22.723  1.00 49.60      A    O
ATOM   1075  OE2 GLU A 133     -30.598  -7.868  23.056  1.00 57.45      A    O
ATOM   1076  C   GLU A 133     -24.955  -5.813  23.018  1.00 49.20      A    C
ATOM   1077  O   GLU A 133     -24.449  -5.734  24.127  1.00 50.95      A    O
ATOM   1078  N   LYS A 134     -24.297  -6.267  21.954  1.00 47.52      A    N
ATOM   1079  CA  LYS A 134     -22.918  -6.716  22.056  1.00 47.13      A    C
ATOM   1080  CB  LYS A 134     -22.558  -7.669  20.891  1.00 44.61      A    C
ATOM   1081  CG  LYS A 134     -22.998  -9.141  21.101  1.00 43.57      A    C
ATOM   1082  CD  LYS A 134     -21.871 -10.003  21.754  1.00 45.33      A    C
ATOM   1083  CE  LYS A 134     -22.122 -11.557  21.705  1.00 45.28      A    C
ATOM   1084  NZ  LYS A 134     -22.353 -12.203  23.073  1.00 45.74      A    N
ATOM   1085  C   LYS A 134     -21.950  -5.537  22.122  1.00 49.73      A    C
ATOM   1086  O   LYS A 134     -21.005  -5.538  22.921  1.00 50.25      A    O
ATOM   1087  N   ALA A 135     -22.182  -4.530  21.283  1.00 52.31      A    N
ATOM   1088  CA  ALA A 135     -21.353  -3.310  21.276  1.00 54.81      A    C
ATOM   1089  CB  ALA A 135     -21.736  -2.399  20.115  1.00 55.85      A    C
ATOM   1090  C   ALA A 135     -21.457  -2.556  22.588  1.00 58.36      A    C
ATOM   1091  O   ALA A 135     -20.439  -2.167  23.167  1.00 59.43      A    O
ATOM   1092  N   ASN A 136     -22.685  -2.378  23.070  1.00 61.08      A    N
ATOM   1093  CA  ASN A 136     -22.929  -1.712  24.364  1.00 64.99      A    C
ATOM   1094  CB  ASN A 136     -24.377  -1.159  24.420  1.00 67.57      A    C
ATOM   1095  CG  ASN A 136     -24.486   0.173  25.172  1.00 71.94      A    C
ATOM   1096  OD1 ASN A 136     -23.947   0.334  26.267  1.00 73.57      A    O
ATOM   1097  ND2 ASN A 136     -25.205   1.124  24.584  1.00 74.29      A    N
ATOM   1098  C   ASN A 136     -22.626  -2.663  25.547  1.00 64.83      A    C
ATOM   1099  O   ASN A 136     -23.192  -2.523  26.637  1.00 66.98      A    O
ATOM   1100  N   LYS A 137     -21.753  -3.642  25.287  1.00 62.92      A    N
ATOM   1101  CA  LYS A 137     -21.091  -4.487  26.291  1.00 62.98      A    C
ATOM   1102  CB  LYS A 137     -21.868  -5.794  26.524  1.00 61.42      A    C
ATOM   1103  CG  LYS A 137     -20.983  -7.050  26.706  1.00 60.28      A    C
ATOM   1104  CD  LYS A 137     -21.811  -8.308  27.033  1.00 61.08      A    C
ATOM   1105  CE  LYS A 137     -20.950  -9.431  27.631  1.00 60.58      A    C
ATOM   1106  NZ  LYS A 137     -21.576 -10.052  28.854  1.00 62.60      A    N
ATOM   1107  C   LYS A 137     -19.678  -4.792  25.772  1.00 61.38      A    C
ATOM   1108  O   LYS A 137     -18.679  -4.392  26.375  1.00 63.57      A    O
ATOM   1109  N   LYS A 142     -11.808  -2.879  22.186  1.00 43.60      A    N
ATOM   1110  CA  LYS A 142     -11.035  -2.973  20.927  1.00 43.07      A    C
ATOM   1111  CB  LYS A 142      -9.535  -2.721  21.167  1.00 44.52      A    C
ATOM   1112  CG  LYS A 142      -9.273  -1.639  22.197  1.00 50.43      A    C
ATOM   1113  CD  LYS A 142      -7.911  -0.934  22.018  1.00 54.90      A    C
ATOM   1114  CE  LYS A 142      -7.775   0.176  23.065  1.00 59.58      A    C
ATOM   1115  NZ  LYS A 142      -6.575   1.060  22.900  1.00 65.00      A    N
ATOM   1116  C   LYS A 142     -11.199  -4.308  20.200  1.00 39.25      A    C
ATOM   1117  O   LYS A 142     -10.560  -4.536  19.177  1.00 37.65      A    O
ATOM   1118  N   THR A 143     -12.028  -5.189  20.752  1.00 37.84      A    N
ATOM   1119  CA  THR A 143     -12.468  -6.430  20.084  1.00 34.92      A    C
ATOM   1120  CB  THR A 143     -13.329  -7.261  21.015  1.00 34.29      A    C
ATOM   1121  OG1 THR A 143     -12.507  -7.867  22.019  1.00 36.56      A    O
ATOM   1122  CG2 THR A 143     -14.084  -8.332  20.238  1.00 32.44      A    C
ATOM   1123  C   THR A 143     -13.379  -6.123  18.937  1.00 33.76      A    C
ATOM   1124  O   THR A 143     -14.347  -5.412  19.119  1.00 35.42      A    O
ATOM   1125  N   HIS A 144     -13.103  -6.683  17.768  1.00 31.58      A    N
```

```
ATOM   1126  CA  HIS A 144     -13.879  -6.389  16.570  1.00 30.64      A    C
ATOM   1127  CB  HIS A 144     -13.013  -6.690  15.353  1.00 30.26      A    C
ATOM   1128  CG  HIS A 144     -13.421  -5.965  14.116  1.00 31.02      A    C
ATOM   1129  ND1 HIS A 144     -12.924  -4.723  13.789  1.00 33.31      A    N
ATOM   1130  CE1 HIS A 144     -13.450  -4.331  12.645  1.00 35.40      A    C
ATOM   1131  NE2 HIS A 144     -14.265  -5.278  12.215  1.00 34.11      A    N
ATOM   1132  CD2 HIS A 144     -14.258  -6.314  13.115  1.00 30.72      A    C
ATOM   1133  C   HIS A 144     -15.124  -7.274  16.582  1.00 28.60      A    C
ATOM   1134  O   HIS A 144     -15.026  -8.452  16.869  1.00 27.93      A    O
ATOM   1135  N   ILE A 145     -16.295  -6.707  16.316  1.00 29.03      A    N
ATOM   1136  CA  ILE A 145     -17.565  -7.456  16.324  1.00 27.56      A    C
ATOM   1137  CB  ILE A 145     -18.682  -6.671  17.081  1.00 29.24      A    C
ATOM   1138  CG1 ILE A 145     -18.243  -6.290  18.498  1.00 30.10      A    C
ATOM   1139  CD1 ILE A 145     -19.218  -5.350  19.228  1.00 31.54      A    C
ATOM   1140  CG2 ILE A 145     -19.970  -7.472  17.144  1.00 28.53      A    C
ATOM   1141  C   ILE A 145     -18.030  -7.718  14.877  1.00 27.06      A    C
ATOM   1142  O   ILE A 145     -18.013  -6.809  14.037  1.00 29.01      A    O
ATOM   1143  N   HIS A 146     -18.444  -8.949  14.591  1.00 24.85      A    N
ATOM   1144  CA  HIS A 146     -19.029  -9.311  13.301  1.00 23.84      A    C
ATOM   1145  CB  HIS A 146     -17.994 -10.107  12.522  1.00 22.81      A    C
ATOM   1146  CG  HIS A 146     -18.276 -10.241  11.063  1.00 23.36      A    C
ATOM   1147  ND1 HIS A 146     -17.269 -10.235  10.117  1.00 24.62      A    N
ATOM   1148  CE1 HIS A 146     -17.794 -10.383   8.918  1.00 24.66      A    C
ATOM   1149  NE2 HIS A 146     -19.104 -10.480   9.049  1.00 25.22      A    N
ATOM   1150  CD2 HIS A 146     -19.431 -10.402  10.383  1.00 23.16      A    C
ATOM   1151  C   HIS A 146     -20.263 -10.181  13.583  1.00 22.82      A    C
ATOM   1152  O   HIS A 146     -20.167 -11.214  14.220  1.00 21.58      A    O
ATOM   1153  N   ILE A 147     -21.403  -9.755  13.078  1.00 23.29      A    N
ATOM   1154  CA  ILE A 147     -22.685 -10.383  13.305  1.00 22.31      A    C
ATOM   1155  CB  ILE A 147     -23.736  -9.332  13.702  1.00 24.10      A    C
ATOM   1156  CG1 ILE A 147     -23.437  -8.797  15.093  1.00 25.27      A    C
ATOM   1157  CD1 ILE A 147     -22.925  -9.868  16.011  1.00 22.49      A    C
ATOM   1158  CG2 ILE A 147     -25.135  -9.925  13.604  1.00 24.13      A    C
ATOM   1159  C   ILE A 147     -23.234 -10.928  12.029  1.00 22.12      A    C
ATOM   1160  O   ILE A 147     -23.261 -10.211  11.034  1.00 22.47      A    O
ATOM   1161  N   PHE A 148     -23.741 -12.165  12.087  1.00 21.33      A    N
ATOM   1162  CA  PHE A 148     -24.475 -12.782  10.996  1.00 21.67      A    C
ATOM   1163  CB  PHE A 148     -23.814 -14.079  10.669  1.00 19.74      A    C
ATOM   1164  CG  PHE A 148     -22.506 -13.942   9.994  1.00 20.45      A    C
ATOM   1165  CD1 PHE A 148     -22.446 -13.717   8.628  1.00 20.06      A    C
ATOM   1166  CE1 PHE A 148     -21.248 -13.646   7.974  1.00 18.84      A    C
ATOM   1167  CZ  PHE A 148     -20.100 -13.800   8.653  1.00 19.15      A    C
ATOM   1168  CE2 PHE A 148     -20.122 -14.040  10.047  1.00 18.95      A    C
ATOM   1169  CD2 PHE A 148     -21.312 -14.120  10.705  1.00 19.37      A    C
ATOM   1170  C   PHE A 148     -25.892 -13.119  11.417  1.00 22.61      A    C
ATOM   1171  O   PHE A 148     -26.097 -13.387  12.577  1.00 23.73      A    O
ATOM   1172  N   SER A 149     -26.854 -13.137  10.496  1.00 24.41      A    N
ATOM   1173  CA  SER A 149     -28.223 -13.595  10.804  1.00 26.40      A    C
ATOM   1174  CB  SER A 149     -29.250 -12.547  10.442  1.00 28.65      A    C
ATOM   1175  OG  SER A 149     -29.568 -12.615   9.073  1.00 31.05      A    O
ATOM   1176  C   SER A 149     -28.569 -14.877  10.062  1.00 26.57      A    C
ATOM   1177  O   SER A 149     -27.817 -15.306   9.191  1.00 27.76      A    O
ATOM   1178  N   PHE A 150     -29.694 -15.502  10.418  1.00 27.04      A    N
ATOM   1179  CA  PHE A 150     -30.184 -16.660   9.682  1.00 26.50      A    C
ATOM   1180  CB  PHE A 150     -31.136 -17.518  10.528  1.00 26.32      A    C
ATOM   1181  CG  PHE A 150     -30.440 -18.335  11.527  1.00 23.45      A    C
ATOM   1182  CD1 PHE A 150     -30.021 -19.627  11.220  1.00 21.13      A    C
ATOM   1183  CE1 PHE A 150     -29.343 -20.366  12.119  1.00 16.81      A    C
ATOM   1184  CZ  PHE A 150     -28.995 -19.828  13.358  1.00 19.31      A    C
ATOM   1185  CE2 PHE A 150     -29.371 -18.548  13.692  1.00 20.69      A    C
ATOM   1186  CD2 PHE A 150     -30.111 -17.802  12.762  1.00 24.45      A    C
ATOM   1187  C   PHE A 150     -30.879 -16.220   8.395  1.00 28.91      A    C
ATOM   1188  O   PHE A 150     -31.139 -17.065   7.529  1.00 29.34      A    O
```

ATOM	1189	N	THR	A	151	-31.211	-14.928	8.278	1.00	30.40	A	N
ATOM	1190	CA	THR	A	151	-31.908	-14.417	7.104	1.00	32.32	A	C
ATOM	1191	CB	THR	A	151	-33.014	-13.405	7.505	1.00	34.26	A	C
ATOM	1192	OG1	THR	A	151	-32.547	-12.574	8.564	1.00	33.56	A	O
ATOM	1193	CG2	THR	A	151	-34.259	-14.132	7.964	1.00	34.11	A	C
ATOM	1194	C	THR	A	151	-30.993	-13.796	6.056	1.00	33.29	A	C
ATOM	1195	O	THR	A	151	-31.453	-13.156	5.135	1.00	36.54	A	O
ATOM	1196	N	GLY	A	152	-29.695	-13.973	6.181	1.00	32.92	A	N
ATOM	1197	CA	GLY	A	152	-28.760	-13.482	5.169	1.00	33.43	A	C
ATOM	1198	C	GLY	A	152	-28.133	-12.114	5.396	1.00	34.12	A	C
ATOM	1199	O	GLY	A	152	-27.382	-11.663	4.543	1.00	35.73	A	O
ATOM	1200	N	GLU	A	153	-28.431	-11.442	6.507	1.00	33.78	A	N
ATOM	1201	CA	GLU	A	153	-27.876	-10.114	6.768	1.00	34.81	A	C
ATOM	1202	CB	GLU	A	153	-28.876	-9.227	7.503	1.00	36.84	A	C
ATOM	1203	CG	GLU	A	153	-30.088	-8.814	6.698	1.00	40.70	A	C
ATOM	1204	CD	GLU	A	153	-31.271	-8.468	7.591	1.00	45.04	A	C
ATOM	1205	OE1	GLU	A	153	-31.626	-9.335	8.431	1.00	42.84	A	O
ATOM	1206	OE2	GLU	A	153	-31.849	-7.338	7.450	1.00	49.64	A	O
ATOM	1207	C	GLU	A	153	-26.615	-10.218	7.613	1.00	32.76	A	C
ATOM	1208	O	GLU	A	153	-26.390	-11.227	8.288	1.00	30.70	A	O
ATOM	1209	N	GLU	A	154	-25.785	-9.178	7.574	1.00	33.09	A	N
ATOM	1210	CA	GLU	A	154	-24.577	-9.155	8.394	1.00	31.82	A	C
ATOM	1211	CB	GLU	A	154	-23.393	-9.824	7.671	1.00	30.31	A	C
ATOM	1212	CG	GLU	A	154	-22.914	-9.031	6.469	1.00	33.94	A	C
ATOM	1213	CD	GLU	A	154	-21.598	-9.499	5.860	1.00	35.24	A	C
ATOM	1214	OE1	GLU	A	154	-20.734	-10.113	6.543	1.00	33.20	A	O
ATOM	1215	OE2	GLU	A	154	-21.429	-9.195	4.666	1.00	38.99	A	O
ATOM	1216	C	GLU	A	154	-24.219	-7.737	8.780	1.00	32.97	A	C
ATOM	1217	O	GLU	A	154	-24.552	-6.800	8.070	1.00	34.72	A	O
ATOM	1218	N	MET	A	155	-23.545	-7.575	9.915	1.00	32.59	A	N
ATOM	1219	CA	MET	A	155	-22.881	-6.303	10.196	1.00	34.59	A	C
ATOM	1220	CB	MET	A	155	-23.861	-5.263	10.735	1.00	37.18	A	C
ATOM	1221	CG	MET	A	155	-24.313	-5.424	12.146	1.00	39.53	A	C
ATOM	1222	SD	MET	A	155	-25.553	-4.136	12.466	1.00	50.66	A	S
ATOM	1223	CE	MET	A	155	-26.996	-4.967	11.774	1.00	46.78	A	C
ATOM	1224	C	MET	A	155	-21.626	-6.435	11.063	1.00	32.52	A	C
ATOM	1225	O	MET	A	155	-21.516	-7.341	11.854	1.00	29.62	A	O
ATOM	1226	N	ALA	A	156	-20.694	-5.502	10.885	1.00	33.66	A	N
ATOM	1227	CA	ALA	A	156	-19.379	-5.591	11.500	1.00	32.99	A	C
ATOM	1228	CB	ALA	A	156	-18.440	-6.221	10.549	1.00	31.69	A	C
ATOM	1229	C	ALA	A	156	-18.843	-4.229	11.958	1.00	35.67	A	C
ATOM	1230	O	ALA	A	156	-19.040	-3.223	11.280	1.00	38.97	A	O
ATOM	1231	N	THR	A	157	-18.163	-4.197	13.106	1.00	35.16	A	N
ATOM	1232	CA	THR	A	157	-17.575	-2.967	13.600	1.00	37.13	A	C
ATOM	1233	CB	THR	A	157	-16.562	-3.220	14.764	1.00	36.63	A	C
ATOM	1234	OG1	THR	A	157	-17.229	-3.077	16.026	1.00	39.19	A	O
ATOM	1235	CG2	THR	A	157	-15.445	-2.196	14.763	1.00	38.72	A	C
ATOM	1236	C	THR	A	157	-16.884	-2.237	12.468	1.00	38.18	A	C
ATOM	1237	O	THR	A	157	-16.137	-2.844	11.730	1.00	36.37	A	O
ATOM	1238	N	LYS	A	158	-17.158	-0.933	12.348	1.00	41.09	A	N
ATOM	1239	CA	LYS	A	158	-16.553	-0.062	11.354	1.00	43.23	A	C
ATOM	1240	CB	LYS	A	158	-15.025	-0.009	11.536	1.00	43.59	A	C
ATOM	1241	CG	LYS	A	158	-14.535	0.841	12.715	1.00	47.25	A	C
ATOM	1242	CD	LYS	A	158	-13.015	0.665	12.924	1.00	49.55	A	C
ATOM	1243	CE	LYS	A	158	-12.343	1.858	13.643	1.00	53.50	A	C
ATOM	1244	NZ	LYS	A	158	-12.056	1.562	15.084	1.00	52.93	A	N
ATOM	1245	C	LYS	A	158	-16.883	-0.409	9.905	1.00	42.65	A	C
ATOM	1246	O	LYS	A	158	-16.308	0.167	8.998	1.00	45.29	A	O
ATOM	1247	N	ALA	A	159	-17.805	-1.328	9.674	1.00	40.71	A	N
ATOM	1248	CA	ALA	A	159	-18.094	-1.836	8.312	1.00	40.55	A	C
ATOM	1249	CB	ALA	A	159	-18.549	-0.720	7.402	1.00	42.47	A	C
ATOM	1250	C	ALA	A	159	-16.900	-2.619	7.699	1.00	39.14	A	C
ATOM	1251	O	ALA	A	159	-16.752	-2.729	6.466	1.00	39.69	A	O

```
ATOM   1252  N   ASP A 160     -16.077  -3.173   8.587  1.00 37.02      A    N
ATOM   1253  CA  ASP A 160     -14.924  -3.970   8.218  1.00 35.61      A    C
ATOM   1254  CB  ASP A 160     -13.694  -3.549   9.046  1.00 35.96      A    C
ATOM   1255  CG  ASP A 160     -12.406  -4.237   8.608  1.00 34.75      A    C
ATOM   1256  OD1 ASP A 160     -12.434  -5.102   7.716  1.00 32.77      A    O
ATOM   1257  OD2 ASP A 160     -11.341  -3.907   9.175  1.00 37.58      A    O
ATOM   1258  C   ASP A 160     -15.259  -5.438   8.450  1.00 33.02      A    C
ATOM   1259  O   ASP A 160     -15.233  -5.937   9.596  1.00 30.79      A    O
ATOM   1260  N   TYR A 161     -15.542  -6.139   7.355  1.00 32.31      A    N
ATOM   1261  CA  TYR A 161     -16.011  -7.499   7.467  1.00 30.28      A    C
ATOM   1262  CB  TYR A 161     -17.033  -7.779   6.381  1.00 30.73      A    C
ATOM   1263  CG  TYR A 161     -18.186  -6.817   6.446  1.00 34.16      A    C
ATOM   1264  CD1 TYR A 161     -19.245  -7.035   7.322  1.00 34.14      A    C
ATOM   1265  CE1 TYR A 161     -20.320  -6.158   7.390  1.00 36.01      A    C
ATOM   1266  CZ  TYR A 161     -20.338  -5.032   6.595  1.00 40.45      A    C
ATOM   1267  OH  TYR A 161     -21.402  -4.162   6.699  1.00 45.76      A    O
ATOM   1268  CE2 TYR A 161     -19.291  -4.770   5.712  1.00 41.25      A    C
ATOM   1269  CD2 TYR A 161     -18.215  -5.665   5.645  1.00 39.08      A    C
ATOM   1270  C   TYR A 161     -14.869  -8.494   7.451  1.00 28.89      A    C
ATOM   1271  O   TYR A 161     -15.106  -9.712   7.375  1.00 26.31      A    O
ATOM   1272  N   THR A 162     -13.639  -7.975   7.557  1.00 29.48      A    N
ATOM   1273  CA  THR A 162     -12.439  -8.801   7.625  1.00 29.16      A    C
ATOM   1274  CB  THR A 162     -12.433  -9.684   8.868  1.00 26.95      A    C
ATOM   1275  OG1 THR A 162     -12.638  -8.877  10.017  1.00 27.65      A    O
ATOM   1276  CG2 THR A 162     -11.095 -10.413   9.014  1.00 27.47      A    C
ATOM   1277  C   THR A 162     -12.217  -9.696   6.403  1.00 29.42      A    C
ATOM   1278  O   THR A 162     -11.279  -9.486   5.663  1.00 31.31      A    O
ATOM   1279  N   LEU A 163     -13.067 -10.705   6.215  1.00 29.00      A    N
ATOM   1280  CA  LEU A 163     -12.918 -11.681   5.124  1.00 28.99      A    C
ATOM   1281  CB  LEU A 163     -13.864 -12.867   5.305  1.00 26.83      A    C
ATOM   1282  CG  LEU A 163     -13.694 -13.727   6.560  1.00 24.81      A    C
ATOM   1283  CD1 LEU A 163     -14.813 -14.756   6.672  1.00 17.75      A    C
ATOM   1284  CD2 LEU A 163     -12.293 -14.373   6.544  1.00 24.21      A    C
ATOM   1285  C   LEU A 163     -13.271 -11.053   3.814  1.00 31.29      A    C
ATOM   1286  O   LEU A 163     -13.794  -9.958   3.782  1.00 34.30      A    O
ATOM   1287  N   ASP A 164     -13.000 -11.774   2.738  1.00 31.82      A    N
ATOM   1288  CA  ASP A 164     -13.570 -11.497   1.415  1.00 33.23      A    C
ATOM   1289  CB  ASP A 164     -12.836 -12.353   0.375  1.00 33.86      A    C
ATOM   1290  CG  ASP A 164     -12.879 -13.837   0.723  1.00 31.15      A    C
ATOM   1291  OD1 ASP A 164     -12.646 -14.181   1.920  1.00 22.95      A    O
ATOM   1292  OD2 ASP A 164     -13.190 -14.635  -0.192  1.00 30.23      A    O
ATOM   1293  C   ASP A 164     -15.059 -11.840   1.351  1.00 32.77      A    C
ATOM   1294  O   ASP A 164     -15.611 -12.492   2.244  1.00 30.52      A    O
ATOM   1295  N   GLU A 165     -15.687 -11.452   0.245  1.00 35.33      A    N
ATOM   1296  CA  GLU A 165     -17.135 -11.620   0.060  1.00 35.80      A    C
ATOM   1297  CB  GLU A 165     -17.621 -10.754  -1.098  1.00 39.00      A    C
ATOM   1298  CG  GLU A 165     -17.718  -9.290  -0.680  1.00 42.20      A    C
ATOM   1299  CD  GLU A 165     -17.909  -8.328  -1.841  1.00 47.50      A    C
ATOM   1300  OE1 GLU A 165     -19.041  -8.247  -2.387  1.00 51.13      A    O
ATOM   1301  OE2 GLU A 165     -16.929  -7.628  -2.177  1.00 47.82      A    O
ATOM   1302  C   GLU A 165     -17.584 -13.082  -0.086  1.00 34.46      A    C
ATOM   1303  O   GLU A 165     -18.644 -13.461   0.441  1.00 33.54      A    O
ATOM   1304  N   GLU A 166     -16.778 -13.904  -0.758  1.00 33.94      A    N
ATOM   1305  CA  GLU A 166     -17.147 -15.309  -0.988  1.00 32.81      A    C
ATOM   1306  CB  GLU A 166     -16.138 -15.997  -1.909  1.00 33.94      A    C
ATOM   1307  CG  GLU A 166     -16.477 -15.868  -3.354  1.00 40.06      A    C
ATOM   1308  CD  GLU A 166     -17.695 -16.674  -3.717  1.00 42.03      A    C
ATOM   1309  OE1 GLU A 166     -18.699 -16.036  -4.118  1.00 43.59      A    O
ATOM   1310  OE2 GLU A 166     -17.654 -17.930  -3.578  1.00 40.54      A    O
ATOM   1311  C   GLU A 166     -17.236 -16.105   0.302  1.00 29.15      A    C
ATOM   1312  O   GLU A 166     -18.157 -16.895   0.491  1.00 27.59      A    O
ATOM   1313  N   SER A 167     -16.234 -15.926   1.152  1.00 27.33      A    N
ATOM   1314  CA  SER A 167     -16.229 -16.533   2.450  1.00 25.51      A    C
```

```
ATOM   1315  CB  SER A 167     -14.930 -16.159   3.196  1.00 25.59      A    C
ATOM   1316  OG  SER A 167     -13.773 -16.490   2.425  1.00 26.87      A    O
ATOM   1317  C   SER A 167     -17.481 -16.111   3.241  1.00 24.17      A    C
ATOM   1318  O   SER A 167     -18.175 -16.931   3.813  1.00 22.43      A    O
ATOM   1319  N   ARG A 168     -17.816 -14.830   3.199  1.00 25.85      A    N
ATOM   1320  CA  ARG A 168     -19.049 -14.335   3.861  1.00 25.35      A    C
ATOM   1321  CB  ARG A 168     -19.076 -12.826   3.853  1.00 26.28      A    C
ATOM   1322  CG  ARG A 168     -17.933 -12.273   4.684  1.00 27.62      A    C
ATOM   1323  CD  ARG A 168     -18.113 -10.808   4.963  1.00 30.07      A    C
ATOM   1324  NE  ARG A 168     -17.401  -9.988   4.007  1.00 33.04      A    N
ATOM   1325  CZ  ARG A 168     -17.931  -8.996   3.302  1.00 36.55      A    C
ATOM   1326  NH1 ARG A 168     -19.205  -8.665   3.410  1.00 34.96      A    N
ATOM   1327  NH2 ARG A 168     -17.148  -8.314   2.483  1.00 40.96      A    N
ATOM   1328  C   ARG A 168     -20.346 -14.895   3.293  1.00 25.33      A    C
ATOM   1329  O   ARG A 168     -21.255 -15.244   4.039  1.00 24.28      A    O
ATOM   1330  N   ALA A 169     -20.419 -14.997   1.983  1.00 26.69      A    N
ATOM   1331  CA  ALA A 169     -21.601 -15.479   1.328  1.00 27.83      A    C
ATOM   1332  CB  ALA A 169     -21.462 -15.252  -0.141  1.00 30.58      A    C
ATOM   1333  C   ALA A 169     -21.770 -16.952   1.608  1.00 27.84      A    C
ATOM   1334  O   ALA A 169     -22.874 -17.450   1.708  1.00 27.83      A    O
ATOM   1335  N   ARG A 170     -20.649 -17.659   1.686  1.00 27.97      A    N
ATOM   1336  CA  ARG A 170     -20.652 -19.049   2.079  1.00 27.76      A    C
ATOM   1337  CB  ARG A 170     -19.208 -19.559   2.086  1.00 27.38      A    C
ATOM   1338  CG  ARG A 170     -18.994 -20.951   2.580  1.00 29.26      A    C
ATOM   1339  CD  ARG A 170     -17.511 -21.395   2.298  1.00 35.19      A    C
ATOM   1340  NE  ARG A 170     -17.249 -22.811   2.599  1.00 36.75      A    N
ATOM   1341  CZ  ARG A 170     -16.789 -23.292   3.757  1.00 38.06      A    C
ATOM   1342  NH1 ARG A 170     -16.502 -22.488   4.783  1.00 36.34      A    N
ATOM   1343  NH2 ARG A 170     -16.611 -24.609   3.888  1.00 39.67      A    N
ATOM   1344  C   ARG A 170     -21.321 -19.263   3.462  1.00 25.65      A    C
ATOM   1345  O   ARG A 170     -22.153 -20.168   3.610  1.00 26.74      A    O
ATOM   1346  N   ILE A 171     -20.959 -18.453   4.454  1.00 23.34      A    N
ATOM   1347  CA  ILE A 171     -21.528 -18.581   5.815  1.00 21.38      A    C
ATOM   1348  CB  ILE A 171     -20.724 -17.757   6.872  1.00 20.28      A    C
ATOM   1349  CG1 ILE A 171     -19.253 -18.186   6.935  1.00 20.15      A    C
ATOM   1350  CD1 ILE A 171     -18.357 -17.285   7.730  1.00 19.43      A    C
ATOM   1351  CG2 ILE A 171     -21.302 -17.951   8.245  1.00 19.43      A    C
ATOM   1352  C   ILE A 171     -23.017 -18.141   5.869  1.00 21.64      A    C
ATOM   1353  O   ILE A 171     -23.864 -18.852   6.423  1.00 20.45      A    O
ATOM   1354  N   LYS A 172     -23.316 -16.980   5.288  1.00 21.99      A    N
ATOM   1355  CA  LYS A 172     -24.699 -16.519   5.112  1.00 23.19      A    C
ATOM   1356  CB  LYS A 172     -24.717 -15.260   4.268  1.00 25.29      A    C
ATOM   1357  CG  LYS A 172     -24.311 -13.997   5.005  1.00 26.28      A    C
ATOM   1358  CD  LYS A 172     -24.515 -12.763   4.124  1.00 29.81      A    C
ATOM   1359  CE  LYS A 172     -23.230 -12.281   3.458  1.00 30.35      A    C
ATOM   1360  NZ  LYS A 172     -23.272 -10.797   3.295  1.00 34.17      A    N
ATOM   1361  C   LYS A 172     -25.619 -17.547   4.436  1.00 23.68      A    C
ATOM   1362  O   LYS A 172     -26.742 -17.750   4.851  1.00 23.47      A    O
ATOM   1363  N   THR A 173     -25.133 -18.165   3.372  1.00 24.52      A    N
ATOM   1364  CA  THR A 173     -25.788 -19.315   2.754  1.00 25.18      A    C
ATOM   1365  CB  THR A 173     -25.002 -19.806   1.553  1.00 26.05      A    C
ATOM   1366  OG1 THR A 173     -25.177 -18.867   0.500  1.00 25.67      A    O
ATOM   1367  CG2 THR A 173     -25.501 -21.177   1.095  1.00 27.22      A    C
ATOM   1368  C   THR A 173     -25.999 -20.487   3.707  1.00 23.67      A    C
ATOM   1369  O   THR A 173     -27.134 -20.937   3.915  1.00 23.84      A    O
ATOM   1370  N   ARG A 174     -24.927 -20.987   4.292  1.00 22.32      A    N
ATOM   1371  CA  ARG A 174     -25.076 -22.077   5.292  1.00 21.02      A    C
ATOM   1372  CB  ARG A 174     -23.743 -22.347   5.954  1.00 19.66      A    C
ATOM   1373  CG  ARG A 174     -23.755 -23.374   7.102  1.00 19.80      A    C
ATOM   1374  CD  ARG A 174     -24.160 -24.739   6.651  1.00 19.79      A    C
ATOM   1375  NE  ARG A 174     -23.943 -25.723   7.712  1.00 20.94      A    N
ATOM   1376  CZ  ARG A 174     -24.575 -26.887   7.812  1.00 21.39      A    C
ATOM   1377  NH1 ARG A 174     -25.469 -27.228   6.914  1.00 24.70      A    N
```

```
ATOM   1378  NH2 ARG A 174     -24.338 -27.697   8.830  1.00 21.74      A    N
ATOM   1379  C   ARG A 174     -26.159 -21.801   6.364  1.00 20.47      A    C
ATOM   1380  O   ARG A 174     -26.930 -22.688   6.717  1.00 22.09      A    O
ATOM   1381  N   LEU A 175     -26.230 -20.572   6.860  1.00 19.74      A    N
ATOM   1382  CA  LEU A 175     -27.168 -20.197   7.923  1.00 18.80      A    C
ATOM   1383  CB  LEU A 175     -26.799 -18.832   8.467  1.00 18.24      A    C
ATOM   1384  CG  LEU A 175     -25.526 -18.838   9.316  1.00 16.34      A    C
ATOM   1385  CD1 LEU A 175     -25.099 -17.421   9.637  1.00 15.42      A    C
ATOM   1386  CD2 LEU A 175     -25.756 -19.624  10.574  1.00 11.76      A    C
ATOM   1387  C   LEU A 175     -28.596 -20.173   7.409  1.00 20.46      A    C
ATOM   1388  O   LEU A 175     -29.533 -20.652   8.063  1.00 20.52      A    O
ATOM   1389  N   PHE A 176     -28.754 -19.600   6.227  1.00 21.77      A    N
ATOM   1390  CA  PHE A 176     -30.021 -19.600   5.549  1.00 23.48      A    C
ATOM   1391  CB  PHE A 176     -29.906 -18.837   4.240  1.00 25.28      A    C
ATOM   1392  CG  PHE A 176     -31.208 -18.645   3.558  1.00 26.90      A    C
ATOM   1393  CD1 PHE A 176     -31.952 -17.509   3.783  1.00 28.37      A    C
ATOM   1394  CE1 PHE A 176     -33.206 -17.345   3.166  1.00 31.59      A    C
ATOM   1395  CZ  PHE A 176     -33.697 -18.328   2.334  1.00 31.69      A    C
ATOM   1396  CE2 PHE A 176     -32.946 -19.476   2.110  1.00 30.52      A    C
ATOM   1397  CD2 PHE A 176     -31.722 -19.633   2.730  1.00 27.45      A    C
ATOM   1398  C   PHE A 176     -30.513 -21.035   5.323  1.00 23.97      A    C
ATOM   1399  O   PHE A 176     -31.675 -21.334   5.533  1.00 24.81      A    O
ATOM   1400  N   THR A 177     -29.617 -21.929   4.940  1.00 23.73      A    N
ATOM   1401  CA  THR A 177     -29.978 -23.323   4.688  1.00 24.64      A    C
ATOM   1402  CB  THR A 177     -28.798 -24.073   4.026  1.00 24.41      A    C
ATOM   1403  OG1 THR A 177     -28.493 -23.455   2.773  1.00 27.31      A    O
ATOM   1404  CG2 THR A 177     -29.122 -25.522   3.789  1.00 24.94      A    C
ATOM   1405  C   THR A 177     -30.381 -24.014   5.991  1.00 24.04      A    C
ATOM   1406  O   THR A 177     -31.293 -24.814   6.010  1.00 24.79      A    O
ATOM   1407  N   ILE A 178     -29.689 -23.706   7.089  1.00 22.92      A    N
ATOM   1408  CA  ILE A 178     -30.005 -24.332   8.367  1.00 21.84      A    C
ATOM   1409  CB  ILE A 178     -29.032 -23.921   9.493  1.00 20.44      A    C
ATOM   1410  CG1 ILE A 178     -27.674 -24.610   9.258  1.00 20.61      A    C
ATOM   1411  CD1 ILE A 178     -26.467 -24.066  10.079  1.00 19.02      A    C
ATOM   1412  CG2 ILE A 178     -29.610 -24.329  10.830  1.00 17.28      A    C
ATOM   1413  C   ILE A 178     -31.407 -23.974   8.746  1.00 23.42      A    C
ATOM   1414  O   ILE A 178     -32.105 -24.773   9.346  1.00 23.94      A    O
ATOM   1415  N   ARG A 179     -31.831 -22.772   8.346  1.00 24.37      A    N
ATOM   1416  CA  ARG A 179     -33.143 -22.284   8.686  1.00 25.71      A    C
ATOM   1417  CB  ARG A 179     -33.206 -20.771   8.492  1.00 26.10      A    C
ATOM   1418  CG  ARG A 179     -34.586 -20.143   8.572  1.00 26.15      A    C
ATOM   1419  CD  ARG A 179     -34.391 -18.643   8.699  1.00 25.26      A    C
ATOM   1420  NE  ARG A 179     -35.601 -17.834   8.687  1.00 27.38      A    N
ATOM   1421  CZ  ARG A 179     -36.290 -17.499   7.589  1.00 28.24      A    C
ATOM   1422  NH1 ARG A 179     -35.918 -17.966   6.401  1.00 27.05      A    N
ATOM   1423  NH2 ARG A 179     -37.359 -16.695   7.682  1.00 28.26      A    N
ATOM   1424  C   ARG A 179     -34.232 -22.999   7.901  1.00 27.95      A    C
ATOM   1425  O   ARG A 179     -35.230 -23.401   8.488  1.00 28.79      A    O
ATOM   1426  N   GLN A 180     -34.035 -23.139   6.592  1.00 29.37      A    N
ATOM   1427  CA  GLN A 180     -34.993 -23.845   5.723  1.00 32.45      A    C
ATOM   1428  CB  GLN A 180     -34.444 -24.033   4.301  1.00 33.31      A    C
ATOM   1429  CG  GLN A 180     -34.436 -22.794   3.393  1.00 35.31      A    C
ATOM   1430  CD  GLN A 180     -34.070 -23.140   1.895  1.00 38.64      A    C
ATOM   1431  OE1 GLN A 180     -33.029 -23.787   1.631  1.00 36.28      A    O
ATOM   1432  NE2 GLN A 180     -34.917 -22.690   0.934  1.00 33.57      A    N
ATOM   1433  C   GLN A 180     -35.241 -25.219   6.295  1.00 32.96      A    C
ATOM   1434  O   GLN A 180     -36.373 -25.620   6.512  1.00 33.91      A    O
ATOM   1435  N   GLU A 181     -34.145 -25.924   6.565  1.00 32.68      A    N
ATOM   1436  CA  GLU A 181     -34.206 -27.318   6.994  1.00 33.70      A    C
ATOM   1437  CB  GLU A 181     -32.813 -27.901   7.128  1.00 32.17      A    C
ATOM   1438  CG  GLU A 181     -31.988 -27.873   5.832  1.00 34.86      A    C
ATOM   1439  CD  GLU A 181     -32.544 -28.754   4.719  1.00 41.94      A    C
ATOM   1440  OE1 GLU A 181     -33.685 -29.295   4.852  1.00 42.23      A    O
```

```
ATOM   1441  OE2 GLU A 181     -31.820 -28.884   3.689  1.00 45.95      A    O
ATOM   1442  C   GLU A 181     -34.966 -27.485   8.299  1.00 33.82      A    C
ATOM   1443  O   GLU A 181     -35.753 -28.421   8.444  1.00 35.45      A    O
ATOM   1444  N   MET A 182     -34.737 -26.564   9.232  1.00 31.80      A    N
ATOM   1445  CA  MET A 182     -35.500 -26.543  10.455  1.00 31.53      A    C
ATOM   1446  CB  MET A 182     -34.948 -25.490  11.412  1.00 30.23      A    C
ATOM   1447  CG  MET A 182     -33.702 -25.929  12.115  1.00 26.42      A    C
ATOM   1448  SD  MET A 182     -33.111 -24.639  13.192  1.00 26.48      A    S
ATOM   1449  CE  MET A 182     -31.606 -25.384  13.838  1.00 19.66      A    C
ATOM   1450  C   MET A 182     -36.956 -26.261  10.181  1.00 33.86      A    C
ATOM   1451  O   MET A 182     -37.825 -26.948  10.709  1.00 35.48      A    O
ATOM   1452  N   ALA A 183     -37.223 -25.233   9.380  1.00 34.28      A    N
ATOM   1453  CA  ALA A 183     -38.584 -24.850   9.071  1.00 36.44      A    C
ATOM   1454  CB  ALA A 183     -38.602 -23.665   8.145  1.00 36.72      A    C
ATOM   1455  C   ALA A 183     -39.331 -26.046   8.471  1.00 38.62      A    C
ATOM   1456  O   ALA A 183     -40.399 -26.393   8.949  1.00 40.80      A    O
ATOM   1457  N   SER A 184     -38.748 -26.689   7.457  1.00 38.62      A    N
ATOM   1458  CA  SER A 184     -39.262 -27.958   6.867  1.00 40.39      A    C
ATOM   1459  CB  SER A 184     -38.225 -28.565   5.919  1.00 39.77      A    C
ATOM   1460  OG  SER A 184     -38.112 -27.806   4.727  1.00 42.27      A    O
ATOM   1461  C   SER A 184     -39.602 -29.046   7.868  1.00 40.03      A    C
ATOM   1462  O   SER A 184     -40.507 -29.828   7.668  1.00 41.57      A    O
ATOM   1463  N   ARG A 185     -38.827 -29.117   8.925  1.00 38.25      A    N
ATOM   1464  CA  ARG A 185     -38.988 -30.148   9.937  1.00 38.93      A    C
ATOM   1465  CB  ARG A 185     -37.600 -30.608  10.376  1.00 37.10      A    C
ATOM   1466  CG  ARG A 185     -36.863 -31.340   9.246  1.00 38.89      A    C
ATOM   1467  CD  ARG A 185     -35.378 -31.600   9.541  1.00 39.89      A    C
ATOM   1468  NE  ARG A 185     -34.823 -32.547   8.571  1.00 43.99      A    N
ATOM   1469  CZ  ARG A 185     -34.592 -32.289   7.275  1.00 46.58      A    C
ATOM   1470  NH1 ARG A 185     -34.817 -31.080   6.741  1.00 46.22      A    N
ATOM   1471  NH2 ARG A 185     -34.114 -33.257   6.499  1.00 47.51      A    N
ATOM   1472  C   ARG A 185     -39.851 -29.644  11.112  1.00 39.09      A    C
ATOM   1473  O   ARG A 185     -39.839 -30.216  12.220  1.00 38.87      A    O
ATOM   1474  N   SER A 186     -40.617 -28.589  10.814  1.00 38.98      A    N
ATOM   1475  CA  SER A 186     -41.364 -27.775  11.774  1.00 39.02      A    C
ATOM   1476  CB  SER A 186     -42.787 -28.318  11.970  1.00 42.25      A    C
ATOM   1477  OG  SER A 186     -42.858 -29.255  13.014  1.00 43.17      A    O
ATOM   1478  C   SER A 186     -40.638 -27.562  13.087  1.00 36.41      A    C
ATOM   1479  O   SER A 186     -41.217 -27.708  14.141  1.00 37.30      A    O
ATOM   1480  N   LEU A 187     -39.369 -27.185  12.993  1.00 33.31      A    N
ATOM   1481  CA  LEU A 187     -38.513 -26.960  14.150  1.00 31.65      A    C
ATOM   1482  CB  LEU A 187     -37.232 -27.804  14.027  1.00 29.58      A    C
ATOM   1483  CG  LEU A 187     -37.318 -29.320  14.224  1.00 31.16      A    C
ATOM   1484  CD1 LEU A 187     -35.913 -29.921  14.157  1.00 26.69      A    C
ATOM   1485  CD2 LEU A 187     -38.056 -29.719  15.547  1.00 31.38      A    C
ATOM   1486  C   LEU A 187     -38.081 -25.506  14.335  1.00 30.61      A    C
ATOM   1487  O   LEU A 187     -37.476 -25.176  15.341  1.00 28.40      A    O
ATOM   1488  N   TRP A 188     -38.383 -24.641  13.374  1.00 32.06      A    N
ATOM   1489  CA  TRP A 188     -37.838 -23.293  13.380  1.00 32.09      A    C
ATOM   1490  CB  TRP A 188     -37.803 -22.720  11.964  1.00 32.52      A    C
ATOM   1491  CG  TRP A 188     -37.354 -21.281  11.890  1.00 32.48      A    C
ATOM   1492  CD1 TRP A 188     -38.137 -20.203  11.622  1.00 33.85      A    C
ATOM   1493  NE1 TRP A 188     -37.378 -19.054  11.638  1.00 34.60      A    N
ATOM   1494  CE2 TRP A 188     -36.080 -19.384  11.910  1.00 30.05      A    C
ATOM   1495  CD2 TRP A 188     -36.024 -20.775  12.069  1.00 30.38      A    C
ATOM   1496  CE3 TRP A 188     -34.789 -21.363  12.359  1.00 31.15      A    C
ATOM   1497  CZ3 TRP A 188     -33.659 -20.545  12.464  1.00 26.54      A    C
ATOM   1498  CH2 TRP A 188     -33.761 -19.174  12.298  1.00 27.22      A    C
ATOM   1499  CZ2 TRP A 188     -34.963 -18.576  12.035  1.00 29.26      A    C
ATOM   1500  C   TRP A 188     -38.592 -22.381  14.351  1.00 33.95      A    C
ATOM   1501  O   TRP A 188     -37.981 -21.702  15.167  1.00 34.22      A    O
ATOM   1502  N   ASP A 189     -39.905 -22.378  14.297  1.00 36.86      A    N
ATOM   1503  CA  ASP A 189     -40.679 -21.561  15.217  1.00 39.20      A    C
```

```
ATOM   1504  CB  ASP A 189     -42.171 -21.874  15.115  1.00 42.44      A    C
ATOM   1505  CG  ASP A 189     -42.760 -21.466  13.773  1.00 43.79      A    C
ATOM   1506  OD1 ASP A 189     -42.109 -20.684  13.047  1.00 43.56      A    O
ATOM   1507  OD2 ASP A 189     -43.866 -21.932  13.438  1.00 46.72      A    O
ATOM   1508  C   ASP A 189     -40.181 -21.706  16.642  1.00 39.03      A    C
ATOM   1509  O   ASP A 189     -39.831 -20.714  17.255  1.00 39.50      A    O
ATOM   1510  N   SER A 190     -40.099 -22.928  17.158  1.00 39.41      A    N
ATOM   1511  CA  SER A 190     -39.605 -23.130  18.516  1.00 39.55      A    C
ATOM   1512  CB  SER A 190     -39.674 -24.615  18.903  1.00 39.97      A    C
ATOM   1513  OG  SER A 190     -38.850 -24.924  20.035  1.00 39.28      A    O
ATOM   1514  C   SER A 190     -38.180 -22.573  18.712  1.00 37.78      A    C
ATOM   1515  O   SER A 190     -37.877 -22.011  19.766  1.00 38.13      A    O
ATOM   1516  N   PHE A 191     -37.323 -22.707  17.704  1.00 36.14      A    N
ATOM   1517  CA  PHE A 191     -35.919 -22.295  17.825  1.00 34.76      A    C
ATOM   1518  CB  PHE A 191     -35.126 -22.858  16.649  1.00 32.56      A    C
ATOM   1519  CG  PHE A 191     -33.655 -22.577  16.699  1.00 28.05      A    C
ATOM   1520  CD1 PHE A 191     -32.859 -23.145  17.673  1.00 26.10      A    C
ATOM   1521  CE1 PHE A 191     -31.509 -22.927  17.724  1.00 22.35      A    C
ATOM   1522  CZ  PHE A 191     -30.897 -22.142  16.782  1.00 23.35      A    C
ATOM   1523  CE2 PHE A 191     -31.668 -21.568  15.776  1.00 27.43      A    C
ATOM   1524  CD2 PHE A 191     -33.055 -21.800  15.742  1.00 27.43      A    C
ATOM   1525  C   PHE A 191     -35.752 -20.780  17.869  1.00 36.67      A    C
ATOM   1526  O   PHE A 191     -34.854 -20.263  18.533  1.00 36.41      A    O
ATOM   1527  N   ARG A 192     -36.633 -20.090  17.157  1.00 39.71      A    N
ATOM   1528  CA  ARG A 192     -36.670 -18.634  17.075  1.00 41.72      A    C
ATOM   1529  CB  ARG A 192     -37.507 -18.260  15.838  1.00 43.43      A    C
ATOM   1530  CG  ARG A 192     -37.926 -16.796  15.732  1.00 46.86      A    C
ATOM   1531  CD  ARG A 192     -36.756 -15.946  15.341  1.00 46.92      A    C
ATOM   1532  NE  ARG A 192     -37.181 -14.578  15.048  1.00 51.32      A    N
ATOM   1533  CZ  ARG A 192     -37.150 -13.558  15.906  1.00 53.74      A    C
ATOM   1534  NH1 ARG A 192     -36.720 -13.721  17.156  1.00 54.57      A    N
ATOM   1535  NH2 ARG A 192     -37.564 -12.358  15.508  1.00 56.15      A    N
ATOM   1536  C   ARG A 192     -37.283 -17.993  18.339  1.00 44.52      A    C
ATOM   1537  O   ARG A 192     -36.831 -16.940  18.808  1.00 44.73      A    O
ATOM   1538  N   GLN A 193     -38.349 -18.607  18.847  1.00 46.67      A    N
ATOM   1539  CA  GLN A 193     -38.993 -18.146  20.062  1.00 49.61      A    C
ATOM   1540  CB  GLN A 193     -40.376 -18.822  20.220  1.00 53.00      A    C
ATOM   1541  CG  GLN A 193     -41.410 -18.323  19.172  1.00 56.38      A    C
ATOM   1542  CD  GLN A 193     -42.784 -18.976  19.287  1.00 63.04      A    C
ATOM   1543  OE1 GLN A 193     -43.723 -18.396  19.867  1.00 69.39      A    O
ATOM   1544  NE2 GLN A 193     -42.922 -20.177  18.716  1.00 63.68      A    N
ATOM   1545  C   GLN A 193     -38.107 -18.317  21.310  1.00 48.43      A    C
ATOM   1546  O   GLN A 193     -38.182 -17.532  22.240  1.00 49.72      A    O
ATOM   1547  N   SER A 194     -37.237 -19.316  21.319  1.00 46.39      A    N
ATOM   1548  CA  SER A 194     -36.257 -19.433  22.392  1.00 45.38      A    C
ATOM   1549  CB  SER A 194     -35.786 -20.875  22.548  1.00 44.24      A    C
ATOM   1550  OG  SER A 194     -34.552 -21.076  21.874  1.00 41.52      A    O
ATOM   1551  C   SER A 194     -35.082 -18.537  22.058  1.00 43.11      A    C
ATOM   1552  O   SER A 194     -34.156 -18.430  22.842  1.00 42.28      A    O
ATOM   1553 MN    MN A 901     -19.730 -15.353  19.652  1.00 24.66      A   MN
ATOM   1554 MN    MN A 902     -17.636 -17.125  22.275  1.00 27.74      A   MN
ATOM   1555  S   SO4 A 401     -16.315 -14.270  29.711  1.00 49.62      A    S
ATOM   1556  O1  SO4 A 401     -16.679 -14.563  28.329  1.00 47.34      A    O
ATOM   1557  O2  SO4 A 401     -15.179 -13.353  29.695  1.00 50.25      A    O
ATOM   1558  O3  SO4 A 401     -15.826 -15.471  30.411  1.00 48.00      A    O
ATOM   1559  O4  SO4 A 401     -17.503 -13.682  30.326  1.00 48.14      A    O
ATOM   1560  S   SO4 A 402     -37.933 -15.252  10.914  1.00 51.77      A    S
ATOM   1561  O1  SO4 A 402     -36.726 -15.591  10.198  1.00 48.67      A    O
ATOM   1562  O2  SO4 A 402     -37.598 -14.973  12.305  1.00 52.29      A    O
ATOM   1563  O3  SO4 A 402     -38.880 -16.367  10.883  1.00 54.48      A    O
ATOM   1564  O4  SO4 A 402     -38.557 -14.070  10.323  1.00 54.14      A    O
ATOM   1565  S   SO4 A 403     -34.546 -25.119  24.645  1.00 54.24      A    S
ATOM   1566  O1  SO4 A 403     -33.134 -24.717  24.606  1.00 44.33      A    O
```

```
ATOM   1567  O2  SO4 A 403     -34.970 -25.344  26.041  1.00 57.26      A    O
ATOM   1568  O3  SO4 A 403     -34.671 -26.397  23.918  1.00 53.36      A    O
ATOM   1569  O4  SO4 A 403     -35.509 -24.120  24.115  1.00 53.43      A    O
ATOM   1570  S   SO4 A 404     -30.517 -14.816  19.351  1.00 49.29      A    S
ATOM   1571  O1  SO4 A 404     -30.690 -15.206  17.973  1.00 46.82      A    O
ATOM   1572  O2  SO4 A 404     -29.139 -15.139  19.746  1.00 46.81      A    O
ATOM   1573  O3  SO4 A 404     -31.523 -15.523  20.160  1.00 50.01      A    O
ATOM   1574  O4  SO4 A 404     -30.727 -13.368  19.479  1.00 51.58      A    O
ATOM   1575 CL   ci3 A 801     -25.090 -19.946  21.321  1.00 48.41      A   CL
ATOM   1576  CZB ci3 A 801     -23.772 -19.842  22.519  1.00 35.75      A    C
ATOM   1577  CEB ci3 A 801     -22.456 -19.789  22.057  1.00 31.41      A    C
ATOM   1578  CDB ci3 A 801     -21.432 -19.704  22.992  1.00 29.45      A    C
ATOM   1579  CEA ci3 A 801     -24.083 -19.829  23.882  1.00 34.17      A    C
ATOM   1580  CDA ci3 A 801     -23.041 -19.743  24.796  1.00 31.84      A    C
ATOM   1581  CGA ci3 A 801     -21.728 -19.682  24.352  1.00 29.22      A    C
ATOM   1582  CO  ci3 A 801     -20.601 -19.560  25.340  1.00 30.06      A    C
ATOM   1583  CF  ci3 A 801     -20.221 -18.093  25.621  1.00 30.88      A    C
ATOM   1584  CB  ci3 A 801     -19.972 -17.347  24.313  1.00 28.20      A    C
ATOM   1585  CM  ci3 A 801     -21.054 -16.681  23.533  1.00 27.21      A    C
ATOM   1586  CA  ci3 A 801     -20.840 -16.187  22.287  1.00 26.30      A    C
ATOM   1587  CE  ci3 A 801     -21.950 -15.566  21.577  1.00 27.57      A    C
ATOM   1588  OAO ci3 A 801     -21.803 -15.292  20.358  1.00 26.92      A    O
ATOM   1589  OAN ci3 A 801     -23.004 -15.296  22.220  1.00 30.71      A    O
ATOM   1590  O14 ci3 A 801     -19.652 -16.189  21.691  1.00 22.31      A    O
ATOM   1591  O13 ci3 A 801     -18.834 -17.336  23.871  1.00 25.98      A    O
ATOM   1592  CG  ci3 A 801     -21.392 -17.444  26.404  1.00 30.85      A    C
ATOM   1593  CK  ci3 A 801     -21.031 -16.189  27.199  1.00 33.96      A    C
ATOM   1594  CI  ci3 A 801     -19.573 -16.130  27.627  1.00 35.23      A    C
ATOM   1595  NJ  ci3 A 801     -19.034 -17.502  27.735  1.00 35.00      A    N
ATOM   1596  CH  ci3 A 801     -18.884 -18.064  26.396  1.00 30.47      A    C
ATOM   1597  CP  ci3 A 801     -17.731 -17.546  28.491  1.00 38.12      A    C
ATOM   1598  CGB ci3 A 801     -17.631 -18.891  29.181  1.00 38.25      A    C
ATOM   1599  CD1 ci3 A 801     -16.977 -19.953  28.555  1.00 36.44      A    C
ATOM   1600  CE1 ci3 A 801     -16.943 -21.187  29.173  1.00 36.89      A    C
ATOM   1601  CZ  ci3 A 801     -17.557 -21.372  30.401  1.00 37.89      A    C
ATOM   1602  CE2 ci3 A 801     -18.218 -20.318  31.023  1.00 41.22      A    C
ATOM   1603  CD2 ci3 A 801     -18.257 -19.072  30.405  1.00 40.70      A    C
ATOM   6409  OH2 WAT A 903     -10.601  -9.091  11.772  1.00 32.57      A    O
ATOM   6410  OH2 WAT A 904     -14.901  -8.548  10.607  1.00 16.35      A    O
ATOM   6412  OH2 WAT A 905     -17.002 -19.982  -5.112  1.00 42.22      A    O
ATOM   6414  OH2 WAT A 906     -17.378 -15.047  22.418  1.00 22.40      A    O
ATOM   6416  OH2 WAT A 907     -18.289 -26.989   9.464  1.00 32.93      A    O
ATOM   6417  OH2 WAT A 908      -6.835 -22.198  16.683  1.00 23.51      A    O
ATOM   6418  OH2 WAT A 909     -18.589 -34.825  23.372  1.00 31.96      A    O
ATOM   6420  OH2 WAT A 910     -14.376 -25.985   8.906  1.00 29.63      A    O
ATOM   6421  OH2 WAT A 911     -37.599 -11.578  18.813  1.00 42.67      A    O
ATOM   6422  OH2 WAT A 912     -15.925 -27.185  26.775  1.00 29.68      A    O
ATOM   6423  OH2 WAT A 913     -25.317 -39.185  20.346  1.00 31.82      A    O
END
```

Figure 3: H1N1 polypeptide fragment (Chain D) with bound EMBL-R05-3

```
HEADER    ----                                        XX-XXX-9-    xxxx
COMPND    ---
REMARK   3
REMARK   3 REFINEMENT.
REMARK   3   PROGRAM     : REFMAC 5.5.0102
REMARK   3   AUTHORS     : MURSHUDOV,VAGIN,DODSON
REMARK   3
REMARK   3    REFINEMENT TARGET : MAXIMUM LIKELIHOOD
REMARK   3
REMARK   3  DATA USED IN REFINEMENT.
REMARK   3   RESOLUTION RANGE HIGH (ANGSTROMS) :   2.50
REMARK   3   RESOLUTION RANGE LOW  (ANGSTROMS) :  89.10
REMARK   3   DATA CUTOFF            (SIGMA(F)) : NONE
REMARK   3   COMPLETENESS FOR RANGE        (%) :  99.04
REMARK   3   NUMBER OF REFLECTIONS             :   28997
REMARK   3
REMARK   3  FIT TO DATA USED IN REFINEMENT.
REMARK   3   CROSS-VALIDATION METHOD           : THROUGHOUT
REMARK   3   FREE R VALUE TEST SET SELECTION   : RANDOM
REMARK   3   R VALUE     (WORKING + TEST SET) : 0.20822
REMARK   3   R VALUE            (WORKING SET) :  0.20459
REMARK   3   FREE R VALUE                      :  0.27625
REMARK   3   FREE R VALUE TEST SET SIZE   (%) :  5.1
REMARK   3   FREE R VALUE TEST SET COUNT       :  1545
REMARK   3
REMARK   3  FIT IN THE HIGHEST RESOLUTION BIN.
REMARK   3   TOTAL NUMBER OF BINS USED           :      20
REMARK   3   BIN RESOLUTION RANGE HIGH           :   2.502
REMARK   3   BIN RESOLUTION RANGE LOW            :   2.567
REMARK   3   REFLECTION IN BIN     (WORKING SET) :    1968
REMARK   3   BIN COMPLETENESS (WORKING+TEST) (%) :   93.65
REMARK   3   BIN R VALUE           (WORKING SET) :   0.268
REMARK   3   BIN FREE R VALUE SET COUNT          :     113
REMARK   3   BIN FREE R VALUE                    :   0.378
REMARK   3
REMARK   3  NUMBER OF NON-HYDROGEN ATOMS USED IN REFINEMENT.
REMARK   3   ALL ATOMS                 :     6523
REMARK   3
REMARK   3  B VALUES.
REMARK   3   FROM WILSON PLOT           (A**2) : NULL
REMARK   3   MEAN B VALUE      (OVERALL, A**2) :  29.083
REMARK   3   OVERALL ANISOTROPIC B VALUE.
REMARK   3    B11 (A**2) :     0.24
REMARK   3    B22 (A**2) :    -0.24
REMARK   3    B33 (A**2) :     0.00
REMARK   3    B12 (A**2) :     0.00
REMARK   3    B13 (A**2) :     0.00
REMARK   3    B23 (A**2) :     0.00
REMARK   3
REMARK   3  ESTIMATED OVERALL COORDINATE ERROR.
REMARK   3   ESU BASED ON R VALUE                                (A):   0.783
REMARK   3   ESU BASED ON FREE R VALUE                           (A):   0.335
REMARK   3   ESU BASED ON MAXIMUM LIKELIHOOD                     (A):   0.240
REMARK   3   ESU FOR B VALUES BASED ON MAXIMUM LIKELIHOOD (A**2):  23.556
REMARK   3
REMARK   3 CORRELATION COEFFICIENTS.
REMARK   3   CORRELATION COEFFICIENT FO-FC      :   0.937
REMARK   3   CORRELATION COEFFICIENT FO-FC FREE :   0.891
REMARK   3
```

```
REMARK   3  RMS DEVIATIONS FROM IDEAL VALUES          COUNT    RMS     WEIGHT
REMARK   3   BOND LENGTHS REFINED ATOMS         (A):  6520 ; 0.016 ; 0.022
REMARK   3   BOND LENGTHS OTHERS                (A):  4574 ; 0.001 ; 0.020
REMARK   3   BOND ANGLES REFINED ATOMS    (DEGREES):  8769 ; 1.513 ; 1.974
REMARK   3   BOND ANGLES OTHERS           (DEGREES): 11027 ; 0.893 ; 3.000
REMARK   3   TORSION ANGLES, PERIOD 1     (DEGREES):   741 ; 6.052 ; 5.000
REMARK   3   TORSION ANGLES, PERIOD 2     (DEGREES):   332 ;35.152 ;23.373
REMARK   3   TORSION ANGLES, PERIOD 3     (DEGREES):  1193 ;19.051 ;15.000
REMARK   3   TORSION ANGLES, PERIOD 4     (DEGREES):    55 ;19.093 ;15.000
REMARK   3   CHIRAL-CENTER RESTRAINTS       (A**3):   920 ; 0.086 ; 0.200
REMARK   3   GENERAL PLANES REFINED ATOMS      (A):  7058 ; 0.006 ; 0.020
REMARK   3   GENERAL PLANES OTHERS             (A):  1441 ; 0.001 ; 0.020
REMARK   3
REMARK   3  ISOTROPIC THERMAL FACTOR RESTRAINTS.      COUNT   RMS     WEIGHT
REMARK   3   MAIN-CHAIN BOND REFINED ATOMS  (A**2):  3740 ; 0.632 ; 1.500
REMARK   3   MAIN-CHAIN BOND OTHER ATOMS    (A**2):  1503 ; 0.123 ; 1.500
REMARK   3   MAIN-CHAIN ANGLE REFINED ATOMS (A**2):  6055 ; 1.173 ; 2.000
REMARK   3   SIDE-CHAIN BOND REFINED ATOMS  (A**2):  2780 ; 1.839 ; 3.000
REMARK   3   SIDE-CHAIN ANGLE REFINED ATOMS (A**2):  2714 ; 2.962 ; 4.500
REMARK   3
REMARK   3  NCS RESTRAINTS STATISTICS
REMARK   3   NUMBER OF NCS GROUPS : NULL
REMARK   3
REMARK   3  TWIN DETAILS
REMARK   3   NUMBER OF TWIN DOMAINS  : NULL
REMARK   3
REMARK   3
REMARK   3  TLS DETAILS
REMARK   3   NUMBER OF TLS GROUPS  :    4
REMARK   3   ATOM RECORD CONTAINS SUM OF TLS AND RESIDUAL B FACTORS
REMARK   3
REMARK   3   TLS GROUP :     1
REMARK   3    NUMBER OF COMPONENTS GROUP :    4
REMARK   3    COMPONENTS        C SSSEQI   TO  C SSSEQI
REMARK   3    RESIDUE RANGE :   A    -2        A   194
REMARK   3    RESIDUE RANGE :   A   901        A   902
REMARK   3    RESIDUE RANGE :   A   401        A   404
REMARK   3    RESIDUE RANGE :   A   801        A   801
REMARK   3    ORIGIN FOR THE GROUP (A): -18.7820 -18.3467  15.6409
REMARK   3    T TENSOR
REMARK   3      T11:   0.0626 T22:   0.0601
REMARK   3      T33:   0.0370 T12:   0.0477
REMARK   3      T13:   0.0061 T23:  -0.0096
REMARK   3    L TENSOR
REMARK   3      L11:   3.8491 L22:   3.1615
REMARK   3      L33:   2.2199 L12:   0.4794
REMARK   3      L13:   0.2562 L23:  -0.2521
REMARK   3    S TENSOR
REMARK   3      S11:   0.0271 S12:  -0.0426 S13:   0.3012
REMARK   3      S21:   0.1037 S22:   0.0068 S23:   0.2311
REMARK   3      S31:  -0.2046 S32:   0.0173 S33:  -0.0339
REMARK   3
REMARK   3   TLS GROUP :     2
REMARK   3    NUMBER OF COMPONENTS GROUP :    4
REMARK   3    COMPONENTS        C SSSEQI   TO  C SSSEQI
REMARK   3    RESIDUE RANGE :   B    -2        B   193
REMARK   3    RESIDUE RANGE :   B   901        B   902
REMARK   3    RESIDUE RANGE :   B   401        B   404
REMARK   3    RESIDUE RANGE :   B   801        B   801
REMARK   3    ORIGIN FOR THE GROUP (A):  -9.5592 -43.9684  15.4406
REMARK   3    T TENSOR
REMARK   3      T11:   0.0655 T22:   0.0616
REMARK   3      T33:   0.0284 T12:   0.0424
```

```
REMARK   3      T13:  -0.0096 T23:    0.0116
REMARK   3    L TENSOR
REMARK   3      L11:    3.5209 L22:    2.7524
REMARK   3      L33:    2.1675 L12:    0.0213
REMARK   3      L13:   -0.8001 L23:    0.2855
REMARK   3    S TENSOR
REMARK   3      S11:    0.0173 S12:   -0.0992 S13:   -0.2131
REMARK   3      S21:    0.1239 S22:   -0.0222 S23:   -0.2049
REMARK   3      S31:    0.2223 S32:   -0.0015 S33:    0.0049
REMARK   3
REMARK   3   TLS GROUP :      3
REMARK   3    NUMBER OF COMPONENTS GROUP :     4
REMARK   3    COMPONENTS         C SSSEQI   TO  C SSSEQI
REMARK   3    RESIDUE RANGE :    C      0        C   195
REMARK   3    RESIDUE RANGE :    C    901        C   902
REMARK   3    RESIDUE RANGE :    C    401        C   403
REMARK   3    RESIDUE RANGE :    C    801        C   801
REMARK   3    ORIGIN FOR THE GROUP (A):   -4.3952 -15.1378   52.3445
REMARK   3    T TENSOR
REMARK   3      T11:    0.0906 T22:    0.0725
REMARK   3      T33:    0.0515 T12:   -0.0225
REMARK   3      T13:   -0.0351 T23:   -0.0026
REMARK   3    L TENSOR
REMARK   3      L11:    3.4910 L22:    2.7740
REMARK   3      L33:    2.4480 L12:    1.0609
REMARK   3      L13:   -0.2109 L23:   -1.3961
REMARK   3    S TENSOR
REMARK   3      S11:   -0.0152 S12:    0.1383 S13:   -0.1047
REMARK   3      S21:   -0.2065 S22:   -0.0565 S23:   -0.0793
REMARK   3      S31:    0.1206 S32:    0.1449 S33:    0.0717
REMARK   3
REMARK   3   TLS GROUP :      4
REMARK   3    NUMBER OF COMPONENTS GROUP :     4
REMARK   3    COMPONENTS         C SSSEQI   TO  C SSSEQI
REMARK   3    RESIDUE RANGE :    D      0        D   195
REMARK   3    RESIDUE RANGE :    D    901        D   902
REMARK   3    RESIDUE RANGE :    D    401        D   403
REMARK   3    RESIDUE RANGE :    D    801        D   801
REMARK   3    ORIGIN FOR THE GROUP (A): -21.2945 -45.7592   51.4140
REMARK   3    T TENSOR
REMARK   3      T11:    0.1308 T22:    0.1190
REMARK   3      T33:    0.0216 T12:   -0.0416
REMARK   3      T13:   -0.0097 T23:    0.0186
REMARK   3    L TENSOR
REMARK   3      L11:    3.6692 L22:    2.1484
REMARK   3      L33:    2.5225 L12:   -0.2058
REMARK   3      L13:   -0.3579 L23:    1.1039
REMARK   3    S TENSOR
REMARK   3      S11:    0.0541 S12:    0.3685 S13:   -0.0165
REMARK   3      S21:   -0.1313 S22:   -0.0722 S23:    0.0569
REMARK   3      S31:    0.0558 S32:   -0.2205 S33:    0.0181
REMARK   3
REMARK   3
REMARK   3  BULK SOLVENT MODELLING.
REMARK   3   METHOD USED :  MASK
REMARK   3   PARAMETERS FOR MASK CALCULATION
REMARK   3   VDW PROBE RADIUS    :   1.40
REMARK   3   ION PROBE RADIUS    :   0.80
REMARK   3   SHRINKAGE RADIUS    :   0.80
REMARK   3
REMARK   3  OTHER REFINEMENT REMARKS:
REMARK   3  HYDROGENS HAVE BEEN ADDED IN THE RIDING POSITIONS
REMARK   3  U VALUES       : WITH TLS ADDED
```

```
REMARK   3
LINKR          GLU A  64                    LEU A  71                gap
LINKR          LYS A 137                    LYS A 142                gap
LINKR          GLU B  64                    LEU B  71                gap
LINKR          PHE D  51                    LEU D  72                gap
CRYST1   54.570  122.540  129.780  90.00  90.00  90.00 P 21 21 21
SCALE1      0.018325  0.000000  0.000000        0.00000
SCALE2      0.000000  0.008161  0.000000        0.00000
SCALE3      0.000000  0.000000  0.007705        0.00000
ATOM   9666  N   ALA D   0     -43.744 -40.288  53.969  1.00 42.23           N
ATOM   9667  CA  ALA D   0     -43.826 -41.746  53.723  1.00 42.48           C
ATOM   9669  CB  ALA D   0     -44.635 -42.041  52.466  1.00 44.64           C
ATOM   9673  C   ALA D   0     -42.411 -42.327  53.631  1.00 39.94           C
ATOM   9674  O   ALA D   0     -42.069 -43.247  54.364  1.00 38.22           O
ATOM   9678  N   MET D   1     -41.574 -41.775  52.762  1.00 39.94           N
ATOM   9679  CA  MET D   1     -40.208 -42.297  52.608  1.00 38.00           C
ATOM   9681  CB  MET D   1     -39.385 -41.479  51.609  1.00 37.81           C
ATOM   9684  CG  MET D   1     -37.883 -41.908  51.505  1.00 36.08           C
ATOM   9687  SD  MET D   1     -37.557 -43.690  51.304  1.00 35.33           S
ATOM   9688  CE  MET D   1     -37.104 -43.712  49.542  1.00 33.59           C
ATOM   9692  C   MET D   1     -39.499 -42.281  53.930  1.00 36.72           C
ATOM   9693  O   MET D   1     -38.809 -43.255  54.296  1.00 34.99           O
ATOM   9695  N   GLU D   2     -39.684 -41.184  54.655  1.00 37.51           N
ATOM   9696  CA  GLU D   2     -39.021 -41.017  55.936  1.00 37.19           C
ATOM   9698  CB  GLU D   2     -39.021 -39.545  56.373  1.00 37.65           C
ATOM   9701  CG  GLU D   2     -40.358 -38.993  56.715  1.00 42.68           C
ATOM   9704  CD  GLU D   2     -40.452 -37.507  56.461  1.00 48.57           C
ATOM   9705  OE1 GLU D   2     -39.625 -36.753  57.036  1.00 48.70           O
ATOM   9706  OE2 GLU D   2     -41.364 -37.102  55.684  1.00 52.95           O
ATOM   9707  C   GLU D   2     -39.638 -41.929  56.992  1.00 38.02           C
ATOM   9708  O   GLU D   2     -38.994 -42.264  57.988  1.00 36.83           O
ATOM   9710  N   ASP D   3     -40.875 -42.351  56.777  1.00 40.21           N
ATOM   9711  CA  ASP D   3     -41.445 -43.362  57.652  1.00 42.06           C
ATOM   9713  CB  ASP D   3     -42.955 -43.488  57.446  1.00 45.00           C
ATOM   9716  CG  ASP D   3     -43.727 -42.487  58.282  1.00 47.81           C
ATOM   9717  OD1 ASP D   3     -44.705 -42.891  58.951  1.00 52.73           O
ATOM   9718  OD2 ASP D   3     -43.329 -41.299  58.308  1.00 49.71           O
ATOM   9719  C   ASP D   3     -40.740 -44.703  57.451  1.00 41.14           C
ATOM   9720  O   ASP D   3     -40.297 -45.335  58.401  1.00 40.50           O
ATOM   9722  N   PHE D   4     -40.629 -45.111  56.198  1.00 41.26           N
ATOM   9723  CA  PHE D   4     -39.893 -46.304  55.833  1.00 40.45           C
ATOM   9725  CB  PHE D   4     -39.854 -46.397  54.306  1.00 41.06           C
ATOM   9728  CG  PHE D   4     -39.038 -47.530  53.785  1.00 40.10           C
ATOM   9729  CD1 PHE D   4     -39.498 -48.817  53.876  1.00 42.36           C
ATOM   9731  CE1 PHE D   4     -38.755 -49.853  53.391  1.00 42.25           C
ATOM   9733  CZ  PHE D   4     -37.537 -49.606  52.790  1.00 39.59           C
ATOM   9735  CE2 PHE D   4     -37.081 -48.333  52.693  1.00 37.73           C
ATOM   9737  CD2 PHE D   4     -37.822 -47.301  53.194  1.00 38.13           C
ATOM   9739  C   PHE D   4     -38.470 -46.315  56.422  1.00 37.45           C
ATOM   9740  O   PHE D   4     -38.050 -47.289  57.045  1.00 37.05           O
ATOM   9742  N   VAL D   5     -37.735 -45.233  56.236  1.00 35.56           N
ATOM   9743  CA  VAL D   5     -36.353 -45.167  56.743  1.00 32.58           C
ATOM   9745  CB  VAL D   5     -35.720 -43.789  56.472  1.00 31.10           C
ATOM   9747  CG1 VAL D   5     -34.368 -43.645  57.192  1.00 26.65           C
ATOM   9751  CG2 VAL D   5     -35.563 -43.593  54.986  1.00 29.67           C
ATOM   9755  C   VAL D   5     -36.279 -45.502  58.238  1.00 32.77           C
ATOM   9756  O   VAL D   5     -35.536 -46.386  58.650  1.00 30.97           O
ATOM   9758  N   ARG D   6     -37.078 -44.802  59.025  1.00 34.64           N
ATOM   9759  CA  ARG D   6     -37.118 -44.976  60.476  1.00 36.17           C
ATOM   9761  CB  ARG D   6     -38.070 -43.960  61.098  1.00 37.98           C
ATOM   9764  CG  ARG D   6     -37.498 -42.587  61.222  1.00 37.05           C
ATOM   9767  CD  ARG D   6     -38.492 -41.688  61.893  1.00 41.18           C
ATOM   9770  NE  ARG D   6     -38.293 -40.344  61.389  1.00 43.18           N
```

```
ATOM   9772  CZ  ARG D   6     -39.242 -39.439  61.206  1.00 45.47           C
ATOM   9773  NH1 ARG D   6     -40.521 -39.687  61.506  1.00 46.55           N
ATOM   9776  NH2 ARG D   6     -38.881 -38.264  60.705  1.00 47.08           N
ATOM   9779  C   ARG D   6     -37.577 -46.329  60.974  1.00 37.73           C
ATOM   9780  O   ARG D   6     -37.069 -46.825  61.964  1.00 37.69           O
ATOM   9782  N   GLN D   7     -38.554 -46.910  60.312  1.00 39.94           N
ATOM   9783  CA  GLN D   7     -39.108 -48.160  60.775  1.00 42.97           C
ATOM   9785  CB  GLN D   7     -40.601 -48.276  60.363  1.00 45.71           C
ATOM   9788  CG  GLN D   7     -41.532 -47.252  61.074  1.00 47.44           C
ATOM   9791  CD  GLN D   7     -42.881 -47.051  60.382  1.00 50.85           C
ATOM   9792  OE1 GLN D   7     -43.048 -47.342  59.187  1.00 51.31           O
ATOM   9793  NE2 GLN D   7     -43.855 -46.557  61.144  1.00 52.57           N
ATOM   9796  C   GLN D   7     -38.283 -49.373  60.290  1.00 42.96           C
ATOM   9797  O   GLN D   7     -38.309 -50.430  60.930  1.00 44.30           O
ATOM   9799  N   CYS D   8     -37.524 -49.212  59.201  1.00 41.61           N
ATOM   9800  CA  CYS D   8     -36.845 -50.356  58.550  1.00 41.17           C
ATOM   9802  CB  CYS D   8     -37.336 -50.455  57.106  1.00 42.02           C
ATOM   9805  SG  CYS D   8     -39.125 -51.002  57.072  1.00 49.42           S
ATOM   9807  C   CYS D   8     -35.289 -50.444  58.667  1.00 37.81           C
ATOM   9808  O   CYS D   8     -34.747 -51.549  58.799  1.00 38.30           O
ATOM   9810  N   PHE D   9     -34.586 -49.309  58.670  1.00 34.43           N
ATOM   9811  CA  PHE D   9     -33.153 -49.292  58.933  1.00 31.22           C
ATOM   9813  CB  PHE D   9     -32.532 -47.993  58.442  1.00 29.82           C
ATOM   9816  CG  PHE D   9     -32.317 -47.945  56.971  1.00 30.28           C
ATOM   9817  CD1 PHE D   9     -31.160 -48.507  56.406  1.00 29.51           C
ATOM   9819  CE1 PHE D   9     -30.955 -48.468  55.052  1.00 29.38           C
ATOM   9821  CZ  PHE D   9     -31.885 -47.848  54.240  1.00 30.60           C
ATOM   9823  CE2 PHE D   9     -33.036 -47.274  54.796  1.00 31.63           C
ATOM   9825  CD2 PHE D   9     -33.240 -47.322  56.148  1.00 30.27           C
ATOM   9827  C   PHE D   9     -32.868 -49.358  60.415  1.00 30.46           C
ATOM   9828  O   PHE D   9     -33.641 -48.830  61.199  1.00 29.72           O
ATOM   9830  N   ASN D  10     -31.711 -49.919  60.783  1.00 29.56           N
ATOM   9831  CA  ASN D  10     -31.223 -49.875  62.181  1.00 29.84           C
ATOM   9833  CB  ASN D  10     -29.789 -50.423  62.334  1.00 29.38           C
ATOM   9836  CG  ASN D  10     -29.417 -50.679  63.808  1.00 32.78           C
ATOM   9837  OD1 ASN D  10     -28.584 -49.985  64.391  1.00 33.24           O
ATOM   9838  ND2 ASN D  10     -30.092 -51.642  64.426  1.00 37.50           N
ATOM   9841  C   ASN D  10     -31.259 -48.452  62.736  1.00 28.42           C
ATOM   9842  O   ASN D  10     -30.713 -47.556  62.145  1.00 26.91           O
ATOM   9844  N   PRO D  11     -31.894 -48.248  63.893  1.00 29.78           N
ATOM   9845  CA  PRO D  11     -32.022 -46.899  64.426  1.00 29.42           C
ATOM   9847  CB  PRO D  11     -32.778 -47.109  65.735  1.00 31.22           C
ATOM   9850  CG  PRO D  11     -32.696 -48.551  66.006  1.00 32.47           C
ATOM   9853  CD  PRO D  11     -32.683 -49.204  64.682  1.00 31.29           C
ATOM   9856  C   PRO D  11     -30.721 -46.161  64.698  1.00 28.64           C
ATOM   9857  O   PRO D  11     -30.733 -44.934  64.695  1.00 28.47           O
ATOM   9858  N   MET D  12     -29.613 -46.864  64.938  1.00 28.31           N
ATOM   9859  CA  MET D  12     -28.340 -46.174  65.046  1.00 27.14           C
ATOM   9861  CB  MET D  12     -27.211 -47.052  65.620  1.00 28.43           C
ATOM   9864  CG  MET D  12     -25.942 -46.240  66.000  1.00 30.14           C
ATOM   9867  SD  MET D  12     -24.670 -47.181  66.898  1.00 39.52           S
ATOM   9868  CE  MET D  12     -24.080 -48.285  65.615  1.00 33.57           C
ATOM   9872  C   MET D  12     -27.954 -45.600  63.685  1.00 24.11           C
ATOM   9873  O   MET D  12     -27.434 -44.483  63.592  1.00 22.48           O
ATOM   9875  N   ILE D  13     -28.217 -46.340  62.623  1.00 22.82           N
ATOM   9876  CA  ILE D  13     -27.957 -45.798  61.277  1.00 21.13           C
ATOM   9878  CB  ILE D  13     -28.282 -46.818  60.180  1.00 21.15           C
ATOM   9880  CG1 ILE D  13     -27.559 -48.164  60.439  1.00 22.92           C
ATOM   9883  CD1 ILE D  13     -26.162 -48.280  59.976  1.00 22.54           C
ATOM   9887  CG2 ILE D  13     -27.908 -46.264  58.834  1.00 21.35           C
ATOM   9891  C   ILE D  13     -28.780 -44.493  61.069  1.00 20.44           C
ATOM   9892  O   ILE D  13     -28.261 -43.449  60.691  1.00 18.18           O
ATOM   9894  N   VAL D  14     -30.059 -44.530  61.409  1.00 21.13           N
```

```
ATOM   9895  CA  VAL D  14     -30.915 -43.373  61.162  1.00 21.32           C
ATOM   9897  CB  VAL D  14     -32.383 -43.744  61.439  1.00 22.38           C
ATOM   9899  CG1 VAL D  14     -33.291 -42.582  61.199  1.00 22.67           C
ATOM   9903  CG2 VAL D  14     -32.770 -44.906  60.544  1.00 22.26           C
ATOM   9907  C   VAL D  14     -30.424 -42.122  61.940  1.00 21.19           C
ATOM   9908  O   VAL D  14     -30.270 -41.032  61.358  1.00 21.33           O
ATOM   9910  N   GLU D  15     -30.120 -42.295  63.219  1.00 20.98           N
ATOM   9911  CA  GLU D  15     -29.554 -41.196  64.023  1.00 21.19           C
ATOM   9913  CB  GLU D  15     -29.379 -41.592  65.488  1.00 21.42           C
ATOM   9916  CG  GLU D  15     -30.688 -41.998  66.134  1.00 22.70           C
ATOM   9919  CD  GLU D  15     -30.697 -41.975  67.651  1.00 23.66           C
ATOM   9920  OE1 GLU D  15     -29.608 -41.922  68.247  1.00 23.41           O
ATOM   9921  OE2 GLU D  15     -31.818 -41.979  68.240  1.00 24.95           O
ATOM   9922  C   GLU D  15     -28.229 -40.679  63.457  1.00 20.49           C
ATOM   9923  O   GLU D  15     -28.042 -39.487  63.309  1.00 20.63           O
ATOM   9925  N   LEU D  16     -27.324 -41.572  63.092  1.00 20.12           N
ATOM   9926  CA  LEU D  16     -26.090 -41.128  62.498  1.00 19.69           C
ATOM   9928  CB  LEU D  16     -25.121 -42.306  62.234  1.00 18.98           C
ATOM   9931  CG  LEU D  16     -24.589 -43.000  63.499  1.00 20.75           C
ATOM   9933  CD1 LEU D  16     -23.898 -44.384  63.221  1.00 19.34           C
ATOM   9937  CD2 LEU D  16     -23.664 -42.088  64.271  1.00 18.92           C
ATOM   9941  C   LEU D  16     -26.394 -40.349  61.218  1.00 19.34           C
ATOM   9942  O   LEU D  16     -25.783 -39.320  60.959  1.00 20.59           O
ATOM   9944  N   ALA D  17     -27.331 -40.825  60.413  1.00 19.68           N
ATOM   9945  CA  ALA D  17     -27.665 -40.117  59.176  1.00 19.28           C
ATOM   9947  CB  ALA D  17     -28.687 -40.846  58.422  1.00 19.11           C
ATOM   9951  C   ALA D  17     -28.141 -38.702  59.515  1.00 20.15           C
ATOM   9952  O   ALA D  17     -27.655 -37.747  58.933  1.00 20.22           O
ATOM   9954  N   GLU D  18     -29.044 -38.580  60.495  1.00 20.95           N
ATOM   9955  CA  GLU D  18     -29.559 -37.270  60.937  1.00 22.10           C
ATOM   9957  CB  GLU D  18     -30.542 -37.451  62.089  1.00 22.35           C
ATOM   9960  CG  GLU D  18     -31.852 -37.995  61.539  1.00 23.65           C
ATOM   9963  CD  GLU D  18     -32.872 -38.424  62.579  1.00 23.56           C
ATOM   9964  OE1 GLU D  18     -32.635 -38.282  63.816  1.00 22.31           O
ATOM   9965  OE2 GLU D  18     -33.921 -38.927  62.120  1.00 22.14           O
ATOM   9966  C   GLU D  18     -28.479 -36.281  61.339  1.00 22.50           C
ATOM   9967  O   GLU D  18     -28.573 -35.090  61.117  1.00 23.22           O
ATOM   9969  N   LYS D  19     -27.449 -36.815  61.944  1.00 22.77           N
ATOM   9970  CA  LYS D  19     -26.388 -36.040  62.512  1.00 23.69           C
ATOM   9972  CB  LYS D  19     -25.739 -36.864  63.640  1.00 23.72           C
ATOM   9975  CG  LYS D  19     -24.295 -36.630  63.926  1.00 26.03           C
ATOM   9978  CD  LYS D  19     -23.485 -37.830  63.387  1.00 31.54           C
ATOM   9981  CE  LYS D  19     -22.122 -37.897  64.017  1.00 30.79           C
ATOM   9984  NZ  LYS D  19     -22.425 -37.752  65.450  1.00 34.24           N
ATOM   9988  C   LYS D  19     -25.442 -35.568  61.392  1.00 23.07           C
ATOM   9989  O   LYS D  19     -25.033 -34.394  61.393  1.00 23.91           O
ATOM   9991  N   ALA D  20     -25.173 -36.432  60.405  1.00 21.96           N
ATOM   9992  CA  ALA D  20     -24.408 -36.023  59.199  1.00 21.27           C
ATOM   9994  CB  ALA D  20     -24.177 -37.195  58.261  1.00 19.62           C
ATOM   9998  C   ALA D  20     -25.145 -34.932  58.459  1.00 22.50           C
ATOM   9999  O   ALA D  20     -24.530 -33.945  58.057  1.00 23.54           O
ATOM  10001  N   MET D  21     -26.454 -35.078  58.287  1.00 22.08           N
ATOM  10002  CA  MET D  21     -27.139 -34.153  57.419  1.00 23.85           C
ATOM  10004  CB  MET D  21     -28.550 -34.648  57.081  1.00 24.83           C
ATOM  10007  CG  MET D  21     -28.562 -35.883  56.178  1.00 23.06           C
ATOM  10010  SD  MET D  21     -30.208 -36.181  55.543  1.00 25.52           S
ATOM  10011  CE  MET D  21     -30.405 -34.936  54.278  1.00 23.85           C
ATOM  10015  C   MET D  21     -27.151 -32.759  58.072  1.00 25.63           C
ATOM  10016  O   MET D  21     -26.965 -31.709  57.414  1.00 24.63           O
ATOM  10018  N   LYS D  22     -27.315 -32.764  59.384  1.00 26.67           N
ATOM  10019  CA  LYS D  22     -27.262 -31.533  60.125  1.00 29.19           C
ATOM  10021  CB  LYS D  22     -27.631 -31.763  61.581  1.00 29.37           C
ATOM  10024  CG  LYS D  22     -27.945 -30.463  62.321  1.00 32.41           C
```

```
ATOM  10027  CD  LYS D  22     -27.654 -30.623  63.809  1.00 34.28           C
ATOM  10030  CE  LYS D  22     -28.397 -29.596  64.657  1.00 37.41           C
ATOM  10033  NZ  LYS D  22     -28.723 -30.168  66.029  1.00 38.83           N
ATOM  10037  C   LYS D  22     -25.847 -30.929  59.999  1.00 29.62           C
ATOM  10038  O   LYS D  22     -25.714 -29.723  59.864  1.00 30.17           O
ATOM  10040  N   GLU D  23     -24.810 -31.769  60.010  1.00 28.79           N
ATOM  10041  CA  GLU D  23     -23.445 -31.255  59.948  1.00 29.93           C
ATOM  10043  CB  GLU D  23     -22.383 -32.306  60.318  1.00 27.88           C
ATOM  10046  CG  GLU D  23     -21.000 -31.683  60.382  1.00 28.69           C
ATOM  10049  CD  GLU D  23     -19.856 -32.640  60.726  1.00 28.62           C
ATOM  10050  OE1 GLU D  23     -20.069 -33.857  60.801  1.00 27.71           O
ATOM  10051  OE2 GLU D  23     -18.713 -32.153  60.915  1.00 30.05           O
ATOM  10052  C   GLU D  23     -23.158 -30.661  58.568  1.00 31.93           C
ATOM  10053  O   GLU D  23     -22.455 -29.652  58.463  1.00 33.71           O
ATOM  10055  N   TYR D  24     -23.689 -31.287  57.521  1.00 32.32           N
ATOM  10056  CA  TYR D  24     -23.511 -30.802  56.156  1.00 34.10           C
ATOM  10058  CB  TYR D  24     -23.915 -31.911  55.182  1.00 34.13           C
ATOM  10061  CG  TYR D  24     -23.264 -31.887  53.817  1.00 37.55           C
ATOM  10062  CD1 TYR D  24     -21.901 -32.077  53.674  1.00 39.42           C
ATOM  10064  CE1 TYR D  24     -21.291 -32.071  52.413  1.00 42.57           C
ATOM  10066  CZ  TYR D  24     -22.067 -31.890  51.263  1.00 45.24           C
ATOM  10067  OH  TYR D  24     -21.483 -31.874  50.005  1.00 45.86           O
ATOM  10069  CE2 TYR D  24     -23.442 -31.704  51.382  1.00 45.57           C
ATOM  10071  CD2 TYR D  24     -24.032 -31.707  52.660  1.00 42.99           C
ATOM  10073  C   TYR D  24     -24.353 -29.534  55.934  1.00 35.56           C
ATOM  10074  O   TYR D  24     -23.924 -28.601  55.276  1.00 37.31           O
ATOM  10076  N   GLY D  25     -25.528 -29.483  56.531  1.00 35.78           N
ATOM  10077  CA  GLY D  25     -26.395 -28.286  56.459  1.00 37.89           C
ATOM  10080  C   GLY D  25     -27.640 -28.642  55.691  1.00 38.22           C
ATOM  10081  O   GLY D  25     -28.171 -27.865  54.923  1.00 40.85           O
ATOM  10083  N   GLU D  26     -28.100 -29.860  55.889  1.00 36.62           N
ATOM  10084  CA  GLU D  26     -29.216 -30.368  55.147  1.00 36.54           C
ATOM  10086  CB  GLU D  26     -28.728 -31.297  54.037  1.00 35.78           C
ATOM  10089  CG  GLU D  26     -28.267 -30.507  52.806  1.00 39.21           C
ATOM  10092  CD  GLU D  26     -27.755 -31.388  51.661  1.00 42.65           C
ATOM  10093  OE1 GLU D  26     -27.414 -32.574  51.914  1.00 42.60           O
ATOM  10094  OE2 GLU D  26     -27.671 -30.886  50.504  1.00 44.18           O
ATOM  10095  C   GLU D  26     -30.176 -31.030  56.102  1.00 34.71           C
ATOM  10096  O   GLU D  26     -29.799 -31.550  57.155  1.00 33.55           O
ATOM  10098  N   ASP D  27     -31.436 -30.972  55.718  1.00 34.93           N
ATOM  10099  CA  ASP D  27     -32.533 -31.242  56.617  1.00 34.36           C
ATOM  10101  CB  ASP D  27     -33.468 -30.046  56.599  1.00 36.60           C
ATOM  10104  CG  ASP D  27     -34.666 -30.235  57.465  1.00 37.11           C
ATOM  10105  OD1 ASP D  27     -34.719 -31.229  58.237  1.00 33.25           O
ATOM  10106  OD2 ASP D  27     -35.568 -29.380  57.339  1.00 38.21           O
ATOM  10107  C   ASP D  27     -33.260 -32.520  56.195  1.00 32.76           C
ATOM  10108  O   ASP D  27     -33.975 -32.514  55.192  1.00 33.20           O
ATOM  10110  N   PRO D  28     -33.097 -33.613  56.979  1.00 30.71           N
ATOM  10111  CA  PRO D  28     -33.693 -34.964  56.762  1.00 29.60           C
ATOM  10113  CB  PRO D  28     -33.410 -35.671  58.072  1.00 28.32           C
ATOM  10116  CG  PRO D  28     -32.216 -35.031  58.588  1.00 28.02           C
ATOM  10119  CD  PRO D  28     -32.369 -33.572  58.256  1.00 29.71           C
ATOM  10122  C   PRO D  28     -35.201 -34.995  56.518  1.00 31.33           C
ATOM  10123  O   PRO D  28     -35.720 -35.992  56.050  1.00 30.93           O
ATOM  10124  N   LYS D  29     -35.885 -33.910  56.861  1.00 33.67           N
ATOM  10125  CA  LYS D  29     -37.317 -33.805  56.717  1.00 36.61           C
ATOM  10127  CB  LYS D  29     -37.895 -32.820  57.771  1.00 38.38           C
ATOM  10130  CG  LYS D  29     -37.638 -33.247  59.255  1.00 38.09           C
ATOM  10133  CD  LYS D  29     -38.534 -32.522  60.257  1.00 42.26           C
ATOM  10136  CE  LYS D  29     -38.149 -31.035  60.476  1.00 44.88           C
ATOM  10139  NZ  LYS D  29     -39.205 -30.289  61.265  1.00 46.07           N
ATOM  10143  C   LYS D  29     -37.697 -33.376  55.302  1.00 38.14           C
ATOM  10144  O   LYS D  29     -38.811 -33.656  54.857  1.00 40.07           O
```

```
ATOM  10146  N   ILE D  30     -36.776 -32.711  54.605  1.00 38.09           N
ATOM  10147  CA  ILE D  30     -37.045 -32.136  53.276  1.00 39.99           C
ATOM  10149  CB  ILE D  30     -36.452 -30.689  53.091  1.00 41.14           C
ATOM  10151  CG1 ILE D  30     -36.755 -29.803  54.323  1.00 41.83           C
ATOM  10154  CD1 ILE D  30     -36.556 -28.257  54.131  1.00 41.98           C
ATOM  10158  CG2 ILE D  30     -36.977 -30.055  51.811  1.00 42.65           C
ATOM  10162  C   ILE D  30     -36.482 -33.062  52.215  1.00 38.96           C
ATOM  10163  O   ILE D  30     -37.216 -33.486  51.355  1.00 40.45           O
ATOM  10165  N   GLU D  31     -35.193 -33.391  52.276  1.00 37.35           N
ATOM  10166  CA  GLU D  31     -34.630 -34.347  51.314  1.00 37.00           C
ATOM  10168  CB  GLU D  31     -33.268 -33.937  50.740  1.00 36.92           C
ATOM  10171  CG  GLU D  31     -32.339 -33.221  51.659  1.00 38.57           C
ATOM  10174  CD  GLU D  31     -32.386 -31.714  51.462  1.00 43.67           C
ATOM  10175  OE1 GLU D  31     -32.638 -31.297  50.303  1.00 44.42           O
ATOM  10176  OE2 GLU D  31     -32.146 -30.960  52.454  1.00 46.22           O
ATOM  10177  C   GLU D  31     -34.588 -35.756  51.871  1.00 34.98           C
ATOM  10178  O   GLU D  31     -33.546 -36.283  52.277  1.00 33.32           O
ATOM  10180  N   THR D  32     -35.758 -36.371  51.833  1.00 35.60           N
ATOM  10181  CA  THR D  32     -35.983 -37.656  52.449  1.00 34.06           C
ATOM  10183  CB  THR D  32     -37.495 -37.919  52.629  1.00 35.97           C
ATOM  10185  OG1 THR D  32     -38.114 -38.072  51.351  1.00 37.69           O
ATOM  10187  CG2 THR D  32     -38.164 -36.762  53.366  1.00 37.68           C
ATOM  10191  C   THR D  32     -35.349 -38.792  51.650  1.00 32.30           C
ATOM  10192  O   THR D  32     -34.923 -39.782  52.240  1.00 30.42           O
ATOM  10194  N   ASN D  33     -35.301 -38.676  50.319  1.00 32.61           N
ATOM  10195  CA  ASN D  33     -34.591 -39.666  49.519  1.00 31.15           C
ATOM  10197  CB  ASN D  33     -34.827 -39.467  48.040  1.00 33.44           C
ATOM  10200  CG  ASN D  33     -36.189 -39.899  47.608  1.00 34.80           C
ATOM  10201  OD1 ASN D  33     -36.819 -39.228  46.799  1.00 39.60           O
ATOM  10202  ND2 ASN D  33     -36.658 -41.026  48.136  1.00 33.49           N
ATOM  10205  C   ASN D  33     -33.115 -39.624  49.769  1.00 29.11           C
ATOM  10206  O   ASN D  33     -32.489 -40.655  49.935  1.00 27.88           O
ATOM  10208  N   LYS D  34     -32.547 -38.430  49.813  1.00 29.41           N
ATOM  10209  CA  LYS D  34     -31.142 -38.308  50.129  1.00 28.21           C
ATOM  10211  CB  LYS D  34     -30.685 -36.841  50.113  1.00 28.89           C
ATOM  10214  CG  LYS D  34     -29.159 -36.732  50.245  1.00 30.84           C
ATOM  10217  CD  LYS D  34     -28.664 -35.330  50.430  1.00 35.84           C
ATOM  10220  CE  LYS D  34     -28.678 -34.517  49.139  1.00 39.72           C
ATOM  10223  NZ  LYS D  34     -28.615 -33.039  49.462  1.00 42.40           N
ATOM  10227  C   LYS D  34     -30.853 -38.954  51.496  1.00 26.41           C
ATOM  10228  O   LYS D  34     -29.826 -39.616  51.681  1.00 24.92           O
ATOM  10230  N   PHE D  35     -31.773 -38.754  52.433  1.00 27.00           N
ATOM  10231  CA  PHE D  35     -31.710 -39.310  53.794  1.00 26.20           C
ATOM  10233  CB  PHE D  35     -32.997 -38.912  54.530  1.00 27.70           C
ATOM  10236  CG  PHE D  35     -33.103 -39.356  55.973  1.00 27.64           C
ATOM  10237  CD1 PHE D  35     -32.016 -39.362  56.825  1.00 28.06           C
ATOM  10239  CE1 PHE D  35     -32.162 -39.707  58.160  1.00 28.17           C
ATOM  10241  CZ  PHE D  35     -33.412 -40.027  58.668  1.00 29.11           C
ATOM  10243  CE2 PHE D  35     -34.497 -40.000  57.850  1.00 30.48           C
ATOM  10245  CD2 PHE D  35     -34.347 -39.651  56.504  1.00 30.63           C
ATOM  10247  C   PHE D  35     -31.613 -40.801  53.742  1.00 25.62           C
ATOM  10248  O   PHE D  35     -30.766 -41.401  54.404  1.00 24.89           O
ATOM  10250  N   ALA D  36     -32.489 -41.403  52.941  1.00 26.66           N
ATOM  10251  CA  ALA D  36     -32.503 -42.855  52.776  1.00 26.23           C
ATOM  10253  CB  ALA D  36     -33.708 -43.277  51.909  1.00 27.86           C
ATOM  10257  C   ALA D  36     -31.202 -43.356  52.156  1.00 24.54           C
ATOM  10258  O   ALA D  36     -30.794 -44.490  52.374  1.00 23.31           O
ATOM  10260  N   ALA D  37     -30.574 -42.504  51.362  1.00 24.52           N
ATOM  10261  CA  ALA D  37     -29.330 -42.846  50.686  1.00 23.98           C
ATOM  10263  CB  ALA D  37     -29.086 -41.896  49.513  1.00 25.43           C
ATOM  10267  C   ALA D  37     -28.148 -42.820  51.646  1.00 22.17           C
ATOM  10268  O   ALA D  37     -27.306 -43.741  51.620  1.00 21.11           O
ATOM  10270  N   ILE D  38     -28.078 -41.781  52.489  1.00 21.44           N
```

```
ATOM  10271  CA  ILE D  38     -26.988 -41.695  53.486  1.00 19.80           C
ATOM  10273  CB  ILE D  38     -27.074 -40.459  54.436  1.00 20.43           C
ATOM  10275  CG1 ILE D  38     -27.497 -39.173  53.694  1.00 22.08           C
ATOM  10278  CD1 ILE D  38     -26.572 -38.696  52.677  1.00 19.46           C
ATOM  10282  CG2 ILE D  38     -25.730 -40.183  55.094  1.00 18.32           C
ATOM  10286  C   ILE D  38     -27.060 -42.979  54.330  1.00 18.70           C
ATOM  10287  O   ILE D  38     -26.034 -43.648  54.553  1.00 17.98           O
ATOM  10289  N   CYS D  39     -28.281 -43.322  54.756  1.00 18.57           N
ATOM  10290  CA  CYS D  39     -28.554 -44.527  55.519  1.00 18.83           C
ATOM  10292  CB  CYS D  39     -30.055 -44.670  55.812  1.00 20.70           C
ATOM  10295  SG  CYS D  39     -30.745 -43.590  57.057  1.00 21.43           S
ATOM  10297  C   CYS D  39     -28.085 -45.808  54.854  1.00 18.65           C
ATOM  10298  O   CYS D  39     -27.428 -46.631  55.472  1.00 18.45           O
ATOM  10300  N   THR D  40     -28.470 -46.001  53.607  1.00 19.58           N
ATOM  10301  CA  THR D  40     -28.016 -47.158  52.836  1.00 19.90           C
ATOM  10303  CB  THR D  40     -28.596 -47.114  51.402  1.00 20.83           C
ATOM  10305  OG1 THR D  40     -30.003 -47.226  51.483  1.00 21.62           O
ATOM  10307  CG2 THR D  40     -28.081 -48.251  50.572  1.00 22.06           C
ATOM  10311  C   THR D  40     -26.516 -47.169  52.728  1.00 18.58           C
ATOM  10312  O   THR D  40     -25.867 -48.184  52.954  1.00 18.19           O
ATOM  10314  N   HIS D  41     -25.972 -46.022  52.383  1.00 18.27           N
ATOM  10315  CA  HIS D  41     -24.535 -45.919  52.216  1.00 18.96           C
ATOM  10317  CB  HIS D  41     -24.162 -44.509  51.727  1.00 18.85           C
ATOM  10320  CG  HIS D  41     -22.694 -44.302  51.546  1.00 19.60           C
ATOM  10321  ND1 HIS D  41     -21.892 -43.818  52.549  1.00 20.02           N
ATOM  10323  CE1 HIS D  41     -20.650 -43.719  52.105  1.00 19.91           C
ATOM  10325  NE2 HIS D  41     -20.616 -44.137  50.854  1.00 17.66           N
ATOM  10327  CD2 HIS D  41     -21.880 -44.515  50.482  1.00 20.23           C
ATOM  10329  C   HIS D  41     -23.796 -46.287  53.513  1.00 18.49           C
ATOM  10330  O   HIS D  41     -22.793 -47.038  53.512  1.00 17.36           O
ATOM  10332  N   LEU D  42     -24.315 -45.764  54.617  1.00 18.90           N
ATOM  10333  CA  LEU D  42     -23.714 -46.022  55.901  1.00 19.08           C
ATOM  10335  CB  LEU D  42     -24.482 -45.275  56.976  1.00 19.96           C
ATOM  10338  CG  LEU D  42     -23.787 -44.208  57.816  1.00 19.37           C
ATOM  10340  CD1 LEU D  42     -24.802 -43.486  58.707  1.00 20.36           C
ATOM  10344  CD2 LEU D  42     -22.770 -44.860  58.655  1.00 16.31           C
ATOM  10348  C   LEU D  42     -23.769 -47.522  56.157  1.00 19.94           C
ATOM  10349  O   LEU D  42     -22.758 -48.181  56.493  1.00 19.58           O
ATOM  10351  N   GLU D  43     -24.964 -48.064  55.978  1.00 21.11           N
ATOM  10352  CA  GLU D  43     -25.174 -49.489  56.197  1.00 22.45           C
ATOM  10354  CB  GLU D  43     -26.585 -49.907  55.788  1.00 23.52           C
ATOM  10357  CG  GLU D  43     -26.990 -51.187  56.491  1.00 25.98           C
ATOM  10360  CD  GLU D  43     -28.452 -51.501  56.433  1.00 27.97           C
ATOM  10361  OE1 GLU D  43     -29.112 -51.234  55.406  1.00 26.25           O
ATOM  10362  OE2 GLU D  43     -28.939 -52.063  57.436  1.00 33.45           O
ATOM  10363  C   GLU D  43     -24.109 -50.353  55.495  1.00 22.17           C
ATOM  10364  O   GLU D  43     -23.495 -51.220  56.129  1.00 23.22           O
ATOM  10366  N   VAL D  44     -23.845 -50.059  54.225  1.00 20.97           N
ATOM  10367  CA  VAL D  44     -22.829 -50.767  53.455  1.00 20.76           C
ATOM  10369  CB  VAL D  44     -22.747 -50.236  52.001  1.00 21.10           C
ATOM  10371  CG1 VAL D  44     -21.596 -50.880  51.261  1.00 19.31           C
ATOM  10375  CG2 VAL D  44     -24.083 -50.463  51.276  1.00 20.55           C
ATOM  10379  C   VAL D  44     -21.441 -50.623  54.049  1.00 20.53           C
ATOM  10380  O   VAL D  44     -20.686 -51.583  54.193  1.00 20.00           O
ATOM  10382  N   CYS D  45     -21.099 -49.395  54.382  1.00 21.02           N
ATOM  10383  CA  CYS D  45     -19.834 -49.130  55.042  1.00 20.47           C
ATOM  10385  CB  CYS D  45     -19.735 -47.663  55.360  1.00 19.81           C
ATOM  10388  SG  CYS D  45     -19.327 -46.656  53.924  1.00 21.21           S
ATOM  10390  C   CYS D  45     -19.700 -49.991  56.289  1.00 21.62           C
ATOM  10391  O   CYS D  45     -18.667 -50.628  56.486  1.00 21.60           O
ATOM  10393  N   PHE D  46     -20.761 -50.085  57.100  1.00 23.35           N
ATOM  10394  CA  PHE D  46     -20.687 -50.910  58.331  1.00 24.64           C
ATOM  10396  CB  PHE D  46     -21.878 -50.685  59.269  1.00 25.68           C
```

```
ATOM  10399  CG  PHE D  46     -21.906 -49.321  59.949  1.00 25.78           C
ATOM  10400  CD1 PHE D  46     -20.901 -48.370  59.754  1.00 26.01           C
ATOM  10402  CE1 PHE D  46     -20.942 -47.123  60.374  1.00 24.14           C
ATOM  10404  CZ  PHE D  46     -21.975 -46.826  61.219  1.00 27.52           C
ATOM  10406  CE2 PHE D  46     -22.993 -47.768  61.440  1.00 28.91           C
ATOM  10408  CD2 PHE D  46     -22.946 -49.005  60.802  1.00 28.79           C
ATOM  10410  C   PHE D  46     -20.599 -52.378  58.016  1.00 25.86           C
ATOM  10411  O   PHE D  46     -19.946 -53.116  58.729  1.00 27.29           O
ATOM  10413  N   MET D  47     -21.259 -52.820  56.953  1.00 26.86           N
ATOM  10414  CA  MET D  47     -21.237 -54.239  56.605  1.00 27.62           C
ATOM  10416  CB  MET D  47     -22.374 -54.557  55.656  1.00 27.79           C
ATOM  10419  CG  MET D  47     -23.783 -54.442  56.256  1.00 27.80           C
ATOM  10422  SD  MET D  47     -25.051 -54.624  54.977  1.00 28.52           S
ATOM  10423  CE  MET D  47     -25.144 -56.385  54.790  1.00 26.66           C
ATOM  10427  C   MET D  47     -19.872 -54.607  56.001  1.00 28.44           C
ATOM  10428  O   MET D  47     -19.314 -55.665  56.270  1.00 30.45           O
ATOM  10430  N   TYR D  48     -19.316 -53.716  55.209  1.00 27.99           N
ATOM  10431  CA  TYR D  48     -18.041 -53.979  54.548  1.00 28.75           C
ATOM  10433  CB  TYR D  48     -17.686 -52.763  53.698  1.00 26.89           C
ATOM  10436  CG  TYR D  48     -16.758 -52.996  52.536  1.00 25.04           C
ATOM  10437  CD1 TYR D  48     -17.229 -52.955  51.233  1.00 22.51           C
ATOM  10439  CE1 TYR D  48     -16.374 -53.117  50.174  1.00 22.19           C
ATOM  10441  CZ  TYR D  48     -15.017 -53.284  50.406  1.00 22.27           C
ATOM  10442  OH  TYR D  48     -14.123 -53.423  49.359  1.00 20.04           O
ATOM  10444  CE2 TYR D  48     -14.537 -53.312  51.696  1.00 22.33           C
ATOM  10446  CD2 TYR D  48     -15.390 -53.142  52.736  1.00 22.26           C
ATOM  10448  C   TYR D  48     -16.923 -54.267  55.564  1.00 30.28           C
ATOM  10449  O   TYR D  48     -16.102 -55.148  55.359  1.00 30.57           O
ATOM  10451  N   SER D  49     -16.940 -53.520  56.665  1.00 32.17           N
ATOM  10452  CA  SER D  49     -15.913 -53.570  57.701  1.00 33.79           C
ATOM  10454  CB  SER D  49     -15.547 -52.156  58.126  1.00 32.57           C
ATOM  10457  OG  SER D  49     -16.671 -51.468  58.644  1.00 33.19           O
ATOM  10459  C   SER D  49     -16.277 -54.362  58.936  1.00 36.43           C
ATOM  10460  O   SER D  49     -15.519 -54.341  59.887  1.00 37.68           O
ATOM  10462  N   ASP D  50     -17.373 -55.108  58.909  1.00 39.33           N
ATOM  10463  CA  ASP D  50     -17.880 -55.781  60.113  1.00 43.16           C
ATOM  10465  CB  ASP D  50     -16.997 -56.959  60.564  1.00 45.40           C
ATOM  10468  CG  ASP D  50     -17.060 -58.140  59.652  1.00 48.53           C
ATOM  10469  OD1 ASP D  50     -17.132 -57.970  58.406  1.00 50.84           O
ATOM  10470  OD2 ASP D  50     -16.997 -59.256  60.209  1.00 52.08           O
ATOM  10471  C   ASP D  50     -17.928 -54.809  61.294  1.00 44.06           C
ATOM  10472  O   ASP D  50     -17.318 -55.083  62.341  1.00 45.39           O
ATOM  10474  N   PHE D  51     -18.596 -53.672  61.140  1.00 44.11           N
ATOM  10475  CA  PHE D  51     -18.733 -52.774  62.265  1.00 45.34           C
ATOM  10477  CB  PHE D  51     -19.413 -51.465  61.880  1.00 44.40           C
ATOM  10480  CG  PHE D  51     -19.350 -50.415  62.961  1.00 45.30           C
ATOM  10481  CD1 PHE D  51     -18.210 -49.654  63.126  1.00 45.52           C
ATOM  10483  CE1 PHE D  51     -18.129 -48.671  64.109  1.00 46.41           C
ATOM  10485  CZ  PHE D  51     -19.185 -48.445  64.930  1.00 47.67           C
ATOM  10487  CE2 PHE D  51     -20.361 -49.214  64.792  1.00 48.92           C
ATOM  10489  CD2 PHE D  51     -20.428 -50.194  63.810  1.00 48.18           C
ATOM  10491  C   PHE D  51     -19.529 -53.458  63.369  1.00 47.33           C
ATOM  10492  O   PHE D  51     -19.133 -53.403  64.534  1.00 49.18           O
ATOM  10494  N   LEU D  72      -8.988 -59.570  68.353  1.00 62.22           N
ATOM  10495  CA  LEU D  72      -7.685 -59.041  67.935  1.00 61.49           C
ATOM  10497  CB  LEU D  72      -6.727 -60.192  67.578  1.00 63.65           C
ATOM  10503  C   LEU D  72      -7.868 -58.041  66.775  1.00 57.74           C
ATOM  10504  O   LEU D  72      -8.975 -57.563  66.543  1.00 55.53           O
ATOM  10506  N   LYS D  73      -6.786 -57.733  66.057  1.00 57.15           N
ATOM  10507  CA  LYS D  73      -6.736 -56.583  65.121  1.00 53.86           C
ATOM  10509  CB  LYS D  73      -5.376 -56.532  64.419  1.00 54.25           C
ATOM  10516  C   LYS D  73      -7.845 -56.542  64.052  1.00 51.43           C
ATOM  10517  O   LYS D  73      -7.982 -57.483  63.247  1.00 52.46           O
```

```
ATOM  10519  N   HIS D  74      -8.613 -55.445  64.058  1.00 48.14           N
ATOM  10520  CA  HIS D  74      -9.609 -55.141  63.024  1.00 45.20           C
ATOM  10522  CB  HIS D  74     -10.452 -53.911  63.423  1.00 44.05           C
ATOM  10525  CG  HIS D  74     -11.816 -54.246  63.931  1.00 46.72           C
ATOM  10526  ND1 HIS D  74     -12.961 -53.969  63.211  1.00 48.52           N
ATOM  10528  CE1 HIS D  74     -14.017 -54.392  63.890  1.00 50.46           C
ATOM  10530  NE2 HIS D  74     -13.599 -54.911  65.036  1.00 50.71           N
ATOM  10532  CD2 HIS D  74     -12.227 -54.832  65.086  1.00 50.66           C
ATOM  10534  C   HIS D  74      -8.909 -54.831  61.704  1.00 42.43           C
ATOM  10535  O   HIS D  74      -7.868 -54.168  61.688  1.00 42.74           O
ATOM  10537  N   ARG D  75      -9.504 -55.274  60.600  1.00 39.37           N
ATOM  10538  CA  ARG D  75      -8.914 -55.112  59.267  1.00 36.90           C
ATOM  10540  CB  ARG D  75      -9.436 -56.203  58.324  1.00 37.10           C
ATOM  10543  CG  ARG D  75      -8.603 -56.342  57.055  1.00 37.23           C
ATOM  10546  CD  ARG D  75      -9.457 -56.636  55.837  1.00 36.66           C
ATOM  10549  NE  ARG D  75      -8.772 -56.330  54.579  1.00 35.46           N
ATOM  10551  CZ  ARG D  75      -8.711 -57.130  53.530  1.00 35.68           C
ATOM  10552  NH1 ARG D  75      -9.288 -58.308  53.557  1.00 39.50           N
ATOM  10555  NH2 ARG D  75      -8.075 -56.748  52.435  1.00 36.83           N
ATOM  10558  C   ARG D  75      -9.201 -53.748  58.635  1.00 33.06           C
ATOM  10559  O   ARG D  75      -8.428 -53.250  57.839  1.00 32.65           O
ATOM  10561  N   PHE D  76     -10.342 -53.179  58.968  1.00 30.04           N
ATOM  10562  CA  PHE D  76     -10.749 -51.923  58.418  1.00 27.04           C
ATOM  10564  CB  PHE D  76     -12.051 -52.065  57.653  1.00 25.51           C
ATOM  10567  CG  PHE D  76     -11.973 -52.997  56.503  1.00 26.10           C
ATOM  10568  CD1 PHE D  76     -11.380 -52.598  55.315  1.00 27.18           C
ATOM  10570  CE1 PHE D  76     -11.297 -53.457  54.243  1.00 27.93           C
ATOM  10572  CZ  PHE D  76     -11.850 -54.733  54.349  1.00 29.41           C
ATOM  10574  CE2 PHE D  76     -12.459 -55.132  55.539  1.00 27.69           C
ATOM  10576  CD2 PHE D  76     -12.522 -54.275  56.589  1.00 27.12           C
ATOM  10578  C   PHE D  76     -10.954 -50.896  59.514  1.00 25.51           C
ATOM  10579  O   PHE D  76     -11.418 -51.203  60.603  1.00 25.09           O
ATOM  10581  N   GLU D  77     -10.637 -49.658  59.177  1.00 23.99           N
ATOM  10582  CA  GLU D  77     -11.040 -48.536  59.984  1.00 22.86           C
ATOM  10584  CB  GLU D  77      -9.923 -47.533  60.100  1.00 22.90           C
ATOM  10587  CG  GLU D  77     -10.155 -46.566  61.199  1.00 24.13           C
ATOM  10590  CD  GLU D  77     -10.005 -47.194  62.564  1.00 24.46           C
ATOM  10591  OE1 GLU D  77     -10.944 -47.054  63.363  1.00 24.01           O
ATOM  10592  OE2 GLU D  77      -8.951 -47.818  62.818  1.00 24.25           O
ATOM  10593  C   GLU D  77     -12.195 -47.861  59.327  1.00 21.32           C
ATOM  10594  O   GLU D  77     -12.161 -47.520  58.140  1.00 20.30           O
ATOM  10596  N   ILE D  78     -13.221 -47.629  60.106  1.00 21.06           N
ATOM  10597  CA  ILE D  78     -14.332 -46.868  59.608  1.00 20.39           C
ATOM  10599  CB  ILE D  78     -15.625 -47.313  60.225  1.00 20.73           C
ATOM  10601  CG1 ILE D  78     -16.764 -46.594  59.514  1.00 20.45           C
ATOM  10604  CD1 ILE D  78     -18.005 -47.339  59.587  1.00 23.42           C
ATOM  10608  CG2 ILE D  78     -15.625 -47.074  61.765  1.00 22.46           C
ATOM  10612  C   ILE D  78     -14.160 -45.366  59.809  1.00 20.01           C
ATOM  10613  O   ILE D  78     -13.989 -44.868  60.935  1.00 21.07           O
ATOM  10615  N   ILE D  79     -14.248 -44.659  58.690  1.00 19.15           N
ATOM  10616  CA  ILE D  79     -14.168 -43.205  58.622  1.00 19.24           C
ATOM  10618  CB  ILE D  79     -13.202 -42.819  57.517  1.00 19.30           C
ATOM  10620  CG1 ILE D  79     -11.923 -43.646  57.696  1.00 19.42           C
ATOM  10623  CD1 ILE D  79     -10.818 -43.290  56.753  1.00 20.67           C
ATOM  10627  CG2 ILE D  79     -12.971 -41.316  57.501  1.00 18.20           C
ATOM  10631  C   ILE D  79     -15.549 -42.574  58.354  1.00 19.33           C
ATOM  10632  O   ILE D  79     -15.887 -41.600  58.954  1.00 19.03           O
ATOM  10634  N   GLU D  80     -16.356 -43.149  57.461  1.00 19.90           N
ATOM  10635  CA  GLU D  80     -17.688 -42.609  57.226  1.00 20.03           C
ATOM  10637  CB  GLU D  80     -18.371 -43.365  56.112  1.00 20.46           C
ATOM  10640  CG  GLU D  80     -19.783 -42.877  55.740  1.00 22.53           C
ATOM  10643  CD  GLU D  80     -19.834 -41.429  55.297  1.00 24.88           C
ATOM  10644  OE1 GLU D  80     -19.476 -41.133  54.134  1.00 25.39           O
```

```
ATOM  10645  OE2 GLU D  80     -20.263 -40.589  56.121  1.00 28.04           O
ATOM  10646  C   GLU D  80     -18.547 -42.701  58.474  1.00 20.31           C
ATOM  10647  O   GLU D  80     -18.439 -43.671  59.272  1.00 19.98           O
ATOM  10649  N   GLY D  81     -19.433 -41.719  58.639  1.00 19.99           N
ATOM  10650  CA  GLY D  81     -20.310 -41.684  59.847  1.00 20.15           C
ATOM  10653  C   GLY D  81     -19.778 -40.859  61.010  1.00 19.72           C
ATOM  10654  O   GLY D  81     -20.521 -40.465  61.894  1.00 19.53           O
ATOM  10656  N   ARG D  82     -18.476 -40.593  61.008  1.00 19.30           N
ATOM  10657  CA  ARG D  82     -17.893 -39.720  61.984  1.00 19.10           C
ATOM  10659  CB  ARG D  82     -16.391 -39.967  62.067  1.00 19.08           C
ATOM  10662  CG  ARG D  82     -16.014 -41.396  62.380  1.00 17.27           C
ATOM  10665  CD  ARG D  82     -14.519 -41.518  62.552  1.00 14.54           C
ATOM  10668  NE  ARG D  82     -14.086 -42.877  62.911  1.00 14.56           N
ATOM  10670  CZ  ARG D  82     -13.823 -43.303  64.148  1.00 13.61           C
ATOM  10671  NH1 ARG D  82     -13.948 -42.519  65.204  1.00 15.62           N
ATOM  10674  NH2 ARG D  82     -13.405 -44.526  64.340  1.00 12.88           N
ATOM  10677  C   ARG D  82     -18.192 -38.308  61.500  1.00 19.49           C
ATOM  10678  O   ARG D  82     -18.533 -38.138  60.332  1.00 19.61           O
ATOM  10680  N   ASP D  83     -18.071 -37.314  62.384  1.00 19.86           N
ATOM  10681  CA  ASP D  83     -18.101 -35.904  61.974  1.00 20.68           C
ATOM  10683  CB  ASP D  83     -18.485 -34.971  63.140  1.00 21.42           C
ATOM  10686  CG  ASP D  83     -17.410 -34.885  64.211  1.00 24.02           C
ATOM  10687  OD1 ASP D  83     -16.378 -35.559  64.132  1.00 23.95           O
ATOM  10688  OD2 ASP D  83     -17.600 -34.115  65.164  1.00 31.98           O
ATOM  10689  C   ASP D  83     -16.762 -35.510  61.352  1.00 20.10           C
ATOM  10690  O   ASP D  83     -15.842 -36.299  61.338  1.00 19.28           O
ATOM  10692  N   ARG D  84     -16.667 -34.305  60.805  1.00 21.08           N
ATOM  10693  CA  ARG D  84     -15.442 -33.924  60.105  1.00 22.29           C
ATOM  10695  CB  ARG D  84     -15.539 -32.562  59.426  1.00 23.52           C
ATOM  10698  CG  ARG D  84     -16.045 -32.627  58.025  1.00 24.81           C
ATOM  10701  CD  ARG D  84     -15.979 -31.268  57.376  1.00 28.72           C
ATOM  10704  NE  ARG D  84     -16.599 -31.255  56.049  1.00 29.44           N
ATOM  10706  CZ  ARG D  84     -17.745 -30.644  55.749  1.00 34.75           C
ATOM  10707  NH1 ARG D  84     -18.437 -29.962  56.664  1.00 35.56           N
ATOM  10710  NH2 ARG D  84     -18.219 -30.712  54.508  1.00 38.55           N
ATOM  10713  C   ARG D  84     -14.217 -33.954  61.023  1.00 23.32           C
ATOM  10714  O   ARG D  84     -13.200 -34.470  60.592  1.00 22.67           O
ATOM  10716  N   ILE D  85     -14.331 -33.411  62.256  1.00 24.56           N
ATOM  10717  CA  ILE D  85     -13.209 -33.378  63.193  1.00 25.89           C
ATOM  10719  CB  ILE D  85     -13.525 -32.829  64.645  1.00 27.33           C
ATOM  10721  CG1 ILE D  85     -14.337 -31.515  64.671  1.00 28.71           C
ATOM  10724  CD1 ILE D  85     -13.825 -30.448  63.852  1.00 30.00           C
ATOM  10728  CG2 ILE D  85     -12.250 -32.574  65.397  1.00 27.41           C
ATOM  10732  C   ILE D  85     -12.639 -34.789  63.354  1.00 24.91           C
ATOM  10733  O   ILE D  85     -11.464 -35.009  63.114  1.00 24.68           O
ATOM  10735  N   MET D  86     -13.488 -35.746  63.708  1.00 24.04           N
ATOM  10736  CA  MET D  86     -13.014 -37.100  64.055  1.00 23.40           C
ATOM  10738  CB  MET D  86     -14.109 -37.901  64.751  1.00 23.09           C
ATOM  10741  CG  MET D  86     -14.446 -37.396  66.160  1.00 25.62           C
ATOM  10744  SD  MET D  86     -13.047 -37.633  67.305  1.00 33.11           S
ATOM  10745  CE  MET D  86     -12.658 -35.921  67.695  1.00 33.18           C
ATOM  10749  C   MET D  86     -12.518 -37.836  62.845  1.00 22.08           C
ATOM  10750  O   MET D  86     -11.575 -38.617  62.911  1.00 23.02           O
ATOM  10752  N   ALA D  87     -13.144 -37.555  61.728  1.00 21.02           N
ATOM  10753  CA  ALA D  87     -12.770 -38.159  60.481  1.00 20.27           C
ATOM  10755  CB  ALA D  87     -13.755 -37.749  59.381  1.00 20.12           C
ATOM  10759  C   ALA D  87     -11.375 -37.725  60.121  1.00 20.58           C
ATOM  10760  O   ALA D  87     -10.568 -38.536  59.689  1.00 20.94           O
ATOM  10762  N   TRP D  88     -11.080 -36.444  60.293  1.00 20.70           N
ATOM  10763  CA  TRP D  88      -9.729 -35.967  60.022  1.00 21.71           C
ATOM  10765  CB  TRP D  88      -9.714 -34.447  59.754  1.00 22.79           C
ATOM  10768  CG  TRP D  88     -10.114 -34.159  58.336  1.00 25.39           C
ATOM  10769  CD1 TRP D  88     -11.238 -33.502  57.883  1.00 25.70           C
```

```
ATOM  10771  NE1 TRP D  88     -11.249 -33.475  56.503  1.00 25.62           N
ATOM  10773  CE2 TRP D  88     -10.141 -34.138  56.048  1.00 29.04           C
ATOM  10774  CD2 TRP D  88      -9.410 -34.584  57.171  1.00 27.97           C
ATOM  10775  CE3 TRP D  88      -8.252 -35.321  56.968  1.00 28.64           C
ATOM  10777  CZ3 TRP D  88      -7.853 -35.581  55.679  1.00 30.95           C
ATOM  10779  CH2 TRP D  88      -8.589 -35.129  54.588  1.00 29.78           C
ATOM  10781  CZ2 TRP D  88      -9.734 -34.406  54.751  1.00 31.24           C
ATOM  10783  C   TRP D  88      -8.699 -36.410  61.099  1.00 21.12           C
ATOM  10784  O   TRP D  88      -7.528 -36.681  60.783  1.00 21.20           O
ATOM  10786  N   THR D  89      -9.145 -36.494  62.342  1.00 19.96           N
ATOM  10787  CA  THR D  89      -8.341 -37.070  63.389  1.00 20.95           C
ATOM  10789  CB  THR D  89      -9.075 -37.070  64.748  1.00 21.64           C
ATOM  10791  OG1 THR D  89      -9.567 -35.747  65.050  1.00 21.71           O
ATOM  10793  CG2 THR D  89      -8.128 -37.555  65.842  1.00 18.21           C
ATOM  10797  C   THR D  89      -7.936 -38.515  63.015  1.00 20.70           C
ATOM  10798  O   THR D  89      -6.748 -38.846  63.018  1.00 21.58           O
ATOM  10800  N   VAL D  90      -8.905 -39.356  62.651  1.00 18.90           N
ATOM  10801  CA  VAL D  90      -8.575 -40.751  62.300  1.00 18.68           C
ATOM  10803  CB  VAL D  90      -9.819 -41.654  62.157  1.00 17.20           C
ATOM  10805  CG1 VAL D  90      -9.392 -43.035  61.644  1.00 16.28           C
ATOM  10809  CG2 VAL D  90     -10.556 -41.763  63.533  1.00 17.37           C
ATOM  10813  C   VAL D  90      -7.723 -40.901  61.045  1.00 18.56           C
ATOM  10814  O   VAL D  90      -6.818 -41.728  61.018  1.00 20.06           O
ATOM  10816  N   VAL D  91      -8.012 -40.135  59.999  1.00 18.11           N
ATOM  10817  CA  VAL D  91      -7.185 -40.195  58.801  1.00 18.28           C
ATOM  10819  CB  VAL D  91      -7.840 -39.460  57.632  1.00 17.88           C
ATOM  10821  CG1 VAL D  91      -6.850 -39.230  56.491  1.00 18.37           C
ATOM  10825  CG2 VAL D  91      -9.047 -40.250  57.133  1.00 16.26           C
ATOM  10829  C   VAL D  91      -5.761 -39.677  59.076  1.00 20.42           C
ATOM  10830  O   VAL D  91      -4.800 -40.221  58.558  1.00 21.57           O
ATOM  10832  N   ASN D  92      -5.620 -38.655  59.910  1.00 21.56           N
ATOM  10833  CA  ASN D  92      -4.294 -38.161  60.254  1.00 23.76           C
ATOM  10835  CB  ASN D  92      -4.374 -36.861  61.085  1.00 24.40           C
ATOM  10838  CG  ASN D  92      -4.752 -35.655  60.246  1.00 23.60           C
ATOM  10839  OD1 ASN D  92      -4.652 -35.695  59.022  1.00 23.35           O
ATOM  10840  ND2 ASN D  92      -5.182 -34.580  60.893  1.00 20.20           N
ATOM  10843  C   ASN D  92      -3.456 -39.205  60.995  1.00 24.53           C
ATOM  10844  O   ASN D  92      -2.258 -39.351  60.731  1.00 25.65           O
ATOM  10846  N   SER D  93      -4.091 -39.916  61.918  1.00 23.92           N
ATOM  10847  CA  SER D  93      -3.397 -40.927  62.700  1.00 25.43           C
ATOM  10849  CB  SER D  93      -4.262 -41.322  63.899  1.00 25.34           C
ATOM  10852  OG  SER D  93      -4.094 -42.677  64.262  1.00 27.29           O
ATOM  10854  C   SER D  93      -2.976 -42.152  61.844  1.00 25.59           C
ATOM  10855  O   SER D  93      -1.891 -42.666  61.994  1.00 27.01           O
ATOM  10857  N   ILE D  94      -3.829 -42.604  60.940  1.00 24.37           N
ATOM  10858  CA  ILE D  94      -3.470 -43.674  60.013  1.00 24.56           C
ATOM  10860  CB  ILE D  94      -4.665 -44.037  59.110  1.00 23.03           C
ATOM  10862  CG1 ILE D  94      -5.766 -44.709  59.916  1.00 21.15           C
ATOM  10865  CD1 ILE D  94      -7.088 -44.664  59.194  1.00 22.77           C
ATOM  10869  CG2 ILE D  94      -4.246 -44.899  58.001  1.00 20.27           C
ATOM  10873  C   ILE D  94      -2.319 -43.268  59.094  1.00 26.61           C
ATOM  10874  O   ILE D  94      -1.409 -44.082  58.777  1.00 26.98           O
ATOM  10876  N   CYS D  95      -2.351 -42.015  58.654  1.00 27.05           N
ATOM  10877  CA  CYS D  95      -1.315 -41.541  57.743  1.00 28.72           C
ATOM  10879  CB  CYS D  95      -1.733 -40.233  57.066  1.00 28.26           C
ATOM  10882  SG  CYS D  95      -3.036 -40.558  55.823  1.00 29.35           S
ATOM  10884  C   CYS D  95       0.047 -41.465  58.430  1.00 30.59           C
ATOM  10885  O   CYS D  95       1.036 -41.931  57.884  1.00 31.72           O
ATOM  10887  N   ASN D  96       0.095 -40.899  59.630  1.00 32.04           N
ATOM  10888  CA  ASN D  96       1.373 -40.730  60.360  1.00 34.51           C
ATOM  10890  CB  ASN D  96       1.190 -39.935  61.652  1.00 35.40           C
ATOM  10893  CG  ASN D  96       0.683 -38.513  61.430  1.00 35.47           C
ATOM  10894  OD1 ASN D  96       1.257 -37.749  60.662  1.00 36.94           O
```

```
ATOM  10895  ND2 ASN D  96      -0.367 -38.144  62.158  1.00 31.66           N
ATOM  10898  C   ASN D  96       1.979 -42.084  60.744  1.00 35.23           C
ATOM  10899  O   ASN D  96       3.201 -42.216  60.885  1.00 37.25           O
ATOM  10901  N   THR D  97       1.098 -43.074  60.879  1.00 33.72           N
ATOM  10902  CA  THR D  97       1.429 -44.410  61.351  1.00 34.39           C
ATOM  10904  CB  THR D  97       0.212 -45.029  62.077  1.00 32.39           C
ATOM  10906  OG1 THR D  97       0.184 -44.535  63.412  1.00 34.63           O
ATOM  10908  CG2 THR D  97       0.316 -46.501  62.150  1.00 33.78           C
ATOM  10912  C   THR D  97       1.898 -45.352  60.241  1.00 34.38           C
ATOM  10913  O   THR D  97       2.930 -45.982  60.378  1.00 36.17           O
ATOM  10915  N   THR D  98       1.113 -45.477  59.174  1.00 32.90           N
ATOM  10916  CA  THR D  98       1.442 -46.372  58.079  1.00 33.46           C
ATOM  10918  CB  THR D  98       0.196 -46.880  57.315  1.00 31.74           C
ATOM  10920  OG1 THR D  98      -0.621 -45.767  56.926  1.00 33.13           O
ATOM  10922  CG2 THR D  98      -0.632 -47.860  58.190  1.00 31.22           C
ATOM  10926  C   THR D  98       2.344 -45.678  57.097  1.00 34.36           C
ATOM  10927  O   THR D  98       3.120 -46.332  56.437  1.00 35.52           O
ATOM  10929  N   GLY D  99       2.254 -44.353  57.007  1.00 34.38           N
ATOM  10930  CA  GLY D  99       3.077 -43.598  56.082  1.00 35.61           C
ATOM  10933  C   GLY D  99       2.447 -43.529  54.709  1.00 35.08           C
ATOM  10934  O   GLY D  99       3.098 -43.099  53.774  1.00 36.15           O
ATOM  10936  N   VAL D 100       1.181 -43.940  54.578  1.00 33.53           N
ATOM  10937  CA  VAL D 100       0.446 -43.707  53.338  1.00 33.15           C
ATOM  10939  CB  VAL D 100      -0.897 -44.437  53.297  1.00 31.43           C
ATOM  10941  CG1 VAL D 100      -1.698 -43.934  52.103  1.00 31.38           C
ATOM  10945  CG2 VAL D 100      -0.684 -45.952  53.178  1.00 32.18           C
ATOM  10949  C   VAL D 100       0.153 -42.229  53.108  1.00 33.44           C
ATOM  10950  O   VAL D 100      -0.201 -41.489  54.032  1.00 33.23           O
ATOM  10952  N   GLU D 101       0.305 -41.815  51.860  1.00 34.85           N
ATOM  10953  CA  GLU D 101      -0.086 -40.489  51.389  1.00 35.66           C
ATOM  10955  CB  GLU D 101      -0.106 -40.511  49.840  1.00 37.08           C
ATOM  10958  CG  GLU D 101      -0.914 -39.393  49.144  1.00 39.86           C
ATOM  10961  CD  GLU D 101      -0.412 -39.071  47.734  1.00 44.29           C
ATOM  10962  OE1 GLU D 101      -1.173 -38.473  46.951  1.00 46.95           O
ATOM  10963  OE2 GLU D 101       0.747 -39.395  47.404  1.00 48.84           O
ATOM  10964  C   GLU D 101      -1.435 -40.057  51.975  1.00 33.15           C
ATOM  10965  O   GLU D 101      -2.332 -40.858  52.193  1.00 31.25           O
ATOM  10967  N   LYS D 102      -1.577 -38.783  52.272  1.00 33.92           N
ATOM  10968  CA  LYS D 102      -2.842 -38.311  52.856  1.00 32.27           C
ATOM  10970  CB  LYS D 102      -2.650 -37.072  53.743  1.00 32.89           C
ATOM  10973  CG  LYS D 102      -3.710 -36.947  54.865  1.00 30.89           C
ATOM  10976  CD  LYS D 102      -3.414 -35.816  55.873  1.00 31.22           C
ATOM  10979  CE  LYS D 102      -2.233 -36.142  56.783  1.00 32.10           C
ATOM  10982  NZ  LYS D 102      -2.088 -35.330  58.041  1.00 31.25           N
ATOM  10986  C   LYS D 102      -3.802 -38.016  51.723  1.00 31.74           C
ATOM  10987  O   LYS D 102      -3.455 -37.334  50.775  1.00 32.47           O
ATOM  10989  N   PRO D 103      -5.007 -38.572  51.799  1.00 30.57           N
ATOM  10990  CA  PRO D 103      -5.992 -38.255  50.801  1.00 30.52           C
ATOM  10992  CB  PRO D 103      -7.100 -39.262  51.080  1.00 28.44           C
ATOM  10995  CG  PRO D 103      -6.982 -39.583  52.491  1.00 27.57           C
ATOM  10998  CD  PRO D 103      -5.582 -39.356  52.903  1.00 29.57           C
ATOM  11001  C   PRO D 103      -6.455 -36.820  50.996  1.00 31.35           C
ATOM  11002  O   PRO D 103      -6.427 -36.328  52.118  1.00 30.64           O
ATOM  11003  N   LYS D 104      -6.837 -36.154  49.905  1.00 33.01           N
ATOM  11004  CA  LYS D 104      -7.235 -34.730  49.952  1.00 34.29           C
ATOM  11006  CB  LYS D 104      -6.745 -33.978  48.702  1.00 36.54           C
ATOM  11009  CG  LYS D 104      -5.224 -34.077  48.450  1.00 38.95           C
ATOM  11012  CD  LYS D 104      -4.859 -33.499  47.086  1.00 41.60           C
ATOM  11015  CE  LYS D 104      -3.634 -34.185  46.474  1.00 43.82           C
ATOM  11018  NZ  LYS D 104      -3.371 -33.689  45.065  1.00 45.63           N
ATOM  11022  C   LYS D 104      -8.757 -34.561  50.121  1.00 32.74           C
ATOM  11023  O   LYS D 104      -9.277 -33.458  50.014  1.00 34.40           O
ATOM  11025  N   PHE D 105      -9.449 -35.661  50.381  1.00 30.39           N
```

```
ATOM  11026  CA  PHE D 105     -10.880 -35.666  50.700  1.00 29.29           C
ATOM  11028  CB  PHE D 105     -11.697 -36.031  49.455  1.00 29.63           C
ATOM  11031  CG  PHE D 105     -11.755 -37.523  49.184  1.00 31.64           C
ATOM  11032  CD1 PHE D 105     -12.926 -38.259  49.447  1.00 33.99           C
ATOM  11034  CE1 PHE D 105     -12.991 -39.670  49.202  1.00 31.96           C
ATOM  11036  CZ  PHE D 105     -11.869 -40.337  48.715  1.00 31.31           C
ATOM  11038  CE2 PHE D 105     -10.695 -39.608  48.440  1.00 32.98           C
ATOM  11040  CD2 PHE D 105     -10.640 -38.211  48.684  1.00 33.57           C
ATOM  11042  C   PHE D 105     -11.081 -36.740  51.769  1.00 26.05           C
ATOM  11043  O   PHE D 105     -10.225 -37.590  51.932  1.00 24.89           O
ATOM  11045  N   LEU D 106     -12.192 -36.736  52.489  1.00 24.17           N
ATOM  11046  CA  LEU D 106     -12.481 -37.890  53.384  1.00 22.29           C
ATOM  11048  CB  LEU D 106     -13.461 -37.503  54.469  1.00 20.83           C
ATOM  11051  CG  LEU D 106     -12.891 -36.516  55.478  1.00 21.62           C
ATOM  11053  CD1 LEU D 106     -14.026 -36.112  56.402  1.00 20.23           C
ATOM  11057  CD2 LEU D 106     -11.704 -37.104  56.260  1.00 20.68           C
ATOM  11061  C   LEU D 106     -13.007 -39.151  52.657  1.00 21.28           C
ATOM  11062  O   LEU D 106     -14.085 -39.106  52.103  1.00 21.19           O
ATOM  11064  N   PRO D 107     -12.254 -40.281  52.685  1.00 21.24           N
ATOM  11065  CA  PRO D 107     -12.745 -41.625  52.272  1.00 20.47           C
ATOM  11067  CB  PRO D 107     -11.494 -42.507  52.344  1.00 20.82           C
ATOM  11070  CG  PRO D 107     -10.355 -41.601  52.365  1.00 22.49           C
ATOM  11073  CD  PRO D 107     -10.811 -40.316  52.990  1.00 22.15           C
ATOM  11076  C   PRO D 107     -13.778 -42.225  53.215  1.00 19.49           C
ATOM  11077  O   PRO D 107     -14.140 -41.620  54.189  1.00 19.91           O
ATOM  11078  N   ASP D 108     -14.210 -43.444  52.956  1.00 19.04           N
ATOM  11079  CA  ASP D 108     -15.120 -44.105  53.873  1.00 18.39           C
ATOM  11081  CB  ASP D 108     -16.179 -44.797  53.063  1.00 18.10           C
ATOM  11084  CG  ASP D 108     -16.958 -43.811  52.180  1.00 17.67           C
ATOM  11085  OD1 ASP D 108     -17.461 -42.812  52.747  1.00 12.43           O
ATOM  11086  OD2 ASP D 108     -17.082 -44.059  50.948  1.00 15.59           O
ATOM  11087  C   ASP D 108     -14.459 -45.090  54.849  1.00 18.94           C
ATOM  11088  O   ASP D 108     -14.894 -45.163  56.000  1.00 18.33           O
ATOM  11090  N   LEU D 109     -13.419 -45.799  54.379  1.00 19.03           N
ATOM  11091  CA  LEU D 109     -12.735 -46.843  55.105  1.00 19.62           C
ATOM  11093  CB  LEU D 109     -13.223 -48.210  54.645  1.00 20.13           C
ATOM  11096  CG  LEU D 109     -14.645 -48.661  54.995  1.00 22.03           C
ATOM  11098  CD1 LEU D 109     -14.814 -50.120  54.632  1.00 23.58           C
ATOM  11102  CD2 LEU D 109     -15.000 -48.417  56.472  1.00 21.73           C
ATOM  11106  C   LEU D 109     -11.243 -46.820  54.823  1.00 20.51           C
ATOM  11107  O   LEU D 109     -10.836 -46.332  53.758  1.00 20.97           O
ATOM  11109  N   TYR D 110     -10.452 -47.322  55.788  1.00 20.70           N
ATOM  11110  CA  TYR D 110      -9.052 -47.655  55.604  1.00 22.01           C
ATOM  11112  CB  TYR D 110      -8.138 -46.893  56.586  1.00 22.47           C
ATOM  11115  CG  TYR D 110      -6.704 -47.186  56.285  1.00 21.12           C
ATOM  11116  CD1 TYR D 110      -6.098 -46.644  55.163  1.00 20.26           C
ATOM  11118  CE1 TYR D 110      -4.802 -46.948  54.836  1.00 22.71           C
ATOM  11120  CZ  TYR D 110      -4.054 -47.811  55.645  1.00 23.66           C
ATOM  11121  OH  TYR D 110      -2.751 -48.111  55.294  1.00 26.81           O
ATOM  11123  CE2 TYR D 110      -4.623 -48.366  56.755  1.00 22.33           C
ATOM  11125  CD2 TYR D 110      -5.974 -48.061  57.060  1.00 22.26           C
ATOM  11127  C   TYR D 110      -8.840 -49.177  55.803  1.00 24.15           C
ATOM  11128  O   TYR D 110      -9.313 -49.743  56.807  1.00 23.87           O
ATOM  11130  N   ASP D 111      -8.119 -49.806  54.860  1.00 25.63           N
ATOM  11131  CA  ASP D 111      -7.811 -51.247  54.881  1.00 27.51           C
ATOM  11133  CB  ASP D 111      -7.919 -51.810  53.474  1.00 28.12           C
ATOM  11136  CG  ASP D 111      -7.706 -53.315  53.415  1.00 30.82           C
ATOM  11137  OD1 ASP D 111      -7.171 -53.906  54.379  1.00 34.77           O
ATOM  11138  OD2 ASP D 111      -8.074 -53.920  52.383  1.00 31.66           O
ATOM  11139  C   ASP D 111      -6.390 -51.502  55.353  1.00 29.31           C
ATOM  11140  O   ASP D 111      -5.446 -51.110  54.686  1.00 29.40           O
ATOM  11142  N   TYR D 112      -6.234 -52.194  56.474  1.00 30.68           N
ATOM  11143  CA  TYR D 112      -4.904 -52.410  57.049  1.00 32.66           C
```

```
ATOM  11145  CB  TYR D 112      -4.993 -52.715  58.546  1.00 33.52           C
ATOM  11148  CG  TYR D 112      -5.365 -51.527  59.389  1.00 34.28           C
ATOM  11149  CD1 TYR D 112      -6.594 -51.485  60.059  1.00 35.69           C
ATOM  11151  CE1 TYR D 112      -6.955 -50.373  60.857  1.00 35.35           C
ATOM  11153  CZ  TYR D 112      -6.066 -49.301  61.000  1.00 37.04           C
ATOM  11154  OH  TYR D 112      -6.441 -48.225  61.804  1.00 38.71           O
ATOM  11156  CE2 TYR D 112      -4.817 -49.329  60.354  1.00 35.88           C
ATOM  11158  CD2 TYR D 112      -4.479 -50.447  59.553  1.00 36.05           C
ATOM  11160  C   TYR D 112      -4.101 -53.511  56.361  1.00 33.66           C
ATOM  11161  O   TYR D 112      -2.872 -53.497  56.395  1.00 34.40           O
ATOM  11163  N   LYS D 113      -4.789 -54.474  55.759  1.00 33.94           N
ATOM  11164  CA  LYS D 113      -4.108 -55.570  55.065  1.00 35.12           C
ATOM  11166  CB  LYS D 113      -5.068 -56.728  54.794  1.00 35.57           C
ATOM  11169  CG  LYS D 113      -4.367 -58.023  54.310  1.00 39.16           C
ATOM  11172  CD  LYS D 113      -5.202 -58.748  53.260  1.00 41.19           C
ATOM  11175  CE  LYS D 113      -4.423 -59.843  52.580  1.00 44.54           C
ATOM  11178  NZ  LYS D 113      -4.163 -60.984  53.505  1.00 47.74           N
ATOM  11182  C   LYS D 113      -3.490 -55.077  53.758  1.00 34.66           C
ATOM  11183  O   LYS D 113      -2.354 -55.437  53.450  1.00 36.20           O
ATOM  11185  N   GLU D 114      -4.232 -54.254  53.013  1.00 32.70           N
ATOM  11186  CA  GLU D 114      -3.830 -53.798  51.669  1.00 33.14           C
ATOM  11188  CB  GLU D 114      -5.057 -53.764  50.742  1.00 32.77           C
ATOM  11191  CG  GLU D 114      -5.564 -55.147  50.299  1.00 34.95           C
ATOM  11194  CD  GLU D 114      -4.604 -55.862  49.358  1.00 39.59           C
ATOM  11195  OE1 GLU D 114      -3.997 -55.162  48.498  1.00 42.17           O
ATOM  11196  OE2 GLU D 114      -4.466 -57.111  49.471  1.00 40.13           O
ATOM  11197  C   GLU D 114      -3.164 -52.423  51.689  1.00 32.17           C
ATOM  11198  O   GLU D 114      -2.580 -51.978  50.701  1.00 31.87           O
ATOM  11200  N   ASN D 115      -3.268 -51.776  52.841  1.00 31.58           N
ATOM  11201  CA  ASN D 115      -2.694 -50.464  53.133  1.00 31.82           C
ATOM  11203  CB  ASN D 115      -1.173 -50.546  53.354  1.00 33.95           C
ATOM  11206  CG  ASN D 115      -0.818 -50.884  54.821  1.00 36.60           C
ATOM  11207  OD1 ASN D 115       0.074 -51.697  55.063  1.00 40.72           O
ATOM  11208  ND2 ASN D 115      -1.534 -50.273  55.799  1.00 32.45           N
ATOM  11211  C   ASN D 115      -3.095 -49.327  52.204  1.00 30.47           C
ATOM  11212  O   ASN D 115      -2.262 -48.590  51.665  1.00 31.43           O
ATOM  11214  N   ARG D 116      -4.396 -49.152  52.100  1.00 28.23           N
ATOM  11215  CA  ARG D 116      -4.973 -48.147  51.227  1.00 27.72           C
ATOM  11217  CB  ARG D 116      -5.085 -48.730  49.824  1.00 27.48           C
ATOM  11220  CG  ARG D 116      -6.036 -49.926  49.729  1.00 27.69           C
ATOM  11223  CD  ARG D 116      -5.969 -50.567  48.377  1.00 28.30           C
ATOM  11226  NE  ARG D 116      -6.766 -51.783  48.296  1.00 28.86           N
ATOM  11228  CZ  ARG D 116      -6.607 -52.743  47.380  1.00 29.74           C
ATOM  11229  NH1 ARG D 116      -5.662 -52.658  46.449  1.00 29.18           N
ATOM  11232  NH2 ARG D 116      -7.380 -53.822  47.422  1.00 30.56           N
ATOM  11235  C   ARG D 116      -6.352 -47.732  51.756  1.00 25.96           C
ATOM  11236  O   ARG D 116      -7.055 -48.528  52.357  1.00 26.03           O
ATOM  11238  N   PHE D 117      -6.736 -46.492  51.555  1.00 25.82           N
ATOM  11239  CA  PHE D 117      -8.116 -46.094  51.840  1.00 24.79           C
ATOM  11241  CB  PHE D 117      -8.251 -44.574  51.892  1.00 25.21           C
ATOM  11244  CG  PHE D 117      -7.588 -43.959  53.084  1.00 26.40           C
ATOM  11245  CD1 PHE D 117      -8.269 -43.860  54.293  1.00 25.80           C
ATOM  11247  CE1 PHE D 117      -7.655 -43.305  55.397  1.00 28.23           C
ATOM  11249  CZ  PHE D 117      -6.325 -42.848  55.302  1.00 30.05           C
ATOM  11251  CE2 PHE D 117      -5.637 -42.944  54.103  1.00 29.22           C
ATOM  11253  CD2 PHE D 117      -6.268 -43.508  53.000  1.00 28.74           C
ATOM  11255  C   PHE D 117      -9.040 -46.617  50.760  1.00 24.69           C
ATOM  11256  O   PHE D 117      -8.602 -46.928  49.643  1.00 24.86           O
ATOM  11258  N   ILE D 118     -10.322 -46.706  51.114  1.00 23.62           N
ATOM  11259  CA  ILE D 118     -11.383 -47.101  50.188  1.00 23.01           C
ATOM  11261  CB  ILE D 118     -12.052 -48.393  50.629  1.00 22.85           C
ATOM  11263  CG1 ILE D 118     -11.035 -49.514  50.753  1.00 24.26           C
ATOM  11266  CD1 ILE D 118     -11.595 -50.697  51.505  1.00 26.62           C
```

```
ATOM  11270  CG2 ILE D 118     -13.117 -48.790  49.662  1.00 21.80           C
ATOM  11274  C   ILE D 118     -12.490 -46.062  50.143  1.00 22.17           C
ATOM  11275  O   ILE D 118     -12.931 -45.573  51.194  1.00 20.78           O
ATOM  11277  N   GLU D 119     -12.925 -45.733  48.922  1.00 22.67           N
ATOM  11278  CA  GLU D 119     -14.179 -45.016  48.696  1.00 22.16           C
ATOM  11280  CB  GLU D 119     -13.965 -43.863  47.709  1.00 22.98           C
ATOM  11283  CG  GLU D 119     -15.186 -42.998  47.364  1.00 24.76           C
ATOM  11286  CD  GLU D 119     -15.959 -42.482  48.562  1.00 26.12           C
ATOM  11287  OE1 GLU D 119     -15.316 -42.302  49.598  1.00 29.20           O
ATOM  11288  OE2 GLU D 119     -17.200 -42.236  48.484  1.00 27.45           O
ATOM  11289  C   GLU D 119     -15.235 -46.008  48.205  1.00 21.91           C
ATOM  11290  O   GLU D 119     -15.050 -46.661  47.158  1.00 22.57           O
ATOM  11292  N   ILE D 120     -16.304 -46.132  48.999  1.00 20.63           N
ATOM  11293  CA  ILE D 120     -17.486 -46.922  48.699  1.00 20.54           C
ATOM  11295  CB  ILE D 120     -18.163 -47.392  49.967  1.00 20.44           C
ATOM  11297  CG1 ILE D 120     -17.237 -48.288  50.814  1.00 21.06           C
ATOM  11300  CD1 ILE D 120     -17.494 -49.775  50.641  1.00 20.07           C
ATOM  11304  CG2 ILE D 120     -19.440 -48.140  49.641  1.00 20.24           C
ATOM  11308  C   ILE D 120     -18.519 -46.080  47.980  1.00 21.10           C
ATOM  11309  O   ILE D 120     -18.717 -44.922  48.305  1.00 21.73           O
ATOM  11311  N   GLY D 121     -19.175 -46.668  46.992  1.00 22.15           N
ATOM  11312  CA  GLY D 121     -20.267 -46.021  46.258  1.00 22.76           C
ATOM  11315  C   GLY D 121     -21.515 -46.901  46.236  1.00 22.95           C
ATOM  11316  O   GLY D 121     -21.410 -48.124  46.174  1.00 23.35           O
ATOM  11318  N   VAL D 122     -22.685 -46.276  46.337  1.00 22.92           N
ATOM  11319  CA  VAL D 122     -23.966 -46.955  46.221  1.00 23.71           C
ATOM  11321  CB  VAL D 122     -24.682 -47.087  47.573  1.00 22.99           C
ATOM  11323  CG1 VAL D 122     -25.852 -48.092  47.449  1.00 25.65           C
ATOM  11327  CG2 VAL D 122     -23.737 -47.507  48.633  1.00 20.66           C
ATOM  11331  C   VAL D 122     -24.851 -46.186  45.264  1.00 25.15           C
ATOM  11332  O   VAL D 122     -25.250 -45.081  45.547  1.00 25.16           O
ATOM  11334  N   THR D 123     -25.138 -46.772  44.115  1.00 27.83           N
ATOM  11335  CA  THR D 123     -25.885 -46.091  43.046  1.00 29.95           C
ATOM  11337  CB  THR D 123     -24.998 -45.920  41.763  1.00 31.02           C
ATOM  11339  OG1 THR D 123     -25.690 -45.154  40.762  1.00 32.09           O
ATOM  11341  CG2 THR D 123     -24.587 -47.255  41.193  1.00 30.85           C
ATOM  11345  C   THR D 123     -27.182 -46.844  42.701  1.00 32.09           C
ATOM  11346  O   THR D 123     -27.222 -48.060  42.638  1.00 31.54           O
ATOM  11348  N   ARG D 124     -28.239 -46.090  42.473  1.00 34.91           N
ATOM  11349  CA  ARG D 124     -29.484 -46.633  41.967  1.00 38.00           C
ATOM  11351  CB  ARG D 124     -30.655 -45.745  42.412  1.00 39.13           C
ATOM  11354  CG  ARG D 124     -30.968 -45.808  43.917  1.00 38.96           C
ATOM  11357  CD  ARG D 124     -30.222 -44.751  44.710  1.00 39.84           C
ATOM  11360  NE  ARG D 124     -30.923 -43.475  44.825  1.00 42.41           N
ATOM  11362  CZ  ARG D 124     -30.373 -42.346  45.288  1.00 45.57           C
ATOM  11363  NH1 ARG D 124     -29.096 -42.307  45.684  1.00 45.12           N
ATOM  11366  NH2 ARG D 124     -31.105 -41.232  45.360  1.00 48.31           N
ATOM  11369  C   ARG D 124     -29.454 -46.736  40.438  1.00 40.77           C
ATOM  11370  O   ARG D 124     -30.433 -47.186  39.816  1.00 42.13           O
ATOM  11372  N   ARG D 125     -28.335 -46.314  39.847  1.00 41.57           N
ATOM  11373  CA  ARG D 125     -28.208 -46.174  38.395  1.00 45.03           C
ATOM  11375  CB  ARG D 125     -27.855 -44.719  38.005  1.00 46.02           C
ATOM  11378  CG  ARG D 125     -28.510 -43.614  38.832  1.00 48.87           C
ATOM  11381  CD  ARG D 125     -28.243 -42.204  38.247  1.00 53.76           C
ATOM  11384  NE  ARG D 125     -29.113 -41.923  37.088  1.00 60.75           N
ATOM  11386  CZ  ARG D 125     -28.865 -41.024  36.129  1.00 64.34           C
ATOM  11387  NH1 ARG D 125     -27.764 -40.268  36.175  1.00 65.11           N
ATOM  11390  NH2 ARG D 125     -29.722 -40.884  35.116  1.00 65.65           N
ATOM  11393  C   ARG D 125     -27.124 -47.151  37.894  1.00 44.97           C
ATOM  11394  O   ARG D 125     -26.933 -48.222  38.473  1.00 44.28           O
ATOM  11396  N   GLU D 126     -26.406 -46.786  36.831  1.00 46.10           N
ATOM  11397  CA  GLU D 126     -25.518 -47.722  36.180  1.00 46.17           C
ATOM  11399  CB  GLU D 126     -25.428 -47.422  34.691  1.00 49.13           C
```

```
ATOM  11402  CG  GLU D 126     -24.992 -48.616  33.849  1.00 51.00           C
ATOM  11405  CD  GLU D 126     -23.490 -48.805  33.849  1.00 50.01           C
ATOM  11406  OE1 GLU D 126     -22.998 -49.964  33.883  1.00 50.63           O
ATOM  11407  OE2 GLU D 126     -22.803 -47.774  33.843  1.00 47.97           O
ATOM  11408  C   GLU D 126     -24.158 -47.682  36.864  1.00 43.96           C
ATOM  11409  O   GLU D 126     -23.516 -46.618  36.986  1.00 43.49           O
ATOM  11411  N   VAL D 127     -23.726 -48.870  37.290  1.00 42.11           N
ATOM  11412  CA  VAL D 127     -22.574 -49.031  38.166  1.00 39.12           C
ATOM  11414  CB  VAL D 127     -22.497 -50.506  38.648  1.00 38.93           C
ATOM  11416  CG1 VAL D 127     -21.698 -51.387  37.667  1.00 40.52           C
ATOM  11420  CG2 VAL D 127     -21.964 -50.603  40.064  1.00 36.45           C
ATOM  11424  C   VAL D 127     -21.266 -48.577  37.499  1.00 38.61           C
ATOM  11425  O   VAL D 127     -20.306 -48.303  38.167  1.00 37.48           O
ATOM  11427  N   HIS D 128     -21.242 -48.461  36.186  1.00 39.10           N
ATOM  11428  CA  HIS D 128     -20.037 -48.056  35.492  1.00 39.49           C
ATOM  11430  CB  HIS D 128     -20.093 -48.585  34.040  1.00 42.49           C
ATOM  11433  CG  HIS D 128     -18.768 -48.912  33.446  1.00 42.48           C
ATOM  11434  ND1 HIS D 128     -18.624 -49.851  32.449  1.00 45.75           N
ATOM  11436  CE1 HIS D 128     -17.355 -49.922  32.090  1.00 46.12           C
ATOM  11438  NE2 HIS D 128     -16.665 -49.074  32.834  1.00 45.23           N
ATOM  11440  CD2 HIS D 128     -17.528 -48.427  33.689  1.00 42.92           C
ATOM  11442  C   HIS D 128     -19.835 -46.522  35.502  1.00 38.84           C
ATOM  11443  O   HIS D 128     -18.779 -46.043  35.854  1.00 37.66           O
ATOM  11445  N   ILE D 129     -20.836 -45.745  35.102  1.00 39.76           N
ATOM  11446  CA  ILE D 129     -20.624 -44.305  34.995  1.00 39.99           C
ATOM  11448  CB  ILE D 129     -21.637 -43.549  34.038  1.00 42.72           C
ATOM  11450  CG1 ILE D 129     -22.787 -42.906  34.785  1.00 42.83           C
ATOM  11453  CD1 ILE D 129     -23.882 -42.403  33.834  1.00 47.90           C
ATOM  11457  CG2 ILE D 129     -22.180 -44.452  32.918  1.00 44.46           C
ATOM  11461  C   ILE D 129     -20.539 -43.701  36.390  1.00 37.06           C
ATOM  11462  O   ILE D 129     -19.853 -42.703  36.588  1.00 37.31           O
ATOM  11464  N   TYR D 130     -21.191 -44.327  37.364  1.00 34.61           N
ATOM  11465  CA  TYR D 130     -21.031 -43.926  38.737  1.00 31.96           C
ATOM  11467  CB  TYR D 130     -22.055 -44.615  39.650  1.00 31.69           C
ATOM  11470  CG  TYR D 130     -22.158 -43.979  41.017  1.00 28.18           C
ATOM  11471  CD1 TYR D 130     -22.982 -42.892  41.235  1.00 30.14           C
ATOM  11473  CE1 TYR D 130     -23.097 -42.296  42.509  1.00 31.16           C
ATOM  11475  CZ  TYR D 130     -22.359 -42.797  43.562  1.00 29.86           C
ATOM  11476  OH  TYR D 130     -22.439 -42.223  44.797  1.00 31.44           O
ATOM  11478  CE2 TYR D 130     -21.530 -43.882  43.367  1.00 29.97           C
ATOM  11480  CD2 TYR D 130     -21.431 -44.467  42.078  1.00 29.02           C
ATOM  11482  C   TYR D 130     -19.644 -44.194  39.260  1.00 30.26           C
ATOM  11483  O   TYR D 130     -19.095 -43.342  39.896  1.00 30.16           O
ATOM  11485  N   TYR D 131     -19.062 -45.362  39.028  1.00 30.19           N
ATOM  11486  CA  TYR D 131     -17.605 -45.521  39.293  1.00 29.83           C
ATOM  11488  CB  TYR D 131     -17.011 -46.781  38.667  1.00 31.00           C
ATOM  11491  CG  TYR D 131     -15.520 -47.025  38.964  1.00 30.49           C
ATOM  11492  CD1 TYR D 131     -15.123 -47.845  40.001  1.00 29.21           C
ATOM  11494  CE1 TYR D 131     -13.787 -48.093  40.250  1.00 28.88           C
ATOM  11496  CZ  TYR D 131     -12.829 -47.526  39.450  1.00 30.39           C
ATOM  11497  OH  TYR D 131     -11.494 -47.764  39.703  1.00 32.25           O
ATOM  11499  CE2 TYR D 131     -13.192 -46.721  38.414  1.00 30.93           C
ATOM  11501  CD2 TYR D 131     -14.524 -46.480  38.170  1.00 32.61           C
ATOM  11503  C   TYR D 131     -16.809 -44.378  38.745  1.00 31.10           C
ATOM  11504  O   TYR D 131     -15.954 -43.877  39.423  1.00 30.80           O
ATOM  11506  N   LEU D 132     -17.052 -44.002  37.495  1.00 34.01           N
ATOM  11507  CA  LEU D 132     -16.241 -42.985  36.851  1.00 36.05           C
ATOM  11509  CB  LEU D 132     -16.518 -42.969  35.353  1.00 38.96           C
ATOM  11512  CG  LEU D 132     -16.149 -44.222  34.546  1.00 40.94           C
ATOM  11514  CD1 LEU D 132     -16.564 -44.059  33.102  1.00 43.11           C
ATOM  11518  CD2 LEU D 132     -14.660 -44.537  34.600  1.00 42.31           C
ATOM  11522  C   LEU D 132     -16.472 -41.602  37.468  1.00 36.06           C
ATOM  11523  O   LEU D 132     -15.515 -40.839  37.641  1.00 35.93           O
```

```
ATOM  11525  N   GLU D 133     -17.722 -41.294  37.820  1.00 36.17           N
ATOM  11526  CA  GLU D 133     -18.037 -40.016  38.447  1.00 36.93           C
ATOM  11528  CB  GLU D 133     -19.534 -39.861  38.735  1.00 36.22           C
ATOM  11531  CG  GLU D 133     -20.284 -39.334  37.514  1.00 39.74           C
ATOM  11534  CD  GLU D 133     -21.813 -39.546  37.514  1.00 42.20           C
ATOM  11535  OE1 GLU D 133     -22.374 -40.317  38.341  1.00 43.64           O
ATOM  11536  OE2 GLU D 133     -22.468 -38.930  36.646  1.00 44.27           O
ATOM  11537  C   GLU D 133     -17.234 -39.931  39.710  1.00 35.85           C
ATOM  11538  O   GLU D 133     -16.646 -38.914  40.034  1.00 36.14           O
ATOM  11540  N   LYS D 134     -17.157 -41.042  40.402  1.00 35.38           N
ATOM  11541  CA  LYS D 134     -16.385 -41.078  41.609  1.00 34.94           C
ATOM  11543  CB  LYS D 134     -16.693 -42.358  42.375  1.00 33.62           C
ATOM  11546  CG  LYS D 134     -17.970 -42.261  43.165  1.00 33.21           C
ATOM  11549  CD  LYS D 134     -17.774 -41.405  44.446  1.00 32.64           C
ATOM  11552  CE  LYS D 134     -18.893 -41.629  45.489  1.00 31.69           C
ATOM  11555  NZ  LYS D 134     -20.059 -40.724  45.291  1.00 32.12           N
ATOM  11559  C   LYS D 134     -14.905 -40.931  41.346  1.00 36.35           C
ATOM  11560  O   LYS D 134     -14.268 -40.107  41.971  1.00 35.94           O
ATOM  11562  N   ALA D 135     -14.357 -41.708  40.416  1.00 38.90           N
ATOM  11563  CA  ALA D 135     -12.962 -41.529  40.015  1.00 41.34           C
ATOM  11565  CB  ALA D 135     -12.616 -42.413  38.834  1.00 42.63           C
ATOM  11569  C   ALA D 135     -12.726 -40.056  39.683  1.00 44.50           C
ATOM  11570  O   ALA D 135     -11.825 -39.431  40.239  1.00 45.52           O
ATOM  11572  N   ASN D 136     -13.561 -39.493  38.812  1.00 47.13           N
ATOM  11573  CA  ASN D 136     -13.468 -38.066  38.459  1.00 49.96           C
ATOM  11575  CB  ASN D 136     -14.446 -37.761  37.310  1.00 52.17           C
ATOM  11578  CG  ASN D 136     -14.197 -36.428  36.664  1.00 54.64           C
ATOM  11579  OD1 ASN D 136     -14.484 -35.376  37.234  1.00 55.02           O
ATOM  11580  ND2 ASN D 136     -13.693 -36.463  35.447  1.00 58.23           N
ATOM  11583  C   ASN D 136     -13.689 -37.074  39.637  1.00 49.63           C
ATOM  11584  O   ASN D 136     -13.053 -36.020  39.670  1.00 50.64           O
ATOM  11586  N   LYS D 137     -14.578 -37.392  40.582  1.00 48.40           N
ATOM  11587  CA  LYS D 137     -14.800 -36.505  41.741  1.00 48.61           C
ATOM  11589  CB  LYS D 137     -16.046 -36.882  42.570  1.00 47.09           C
ATOM  11592  CG  LYS D 137     -17.384 -36.410  42.011  1.00 49.77           C
ATOM  11595  CD  LYS D 137     -18.519 -36.729  42.986  1.00 50.24           C
ATOM  11598  CE  LYS D 137     -19.838 -37.158  42.292  1.00 52.04           C
ATOM  11601  NZ  LYS D 137     -20.535 -38.202  43.127  1.00 49.80           N
ATOM  11605  C   LYS D 137     -13.594 -36.581  42.645  1.00 47.94           C
ATOM  11606  O   LYS D 137     -12.992 -35.566  42.967  1.00 48.99           O
ATOM  11608  N   ILE D 138     -13.283 -37.817  43.038  1.00 46.97           N
ATOM  11609  CA  ILE D 138     -12.137 -38.207  43.882  1.00 46.02           C
ATOM  11611  CB  ILE D 138     -11.884 -39.782  43.782  1.00 45.48           C
ATOM  11613  CG1 ILE D 138     -11.407 -40.362  45.098  1.00 43.83           C
ATOM  11616  CD1 ILE D 138     -10.806 -41.741  44.940  1.00 44.28           C
ATOM  11620  CG2 ILE D 138     -10.864 -40.175  42.636  1.00 46.83           C
ATOM  11624  C   ILE D 138     -10.819 -37.539  43.533  1.00 47.32           C
ATOM  11625  O   ILE D 138     -10.232 -36.854  44.355  1.00 46.85           O
ATOM  11627  N   LYS D 139     -10.370 -37.773  42.300  1.00 49.38           N
ATOM  11628  CA  LYS D 139      -8.969 -37.566  41.858  1.00 51.15           C
ATOM  11630  CB  LYS D 139      -8.797 -36.150  41.274  1.00 53.55           C
ATOM  11633  CG  LYS D 139      -9.849 -35.824  40.186  1.00 55.21           C
ATOM  11636  CD  LYS D 139      -9.567 -34.523  39.410  1.00 59.03           C
ATOM  11639  CE  LYS D 139     -10.178 -34.545  37.977  1.00 61.27           C
ATOM  11642  NZ  LYS D 139      -9.700 -33.421  37.089  1.00 62.12           N
ATOM  11646  C   LYS D 139      -7.875 -37.929  42.907  1.00 50.02           C
ATOM  11647  O   LYS D 139      -6.806 -37.343  42.928  1.00 51.38           O
ATOM  11649  N   SER D 140      -8.153 -38.900  43.772  1.00 47.96           N
ATOM  11650  CA  SER D 140      -7.090 -39.597  44.478  1.00 47.54           C
ATOM  11652  CB  SER D 140      -7.418 -39.879  45.952  1.00 45.45           C
ATOM  11655  OG  SER D 140      -6.869 -38.866  46.802  1.00 47.29           O
ATOM  11657  C   SER D 140      -6.888 -40.872  43.697  1.00 47.59           C
ATOM  11658  O   SER D 140      -7.683 -41.827  43.758  1.00 46.48           O
```

```
ATOM  11660  N   GLU D 141      -5.812 -40.878  42.935  1.00 49.10           N
ATOM  11661  CA  GLU D 141      -5.473 -42.033  42.145  1.00 49.51           C
ATOM  11663  CB  GLU D 141      -4.329 -41.686  41.188  1.00 52.84           C
ATOM  11666  CG  GLU D 141      -4.623 -40.504  40.223  1.00 55.81           C
ATOM  11669  CD  GLU D 141      -3.350 -39.799  39.748  1.00 60.59           C
ATOM  11670  OE1 GLU D 141      -2.370 -39.703  40.541  1.00 59.44           O
ATOM  11671  OE2 GLU D 141      -3.338 -39.331  38.577  1.00 64.77           O
ATOM  11672  C   GLU D 141      -5.096 -43.228  43.038  1.00 47.18           C
ATOM  11673  O   GLU D 141      -5.123 -44.369  42.561  1.00 47.70           O
ATOM  11675  N   LYS D 142      -4.748 -42.953  44.310  1.00 44.44           N
ATOM  11676  CA  LYS D 142      -4.318 -43.960  45.287  1.00 41.79           C
ATOM  11678  CB  LYS D 142      -3.197 -43.400  46.174  1.00 42.46           C
ATOM  11681  CG  LYS D 142      -1.833 -43.467  45.558  1.00 45.67           C
ATOM  11684  CD  LYS D 142      -0.773 -42.972  46.526  1.00 48.23           C
ATOM  11687  CE  LYS D 142       0.471 -42.481  45.782  1.00 52.26           C
ATOM  11690  NZ  LYS D 142       1.619 -42.223  46.691  1.00 54.00           N
ATOM  11694  C   LYS D 142      -5.439 -44.408  46.210  1.00 38.54           C
ATOM  11695  O   LYS D 142      -5.199 -45.189  47.155  1.00 38.05           O
ATOM  11697  N   THR D 143      -6.653 -43.914  45.998  1.00 35.44           N
ATOM  11698  CA  THR D 143      -7.769 -44.426  46.790  1.00 32.64           C
ATOM  11700  CB  THR D 143      -8.637 -43.276  47.372  1.00 31.53           C
ATOM  11702  OG1 THR D 143      -7.937 -42.683  48.477  1.00 32.38           O
ATOM  11704  CG2 THR D 143      -9.957 -43.761  47.873  1.00 29.73           C
ATOM  11708  C   THR D 143      -8.549 -45.499  45.999  1.00 31.14           C
ATOM  11709  O   THR D 143      -8.950 -45.289  44.877  1.00 32.45           O
ATOM  11711  N   HIS D 144      -8.725 -46.665  46.603  1.00 29.03           N
ATOM  11712  CA  HIS D 144      -9.411 -47.770  45.983  1.00 28.06           C
ATOM  11714  CB  HIS D 144      -9.064 -49.078  46.713  1.00 28.24           C
ATOM  11717  CG  HIS D 144      -9.145 -50.287  45.836  1.00 31.06           C
ATOM  11718  ND1 HIS D 144      -8.135 -50.636  44.957  1.00 33.84           N
ATOM  11720  CE1 HIS D 144      -8.503 -51.716  44.286  1.00 35.06           C
ATOM  11722  NE2 HIS D 144      -9.711 -52.075  44.695  1.00 33.08           N
ATOM  11724  CD2 HIS D 144     -10.140 -51.189  45.652  1.00 30.89           C
ATOM  11726  C   HIS D 144     -10.907 -47.467  46.043  1.00 26.18           C
ATOM  11727  O   HIS D 144     -11.419 -47.074  47.086  1.00 24.25           O
ATOM  11729  N   ILE D 145     -11.572 -47.594  44.897  1.00 25.76           N
ATOM  11730  CA  ILE D 145     -12.998 -47.343  44.750  1.00 24.45           C
ATOM  11732  CB  ILE D 145     -13.258 -46.514  43.496  1.00 26.08           C
ATOM  11734  CG1 ILE D 145     -12.229 -45.400  43.356  1.00 25.87           C
ATOM  11737  CD1 ILE D 145     -12.577 -44.397  42.255  1.00 25.33           C
ATOM  11741  CG2 ILE D 145     -14.708 -45.949  43.488  1.00 26.68           C
ATOM  11745  C   ILE D 145     -13.778 -48.666  44.591  1.00 24.08           C
ATOM  11746  O   ILE D 145     -13.437 -49.479  43.740  1.00 23.81           O
ATOM  11748  N   HIS D 146     -14.789 -48.889  45.444  1.00 23.05           N
ATOM  11749  CA  HIS D 146     -15.740 -50.013  45.295  1.00 22.78           C
ATOM  11751  CB  HIS D 146     -15.656 -50.947  46.495  1.00 22.61           C
ATOM  11754  CG  HIS D 146     -16.166 -52.328  46.222  1.00 23.08           C
ATOM  11755  ND1 HIS D 146     -15.623 -53.444  46.814  1.00 21.87           N
ATOM  11757  CE1 HIS D 146     -16.245 -54.521  46.356  1.00 26.01           C
ATOM  11759  NE2 HIS D 146     -17.165 -54.144  45.491  1.00 23.82           N
ATOM  11761  CD2 HIS D 146     -17.127 -52.776  45.379  1.00 25.01           C
ATOM  11763  C   HIS D 146     -17.170 -49.487  45.202  1.00 21.76           C
ATOM  11764  O   HIS D 146     -17.636 -48.842  46.124  1.00 18.96           O
ATOM  11766  N   ILE D 147     -17.849 -49.762  44.086  1.00 23.08           N
ATOM  11767  CA  ILE D 147     -19.234 -49.308  43.860  1.00 23.28           C
ATOM  11769  CB  ILE D 147     -19.415 -48.614  42.478  1.00 24.67           C
ATOM  11771  CG1 ILE D 147     -18.401 -47.489  42.263  1.00 24.03           C
ATOM  11774  CD1 ILE D 147     -18.472 -46.342  43.263  1.00 19.12           C
ATOM  11778  CG2 ILE D 147     -20.857 -48.076  42.297  1.00 24.14           C
ATOM  11782  C   ILE D 147     -20.165 -50.505  43.830  1.00 24.12           C
ATOM  11783  O   ILE D 147     -19.914 -51.444  43.083  1.00 25.47           O
ATOM  11785  N   PHE D 148     -21.241 -50.454  44.606  1.00 23.56           N
ATOM  11786  CA  PHE D 148     -22.360 -51.407  44.483  1.00 24.84           C
```

```
ATOM  11788  CB  PHE D 148     -22.716 -51.970  45.864  1.00 23.78           C
ATOM  11791  CG  PHE D 148     -21.571 -52.676  46.594  1.00 22.59           C
ATOM  11792  CD1 PHE D 148     -21.463 -54.076  46.574  1.00 22.09           C
ATOM  11794  CE1 PHE D 148     -20.453 -54.719  47.262  1.00 21.46           C
ATOM  11796  CZ  PHE D 148     -19.549 -53.993  48.016  1.00 20.38           C
ATOM  11798  CE2 PHE D 148     -19.640 -52.618  48.051  1.00 20.15           C
ATOM  11800  CD2 PHE D 148     -20.664 -51.963  47.358  1.00 20.22           C
ATOM  11802  C   PHE D 148     -23.656 -50.753  43.900  1.00 26.39           C
ATOM  11803  O   PHE D 148     -23.899 -49.553  44.096  1.00 25.58           O
ATOM  11805  N   SER D 149     -24.478 -51.535  43.181  1.00 28.44           N
ATOM  11806  CA  SER D 149     -25.842 -51.116  42.828  1.00 30.01           C
ATOM  11808  CB  SER D 149     -26.071 -51.275  41.343  1.00 32.27           C
ATOM  11811  OG  SER D 149     -26.391 -52.618  41.063  1.00 33.41           O
ATOM  11813  C   SER D 149     -26.932 -51.918  43.537  1.00 31.21           C
ATOM  11814  O   SER D 149     -26.674 -52.961  44.154  1.00 31.25           O
ATOM  11816  N   PHE D 150     -28.174 -51.453  43.413  1.00 33.01           N
ATOM  11817  CA  PHE D 150     -29.310 -52.140  44.055  1.00 34.21           C
ATOM  11819  CB  PHE D 150     -30.490 -51.192  44.299  1.00 34.37           C
ATOM  11822  CG  PHE D 150     -30.293 -50.220  45.430  1.00 32.20           C
ATOM  11823  CD1 PHE D 150     -30.872 -50.447  46.678  1.00 33.43           C
ATOM  11825  CE1 PHE D 150     -30.707 -49.527  47.736  1.00 31.51           C
ATOM  11827  CZ  PHE D 150     -29.985 -48.355  47.520  1.00 29.65           C
ATOM  11829  CE2 PHE D 150     -29.435 -48.122  46.270  1.00 29.66           C
ATOM  11831  CD2 PHE D 150     -29.598 -49.043  45.237  1.00 30.34           C
ATOM  11833  C   PHE D 150     -29.733 -53.318  43.172  1.00 37.08           C
ATOM  11834  O   PHE D 150     -30.488 -54.203  43.597  1.00 39.31           O
ATOM  11836  N   THR D 151     -29.237 -53.316  41.944  1.00 37.93           N
ATOM  11837  CA  THR D 151     -29.475 -54.382  40.987  1.00 40.29           C
ATOM  11839  CB  THR D 151     -29.445 -53.790  39.592  1.00 41.72           C
ATOM  11841  OG1 THR D 151     -30.615 -52.988  39.432  1.00 44.28           O
ATOM  11843  CG2 THR D 151     -29.450 -54.850  38.538  1.00 45.90           C
ATOM  11847  C   THR D 151     -28.453 -55.509  41.088  1.00 39.97           C
ATOM  11848  O   THR D 151     -28.538 -56.471  40.342  1.00 41.39           O
ATOM  11850  N   GLY D 152     -27.475 -55.389  41.994  1.00 37.82           N
ATOM  11851  CA  GLY D 152     -26.586 -56.510  42.304  1.00 37.91           C
ATOM  11854  C   GLY D 152     -25.234 -56.528  41.602  1.00 38.15           C
ATOM  11855  O   GLY D 152     -24.396 -57.391  41.888  1.00 38.24           O
ATOM  11857  N   GLU D 153     -25.000 -55.593  40.683  1.00 38.24           N
ATOM  11858  CA  GLU D 153     -23.694 -55.481  40.052  1.00 37.93           C
ATOM  11860  CB  GLU D 153     -23.787 -54.776  38.705  1.00 39.85           C
ATOM  11863  CG  GLU D 153     -24.753 -55.455  37.727  1.00 44.05           C
ATOM  11866  CD  GLU D 153     -26.037 -54.678  37.487  1.00 46.05           C
ATOM  11867  OE1 GLU D 153     -26.495 -54.637  36.320  1.00 50.88           O
ATOM  11868  OE2 GLU D 153     -26.588 -54.102  38.449  1.00 47.02           O
ATOM  11869  C   GLU D 153     -22.757 -54.734  40.975  1.00 35.05           C
ATOM  11870  O   GLU D 153     -23.154 -54.237  42.028  1.00 33.81           O
ATOM  11872  N   GLU D 154     -21.489 -54.690  40.595  1.00 34.47           N
ATOM  11873  CA  GLU D 154     -20.494 -54.026  41.392  1.00 31.77           C
ATOM  11875  CB  GLU D 154     -20.081 -54.860  42.616  1.00 30.63           C
ATOM  11878  CG  GLU D 154     -19.738 -56.313  42.287  1.00 32.09           C
ATOM  11881  CD  GLU D 154     -18.984 -57.063  43.387  1.00 31.57           C
ATOM  11882  OE1 GLU D 154     -18.518 -56.458  44.358  1.00 29.03           O
ATOM  11883  OE2 GLU D 154     -18.856 -58.300  43.279  1.00 35.08           O
ATOM  11884  C   GLU D 154     -19.317 -53.779  40.515  1.00 32.16           C
ATOM  11885  O   GLU D 154     -19.078 -54.510  39.565  1.00 33.55           O
ATOM  11887  N   MET D 155     -18.585 -52.730  40.846  1.00 30.95           N
ATOM  11888  CA  MET D 155     -17.350 -52.436  40.183  1.00 31.44           C
ATOM  11890  CB  MET D 155     -17.578 -51.383  39.109  1.00 32.43           C
ATOM  11893  CG  MET D 155     -16.393 -51.223  38.197  1.00 35.00           C
ATOM  11896  SD  MET D 155     -16.867 -50.320  36.753  1.00 40.80           S
ATOM  11897  CE  MET D 155     -17.791 -51.525  35.789  1.00 42.22           C
ATOM  11901  C   MET D 155     -16.342 -51.935  41.195  1.00 29.60           C
ATOM  11902  O   MET D 155     -16.703 -51.211  42.099  1.00 27.86           O
```

```
ATOM  11904  N   ALA D 156     -15.078 -52.315  40.997  1.00 30.56           N
ATOM  11905  CA  ALA D 156     -13.969 -51.891  41.826  1.00 29.48           C
ATOM  11907  CB  ALA D 156     -13.675 -52.944  42.876  1.00 29.13           C
ATOM  11911  C   ALA D 156     -12.708 -51.611  41.016  1.00 31.16           C
ATOM  11912  O   ALA D 156     -12.519 -52.122  39.910  1.00 31.47           O
ATOM  11914  N   THR D 157     -11.839 -50.796  41.617  1.00 31.56           N
ATOM  11915  CA  THR D 157     -10.532 -50.468  41.045  1.00 33.49           C
ATOM  11917  CB  THR D 157      -9.737 -49.560  41.981  1.00 32.23           C
ATOM  11919  OG1 THR D 157     -10.409 -48.315  42.028  1.00 30.99           O
ATOM  11921  CG2 THR D 157      -8.301 -49.306  41.483  1.00 32.10           C
ATOM  11925  C   THR D 157      -9.719 -51.701  40.677  1.00 35.89           C
ATOM  11926  O   THR D 157      -9.507 -52.605  41.490  1.00 36.07           O
ATOM  11928  N   LYS D 158      -9.316 -51.728  39.414  1.00 38.94           N
ATOM  11929  CA  LYS D 158      -8.505 -52.802  38.848  1.00 41.36           C
ATOM  11931  CB  LYS D 158      -7.070 -52.708  39.414  1.00 41.62           C
ATOM  11934  CG  LYS D 158      -6.554 -51.241  39.333  1.00 43.71           C
ATOM  11937  CD  LYS D 158      -5.045 -50.999  39.535  1.00 46.85           C
ATOM  11940  CE  LYS D 158      -4.748 -49.470  39.465  1.00 47.67           C
ATOM  11943  NZ  LYS D 158      -3.283 -49.088  39.519  1.00 50.10           N
ATOM  11947  C   LYS D 158      -9.160 -54.158  39.062  1.00 41.16           C
ATOM  11948  O   LYS D 158      -8.485 -55.151  39.158  1.00 43.22           O
ATOM  11950  N   ALA D 159     -10.486 -54.189  39.108  1.00 40.46           N
ATOM  11951  CA  ALA D 159     -11.268 -55.416  39.361  1.00 40.58           C
ATOM  11953  CB  ALA D 159     -11.213 -56.348  38.173  1.00 42.48           C
ATOM  11957  C   ALA D 159     -10.873 -56.156  40.647  1.00 39.88           C
ATOM  11958  O   ALA D 159     -11.089 -57.364  40.768  1.00 40.90           O
ATOM  11960  N   ASP D 160     -10.336 -55.407  41.610  1.00 38.43           N
ATOM  11961  CA  ASP D 160      -9.890 -55.944  42.873  1.00 37.41           C
ATOM  11963  CB  ASP D 160      -8.547 -55.312  43.223  1.00 37.65           C
ATOM  11966  CG  ASP D 160      -8.065 -55.705  44.585  1.00 38.77           C
ATOM  11967  OD1 ASP D 160      -8.821 -56.408  45.306  1.00 40.38           O
ATOM  11968  OD2 ASP D 160      -6.931 -55.309  44.931  1.00 41.04           O
ATOM  11969  C   ASP D 160     -10.955 -55.596  43.902  1.00 35.17           C
ATOM  11970  O   ASP D 160     -11.085 -54.445  44.328  1.00 34.28           O
ATOM  11972  N   TYR D 161     -11.730 -56.592  44.302  1.00 35.04           N
ATOM  11973  CA  TYR D 161     -12.921 -56.359  45.111  1.00 32.90           C
ATOM  11975  CB  TYR D 161     -14.026 -57.334  44.746  1.00 33.82           C
ATOM  11978  CG  TYR D 161     -14.434 -57.273  43.317  1.00 33.31           C
ATOM  11979  CD1 TYR D 161     -15.229 -56.236  42.853  1.00 31.18           C
ATOM  11981  CE1 TYR D 161     -15.625 -56.178  41.540  1.00 32.44           C
ATOM  11983  CZ  TYR D 161     -15.229 -57.176  40.677  1.00 33.70           C
ATOM  11984  OH  TYR D 161     -15.612 -57.130  39.382  1.00 35.47           O
ATOM  11986  CE2 TYR D 161     -14.455 -58.224  41.112  1.00 34.45           C
ATOM  11988  CD2 TYR D 161     -14.057 -58.266  42.432  1.00 34.07           C
ATOM  11990  C   TYR D 161     -12.662 -56.503  46.566  1.00 31.85           C
ATOM  11991  O   TYR D 161     -13.606 -56.565  47.346  1.00 30.83           O
ATOM  11993  N   THR D 162     -11.390 -56.591  46.933  1.00 32.70           N
ATOM  11994  CA  THR D 162     -10.966 -56.531  48.344  1.00 32.03           C
ATOM  11996  CB  THR D 162     -11.282 -55.156  49.000  1.00 29.88           C
ATOM  11998  OG1 THR D 162     -10.363 -54.165  48.511  1.00 28.97           O
ATOM  12000  CG2 THR D 162     -11.161 -55.228  50.511  1.00 29.13           C
ATOM  12004  C   THR D 162     -11.586 -57.653  49.151  1.00 32.99           C
ATOM  12005  O   THR D 162     -10.868 -58.530  49.620  1.00 34.69           O
ATOM  12007  N   LEU D 163     -12.905 -57.629  49.327  1.00 32.51           N
ATOM  12008  CA  LEU D 163     -13.568 -58.687  50.077  1.00 33.68           C
ATOM  12010  CB  LEU D 163     -14.964 -58.261  50.535  1.00 32.44           C
ATOM  12013  CG  LEU D 163     -15.030 -57.082  51.492  1.00 30.24           C
ATOM  12015  CD1 LEU D 163     -16.449 -56.801  51.991  1.00 25.53           C
ATOM  12019  CD2 LEU D 163     -14.106 -57.371  52.667  1.00 31.84           C
ATOM  12023  C   LEU D 163     -13.672 -60.008  49.301  1.00 36.23           C
ATOM  12024  O   LEU D 163     -13.398 -60.094  48.098  1.00 36.84           O
ATOM  12026  N   ASP D 164     -14.059 -61.038  50.041  1.00 37.83           N
ATOM  12027  CA  ASP D 164     -14.443 -62.316  49.471  1.00 40.28           C
```

```
ATOM  12029  CB  ASP D 164     -14.249 -63.472  50.467  1.00 42.34           C
ATOM  12032  CG  ASP D 164     -14.901 -63.212  51.811  1.00 42.62           C
ATOM  12033  OD1 ASP D 164     -15.120 -62.040  52.192  1.00 44.72           O
ATOM  12034  OD2 ASP D 164     -15.165 -64.194  52.509  1.00 46.90           O
ATOM  12035  C   ASP D 164     -15.885 -62.221  49.044  1.00 39.83           C
ATOM  12036  O   ASP D 164     -16.593 -61.273  49.416  1.00 38.82           O
ATOM  12038  N   GLU D 165     -16.311 -63.212  48.263  1.00 41.32           N
ATOM  12039  CA  GLU D 165     -17.567 -63.140  47.544  1.00 40.77           C
ATOM  12041  CB  GLU D 165     -17.654 -64.257  46.506  1.00 43.41           C
ATOM  12044  CG  GLU D 165     -18.683 -64.001  45.418  1.00 44.17           C
ATOM  12047  CD  GLU D 165     -18.903 -65.185  44.510  1.00 46.19           C
ATOM  12048  OE1 GLU D 165     -19.776 -65.094  43.633  1.00 47.41           O
ATOM  12049  OE2 GLU D 165     -18.216 -66.204  44.670  1.00 48.74           O
ATOM  12050  C   GLU D 165     -18.747 -63.177  48.495  1.00 40.26           C
ATOM  12051  O   GLU D 165     -19.741 -62.489  48.270  1.00 39.60           O
ATOM  12053  N   GLU D 166     -18.653 -63.942  49.573  1.00 40.83           N
ATOM  12054  CA  GLU D 166     -19.790 -64.022  50.485  1.00 40.94           C
ATOM  12056  CB  GLU D 166     -19.599 -65.125  51.529  1.00 43.13           C
ATOM  12059  CG  GLU D 166     -20.791 -65.319  52.506  1.00 45.95           C
ATOM  12062  CD  GLU D 166     -22.078 -65.877  51.858  1.00 50.29           C
ATOM  12063  OE1 GLU D 166     -22.171 -66.009  50.606  1.00 50.97           O
ATOM  12064  OE2 GLU D 166     -23.010 -66.205  52.626  1.00 51.77           O
ATOM  12065  C   GLU D 166     -20.091 -62.675  51.140  1.00 37.79           C
ATOM  12066  O   GLU D 166     -21.250 -62.254  51.215  1.00 37.49           O
ATOM  12068  N   SER D 167     -19.056 -61.985  51.593  1.00 35.47           N
ATOM  12069  CA  SER D 167     -19.264 -60.717  52.288  1.00 32.81           C
ATOM  12071  CB  SER D 167     -17.928 -60.183  52.787  1.00 31.40           C
ATOM  12074  OG  SER D 167     -17.219 -61.233  53.390  1.00 33.27           O
ATOM  12076  C   SER D 167     -19.944 -59.713  51.359  1.00 30.85           C
ATOM  12077  O   SER D 167     -20.846 -58.998  51.746  1.00 29.35           O
ATOM  12079  N   ARG D 168     -19.489 -59.702  50.121  1.00 30.86           N
ATOM  12080  CA  ARG D 168     -20.066 -58.886  49.062  1.00 30.41           C
ATOM  12082  CB  ARG D 168     -19.164 -58.963  47.825  1.00 31.30           C
ATOM  12085  CG  ARG D 168     -17.836 -58.296  48.081  1.00 32.31           C
ATOM  12088  CD  ARG D 168     -17.017 -58.318  46.847  1.00 35.25           C
ATOM  12091  NE  ARG D 168     -16.365 -59.603  46.702  1.00 37.68           N
ATOM  12093  CZ  ARG D 168     -16.173 -60.231  45.554  1.00 39.01           C
ATOM  12094  NH1 ARG D 168     -16.605 -59.722  44.405  1.00 39.11           N
ATOM  12097  NH2 ARG D 168     -15.549 -61.387  45.571  1.00 40.93           N
ATOM  12100  C   ARG D 168     -21.453 -59.339  48.669  1.00 30.59           C
ATOM  12101  O   ARG D 168     -22.302 -58.531  48.329  1.00 29.77           O
ATOM  12103  N   ALA D 169     -21.663 -60.645  48.676  1.00 31.96           N
ATOM  12104  CA  ALA D 169     -22.969 -61.179  48.373  1.00 33.14           C
ATOM  12106  CB  ALA D 169     -22.915 -62.688  48.264  1.00 35.23           C
ATOM  12110  C   ALA D 169     -23.929 -60.724  49.466  1.00 32.14           C
ATOM  12111  O   ALA D 169     -25.034 -60.291  49.188  1.00 31.42           O
ATOM  12113  N   ARG D 170     -23.459 -60.826  50.707  1.00 32.02           N
ATOM  12114  CA  ARG D 170     -24.132 -60.280  51.876  1.00 31.46           C
ATOM  12116  CB  ARG D 170     -23.161 -60.383  53.070  1.00 31.70           C
ATOM  12119  CG  ARG D 170     -23.797 -60.563  54.447  1.00 35.80           C
ATOM  12122  CD  ARG D 170     -22.767 -60.868  55.577  1.00 40.47           C
ATOM  12125  NE  ARG D 170     -23.113 -60.108  56.800  1.00 43.77           N
ATOM  12127  CZ  ARG D 170     -22.692 -58.866  57.092  1.00 43.38           C
ATOM  12128  NH1 ARG D 170     -21.856 -58.206  56.291  1.00 42.86           N
ATOM  12131  NH2 ARG D 170     -23.111 -58.266  58.208  1.00 43.95           N
ATOM  12134  C   ARG D 170     -24.631 -58.816  51.617  1.00 29.01           C
ATOM  12135  O   ARG D 170     -25.827 -58.536  51.758  1.00 28.41           O
ATOM  12137  N   ILE D 171     -23.720 -57.919  51.195  1.00 26.61           N
ATOM  12138  CA  ILE D 171     -24.065 -56.524  50.845  1.00 24.48           C
ATOM  12140  CB  ILE D 171     -22.804 -55.702  50.470  1.00 23.29           C
ATOM  12142  CG1 ILE D 171     -21.945 -55.422  51.718  1.00 22.42           C
ATOM  12145  CD1 ILE D 171     -20.487 -55.094  51.434  1.00 20.75           C
ATOM  12149  CG2 ILE D 171     -23.196 -54.388  49.761  1.00 19.72           C
```

```
ATOM  12153  C   ILE D 171     -25.014 -56.426  49.658  1.00 25.42           C
ATOM  12154  O   ILE D 171     -25.955 -55.624  49.676  1.00 24.89           O
ATOM  12156  N   LYS D 172     -24.750 -57.210  48.608  1.00 26.05           N
ATOM  12157  CA  LYS D 172     -25.603 -57.169  47.405  1.00 26.90           C
ATOM  12159  CB  LYS D 172     -25.069 -58.090  46.321  1.00 27.55           C
ATOM  12162  CG  LYS D 172     -23.887 -57.524  45.619  1.00 25.13           C
ATOM  12165  CD  LYS D 172     -23.084 -58.574  44.968  1.00 24.07           C
ATOM  12168  CE  LYS D 172     -21.815 -58.049  44.332  1.00 21.74           C
ATOM  12171  NZ  LYS D 172     -20.948 -59.188  43.839  1.00 23.23           N
ATOM  12175  C   LYS D 172     -27.062 -57.514  47.702  1.00 28.33           C
ATOM  12176  O   LYS D 172     -27.975 -56.849  47.220  1.00 28.52           O
ATOM  12178  N   THR D 173     -27.257 -58.552  48.496  1.00 29.69           N
ATOM  12179  CA  THR D 173     -28.576 -58.968  48.956  1.00 31.84           C
ATOM  12181  CB  THR D 173     -28.464 -60.226  49.823  1.00 33.15           C
ATOM  12183  OG1 THR D 173     -27.880 -61.258  49.032  1.00 34.28           O
ATOM  12185  CG2 THR D 173     -29.843 -60.669  50.345  1.00 33.68           C
ATOM  12189  C   THR D 173     -29.289 -57.907  49.782  1.00 31.15           C
ATOM  12190  O   THR D 173     -30.498 -57.705  49.654  1.00 32.04           O
ATOM  12192  N   ARG D 174     -28.544 -57.256  50.649  1.00 30.04           N
ATOM  12193  CA  ARG D 174     -29.115 -56.194  51.437  1.00 30.11           C
ATOM  12195  CB  ARG D 174     -28.042 -55.625  52.370  1.00 28.34           C
ATOM  12198  CG  ARG D 174     -28.506 -54.573  53.312  1.00 29.41           C
ATOM  12201  CD  ARG D 174     -29.703 -55.049  54.057  1.00 35.70           C
ATOM  12204  NE  ARG D 174     -29.949 -54.288  55.282  1.00 40.26           N
ATOM  12206  CZ  ARG D 174     -31.112 -53.730  55.618  1.00 44.12           C
ATOM  12207  NH1 ARG D 174     -32.169 -53.849  54.822  1.00 48.17           N
ATOM  12210  NH2 ARG D 174     -31.235 -53.063  56.766  1.00 43.20           N
ATOM  12213  C   ARG D 174     -29.722 -55.115  50.507  1.00 30.42           C
ATOM  12214  O   ARG D 174     -30.853 -54.703  50.709  1.00 31.19           O
ATOM  12216  N   LEU D 175     -28.992 -54.687  49.472  1.00 30.45           N
ATOM  12217  CA  LEU D 175     -29.503 -53.639  48.567  1.00 31.20           C
ATOM  12219  CB  LEU D 175     -28.390 -53.039  47.693  1.00 29.88           C
ATOM  12222  CG  LEU D 175     -27.208 -52.478  48.499  1.00 27.58           C
ATOM  12224  CD1 LEU D 175     -25.939 -52.327  47.659  1.00 26.06           C
ATOM  12228  CD2 LEU D 175     -27.591 -51.180  49.173  1.00 23.45           C
ATOM  12232  C   LEU D 175     -30.640 -54.205  47.715  1.00 34.22           C
ATOM  12233  O   LEU D 175     -31.663 -53.547  47.485  1.00 34.49           O
ATOM  12235  N   PHE D 176     -30.458 -55.450  47.301  1.00 36.30           N
ATOM  12236  CA  PHE D 176     -31.491 -56.191  46.646  1.00 39.61           C
ATOM  12238  CB  PHE D 176     -31.066 -57.664  46.476  1.00 41.55           C
ATOM  12241  CG  PHE D 176     -31.824 -58.402  45.399  1.00 44.53           C
ATOM  12242  CD1 PHE D 176     -31.396 -58.351  44.082  1.00 46.61           C
ATOM  12244  CE1 PHE D 176     -32.089 -59.032  43.068  1.00 49.41           C
ATOM  12246  CZ  PHE D 176     -33.222 -59.778  43.387  1.00 51.85           C
ATOM  12248  CE2 PHE D 176     -33.662 -59.831  44.716  1.00 50.56           C
ATOM  12250  CD2 PHE D 176     -32.956 -59.143  45.709  1.00 47.43           C
ATOM  12252  C   PHE D 176     -32.765 -56.063  47.470  1.00 40.89           C
ATOM  12253  O   PHE D 176     -33.791 -55.556  46.972  1.00 42.53           O
ATOM  12255  N   THR D 177     -32.691 -56.486  48.734  1.00 40.51           N
ATOM  12256  CA  THR D 177     -33.829 -56.398  49.651  1.00 40.93           C
ATOM  12258  CB  THR D 177     -33.437 -56.873  51.089  1.00 40.82           C
ATOM  12260  OG1 THR D 177     -33.513 -58.302  51.144  1.00 43.04           O
ATOM  12262  CG2 THR D 177     -34.361 -56.310  52.154  1.00 41.08           C
ATOM  12266  C   THR D 177     -34.415 -54.985  49.687  1.00 39.49           C
ATOM  12267  O   THR D 177     -35.598 -54.814  49.442  1.00 41.04           O
ATOM  12269  N   ILE D 178     -33.591 -53.977  49.964  1.00 36.71           N
ATOM  12270  CA  ILE D 178     -34.092 -52.598  50.165  1.00 35.43           C
ATOM  12272  CB  ILE D 178     -32.947 -51.593  50.459  1.00 32.62           C
ATOM  12274  CG1 ILE D 178     -32.364 -51.798  51.861  1.00 31.58           C
ATOM  12277  CD1 ILE D 178     -30.876 -51.395  52.009  1.00 27.36           C
ATOM  12281  CG2 ILE D 178     -33.426 -50.201  50.367  1.00 31.39           C
ATOM  12285  C   ILE D 178     -34.928 -52.103  48.978  1.00 37.06           C
ATOM  12286  O   ILE D 178     -35.981 -51.521  49.163  1.00 38.29           O
```

```
ATOM  12288  N   ARG D 179     -34.465 -52.362  47.764  1.00 37.72           N
ATOM  12289  CA  ARG D 179     -35.134 -51.888  46.552  1.00 39.49           C
ATOM  12291  CB  ARG D 179     -34.224 -52.137  45.326  1.00 39.85           C
ATOM  12294  CG  ARG D 179     -34.933 -52.378  43.996  1.00 43.52           C
ATOM  12297  CD  ARG D 179     -33.963 -52.193  42.820  1.00 46.15           C
ATOM  12300  NE  ARG D 179     -34.013 -53.225  41.789  1.00 48.57           N
ATOM  12302  CZ  ARG D 179     -35.036 -53.443  40.964  1.00 53.40           C
ATOM  12303  NH1 ARG D 179     -36.163 -52.737  41.050  1.00 54.73           N
ATOM  12306  NH2 ARG D 179     -34.940 -54.399  40.047  1.00 55.92           N
ATOM  12309  C   ARG D 179     -36.472 -52.582  46.357  1.00 41.99           C
ATOM  12310  O   ARG D 179     -37.454 -51.963  45.953  1.00 43.26           O
ATOM  12312  N   GLN D 180     -36.486 -53.886  46.615  1.00 42.75           N
ATOM  12313  CA  GLN D 180     -37.699 -54.661  46.512  1.00 45.40           C
ATOM  12315  CB  GLN D 180     -37.391 -56.167  46.567  1.00 46.64           C
ATOM  12318  CG  GLN D 180     -36.582 -56.600  45.324  1.00 48.36           C
ATOM  12321  CD  GLN D 180     -36.702 -58.061  44.959  1.00 51.64           C
ATOM  12322  OE1 GLN D 180     -36.816 -58.917  45.830  1.00 54.29           O
ATOM  12323  NE2 GLN D 180     -36.638 -58.357  43.658  1.00 52.43           N
ATOM  12326  C   GLN D 180     -38.722 -54.231  47.551  1.00 45.54           C
ATOM  12327  O   GLN D 180     -39.897 -54.173  47.248  1.00 47.32           O
ATOM  12329  N   GLU D 181     -38.281 -53.890  48.751  1.00 44.02           N
ATOM  12330  CA  GLU D 181     -39.214 -53.434  49.762  1.00 45.40           C
ATOM  12332  CB  GLU D 181     -38.611 -53.525  51.167  1.00 44.53           C
ATOM  12335  CG  GLU D 181     -38.563 -54.951  51.731  1.00 47.63           C
ATOM  12338  CD  GLU D 181     -39.835 -55.755  51.459  1.00 53.66           C
ATOM  12339  OE1 GLU D 181     -40.837 -55.553  52.194  1.00 57.27           O
ATOM  12340  OE2 GLU D 181     -39.835 -56.577  50.504  1.00 56.33           O
ATOM  12341  C   GLU D 181     -39.727 -52.029  49.464  1.00 44.92           C
ATOM  12342  O   GLU D 181     -40.911 -51.768  49.636  1.00 46.40           O
ATOM  12344  N   MET D 182     -38.847 -51.147  49.001  1.00 43.02           N
ATOM  12345  CA  MET D 182     -39.246 -49.807  48.527  1.00 43.23           C
ATOM  12347  CB  MET D 182     -38.039 -48.995  48.052  1.00 41.07           C
ATOM  12350  CG  MET D 182     -37.247 -48.310  49.111  1.00 38.22           C
ATOM  12353  SD  MET D 182     -35.864 -47.434  48.358  1.00 37.92           S
ATOM  12354  CE  MET D 182     -35.329 -46.346  49.672  1.00 39.82           C
ATOM  12358  C   MET D 182     -40.222 -49.913  47.360  1.00 46.23           C
ATOM  12359  O   MET D 182     -41.181 -49.138  47.281  1.00 47.86           O
ATOM  12361  N   ALA D 183     -39.959 -50.850  46.447  1.00 46.98           N
ATOM  12362  CA  ALA D 183     -40.876 -51.133  45.364  1.00 50.19           C
ATOM  12364  CB  ALA D 183     -40.294 -52.210  44.447  1.00 50.69           C
ATOM  12368  C   ALA D 183     -42.259 -51.556  45.914  1.00 52.99           C
ATOM  12369  O   ALA D 183     -43.299 -51.073  45.450  1.00 55.13           O
ATOM  12371  N   SER D 184     -42.262 -52.416  46.933  1.00 52.96           N
ATOM  12372  CA  SER D 184     -43.499 -52.938  47.521  1.00 55.63           C
ATOM  12374  CB  SER D 184     -43.193 -54.013  48.584  1.00 55.48           C
ATOM  12377  OG  SER D 184     -42.547 -55.152  48.004  1.00 56.61           O
ATOM  12379  C   SER D 184     -44.380 -51.846  48.119  1.00 55.96           C
ATOM  12380  O   SER D 184     -45.520 -52.095  48.476  1.00 58.00           O
ATOM  12382  N   ARG D 185     -43.839 -50.638  48.238  1.00 54.34           N
ATOM  12383  CA  ARG D 185     -44.605 -49.485  48.690  1.00 54.82           C
ATOM  12385  CB  ARG D 185     -44.085 -49.027  50.032  1.00 53.02           C
ATOM  12388  CG  ARG D 185     -44.408 -49.994  51.138  1.00 56.42           C
ATOM  12391  CD  ARG D 185     -43.287 -50.982  51.402  1.00 57.87           C
ATOM  12394  NE  ARG D 185     -43.227 -51.331  52.818  1.00 61.18           N
ATOM  12396  CZ  ARG D 185     -42.389 -52.213  53.364  1.00 62.75           C
ATOM  12397  NH1 ARG D 185     -41.510 -52.894  52.611  1.00 61.78           N
ATOM  12400  NH2 ARG D 185     -42.442 -52.414  54.687  1.00 63.46           N
ATOM  12403  C   ARG D 185     -44.523 -48.342  47.717  1.00 54.23           C
ATOM  12404  O   ARG D 185     -44.808 -47.210  48.079  1.00 53.61           O
ATOM  12406  N   SER D 186     -44.142 -48.650  46.479  1.00 54.48           N
ATOM  12407  CA  SER D 186     -43.914 -47.647  45.437  1.00 54.60           C
ATOM  12409  CB  SER D 186     -45.242 -47.355  44.712  1.00 58.29           C
ATOM  12412  OG  SER D 186     -46.327 -47.327  45.620  1.00 59.32           O
```

```
ATOM  12414  C   SER D 186     -43.221 -46.354  45.933  1.00 52.16           C
ATOM  12415  O   SER D 186     -43.622 -45.242  45.592  1.00 52.94           O
ATOM  12417  N   LEU D 187     -42.183 -46.516  46.745  1.00 49.04           N
ATOM  12418  CA  LEU D 187     -41.310 -45.408  47.108  1.00 47.26           C
ATOM  12420  CB  LEU D 187     -40.807 -45.581  48.556  1.00 45.01           C
ATOM  12423  CG  LEU D 187     -41.824 -45.524  49.702  1.00 44.89           C
ATOM  12425  CD1 LEU D 187     -41.312 -46.318  50.907  1.00 41.69           C
ATOM  12429  CD2 LEU D 187     -42.142 -44.076  50.072  1.00 43.58           C
ATOM  12433  C   LEU D 187     -40.098 -45.340  46.148  1.00 46.50           C
ATOM  12434  O   LEU D 187     -39.372 -44.318  46.097  1.00 45.52           O
ATOM  12436  N   TRP D 188     -39.895 -46.429  45.403  1.00 46.79           N
ATOM  12437  CA  TRP D 188     -38.670 -46.662  44.648  1.00 46.35           C
ATOM  12439  CB  TRP D 188     -38.595 -48.134  44.219  1.00 46.60           C
ATOM  12442  CG  TRP D 188     -37.524 -48.411  43.236  1.00 44.64           C
ATOM  12443  CD1 TRP D 188     -37.670 -48.633  41.909  1.00 45.46           C
ATOM  12445  NE1 TRP D 188     -36.449 -48.864  41.319  1.00 43.84           N
ATOM  12447  CE2 TRP D 188     -35.477 -48.781  42.279  1.00 43.71           C
ATOM  12448  CD2 TRP D 188     -36.125 -48.484  43.505  1.00 43.13           C
ATOM  12449  CE3 TRP D 188     -35.352 -48.352  44.664  1.00 38.00           C
ATOM  12451  CZ3 TRP D 188     -33.974 -48.502  44.564  1.00 38.57           C
ATOM  12453  CH2 TRP D 188     -33.347 -48.788  43.328  1.00 37.48           C
ATOM  12455  CZ2 TRP D 188     -34.076 -48.921  42.178  1.00 41.08           C
ATOM  12457  C   TRP D 188     -38.505 -45.769  43.411  1.00 48.51           C
ATOM  12458  O   TRP D 188     -37.491 -45.093  43.241  1.00 47.29           O
ATOM  12460  N   ASP D 189     -39.491 -45.785  42.530  1.00 52.50           N
ATOM  12461  CA  ASP D 189     -39.354 -45.062  41.291  1.00 55.01           C
ATOM  12463  CB  ASP D 189     -40.665 -45.133  40.491  1.00 58.57           C
ATOM  12466  CG  ASP D 189     -40.778 -46.429  39.657  1.00 61.60           C
ATOM  12467  OD1 ASP D 189     -41.897 -46.992  39.549  1.00 64.37           O
ATOM  12468  OD2 ASP D 189     -39.744 -46.885  39.099  1.00 62.98           O
ATOM  12469  C   ASP D 189     -38.828 -43.629  41.558  1.00 54.43           C
ATOM  12470  O   ASP D 189     -37.881 -43.184  40.912  1.00 54.40           O
ATOM  12472  N   SER D 190     -39.388 -42.954  42.557  1.00 54.60           N
ATOM  12473  CA  SER D 190     -38.973 -41.596  42.941  1.00 54.39           C
ATOM  12475  CB  SER D 190     -39.994 -41.040  43.952  1.00 54.76           C
ATOM  12478  OG  SER D 190     -39.508 -39.894  44.627  1.00 54.38           O
ATOM  12480  C   SER D 190     -37.524 -41.552  43.510  1.00 51.92           C
ATOM  12481  O   SER D 190     -36.734 -40.639  43.207  1.00 51.62           O
ATOM  12483  N   PHE D 191     -37.204 -42.541  44.341  1.00 50.22           N
ATOM  12484  CA  PHE D 191     -35.854 -42.756  44.860  1.00 48.23           C
ATOM  12486  CB  PHE D 191     -35.847 -44.033  45.717  1.00 46.68           C
ATOM  12489  CG  PHE D 191     -34.596 -44.245  46.522  1.00 43.90           C
ATOM  12490  CD1 PHE D 191     -34.231 -43.357  47.530  1.00 43.04           C
ATOM  12492  CE1 PHE D 191     -33.093 -43.575  48.302  1.00 39.26           C
ATOM  12494  CZ  PHE D 191     -32.314 -44.701  48.076  1.00 38.81           C
ATOM  12496  CE2 PHE D 191     -32.664 -45.597  47.081  1.00 40.47           C
ATOM  12498  CD2 PHE D 191     -33.806 -45.376  46.316  1.00 43.34           C
ATOM  12500  C   PHE D 191     -34.831 -42.881  43.715  1.00 48.87           C
ATOM  12501  O   PHE D 191     -33.759 -42.277  43.774  1.00 47.49           O
ATOM  12503  N   ARG D 192     -35.170 -43.663  42.684  1.00 50.96           N
ATOM  12504  CA  ARG D 192     -34.286 -43.844  41.533  1.00 51.76           C
ATOM  12506  CB  ARG D 192     -34.829 -44.929  40.592  1.00 53.96           C
ATOM  12509  CG  ARG D 192     -34.006 -45.207  39.298  1.00 55.98           C
ATOM  12512  CD  ARG D 192     -34.956 -45.213  38.047  1.00 61.20           C
ATOM  12515  NE  ARG D 192     -34.263 -45.335  36.761  1.00 63.86           N
ATOM  12517  CZ  ARG D 192     -34.812 -45.098  35.566  1.00 68.34           C
ATOM  12518  NH1 ARG D 192     -36.079 -44.704  35.452  1.00 72.04           N
ATOM  12521  NH2 ARG D 192     -34.085 -45.246  34.463  1.00 69.34           N
ATOM  12524  C   ARG D 192     -34.138 -42.515  40.817  1.00 52.89           C
ATOM  12525  O   ARG D 192     -33.030 -42.076  40.537  1.00 51.34           O
ATOM  12527  N   GLN D 193     -35.259 -41.854  40.561  1.00 55.49           N
ATOM  12528  CA  GLN D 193     -35.243 -40.655  39.736  1.00 58.03           C
ATOM  12530  CB  GLN D 193     -36.667 -40.178  39.419  1.00 60.99           C
```

```
ATOM  12533  CG  GLN D 193     -37.538 -41.162  38.574  1.00 64.09           C
ATOM  12536  CD  GLN D 193     -36.980 -41.497  37.178  1.00 67.02           C
ATOM  12537  OE1 GLN D 193     -35.836 -41.171  36.836  1.00 67.05           O
ATOM  12538  NE2 GLN D 193     -37.804 -42.162  36.368  1.00 70.31           N
ATOM  12541  C   GLN D 193     -34.431 -39.508  40.329  1.00 57.02           C
ATOM  12542  O   GLN D 193     -34.048 -38.602  39.593  1.00 59.00           O
ATOM  12544  N   SER D 194     -34.135 -39.551  41.628  1.00 54.66           N
ATOM  12545  CA  SER D 194     -33.509 -38.399  42.304  1.00 53.79           C
ATOM  12547  CB  SER D 194     -34.262 -38.101  43.609  1.00 52.88           C
ATOM  12550  OG  SER D 194     -34.037 -39.109  44.572  1.00 50.44           O
ATOM  12552  C   SER D 194     -31.981 -38.449  42.575  1.00 51.71           C
ATOM  12553  O   SER D 194     -31.426 -37.492  43.110  1.00 51.24           O
ATOM  12555  N   GLU D 195     -31.288 -39.526  42.219  1.00 51.03           N
ATOM  12556  CA  GLU D 195     -29.820 -39.502  42.293  1.00 49.61           C
ATOM  12558  CB  GLU D 195     -29.223 -40.869  41.978  1.00 48.86           C
ATOM  12561  CG  GLU D 195     -27.737 -40.968  42.412  1.00 47.74           C
ATOM  12564  CD  GLU D 195     -27.161 -42.354  42.238  1.00 47.16           C
ATOM  12565  OE1 GLU D 195     -27.716 -43.298  42.831  1.00 46.61           O
ATOM  12566  OE2 GLU D 195     -26.154 -42.499  41.509  1.00 49.24           O
ATOM  12567  C   GLU D 195     -29.199 -38.442  41.365  1.00 51.23           C
ATOM  12568  O   GLU D 195     -29.595 -38.298  40.196  1.00 53.99           O
ATOM  12570  MN   MN D 901     -18.745 -43.295  49.760  1.00 26.31          MN
ATOM  12571  MN   MN D 902     -17.803 -40.957  52.434  1.00 34.52          MN
ATOM  12572 CL   ci3 D 801     -25.956 -34.127  53.753  1.00 54.96          CL
ATOM  12573  CZB ci3 D 801     -24.690 -35.342  53.444  1.00 43.18           C
ATOM  12574  CEB ci3 D 801     -24.448 -35.727  52.134  1.00 40.81           C
ATOM  12576  CDB ci3 D 801     -23.468 -36.666  51.878  1.00 39.27           C
ATOM  12578  CEA ci3 D 801     -23.981 -35.856  54.527  1.00 40.07           C
ATOM  12580  CDA ci3 D 801     -22.996 -36.797  54.275  1.00 39.18           C
ATOM  12582  CGA ci3 D 801     -22.734 -37.200  52.949  1.00 38.70           C
ATOM  12583  CO  ci3 D 801     -21.646 -38.221  52.689  1.00 35.86           C
ATOM  12586  CF  ci3 D 801     -20.316 -37.614  52.180  1.00 33.98           C
ATOM  12587  CB  ci3 D 801     -19.651 -38.848  51.627  1.00 29.61           C
ATOM  12588  CM  ci3 D 801     -20.220 -39.457  50.399  1.00 26.51           C
ATOM  12590  CA  ci3 D 801     -19.959 -40.717  49.992  1.00 25.57           C
ATOM  12591  CE  ci3 D 801     -20.655 -41.205  48.791  1.00 25.30           C
ATOM  12592  OAO ci3 D 801     -20.599 -42.397  48.496  1.00 25.52           O
ATOM  12593  OAN ci3 D 801     -21.313 -40.438  48.064  1.00 27.12           O
ATOM  12594  O14 ci3 D 801     -19.090 -41.503  50.630  1.00 22.81           O
ATOM  12596  O13 ci3 D 801     -18.745 -39.389  52.269  1.00 30.18           O
ATOM  12597  CG  ci3 D 801     -20.543 -36.526  51.115  1.00 36.49           C
ATOM  12600  CK  ci3 D 801     -19.310 -35.745  50.632  1.00 37.77           C
ATOM  12603  CI  ci3 D 801     -18.302 -35.444  51.736  1.00 36.98           C
ATOM  12606  NJ  ci3 D 801     -18.837 -35.721  53.085  1.00 38.68           N
ATOM  12608  CH  ci3 D 801     -19.477 -37.051  53.325  1.00 35.02           C
ATOM  12611  CP  ci3 D 801     -17.773 -35.502  54.121  1.00 40.12           C
ATOM  12614  CGB ci3 D 801     -18.471 -35.119  55.413  1.00 42.33           C
ATOM  12615  CD1 ci3 D 801     -18.172 -35.778  56.596  1.00 42.90           C
ATOM  12617  CE1 ci3 D 801     -18.862 -35.438  57.757  1.00 44.15           C
ATOM  12619  CZ  ci3 D 801     -19.840 -34.427  57.731  1.00 46.06           C
ATOM  12621  CE2 ci3 D 801     -20.145 -33.764  56.556  1.00 44.97           C
ATOM  12623  CD2 ci3 D 801     -19.452 -34.112  55.402  1.00 44.58           C
ATOM  12625  S   SO4 D 401     -14.624 -34.192  52.148  1.00 66.16           S
ATOM  12626  O1  SO4 D 401     -15.155 -35.548  52.307  1.00 64.30           O
ATOM  12627  O2  SO4 D 401     -13.212 -34.208  52.533  1.00 66.20           O
ATOM  12628  O3  SO4 D 401     -15.314 -33.237  53.026  1.00 65.34           O
ATOM  12629  O4  SO4 D 401     -14.788 -33.791  50.731  1.00 67.19           O
ATOM  12630  S   SO4 D 402     -34.392 -49.793  38.082  1.00 77.20           S
ATOM  12631  O1  SO4 D 402     -33.781 -48.467  38.166  1.00 76.12           O
ATOM  12632  O2  SO4 D 402     -35.849 -49.595  38.009  1.00 78.54           O
ATOM  12633  O3  SO4 D 402     -34.050 -50.591  39.265  1.00 74.06           O
ATOM  12634  O4  SO4 D 402     -33.880 -50.461  36.875  1.00 77.77           O
ATOM  12635  S   SO4 D 403     -34.859 -35.764  47.792  1.00 71.04           S
```

```
ATOM  12636  O1  SO4 D 403      -33.707 -36.216  48.593  1.00 64.37           O
ATOM  12637  O2  SO4 D 403      -34.918 -34.295  47.851  1.00 72.70           O
ATOM  12638  O3  SO4 D 403      -36.136 -36.311  48.281  1.00 70.86           O
ATOM  12639  O4  SO4 D 403      -34.737 -36.186  46.387  1.00 71.30           O
ATOM   6464  OH2 WAT D 903      -12.713 -53.361  46.394  1.00 18.08       D   O
ATOM   6466  OH2 WAT D 904      -23.583 -42.624  54.397  1.00 21.49       D   O
ATOM   6469  OH2 WAT D 905      -16.273 -40.780  51.257  1.00 25.68       D   O
ATOM   6470  OH2 WAT D 906      -17.996 -39.513  48.206  1.00 59.37       D   O
ATOM   6473  OH2 WAT D 907      -36.072 -38.721  60.846  1.00 29.20       D   O
ATOM   6474  OH2 WAT D 908      -13.932 -51.948  62.527  1.00 59.26       D   O
ATOM   6476  OH2 WAT D 909      -13.424 -32.315  54.842  1.00 28.40       D   O
ATOM   6477  OH2 WAT D 910      -16.728 -40.455  54.280  1.00 20.53       D   O
ATOM   6479  OH2 WAT D 911      -21.321 -49.827  31.532  1.00 61.32       D   O
END
```

Figure 4: H1N1 polypeptide fragment (Chain A) with bound EMBL-R05-2

```
HEADER    ----                                      XX-XXX-XX   xxxx
COMPND    ---
REMARK   3
REMARK   3 REFINEMENT.
REMARK   3   PROGRAM     : REFMAC 5.5.0102
REMARK   3   AUTHORS     : MURSHUDOV,VAGIN,DODSON
REMARK   3
REMARK   3    REFINEMENT TARGET : MAXIMUM LIKELIHOOD
REMARK   3
REMARK   3  DATA USED IN REFINEMENT.
REMARK   3   RESOLUTION RANGE HIGH (ANGSTROMS) :   2.07
REMARK   3   RESOLUTION RANGE LOW  (ANGSTROMS) :  43.96
REMARK   3   DATA CUTOFF            (SIGMA(F)) : NONE
REMARK   3   COMPLETENESS FOR RANGE        (%) :  83.72
REMARK   3   NUMBER OF REFLECTIONS             :   42925
REMARK   3
REMARK   3  FIT TO DATA USED IN REFINEMENT.
REMARK   3   CROSS-VALIDATION METHOD           : THROUGHOUT
REMARK   3   FREE R VALUE TEST SET SELECTION   : RANDOM
REMARK   3   R VALUE     (WORKING + TEST SET) : 0.20756
REMARK   3   R VALUE           (WORKING SET) :  0.20470
REMARK   3   FREE R VALUE                     :  0.25936
REMARK   3   FREE R VALUE TEST SET SIZE   (%) :  5.2
REMARK   3   FREE R VALUE TEST SET COUNT      :  2363
REMARK   3
REMARK   3  FIT IN THE HIGHEST RESOLUTION BIN.
REMARK   3   TOTAL NUMBER OF BINS USED           :      20
REMARK   3   BIN RESOLUTION RANGE HIGH           :   2.074
REMARK   3   BIN RESOLUTION RANGE LOW            :   2.128
REMARK   3   REFLECTION IN BIN     (WORKING SET) :       0
REMARK   3   BIN COMPLETENESS (WORKING+TEST) (%) :    0.00
REMARK   3   BIN R VALUE           (WORKING SET) :   0.000
REMARK   3   BIN FREE R VALUE SET COUNT          :       0
REMARK   3   BIN FREE R VALUE                    :   0.000
REMARK   3
REMARK   3  NUMBER OF NON-HYDROGEN ATOMS USED IN REFINEMENT.
REMARK   3   ALL ATOMS                 :     6854
REMARK   3
REMARK   3  B VALUES.
REMARK   3   FROM WILSON PLOT           (A**2) : NULL
REMARK   3   MEAN B VALUE      (OVERALL, A**2) :  27.640
REMARK   3   OVERALL ANISOTROPIC B VALUE.
REMARK   3    B11 (A**2) :     0.78
REMARK   3    B22 (A**2) :   -14.79
REMARK   3    B33 (A**2) :    14.01
REMARK   3    B12 (A**2) :     0.00
REMARK   3    B13 (A**2) :     0.00
REMARK   3    B23 (A**2) :     0.00
REMARK   3
REMARK   3  ESTIMATED OVERALL COORDINATE ERROR.
REMARK   3   ESU BASED ON R VALUE                                (A):   0.065
REMARK   3   ESU BASED ON FREE R VALUE                           (A):   0.049
REMARK   3   ESU BASED ON MAXIMUM LIKELIHOOD                     (A):   0.145
REMARK   3   ESU FOR B VALUES BASED ON MAXIMUM LIKELIHOOD (A**2):   5.932
REMARK   3
REMARK   3 CORRELATION COEFFICIENTS.
REMARK   3   CORRELATION COEFFICIENT FO-FC      :   0.938
REMARK   3   CORRELATION COEFFICIENT FO-FC FREE :   0.910
REMARK   3
```

```
REMARK   3  RMS DEVIATIONS FROM IDEAL VALUES          COUNT    RMS     WEIGHT
REMARK   3   BOND LENGTHS REFINED ATOMS         (A):  6698 ; 0.022 ; 0.022
REMARK   3   BOND LENGTHS OTHERS                (A):  4778 ; 0.001 ; 0.020
REMARK   3   BOND ANGLES REFINED ATOMS   (DEGREES):  8994 ; 1.850 ; 1.963
REMARK   3   BOND ANGLES OTHERS          (DEGREES): 11525 ; 1.010 ; 3.000
REMARK   3   TORSION ANGLES, PERIOD 1    (DEGREES):   766 ; 6.495 ; 5.000
REMARK   3   TORSION ANGLES, PERIOD 2    (DEGREES):   349 ;35.595 ;23.352
REMARK   3   TORSION ANGLES, PERIOD 3    (DEGREES):  1240 ;18.483 ;15.000
REMARK   3   TORSION ANGLES, PERIOD 4    (DEGREES):    60 ;18.609 ;15.000
REMARK   3   CHIRAL-CENTER RESTRAINTS       (A**3):   956 ; 0.112 ; 0.200
REMARK   3   GENERAL PLANES REFINED ATOMS      (A):  7283 ; 0.008 ; 0.020
REMARK   3   GENERAL PLANES OTHERS             (A):  1473 ; 0.001 ; 0.020
REMARK   3
REMARK   3  ISOTROPIC THERMAL FACTOR RESTRAINTS.     COUNT   RMS     WEIGHT
REMARK   3   MAIN-CHAIN BOND REFINED ATOMS (A**2):  3872 ; 1.139 ; 1.500
REMARK   3   MAIN-CHAIN BOND OTHER ATOMS   (A**2):  1558 ; 0.276 ; 1.500
REMARK   3   MAIN-CHAIN ANGLE REFINED ATOMS (A**2):  6267 ; 2.034 ; 2.000
REMARK   3   SIDE-CHAIN BOND REFINED ATOMS (A**2):  2826 ; 3.019 ; 3.000
REMARK   3   SIDE-CHAIN ANGLE REFINED ATOMS (A**2):  2727 ; 4.650 ; 4.500
REMARK   3
REMARK   3  NCS RESTRAINTS STATISTICS
REMARK   3   NUMBER OF NCS GROUPS : NULL
REMARK   3
REMARK   3  TWIN DETAILS
REMARK   3   NUMBER OF TWIN DOMAINS  :    2
REMARK   3      TWIN DOMAIN    :    1
REMARK   3      TWIN OPERATOR :  H,  K,  L
REMARK   3      TWIN FRACTION : 0.945
REMARK   3      TWIN DOMAIN    :    2
REMARK   3      TWIN OPERATOR : -H,  L,  K
REMARK   3      TWIN FRACTION : 0.055
REMARK   3
REMARK   3
REMARK   3  TLS DETAILS
REMARK   3   NUMBER OF TLS GROUPS  : NULL
REMARK   3
REMARK   3
REMARK   3  BULK SOLVENT MODELLING.
REMARK   3   METHOD USED :  MASK
REMARK   3   PARAMETERS FOR MASK CALCULATION
REMARK   3   VDW PROBE RADIUS   :   1.40
REMARK   3   ION PROBE RADIUS   :   0.80
REMARK   3   SHRINKAGE RADIUS   :   0.80
REMARK   3
REMARK   3  OTHER REFINEMENT REMARKS:
REMARK   3  HYDROGENS HAVE BEEN ADDED IN THE RIDING POSITIONS
REMARK   3  U VALUES       : REFINED INDIVIDUALLY
REMARK   3
LINKR          GLU A  64                    ASN A  69                 gap
LINKR          LYS A 139                    GLU A 141                 gap
LINKR          GLY B  66                    PRO B  68                 gap
LINKR          ILE B 138                    GLU B 141                 gap
LINKR          ILE C 138                    GLU C 141                 gap
LINKR          GLU D  64                    ASN D  69                 gap
CRYST1  56.590  120.810  128.200  90.00  90.00  90.00 P 21 21 21
SCALE1      0.017671  0.000000  0.000000        0.00000
SCALE2      0.000000  0.008277  0.000000        0.00000
SCALE3      0.000000  0.000000  0.007800        0.00000
ATOM      1  N   ALA A   0      15.963 -18.335 -14.296  1.00 30.50           N
ATOM      2  CA  ALA A   0      14.952 -19.442 -14.473  1.00 30.30           C
ATOM      4  CB  ALA A   0      15.422 -20.671 -13.830  1.00 29.96           C
ATOM      8  C   ALA A   0      13.538 -19.079 -13.941  1.00 29.59           C
ATOM      9  O   ALA A   0      13.372 -18.413 -12.924  1.00 30.09           O
```

```
ATOM     13  N   MET A   1      12.518 -19.561 -14.619  1.00 29.48           N
ATOM     14  CA  MET A   1      11.155 -19.136 -14.334  1.00 28.52           C
ATOM     16  CB  MET A   1      10.237 -19.764 -15.358  1.00 27.94           C
ATOM     19  CG  MET A   1       8.765 -19.272 -15.196  1.00 26.77           C
ATOM     22  SD  MET A   1       8.519 -17.513 -15.422  1.00 27.05           S
ATOM     23  CE  MET A   1       8.337 -17.593 -17.243  1.00 26.50           C
ATOM     27  C   MET A   1      10.626 -19.394 -12.868  1.00 28.59           C
ATOM     28  O   MET A   1       9.933 -18.569 -12.293  1.00 27.16           O
ATOM     30  N   GLU A   2      10.950 -20.533 -12.294  1.00 29.03           N
ATOM     31  CA  GLU A   2      10.517 -20.864 -10.922  1.00 30.60           C
ATOM     33  CB  GLU A   2      11.001 -22.260 -10.531  1.00 31.63           C
ATOM     36  CG  GLU A   2      10.547 -22.757  -9.123  1.00 34.24           C
ATOM     39  CD  GLU A   2      11.264 -24.025  -8.697  1.00 36.34           C
ATOM     40  OE1 GLU A   2      11.848 -24.675  -9.596  1.00 45.20           O
ATOM     41  OE2 GLU A   2      11.260 -24.386  -7.486  1.00 37.19           O
ATOM     42  C   GLU A   2      11.006 -19.834  -9.935  1.00 29.96           C
ATOM     43  O   GLU A   2      10.207 -19.319  -9.169  1.00 31.97           O
ATOM     45  N   ASP A   3      12.278 -19.449  -9.991  1.00 30.03           N
ATOM     46  CA  ASP A   3      12.747 -18.326  -9.148  1.00 30.22           C
ATOM     48  CB  ASP A   3      14.259 -18.093  -9.235  1.00 31.49           C
ATOM     51  CG  ASP A   3      15.114 -19.239  -8.654  1.00 35.34           C
ATOM     52  OD1 ASP A   3      14.590 -20.236  -8.135  1.00 37.70           O
ATOM     53  OD2 ASP A   3      16.358 -19.105  -8.749  1.00 40.48           O
ATOM     54  C   ASP A   3      12.111 -16.969  -9.536  1.00 28.85           C
ATOM     55  O   ASP A   3      11.971 -16.100  -8.682  1.00 28.74           O
ATOM     57  N   PHE A   4      11.858 -16.743 -10.826  1.00 25.92           N
ATOM     58  CA  PHE A   4      11.240 -15.514 -11.231  1.00 25.14           C
ATOM     60  CB  PHE A   4      10.940 -15.516 -12.720  1.00 26.12           C
ATOM     63  CG  PHE A   4      10.199 -14.303 -13.176  1.00 25.82           C
ATOM     64  CD1 PHE A   4      10.855 -13.109 -13.350  1.00 31.54           C
ATOM     66  CE1 PHE A   4      10.157 -11.973 -13.740  1.00 31.11           C
ATOM     68  CZ  PHE A   4       8.812 -12.050 -13.953  1.00 28.26           C
ATOM     70  CE2 PHE A   4       8.162 -13.233 -13.770  1.00 23.22           C
ATOM     72  CD2 PHE A   4       8.850 -14.346 -13.394  1.00 26.07           C
ATOM     74  C   PHE A   4       9.891 -15.372 -10.514  1.00 24.20           C
ATOM     75  O   PHE A   4       9.533 -14.318 -10.059  1.00 21.92           O
ATOM     77  N   VAL A   5       9.136 -16.461 -10.509  1.00 24.87           N
ATOM     78  CA  VAL A   5       7.761 -16.494  -9.947  1.00 24.17           C
ATOM     80  CB  VAL A   5       7.008 -17.814 -10.302  1.00 23.63           C
ATOM     82  CG1 VAL A   5       5.663 -17.929  -9.575  1.00 23.20           C
ATOM     86  CG2 VAL A   5       6.735 -17.799 -11.792  1.00 21.82           C
ATOM     90  C   VAL A   5       7.864 -16.229  -8.510  1.00 23.21           C
ATOM     91  O   VAL A   5       7.154 -15.412  -7.992  1.00 23.26           O
ATOM     93  N   ARG A   6       8.818 -16.835  -7.861  1.00 25.02           N
ATOM     94  CA  ARG A   6       8.922 -16.611  -6.423  1.00 26.02           C
ATOM     96  CB  ARG A   6       9.688 -17.753  -5.745  1.00 26.67           C
ATOM     99  CG  ARG A   6       8.864 -18.980  -5.620  1.00 30.23           C
ATOM    102  CD  ARG A   6       9.219 -19.915  -4.467  1.00 35.47           C
ATOM    105  NE  ARG A   6       9.975 -20.992  -5.049  1.00 37.99           N
ATOM    107  CZ  ARG A   6       9.522 -22.173  -5.425  1.00 34.04           C
ATOM    108  NH1 ARG A   6       8.282 -22.582  -5.180  1.00 32.65           N
ATOM    111  NH2 ARG A   6      10.395 -22.984  -5.996  1.00 32.12           N
ATOM    114  C   ARG A   6       9.446 -15.228  -6.012  1.00 25.83           C
ATOM    115  O   ARG A   6       9.177 -14.769  -4.860  1.00 26.33           O
ATOM    117  N   GLN A   7      10.141 -14.526  -6.899  1.00 23.76           N
ATOM    118  CA  GLN A   7      10.517 -13.140  -6.602  1.00 24.38           C
ATOM    120  CB  GLN A   7      11.882 -12.791  -7.229  1.00 25.78           C
ATOM    123  CG  GLN A   7      12.479 -11.400  -6.824  1.00 26.59           C
ATOM    126  CD  GLN A   7      14.014 -11.233  -7.185  1.00 30.80           C
ATOM    127  OE1 GLN A   7      14.741 -12.195  -7.386  1.00 34.92           O
ATOM    128  NE2 GLN A   7      14.459  -9.986  -7.298  1.00 35.42           N
ATOM    131  C   GLN A   7       9.474 -12.173  -7.147  1.00 23.65           C
ATOM    132  O   GLN A   7       9.284 -11.078  -6.628  1.00 23.50           O
```

```
ATOM    134  N   CYS A   8       8.780 -12.560  -8.203  1.00 22.57           N
ATOM    135  CA  CYS A   8       7.796 -11.650  -8.814  1.00 23.37           C
ATOM    137  CB  CYS A   8       7.479 -12.116 -10.255  1.00 24.09           C
ATOM    140  SG  CYS A   8       6.220 -11.130 -11.142  1.00 27.30           S
ATOM    142  C   CYS A   8       6.500 -11.537  -7.998  1.00 22.00           C
ATOM    143  O   CYS A   8       5.918 -10.447  -7.846  1.00 23.07           O
ATOM    145  N   PHE A   9       6.028 -12.639  -7.447  1.00 21.92           N
ATOM    146  CA  PHE A   9       4.689 -12.596  -6.875  1.00 21.00           C
ATOM    148  CB  PHE A   9       3.886 -13.712  -7.416  1.00 21.08           C
ATOM    151  CG  PHE A   9       3.607 -13.610  -8.851  1.00 17.90           C
ATOM    152  CD1 PHE A   9       2.545 -12.874  -9.297  1.00 18.87           C
ATOM    154  CE1 PHE A   9       2.245 -12.799 -10.672  1.00 18.19           C
ATOM    156  CZ  PHE A   9       2.940 -13.523 -11.520  1.00 15.03           C
ATOM    158  CE2 PHE A   9       4.006 -14.302 -11.070  1.00 15.44           C
ATOM    160  CD2 PHE A   9       4.321 -14.334  -9.747  1.00 15.21           C
ATOM    162  C   PHE A   9       4.693 -12.688  -5.361  1.00 21.04           C
ATOM    163  O   PHE A   9       5.569 -13.276  -4.744  1.00 21.34           O
ATOM    165  N   ASN A  10       3.707 -12.099  -4.743  1.00 21.70           N
ATOM    166  CA  ASN A  10       3.634 -12.130  -3.299  1.00 22.00           C
ATOM    168  CB  ASN A  10       2.566 -11.109  -2.839  1.00 23.91           C
ATOM    171  CG  ASN A  10       1.908 -11.475  -1.549  1.00 30.75           C
ATOM    172  OD1 ASN A  10       1.257 -12.491  -1.470  1.00 37.96           O
ATOM    173  ND2 ASN A  10       2.097 -10.641  -0.502  1.00 37.10           N
ATOM    176  C   ASN A  10       3.517 -13.585  -2.766  1.00 21.84           C
ATOM    177  O   ASN A  10       2.930 -14.486  -3.428  1.00 22.22           O
ATOM    179  N   PRO A  11       4.136 -13.866  -1.599  1.00 20.03           N
ATOM    180  CA  PRO A  11       4.201 -15.225  -1.070  1.00 20.02           C
ATOM    182  CB  PRO A  11       4.963 -15.068   0.275  1.00 21.83           C
ATOM    185  CG  PRO A  11       5.196 -13.582   0.501  1.00 21.21           C
ATOM    188  CD  PRO A  11       4.829 -12.857  -0.762  1.00 21.14           C
ATOM    191  C   PRO A  11       2.847 -15.966  -0.856  1.00 18.60           C
ATOM    192  O   PRO A  11       2.763 -17.208  -0.994  1.00 17.01           O
ATOM    193  N   MET A  12       1.785 -15.228  -0.565  1.00 16.84           N
ATOM    194  CA  MET A  12       0.486 -15.852  -0.393  1.00 18.09           C
ATOM    196  CB  MET A  12      -0.513 -14.835   0.188  1.00 18.65           C
ATOM    199  CG  MET A  12      -1.898 -15.447   0.458  1.00 23.68           C
ATOM    202  SD  MET A  12      -2.937 -14.278   1.382  1.00 36.48           S
ATOM    203  CE  MET A  12      -3.437 -13.193   0.081  1.00 33.14           C
ATOM    207  C   MET A  12      -0.029 -16.421  -1.720  1.00 15.53           C
ATOM    208  O   MET A  12      -0.432 -17.563  -1.765  1.00 14.91           O
ATOM    210  N   ILE A  13       0.112 -15.639  -2.800  1.00 15.96           N
ATOM    211  CA  ILE A  13      -0.230 -16.078  -4.170  1.00 15.35           C
ATOM    213  CB  ILE A  13      -0.047 -14.949  -5.174  1.00 16.08           C
ATOM    215  CG1 ILE A  13      -1.072 -13.902  -4.833  1.00 17.49           C
ATOM    218  CD1 ILE A  13      -0.931 -12.604  -5.521  1.00 19.74           C
ATOM    222  CG2 ILE A  13      -0.243 -15.506  -6.689  1.00 17.69           C
ATOM    226  C   ILE A  13       0.572 -17.309  -4.520  1.00 14.39           C
ATOM    227  O   ILE A  13       0.006 -18.360  -4.810  1.00 15.26           O
ATOM    229  N   VAL A  14       1.886 -17.278  -4.309  1.00 14.68           N
ATOM    230  CA  VAL A  14       2.727 -18.390  -4.684  1.00 13.57           C
ATOM    232  CB  VAL A  14       4.237 -18.043  -4.472  1.00 15.21           C
ATOM    234  CG1 VAL A  14       5.095 -19.212  -4.794  1.00  8.84           C
ATOM    238  CG2 VAL A  14       4.665 -16.779  -5.309  1.00 13.78           C
ATOM    242  C   VAL A  14       2.377 -19.664  -3.884  1.00 15.27           C
ATOM    243  O   VAL A  14       2.302 -20.753  -4.454  1.00 12.96           O
ATOM    245  N   GLU A  15       2.122 -19.526  -2.565  1.00 15.49           N
ATOM    246  CA  GLU A  15       1.706 -20.650  -1.766  1.00 14.48           C
ATOM    248  CB  GLU A  15       1.616 -20.326  -0.250  1.00 14.05           C
ATOM    251  CG  GLU A  15       2.960 -20.368   0.476  1.00 19.20           C
ATOM    254  CD  GLU A  15       2.886 -20.021   1.993  1.00 21.09           C
ATOM    255  OE1 GLU A  15       3.961 -19.852   2.610  1.00 15.17           O
ATOM    256  OE2 GLU A  15       1.770 -20.029   2.554  1.00 21.26           O
ATOM    257  C   GLU A  15       0.389 -21.260  -2.228  1.00 14.35           C
```

```
ATOM    258  O   GLU A  15       0.237 -22.465  -2.210  1.00 16.19           O
ATOM    260  N   LEU A  16      -0.572 -20.456  -2.601  1.00 14.17           N
ATOM    261  CA  LEU A  16      -1.826 -20.994  -3.128  1.00 13.85           C
ATOM    263  CB  LEU A  16      -2.839 -19.882  -3.277  1.00 13.31           C
ATOM    266  CG  LEU A  16      -3.389 -19.207  -1.980  1.00 14.08           C
ATOM    268  CD1 LEU A  16      -4.060 -17.913  -2.331  1.00 13.26           C
ATOM    272  CD2 LEU A  16      -4.383 -20.157  -1.260  1.00 15.28           C
ATOM    276  C   LEU A  16      -1.598 -21.713  -4.456  1.00 15.22           C
ATOM    277  O   LEU A  16      -2.117 -22.822  -4.694  1.00 15.20           O
ATOM    279  N   ALA A  17      -0.757 -21.116  -5.292  1.00 16.69           N
ATOM    280  CA  ALA A  17      -0.555 -21.666  -6.630  1.00 18.69           C
ATOM    282  CB  ALA A  17       0.212 -20.598  -7.558  1.00 19.05           C
ATOM    286  C   ALA A  17       0.181 -23.025  -6.513  1.00 18.76           C
ATOM    287  O   ALA A  17      -0.225 -24.027  -7.189  1.00 18.40           O
ATOM    289  N   GLU A  18       1.121 -23.120  -5.558  1.00 17.99           N
ATOM    290  CA  GLU A  18       1.886 -24.363  -5.325  1.00 18.12           C
ATOM    292  CB  GLU A  18       2.985 -24.281  -4.223  1.00 17.68           C
ATOM    295  CG  GLU A  18       4.225 -23.578  -4.596  1.00 19.29           C
ATOM    298  CD  GLU A  18       5.052 -23.100  -3.420  1.00 20.38           C
ATOM    299  OE1 GLU A  18       4.592 -23.126  -2.244  1.00 23.14           O
ATOM    300  OE2 GLU A  18       6.155 -22.587  -3.655  1.00 19.15           O
ATOM    301  C   GLU A  18       1.007 -25.519  -4.926  1.00 17.38           C
ATOM    302  O   GLU A  18       1.116 -26.598  -5.483  1.00 16.57           O
ATOM    304  N   LYS A  19       0.167 -25.278  -3.938  1.00 17.85           N
ATOM    305  CA  LYS A  19      -0.759 -26.288  -3.498  1.00 18.53           C
ATOM    307  CB  LYS A  19      -1.541 -25.834  -2.284  1.00 17.80           C
ATOM    310  CG  LYS A  19      -0.670 -25.718  -1.056  1.00 20.23           C
ATOM    313  CD  LYS A  19      -1.572 -25.295   0.179  1.00 15.69           C
ATOM    316  CE  LYS A  19      -0.769 -24.910   1.388  1.00 13.48           C
ATOM    319  NZ  LYS A  19       0.134 -26.026   1.972  1.00 10.75           N
ATOM    323  C   LYS A  19      -1.736 -26.729  -4.586  1.00 18.63           C
ATOM    324  O   LYS A  19      -2.098 -27.881  -4.626  1.00 18.44           O
ATOM    326  N   ALA A  20      -2.217 -25.786  -5.392  1.00 18.75           N
ATOM    327  CA  ALA A  20      -3.192 -26.100  -6.404  1.00 17.98           C
ATOM    329  CB  ALA A  20      -3.642 -24.858  -7.067  1.00 15.83           C
ATOM    333  C   ALA A  20      -2.556 -27.061  -7.417  1.00 18.39           C
ATOM    334  O   ALA A  20      -3.141 -28.112  -7.800  1.00 18.30           O
ATOM    336  N   MET A  21      -1.322 -26.771  -7.772  1.00 19.18           N
ATOM    337  CA  MET A  21      -0.586 -27.606  -8.701  1.00 20.29           C
ATOM    339  CB  MET A  21       0.697 -26.909  -9.160  1.00 19.78           C
ATOM    342  CG  MET A  21       0.450 -25.855 -10.135  1.00 20.69           C
ATOM    345  SD  MET A  21       1.970 -24.975 -10.717  1.00 22.66           S
ATOM    346  CE  MET A  21       2.404 -26.127 -12.032  1.00 19.16           C
ATOM    350  C   MET A  21      -0.351 -29.008  -8.138  1.00 21.58           C
ATOM    351  O   MET A  21      -0.736 -30.040  -8.751  1.00 21.61           O
ATOM    353  N   LYS A  22       0.199 -29.097  -6.945  1.00 23.10           N
ATOM    354  CA  LYS A  22       0.494 -30.405  -6.400  1.00 22.72           C
ATOM    356  CB  LYS A  22       1.209 -30.264  -5.088  1.00 24.05           C
ATOM    359  CG  LYS A  22       2.676 -29.875  -5.156  1.00 29.28           C
ATOM    362  CD  LYS A  22       3.453 -31.198  -5.148  1.00 35.51           C
ATOM    365  CE  LYS A  22       4.970 -31.082  -5.288  1.00 38.58           C
ATOM    368  NZ  LYS A  22       5.474 -32.448  -5.775  1.00 41.37           N
ATOM    372  C   LYS A  22      -0.781 -31.220  -6.216  1.00 23.34           C
ATOM    373  O   LYS A  22      -0.823 -32.425  -6.486  1.00 22.04           O
ATOM    375  N   GLU A  23      -1.837 -30.586  -5.748  1.00 22.65           N
ATOM    376  CA  GLU A  23      -3.014 -31.344  -5.458  1.00 23.24           C
ATOM    378  CB  GLU A  23      -3.973 -30.500  -4.634  1.00 23.90           C
ATOM    381  CG  GLU A  23      -3.500 -30.170  -3.160  1.00 26.16           C
ATOM    384  CD  GLU A  23      -4.359 -29.026  -2.569  1.00 29.31           C
ATOM    385  OE1 GLU A  23      -4.044 -28.459  -1.484  1.00 32.31           O
ATOM    386  OE2 GLU A  23      -5.347 -28.699  -3.248  1.00 29.57           O
ATOM    387  C   GLU A  23      -3.683 -31.902  -6.729  1.00 23.54           C
ATOM    388  O   GLU A  23      -4.340 -32.940  -6.676  1.00 22.41           O
```

```
ATOM    390  N   TYR A  24      -3.470 -31.237  -7.864  1.00 24.01           N
ATOM    391  CA  TYR A  24      -3.936 -31.723  -9.126  1.00 24.70           C
ATOM    393  CB  TYR A  24      -4.410 -30.569 -10.016  1.00 24.71           C
ATOM    396  CG  TYR A  24      -5.791 -30.035  -9.623  1.00 25.44           C
ATOM    397  CD1 TYR A  24      -5.929 -29.075  -8.642  1.00 23.12           C
ATOM    399  CE1 TYR A  24      -7.149 -28.592  -8.292  1.00 26.13           C
ATOM    401  CZ  TYR A  24      -8.289 -29.081  -8.898  1.00 27.35           C
ATOM    402  OH  TYR A  24      -9.483 -28.561  -8.531  1.00 31.77           O
ATOM    404  CE2 TYR A  24      -8.206 -30.051  -9.853  1.00 28.19           C
ATOM    406  CD2 TYR A  24      -6.955 -30.535 -10.215  1.00 26.70           C
ATOM    408  C   TYR A  24      -2.927 -32.564  -9.858  1.00 25.45           C
ATOM    409  O   TYR A  24      -3.130 -32.862 -11.042  1.00 25.67           O
ATOM    411  N   GLY A  25      -1.864 -32.973  -9.169  1.00 26.36           N
ATOM    412  CA  GLY A  25      -0.879 -33.817  -9.751  1.00 27.66           C
ATOM    415  C   GLY A  25       0.226 -33.141 -10.533  1.00 29.55           C
ATOM    416  O   GLY A  25       0.979 -33.849 -11.198  1.00 30.50           O
ATOM    418  N   GLU A  26       0.356 -31.807 -10.486  1.00 30.09           N
ATOM    419  CA  GLU A  26       1.419 -31.129 -11.219  1.00 30.84           C
ATOM    421  CB  GLU A  26       0.841 -29.965 -12.030  1.00 31.77           C
ATOM    424  CG  GLU A  26      -0.240 -30.318 -13.001  1.00 34.86           C
ATOM    427  CD  GLU A  26      -1.061 -29.103 -13.387  1.00 39.14           C
ATOM    428  OE1 GLU A  26      -0.696 -27.991 -12.961  1.00 43.75           O
ATOM    429  OE2 GLU A  26      -2.087 -29.249 -14.078  1.00 42.46           O
ATOM    430  C   GLU A  26       2.515 -30.541 -10.315  1.00 30.90           C
ATOM    431  O   GLU A  26       2.301 -30.132  -9.163  1.00 31.68           O
ATOM    433  N   ASP A  27       3.691 -30.446 -10.870  1.00 29.80           N
ATOM    434  CA  ASP A  27       4.805 -29.937 -10.148  1.00 29.02           C
ATOM    436  CB  ASP A  27       5.978 -30.882 -10.304  1.00 29.29           C
ATOM    439  CG  ASP A  27       7.109 -30.501  -9.393  1.00 33.70           C
ATOM    440  OD1 ASP A  27       7.678 -29.403  -9.568  1.00 36.24           O
ATOM    441  OD2 ASP A  27       7.399 -31.272  -8.469  1.00 42.25           O
ATOM    442  C   ASP A  27       5.192 -28.541 -10.664  1.00 27.83           C
ATOM    443  O   ASP A  27       5.462 -28.378 -11.856  1.00 26.63           O
ATOM    445  N   PRO A  28       5.218 -27.549  -9.778  1.00 26.63           N
ATOM    446  CA  PRO A  28       5.559 -26.203 -10.233  1.00 27.90           C
ATOM    448  CB  PRO A  28       5.303 -25.341  -9.001  1.00 26.61           C
ATOM    451  CG  PRO A  28       5.227 -26.272  -7.879  1.00 27.36           C
ATOM    454  CD  PRO A  28       4.734 -27.546  -8.384  1.00 26.55           C
ATOM    457  C   PRO A  28       7.022 -26.035 -10.712  1.00 28.98           C
ATOM    458  O   PRO A  28       7.316 -25.137 -11.518  1.00 28.72           O
ATOM    459  N   LYS A  29       7.898 -26.895 -10.206  1.00 30.22           N
ATOM    460  CA  LYS A  29       9.298 -26.962 -10.607  1.00 32.09           C
ATOM    462  CB  LYS A  29      10.078 -27.837  -9.606  1.00 32.86           C
ATOM    465  CG  LYS A  29      11.406 -28.413 -10.105  1.00 36.73           C
ATOM    468  CD  LYS A  29      12.332 -28.853  -8.910  1.00 40.09           C
ATOM    471  CE  LYS A  29      12.943 -27.692  -8.123  1.00 42.70           C
ATOM    474  NZ  LYS A  29      12.991 -28.049  -6.652  1.00 44.13           N
ATOM    478  C   LYS A  29       9.445 -27.486 -12.055  1.00 33.14           C
ATOM    479  O   LYS A  29      10.377 -27.108 -12.754  1.00 33.57           O
ATOM    481  N   ILE A  30       8.488 -28.302 -12.509  1.00 33.67           N
ATOM    482  CA  ILE A  30       8.451 -28.810 -13.866  1.00 33.42           C
ATOM    484  CB  ILE A  30       7.975 -30.286 -13.837  1.00 33.81           C
ATOM    486  CG1 ILE A  30       8.980 -31.147 -13.057  1.00 35.38           C
ATOM    489  CD1 ILE A  30       8.594 -32.629 -12.901  1.00 31.76           C
ATOM    493  CG2 ILE A  30       7.769 -30.831 -15.251  1.00 36.17           C
ATOM    497  C   ILE A  30       7.564 -27.943 -14.798  1.00 32.85           C
ATOM    498  O   ILE A  30       7.999 -27.482 -15.864  1.00 33.05           O
ATOM    500  N   GLU A  31       6.332 -27.659 -14.410  1.00 31.24           N
ATOM    501  CA  GLU A  31       5.496 -26.840 -15.278  1.00 30.25           C
ATOM    503  CB  GLU A  31       4.063 -27.280 -15.207  1.00 30.90           C
ATOM    506  CG  GLU A  31       3.864 -28.748 -15.091  1.00 34.36           C
ATOM    509  CD  GLU A  31       2.908 -29.213 -16.150  1.00 40.95           C
ATOM    510  OE1 GLU A  31       3.323 -29.141 -17.335  1.00 41.41           O
```

```
ATOM    511  OE2 GLU A  31       1.766 -29.608 -15.801  1.00 42.33           O
ATOM    512  C   GLU A  31       5.567 -25.402 -14.858  1.00 28.18           C
ATOM    513  O   GLU A  31       4.597 -24.870 -14.297  1.00 28.99           O
ATOM    515  N   THR A  32       6.676 -24.749 -15.155  1.00 25.71           N
ATOM    516  CA  THR A  32       6.956 -23.398 -14.638  1.00 25.35           C
ATOM    518  CB  THR A  32       8.492 -23.076 -14.720  1.00 24.96           C
ATOM    520  OG1 THR A  32       8.961 -23.182 -16.086  1.00 31.47           O
ATOM    522  CG2 THR A  32       9.204 -24.048 -13.930  1.00 27.43           C
ATOM    526  C   THR A  32       6.181 -22.258 -15.245  1.00 23.24           C
ATOM    527  O   THR A  32       5.908 -21.258 -14.593  1.00 22.09           O
ATOM    529  N   ASN A  33       5.899 -22.351 -16.521  1.00 23.72           N
ATOM    530  CA  ASN A  33       5.052 -21.370 -17.207  1.00 23.16           C
ATOM    532  CB  ASN A  33       5.071 -21.580 -18.735  1.00 22.31           C
ATOM    535  CG  ASN A  33       6.425 -21.261 -19.351  1.00 25.75           C
ATOM    536  OD1 ASN A  33       7.084 -20.270 -18.997  1.00 24.11           O
ATOM    537  ND2 ASN A  33       6.875 -22.132 -20.270  1.00 26.78           N
ATOM    540  C   ASN A  33       3.634 -21.468 -16.658  1.00 22.02           C
ATOM    541  O   ASN A  33       2.970 -20.450 -16.488  1.00 21.98           O
ATOM    543  N   LYS A  34       3.173 -22.691 -16.395  1.00 22.17           N
ATOM    544  CA  LYS A  34       1.847 -22.873 -15.826  1.00 21.65           C
ATOM    546  CB  LYS A  34       1.473 -24.323 -15.817  1.00 22.10           C
ATOM    549  CG  LYS A  34      -0.025 -24.621 -15.808  1.00 27.83           C
ATOM    552  CD  LYS A  34      -0.241 -26.144 -16.124  1.00 32.95           C
ATOM    555  CE  LYS A  34      -1.387 -26.441 -17.048  1.00 36.23           C
ATOM    558  NZ  LYS A  34      -1.246 -27.808 -17.750  1.00 39.17           N
ATOM    562  C   LYS A  34       1.841 -22.274 -14.401  1.00 20.72           C
ATOM    563  O   LYS A  34       0.930 -21.565 -14.056  1.00 19.72           O
ATOM    565  N   PHE A  35       2.899 -22.526 -13.622  1.00 20.54           N
ATOM    566  CA  PHE A  35       3.101 -21.895 -12.316  1.00 20.15           C
ATOM    568  CB  PHE A  35       4.448 -22.357 -11.805  1.00 20.75           C
ATOM    571  CG  PHE A  35       4.814 -21.957 -10.417  1.00 20.43           C
ATOM    572  CD1 PHE A  35       6.149 -21.716 -10.134  1.00 16.84           C
ATOM    574  CE1 PHE A  35       6.594 -21.428  -8.813  1.00 20.67           C
ATOM    576  CZ  PHE A  35       5.690 -21.356  -7.767  1.00 18.61           C
ATOM    578  CE2 PHE A  35       4.325 -21.604  -8.017  1.00 15.74           C
ATOM    580  CD2 PHE A  35       3.888 -21.950  -9.354  1.00 19.43           C
ATOM    582  C   PHE A  35       2.914 -20.377 -12.367  1.00 21.24           C
ATOM    583  O   PHE A  35       2.133 -19.809 -11.592  1.00 18.39           O
ATOM    585  N   ALA A  36       3.574 -19.720 -13.340  1.00 21.28           N
ATOM    586  CA  ALA A  36       3.533 -18.267 -13.504  1.00 19.46           C
ATOM    588  CB  ALA A  36       4.616 -17.811 -14.518  1.00 19.96           C
ATOM    592  C   ALA A  36       2.159 -17.788 -14.006  1.00 19.48           C
ATOM    593  O   ALA A  36       1.692 -16.693 -13.644  1.00 17.95           O
ATOM    595  N   ALA A  37       1.520 -18.613 -14.813  1.00 16.92           N
ATOM    596  CA  ALA A  37       0.172 -18.304 -15.269  1.00 18.30           C
ATOM    598  CB  ALA A  37      -0.241 -19.183 -16.477  1.00 15.61           C
ATOM    602  C   ALA A  37      -0.885 -18.397 -14.134  1.00 17.24           C
ATOM    603  O   ALA A  37      -1.848 -17.624 -14.127  1.00 19.08           O
ATOM    605  N   ILE A  38      -0.749 -19.384 -13.271  1.00 17.39           N
ATOM    606  CA  ILE A  38      -1.649 -19.549 -12.145  1.00 17.68           C
ATOM    608  CB  ILE A  38      -1.476 -20.891 -11.443  1.00 19.04           C
ATOM    610  CG1 ILE A  38      -2.016 -21.972 -12.357  1.00 20.82           C
ATOM    613  CD1 ILE A  38      -1.258 -23.262 -12.299  1.00 24.99           C
ATOM    617  CG2 ILE A  38      -2.228 -20.960 -10.079  1.00 15.86           C
ATOM    621  C   ILE A  38      -1.483 -18.377 -11.205  1.00 17.31           C
ATOM    622  O   ILE A  38      -2.482 -17.778 -10.805  1.00 16.97           O
ATOM    624  N   CYS A  39      -0.253 -17.965 -10.948  1.00 16.99           N
ATOM    625  CA  CYS A  39       0.008 -16.819 -10.052  1.00 15.61           C
ATOM    627  CB  CYS A  39       1.494 -16.653  -9.761  1.00 15.70           C
ATOM    630  SG  CYS A  39       2.197 -17.917  -8.780  1.00 19.73           S
ATOM    632  C   CYS A  39      -0.515 -15.557 -10.589  1.00 15.45           C
ATOM    633  O   CYS A  39      -1.049 -14.745  -9.846  1.00 14.82           O
ATOM    635  N   THR A  40      -0.380 -15.360 -11.912  1.00 16.20           N
```

```
ATOM    636  CA  THR A  40      -0.825 -14.165 -12.577  1.00 13.99           C
ATOM    638  CB  THR A  40      -0.433 -14.203 -14.065  1.00 13.35           C
ATOM    640  OG1 THR A  40       0.951 -14.263 -14.179  1.00 16.39           O
ATOM    642  CG2 THR A  40      -0.833 -12.979 -14.746  1.00 12.50           C
ATOM    646  C   THR A  40      -2.332 -13.992 -12.586  1.00 13.71           C
ATOM    647  O   THR A  40      -2.821 -12.903 -12.367  1.00 13.31           O
ATOM    649  N   HIS A  41      -3.047 -15.069 -12.867  1.00 14.67           N
ATOM    650  CA  HIS A  41      -4.516 -15.058 -12.866  1.00 14.29           C
ATOM    652  CB  HIS A  41      -5.064 -16.389 -13.362  1.00 12.92           C
ATOM    655  CG  HIS A  41      -6.557 -16.530 -13.256  1.00 17.06           C
ATOM    656  ND1 HIS A  41      -7.164 -17.161 -12.193  1.00 12.13           N
ATOM    658  CE1 HIS A  41      -8.474 -17.135 -12.361  1.00 19.25           C
ATOM    660  NE2 HIS A  41      -8.741 -16.538 -13.508  1.00 18.10           N
ATOM    662  CD2 HIS A  41      -7.560 -16.144 -14.087  1.00 18.11           C
ATOM    664  C   HIS A  41      -4.990 -14.752 -11.440  1.00 15.56           C
ATOM    665  O   HIS A  41      -5.877 -13.883 -11.229  1.00 15.77           O
ATOM    667  N   LEU A  42      -4.462 -15.486 -10.475  1.00 15.04           N
ATOM    668  CA  LEU A  42      -4.766 -15.193  -9.073  1.00 16.63           C
ATOM    670  CB  LEU A  42      -3.878 -16.077  -8.182  1.00 17.22           C
ATOM    673  CG  LEU A  42      -4.357 -16.984  -7.049  1.00 22.42           C
ATOM    675  CD1 LEU A  42      -5.839 -17.309  -6.971  1.00 25.30           C
ATOM    679  CD2 LEU A  42      -3.511 -18.291  -7.104  1.00 26.49           C
ATOM    683  C   LEU A  42      -4.493 -13.743  -8.695  1.00 15.22           C
ATOM    684  O   LEU A  42      -5.318 -13.055  -8.065  1.00 14.84           O
ATOM    686  N   GLU A  43      -3.300 -13.263  -9.011  1.00 14.76           N
ATOM    687  CA  GLU A  43      -3.040 -11.869  -8.782  1.00 15.62           C
ATOM    689  CB  GLU A  43      -1.707 -11.496  -9.298  1.00 16.05           C
ATOM    692  CG  GLU A  43      -1.282 -10.105  -8.900  1.00 24.48           C
ATOM    695  CD  GLU A  43       0.165  -9.855  -9.234  1.00 31.12           C
ATOM    696  OE1 GLU A  43       0.956  -9.726  -8.311  1.00 32.89           O
ATOM    697  OE2 GLU A  43       0.501  -9.820 -10.448  1.00 36.99           O
ATOM    698  C   GLU A  43      -4.023 -10.894  -9.393  1.00 15.59           C
ATOM    699  O   GLU A  43      -4.269  -9.880  -8.807  1.00 14.48           O
ATOM    701  N   VAL A  44      -4.520 -11.156 -10.603  1.00 15.61           N
ATOM    702  CA  VAL A  44      -5.430 -10.180 -11.261  1.00 15.94           C
ATOM    704  CB  VAL A  44      -5.615 -10.527 -12.794  1.00 15.90           C
ATOM    706  CG1 VAL A  44      -6.797  -9.766 -13.426  1.00 12.56           C
ATOM    710  CG2 VAL A  44      -4.286 -10.170 -13.496  1.00 17.14           C
ATOM    714  C   VAL A  44      -6.778 -10.239 -10.596  1.00 15.13           C
ATOM    715  O   VAL A  44      -7.419  -9.227 -10.476  1.00 17.66           O
ATOM    717  N   CYS A  45      -7.203 -11.412 -10.177  1.00 15.15           N
ATOM    718  CA  CYS A  45      -8.476 -11.540  -9.456  1.00 16.24           C
ATOM    720  CB  CYS A  45      -8.797 -12.980  -9.152  1.00 14.89           C
ATOM    723  SG  CYS A  45      -9.209 -14.110 -10.579  1.00 18.03           S
ATOM    725  C   CYS A  45      -8.456 -10.752  -8.124  1.00 17.43           C
ATOM    726  O   CYS A  45      -9.463 -10.120  -7.775  1.00 18.28           O
ATOM    728  N   PHE A  46      -7.334 -10.841  -7.394  1.00 16.26           N
ATOM    729  CA  PHE A  46      -7.170 -10.063  -6.204  1.00 17.98           C
ATOM    731  CB  PHE A  46      -5.942 -10.518  -5.389  1.00 17.25           C
ATOM    734  CG  PHE A  46      -5.992 -11.947  -4.921  1.00 18.26           C
ATOM    735  CD1 PHE A  46      -7.115 -12.735  -5.072  1.00 22.19           C
ATOM    737  CE1 PHE A  46      -7.146 -14.026  -4.628  1.00 20.50           C
ATOM    739  CZ  PHE A  46      -6.053 -14.544  -3.978  1.00 20.22           C
ATOM    741  CE2 PHE A  46      -4.942 -13.796  -3.856  1.00 21.94           C
ATOM    743  CD2 PHE A  46      -4.916 -12.492  -4.334  1.00 19.78           C
ATOM    745  C   PHE A  46      -7.065  -8.567  -6.525  1.00 18.86           C
ATOM    746  O   PHE A  46      -7.673  -7.745  -5.856  1.00 19.42           O
ATOM    748  N   MET A  47      -6.302  -8.204  -7.555  1.00 19.81           N
ATOM    749  CA  MET A  47      -6.217  -6.789  -7.951  1.00 19.89           C
ATOM    751  CB  MET A  47      -5.219  -6.492  -9.058  1.00 19.83           C
ATOM    754  CG  MET A  47      -3.771  -6.811  -8.755  1.00 23.47           C
ATOM    757  SD  MET A  47      -2.626  -6.263 -10.034  1.00 24.82           S
ATOM    758  CE  MET A  47      -2.935  -4.506  -9.996  1.00 21.80           C
```

```
ATOM    762  C   MET A  47      -7.577  -6.288  -8.369  1.00 19.33           C
ATOM    763  O   MET A  47      -7.919  -5.136  -8.070  1.00 19.94           O
ATOM    765  N   TYR A  48      -8.354  -7.123  -9.027  1.00 19.10           N
ATOM    766  CA  TYR A  48      -9.680  -6.725  -9.488  1.00 20.16           C
ATOM    768  CB  TYR A  48     -10.330  -7.853 -10.304  1.00 19.64           C
ATOM    771  CG  TYR A  48     -11.384  -7.475 -11.329  1.00 18.21           C
ATOM    772  CD1 TYR A  48     -11.117  -7.558 -12.693  1.00 15.64           C
ATOM    774  CE1 TYR A  48     -12.080  -7.229 -13.631  1.00 14.20           C
ATOM    776  CZ  TYR A  48     -13.294  -6.843 -13.250  1.00 17.43           C
ATOM    777  OH  TYR A  48     -14.243  -6.489 -14.259  1.00 17.51           O
ATOM    779  CE2 TYR A  48     -13.589  -6.701 -11.847  1.00 12.11           C
ATOM    781  CD2 TYR A  48     -12.657  -7.074 -10.943  1.00 18.69           C
ATOM    783  C   TYR A  48     -10.572  -6.350  -8.282  1.00 22.24           C
ATOM    784  O   TYR A  48     -11.295  -5.349  -8.336  1.00 23.14           O
ATOM    786  N   SER A  49     -10.539  -7.112  -7.201  1.00 24.64           N
ATOM    787  CA  SER A  49     -11.342  -6.715  -5.981  1.00 28.17           C
ATOM    789  CB  SER A  49     -11.687  -7.886  -5.049  1.00 26.81           C
ATOM    792  OG  SER A  49     -10.691  -8.878  -5.111  1.00 33.40           O
ATOM    794  C   SER A  49     -10.751  -5.588  -5.144  1.00 30.07           C
ATOM    795  O   SER A  49     -11.500  -4.830  -4.544  1.00 31.68           O
ATOM    797  N   ASP A  50      -9.427  -5.448  -5.126  1.00 33.58           N
ATOM    798  CA  ASP A  50      -8.745  -4.559  -4.172  1.00 35.29           C
ATOM    800  CB  ASP A  50      -7.207  -4.647  -4.351  1.00 36.94           C
ATOM    803  CG  ASP A  50      -6.591  -5.777  -3.513  1.00 38.10           C
ATOM    804  OD1 ASP A  50      -7.324  -6.461  -2.764  1.00 41.46           O
ATOM    805  OD2 ASP A  50      -5.370  -5.988  -3.608  1.00 44.96           O
ATOM    806  C   ASP A  50      -9.215  -3.122  -4.220  1.00 35.74           C
ATOM    807  O   ASP A  50      -9.446  -2.576  -5.278  1.00 36.08           O
ATOM    809  N   PHE A  51      -9.375  -2.518  -3.036  1.00 36.46           N
ATOM    810  CA  PHE A  51      -9.741  -1.093  -2.893  1.00 35.69           C
ATOM    812  CB  PHE A  51      -8.895  -0.148  -3.771  1.00 36.43           C
ATOM    815  CG  PHE A  51      -7.434  -0.370  -3.703  1.00 39.21           C
ATOM    816  CD1 PHE A  51      -6.775  -0.514  -2.469  1.00 42.51           C
ATOM    818  CE1 PHE A  51      -5.383  -0.694  -2.415  1.00 42.42           C
ATOM    820  CZ  PHE A  51      -4.666  -0.716  -3.575  1.00 44.11           C
ATOM    822  CE2 PHE A  51      -5.318  -0.547  -4.817  1.00 42.67           C
ATOM    824  CD2 PHE A  51      -6.681  -0.365  -4.872  1.00 40.16           C
ATOM    826  C   PHE A  51     -11.165  -0.748  -3.233  1.00 34.79           C
ATOM    827  O   PHE A  51     -11.519   0.430  -3.153  1.00 35.95           O
ATOM    829  N   HIS A  52     -11.987  -1.720  -3.616  1.00 33.61           N
ATOM    830  CA  HIS A  52     -13.339  -1.425  -4.090  1.00 32.70           C
ATOM    832  CB  HIS A  52     -13.633  -2.213  -5.382  1.00 32.49           C
ATOM    835  CG  HIS A  52     -12.716  -1.820  -6.477  1.00 35.73           C
ATOM    836  ND1 HIS A  52     -11.546  -2.495  -6.737  1.00 39.01           N
ATOM    838  CE1 HIS A  52     -10.877  -1.860  -7.692  1.00 39.74           C
ATOM    840  NE2 HIS A  52     -11.563  -0.788  -8.042  1.00 37.46           N
ATOM    842  CD2 HIS A  52     -12.706  -0.723  -7.277  1.00 38.30           C
ATOM    844  C   HIS A  52     -14.353  -1.722  -3.014  1.00 30.80           C
ATOM    845  O   HIS A  52     -14.510  -2.844  -2.597  1.00 28.92           O
ATOM    847  N   PHE A  53     -15.072  -0.699  -2.598  1.00 29.95           N
ATOM    848  CA  PHE A  53     -16.109  -0.874  -1.601  1.00 29.74           C
ATOM    850  CB  PHE A  53     -15.641  -0.239  -0.292  1.00 29.37           C
ATOM    853  CG  PHE A  53     -14.370  -0.825   0.197  1.00 29.01           C
ATOM    854  CD1 PHE A  53     -14.367  -1.960   0.969  1.00 31.98           C
ATOM    856  CE1 PHE A  53     -13.172  -2.517   1.404  1.00 32.29           C
ATOM    858  CZ  PHE A  53     -11.985  -1.975   1.048  1.00 31.74           C
ATOM    860  CE2 PHE A  53     -11.983  -0.860   0.243  1.00 35.12           C
ATOM    862  CD2 PHE A  53     -13.185  -0.295  -0.178  1.00 31.45           C
ATOM    864  C   PHE A  53     -17.396  -0.294  -2.086  1.00 29.76           C
ATOM    865  O   PHE A  53     -17.477   0.178  -3.197  1.00 28.42           O
ATOM    867  N   ILE A  54     -18.406  -0.342  -1.232  1.00 30.62           N
ATOM    868  CA  ILE A  54     -19.725   0.193  -1.550  1.00 30.36           C
ATOM    870  CB  ILE A  54     -20.850  -0.879  -1.489  1.00 29.74           C
```

```
ATOM    872  CG1 ILE A  54     -20.465  -2.125  -2.288  1.00 29.55           C
ATOM    875  CD1 ILE A  54     -20.790  -2.049  -3.677  1.00 31.07           C
ATOM    879  CG2 ILE A  54     -22.222  -0.272  -1.953  1.00 29.02           C
ATOM    883  C   ILE A  54     -19.983   1.158  -0.422  1.00 31.02           C
ATOM    884  O   ILE A  54     -19.790   0.764   0.724  1.00 29.51           O
ATOM    886  N   ASP A  55     -20.389   2.399  -0.753  1.00 32.46           N
ATOM    887  CA  ASP A  55     -20.611   3.461   0.252  1.00 33.38           C
ATOM    889  CB  ASP A  55     -20.168   4.839  -0.264  1.00 33.28           C
ATOM    892  CG  ASP A  55     -21.113   5.438  -1.328  1.00 35.07           C
ATOM    893  OD1 ASP A  55     -22.137   4.800  -1.699  1.00 34.63           O
ATOM    894  OD2 ASP A  55     -20.811   6.570  -1.810  1.00 34.87           O
ATOM    895  C   ASP A  55     -22.063   3.485   0.674  1.00 34.60           C
ATOM    896  O   ASP A  55     -22.862   2.633   0.286  1.00 32.29           O
ATOM    898  N   GLU A  56     -22.396   4.473   1.490  1.00 36.97           N
ATOM    899  CA  GLU A  56     -23.736   4.560   2.064  1.00 39.09           C
ATOM    901  CB  GLU A  56     -23.792   5.715   3.084  1.00 39.40           C
ATOM    904  CG  GLU A  56     -23.009   5.340   4.371  1.00 41.09           C
ATOM    907  CD  GLU A  56     -22.944   6.455   5.397  1.00 42.83           C
ATOM    908  OE1 GLU A  56     -22.309   7.461   5.099  1.00 46.74           O
ATOM    909  OE2 GLU A  56     -23.531   6.332   6.501  1.00 45.11           O
ATOM    910  C   GLU A  56     -24.833   4.630   0.974  1.00 39.80           C
ATOM    911  O   GLU A  56     -25.883   4.044   1.144  1.00 40.55           O
ATOM    913  N   ARG A  57     -24.538   5.260  -0.168  1.00 40.80           N
ATOM    914  CA  ARG A  57     -25.448   5.318  -1.327  1.00 40.68           C
ATOM    916  CB  ARG A  57     -24.983   6.410  -2.303  1.00 40.79           C
ATOM    919  CG  ARG A  57     -24.801   7.815  -1.758  1.00 39.77           C
ATOM    922  CD  ARG A  57     -24.097   8.679  -2.807  1.00 38.90           C
ATOM    925  NE  ARG A  57     -22.697   8.302  -2.948  1.00 38.83           N
ATOM    927  CZ  ARG A  57     -21.917   8.583  -3.997  1.00 40.06           C
ATOM    928  NH1 ARG A  57     -22.360   9.261  -5.042  1.00 38.85           N
ATOM    931  NH2 ARG A  57     -20.665   8.163  -4.011  1.00 40.10           N
ATOM    934  C   ARG A  57     -25.562   4.031  -2.174  1.00 41.31           C
ATOM    935  O   ARG A  57     -26.278   4.025  -3.184  1.00 42.62           O
ATOM    937  N   GLY A  58     -24.848   2.957  -1.862  1.00 40.49           N
ATOM    938  CA  GLY A  58     -24.848   1.810  -2.812  1.00 39.29           C
ATOM    941  C   GLY A  58     -23.957   2.045  -4.030  1.00 37.83           C
ATOM    942  O   GLY A  58     -23.980   1.276  -4.989  1.00 36.76           O
ATOM    944  N   GLU A  59     -23.160   3.114  -3.997  1.00 37.02           N
ATOM    945  CA  GLU A  59     -22.234   3.423  -5.093  1.00 36.11           C
ATOM    947  CB  GLU A  59     -22.101   4.939  -5.263  1.00 36.60           C
ATOM    950  CG  GLU A  59     -23.368   5.649  -5.722  1.00 37.72           C
ATOM    953  CD  GLU A  59     -23.748   5.344  -7.188  1.00 42.53           C
ATOM    954  OE1 GLU A  59     -22.836   5.093  -8.022  1.00 38.87           O
ATOM    955  OE2 GLU A  59     -24.963   5.347  -7.480  1.00 44.08           O
ATOM    956  C   GLU A  59     -20.841   2.792  -4.886  1.00 36.10           C
ATOM    957  O   GLU A  59     -20.432   2.514  -3.741  1.00 34.00           O
ATOM    959  N   SER A  60     -20.133   2.555  -6.008  1.00 36.08           N
ATOM    960  CA  SER A  60     -18.803   1.965  -5.997  1.00 36.64           C
ATOM    962  CB  SER A  60     -18.379   1.429  -7.374  1.00 36.60           C
ATOM    965  OG  SER A  60     -17.185   0.633  -7.259  1.00 38.00           O
ATOM    967  C   SER A  60     -17.877   3.062  -5.593  1.00 37.06           C
ATOM    968  O   SER A  60     -17.976   4.156  -6.126  1.00 39.81           O
ATOM    970  N   ILE A  61     -16.982   2.804  -4.660  1.00 36.48           N
ATOM    971  CA  ILE A  61     -15.957   3.792  -4.334  1.00 36.52           C
ATOM    973  CB  ILE A  61     -16.244   4.524  -2.960  1.00 36.18           C
ATOM    975  CG1 ILE A  61     -16.331   3.515  -1.803  1.00 35.09           C
ATOM    978  CD1 ILE A  61     -16.023   4.122  -0.441  1.00 37.25           C
ATOM    982  CG2 ILE A  61     -17.505   5.320  -3.041  1.00 36.52           C
ATOM    986  C   ILE A  61     -14.652   3.045  -4.254  1.00 36.45           C
ATOM    987  O   ILE A  61     -14.641   1.824  -4.157  1.00 36.79           O
ATOM    989  N   ILE A  62     -13.561   3.796  -4.301  1.00 38.15           N
ATOM    990  CA  ILE A  62     -12.195   3.285  -4.169  1.00 38.42           C
ATOM    992  CB  ILE A  62     -11.327   3.686  -5.393  1.00 38.22           C
```

ATOM	994	CG1	ILE	A	62	-11.674	2.834	-6.617	1.00 39.63	C
ATOM	997	CD1	ILE	A	62	-11.127	3.420	-7.948	1.00 39.20	C
ATOM	1001	CG2	ILE	A	62	-9.827	3.502	-5.116	1.00 37.26	C
ATOM	1005	C	ILE	A	62	-11.573	3.836	-2.866	1.00 38.94	C
ATOM	1006	O	ILE	A	62	-11.695	5.027	-2.561	1.00 38.86	O
ATOM	1008	N	VAL	A	63	-10.944	2.960	-2.096	1.00 39.30	N
ATOM	1009	CA	VAL	A	63	-10.259	3.371	-0.885	1.00 40.85	C
ATOM	1011	CB	VAL	A	63	-11.128	3.252	0.397	1.00 40.45	C
ATOM	1013	CG1	VAL	A	63	-10.287	3.695	1.603	1.00 40.89	C
ATOM	1017	CG2	VAL	A	63	-12.362	4.110	0.291	1.00 41.72	C
ATOM	1021	C	VAL	A	63	-8.994	2.558	-0.643	1.00 41.66	C
ATOM	1022	O	VAL	A	63	-9.044	1.352	-0.400	1.00 40.46	O
ATOM	1024	N	GLU	A	64	-7.864	3.247	-0.664	1.00 44.26	N
ATOM	1025	CA	GLU	A	64	-6.581	2.589	-0.586	1.00 46.11	C
ATOM	1027	CB	GLU	A	64	-5.793	2.808	-1.878	1.00 46.95	C
ATOM	1030	CG	GLU	A	64	-5.387	4.252	-2.157	1.00 50.19	C
ATOM	1033	CD	GLU	A	64	-4.832	4.421	-3.555	1.00 55.07	C
ATOM	1034	OE1	GLU	A	64	-5.160	3.568	-4.422	1.00 58.64	O
ATOM	1035	OE2	GLU	A	64	-4.068	5.396	-3.791	1.00 56.49	O
ATOM	1036	C	GLU	A	64	-5.817	3.089	0.605	1.00 46.65	C
ATOM	1037	O	GLU	A	64	-4.871	2.416	1.025	1.00 48.61	O
ATOM	1039	N	ASN	A	69	-9.699	-5.137	4.836	1.00 50.30	N
ATOM	1040	CA	ASN	A	69	-9.802	-5.461	6.261	1.00 50.93	C
ATOM	1042	CB	ASN	A	69	-8.423	-5.348	6.949	1.00 51.20	C
ATOM	1045	CG	ASN	A	69	-7.534	-6.523	6.676	1.00 53.81	C
ATOM	1046	OD1	ASN	A	69	-7.366	-6.926	5.520	1.00 56.28	O
ATOM	1047	ND2	ASN	A	69	-6.929	-7.086	7.744	1.00 55.89	N
ATOM	1050	C	ASN	A	69	-10.804	-4.548	6.991	1.00 49.52	C
ATOM	1051	O	ASN	A	69	-12.024	-4.770	6.940	1.00 50.35	O
ATOM	1053	N	ALA	A	70	-10.273	-3.493	7.610	1.00 47.79	N
ATOM	1054	CA	ALA	A	70	-11.027	-2.551	8.482	1.00 46.02	C
ATOM	1056	CB	ALA	A	70	-10.095	-1.393	8.917	1.00 45.20	C
ATOM	1060	C	ALA	A	70	-12.329	-1.993	7.853	1.00 43.84	C
ATOM	1061	O	ALA	A	70	-13.152	-1.387	8.550	1.00 45.49	O
ATOM	1063	N	LEU	A	71	-12.506	-2.208	6.553	1.00 40.70	N
ATOM	1064	CA	LEU	A	71	-13.664	-1.724	5.808	1.00 38.26	C
ATOM	1066	CB	LEU	A	71	-13.178	-0.799	4.679	1.00 37.81	C
ATOM	1069	CG	LEU	A	71	-14.076	0.322	4.165	1.00 35.97	C
ATOM	1071	CD1	LEU	A	71	-14.811	1.089	5.312	1.00 30.90	C
ATOM	1075	CD2	LEU	A	71	-13.167	1.269	3.355	1.00 31.34	C
ATOM	1079	C	LEU	A	71	-14.414	-2.950	5.275	1.00 36.69	C
ATOM	1080	O	LEU	A	71	-13.859	-3.751	4.506	1.00 36.93	O
ATOM	1082	N	LEU	A	72	-15.655	-3.107	5.706	1.00 34.62	N
ATOM	1083	CA	LEU	A	72	-16.363	-4.380	5.567	1.00 33.79	C
ATOM	1085	CB	LEU	A	72	-17.089	-4.697	6.873	1.00 34.75	C
ATOM	1088	CG	LEU	A	72	-16.263	-4.782	8.171	1.00 36.57	C
ATOM	1090	CD1	LEU	A	72	-17.229	-5.172	9.290	1.00 36.78	C
ATOM	1094	CD2	LEU	A	72	-15.123	-5.823	8.033	1.00 34.27	C
ATOM	1098	C	LEU	A	72	-17.374	-4.392	4.398	1.00 31.42	C
ATOM	1099	O	LEU	A	72	-17.904	-5.442	4.051	1.00 30.18	O
ATOM	1101	N	LYS	A	73	-17.659	-3.246	3.810	1.00 29.50	N
ATOM	1102	CA	LYS	A	73	-18.592	-3.226	2.651	1.00 29.77	C
ATOM	1104	CB	LYS	A	73	-19.534	-2.034	2.709	1.00 30.39	C
ATOM	1107	CG	LYS	A	73	-20.853	-2.377	3.466	1.00 32.55	C
ATOM	1110	CD	LYS	A	73	-21.774	-3.200	2.533	1.00 38.94	C
ATOM	1113	CE	LYS	A	73	-23.291	-2.935	2.766	1.00 44.43	C
ATOM	1116	NZ	LYS	A	73	-24.173	-3.378	1.609	1.00 47.06	N
ATOM	1120	C	LYS	A	73	-17.902	-3.396	1.284	1.00 27.45	C
ATOM	1121	O	LYS	A	73	-17.762	-2.455	0.523	1.00 27.16	O
ATOM	1123	N	HIS	A	74	-17.478	-4.624	1.032	1.00 25.84	N
ATOM	1124	CA	HIS	A	74	-16.683	-5.005	-0.157	1.00 26.65	C
ATOM	1126	CB	HIS	A	74	-16.084	-6.403	0.045	1.00 26.92	C
ATOM	1129	CG	HIS	A	74	-15.125	-6.465	1.176	1.00 31.99	C

```
ATOM   1130  ND1 HIS A  74     -14.808  -7.627   1.840  1.00 34.39           N
ATOM   1132  CE1 HIS A  74     -13.914  -7.366   2.780  1.00 35.49           C
ATOM   1134  NE2 HIS A  74     -13.646  -6.076   2.754  1.00 35.02           N
ATOM   1136  CD2 HIS A  74     -14.395  -5.492   1.761  1.00 35.96           C
ATOM   1138  C   HIS A  74     -17.525  -5.072  -1.391  1.00 23.93           C
ATOM   1139  O   HIS A  74     -18.553  -5.692  -1.375  1.00 24.65           O
ATOM   1141  N   ARG A  75     -17.074  -4.493  -2.480  1.00 23.49           N
ATOM   1142  CA  ARG A  75     -17.809  -4.603  -3.765  1.00 22.29           C
ATOM   1144  CB  ARG A  75     -17.343  -3.542  -4.803  1.00 22.01           C
ATOM   1147  CG  ARG A  75     -18.051  -3.752  -6.184  1.00 23.60           C
ATOM   1150  CD  ARG A  75     -17.769  -2.714  -7.198  1.00 24.27           C
ATOM   1153  NE  ARG A  75     -18.534  -2.960  -8.405  1.00 27.56           N
ATOM   1155  CZ  ARG A  75     -18.511  -2.213  -9.502  1.00 24.04           C
ATOM   1156  NH1 ARG A  75     -17.780  -1.126  -9.587  1.00 28.81           N
ATOM   1159  NH2 ARG A  75     -19.259  -2.557 -10.496  1.00 27.51           N
ATOM   1162  C   ARG A  75     -17.779  -6.002  -4.362  1.00 21.43           C
ATOM   1163  O   ARG A  75     -18.765  -6.429  -4.938  1.00 23.45           O
ATOM   1165  N   PHE A  76     -16.651  -6.709  -4.270  1.00 21.36           N
ATOM   1166  CA  PHE A  76     -16.536  -8.069  -4.821  1.00 21.10           C
ATOM   1168  CB  PHE A  76     -15.330  -8.131  -5.771  1.00 19.96           C
ATOM   1171  CG  PHE A  76     -15.412  -7.153  -6.852  1.00 21.31           C
ATOM   1172  CD1 PHE A  76     -16.231  -7.399  -7.962  1.00 19.74           C
ATOM   1174  CE1 PHE A  76     -16.364  -6.446  -8.985  1.00 19.45           C
ATOM   1176  CZ  PHE A  76     -15.753  -5.300  -8.906  1.00 16.56           C
ATOM   1178  CE2 PHE A  76     -14.922  -5.017  -7.808  1.00 18.83           C
ATOM   1180  CD2 PHE A  76     -14.791  -5.939  -6.751  1.00 19.24           C
ATOM   1182  C   PHE A  76     -16.338  -9.143  -3.748  1.00 20.61           C
ATOM   1183  O   PHE A  76     -15.537  -8.934  -2.848  1.00 20.88           O
ATOM   1185  N   GLU A  77     -17.030 -10.273  -3.877  1.00 20.45           N
ATOM   1186  CA  GLU A  77     -16.632 -11.489  -3.184  1.00 20.69           C
ATOM   1188  CB  GLU A  77     -17.797 -12.436  -2.940  1.00 21.46           C
ATOM   1191  CG  GLU A  77     -17.538 -13.402  -1.730  1.00 23.66           C
ATOM   1194  CD  GLU A  77     -17.471 -12.674  -0.396  1.00 26.23           C
ATOM   1195  OE1 GLU A  77     -18.410 -11.952  -0.052  1.00 34.43           O
ATOM   1196  OE2 GLU A  77     -16.479 -12.817   0.329  1.00 31.80           O
ATOM   1197  C   GLU A  77     -15.590 -12.208  -4.015  1.00 21.50           C
ATOM   1198  O   GLU A  77     -15.820 -12.502  -5.177  1.00 20.48           O
ATOM   1200  N   ILE A  78     -14.468 -12.538  -3.392  1.00 21.53           N
ATOM   1201  CA  ILE A  78     -13.438 -13.321  -4.057  1.00 22.68           C
ATOM   1203  CB  ILE A  78     -12.091 -13.044  -3.458  1.00 23.45           C
ATOM   1205  CG1 ILE A  78     -10.991 -13.951  -4.034  1.00 24.51           C
ATOM   1208  CD1 ILE A  78     -10.754 -13.790  -5.423  1.00 24.46           C
ATOM   1212  CG2 ILE A  78     -12.092 -13.324  -1.879  1.00 24.26           C
ATOM   1216  C   ILE A  78     -13.740 -14.805  -3.933  1.00 22.92           C
ATOM   1217  O   ILE A  78     -13.859 -15.293  -2.811  1.00 23.85           O
ATOM   1219  N   ILE A  79     -13.931 -15.494  -5.085  1.00 21.80           N
ATOM   1220  CA  ILE A  79     -14.250 -16.923  -5.158  1.00 19.88           C
ATOM   1222  CB  ILE A  79     -15.485 -17.209  -6.069  1.00 20.09           C
ATOM   1224  CG1 ILE A  79     -16.745 -16.541  -5.481  1.00 20.63           C
ATOM   1227  CD1 ILE A  79     -17.744 -16.082  -6.465  1.00 23.17           C
ATOM   1231  CG2 ILE A  79     -15.783 -18.773  -6.198  1.00 16.69           C
ATOM   1235  C   ILE A  79     -12.981 -17.745  -5.550  1.00 20.44           C
ATOM   1236  O   ILE A  79     -12.751 -18.790  -4.980  1.00 19.75           O
ATOM   1238  N   GLU A  80     -12.139 -17.242  -6.450  1.00 19.89           N
ATOM   1239  CA  GLU A  80     -10.868 -17.885  -6.810  1.00 20.47           C
ATOM   1241  CB  GLU A  80     -10.116 -17.073  -7.936  1.00 21.83           C
ATOM   1244  CG  GLU A  80      -8.984 -17.851  -8.730  1.00 22.70           C
ATOM   1247  CD  GLU A  80      -9.368 -19.280  -9.169  1.00 26.61           C
ATOM   1248  OE1 GLU A  80      -9.892 -19.522 -10.337  1.00 26.94           O
ATOM   1249  OE2 GLU A  80      -9.164 -20.176  -8.333  1.00 25.79           O
ATOM   1250  C   GLU A  80      -9.957 -17.918  -5.642  1.00 20.93           C
ATOM   1251  O   GLU A  80      -9.918 -16.978  -4.850  1.00 20.60           O
ATOM   1253  N   GLY A  81      -9.226 -19.011  -5.523  1.00 19.93           N
```

```
ATOM   1254  CA  GLY A  81      -8.220 -19.122  -4.550  1.00 19.78           C
ATOM   1257  C   GLY A  81      -8.748 -20.015  -3.479  1.00 20.64           C
ATOM   1258  O   GLY A  81      -7.981 -20.616  -2.795  1.00 21.05           O
ATOM   1260  N   ARG A  82     -10.073 -20.103  -3.309  1.00 21.77           N
ATOM   1261  CA  ARG A  82     -10.638 -21.006  -2.275  1.00 21.34           C
ATOM   1263  CB  ARG A  82     -12.043 -20.525  -1.906  1.00 21.09           C
ATOM   1266  CG  ARG A  82     -12.135 -19.091  -1.313  1.00 19.98           C
ATOM   1269  CD  ARG A  82     -13.552 -18.784  -1.148  1.00 20.28           C
ATOM   1272  NE  ARG A  82     -13.925 -17.401  -0.934  1.00 21.64           N
ATOM   1274  CZ  ARG A  82     -14.331 -16.883   0.224  1.00 19.55           C
ATOM   1275  NH1 ARG A  82     -14.271 -17.565   1.337  1.00 17.21           N
ATOM   1278  NH2 ARG A  82     -14.665 -15.624   0.284  1.00 22.68           N
ATOM   1281  C   ARG A  82     -10.690 -22.443  -2.762  1.00 21.95           C
ATOM   1282  O   ARG A  82     -10.862 -22.668  -3.956  1.00 21.32           O
ATOM   1284  N   ASP A  83     -10.566 -23.444  -1.868  1.00 22.70           N
ATOM   1285  CA  ASP A  83     -11.013 -24.810  -2.189  1.00 22.14           C
ATOM   1287  CB  ASP A  83     -10.708 -25.780  -1.053  1.00 24.64           C
ATOM   1290  CG  ASP A  83     -11.499 -25.490   0.220  1.00 29.11           C
ATOM   1291  OD1 ASP A  83     -12.691 -25.853   0.285  1.00 34.82           O
ATOM   1292  OD2 ASP A  83     -10.905 -24.912   1.183  1.00 38.03           O
ATOM   1293  C   ASP A  83     -12.501 -24.887  -2.650  1.00 22.32           C
ATOM   1294  O   ASP A  83     -13.264 -23.926  -2.433  1.00 21.71           O
ATOM   1296  N   ARG A  84     -12.847 -25.968  -3.402  1.00 21.87           N
ATOM   1297  CA  ARG A  84     -14.170 -26.164  -3.982  1.00 21.71           C
ATOM   1299  CB  ARG A  84     -14.200 -27.352  -4.958  1.00 22.42           C
ATOM   1302  CG  ARG A  84     -13.356 -27.108  -6.234  1.00 24.99           C
ATOM   1305  CD  ARG A  84     -13.705 -27.915  -7.495  1.00 33.08           C
ATOM   1308  NE  ARG A  84     -12.898 -29.121  -7.539  1.00 37.24           N
ATOM   1310  CZ  ARG A  84     -12.403 -29.720  -8.617  1.00 35.66           C
ATOM   1311  NH1 ARG A  84     -12.622 -29.278  -9.868  1.00 39.32           N
ATOM   1314  NH2 ARG A  84     -11.718 -30.840  -8.426  1.00 35.09           N
ATOM   1317  C   ARG A  84     -15.340 -26.231  -2.959  1.00 21.04           C
ATOM   1318  O   ARG A  84     -16.415 -25.747  -3.240  1.00 20.23           O
ATOM   1320  N   ILE A  85     -15.085 -26.730  -1.768  1.00 20.61           N
ATOM   1321  CA  ILE A  85     -16.091 -26.779  -0.717  1.00 21.35           C
ATOM   1323  CB  ILE A  85     -15.551 -27.556   0.555  1.00 22.56           C
ATOM   1325  CG1 ILE A  85     -15.196 -28.982   0.166  1.00 20.56           C
ATOM   1328  CD1 ILE A  85     -14.091 -29.593   1.026  1.00 21.78           C
ATOM   1332  CG2 ILE A  85     -16.544 -27.523   1.708  1.00 22.29           C
ATOM   1336  C   ILE A  85     -16.507 -25.396  -0.344  1.00 20.16           C
ATOM   1337  O   ILE A  85     -17.699 -25.074  -0.351  1.00 20.10           O
ATOM   1339  N   MET A  86     -15.515 -24.553  -0.062  1.00 19.64           N
ATOM   1340  CA  MET A  86     -15.770 -23.208   0.368  1.00 18.69           C
ATOM   1342  CB  MET A  86     -14.548 -22.623   1.097  1.00 19.83           C
ATOM   1345  CG  MET A  86     -14.434 -23.111   2.573  1.00 22.33           C
ATOM   1348  SD  MET A  86     -15.951 -22.818   3.515  1.00 36.97           S
ATOM   1349  CE  MET A  86     -16.285 -21.118   3.278  1.00 16.27           C
ATOM   1353  C   MET A  86     -16.172 -22.311  -0.785  1.00 18.74           C
ATOM   1354  O   MET A  86     -16.992 -21.401  -0.584  1.00 16.67           O
ATOM   1356  N   ALA A  87     -15.593 -22.548  -1.984  1.00 17.76           N
ATOM   1357  CA  ALA A  87     -16.033 -21.848  -3.153  1.00 17.60           C
ATOM   1359  CB  ALA A  87     -15.181 -22.271  -4.417  1.00 18.74           C
ATOM   1363  C   ALA A  87     -17.522 -22.070  -3.388  1.00 17.40           C
ATOM   1364  O   ALA A  87     -18.247 -21.106  -3.619  1.00 18.53           O
ATOM   1366  N   TRP A  88     -17.977 -23.312  -3.360  1.00 18.16           N
ATOM   1367  CA  TRP A  88     -19.399 -23.592  -3.573  1.00 19.10           C
ATOM   1369  CB  TRP A  88     -19.647 -25.082  -3.898  1.00 18.82           C
ATOM   1372  CG  TRP A  88     -19.387 -25.425  -5.278  1.00 16.31           C
ATOM   1373  CD1 TRP A  88     -18.378 -26.203  -5.776  1.00 13.37           C
ATOM   1375  NE1 TRP A  88     -18.462 -26.239  -7.146  1.00 16.31           N
ATOM   1377  CE2 TRP A  88     -19.468 -25.428  -7.552  1.00 14.82           C
ATOM   1378  CD2 TRP A  88     -20.065 -24.891  -6.391  1.00 16.25           C
ATOM   1379  CE3 TRP A  88     -21.130 -24.021  -6.531  1.00 16.53           C
```

```
ATOM   1381  CZ3 TRP A  88     -21.587 -23.720  -7.816  1.00 16.31           C
ATOM   1383  CH2 TRP A  88     -20.966 -24.246  -8.942  1.00 14.98           C
ATOM   1385  CZ2 TRP A  88     -19.890 -25.095  -8.831  1.00 17.58           C
ATOM   1387  C   TRP A  88     -20.282 -23.149  -2.407  1.00 18.61           C
ATOM   1388  O   TRP A  88     -21.392 -22.765  -2.629  1.00 20.91           O
ATOM   1390  N   THR A  89     -19.783 -23.213  -1.180  1.00 18.27           N
ATOM   1391  CA  THR A  89     -20.462 -22.627  -0.029  1.00 18.10           C
ATOM   1393  CB  THR A  89     -19.672 -22.939   1.273  1.00 18.78           C
ATOM   1395  OG1 THR A  89     -19.491 -24.336   1.411  1.00 15.81           O
ATOM   1397  CG2 THR A  89     -20.341 -22.403   2.572  1.00 19.57           C
ATOM   1401  C   THR A  89     -20.706 -21.117  -0.207  1.00 18.81           C
ATOM   1402  O   THR A  89     -21.814 -20.596   0.097  1.00 19.84           O
ATOM   1404  N   VAL A  90     -19.698 -20.391  -0.685  1.00 19.00           N
ATOM   1405  CA  VAL A  90     -19.826 -18.964  -0.906  1.00 18.31           C
ATOM   1407  CB  VAL A  90     -18.449 -18.241  -1.155  1.00 19.43           C
ATOM   1409  CG1 VAL A  90     -18.661 -16.721  -1.475  1.00 17.31           C
ATOM   1413  CG2 VAL A  90     -17.618 -18.314   0.069  1.00 20.21           C
ATOM   1417  C   VAL A  90     -20.799 -18.688  -2.006  1.00 17.64           C
ATOM   1418  O   VAL A  90     -21.691 -17.879  -1.803  1.00 17.18           O
ATOM   1420  N   VAL A  91     -20.690 -19.387  -3.152  1.00 18.06           N
ATOM   1421  CA  VAL A  91     -21.669 -19.218  -4.258  1.00 17.21           C
ATOM   1423  CB  VAL A  91     -21.376 -20.129  -5.440  1.00 17.76           C
ATOM   1425  CG1 VAL A  91     -22.589 -20.184  -6.384  1.00 16.67           C
ATOM   1429  CG2 VAL A  91     -20.145 -19.600  -6.162  1.00 16.76           C
ATOM   1433  C   VAL A  91     -23.143 -19.449  -3.790  1.00 18.15           C
ATOM   1434  O   VAL A  91     -24.033 -18.671  -4.096  1.00 14.83           O
ATOM   1436  N   ASN A  92     -23.350 -20.517  -3.036  1.00 19.48           N
ATOM   1437  CA  ASN A  92     -24.653 -20.841  -2.514  1.00 21.21           C
ATOM   1439  CB  ASN A  92     -24.562 -22.133  -1.722  1.00 21.93           C
ATOM   1442  CG  ASN A  92     -24.618 -23.354  -2.612  1.00 28.79           C
ATOM   1443  OD1 ASN A  92     -24.601 -23.238  -3.860  1.00 36.94           O
ATOM   1444  ND2 ASN A  92     -24.680 -24.544  -1.995  1.00 31.11           N
ATOM   1447  C   ASN A  92     -25.250 -19.799  -1.608  1.00 20.96           C
ATOM   1448  O   ASN A  92     -26.395 -19.438  -1.726  1.00 20.73           O
ATOM   1450  N   SER A  93     -24.468 -19.335  -0.662  1.00 22.18           N
ATOM   1451  CA  SER A  93     -24.883 -18.242   0.235  1.00 22.20           C
ATOM   1453  CB  SER A  93     -23.823 -18.090   1.320  1.00 21.57           C
ATOM   1456  OG  SER A  93     -23.813 -16.817   1.872  1.00 27.30           O
ATOM   1458  C   SER A  93     -25.207 -16.908  -0.529  1.00 22.52           C
ATOM   1459  O   SER A  93     -26.212 -16.213  -0.235  1.00 19.76           O
ATOM   1461  N   ILE A  94     -24.400 -16.569  -1.527  1.00 22.32           N
ATOM   1462  CA  ILE A  94     -24.707 -15.425  -2.362  1.00 22.22           C
ATOM   1464  CB  ILE A  94     -23.553 -15.081  -3.388  1.00 22.50           C
ATOM   1466  CG1 ILE A  94     -22.321 -14.560  -2.680  1.00 22.23           C
ATOM   1469  CD1 ILE A  94     -21.084 -14.589  -3.556  1.00 19.61           C
ATOM   1473  CG2 ILE A  94     -24.011 -14.069  -4.435  1.00 20.41           C
ATOM   1477  C   ILE A  94     -26.002 -15.660  -3.143  1.00 22.46           C
ATOM   1478  O   ILE A  94     -26.846 -14.817  -3.164  1.00 22.87           O
ATOM   1480  N   CYS A  95     -26.160 -16.762  -3.836  1.00 24.44           N
ATOM   1481  CA  CYS A  95     -27.452 -17.048  -4.483  1.00 26.05           C
ATOM   1483  CB  CYS A  95     -27.415 -18.426  -5.131  1.00 26.83           C
ATOM   1486  SG  CYS A  95     -26.204 -18.541  -6.527  1.00 28.09           S
ATOM   1488  C   CYS A  95     -28.679 -16.925  -3.462  1.00 26.95           C
ATOM   1489  O   CYS A  95     -29.652 -16.193  -3.689  1.00 25.51           O
ATOM   1491  N   ASN A  96     -28.550 -17.605  -2.337  1.00 27.06           N
ATOM   1492  CA  ASN A  96     -29.481 -17.488  -1.228  1.00 27.69           C
ATOM   1494  CB  ASN A  96     -28.972 -18.174   0.062  1.00 26.25           C
ATOM   1497  CG  ASN A  96     -29.018 -19.689  -0.008  1.00 26.75           C
ATOM   1498  OD1 ASN A  96     -29.531 -20.260  -0.973  1.00 27.85           O
ATOM   1499  ND2 ASN A  96     -28.442 -20.362   1.010  1.00 22.79           N
ATOM   1502  C   ASN A  96     -29.851 -16.062  -0.942  1.00 28.01           C
ATOM   1503  O   ASN A  96     -31.032 -15.800  -0.825  1.00 28.33           O
ATOM   1505  N   THR A  97     -28.889 -15.138  -0.907  1.00 28.06           N
```

```
ATOM   1506  CA  THR A  97     -29.174 -13.806  -0.423  1.00 27.85           C
ATOM   1508  CB  THR A  97     -28.054 -13.215   0.562  1.00 28.24           C
ATOM   1510  OG1 THR A  97     -27.298 -12.176  -0.069  1.00 32.96           O
ATOM   1512  CG2 THR A  97     -27.163 -14.189   1.054  1.00 23.90           C
ATOM   1516  C   THR A  97     -29.471 -12.749  -1.475  1.00 27.72           C
ATOM   1517  O   THR A  97     -30.047 -11.754  -1.146  1.00 29.22           O
ATOM   1519  N   THR A  98     -29.021 -12.896  -2.704  1.00 27.28           N
ATOM   1520  CA  THR A  98     -29.289 -11.899  -3.744  1.00 26.68           C
ATOM   1522  CB  THR A  98     -28.001 -11.558  -4.526  1.00 26.80           C
ATOM   1524  OG1 THR A  98     -27.577 -12.711  -5.266  1.00 24.60           O
ATOM   1526  CG2 THR A  98     -26.870 -11.158  -3.537  1.00 26.11           C
ATOM   1530  C   THR A  98     -30.290 -12.425  -4.719  1.00 26.65           C
ATOM   1531  O   THR A  98     -30.740 -11.703  -5.557  1.00 27.58           O
ATOM   1533  N   GLY A  99     -30.630 -13.699  -4.627  1.00 27.19           N
ATOM   1534  CA  GLY A  99     -31.450 -14.312  -5.636  1.00 27.70           C
ATOM   1537  C   GLY A  99     -30.864 -14.417  -7.041  1.00 28.93           C
ATOM   1538  O   GLY A  99     -31.576 -14.865  -7.924  1.00 27.61           O
ATOM   1540  N   VAL A 100     -29.581 -14.105  -7.301  1.00 29.69           N
ATOM   1541  CA  VAL A 100     -29.070 -14.467  -8.651  1.00 29.83           C
ATOM   1543  CB  VAL A 100     -27.649 -13.943  -8.974  1.00 30.24           C
ATOM   1545  CG1 VAL A 100     -27.638 -12.444  -9.003  1.00 33.39           C
ATOM   1549  CG2 VAL A 100     -26.661 -14.494  -7.998  1.00 28.50           C
ATOM   1553  C   VAL A 100     -29.013 -15.968  -8.833  1.00 29.97           C
ATOM   1554  O   VAL A 100     -28.908 -16.747  -7.893  1.00 28.90           O
ATOM   1556  N   GLU A 101     -29.022 -16.347 -10.098  1.00 31.73           N
ATOM   1557  CA  GLU A 101     -29.019 -17.731 -10.575  1.00 32.51           C
ATOM   1559  CB  GLU A 101     -29.275 -17.620 -12.082  1.00 34.61           C
ATOM   1562  CG  GLU A 101     -29.647 -18.878 -12.833  1.00 40.79           C
ATOM   1565  CD  GLU A 101     -29.851 -18.595 -14.350  1.00 44.48           C
ATOM   1566  OE1 GLU A 101     -29.096 -19.175 -15.161  1.00 48.94           O
ATOM   1567  OE2 GLU A 101     -30.724 -17.765 -14.714  1.00 47.68           O
ATOM   1568  C   GLU A 101     -27.678 -18.410 -10.315  1.00 31.48           C
ATOM   1569  O   GLU A 101     -26.634 -17.788 -10.445  1.00 31.03           O
ATOM   1571  N   LYS A 102     -27.714 -19.675  -9.931  1.00 31.74           N
ATOM   1572  CA  LYS A 102     -26.538 -20.434  -9.531  1.00 32.82           C
ATOM   1574  CB  LYS A 102     -26.958 -21.667  -8.721  1.00 32.25           C
ATOM   1577  CG  LYS A 102     -25.854 -22.316  -7.911  1.00 33.10           C
ATOM   1580  CD  LYS A 102     -26.308 -23.663  -7.265  1.00 34.79           C
ATOM   1583  CE  LYS A 102     -27.071 -23.472  -5.945  1.00 36.05           C
ATOM   1586  NZ  LYS A 102     -27.818 -24.722  -5.568  1.00 35.64           N
ATOM   1590  C   LYS A 102     -25.798 -20.870 -10.779  1.00 33.19           C
ATOM   1591  O   LYS A 102     -26.340 -21.613 -11.581  1.00 35.22           O
ATOM   1593  N   PRO A 103     -24.558 -20.411 -10.963  1.00 33.42           N
ATOM   1594  CA  PRO A 103     -23.861 -20.827 -12.199  1.00 33.38           C
ATOM   1596  CB  PRO A 103     -22.579 -19.991 -12.170  1.00 33.40           C
ATOM   1599  CG  PRO A 103     -22.256 -19.841 -10.665  1.00 32.31           C
ATOM   1602  CD  PRO A 103     -23.619 -19.918  -9.929  1.00 33.43           C
ATOM   1605  C   PRO A 103     -23.543 -22.320 -12.143  1.00 33.18           C
ATOM   1606  O   PRO A 103     -23.588 -22.919 -11.078  1.00 32.89           O
ATOM   1607  N   LYS A 104     -23.242 -22.954 -13.267  1.00 33.97           N
ATOM   1608  CA  LYS A 104     -22.902 -24.390 -13.177  1.00 34.76           C
ATOM   1610  CB  LYS A 104     -23.428 -25.172 -14.359  1.00 35.87           C
ATOM   1613  CG  LYS A 104     -24.969 -25.171 -14.468  1.00 39.54           C
ATOM   1616  CD  LYS A 104     -25.631 -26.419 -13.849  1.00 41.86           C
ATOM   1619  CE  LYS A 104     -27.006 -26.709 -14.510  1.00 45.68           C
ATOM   1622  NZ  LYS A 104     -27.195 -28.167 -14.830  1.00 48.38           N
ATOM   1626  C   LYS A 104     -21.411 -24.609 -13.008  1.00 33.55           C
ATOM   1627  O   LYS A 104     -21.025 -25.616 -12.423  1.00 34.79           O
ATOM   1629  N   PHE A 105     -20.572 -23.682 -13.481  1.00 32.04           N
ATOM   1630  CA  PHE A 105     -19.128 -23.710 -13.095  1.00 31.60           C
ATOM   1632  CB  PHE A 105     -18.265 -23.565 -14.343  1.00 33.09           C
ATOM   1635  CG  PHE A 105     -18.624 -24.511 -15.427  1.00 35.88           C
ATOM   1636  CD1 PHE A 105     -18.454 -25.869 -15.257  1.00 40.92           C
```

```
ATOM   1638  CE1 PHE A 105     -18.801 -26.753 -16.258  1.00 41.97           C
ATOM   1640  CZ  PHE A 105     -19.309 -26.308 -17.431  1.00 39.96           C
ATOM   1642  CE2 PHE A 105     -19.511 -24.967 -17.617  1.00 42.33           C
ATOM   1644  CD2 PHE A 105     -19.159 -24.059 -16.613  1.00 40.48           C
ATOM   1646  C   PHE A 105     -18.725 -22.579 -12.097  1.00 28.22           C
ATOM   1647  O   PHE A 105     -19.356 -21.501 -12.064  1.00 27.52           O
ATOM   1649  N   LEU A 106     -17.663 -22.788 -11.334  1.00 24.93           N
ATOM   1650  CA  LEU A 106     -17.241 -21.751 -10.371  1.00 23.49           C
ATOM   1652  CB  LEU A 106     -16.153 -22.262  -9.438  1.00 23.80           C
ATOM   1655  CG  LEU A 106     -16.607 -23.265  -8.425  1.00 22.14           C
ATOM   1657  CD1 LEU A 106     -15.361 -23.908  -7.734  1.00 18.98           C
ATOM   1661  CD2 LEU A 106     -17.485 -22.415  -7.457  1.00 16.61           C
ATOM   1665  C   LEU A 106     -16.688 -20.544 -11.061  1.00 22.77           C
ATOM   1666  O   LEU A 106     -15.827 -20.685 -11.904  1.00 21.46           O
ATOM   1668  N   PRO A 107     -17.208 -19.340 -10.716  1.00 22.55           N
ATOM   1669  CA  PRO A 107     -16.619 -18.120 -11.178  1.00 20.85           C
ATOM   1671  CB  PRO A 107     -17.789 -17.133 -11.147  1.00 20.47           C
ATOM   1674  CG  PRO A 107     -18.621 -17.581 -10.120  1.00 22.95           C
ATOM   1677  CD  PRO A 107     -18.456 -19.074  -9.979  1.00 23.33           C
ATOM   1680  C   PRO A 107     -15.489 -17.684 -10.294  1.00 18.23           C
ATOM   1681  O   PRO A 107     -15.055 -18.381  -9.418  1.00 17.05           O
ATOM   1682  N   ASP A 108     -14.997 -16.504 -10.583  1.00 18.35           N
ATOM   1683  CA  ASP A 108     -13.814 -16.028  -9.984  1.00 16.38           C
ATOM   1685  CB  ASP A 108     -12.964 -15.326 -11.003  1.00 14.64           C
ATOM   1688  CG  ASP A 108     -12.096 -16.272 -11.866  1.00 14.48           C
ATOM   1689  OD1 ASP A 108     -11.953 -15.977 -13.050  1.00 16.75           O
ATOM   1690  OD2 ASP A 108     -11.510 -17.237 -11.408  1.00 14.43           O
ATOM   1691  C   ASP A 108     -14.189 -15.040  -8.894  1.00 16.04           C
ATOM   1692  O   ASP A 108     -13.495 -15.007  -7.857  1.00 15.86           O
ATOM   1694  N   LEU A 109     -15.173 -14.191  -9.213  1.00 16.67           N
ATOM   1695  CA  LEU A 109     -15.614 -13.070  -8.357  1.00 16.75           C
ATOM   1697  CB  LEU A 109     -15.039 -11.759  -8.805  1.00 17.47           C
ATOM   1700  CG  LEU A 109     -13.511 -11.535  -8.861  1.00 17.53           C
ATOM   1702  CD1 LEU A 109     -13.197 -10.316  -9.670  1.00 21.08           C
ATOM   1706  CD2 LEU A 109     -12.987 -11.405  -7.452  1.00 19.67           C
ATOM   1710  C   LEU A 109     -17.164 -12.956  -8.360  1.00 17.15           C
ATOM   1711  O   LEU A 109     -17.817 -13.467  -9.222  1.00 18.18           O
ATOM   1713  N   TYR A 110     -17.739 -12.296  -7.348  1.00 19.32           N
ATOM   1714  CA  TYR A 110     -19.106 -11.836  -7.371  1.00 18.38           C
ATOM   1716  CB  TYR A 110     -20.010 -12.574  -6.329  1.00 19.15           C
ATOM   1719  CG  TYR A 110     -21.457 -12.104  -6.434  1.00 19.24           C
ATOM   1720  CD1 TYR A 110     -22.249 -12.529  -7.483  1.00 20.32           C
ATOM   1722  CE1 TYR A 110     -23.551 -12.125  -7.630  1.00 15.06           C
ATOM   1724  CZ  TYR A 110     -24.080 -11.225  -6.751  1.00 21.81           C
ATOM   1725  OH  TYR A 110     -25.374 -10.866  -6.953  1.00 21.28           O
ATOM   1727  CE2 TYR A 110     -23.334 -10.742  -5.664  1.00 17.41           C
ATOM   1729  CD2 TYR A 110     -21.995 -11.163  -5.543  1.00 21.83           C
ATOM   1731  C   TYR A 110     -19.113 -10.349  -7.147  1.00 18.92           C
ATOM   1732  O   TYR A 110     -18.457  -9.833  -6.246  1.00 18.02           O
ATOM   1734  N   ASP A 111     -19.885  -9.646  -7.970  1.00 20.94           N
ATOM   1735  CA  ASP A 111     -19.949  -8.185  -7.962  1.00 22.09           C
ATOM   1737  CB  ASP A 111     -19.850  -7.650  -9.396  1.00 22.02           C
ATOM   1740  CG  ASP A 111     -20.084  -6.162  -9.519  1.00 23.79           C
ATOM   1741  OD1 ASP A 111     -20.492  -5.449  -8.554  1.00 22.21           O
ATOM   1742  OD2 ASP A 111     -19.910  -5.689 -10.637  1.00 24.62           O
ATOM   1743  C   ASP A 111     -21.279  -7.833  -7.349  1.00 24.14           C
ATOM   1744  O   ASP A 111     -22.315  -8.026  -7.999  1.00 24.35           O
ATOM   1746  N   TYR A 112     -21.249  -7.403  -6.080  1.00 25.61           N
ATOM   1747  CA  TYR A 112     -22.462  -6.953  -5.363  1.00 26.29           C
ATOM   1749  CB  TYR A 112     -22.150  -6.732  -3.859  1.00 25.98           C
ATOM   1752  CG  TYR A 112     -21.866  -7.964  -3.050  1.00 27.30           C
ATOM   1753  CD1 TYR A 112     -20.550  -8.363  -2.758  1.00 26.81           C
ATOM   1755  CE1 TYR A 112     -20.299  -9.484  -2.008  1.00 27.21           C
```

```
ATOM   1757  CZ  TYR A 112     -21.366 -10.237  -1.550  1.00 28.73           C
ATOM   1758  OH  TYR A 112     -21.130 -11.370  -0.831  1.00 31.55           O
ATOM   1760  CE2 TYR A 112     -22.657  -9.869  -1.823  1.00 27.89           C
ATOM   1762  CD2 TYR A 112     -22.906  -8.744  -2.558  1.00 28.83           C
ATOM   1764  C   TYR A 112     -23.057  -5.645  -5.930  1.00 27.21           C
ATOM   1765  O   TYR A 112     -24.160  -5.274  -5.532  1.00 27.86           O
ATOM   1767  N   LYS A 113     -22.358  -4.884  -6.791  1.00 28.62           N
ATOM   1768  CA  LYS A 113     -23.036  -3.703  -7.406  1.00 28.75           C
ATOM   1770  CB  LYS A 113     -22.103  -2.530  -7.793  1.00 29.51           C
ATOM   1773  CG  LYS A 113     -22.911  -1.285  -8.187  1.00 29.92           C
ATOM   1776  CD  LYS A 113     -22.077  -0.013  -8.355  1.00 34.77           C
ATOM   1779  CE  LYS A 113     -22.549   0.884  -9.559  1.00 35.34           C
ATOM   1782  NZ  LYS A 113     -21.356   1.197 -10.524  1.00 37.61           N
ATOM   1786  C   LYS A 113     -23.889  -4.014  -8.599  1.00 29.07           C
ATOM   1787  O   LYS A 113     -24.989  -3.468  -8.726  1.00 29.19           O
ATOM   1789  N   GLU A 114     -23.408  -4.859  -9.505  1.00 29.27           N
ATOM   1790  CA  GLU A 114     -24.210  -5.278 -10.662  1.00 28.26           C
ATOM   1792  CB  GLU A 114     -23.294  -5.453 -11.843  1.00 29.03           C
ATOM   1795  CG  GLU A 114     -22.385  -4.270 -12.059  1.00 30.44           C
ATOM   1798  CD  GLU A 114     -23.092  -3.092 -12.681  1.00 37.26           C
ATOM   1799  OE1 GLU A 114     -24.235  -3.278 -13.193  1.00 38.37           O
ATOM   1800  OE2 GLU A 114     -22.496  -1.978 -12.620  1.00 40.87           O
ATOM   1801  C   GLU A 114     -24.999  -6.557 -10.480  1.00 28.88           C
ATOM   1802  O   GLU A 114     -25.766  -6.975 -11.373  1.00 28.68           O
ATOM   1804  N   ASN A 115     -24.774  -7.219  -9.343  1.00 29.17           N
ATOM   1805  CA  ASN A 115     -25.381  -8.506  -9.006  1.00 28.97           C
ATOM   1807  CB  ASN A 115     -26.877  -8.350  -8.587  1.00 29.39           C
ATOM   1810  CG  ASN A 115     -27.003  -7.869  -7.171  1.00 32.64           C
ATOM   1811  OD1 ASN A 115     -27.393  -6.719  -6.926  1.00 36.46           O
ATOM   1812  ND2 ASN A 115     -26.550  -8.702  -6.216  1.00 30.25           N
ATOM   1815  C   ASN A 115     -25.171  -9.577 -10.048  1.00 27.50           C
ATOM   1816  O   ASN A 115     -26.110 -10.227 -10.527  1.00 27.57           O
ATOM   1818  N   ARG A 116     -23.900  -9.795 -10.349  1.00 26.76           N
ATOM   1819  CA  ARG A 116     -23.485 -10.851 -11.260  1.00 24.38           C
ATOM   1821  CB  ARG A 116     -23.465 -10.333 -12.691  1.00 24.02           C
ATOM   1824  CG  ARG A 116     -22.458  -9.243 -12.891  1.00 24.22           C
ATOM   1827  CD  ARG A 116     -22.724  -8.473 -14.123  1.00 24.86           C
ATOM   1830  NE  ARG A 116     -21.691  -7.456 -14.356  1.00 27.78           N
ATOM   1832  CZ  ARG A 116     -21.816  -6.451 -15.231  1.00 28.23           C
ATOM   1833  NH1 ARG A 116     -22.943  -6.289 -15.954  1.00 27.75           N
ATOM   1836  NH2 ARG A 116     -20.842  -5.579 -15.348  1.00 24.86           N
ATOM   1839  C   ARG A 116     -22.117 -11.426 -10.905  1.00 21.72           C
ATOM   1840  O   ARG A 116     -21.272 -10.766 -10.368  1.00 20.29           O
ATOM   1842  N   PHE A 117     -21.945 -12.691 -11.233  1.00 20.91           N
ATOM   1843  CA  PHE A 117     -20.654 -13.338 -11.202  1.00 19.71           C
ATOM   1845  CB  PHE A 117     -20.829 -14.805 -11.225  1.00 18.91           C
ATOM   1848  CG  PHE A 117     -21.511 -15.335 -10.028  1.00 20.54           C
ATOM   1849  CD1 PHE A 117     -20.823 -15.466  -8.819  1.00 24.79           C
ATOM   1851  CE1 PHE A 117     -21.439 -15.936  -7.686  1.00 23.52           C
ATOM   1853  CZ  PHE A 117     -22.741 -16.334  -7.749  1.00 25.41           C
ATOM   1855  CE2 PHE A 117     -23.449 -16.234  -8.937  1.00 25.83           C
ATOM   1857  CD2 PHE A 117     -22.827 -15.738 -10.087  1.00 23.53           C
ATOM   1859  C   PHE A 117     -19.796 -12.914 -12.366  1.00 19.90           C
ATOM   1860  O   PHE A 117     -20.316 -12.421 -13.353  1.00 18.65           O
ATOM   1862  N   ILE A 118     -18.477 -13.097 -12.200  1.00 18.22           N
ATOM   1863  CA  ILE A 118     -17.502 -12.619 -13.138  1.00 18.37           C
ATOM   1865  CB  ILE A 118     -16.708 -11.373 -12.601  1.00 17.99           C
ATOM   1867  CG1 ILE A 118     -17.622 -10.220 -12.350  1.00 18.21           C
ATOM   1870  CD1 ILE A 118     -16.994  -9.029 -11.736  1.00 16.51           C
ATOM   1874  CG2 ILE A 118     -15.682 -10.949 -13.592  1.00 19.63           C
ATOM   1878  C   ILE A 118     -16.478 -13.681 -13.331  1.00 17.25           C
ATOM   1879  O   ILE A 118     -16.003 -14.271 -12.365  1.00 17.71           O
ATOM   1881  N   GLU A 119     -16.146 -13.944 -14.581  1.00 17.50           N
```

```
ATOM   1882  CA  GLU A 119     -15.076 -14.847 -14.880  1.00 18.83           C
ATOM   1884  CB  GLU A 119     -15.582 -15.938 -15.835  1.00 19.64           C
ATOM   1887  CG  GLU A 119     -14.423 -16.668 -16.517  1.00 21.62           C
ATOM   1890  CD  GLU A 119     -13.691 -17.560 -15.560  1.00 27.20           C
ATOM   1891  OE1 GLU A 119     -14.396 -18.319 -14.810  1.00 26.78           O
ATOM   1892  OE2 GLU A 119     -12.415 -17.489 -15.556  1.00 29.28           O
ATOM   1893  C   GLU A 119     -13.938 -14.023 -15.504  1.00 17.40           C
ATOM   1894  O   GLU A 119     -14.151 -13.323 -16.505  1.00 16.54           O
ATOM   1896  N   ILE A 120     -12.738 -14.153 -14.922  1.00 16.83           N
ATOM   1897  CA  ILE A 120     -11.570 -13.406 -15.342  1.00 16.12           C
ATOM   1899  CB  ILE A 120     -10.760 -12.847 -14.160  1.00 16.33           C
ATOM   1901  CG1 ILE A 120     -11.573 -11.819 -13.361  1.00 17.76           C
ATOM   1904  CD1 ILE A 120     -12.263 -10.786 -14.228  1.00 27.36           C
ATOM   1908  CG2 ILE A 120      -9.446 -12.146 -14.581  1.00 13.88           C
ATOM   1912  C   ILE A 120     -10.658 -14.381 -16.053  1.00 15.76           C
ATOM   1913  O   ILE A 120     -10.410 -15.463 -15.565  1.00 13.37           O
ATOM   1915  N   GLY A 121     -10.068 -13.902 -17.139  1.00 15.55           N
ATOM   1916  CA  GLY A 121      -9.004 -14.619 -17.879  1.00 14.19           C
ATOM   1919  C   GLY A 121      -7.871 -13.662 -18.171  1.00 13.81           C
ATOM   1920  O   GLY A 121      -8.075 -12.459 -18.299  1.00 13.14           O
ATOM   1922  N   VAL A 122      -6.651 -14.190 -18.201  1.00 14.17           N
ATOM   1923  CA  VAL A 122      -5.510 -13.370 -18.488  1.00 14.51           C
ATOM   1925  CB  VAL A 122      -4.570 -13.211 -17.237  1.00 14.04           C
ATOM   1927  CG1 VAL A 122      -3.317 -12.479 -17.552  1.00 13.22           C
ATOM   1931  CG2 VAL A 122      -5.291 -12.518 -16.063  1.00 15.86           C
ATOM   1935  C   VAL A 122      -4.811 -14.164 -19.565  1.00 16.23           C
ATOM   1936  O   VAL A 122      -4.467 -15.282 -19.309  1.00 14.98           O
ATOM   1938  N   THR A 123      -4.605 -13.595 -20.770  1.00 17.75           N
ATOM   1939  CA  THR A 123      -4.065 -14.381 -21.872  1.00 18.91           C
ATOM   1941  CB  THR A 123      -5.123 -14.590 -23.041  1.00 17.81           C
ATOM   1943  OG1 THR A 123      -4.618 -15.580 -23.949  1.00 22.42           O
ATOM   1945  CG2 THR A 123      -5.441 -13.327 -23.772  1.00 18.47           C
ATOM   1949  C   THR A 123      -2.787 -13.805 -22.487  1.00 19.65           C
ATOM   1950  O   THR A 123      -2.577 -12.642 -22.453  1.00 21.50           O
ATOM   1952  N   ARG A 124      -1.984 -14.641 -23.095  1.00 22.23           N
ATOM   1953  CA  ARG A 124      -0.904 -14.190 -23.959  1.00 25.61           C
ATOM   1955  CB  ARG A 124       0.480 -14.652 -23.417  1.00 26.74           C
ATOM   1958  CG  ARG A 124       0.532 -16.005 -22.949  1.00 30.80           C
ATOM   1961  CD  ARG A 124       1.086 -16.246 -21.527  1.00 29.87           C
ATOM   1964  NE  ARG A 124       0.205 -17.242 -20.884  1.00 28.22           N
ATOM   1966  CZ  ARG A 124       0.467 -18.494 -20.529  1.00 27.99           C
ATOM   1967  NH1 ARG A 124       1.648 -19.122 -20.695  1.00 29.17           N
ATOM   1970  NH2 ARG A 124      -0.515 -19.148 -19.966  1.00 28.47           N
ATOM   1973  C   ARG A 124      -1.145 -14.530 -25.479  1.00 26.60           C
ATOM   1974  O   ARG A 124      -0.254 -14.329 -26.297  1.00 25.75           O
ATOM   1976  N   ARG A 125      -2.382 -14.968 -25.793  1.00 27.09           N
ATOM   1977  CA  ARG A 125      -2.911 -15.193 -27.136  1.00 26.52           C
ATOM   1979  CB  ARG A 125      -3.541 -16.555 -27.256  1.00 26.05           C
ATOM   1982  CG  ARG A 125      -2.623 -17.769 -27.241  1.00 27.91           C
ATOM   1985  CD  ARG A 125      -3.468 -19.012 -27.295  1.00 29.20           C
ATOM   1988  NE  ARG A 125      -4.248 -19.132 -26.075  1.00 34.62           N
ATOM   1990  CZ  ARG A 125      -5.215 -20.023 -25.832  1.00 37.80           C
ATOM   1991  NH1 ARG A 125      -5.569 -20.963 -26.732  1.00 38.27           N
ATOM   1994  NH2 ARG A 125      -5.823 -19.973 -24.639  1.00 38.09           N
ATOM   1997  C   ARG A 125      -3.969 -14.101 -27.457  1.00 26.64           C
ATOM   1998  O   ARG A 125      -4.356 -13.300 -26.620  1.00 27.37           O
ATOM   2000  N   GLU A 126      -4.388 -14.029 -28.708  1.00 26.40           N
ATOM   2001  CA  GLU A 126      -5.385 -13.067 -29.129  1.00 25.30           C
ATOM   2003  CB  GLU A 126      -5.936 -13.469 -30.532  1.00 24.50           C
ATOM   2006  CG  GLU A 126      -7.479 -13.282 -30.656  1.00 23.62           C
ATOM   2009  CD  GLU A 126      -7.684 -11.957 -30.933  1.00 24.93           C
ATOM   2010  OE1 GLU A 126      -6.622 -11.430 -31.048  1.00 29.31           O
ATOM   2011  OE2 GLU A 126      -8.780 -11.393 -31.035  1.00 28.68           O
```

```
ATOM   2012  C   GLU A 126      -6.514 -13.156 -28.109  1.00 24.21           C
ATOM   2013  O   GLU A 126      -6.951 -14.256 -27.854  1.00 24.01           O
ATOM   2015  N   VAL A 127      -7.063 -12.024 -27.664  1.00 24.98           N
ATOM   2016  CA  VAL A 127      -8.099 -11.982 -26.580  1.00 26.27           C
ATOM   2018  CB  VAL A 127      -8.417 -10.519 -26.115  1.00 27.43           C
ATOM   2020  CG1 VAL A 127      -7.293  -9.961 -25.368  1.00 27.23           C
ATOM   2024  CG2 VAL A 127      -8.762  -9.559 -27.338  1.00 28.59           C
ATOM   2028  C   VAL A 127      -9.445 -12.655 -26.865  1.00 25.98           C
ATOM   2029  O   VAL A 127     -10.172 -13.036 -25.916  1.00 25.27           O
ATOM   2031  N   HIS A 128      -9.828 -12.763 -28.150  1.00 24.52           N
ATOM   2032  CA  HIS A 128     -11.054 -13.426 -28.473  1.00 23.35           C
ATOM   2034  CB  HIS A 128     -11.414 -13.288 -29.971  1.00 25.33           C
ATOM   2037  CG  HIS A 128     -11.856 -11.914 -30.322  1.00 19.06           C
ATOM   2038  ND1 HIS A 128     -10.958 -10.907 -30.575  1.00 18.80           N
ATOM   2040  CE1 HIS A 128     -11.611  -9.781 -30.798  1.00 20.84           C
ATOM   2042  NE2 HIS A 128     -12.912 -10.024 -30.667  1.00 19.44           N
ATOM   2044  CD2 HIS A 128     -13.089 -11.352 -30.359  1.00 19.96           C
ATOM   2046  C   HIS A 128     -10.983 -14.851 -28.132  1.00 22.89           C
ATOM   2047  O   HIS A 128     -11.983 -15.442 -27.833  1.00 22.14           O
ATOM   2049  N   ILE A 129      -9.787 -15.411 -28.132  1.00 23.38           N
ATOM   2050  CA  ILE A 129      -9.648 -16.819 -27.902  1.00 23.32           C
ATOM   2052  CB  ILE A 129      -8.255 -17.309 -28.283  1.00 22.59           C
ATOM   2054  CG1 ILE A 129      -8.059 -17.188 -29.808  1.00 22.07           C
ATOM   2057  CD1 ILE A 129      -6.676 -17.757 -30.271  1.00 22.28           C
ATOM   2061  CG2 ILE A 129      -8.104 -18.755 -27.806  1.00 23.75           C
ATOM   2065  C   ILE A 129     -10.005 -17.231 -26.471  1.00 24.22           C
ATOM   2066  O   ILE A 129     -10.868 -18.100 -26.265  1.00 24.33           O
ATOM   2068  N   TYR A 130      -9.359 -16.633 -25.472  1.00 24.98           N
ATOM   2069  CA  TYR A 130      -9.770 -16.956 -24.077  1.00 26.34           C
ATOM   2071  CB  TYR A 130      -8.910 -16.194 -23.090  1.00 26.88           C
ATOM   2074  CG  TYR A 130      -8.737 -16.845 -21.740  1.00 32.11           C
ATOM   2075  CD1 TYR A 130      -7.494 -17.325 -21.336  1.00 34.68           C
ATOM   2077  CE1 TYR A 130      -7.323 -17.891 -20.115  1.00 35.80           C
ATOM   2079  CZ  TYR A 130      -8.379 -17.955 -19.235  1.00 36.03           C
ATOM   2080  OH  TYR A 130      -8.189 -18.527 -18.005  1.00 41.73           O
ATOM   2082  CE2 TYR A 130      -9.621 -17.465 -19.572  1.00 35.71           C
ATOM   2084  CD2 TYR A 130      -9.795 -16.896 -20.811  1.00 35.79           C
ATOM   2086  C   TYR A 130     -11.258 -16.648 -23.880  1.00 25.18           C
ATOM   2087  O   TYR A 130     -11.986 -17.447 -23.289  1.00 24.90           O
ATOM   2089  N   TYR A 131     -11.723 -15.510 -24.404  1.00 25.15           N
ATOM   2090  CA  TYR A 131     -13.136 -15.160 -24.341  1.00 24.93           C
ATOM   2092  CB  TYR A 131     -13.427 -13.860 -25.084  1.00 24.59           C
ATOM   2095  CG  TYR A 131     -14.808 -13.403 -24.819  1.00 24.95           C
ATOM   2096  CD1 TYR A 131     -15.065 -12.450 -23.856  1.00 24.13           C
ATOM   2098  CE1 TYR A 131     -16.305 -12.076 -23.546  1.00 23.50           C
ATOM   2100  CZ  TYR A 131     -17.395 -12.653 -24.173  1.00 28.67           C
ATOM   2101  OH  TYR A 131     -18.690 -12.187 -23.856  1.00 27.17           O
ATOM   2103  CE2 TYR A 131     -17.193 -13.588 -25.164  1.00 30.09           C
ATOM   2105  CD2 TYR A 131     -15.897 -13.975 -25.478  1.00 30.21           C
ATOM   2107  C   TYR A 131     -14.038 -16.269 -24.892  1.00 26.90           C
ATOM   2108  O   TYR A 131     -15.006 -16.614 -24.240  1.00 25.95           O
ATOM   2110  N   LEU A 132     -13.713 -16.839 -26.076  1.00 28.42           N
ATOM   2111  CA  LEU A 132     -14.509 -17.966 -26.664  1.00 28.97           C
ATOM   2113  CB  LEU A 132     -13.956 -18.362 -28.056  1.00 29.43           C
ATOM   2116  CG  LEU A 132     -14.117 -17.291 -29.136  1.00 31.58           C
ATOM   2118  CD1 LEU A 132     -13.623 -17.752 -30.546  1.00 27.53           C
ATOM   2122  CD2 LEU A 132     -15.575 -16.857 -29.145  1.00 25.39           C
ATOM   2126  C   LEU A 132     -14.449 -19.211 -25.822  1.00 29.28           C
ATOM   2127  O   LEU A 132     -15.463 -19.895 -25.573  1.00 27.68           O
ATOM   2129  N   GLU A 133     -13.249 -19.553 -25.390  1.00 31.42           N
ATOM   2130  CA  GLU A 133     -13.129 -20.787 -24.589  1.00 33.34           C
ATOM   2132  CB  GLU A 133     -11.704 -21.086 -24.169  1.00 33.37           C
ATOM   2135  CG  GLU A 133     -10.854 -21.366 -25.370  1.00 38.04           C
```

```
ATOM   2138  CD  GLU A 133      -9.387 -21.656 -25.073  1.00 42.78           C
ATOM   2139  OE1 GLU A 133      -8.977 -21.697 -23.880  1.00 45.36           O
ATOM   2140  OE2 GLU A 133      -8.651 -21.867 -26.072  1.00 47.10           O
ATOM   2141  C   GLU A 133     -14.031 -20.721 -23.402  1.00 33.96           C
ATOM   2142  O   GLU A 133     -14.672 -21.716 -23.062  1.00 35.17           O
ATOM   2144  N   LYS A 134     -14.129 -19.553 -22.792  1.00 34.78           N
ATOM   2145  CA  LYS A 134     -14.964 -19.403 -21.631  1.00 36.41           C
ATOM   2147  CB  LYS A 134     -14.381 -18.372 -20.614  1.00 36.53           C
ATOM   2150  CG  LYS A 134     -13.061 -18.869 -19.908  1.00 38.50           C
ATOM   2153  CD  LYS A 134     -13.230 -20.269 -19.209  1.00 43.08           C
ATOM   2156  CE  LYS A 134     -11.924 -21.067 -18.997  1.00 44.84           C
ATOM   2159  NZ  LYS A 134     -12.187 -22.562 -18.962  1.00 48.99           N
ATOM   2163  C   LYS A 134     -16.443 -19.181 -21.924  1.00 37.46           C
ATOM   2164  O   LYS A 134     -17.277 -19.657 -21.144  1.00 36.37           O
ATOM   2166  N   ALA A 135     -16.788 -18.470 -23.004  1.00 38.60           N
ATOM   2167  CA  ALA A 135     -18.215 -18.370 -23.414  1.00 39.74           C
ATOM   2169  CB  ALA A 135     -18.416 -17.303 -24.520  1.00 39.13           C
ATOM   2173  C   ALA A 135     -18.811 -19.733 -23.862  1.00 41.19           C
ATOM   2174  O   ALA A 135     -20.034 -19.971 -23.749  1.00 40.43           O
ATOM   2176  N   ASN A 136     -17.954 -20.617 -24.367  1.00 43.50           N
ATOM   2177  CA  ASN A 136     -18.398 -21.936 -24.833  1.00 46.08           C
ATOM   2179  CB  ASN A 136     -17.261 -22.693 -25.550  1.00 46.15           C
ATOM   2182  CG  ASN A 136     -17.037 -22.200 -26.993  1.00 48.34           C
ATOM   2183  OD1 ASN A 136     -17.824 -21.402 -27.523  1.00 49.55           O
ATOM   2184  ND2 ASN A 136     -15.932 -22.672 -27.635  1.00 50.97           N
ATOM   2187  C   ASN A 136     -19.022 -22.784 -23.722  1.00 47.77           C
ATOM   2188  O   ASN A 136     -20.081 -23.375 -23.923  1.00 48.03           O
ATOM   2190  N   LYS A 137     -18.381 -22.809 -22.555  1.00 50.42           N
ATOM   2191  CA  LYS A 137     -18.894 -23.517 -21.371  1.00 52.35           C
ATOM   2193  CB  LYS A 137     -17.724 -23.793 -20.423  1.00 53.15           C
ATOM   2196  CG  LYS A 137     -16.865 -25.004 -20.836  1.00 55.37           C
ATOM   2199  CD  LYS A 137     -15.544 -24.603 -21.505  1.00 57.57           C
ATOM   2202  CE  LYS A 137     -14.875 -25.810 -22.180  1.00 60.15           C
ATOM   2205  NZ  LYS A 137     -13.428 -25.568 -22.481  1.00 62.86           N
ATOM   2209  C   LYS A 137     -20.031 -22.798 -20.608  1.00 53.64           C
ATOM   2210  O   LYS A 137     -20.954 -23.434 -20.087  1.00 53.80           O
ATOM   2212  N   ILE A 138     -19.960 -21.476 -20.554  1.00 54.94           N
ATOM   2213  CA  ILE A 138     -20.962 -20.644 -19.882  1.00 56.34           C
ATOM   2215  CB  ILE A 138     -20.400 -19.202 -19.722  1.00 56.27           C
ATOM   2217  CG1 ILE A 138     -19.567 -19.117 -18.442  1.00 56.21           C
ATOM   2220  CD1 ILE A 138     -18.643 -17.902 -18.383  1.00 55.28           C
ATOM   2224  CG2 ILE A 138     -21.502 -18.147 -19.754  1.00 57.01           C
ATOM   2228  C   ILE A 138     -22.342 -20.603 -20.563  1.00 57.52           C
ATOM   2229  O   ILE A 138     -23.352 -20.244 -19.919  1.00 58.75           O
ATOM   2231  N   LYS A 139     -22.384 -20.972 -21.843  1.00 58.47           N
ATOM   2232  CA  LYS A 139     -23.606 -20.937 -22.677  1.00 59.03           C
ATOM   2234  CB  LYS A 139     -24.283 -22.314 -22.714  1.00 59.40           C
ATOM   2237  CG  LYS A 139     -23.567 -23.375 -23.583  1.00 61.60           C
ATOM   2240  CD  LYS A 139     -23.664 -23.086 -25.117  1.00 63.74           C
ATOM   2243  CE  LYS A 139     -23.146 -24.277 -25.948  1.00 65.00           C
ATOM   2246  NZ  LYS A 139     -22.573 -23.906 -27.284  1.00 66.48           N
ATOM   2250  C   LYS A 139     -24.616 -19.863 -22.259  1.00 58.99           C
ATOM   2251  O   LYS A 139     -25.540 -20.123 -21.483  1.00 58.89           O
ATOM   2253  N   GLU A 141     -25.979 -18.214 -19.379  1.00 50.86           N
ATOM   2254  CA  GLU A 141     -24.832 -17.298 -19.464  1.00 50.54           C
ATOM   2256  CB  GLU A 141     -24.517 -16.940 -20.936  1.00 51.64           C
ATOM   2259  CG  GLU A 141     -25.745 -16.809 -21.884  1.00 54.93           C
ATOM   2262  CD  GLU A 141     -26.562 -15.516 -21.730  1.00 58.27           C
ATOM   2263  OE1 GLU A 141     -26.960 -14.961 -22.789  1.00 60.97           O
ATOM   2264  OE2 GLU A 141     -26.847 -15.077 -20.585  1.00 60.03           O
ATOM   2265  C   GLU A 141     -24.989 -16.005 -18.666  1.00 48.69           C
ATOM   2266  O   GLU A 141     -24.764 -14.905 -19.184  1.00 49.48           O
ATOM   2268  N   LYS A 142     -25.337 -16.107 -17.396  1.00 46.08           N
```

```
ATOM   2269  CA  LYS A 142     -25.369 -14.877 -16.589  1.00 43.51           C
ATOM   2271  CB  LYS A 142     -26.465 -15.005 -15.535  1.00 43.94           C
ATOM   2274  CG  LYS A 142     -27.855 -15.247 -16.199  1.00 46.65           C
ATOM   2277  CD  LYS A 142     -28.984 -14.426 -15.531  1.00 51.06           C
ATOM   2280  CE  LYS A 142     -29.126 -12.991 -16.116  1.00 52.66           C
ATOM   2283  NZ  LYS A 142     -30.332 -12.857 -17.031  1.00 51.94           N
ATOM   2287  C   LYS A 142     -23.992 -14.478 -16.003  1.00 39.86           C
ATOM   2288  O   LYS A 142     -23.857 -13.490 -15.238  1.00 38.77           O
ATOM   2290  N   THR A 143     -22.963 -15.244 -16.348  1.00 35.54           N
ATOM   2291  CA  THR A 143     -21.640 -14.964 -15.787  1.00 32.29           C
ATOM   2293  CB  THR A 143     -20.855 -16.223 -15.534  1.00 31.98           C
ATOM   2295  OG1 THR A 143     -21.482 -16.936 -14.461  1.00 32.43           O
ATOM   2297  CG2 THR A 143     -19.436 -15.916 -15.122  1.00 30.99           C
ATOM   2301  C   THR A 143     -20.965 -13.970 -16.736  1.00 30.44           C
ATOM   2302  O   THR A 143     -20.903 -14.187 -17.952  1.00 30.80           O
ATOM   2304  N   HIS A 144     -20.548 -12.835 -16.192  1.00 27.71           N
ATOM   2305  CA  HIS A 144     -19.849 -11.816 -16.974  1.00 26.31           C
ATOM   2307  CB  HIS A 144     -19.872 -10.499 -16.220  1.00 25.89           C
ATOM   2310  CG  HIS A 144     -19.848  -9.292 -17.110  1.00 25.95           C
ATOM   2311  ND1 HIS A 144     -20.985  -8.781 -17.691  1.00 23.29           N
ATOM   2313  CE1 HIS A 144     -20.674  -7.684 -18.363  1.00 25.31           C
ATOM   2315  NE2 HIS A 144     -19.381  -7.455 -18.224  1.00 20.55           N
ATOM   2317  CD2 HIS A 144     -18.837  -8.462 -17.464  1.00 24.29           C
ATOM   2319  C   HIS A 144     -18.401 -12.215 -17.187  1.00 25.34           C
ATOM   2320  O   HIS A 144     -17.779 -12.650 -16.225  1.00 24.19           O
ATOM   2322  N   ILE A 145     -17.866 -12.048 -18.417  1.00 22.58           N
ATOM   2323  CA  ILE A 145     -16.508 -12.466 -18.758  1.00 20.97           C
ATOM   2325  CB  ILE A 145     -16.464 -13.312 -20.082  1.00 21.27           C
ATOM   2327  CG1 ILE A 145     -17.378 -14.497 -20.022  1.00 21.49           C
ATOM   2330  CD1 ILE A 145     -17.419 -15.334 -21.374  1.00 17.19           C
ATOM   2334  CG2 ILE A 145     -15.143 -13.876 -20.357  1.00 20.45           C
ATOM   2338  C   ILE A 145     -15.684 -11.219 -18.985  1.00 21.22           C
ATOM   2339  O   ILE A 145     -16.163 -10.323 -19.651  1.00 21.63           O
ATOM   2341  N   HIS A 146     -14.454 -11.149 -18.426  1.00 20.18           N
ATOM   2342  CA  HIS A 146     -13.550 -10.070 -18.670  1.00 19.45           C
ATOM   2344  CB  HIS A 146     -13.495  -9.132 -17.464  1.00 20.53           C
ATOM   2347  CG  HIS A 146     -12.856  -7.807 -17.730  1.00 19.65           C
ATOM   2348  ND1 HIS A 146     -13.235  -6.663 -17.065  1.00 19.96           N
ATOM   2350  CE1 HIS A 146     -12.503  -5.646 -17.489  1.00 21.90           C
ATOM   2352  NE2 HIS A 146     -11.643  -6.098 -18.385  1.00 18.30           N
ATOM   2354  CD2 HIS A 146     -11.837  -7.446 -18.544  1.00 20.67           C
ATOM   2356  C   HIS A 146     -12.208 -10.672 -18.859  1.00 20.19           C
ATOM   2357  O   HIS A 146     -11.674 -11.322 -17.921  1.00 19.48           O
ATOM   2359  N   ILE A 147     -11.620 -10.424 -20.035  1.00 19.77           N
ATOM   2360  CA  ILE A 147     -10.316 -10.989 -20.380  1.00 20.64           C
ATOM   2362  CB  ILE A 147     -10.316 -11.676 -21.781  1.00 22.08           C
ATOM   2364  CG1 ILE A 147     -11.479 -12.695 -21.908  1.00 23.83           C
ATOM   2367  CD1 ILE A 147     -11.275 -13.963 -21.095  1.00 28.34           C
ATOM   2371  CG2 ILE A 147      -8.954 -12.269 -22.059  1.00 18.00           C
ATOM   2375  C   ILE A 147      -9.322  -9.854 -20.438  1.00 20.39           C
ATOM   2376  O   ILE A 147      -9.612  -8.776 -20.940  1.00 19.54           O
ATOM   2378  N   PHE A 148      -8.139 -10.087 -19.914  1.00 20.81           N
ATOM   2379  CA  PHE A 148      -7.089  -9.101 -20.027  1.00 21.42           C
ATOM   2381  CB  PHE A 148      -6.520  -8.725 -18.647  1.00 20.44           C
ATOM   2384  CG  PHE A 148      -7.475  -7.995 -17.759  1.00 18.59           C
ATOM   2385  CD1 PHE A 148      -7.427  -6.623 -17.675  1.00 16.88           C
ATOM   2387  CE1 PHE A 148      -8.293  -5.907 -16.816  1.00 18.61           C
ATOM   2389  CZ  PHE A 148      -9.150  -6.574 -16.009  1.00 15.82           C
ATOM   2391  CE2 PHE A 148      -9.199  -7.949 -16.053  1.00 16.39           C
ATOM   2393  CD2 PHE A 148      -8.384  -8.673 -16.947  1.00 14.33           C
ATOM   2395  C   PHE A 148      -5.962  -9.766 -20.820  1.00 22.77           C
ATOM   2396  O   PHE A 148      -5.827 -10.947 -20.774  1.00 24.80           O
ATOM   2398  N   SER A 149      -5.094  -8.997 -21.441  1.00 25.54           N
```

```
ATOM   2399  CA  SER A 149      -4.004  -9.551 -22.218  1.00 27.57           C
ATOM   2401  CB  SER A 149      -4.324  -9.418 -23.730  1.00 28.36           C
ATOM   2404  OG  SER A 149      -3.237  -8.851 -24.430  1.00 31.65           O
ATOM   2406  C   SER A 149      -2.750  -8.815 -21.846  1.00 28.12           C
ATOM   2407  O   SER A 149      -2.798  -7.814 -21.170  1.00 29.37           O
ATOM   2409  N   PHE A 150      -1.613  -9.341 -22.242  1.00 29.44           N
ATOM   2410  CA  PHE A 150      -0.349  -8.768 -21.859  1.00 29.97           C
ATOM   2412  CB  PHE A 150       0.774  -9.853 -21.787  1.00 30.15           C
ATOM   2415  CG  PHE A 150       0.776 -10.720 -20.553  1.00 26.32           C
ATOM   2416  CD1 PHE A 150       1.529 -10.388 -19.475  1.00 25.66           C
ATOM   2418  CE1 PHE A 150       1.567 -11.161 -18.360  1.00 22.39           C
ATOM   2420  CZ  PHE A 150       0.849 -12.358 -18.302  1.00 23.54           C
ATOM   2422  CE2 PHE A 150       0.092 -12.712 -19.353  1.00 20.62           C
ATOM   2424  CD2 PHE A 150       0.065 -11.898 -20.495  1.00 26.99           C
ATOM   2426  C   PHE A 150      -0.005  -7.694 -22.910  1.00 31.85           C
ATOM   2427  O   PHE A 150       1.103  -7.209 -22.930  1.00 33.22           O
ATOM   2429  N   THR A 151      -0.943  -7.326 -23.783  1.00 32.17           N
ATOM   2430  CA  THR A 151      -0.667  -6.333 -24.841  1.00 32.67           C
ATOM   2432  CB  THR A 151      -1.199  -6.748 -26.287  1.00 32.13           C
ATOM   2434  OG1 THR A 151      -2.642  -6.863 -26.288  1.00 33.12           O
ATOM   2436  CG2 THR A 151      -0.640  -8.025 -26.738  1.00 31.02           C
ATOM   2440  C   THR A 151      -1.404  -5.062 -24.556  1.00 32.44           C
ATOM   2441  O   THR A 151      -1.257  -4.109 -25.292  1.00 32.41           O
ATOM   2443  N   GLY A 152      -2.246  -5.070 -23.526  1.00 32.32           N
ATOM   2444  CA  GLY A 152      -3.124  -3.936 -23.280  1.00 31.84           C
ATOM   2447  C   GLY A 152      -4.561  -4.041 -23.735  1.00 30.62           C
ATOM   2448  O   GLY A 152      -5.388  -3.226 -23.314  1.00 32.36           O
ATOM   2450  N   GLU A 153      -4.878  -4.990 -24.597  1.00 29.33           N
ATOM   2451  CA  GLU A 153      -6.244  -5.239 -25.050  1.00 28.81           C
ATOM   2453  CB  GLU A 153      -6.294  -6.144 -26.311  1.00 29.16           C
ATOM   2456  CG  GLU A 153      -5.528  -5.593 -27.515  1.00 34.39           C
ATOM   2459  CD  GLU A 153      -5.423  -6.598 -28.624  1.00 37.09           C
ATOM   2460  OE1 GLU A 153      -4.267  -6.948 -28.983  1.00 43.50           O
ATOM   2461  OE2 GLU A 153      -6.493  -7.050 -29.081  1.00 33.81           O
ATOM   2462  C   GLU A 153      -7.060  -5.928 -23.951  1.00 27.34           C
ATOM   2463  O   GLU A 153      -6.520  -6.690 -23.180  1.00 26.85           O
ATOM   2465  N   GLU A 154      -8.346  -5.624 -23.893  1.00 26.64           N
ATOM   2466  CA  GLU A 154      -9.294  -6.317 -23.056  1.00 28.17           C
ATOM   2468  CB  GLU A 154      -9.787  -5.434 -21.919  1.00 28.44           C
ATOM   2471  CG  GLU A 154      -8.784  -4.778 -21.031  1.00 29.35           C
ATOM   2474  CD  GLU A 154      -9.443  -3.680 -20.206  1.00 31.99           C
ATOM   2475  OE1 GLU A 154     -10.224  -4.006 -19.260  1.00 27.59           O
ATOM   2476  OE2 GLU A 154      -9.199  -2.480 -20.536  1.00 33.26           O
ATOM   2477  C   GLU A 154     -10.533  -6.690 -23.877  1.00 28.57           C
ATOM   2478  O   GLU A 154     -10.837  -6.067 -24.898  1.00 29.85           O
ATOM   2480  N   MET A 155     -11.249  -7.697 -23.416  1.00 28.27           N
ATOM   2481  CA  MET A 155     -12.542  -8.016 -23.954  1.00 27.95           C
ATOM   2483  CB  MET A 155     -12.397  -9.086 -25.045  1.00 28.61           C
ATOM   2486  CG  MET A 155     -13.695  -9.578 -25.605  1.00 29.85           C
ATOM   2489  SD  MET A 155     -13.473 -10.569 -27.093  1.00 32.63           S
ATOM   2490  CE  MET A 155     -13.281  -9.059 -28.068  1.00 35.44           C
ATOM   2494  C   MET A 155     -13.497  -8.465 -22.837  1.00 27.07           C
ATOM   2495  O   MET A 155     -13.233  -9.409 -22.106  1.00 25.23           O
ATOM   2497  N   ALA A 156     -14.594  -7.744 -22.720  1.00 27.17           N
ATOM   2498  CA  ALA A 156     -15.584  -7.970 -21.682  1.00 28.43           C
ATOM   2500  CB  ALA A 156     -15.657  -6.774 -20.687  1.00 27.43           C
ATOM   2504  C   ALA A 156     -16.906  -8.133 -22.356  1.00 28.18           C
ATOM   2505  O   ALA A 156     -17.134  -7.517 -23.406  1.00 28.26           O
ATOM   2507  N   THR A 157     -17.773  -8.963 -21.777  1.00 28.86           N
ATOM   2508  CA  THR A 157     -19.119  -9.076 -22.313  1.00 28.83           C
ATOM   2510  CB  THR A 157     -19.910 -10.291 -21.749  1.00 30.26           C
ATOM   2512  OG1 THR A 157     -21.272  -9.948 -21.377  1.00 32.79           O
ATOM   2514  CG2 THR A 157     -19.173 -10.901 -20.657  1.00 22.57           C
```

```
ATOM   2518  C   THR A 157     -19.902  -7.743 -22.383  1.00 29.08           C
ATOM   2519  O   THR A 157     -19.809  -6.874 -21.491  1.00 27.35           O
ATOM   2521  N   LYS A 158     -20.601  -7.606 -23.540  1.00 29.75           N
ATOM   2522  CA  LYS A 158     -21.300  -6.405 -23.979  1.00 29.46           C
ATOM   2524  CB  LYS A 158     -22.543  -6.143 -23.124  1.00 30.88           C
ATOM   2527  CG  LYS A 158     -23.664  -7.067 -23.399  1.00 33.93           C
ATOM   2530  CD  LYS A 158     -24.908  -6.587 -22.636  1.00 37.97           C
ATOM   2533  CE  LYS A 158     -25.731  -7.723 -22.036  1.00 38.89           C
ATOM   2536  NZ  LYS A 158     -26.962  -7.133 -21.386  1.00 44.09           N
ATOM   2540  C   LYS A 158     -20.439  -5.191 -23.925  1.00 29.29           C
ATOM   2541  O   LYS A 158     -20.965  -4.094 -23.775  1.00 29.22           O
ATOM   2543  N   ALA A 159     -19.124  -5.363 -24.025  1.00 28.23           N
ATOM   2544  CA  ALA A 159     -18.214  -4.246 -23.875  1.00 27.72           C
ATOM   2546  CB  ALA A 159     -18.268  -3.339 -25.125  1.00 27.45           C
ATOM   2550  C   ALA A 159     -18.417  -3.449 -22.575  1.00 26.99           C
ATOM   2551  O   ALA A 159     -18.112  -2.280 -22.480  1.00 26.15           O
ATOM   2553  N   ASP A 160     -18.892  -4.113 -21.539  1.00 27.50           N
ATOM   2554  CA  ASP A 160     -19.009  -3.534 -20.201  1.00 26.58           C
ATOM   2556  CB  ASP A 160     -20.297  -4.092 -19.616  1.00 28.34           C
ATOM   2559  CG  ASP A 160     -20.612  -3.593 -18.226  1.00 28.80           C
ATOM   2560  OD1 ASP A 160     -19.747  -2.968 -17.562  1.00 28.49           O
ATOM   2561  OD2 ASP A 160     -21.779  -3.854 -17.820  1.00 31.47           O
ATOM   2562  C   ASP A 160     -17.766  -3.973 -19.379  1.00 26.86           C
ATOM   2563  O   ASP A 160     -17.569  -5.139 -19.037  1.00 25.77           O
ATOM   2565  N   TYR A 161     -16.913  -3.019 -19.048  1.00 26.95           N
ATOM   2566  CA  TYR A 161     -15.658  -3.349 -18.414  1.00 27.50           C
ATOM   2568  CB  TYR A 161     -14.587  -2.461 -19.006  1.00 26.48           C
ATOM   2571  CG  TYR A 161     -14.366  -2.732 -20.454  1.00 30.05           C
ATOM   2572  CD1 TYR A 161     -13.636  -3.830 -20.871  1.00 31.06           C
ATOM   2574  CE1 TYR A 161     -13.416  -4.067 -22.232  1.00 36.48           C
ATOM   2576  CZ  TYR A 161     -13.941  -3.164 -23.197  1.00 36.01           C
ATOM   2577  OH  TYR A 161     -13.731  -3.378 -24.524  1.00 36.30           O
ATOM   2579  CE2 TYR A 161     -14.682  -2.079 -22.805  1.00 33.71           C
ATOM   2581  CD2 TYR A 161     -14.876  -1.849 -21.440  1.00 36.04           C
ATOM   2583  C   TYR A 161     -15.665  -3.310 -16.860  1.00 26.13           C
ATOM   2584  O   TYR A 161     -14.651  -3.519 -16.222  1.00 26.59           O
ATOM   2586  N   THR A 162     -16.833  -3.103 -16.284  1.00 26.72           N
ATOM   2587  CA  THR A 162     -17.093  -3.127 -14.814  1.00 25.55           C
ATOM   2589  CB  THR A 162     -16.799  -4.515 -14.188  1.00 26.01           C
ATOM   2591  OG1 THR A 162     -17.667  -5.503 -14.752  1.00 24.29           O
ATOM   2593  CG2 THR A 162     -17.003  -4.499 -12.642  1.00 24.98           C
ATOM   2597  C   THR A 162     -16.362  -2.064 -14.018  1.00 25.32           C
ATOM   2598  O   THR A 162     -16.975  -1.217 -13.407  1.00 24.39           O
ATOM   2600  N   LEU A 163     -15.037  -2.137 -13.988  1.00 25.35           N
ATOM   2601  CA  LEU A 163     -14.223  -1.227 -13.180  1.00 24.16           C
ATOM   2603  CB  LEU A 163     -12.871  -1.884 -12.978  1.00 23.47           C
ATOM   2606  CG  LEU A 163     -12.849  -3.199 -12.193  1.00 20.40           C
ATOM   2608  CD1 LEU A 163     -11.417  -3.756 -12.243  1.00 19.33           C
ATOM   2612  CD2 LEU A 163     -13.268  -2.932 -10.827  1.00 16.61           C
ATOM   2616  C   LEU A 163     -13.998   0.119 -13.867  1.00 25.44           C
ATOM   2617  O   LEU A 163     -14.137   0.228 -15.113  1.00 26.02           O
ATOM   2619  N   ASP A 164     -13.612   1.122 -13.078  1.00 25.92           N
ATOM   2620  CA  ASP A 164     -13.156   2.411 -13.611  1.00 27.67           C
ATOM   2622  CB  ASP A 164     -12.812   3.383 -12.487  1.00 28.55           C
ATOM   2625  CG  ASP A 164     -11.681   2.869 -11.595  1.00 32.34           C
ATOM   2626  OD1 ASP A 164     -11.986   2.073 -10.684  1.00 36.78           O
ATOM   2627  OD2 ASP A 164     -10.483   3.228 -11.801  1.00 38.62           O
ATOM   2628  C   ASP A 164     -11.889   2.283 -14.446  1.00 26.93           C
ATOM   2629  O   ASP A 164     -11.105   1.342 -14.270  1.00 26.55           O
ATOM   2631  N   GLU A 165     -11.655   3.277 -15.284  1.00 26.54           N
ATOM   2632  CA  GLU A 165     -10.460   3.300 -16.110  1.00 27.41           C
ATOM   2634  CB  GLU A 165     -10.345   4.579 -16.974  1.00 27.87           C
ATOM   2637  CG  GLU A 165      -9.794   4.249 -18.441  1.00 32.49           C
```

```
ATOM   2640  CD  GLU A 165      -9.346   5.481 -19.287  1.00 38.18           C
ATOM   2641  OE1 GLU A 165     -10.068   6.515 -19.249  1.00 40.83           O
ATOM   2642  OE2 GLU A 165      -8.269   5.404 -19.972  1.00 39.28           O
ATOM   2643  C   GLU A 165      -9.176   3.123 -15.309  1.00 26.49           C
ATOM   2644  O   GLU A 165      -8.269   2.385 -15.750  1.00 26.51           O
ATOM   2646  N   GLU A 166      -9.086   3.780 -14.144  1.00 25.65           N
ATOM   2647  CA  GLU A 166      -7.831   3.759 -13.367  1.00 24.90           C
ATOM   2649  CB  GLU A 166      -7.766   4.893 -12.308  1.00 25.89           C
ATOM   2652  CG  GLU A 166      -6.557   4.845 -11.256  1.00 27.20           C
ATOM   2655  CD  GLU A 166      -5.207   5.176 -11.884  1.00 31.46           C
ATOM   2656  OE1 GLU A 166      -5.196   5.320 -13.104  1.00 36.92           O
ATOM   2657  OE2 GLU A 166      -4.179   5.346 -11.188  1.00 33.28           O
ATOM   2658  C   GLU A 166      -7.513   2.366 -12.796  1.00 23.39           C
ATOM   2659  O   GLU A 166      -6.384   1.985 -12.800  1.00 23.57           O
ATOM   2661  N   SER A 167      -8.485   1.581 -12.362  1.00 21.96           N
ATOM   2662  CA  SER A 167      -8.196   0.262 -11.855  1.00 21.28           C
ATOM   2664  CB  SER A 167      -9.382  -0.289 -11.108  1.00 21.54           C
ATOM   2667  OG  SER A 167      -9.873   0.607 -10.137  1.00 23.03           O
ATOM   2669  C   SER A 167      -7.831  -0.732 -12.968  1.00 22.43           C
ATOM   2670  O   SER A 167      -7.006  -1.656 -12.776  1.00 20.55           O
ATOM   2672  N   ARG A 168      -8.438  -0.544 -14.146  1.00 22.10           N
ATOM   2673  CA  ARG A 168      -8.072  -1.372 -15.270  1.00 22.84           C
ATOM   2675  CB  ARG A 168      -9.055  -1.204 -16.427  1.00 22.98           C
ATOM   2678  CG  ARG A 168     -10.480  -1.746 -16.146  1.00 24.56           C
ATOM   2681  CD  ARG A 168     -11.169  -1.910 -17.448  1.00 29.37           C
ATOM   2684  NE  ARG A 168     -11.740  -0.691 -17.957  1.00 31.84           N
ATOM   2686  CZ  ARG A 168     -11.753  -0.301 -19.225  1.00 30.69           C
ATOM   2687  NH1 ARG A 168     -11.167  -0.969 -20.196  1.00 33.79           N
ATOM   2690  NH2 ARG A 168     -12.352   0.805 -19.514  1.00 29.78           N
ATOM   2693  C   ARG A 168      -6.627  -1.068 -15.710  1.00 21.35           C
ATOM   2694  O   ARG A 168      -5.887  -1.974 -16.070  1.00 19.69           O
ATOM   2696  N   ALA A 169      -6.240   0.196 -15.667  1.00 21.39           N
ATOM   2697  CA  ALA A 169      -4.874   0.579 -16.055  1.00 22.12           C
ATOM   2699  CB  ALA A 169      -4.806   2.114 -16.246  1.00 22.67           C
ATOM   2703  C   ALA A 169      -3.805   0.078 -15.052  1.00 21.58           C
ATOM   2704  O   ALA A 169      -2.678  -0.196 -15.400  1.00 22.14           O
ATOM   2706  N   ARG A 170      -4.197  -0.058 -13.805  1.00 22.87           N
ATOM   2707  CA  ARG A 170      -3.356  -0.591 -12.767  1.00 23.19           C
ATOM   2709  CB  ARG A 170      -4.077  -0.343 -11.469  1.00 25.00           C
ATOM   2712  CG  ARG A 170      -3.231  -0.432 -10.239  1.00 30.84           C
ATOM   2715  CD  ARG A 170      -3.998  -0.081  -8.958  1.00 37.81           C
ATOM   2718  NE  ARG A 170      -3.160  -0.405  -7.783  1.00 43.54           N
ATOM   2720  CZ  ARG A 170      -2.454   0.484  -7.052  1.00 47.99           C
ATOM   2721  NH1 ARG A 170      -2.485   1.793  -7.330  1.00 48.50           N
ATOM   2724  NH2 ARG A 170      -1.726   0.070  -6.002  1.00 47.36           N
ATOM   2727  C   ARG A 170      -3.065  -2.090 -12.998  1.00 22.30           C
ATOM   2728  O   ARG A 170      -1.890  -2.497 -13.034  1.00 22.41           O
ATOM   2730  N   ILE A 171      -4.115  -2.872 -13.257  1.00 21.20           N
ATOM   2731  CA  ILE A 171      -3.998  -4.261 -13.719  1.00 21.18           C
ATOM   2733  CB  ILE A 171      -5.406  -4.868 -14.032  1.00 21.39           C
ATOM   2735  CG1 ILE A 171      -6.249  -4.835 -12.743  1.00 21.48           C
ATOM   2738  CD1 ILE A 171      -7.609  -5.381 -12.762  1.00 21.47           C
ATOM   2742  CG2 ILE A 171      -5.268  -6.273 -14.685  1.00 19.89           C
ATOM   2746  C   ILE A 171      -3.131  -4.314 -14.962  1.00 22.08           C
ATOM   2747  O   ILE A 171      -2.183  -5.076 -15.048  1.00 22.01           O
ATOM   2749  N   LYS A 172      -3.426  -3.492 -15.953  1.00 23.68           N
ATOM   2750  CA  LYS A 172      -2.645  -3.570 -17.198  1.00 23.86           C
ATOM   2752  CB  LYS A 172      -3.266  -2.680 -18.237  1.00 24.88           C
ATOM   2755  CG  LYS A 172      -4.632  -3.113 -18.725  1.00 25.07           C
ATOM   2758  CD  LYS A 172      -5.317  -1.857 -19.226  1.00 25.86           C
ATOM   2761  CE  LYS A 172      -6.336  -2.104 -20.216  1.00 29.35           C
ATOM   2764  NZ  LYS A 172      -7.284  -0.864 -20.262  1.00 35.34           N
ATOM   2768  C   LYS A 172      -1.198  -3.144 -16.986  1.00 22.74           C
```

```
ATOM   2769  O   LYS A 172      -0.274  -3.716 -17.558  1.00 22.06           O
ATOM   2771  N   THR A 173      -0.982  -2.167 -16.112  1.00 22.31           N
ATOM   2772  CA  THR A 173       0.395  -1.877 -15.732  1.00 21.79           C
ATOM   2774  CB  THR A 173       0.510  -0.647 -14.861  1.00 22.72           C
ATOM   2776  OG1 THR A 173      -0.118   0.445 -15.546  1.00 24.08           O
ATOM   2778  CG2 THR A 173       1.945  -0.338 -14.663  1.00 21.78           C
ATOM   2782  C   THR A 173       1.067  -3.004 -15.064  1.00 20.73           C
ATOM   2783  O   THR A 173       2.243  -3.241 -15.300  1.00 23.71           O
ATOM   2785  N   ARG A 174       0.332  -3.797 -14.288  1.00 20.12           N
ATOM   2786  CA  ARG A 174       0.965  -4.886 -13.618  1.00 19.03           C
ATOM   2788  CB  ARG A 174       0.071  -5.428 -12.516  1.00 18.29           C
ATOM   2791  CG  ARG A 174       0.575  -6.661 -11.863  1.00 17.17           C
ATOM   2794  CD  ARG A 174       2.015  -6.519 -11.337  1.00 22.49           C
ATOM   2797  NE  ARG A 174       2.322  -7.691 -10.547  1.00 20.97           N
ATOM   2799  CZ  ARG A 174       3.509  -8.016 -10.083  1.00 20.69           C
ATOM   2800  NH1 ARG A 174       4.603  -7.305 -10.326  1.00 21.42           N
ATOM   2803  NH2 ARG A 174       3.586  -9.114  -9.400  1.00 24.76           N
ATOM   2806  C   ARG A 174       1.361  -5.935 -14.650  1.00 18.32           C
ATOM   2807  O   ARG A 174       2.474  -6.451 -14.641  1.00 14.85           O
ATOM   2809  N   LEU A 175       0.468  -6.217 -15.588  1.00 19.56           N
ATOM   2810  CA  LEU A 175       0.826  -7.165 -16.676  1.00 19.33           C
ATOM   2812  CB  LEU A 175      -0.431  -7.415 -17.508  1.00 19.46           C
ATOM   2815  CG  LEU A 175      -1.606  -7.965 -16.724  1.00 18.04           C
ATOM   2817  CD1 LEU A 175      -2.977  -7.864 -17.474  1.00 16.10           C
ATOM   2821  CD2 LEU A 175      -1.314  -9.363 -16.265  1.00 13.78           C
ATOM   2825  C   LEU A 175       1.980  -6.656 -17.585  1.00 21.22           C
ATOM   2826  O   LEU A 175       2.829  -7.429 -17.989  1.00 22.40           O
ATOM   2828  N   PHE A 176       2.005  -5.365 -17.911  1.00 23.21           N
ATOM   2829  CA  PHE A 176       3.109  -4.762 -18.729  1.00 24.74           C
ATOM   2831  CB  PHE A 176       2.841  -3.242 -18.909  1.00 26.23           C
ATOM   2834  CG  PHE A 176       3.946  -2.464 -19.651  1.00 29.22           C
ATOM   2835  CD1 PHE A 176       3.856  -2.248 -21.038  1.00 32.47           C
ATOM   2837  CE1 PHE A 176       4.887  -1.517 -21.726  1.00 33.44           C
ATOM   2839  CZ  PHE A 176       5.958  -0.986 -21.015  1.00 30.76           C
ATOM   2841  CE2 PHE A 176       6.031  -1.164 -19.646  1.00 30.78           C
ATOM   2843  CD2 PHE A 176       5.019  -1.891 -18.958  1.00 29.87           C
ATOM   2845  C   PHE A 176       4.484  -5.017 -18.072  1.00 24.93           C
ATOM   2846  O   PHE A 176       5.428  -5.441 -18.731  1.00 24.99           O
ATOM   2848  N   THR A 177       4.548  -4.831 -16.753  1.00 24.79           N
ATOM   2849  CA  THR A 177       5.743  -5.023 -15.952  1.00 24.17           C
ATOM   2851  CB  THR A 177       5.527  -4.549 -14.470  1.00 23.86           C
ATOM   2853  OG1 THR A 177       4.972  -3.251 -14.459  1.00 27.31           O
ATOM   2855  CG2 THR A 177       6.839  -4.507 -13.715  1.00 27.23           C
ATOM   2859  C   THR A 177       6.112  -6.453 -15.911  1.00 23.54           C
ATOM   2860  O   THR A 177       7.288  -6.806 -15.969  1.00 23.20           O
ATOM   2862  N   ILE A 178       5.114  -7.318 -15.738  1.00 23.34           N
ATOM   2863  CA  ILE A 178       5.418  -8.741 -15.709  1.00 21.32           C
ATOM   2865  CB  ILE A 178       4.185  -9.596 -15.446  1.00 20.37           C
ATOM   2867  CG1 ILE A 178       3.808  -9.591 -13.955  1.00 20.95           C
ATOM   2870  CD1 ILE A 178       2.363 -10.058 -13.752  1.00 16.61           C
ATOM   2874  CG2 ILE A 178       4.423 -11.014 -15.846  1.00 14.36           C
ATOM   2878  C   ILE A 178       6.052  -9.161 -17.063  1.00 22.00           C
ATOM   2879  O   ILE A 178       7.019  -9.928 -17.099  1.00 19.45           O
ATOM   2881  N   ARG A 179       5.506  -8.644 -18.151  1.00 23.00           N
ATOM   2882  CA  ARG A 179       6.051  -8.975 -19.500  1.00 25.50           C
ATOM   2884  CB  ARG A 179       5.155  -8.435 -20.612  1.00 25.34           C
ATOM   2887  CG  ARG A 179       5.608  -8.760 -21.993  1.00 30.92           C
ATOM   2890  CD  ARG A 179       4.982  -7.913 -23.090  1.00 37.60           C
ATOM   2893  NE  ARG A 179       5.477  -8.339 -24.410  1.00 45.25           N
ATOM   2895  CZ  ARG A 179       6.670  -8.027 -24.958  1.00 52.11           C
ATOM   2896  NH1 ARG A 179       7.564  -7.254 -24.333  1.00 54.21           N
ATOM   2899  NH2 ARG A 179       6.996  -8.512 -26.165  1.00 56.15           N
ATOM   2902  C   ARG A 179       7.467  -8.390 -19.651  1.00 25.34           C
```

```
ATOM   2903  O   ARG A 179       8.403  -9.136 -19.995  1.00 24.83           O
ATOM   2905  N   GLN A 180       7.623  -7.095 -19.381  1.00 25.95           N
ATOM   2906  CA  GLN A 180       8.966  -6.439 -19.529  1.00 27.74           C
ATOM   2908  CB  GLN A 180       8.948  -4.991 -19.121  1.00 27.52           C
ATOM   2911  CG  GLN A 180       8.009  -4.054 -19.876  1.00 32.54           C
ATOM   2914  CD  GLN A 180       8.425  -3.792 -21.318  1.00 35.49           C
ATOM   2915  OE1 GLN A 180       8.133  -4.597 -22.223  1.00 39.28           O
ATOM   2916  NE2 GLN A 180       9.108  -2.669 -21.540  1.00 36.58           N
ATOM   2919  C   GLN A 180      10.089  -7.159 -18.730  1.00 28.07           C
ATOM   2920  O   GLN A 180      11.188  -7.365 -19.227  1.00 29.14           O
ATOM   2922  N   GLU A 181       9.799  -7.554 -17.501  1.00 28.48           N
ATOM   2923  CA  GLU A 181      10.764  -8.268 -16.657  1.00 28.66           C
ATOM   2925  CB  GLU A 181      10.322  -8.241 -15.190  1.00 28.88           C
ATOM   2928  CG  GLU A 181      10.140  -6.835 -14.600  1.00 28.54           C
ATOM   2931  CD  GLU A 181      11.495  -6.148 -14.269  1.00 31.19           C
ATOM   2932  OE1 GLU A 181      12.579  -6.734 -14.494  1.00 30.46           O
ATOM   2933  OE2 GLU A 181      11.465  -5.019 -13.813  1.00 33.08           O
ATOM   2934  C   GLU A 181      11.021  -9.694 -17.084  1.00 29.47           C
ATOM   2935  O   GLU A 181      12.150 -10.208 -16.930  1.00 31.66           O
ATOM   2937  N   MET A 182      10.019 -10.385 -17.603  1.00 29.58           N
ATOM   2938  CA  MET A 182      10.302 -11.692 -18.138  1.00 29.45           C
ATOM   2940  CB  MET A 182       9.044 -12.439 -18.547  1.00 29.37           C
ATOM   2943  CG  MET A 182       8.165 -13.014 -17.415  1.00 28.62           C
ATOM   2946  SD  MET A 182       6.731 -13.920 -18.081  1.00 24.07           S
ATOM   2947  CE  MET A 182       6.068 -14.615 -16.554  1.00 20.99           C
ATOM   2951  C   MET A 182      11.197 -11.537 -19.400  1.00 30.74           C
ATOM   2952  O   MET A 182      12.159 -12.315 -19.594  1.00 28.90           O
ATOM   2954  N   ALA A 183      10.851 -10.568 -20.255  1.00 31.32           N
ATOM   2955  CA  ALA A 183      11.575 -10.343 -21.553  1.00 33.08           C
ATOM   2957  CB  ALA A 183      10.921  -9.259 -22.386  1.00 31.94           C
ATOM   2961  C   ALA A 183      13.066 -10.017 -21.382  1.00 34.03           C
ATOM   2962  O   ALA A 183      13.913 -10.521 -22.110  1.00 35.32           O
ATOM   2964  N   SER A 184      13.379  -9.177 -20.412  1.00 35.01           N
ATOM   2965  CA  SER A 184      14.744  -8.819 -20.150  1.00 35.34           C
ATOM   2967  CB  SER A 184      14.781  -7.640 -19.219  1.00 35.27           C
ATOM   2970  OG  SER A 184      14.628  -8.162 -17.920  1.00 37.79           O
ATOM   2972  C   SER A 184      15.512  -9.973 -19.517  1.00 35.94           C
ATOM   2973  O   SER A 184      16.717  -9.861 -19.336  1.00 38.09           O
ATOM   2975  N   ARG A 185      14.833 -11.066 -19.165  1.00 34.89           N
ATOM   2976  CA  ARG A 185      15.495 -12.258 -18.676  1.00 34.32           C
ATOM   2978  CB  ARG A 185      14.947 -12.633 -17.295  1.00 34.77           C
ATOM   2981  CG  ARG A 185      15.251 -11.591 -16.255  1.00 36.90           C
ATOM   2984  CD  ARG A 185      14.500 -11.881 -14.962  1.00 39.45           C
ATOM   2987  NE  ARG A 185      14.853 -10.927 -13.907  1.00 41.21           N
ATOM   2989  CZ  ARG A 185      14.448  -9.653 -13.843  1.00 44.40           C
ATOM   2990  NH1 ARG A 185      13.659  -9.121 -14.769  1.00 45.96           N
ATOM   2993  NH2 ARG A 185      14.835  -8.892 -12.834  1.00 45.86           N
ATOM   2996  C   ARG A 185      15.377 -13.437 -19.617  1.00 33.06           C
ATOM   2997  O   ARG A 185      15.808 -14.504 -19.269  1.00 32.13           O
ATOM   2999  N   SER A 186      14.842 -13.221 -20.824  1.00 32.75           N
ATOM   3000  CA  SER A 186      14.653 -14.272 -21.833  1.00 33.07           C
ATOM   3002  CB  SER A 186      16.007 -14.899 -22.287  1.00 33.90           C
ATOM   3005  OG  SER A 186      16.829 -13.897 -22.872  1.00 36.07           O
ATOM   3007  C   SER A 186      13.668 -15.344 -21.441  1.00 32.43           C
ATOM   3008  O   SER A 186      13.792 -16.500 -21.888  1.00 32.01           O
ATOM   3010  N   LEU A 187      12.656 -14.955 -20.648  1.00 31.80           N
ATOM   3011  CA  LEU A 187      11.615 -15.867 -20.212  1.00 30.00           C
ATOM   3013  CB  LEU A 187      11.396 -15.692 -18.705  1.00 30.36           C
ATOM   3016  CG  LEU A 187      12.502 -16.242 -17.793  1.00 27.61           C
ATOM   3018  CD1 LEU A 187      12.357 -15.696 -16.463  1.00 29.76           C
ATOM   3022  CD2 LEU A 187      12.512 -17.744 -17.696  1.00 25.51           C
ATOM   3026  C   LEU A 187      10.305 -15.665 -20.987  1.00 29.92           C
ATOM   3027  O   LEU A 187       9.444 -16.570 -21.034  1.00 28.42           O
```

```
ATOM   3029  N   TRP A 188      10.172 -14.516 -21.651  1.00 29.73           N
ATOM   3030  CA  TRP A 188       8.915 -14.160 -22.285  1.00 30.61           C
ATOM   3032  CB  TRP A 188       8.923 -12.731 -22.771  1.00 30.55           C
ATOM   3035  CG  TRP A 188       7.662 -12.343 -23.429  1.00 31.02           C
ATOM   3036  CD1 TRP A 188       7.506 -11.975 -24.743  1.00 28.67           C
ATOM   3038  NE1 TRP A 188       6.175 -11.658 -24.987  1.00 33.73           N
ATOM   3040  CE2 TRP A 188       5.436 -11.818 -23.833  1.00 31.22           C
ATOM   3041  CD2 TRP A 188       6.335 -12.251 -22.816  1.00 32.14           C
ATOM   3042  CE3 TRP A 188       5.842 -12.446 -21.516  1.00 31.23           C
ATOM   3044  CZ3 TRP A 188       4.452 -12.222 -21.274  1.00 32.46           C
ATOM   3046  CH2 TRP A 188       3.593 -11.807 -22.333  1.00 33.56           C
ATOM   3048  CZ2 TRP A 188       4.074 -11.598 -23.598  1.00 32.56           C
ATOM   3050  C   TRP A 188       8.501 -15.061 -23.431  1.00 31.67           C
ATOM   3051  O   TRP A 188       7.333 -15.477 -23.501  1.00 30.66           O
ATOM   3053  N   ASP A 189       9.445 -15.358 -24.330  1.00 32.87           N
ATOM   3054  CA  ASP A 189       9.135 -16.154 -25.546  1.00 33.62           C
ATOM   3056  CB  ASP A 189      10.389 -16.351 -26.430  1.00 34.77           C
ATOM   3059  CG  ASP A 189      10.723 -15.112 -27.250  1.00 39.04           C
ATOM   3060  OD1 ASP A 189       9.783 -14.367 -27.643  1.00 43.38           O
ATOM   3061  OD2 ASP A 189      11.933 -14.897 -27.516  1.00 45.77           O
ATOM   3062  C   ASP A 189       8.574 -17.515 -25.176  1.00 31.81           C
ATOM   3063  O   ASP A 189       7.530 -17.934 -25.671  1.00 32.23           O
ATOM   3065  N   SER A 190       9.265 -18.221 -24.309  1.00 29.34           N
ATOM   3066  CA  SER A 190       8.765 -19.516 -23.889  1.00 28.80           C
ATOM   3068  CB  SER A 190       9.840 -20.207 -23.033  1.00 28.07           C
ATOM   3071  OG  SER A 190       9.290 -21.332 -22.363  1.00 28.32           O
ATOM   3073  C   SER A 190       7.364 -19.383 -23.150  1.00 27.84           C
ATOM   3074  O   SER A 190       6.430 -20.169 -23.351  1.00 28.28           O
ATOM   3076  N   PHE A 191       7.206 -18.349 -22.336  1.00 27.26           N
ATOM   3077  CA  PHE A 191       5.949 -18.163 -21.590  1.00 26.62           C
ATOM   3079  CB  PHE A 191       6.080 -17.053 -20.524  1.00 24.94           C
ATOM   3082  CG  PHE A 191       4.796 -16.797 -19.719  1.00 19.84           C
ATOM   3083  CD1 PHE A 191       4.352 -17.700 -18.808  1.00 19.79           C
ATOM   3085  CE1 PHE A 191       3.164 -17.486 -18.091  1.00 18.95           C
ATOM   3087  CZ  PHE A 191       2.470 -16.327 -18.247  1.00 16.44           C
ATOM   3089  CE2 PHE A 191       2.912 -15.381 -19.121  1.00 16.60           C
ATOM   3091  CD2 PHE A 191       4.100 -15.634 -19.855  1.00 19.93           C
ATOM   3093  C   PHE A 191       4.847 -17.843 -22.575  1.00 27.88           C
ATOM   3094  O   PHE A 191       3.790 -18.415 -22.497  1.00 27.55           O
ATOM   3096  N   ARG A 192       5.112 -16.921 -23.492  1.00 30.82           N
ATOM   3097  CA  ARG A 192       4.123 -16.494 -24.525  1.00 33.38           C
ATOM   3099  CB  ARG A 192       4.678 -15.286 -25.356  1.00 35.13           C
ATOM   3102  CG  ARG A 192       4.043 -15.010 -26.770  1.00 38.94           C
ATOM   3105  CD  ARG A 192       4.669 -13.773 -27.530  1.00 45.61           C
ATOM   3108  NE  ARG A 192       3.897 -12.521 -27.314  1.00 52.10           N
ATOM   3110  CZ  ARG A 192       4.110 -11.329 -27.896  1.00 54.81           C
ATOM   3111  NH1 ARG A 192       5.099 -11.149 -28.776  1.00 57.29           N
ATOM   3114  NH2 ARG A 192       3.312 -10.303 -27.596  1.00 54.94           N
ATOM   3117  C   ARG A 192       3.668 -17.641 -25.439  1.00 33.69           C
ATOM   3118  O   ARG A 192       2.586 -17.587 -25.991  1.00 35.29           O
ATOM   3120  N   GLN A 193       4.468 -18.685 -25.589  1.00 34.34           N
ATOM   3121  CA  GLN A 193       4.113 -19.776 -26.504  1.00 35.14           C
ATOM   3123  CB  GLN A 193       5.358 -20.234 -27.285  1.00 36.40           C
ATOM   3126  CG  GLN A 193       5.895 -19.133 -28.248  1.00 38.81           C
ATOM   3129  CD  GLN A 193       7.264 -19.466 -28.862  1.00 44.26           C
ATOM   3130  OE1 GLN A 193       7.508 -20.604 -29.285  1.00 49.54           O
ATOM   3131  NE2 GLN A 193       8.154 -18.471 -28.920  1.00 45.12           N
ATOM   3134  C   GLN A 193       3.446 -20.936 -25.815  1.00 33.94           C
ATOM   3135  O   GLN A 193       2.791 -21.724 -26.472  1.00 32.24           O
ATOM   3137  N   SER A 194       3.529 -20.980 -24.482  1.00 33.88           N
ATOM   3138  CA  SER A 194       3.085 -22.143 -23.697  1.00 33.50           C
ATOM   3140  CB  SER A 194       3.872 -22.234 -22.378  1.00 34.18           C
ATOM   3143  OG  SER A 194       3.782 -21.015 -21.644  1.00 36.26           O
```

```
ATOM   3145  C   SER A 194       1.598 -22.204 -23.359  1.00 33.28           C
ATOM   3146  O   SER A 194       1.142 -23.247 -22.895  1.00 32.79           O
ATOM   3148  N   GLU A 195       0.833 -21.130 -23.564  1.00 33.76           N
ATOM   3149  CA  GLU A 195      -0.606 -21.179 -23.200  1.00 35.56           C
ATOM   3151  CB  GLU A 195      -1.192 -19.783 -23.254  1.00 34.42           C
ATOM   3154  CG  GLU A 195      -2.669 -19.666 -22.814  1.00 31.19           C
ATOM   3157  CD  GLU A 195      -3.133 -18.225 -22.769  1.00 28.91           C
ATOM   3158  OE1 GLU A 195      -2.342 -17.330 -22.397  1.00 27.02           O
ATOM   3159  OE2 GLU A 195      -4.272 -17.934 -23.186  1.00 34.26           O
ATOM   3160  C   GLU A 195      -1.407 -22.098 -24.152  1.00 37.98           C
ATOM   3161  O   GLU A 195      -1.192 -22.064 -25.351  1.00 37.85           O
ATOM   3163  N   ARG A 196      -2.340 -22.897 -23.653  1.00 41.27           N
ATOM   3164  CA  ARG A 196      -3.202 -23.691 -24.598  1.00 44.13           C
ATOM   3166  CB  ARG A 196      -2.632 -25.092 -24.924  1.00 44.56           C
ATOM   3169  CG  ARG A 196      -1.340 -25.090 -25.665  1.00 46.98           C
ATOM   3172  CD  ARG A 196      -0.396 -26.126 -25.115  1.00 51.59           C
ATOM   3175  NE  ARG A 196       0.901 -26.111 -25.824  1.00 56.06           N
ATOM   3177  CZ  ARG A 196       1.977 -26.853 -25.504  1.00 58.69           C
ATOM   3178  NH1 ARG A 196       1.959 -27.695 -24.456  1.00 59.44           N
ATOM   3181  NH2 ARG A 196       3.097 -26.749 -26.238  1.00 58.42           N
ATOM   3184  C   ARG A 196      -4.655 -23.839 -24.121  1.00 44.90           C
ATOM   3185  O   ARG A 196      -4.994 -23.523 -22.960  1.00 43.59           O
ATOM   3187  N   GLY A 197      -5.499 -24.327 -25.034  1.00 45.89           N
ATOM   3188  CA  GLY A 197      -6.918 -24.546 -24.725  1.00 47.04           C
ATOM   3191  C   GLY A 197      -7.382 -25.915 -25.169  1.00 47.97           C
ATOM   3192  O   GLY A 197      -8.522 -26.060 -25.651  1.00 49.87           O
ATOM   3194 CL   CI2 A 801     -15.728 -22.157 -18.301  1.00 59.92          CL
ATOM   3195  CZB CI2 A 801     -14.908 -22.736 -16.812  1.00 55.31           C
ATOM   3196  CEB CI2 A 801     -14.510 -24.060 -16.666  1.00 53.54           C
ATOM   3198  CDB CI2 A 801     -13.900 -24.462 -15.490  1.00 51.40           C
ATOM   3200  CEA CI2 A 801     -14.701 -21.812 -15.796  1.00 53.54           C
ATOM   3202  CDA CI2 A 801     -14.109 -22.226 -14.621  1.00 53.52           C
ATOM   3204  CGA CI2 A 801     -13.681 -23.532 -14.477  1.00 49.32           C
ATOM   3205  CO  CI2 A 801     -13.076 -23.937 -13.177  1.00 45.66           C
ATOM   3208  CF  CI2 A 801     -11.643 -23.539 -12.821  1.00 43.95           C
ATOM   3209  CB  CI2 A 801     -11.425 -22.038 -12.875  1.00 35.87           C
ATOM   3210  CM  CI2 A 801     -10.757 -21.464 -14.059  1.00 30.39           C
ATOM   3212  CA  CI2 A 801     -10.456 -20.174 -14.315  1.00 30.57           C
ATOM   3213  CE  CI2 A 801      -9.778 -19.854 -15.595  1.00 31.60           C
ATOM   3214  OAO CI2 A 801      -9.659 -18.665 -15.946  1.00 30.40           O
ATOM   3215  OAN CI2 A 801      -9.354 -20.807 -16.303  1.00 33.34           O
ATOM   3216  O14 CI2 A 801     -10.714 -19.173 -13.533  1.00 22.32           O
ATOM   3218  O13 CI2 A 801     -11.767 -21.343 -11.934  1.00 35.37           O
ATOM   3219  CH  CI2 A 801     -10.664 -24.334 -13.706  1.00 43.59           C
ATOM   3222  CI  CI2 A 801      -9.513 -24.981 -12.927  1.00 43.92           C
ATOM   3225  NJ  CI2 A 801      -9.064 -24.273 -11.717  1.00 44.89           N
ATOM   3227  CK  CI2 A 801     -10.133 -23.961 -10.754  1.00 43.72           C
ATOM   3230  CG  CI2 A 801     -11.516 -24.037 -11.361  1.00 44.45           C
ATOM   3233  CP  CI2 A 801      -8.057 -25.042 -10.938  1.00 43.40           C
ATOM   3236  CGB CI2 A 801      -6.786 -25.369 -11.720  1.00 42.05           C
ATOM   3238  CD1 CI2 A 801      -5.548 -24.981 -10.878  1.00 41.01           C
ATOM   3241  CE1 CI2 A 801      -4.249 -25.642 -11.354  1.00 40.36           C
ATOM   3244  CZ  CI2 A 801      -4.382 -27.124 -11.626  1.00 39.96           C
ATOM   3247  CE2 CI2 A 801      -5.490 -27.358 -12.644  1.00 40.19           C
ATOM   3250  CD2 CI2 A 801      -6.820 -26.867 -12.069  1.00 40.71           C
ATOM   3253  MN   MN A 901     -10.703 -17.245 -14.404  1.00 24.64          MN
ATOM   3254  MN   MN A 902     -11.701 -19.336 -11.518  1.00 32.43          MN
ATOM   6571  O20 WAT A 910     -16.355  -6.528 -16.875  1.00 21.81       A   O
ATOM   6572  O21 WAT A 910     -19.399  -7.074 -12.901  0.01 27.10       A   O
ATOM   6573  O50 WAT A 911       2.434 -24.032  -0.834  1.00 25.92       A   O
ATOM   3255  OH2 WAT A 912     -12.701 -19.641  -9.315  1.00 21.06       A   O
ATOM   3258  OH2 WAT A 913     -13.728 -19.144 -12.466  1.00 20.27       A   O
ATOM   6574  OH2 WAT A 914       2.063 -10.125  -6.063  1.00 23.18       A   O
```

```
ATOM   6575  OH2 WAT A 915     -19.399  -7.074 -12.901  1.00 27.10      A    O
ATOM   6576  OH2 WAT A 916      -5.118 -18.786 -10.812  1.00 25.47      A    O
ATOM   6578  OH2 WAT A 917     -19.803  -1.210 -12.980  1.00 26.51      A    O
ATOM   6580  OH2 WAT A 918     -12.079 -19.380   2.248  1.00 31.24      A    O
ATOM   6582  OH2 WAT A 919     -25.501  -7.311 -15.726  1.00 41.38      A    O
ATOM   6583  OH2 WAT A 920     -13.635   1.322 -17.485  1.00 30.53      A    O
ATOM   6584  OH2 WAT A 921      -8.119 -21.447 -11.560  1.00 40.66      A    O
ATOM   6585  OH2 WAT A 922     -13.999 -12.156  -0.739  1.00 26.43      A    O
ATOM   6586  OH2 WAT A 923     -16.887 -19.453 -14.787  1.00 25.99      A    O
ATOM   6587  OH2 WAT A 924     -23.343  -9.865 -17.567  1.00 38.22      A    O
ATOM   6588  OH2 WAT A 925     -23.435  -4.842 -19.324  1.00 39.09      A    O
ATOM   6589  OH2 WAT A 925     -20.248  -1.299 -15.398  1.00 37.28      A    O
ATOM   6590  OH2 WAT A 926     -26.917 -23.079  -1.691  1.00 37.24      A    O
ATOM   6591  OH2 WAT A 927       9.381 -19.345 -19.330  1.00 36.94      A    O
ATOM   6592  OH2 WAT A 928     -10.762 -27.509 -10.825  1.00 35.37      A    O
ATOM   6593  OH2 WAT A 929      -3.662  -8.088  -4.503  1.00 42.30      A    O
ATOM   6594  OH2 WAT A 930      -6.176 -26.098  -4.456  1.00 40.14      A    O
ATOM   6595  OH2 WAT A 931      12.331 -25.605 -11.961  1.00 45.87      A    O
ATOM   6596  OH2 WAT A 932      -7.467  -1.794 -22.654  1.00 31.36      A    O
END
```

Figure 5: H1N1 polypeptide fragment (Chain A) with bound rUMP

```
HEADER    INFLUENZA POLYMERASE H1N1/2009 PA with bound rUMP
COMPND    ---
REMARK   3
REMARK   3 REFINEMENT.
REMARK   3   PROGRAM     : REFMAC 5.5.0102
REMARK   3   AUTHORS     : MURSHUDOV,VAGIN,DODSON
REMARK   3
REMARK   3    REFINEMENT TARGET : MAXIMUM LIKELIHOOD
REMARK   3
REMARK   3  DATA USED IN REFINEMENT.
REMARK   3   RESOLUTION RANGE HIGH (ANGSTROMS) :   2.05
REMARK   3   RESOLUTION RANGE LOW  (ANGSTROMS) :  41.70
REMARK   3   DATA CUTOFF              (SIGMA(F)) : NONE
REMARK   3   COMPLETENESS FOR RANGE        (%) :  99.70
REMARK   3   NUMBER OF REFLECTIONS             :   51176
REMARK   3
REMARK   3  FIT TO DATA USED IN REFINEMENT.
REMARK   3   CROSS-VALIDATION METHOD           : THROUGHOUT
REMARK   3   FREE R VALUE TEST SET SELECTION   : RANDOM
REMARK   3   R VALUE     (WORKING + TEST SET) : 0.20823
REMARK   3   R VALUE           (WORKING SET) :  0.20611
REMARK   3   FREE R VALUE                     :  0.24659
REMARK   3   FREE R VALUE TEST SET SIZE   (%) :  5.1
REMARK   3   FREE R VALUE TEST SET COUNT      :  2750
REMARK   3
REMARK   3  FIT IN THE HIGHEST RESOLUTION BIN.
REMARK   3   TOTAL NUMBER OF BINS USED           :      20
REMARK   3   BIN RESOLUTION RANGE HIGH           :   2.049
REMARK   3   BIN RESOLUTION RANGE LOW            :   2.102
REMARK   3   REFLECTION IN BIN     (WORKING SET) :    3657
REMARK   3   BIN COMPLETENESS (WORKING+TEST) (%) :   98.37
REMARK   3   BIN R VALUE           (WORKING SET) :   0.266
REMARK   3   BIN FREE R VALUE SET COUNT          :     202
REMARK   3   BIN FREE R VALUE                    :   0.342
REMARK   3
REMARK   3  NUMBER OF NON-HYDROGEN ATOMS USED IN REFINEMENT.
REMARK   3   ALL ATOMS                 :      6703
REMARK   3
REMARK   3  B VALUES.
REMARK   3   FROM WILSON PLOT           (A**2) : NULL
REMARK   3   MEAN B VALUE      (OVERALL, A**2) :  32.525
REMARK   3   OVERALL ANISOTROPIC B VALUE.
REMARK   3    B11 (A**2) :     1.67
REMARK   3    B22 (A**2) :    -4.82
REMARK   3    B33 (A**2) :     3.15
REMARK   3    B12 (A**2) :     0.00
REMARK   3    B13 (A**2) :     0.00
REMARK   3    B23 (A**2) :     0.00
REMARK   3
REMARK   3  ESTIMATED OVERALL COORDINATE ERROR.
REMARK   3   ESU BASED ON R VALUE                                (A):   0.048
REMARK   3   ESU BASED ON FREE R VALUE                           (A):   0.039
REMARK   3   ESU BASED ON MAXIMUM LIKELIHOOD                     (A):   0.112
REMARK   3   ESU FOR B VALUES BASED ON MAXIMUM LIKELIHOOD (A**2):   4.400
REMARK   3
REMARK   3 CORRELATION COEFFICIENTS.
REMARK   3   CORRELATION COEFFICIENT FO-FC      :   0.950
REMARK   3   CORRELATION COEFFICIENT FO-FC FREE :   0.933
REMARK   3
REMARK   3  RMS DEVIATIONS FROM IDEAL VALUES        COUNT    RMS     WEIGHT
```

```
REMARK   3   BOND LENGTHS REFINED ATOMS        (A):  6607 ; 0.022 ; 0.022
REMARK   3   BOND LENGTHS OTHERS               (A):  4665 ; 0.001 ; 0.020
REMARK   3   BOND ANGLES REFINED ATOMS   (DEGREES):  8878 ; 1.802 ; 1.958
REMARK   3   BOND ANGLES OTHERS          (DEGREES): 11258 ; 0.969 ; 3.000
REMARK   3   TORSION ANGLES, PERIOD 1    (DEGREES):   761 ; 6.279 ; 5.000
REMARK   3   TORSION ANGLES, PERIOD 2    (DEGREES):   343 ;34.946 ;23.353
REMARK   3   TORSION ANGLES, PERIOD 3    (DEGREES):  1239 ;16.895 ;15.000
REMARK   3   TORSION ANGLES, PERIOD 4    (DEGREES):    58 ;19.417 ;15.000
REMARK   3   CHIRAL-CENTER RESTRAINTS       (A**3):   953 ; 0.109 ; 0.200
REMARK   3   GENERAL PLANES REFINED ATOMS     (A):  7174 ; 0.008 ; 0.020
REMARK   3   GENERAL PLANES OTHERS            (A):  1448 ; 0.001 ; 0.020
REMARK   3
REMARK   3  ISOTROPIC THERMAL FACTOR RESTRAINTS.      COUNT   RMS     WEIGHT
REMARK   3   MAIN-CHAIN BOND REFINED ATOMS  (A**2):  3827 ; 1.188 ; 1.500
REMARK   3   MAIN-CHAIN BOND OTHER ATOMS    (A**2):  1544 ; 0.279 ; 1.500
REMARK   3   MAIN-CHAIN ANGLE REFINED ATOMS (A**2):  6207 ; 2.129 ; 2.000
REMARK   3   SIDE-CHAIN BOND REFINED ATOMS  (A**2):  2780 ; 3.015 ; 3.000
REMARK   3   SIDE-CHAIN ANGLE REFINED ATOMS (A**2):  2671 ; 4.741 ; 4.500
REMARK   3
REMARK   3  NCS RESTRAINTS STATISTICS
REMARK   3   NUMBER OF NCS GROUPS : NULL
REMARK   3
REMARK   3  TWIN DETAILS
REMARK   3   NUMBER OF TWIN DOMAINS  : NULL
REMARK   3
REMARK   3
REMARK   3  TLS DETAILS
REMARK   3   NUMBER OF TLS GROUPS  : NULL
REMARK   3
REMARK   3
REMARK   3  BULK SOLVENT MODELLING.
REMARK   3   METHOD USED :  MASK
REMARK   3   PARAMETERS FOR MASK CALCULATION
REMARK   3   VDW PROBE RADIUS   :   1.40
REMARK   3   ION PROBE RADIUS   :   0.80
REMARK   3   SHRINKAGE RADIUS   :   0.80
REMARK   3
REMARK   3  OTHER REFINEMENT REMARKS:
REMARK   3  HYDROGENS HAVE BEEN ADDED IN THE RIDING POSITIONS
REMARK   3  U VALUES       : REFINED INDIVIDUALLY
REMARK   3
CRYST1   54.940  120.110  128.050  90.00  90.00  90.00 P 21 21 21
SCALE1      0.018202  0.000000  0.000000        0.00000
SCALE2      0.000000  0.008326  0.000000        0.00000
SCALE3      0.000000  0.000000  0.007809        0.00000
ATOM   3300  N   MET A  -1      44.698  17.489   9.099  1.00 40.91           N
ATOM   3301  CA  MET A  -1      44.458  17.093  10.548  1.00 40.32           C
ATOM   3303  CB  MET A  -1      45.798  17.161  11.322  1.00 41.66           C
ATOM   3306  CG  MET A  -1      46.997  16.546  10.564  1.00 45.78           C
ATOM   3309  SD  MET A  -1      46.893  14.753  10.413  1.00 52.82           S
ATOM   3310  CE  MET A  -1      46.688  14.411   8.644  1.00 50.00           C
ATOM   3314  C   MET A  -1      43.379  17.909  11.321  1.00 38.01           C
ATOM   3315  O   MET A  -1      43.065  17.622  12.493  1.00 36.72           O
ATOM   3319  N   ALA A   0      42.842  18.953  10.706  1.00 34.89           N
ATOM   3320  CA  ALA A   0      41.910  19.785  11.419  1.00 33.46           C
ATOM   3322  CB  ALA A   0      41.918  21.220  10.891  1.00 32.88           C
ATOM   3326  C   ALA A   0      40.508  19.114  11.302  1.00 31.89           C
ATOM   3327  O   ALA A   0      40.300  18.100  10.623  1.00 30.47           O
ATOM   3329  N   MET A   1      39.583  19.632  12.066  1.00 30.44           N
ATOM   3330  CA  MET A   1      38.245  19.059  12.085  1.00 29.55           C
ATOM   3332  CB  MET A   1      37.342  19.793  13.103  1.00 28.89           C
ATOM   3335  CG  MET A   1      35.880  19.186  13.136  1.00 24.61           C
ATOM   3338  SD  MET A   1      35.730  17.443  13.354  1.00 27.64           S
```

```
ATOM   3339  CE  MET A   1      35.644  17.550  15.168  1.00 25.29           C
ATOM   3343  C   MET A   1      37.646  19.099  10.659  1.00 29.07           C
ATOM   3344  O   MET A   1      37.026  18.115  10.219  1.00 27.82           O
ATOM   3346  N   GLU A   2      37.894  20.196   9.952  1.00 30.15           N
ATOM   3347  CA  GLU A   2      37.405  20.362   8.585  1.00 31.45           C
ATOM   3349  CB  GLU A   2      37.594  21.798   8.043  1.00 32.75           C
ATOM   3352  CG  GLU A   2      39.027  22.336   7.945  1.00 37.90           C
ATOM   3355  CD  GLU A   2      39.480  23.058   9.209  1.00 42.36           C
ATOM   3356  OE1 GLU A   2      39.147  22.631  10.342  1.00 41.20           O
ATOM   3357  OE2 GLU A   2      40.191  24.066   9.052  1.00 52.40           O
ATOM   3358  C   GLU A   2      37.921  19.311   7.632  1.00 31.57           C
ATOM   3359  O   GLU A   2      37.179  18.819   6.770  1.00 30.37           O
ATOM   3361  N   ASP A   3      39.172  18.903   7.789  1.00 31.04           N
ATOM   3362  CA  ASP A   3      39.704  17.947   6.872  1.00 29.76           C
ATOM   3364  CB  ASP A   3      41.220  17.882   6.994  1.00 31.29           C
ATOM   3367  CG  ASP A   3      41.842  19.240   6.902  1.00 33.01           C
ATOM   3368  OD1 ASP A   3      41.648  19.925   5.866  1.00 38.27           O
ATOM   3369  OD2 ASP A   3      42.456  19.657   7.896  1.00 36.12           O
ATOM   3370  C   ASP A   3      39.070  16.612   7.203  1.00 29.57           C
ATOM   3371  O   ASP A   3      38.671  15.872   6.321  1.00 30.25           O
ATOM   3373  N   PHE A   4      38.972  16.293   8.474  1.00 28.06           N
ATOM   3374  CA  PHE A   4      38.319  15.085   8.873  1.00 29.20           C
ATOM   3376  CB  PHE A   4      38.271  15.021  10.382  1.00 29.95           C
ATOM   3379  CG  PHE A   4      37.421  13.905  10.886  1.00 32.18           C
ATOM   3380  CD1 PHE A   4      37.762  12.583  10.604  1.00 38.76           C
ATOM   3382  CE1 PHE A   4      36.948  11.514  11.072  1.00 41.89           C
ATOM   3384  CZ  PHE A   4      35.798  11.798  11.841  1.00 40.09           C
ATOM   3386  CE2 PHE A   4      35.480  13.120  12.115  1.00 37.85           C
ATOM   3388  CD2 PHE A   4      36.297  14.160  11.640  1.00 37.54           C
ATOM   3390  C   PHE A   4      36.836  14.976   8.374  1.00 26.94           C
ATOM   3391  O   PHE A   4      36.433  13.973   7.834  1.00 27.50           O
ATOM   3393  N   VAL A   5      36.061  16.017   8.567  1.00 26.36           N
ATOM   3394  CA  VAL A   5      34.659  16.030   8.029  1.00 25.59           C
ATOM   3396  CB  VAL A   5      33.979  17.380   8.226  1.00 24.18           C
ATOM   3398  CG1 VAL A   5      32.585  17.500   7.406  1.00 24.01           C
ATOM   3402  CG2 VAL A   5      33.790  17.633   9.695  1.00 24.93           C
ATOM   3406  C   VAL A   5      34.704  15.719   6.543  1.00 27.22           C
ATOM   3407  O   VAL A   5      34.049  14.761   6.093  1.00 25.52           O
ATOM   3409  N   ARG A   6      35.531  16.453   5.798  1.00 29.68           N
ATOM   3410  CA  ARG A   6      35.568  16.304   4.336  1.00 33.09           C
ATOM   3412  CB  ARG A   6      36.413  17.400   3.660  1.00 33.40           C
ATOM   3415  CG  ARG A   6      35.813  18.727   3.765  1.00 36.20           C
ATOM   3418  CD  ARG A   6      36.406  19.649   2.717  1.00 43.32           C
ATOM   3421  NE  ARG A   6      37.721  20.133   3.111  1.00 45.97           N
ATOM   3423  CZ  ARG A   6      37.937  21.249   3.807  1.00 50.61           C
ATOM   3424  NH1 ARG A   6      36.916  22.020   4.212  1.00 50.28           N
ATOM   3427  NH2 ARG A   6      39.195  21.599   4.104  1.00 49.54           N
ATOM   3430  C   ARG A   6      36.035  14.980   3.811  1.00 34.75           C
ATOM   3431  O   ARG A   6      35.563  14.527   2.754  1.00 35.03           O
ATOM   3433  N   GLN A   7      36.953  14.345   4.527  1.00 37.42           N
ATOM   3434  CA  GLN A   7      37.582  13.126   4.022  1.00 39.14           C
ATOM   3436  CB  GLN A   7      38.833  12.780   4.862  1.00 40.63           C
ATOM   3439  CG  GLN A   7      39.987  13.751   4.663  1.00 44.77           C
ATOM   3442  CD  GLN A   7      41.119  13.532   5.640  1.00 49.32           C
ATOM   3443  OE1 GLN A   7      40.976  12.828   6.650  1.00 53.38           O
ATOM   3444  NE2 GLN A   7      42.262  14.134   5.340  1.00 49.61           N
ATOM   3447  C   GLN A   7      36.659  11.958   4.147  1.00 39.73           C
ATOM   3448  O   GLN A   7      36.621  11.078   3.240  1.00 41.23           O
ATOM   3450  N   CYS A   8      35.963  11.957   5.304  1.00 38.83           N
ATOM   3451  CA  CYS A   8      35.250  10.834   5.846  1.00 38.15           C
ATOM   3453  CB  CYS A   8      35.656  10.617   7.296  1.00 38.88           C
ATOM   3456  SG  CYS A   8      37.448  10.236   7.355  1.00 41.26           S
ATOM   3458  C   CYS A   8      33.715  10.870   5.761  1.00 36.31           C
```

```
ATOM   3459  O   CYS A   8      33.128   9.806   5.630  1.00 36.01           O
ATOM   3461  N   PHE A   9      33.063  12.025   5.763  1.00 33.35           N
ATOM   3462  CA  PHE A   9      31.625  11.977   5.490  1.00 31.75           C
ATOM   3464  CB  PHE A   9      30.914  13.198   6.020  1.00 31.67           C
ATOM   3467  CG  PHE A   9      30.676  13.159   7.483  1.00 33.12           C
ATOM   3468  CD1 PHE A   9      29.559  12.548   7.999  1.00 34.29           C
ATOM   3470  CE1 PHE A   9      29.337  12.520   9.358  1.00 35.00           C
ATOM   3472  CZ  PHE A   9      30.249  13.097  10.205  1.00 36.38           C
ATOM   3474  CE2 PHE A   9      31.349  13.720   9.713  1.00 34.45           C
ATOM   3476  CD2 PHE A   9      31.586  13.723   8.355  1.00 35.44           C
ATOM   3478  C   PHE A   9      31.406  11.848   4.003  1.00 30.09           C
ATOM   3479  O   PHE A   9      32.194  12.313   3.202  1.00 28.69           O
ATOM   3481  N   ASN A  10      30.297  11.233   3.625  1.00 29.73           N
ATOM   3482  CA  ASN A  10      29.898  11.173   2.227  1.00 29.38           C
ATOM   3484  CB  ASN A  10      28.549  10.477   2.109  1.00 31.02           C
ATOM   3487  CG  ASN A  10      27.999  10.502   0.708  1.00 33.11           C
ATOM   3488  OD1 ASN A  10      27.393  11.479   0.271  1.00 39.21           O
ATOM   3489  ND2 ASN A  10      28.205   9.421  -0.006  1.00 42.47           N
ATOM   3492  C   ASN A  10      29.855  12.596   1.614  1.00 26.54           C
ATOM   3493  O   ASN A  10      29.391  13.563   2.236  1.00 25.97           O
ATOM   3495  N   PRO A  11      30.400  12.746   0.411  1.00 26.89           N
ATOM   3496  CA  PRO A  11      30.528  14.097  -0.108  1.00 24.69           C
ATOM   3498  CB  PRO A  11      31.265  13.922  -1.423  1.00 26.82           C
ATOM   3501  CG  PRO A  11      31.376  12.415  -1.663  1.00 29.01           C
ATOM   3504  CD  PRO A  11      31.108  11.724  -0.400  1.00 27.04           C
ATOM   3507  C   PRO A  11      29.149  14.758  -0.319  1.00 23.39           C
ATOM   3508  O   PRO A  11      29.058  15.951  -0.196  1.00 20.17           O
ATOM   3509  N   MET A  12      28.077  14.008  -0.611  1.00 21.62           N
ATOM   3510  CA  MET A  12      26.791  14.707  -0.761  1.00 22.43           C
ATOM   3512  CB  MET A  12      25.593  13.910  -1.314  1.00 23.96           C
ATOM   3515  CG  MET A  12      24.357  14.976  -1.680  1.00 24.53           C
ATOM   3518  SD  MET A  12      23.021  14.070  -2.475  1.00 42.59           S
ATOM   3519  CE  MET A  12      22.353  13.024  -1.154  1.00 34.73           C
ATOM   3523  C   MET A  12      26.397  15.303   0.580  1.00 20.83           C
ATOM   3524  O   MET A  12      25.914  16.411   0.619  1.00 21.28           O
ATOM   3526  N   ILE A  13      26.654  14.580   1.655  1.00 21.51           N
ATOM   3527  CA  ILE A  13      26.329  15.064   2.986  1.00 21.30           C
ATOM   3529  CB  ILE A  13      26.543  13.963   4.053  1.00 22.14           C
ATOM   3531  CG1 ILE A  13      25.321  13.012   4.020  1.00 27.29           C
ATOM   3534  CD1 ILE A  13      25.638  11.704   4.445  1.00 26.10           C
ATOM   3538  CG2 ILE A  13      26.685  14.650   5.457  1.00 21.85           C
ATOM   3542  C   ILE A  13      27.105  16.341   3.315  1.00 18.76           C
ATOM   3543  O   ILE A  13      26.524  17.342   3.823  1.00 20.01           O
ATOM   3545  N   VAL A  14      28.439  16.341   3.086  1.00 17.20           N
ATOM   3546  CA  VAL A  14      29.228  17.535   3.294  1.00 15.09           C
ATOM   3548  CB  VAL A  14      30.818  17.223   3.070  1.00 17.03           C
ATOM   3550  CG1 VAL A  14      31.559  18.390   3.439  1.00 17.67           C
ATOM   3554  CG2 VAL A  14      31.244  16.046   3.961  1.00 14.52           C
ATOM   3558  C   VAL A  14      28.777  18.766   2.484  1.00 16.48           C
ATOM   3559  O   VAL A  14      28.769  19.876   3.012  1.00 17.36           O
ATOM   3561  N   GLU A  15      28.399  18.605   1.225  1.00 17.56           N
ATOM   3562  CA  GLU A  15      27.882  19.711   0.381  1.00 17.94           C
ATOM   3564  CB  GLU A  15      27.723  19.312  -1.078  1.00 18.26           C
ATOM   3567  CG  GLU A  15      29.068  19.087  -1.759  1.00 23.15           C
ATOM   3570  CD  GLU A  15      29.034  19.173  -3.277  1.00 21.40           C
ATOM   3571  OE1 GLU A  15      27.972  19.446  -3.898  1.00 24.67           O
ATOM   3572  OE2 GLU A  15      30.090  18.923  -3.860  1.00 21.37           O
ATOM   3573  C   GLU A  15      26.548  20.273   0.864  1.00 17.81           C
ATOM   3574  O   GLU A  15      26.362  21.474   0.832  1.00 15.92           O
ATOM   3576  N   LEU A  16      25.722  19.397   1.430  1.00 18.53           N
ATOM   3577  CA  LEU A  16      24.393  19.784   2.036  1.00 18.74           C
ATOM   3579  CB  LEU A  16      23.550  18.549   2.208  1.00 18.19           C
ATOM   3582  CG  LEU A  16      23.052  17.889   0.914  1.00 20.78           C
```

ATOM	3584	CD1	LEU	A	16	22.321	16.580	1.330	1.00	14.91	C
ATOM	3588	CD2	LEU	A	16	22.126	18.762	0.088	1.00	21.73	C
ATOM	3592	C	LEU	A	16	24.577	20.464	3.354	1.00	17.59	C
ATOM	3593	O	LEU	A	16	23.927	21.448	3.644	1.00	17.80	O
ATOM	3595	N	ALA	A	17	25.628	20.091	4.081	1.00	19.85	N
ATOM	3596	CA	ALA	A	17	26.025	20.809	5.292	1.00	17.75	C
ATOM	3598	CB	ALA	A	17	27.082	19.961	6.124	1.00	17.76	C
ATOM	3602	C	ALA	A	17	26.531	22.196	5.031	1.00	19.62	C
ATOM	3603	O	ALA	A	17	26.177	23.152	5.736	1.00	22.29	O
ATOM	3605	N	GLU	A	18	27.376	22.330	4.011	1.00	20.93	N
ATOM	3606	CA	GLU	A	18	27.886	23.589	3.573	1.00	20.59	C
ATOM	3608	CB	GLU	A	18	28.936	23.434	2.482	1.00	19.91	C
ATOM	3611	CG	GLU	A	18	30.189	22.772	3.004	1.00	20.80	C
ATOM	3614	CD	GLU	A	18	31.204	22.356	1.896	1.00	28.00	C
ATOM	3615	OE1	GLU	A	18	30.975	22.621	0.691	1.00	27.49	O
ATOM	3616	OE2	GLU	A	18	32.296	21.882	2.257	1.00	27.65	O
ATOM	3617	C	GLU	A	18	26.752	24.462	3.092	1.00	20.21	C
ATOM	3618	O	GLU	A	18	26.683	25.614	3.479	1.00	20.68	O
ATOM	3620	N	LYS	A	19	25.853	23.885	2.329	1.00	19.70	N
ATOM	3621	CA	LYS	A	19	24.613	24.618	1.859	1.00	20.49	C
ATOM	3623	CB	LYS	A	19	23.751	23.671	1.019	1.00	19.55	C
ATOM	3626	CG	LYS	A	19	22.479	24.247	0.396	1.00	19.45	C
ATOM	3629	CD	LYS	A	19	21.637	23.165	-0.383	1.00	24.26	C
ATOM	3632	CE	LYS	A	19	20.832	22.282	0.535	1.00	25.00	C
ATOM	3635	NZ	LYS	A	19	19.611	22.966	1.177	1.00	26.59	N
ATOM	3639	C	LYS	A	19	23.800	25.134	3.018	1.00	21.30	C
ATOM	3640	O	LYS	A	19	23.421	26.310	3.040	1.00	23.58	O
ATOM	3642	N	ALA	A	20	23.520	24.273	3.995	1.00	22.46	N
ATOM	3643	CA	ALA	A	20	22.776	24.699	5.191	1.00	23.28	C
ATOM	3645	CB	ALA	A	20	22.424	23.437	6.066	1.00	22.23	C
ATOM	3649	C	ALA	A	20	23.476	25.829	6.025	1.00	24.91	C
ATOM	3650	O	ALA	A	20	22.866	26.876	6.421	1.00	22.86	O
ATOM	3652	N	MET	A	21	24.789	25.674	6.238	1.00	23.58	N
ATOM	3653	CA	MET	A	21	25.557	26.691	6.943	1.00	23.67	C
ATOM	3655	CB	MET	A	21	26.965	26.176	7.239	1.00	23.36	C
ATOM	3658	CG	MET	A	21	26.950	25.095	8.265	1.00	24.99	C
ATOM	3661	SD	MET	A	21	28.628	24.595	8.865	1.00	27.42	S
ATOM	3662	CE	MET	A	21	28.928	25.886	10.026	1.00	27.71	C
ATOM	3666	C	MET	A	21	25.630	28.009	6.174	1.00	24.25	C
ATOM	3667	O	MET	A	21	25.441	29.063	6.757	1.00	24.07	O
ATOM	3669	N	LYS	A	22	25.805	27.967	4.872	1.00	24.70	N
ATOM	3670	CA	LYS	A	22	25.623	29.171	4.088	1.00	26.29	C
ATOM	3672	CB	LYS	A	22	25.970	28.918	2.652	1.00	26.62	C
ATOM	3675	CG	LYS	A	22	25.948	30.174	1.832	1.00	31.39	C
ATOM	3678	CD	LYS	A	22	26.633	29.962	0.506	1.00	38.31	C
ATOM	3681	CE	LYS	A	22	26.536	31.214	-0.492	1.00	40.15	C
ATOM	3684	NZ	LYS	A	22	26.927	30.772	-1.912	1.00	39.47	N
ATOM	3688	C	LYS	A	22	24.167	29.753	4.159	1.00	26.21	C
ATOM	3689	O	LYS	A	22	23.988	30.954	4.160	1.00	25.40	O
ATOM	3691	N	GLU	A	23	23.137	28.929	4.212	1.00	25.78	N
ATOM	3692	CA	GLU	A	23	21.777	29.511	4.336	1.00	26.23	C
ATOM	3694	CB	GLU	A	23	20.709	28.430	4.187	1.00	25.11	C
ATOM	3697	CG	GLU	A	23	19.290	29.003	4.192	1.00	26.74	C
ATOM	3700	CD	GLU	A	23	18.256	27.915	4.191	1.00	29.44	C
ATOM	3701	OE1	GLU	A	23	18.675	26.735	4.300	1.00	27.51	O
ATOM	3702	OE2	GLU	A	23	17.047	28.250	4.089	1.00	28.84	O
ATOM	3703	C	GLU	A	23	21.634	30.231	5.687	1.00	27.52	C
ATOM	3704	O	GLU	A	23	21.062	31.319	5.788	1.00	26.79	O
ATOM	3706	N	TYR	A	24	22.247	29.649	6.706	1.00	29.75	N
ATOM	3707	CA	TYR	A	24	22.252	30.245	8.010	1.00	32.46	C
ATOM	3709	CB	TYR	A	24	22.547	29.192	9.064	1.00	32.16	C
ATOM	3712	CG	TYR	A	24	21.595	28.024	9.080	1.00	34.64	C
ATOM	3713	CD1	TYR	A	24	22.029	26.756	9.471	1.00	36.69	C

```
ATOM   3715  CE1 TYR A  24      21.140  25.650   9.508  1.00 39.66           C
ATOM   3717  CZ  TYR A  24      19.812  25.840   9.151  1.00 40.75           C
ATOM   3718  OH  TYR A  24      18.907  24.789   9.163  1.00 44.75           O
ATOM   3720  CE2 TYR A  24      19.368  27.100   8.752  1.00 40.65           C
ATOM   3722  CD2 TYR A  24      20.251  28.186   8.732  1.00 36.13           C
ATOM   3724  C   TYR A  24      23.200  31.414   8.188  1.00 33.98           C
ATOM   3725  O   TYR A  24      23.116  32.079   9.175  1.00 35.27           O
ATOM   3727  N   GLY A  25      24.089  31.678   7.241  1.00 35.71           N
ATOM   3728  CA  GLY A  25      25.142  32.658   7.467  1.00 35.78           C
ATOM   3731  C   GLY A  25      26.261  32.239   8.429  1.00 37.15           C
ATOM   3732  O   GLY A  25      26.957  33.101   8.959  1.00 37.79           O
ATOM   3734  N   GLU A  26      26.475  30.934   8.634  1.00 36.80           N
ATOM   3735  CA  GLU A  26      27.603  30.429   9.451  1.00 35.63           C
ATOM   3737  CB  GLU A  26      27.072  29.339  10.397  1.00 37.55           C
ATOM   3740  CG  GLU A  26      25.916  29.751  11.422  1.00 42.61           C
ATOM   3743  CD  GLU A  26      24.872  28.631  11.728  1.00 51.24           C
ATOM   3744  OE1 GLU A  26      23.713  28.968  12.174  1.00 56.20           O
ATOM   3745  OE2 GLU A  26      25.173  27.405  11.509  1.00 55.98           O
ATOM   3746  C   GLU A  26      28.672  29.843   8.493  1.00 33.96           C
ATOM   3747  O   GLU A  26      28.330  29.224   7.478  1.00 31.11           O
ATOM   3749  N   ASP A  27      29.956  29.987   8.819  1.00 32.67           N
ATOM   3750  CA  ASP A  27      31.067  29.607   7.921  1.00 32.26           C
ATOM   3752  CB  ASP A  27      32.161  30.683   8.023  1.00 33.82           C
ATOM   3755  CG  ASP A  27      33.281  30.502   6.985  1.00 31.25           C
ATOM   3756  OD1 ASP A  27      33.499  29.386   6.502  1.00 31.52           O
ATOM   3757  OD2 ASP A  27      33.918  31.480   6.644  1.00 32.07           O
ATOM   3758  C   ASP A  27      31.654  28.230   8.300  1.00 31.93           C
ATOM   3759  O   ASP A  27      32.133  28.078   9.400  1.00 30.37           O
ATOM   3761  N   PRO A  28      31.613  27.221   7.386  1.00 31.08           N
ATOM   3762  CA  PRO A  28      32.150  25.910   7.664  1.00 32.11           C
ATOM   3764  CB  PRO A  28      31.898  25.126   6.378  1.00 32.10           C
ATOM   3767  CG  PRO A  28      30.760  25.807   5.785  1.00 33.26           C
ATOM   3770  CD  PRO A  28      30.899  27.238   6.107  1.00 32.15           C
ATOM   3773  C   PRO A  28      33.660  25.961   7.961  1.00 32.67           C
ATOM   3774  O   PRO A  28      34.142  25.132   8.674  1.00 32.31           O
ATOM   3775  N   LYS A  29      34.335  26.995   7.486  1.00 33.37           N
ATOM   3776  CA  LYS A  29      35.787  27.156   7.747  1.00 35.20           C
ATOM   3778  CB  LYS A  29      36.360  28.112   6.709  1.00 34.94           C
ATOM   3781  CG  LYS A  29      36.020  27.628   5.262  1.00 37.58           C
ATOM   3784  CD  LYS A  29      36.363  28.657   4.136  1.00 38.64           C
ATOM   3787  CE  LYS A  29      37.801  29.104   4.268  1.00 40.39           C
ATOM   3790  NZ  LYS A  29      38.400  29.308   2.978  1.00 37.87           N
ATOM   3794  C   LYS A  29      36.072  27.617   9.186  1.00 34.80           C
ATOM   3795  O   LYS A  29      37.108  27.305   9.732  1.00 35.64           O
ATOM   3797  N   ILE A  30      35.112  28.303   9.819  1.00 35.20           N
ATOM   3798  CA  ILE A  30      35.270  28.815  11.182  1.00 34.52           C
ATOM   3800  CB  ILE A  30      34.716  30.220  11.318  1.00 35.55           C
ATOM   3802  CG1 ILE A  30      35.493  31.164  10.393  1.00 37.16           C
ATOM   3805  CD1 ILE A  30      34.949  32.583  10.305  1.00 40.89           C
ATOM   3809  CG2 ILE A  30      34.808  30.728  12.753  1.00 36.66           C
ATOM   3813  C   ILE A  30      34.622  27.878  12.173  1.00 34.34           C
ATOM   3814  O   ILE A  30      35.297  27.361  13.079  1.00 32.95           O
ATOM   3816  N   GLU A  31      33.317  27.615  11.985  1.00 32.99           N
ATOM   3817  CA  GLU A  31      32.569  26.844  12.960  1.00 32.08           C
ATOM   3819  CB  GLU A  31      31.121  27.392  13.011  1.00 32.50           C
ATOM   3822  CG  GLU A  31      30.975  28.714  13.857  1.00 36.73           C
ATOM   3825  CD  GLU A  31      29.506  29.249  13.897  1.00 46.12           C
ATOM   3826  OE1 GLU A  31      28.783  29.008  14.908  1.00 49.86           O
ATOM   3827  OE2 GLU A  31      29.053  29.893  12.898  1.00 50.48           O
ATOM   3828  C   GLU A  31      32.672  25.375  12.604  1.00 31.19           C
ATOM   3829  O   GLU A  31      31.688  24.743  12.099  1.00 30.07           O
ATOM   3831  N   THR A  32      33.864  24.820  12.855  1.00 28.87           N
ATOM   3832  CA  THR A  32      34.233  23.553  12.306  1.00 28.77           C
```

ATOM	3834	CB	THR	A	32	35.810	23.390	12.218	1.00	29.05	C
ATOM	3836	OG1	THR	A	32	36.345	23.501	13.517	1.00	30.38	O
ATOM	3838	CG2	THR	A	32	36.368	24.474	11.355	1.00	28.51	C
ATOM	3842	C	THR	A	32	33.635	22.443	13.073	1.00	27.91	C
ATOM	3843	O	THR	A	32	33.340	21.383	12.503	1.00	28.55	O
ATOM	3845	N	ASN	A	33	33.471	22.632	14.362	1.00	26.97	N
ATOM	3846	CA	ASN	A	33	32.753	21.647	15.167	1.00	27.78	C
ATOM	3848	CB	ASN	A	33	32.901	21.951	16.651	1.00	27.61	C
ATOM	3851	CG	ASN	A	33	34.220	21.427	17.205	1.00	34.08	C
ATOM	3852	OD1	ASN	A	33	34.773	20.410	16.718	1.00	33.29	O
ATOM	3853	ND2	ASN	A	33	34.761	22.142	18.169	1.00	31.62	N
ATOM	3856	C	ASN	A	33	31.243	21.559	14.798	1.00	27.02	C
ATOM	3857	O	ASN	A	33	30.725	20.482	14.721	1.00	29.90	O
ATOM	3859	N	LYS	A	34	30.594	22.686	14.587	1.00	26.67	N
ATOM	3860	CA	LYS	A	34	29.164	22.748	14.188	1.00	27.48	C
ATOM	3862	CB	LYS	A	34	28.771	24.219	14.154	1.00	28.16	C
ATOM	3865	CG	LYS	A	34	27.391	24.511	13.601	1.00	30.94	C
ATOM	3868	CD	LYS	A	34	26.279	24.037	14.609	1.00	36.57	C
ATOM	3871	CE	LYS	A	34	25.549	25.212	15.353	1.00	35.99	C
ATOM	3874	NZ	LYS	A	34	25.371	26.473	14.534	1.00	37.66	N
ATOM	3878	C	LYS	A	34	28.989	22.054	12.809	1.00	25.55	C
ATOM	3879	O	LYS	A	34	28.154	21.184	12.622	1.00	25.90	O
ATOM	3881	N	PHE	A	35	29.917	22.356	11.911	1.00	25.88	N
ATOM	3882	CA	PHE	A	35	30.084	21.660	10.646	1.00	24.88	C
ATOM	3884	CB	PHE	A	35	31.337	22.189	9.977	1.00	25.57	C
ATOM	3887	CG	PHE	A	35	31.576	21.715	8.565	1.00	26.65	C
ATOM	3888	CD1	PHE	A	35	30.509	21.442	7.670	1.00	25.74	C
ATOM	3890	CE1	PHE	A	35	30.770	21.053	6.365	1.00	20.88	C
ATOM	3892	CZ	PHE	A	35	32.106	20.952	5.929	1.00	24.97	C
ATOM	3894	CE2	PHE	A	35	33.176	21.171	6.825	1.00	21.40	C
ATOM	3896	CD2	PHE	A	35	32.918	21.528	8.120	1.00	24.71	C
ATOM	3898	C	PHE	A	35	30.050	20.178	10.778	1.00	24.09	C
ATOM	3899	O	PHE	A	35	29.175	19.546	10.170	1.00	23.97	O
ATOM	3901	N	ALA	A	36	30.909	19.588	11.611	1.00	23.22	N
ATOM	3902	CA	ALA	A	36	30.815	18.185	11.907	1.00	23.31	C
ATOM	3904	CB	ALA	A	36	31.894	17.752	12.953	1.00	23.98	C
ATOM	3908	C	ALA	A	36	29.461	17.760	12.465	1.00	21.84	C
ATOM	3909	O	ALA	A	36	29.005	16.666	12.203	1.00	21.60	O
ATOM	3911	N	ALA	A	37	28.887	18.561	13.336	1.00	21.88	N
ATOM	3912	CA	ALA	A	37	27.649	18.133	13.999	1.00	21.44	C
ATOM	3914	CB	ALA	A	37	27.350	19.027	15.213	1.00	20.06	C
ATOM	3918	C	ALA	A	37	26.493	18.183	12.966	1.00	19.17	C
ATOM	3919	O	ALA	A	37	25.615	17.369	12.978	1.00	21.53	O
ATOM	3921	N	ILE	A	38	26.522	19.156	12.093	1.00	20.44	N
ATOM	3922	CA	ILE	A	38	25.508	19.254	11.009	1.00	19.29	C
ATOM	3924	CB	ILE	A	38	25.626	20.564	10.260	1.00	18.50	C
ATOM	3926	CG1	ILE	A	38	25.142	21.636	11.216	1.00	20.39	C
ATOM	3929	CD1	ILE	A	38	25.427	23.045	10.873	1.00	25.17	C
ATOM	3933	CG2	ILE	A	38	24.808	20.544	8.898	1.00	18.73	C
ATOM	3937	C	ILE	A	38	25.634	18.084	10.136	1.00	19.70	C
ATOM	3938	O	ILE	A	38	24.640	17.422	9.856	1.00	17.66	O
ATOM	3940	N	CYS	A	39	26.880	17.717	9.771	1.00	18.67	N
ATOM	3941	CA	CYS	A	39	27.049	16.524	8.938	1.00	18.32	C
ATOM	3943	CB	CYS	A	39	28.559	16.305	8.470	1.00	18.20	C
ATOM	3946	SG	CYS	A	39	29.211	17.518	7.360	1.00	23.17	S
ATOM	3948	C	CYS	A	39	26.525	15.264	9.605	1.00	17.79	C
ATOM	3949	O	CYS	A	39	25.835	14.456	8.981	1.00	18.02	O
ATOM	3951	N	THR	A	40	26.865	15.082	10.884	1.00	17.25	N
ATOM	3952	CA	THR	A	40	26.475	13.945	11.640	1.00	18.06	C
ATOM	3954	CB	THR	A	40	27.049	14.050	13.007	1.00	20.01	C
ATOM	3956	OG1	THR	A	40	28.484	14.100	12.864	1.00	23.15	O
ATOM	3958	CG2	THR	A	40	26.685	12.824	13.845	1.00	19.86	C
ATOM	3962	C	THR	A	40	24.938	13.819	11.761	1.00	17.94	C

ATOM	3963	O	THR	A	40	24.439	12.774	11.588	1.00	17.27	O
ATOM	3965	N	HIS	A	41	24.292	14.931	12.077	1.00	19.50	N
ATOM	3966	CA	HIS	A	41	22.842	15.007	12.276	1.00	19.81	C
ATOM	3968	CB	HIS	A	41	22.432	16.388	12.814	1.00	19.82	C
ATOM	3971	CG	HIS	A	41	20.952	16.664	12.758	1.00	20.37	C
ATOM	3972	ND1	HIS	A	41	20.339	17.302	11.700	1.00	21.48	N
ATOM	3974	CE1	HIS	A	41	19.041	17.429	11.962	1.00	22.42	C
ATOM	3976	NE2	HIS	A	41	18.805	16.912	13.150	1.00	23.82	N
ATOM	3978	CD2	HIS	A	41	19.989	16.484	13.690	1.00	18.08	C
ATOM	3980	C	HIS	A	41	22.224	14.710	10.937	1.00	18.88	C
ATOM	3981	O	HIS	A	41	21.294	13.919	10.903	1.00	19.64	O
ATOM	3983	N	LEU	A	42	22.761	15.283	9.831	1.00	18.01	N
ATOM	3984	CA	LEU	A	42	22.189	14.974	8.517	1.00	18.86	C
ATOM	3986	CB	LEU	A	42	22.807	15.848	7.376	1.00	20.46	C
ATOM	3989	CG	LEU	A	42	22.161	15.809	5.987	1.00	24.61	C
ATOM	3991	CD1	LEU	A	42	20.616	16.114	6.039	1.00	25.14	C
ATOM	3995	CD2	LEU	A	42	22.827	16.886	5.102	1.00	31.06	C
ATOM	3999	C	LEU	A	42	22.347	13.512	8.210	1.00	19.21	C
ATOM	4000	O	LEU	A	42	21.405	12.844	7.701	1.00	19.82	O
ATOM	4002	N	GLU	A	43	23.540	12.984	8.467	1.00	19.50	N
ATOM	4003	CA	GLU	A	43	23.734	11.592	8.266	1.00	20.69	C
ATOM	4005	CB	GLU	A	43	25.223	11.209	8.489	1.00	22.31	C
ATOM	4008	CG	GLU	A	43	25.350	9.825	7.982	1.00	27.94	C
ATOM	4011	CD	GLU	A	43	26.715	9.334	7.937	1.00	30.82	C
ATOM	4012	OE1	GLU	A	43	26.925	8.463	7.114	1.00	43.59	O
ATOM	4013	OE2	GLU	A	43	27.560	9.792	8.675	1.00	33.88	O
ATOM	4014	C	GLU	A	43	22.781	10.741	9.124	1.00	20.20	C
ATOM	4015	O	GLU	A	43	22.208	9.800	8.621	1.00	18.66	O
ATOM	4017	N	VAL	A	44	22.488	11.131	10.371	1.00	19.84	N
ATOM	4018	CA	VAL	A	44	21.521	10.329	11.153	1.00	20.97	C
ATOM	4020	CB	VAL	A	44	21.570	10.698	12.675	1.00	21.29	C
ATOM	4022	CG1	VAL	A	44	20.456	10.080	13.447	1.00	21.90	C
ATOM	4026	CG2	VAL	A	44	22.984	10.268	13.386	1.00	24.03	C
ATOM	4030	C	VAL	A	44	20.068	10.409	10.585	1.00	21.37	C
ATOM	4031	O	VAL	A	44	19.314	9.403	10.565	1.00	21.88	O
ATOM	4033	N	CYS	A	45	19.646	11.606	10.174	1.00	21.03	N
ATOM	4034	CA	CYS	A	45	18.296	11.785	9.544	1.00	21.16	C
ATOM	4036	CB	CYS	A	45	18.088	13.231	9.152	1.00	18.88	C
ATOM	4039	SG	CYS	A	45	17.930	14.217	10.522	1.00	20.57	S
ATOM	4041	C	CYS	A	45	18.157	10.855	8.323	1.00	22.81	C
ATOM	4042	O	CYS	A	45	17.151	10.092	8.203	1.00	23.44	O
ATOM	4044	N	PHE	A	46	19.194	10.836	7.483	1.00	22.85	N
ATOM	4045	CA	PHE	A	46	19.223	9.915	6.361	1.00	26.26	C
ATOM	4047	CB	PHE	A	46	20.445	10.179	5.493	1.00	26.97	C
ATOM	4050	CG	PHE	A	46	20.397	11.481	4.689	1.00	27.31	C
ATOM	4051	CD1	PHE	A	46	19.450	12.456	4.902	1.00	27.51	C
ATOM	4053	CE1	PHE	A	46	19.449	13.626	4.142	1.00	30.33	C
ATOM	4055	CZ	PHE	A	46	20.401	13.827	3.186	1.00	27.29	C
ATOM	4057	CE2	PHE	A	46	21.352	12.926	2.996	1.00	29.34	C
ATOM	4059	CD2	PHE	A	46	21.347	11.715	3.736	1.00	29.82	C
ATOM	4061	C	PHE	A	46	19.195	8.414	6.763	1.00	26.98	C
ATOM	4062	O	PHE	A	46	18.445	7.634	6.142	1.00	28.73	O
ATOM	4064	N	MET	A	47	19.990	7.997	7.765	1.00	26.04	N
ATOM	4065	CA	MET	A	47	19.944	6.582	8.216	1.00	27.74	C
ATOM	4067	CB	MET	A	47	21.066	6.272	9.205	1.00	28.12	C
ATOM	4070	CG	MET	A	47	22.453	6.608	8.674	1.00	29.74	C
ATOM	4073	SD	MET	A	47	23.783	6.300	9.814	1.00	34.67	S
ATOM	4074	CE	MET	A	47	23.511	4.549	10.197	1.00	27.14	C
ATOM	4078	C	MET	A	47	18.608	6.268	8.849	1.00	28.19	C
ATOM	4079	O	MET	A	47	18.052	5.162	8.703	1.00	29.11	O
ATOM	4081	N	TYR	A	48	18.059	7.247	9.549	1.00	27.66	N
ATOM	4082	CA	TYR	A	48	16.780	7.030	10.187	1.00	27.82	C
ATOM	4084	CB	TYR	A	48	16.401	8.265	10.959	1.00	25.59	C

```
ATOM   4087  CG  TYR A  48      15.429   8.073  12.090  1.00 25.74           C
ATOM   4088  CD1 TYR A  48      15.833   8.175  13.405  1.00 22.42           C
ATOM   4090  CE1 TYR A  48      14.938   8.030  14.445  1.00 24.87           C
ATOM   4092  CZ  TYR A  48      13.596   7.800  14.216  1.00 26.71           C
ATOM   4093  OH  TYR A  48      12.717   7.671  15.318  1.00 24.81           O
ATOM   4095  CE2 TYR A  48      13.155   7.668  12.933  1.00 27.06           C
ATOM   4097  CD2 TYR A  48      14.075   7.810  11.856  1.00 26.71           C
ATOM   4099  C   TYR A  48      15.696   6.670   9.165  1.00 29.27           C
ATOM   4100  O   TYR A  48      14.869   5.790   9.378  1.00 26.64           O
ATOM   4102  N   SER A  49      15.736   7.339   8.030  1.00 32.83           N
ATOM   4103  CA  SER A  49      14.783   7.093   6.948  1.00 35.43           C
ATOM   4105  CB  SER A  49      14.690   8.314   6.035  1.00 35.64           C
ATOM   4108  OG  SER A  49      13.905   7.940   4.900  1.00 36.39           O
ATOM   4110  C   SER A  49      15.091   5.876   6.073  1.00 37.95           C
ATOM   4111  O   SER A  49      14.155   5.202   5.581  1.00 40.05           O
ATOM   4113  N   ASP A  50      16.367   5.581   5.874  1.00 40.93           N
ATOM   4114  CA  ASP A  50      16.801   4.547   4.909  1.00 44.18           C
ATOM   4116  CB  ASP A  50      18.353   4.437   4.799  1.00 44.74           C
ATOM   4119  CG  ASP A  50      18.963   5.590   3.997  1.00 46.66           C
ATOM   4120  OD1 ASP A  50      20.206   5.775   4.030  1.00 51.65           O
ATOM   4121  OD2 ASP A  50      18.182   6.351   3.358  1.00 50.32           O
ATOM   4122  C   ASP A  50      16.230   3.184   5.192  1.00 45.66           C
ATOM   4123  O   ASP A  50      16.137   2.758   6.351  1.00 47.11           O
ATOM   4125  N   PHE A  51      15.823   2.521   4.117  1.00 47.20           N
ATOM   4126  CA  PHE A  51      15.291   1.168   4.160  1.00 48.87           C
ATOM   4128  CB  PHE A  51      16.265   0.175   4.872  1.00 48.96           C
ATOM   4131  CG  PHE A  51      17.707   0.312   4.467  1.00 52.30           C
ATOM   4132  CD1 PHE A  51      18.081   0.217   3.117  1.00 55.97           C
ATOM   4134  CE1 PHE A  51      19.425   0.343   2.737  1.00 57.47           C
ATOM   4136  CZ  PHE A  51      20.407   0.582   3.733  1.00 58.95           C
ATOM   4138  CE2 PHE A  51      20.030   0.662   5.089  1.00 55.32           C
ATOM   4140  CD2 PHE A  51      18.703   0.519   5.443  1.00 53.55           C
ATOM   4142  C   PHE A  51      13.899   1.030   4.796  1.00 49.11           C
ATOM   4143  O   PHE A  51      13.422  -0.077   4.888  1.00 49.98           O
ATOM   4145  N   HIS A  52      13.238   2.104   5.225  1.00 49.71           N
ATOM   4146  CA  HIS A  52      11.891   1.980   5.787  1.00 49.81           C
ATOM   4148  CB  HIS A  52      11.780   2.734   7.099  1.00 50.49           C
ATOM   4151  CG  HIS A  52      12.629   2.144   8.177  1.00 51.72           C
ATOM   4152  ND1 HIS A  52      13.791   2.742   8.617  1.00 53.36           N
ATOM   4154  CE1 HIS A  52      14.350   1.973   9.537  1.00 54.13           C
ATOM   4156  NE2 HIS A  52      13.605   0.893   9.694  1.00 53.31           N
ATOM   4158  CD2 HIS A  52      12.527   0.971   8.846  1.00 52.73           C
ATOM   4160  C   HIS A  52      10.790   2.384   4.838  1.00 50.48           C
ATOM   4161  O   HIS A  52      10.791   3.486   4.284  1.00 49.74           O
ATOM   4163  N   PHE A  53       9.847   1.462   4.651  1.00 51.60           N
ATOM   4164  CA  PHE A  53       8.869   1.556   3.590  1.00 53.19           C
ATOM   4166  CB  PHE A  53       9.300   0.668   2.425  1.00 53.76           C
ATOM   4169  CG  PHE A  53      10.480   1.201   1.643  1.00 53.69           C
ATOM   4170  CD1 PHE A  53      10.307   2.155   0.679  1.00 53.29           C
ATOM   4172  CE1 PHE A  53      11.377   2.639  -0.042  1.00 55.70           C
ATOM   4174  CZ  PHE A  53      12.652   2.162   0.196  1.00 56.82           C
ATOM   4176  CE2 PHE A  53      12.836   1.188   1.148  1.00 56.35           C
ATOM   4178  CD2 PHE A  53      11.754   0.715   1.867  1.00 55.39           C
ATOM   4180  C   PHE A  53       7.503   1.153   4.108  1.00 54.70           C
ATOM   4181  O   PHE A  53       7.398   0.526   5.142  1.00 53.81           O
ATOM   4183  N   ILE A  54       6.444   1.562   3.419  1.00 57.24           N
ATOM   4184  CA  ILE A  54       5.089   1.171   3.818  1.00 58.97           C
ATOM   4186  CB  ILE A  54       4.281   2.349   4.455  1.00 58.93           C
ATOM   4188  CG1 ILE A  54       4.550   3.674   3.743  1.00 58.38           C
ATOM   4191  CD1 ILE A  54       3.806   4.853   4.359  1.00 56.17           C
ATOM   4195  CG2 ILE A  54       4.614   2.476   5.934  1.00 59.10           C
ATOM   4199  C   ILE A  54       4.331   0.556   2.636  1.00 61.05           C
ATOM   4200  O   ILE A  54       4.235   1.163   1.564  1.00 60.93           O
```

ATOM	4202	N	ASP	A	55	3.796	-0.649	2.849	1.00	63.73	N
ATOM	4203	CA	ASP	A	55	3.250	-1.472	1.758	1.00	65.98	C
ATOM	4205	CB	ASP	A	55	3.105	-2.958	2.172	1.00	66.36	C
ATOM	4208	CG	ASP	A	55	2.077	-3.188	3.269	1.00	67.76	C
ATOM	4209	OD1	ASP	A	55	2.250	-4.178	4.015	1.00	71.29	O
ATOM	4210	OD2	ASP	A	55	1.103	-2.408	3.396	1.00	70.42	O
ATOM	4211	C	ASP	A	55	1.949	-0.933	1.132	1.00	67.80	C
ATOM	4212	O	ASP	A	55	1.460	-1.492	0.132	1.00	68.87	O
ATOM	4214	N	ASP	A	56	1.390	0.128	1.719	1.00	69.38	N
ATOM	4215	CA	ASP	A	56	0.330	0.915	1.074	1.00	70.37	C
ATOM	4217	CB	ASP	A	56	-1.024	0.187	1.157	1.00	70.91	C
ATOM	4220	CG	ASP	A	56	-2.058	0.742	0.178	1.00	72.59	C
ATOM	4221	OD1	ASP	A	56	-1.944	1.917	-0.257	1.00	74.34	O
ATOM	4222	OD2	ASP	A	56	-3.003	-0.008	-0.155	1.00	76.69	O
ATOM	4223	C	ASP	A	56	0.231	2.295	1.730	1.00	70.77	C
ATOM	4224	O	ASP	A	56	0.004	2.402	2.943	1.00	71.00	O
ATOM	4226	N	GLY	A	58	0.587	-1.157	6.263	1.00	81.38	N
ATOM	4227	CA	GLY	A	58	1.600	-1.539	7.247	1.00	81.46	C
ATOM	4230	C	GLY	A	58	2.991	-1.331	6.679	1.00	81.74	C
ATOM	4231	O	GLY	A	58	3.138	-1.095	5.472	1.00	81.77	O
ATOM	4233	N	GLU	A	59	4.019	-1.422	7.527	1.00	81.75	N
ATOM	4234	CA	GLU	A	59	5.391	-1.072	7.101	1.00	81.67	C
ATOM	4236	CB	GLU	A	59	6.076	-0.095	8.085	1.00	81.61	C
ATOM	4239	CG	GLU	A	59	6.951	-0.720	9.176	1.00	81.33	C
ATOM	4242	CD	GLU	A	59	6.136	-1.423	10.247	1.00	80.59	C
ATOM	4243	OE1	GLU	A	59	5.322	-2.303	9.900	1.00	81.03	O
ATOM	4244	OE2	GLU	A	59	6.301	-1.093	11.440	1.00	77.96	O
ATOM	4245	C	GLU	A	59	6.264	-2.289	6.848	1.00	81.47	C
ATOM	4246	O	GLU	A	59	5.885	-3.414	7.152	1.00	81.51	O
ATOM	4248	N	SER	A	60	7.436	-2.032	6.279	1.00	81.57	N
ATOM	4249	CA	SER	A	60	8.369	-3.072	5.890	1.00	81.64	C
ATOM	4251	CB	SER	A	60	7.881	-3.798	4.634	1.00	81.53	C
ATOM	4254	OG	SER	A	60	7.444	-2.889	3.646	1.00	80.41	O
ATOM	4256	C	SER	A	60	9.759	-2.492	5.657	1.00	82.25	C
ATOM	4257	O	SER	A	60	9.920	-1.312	5.327	1.00	81.91	O
ATOM	4259	N	ILE	A	61	10.746	-3.365	5.820	1.00	83.15	N
ATOM	4260	CA	ILE	A	61	12.172	-3.035	5.807	1.00	83.98	C
ATOM	4262	CB	ILE	A	61	12.824	-3.573	7.126	1.00	84.00	C
ATOM	4264	CG1	ILE	A	61	11.974	-3.152	8.347	1.00	84.28	C
ATOM	4267	CD1	ILE	A	61	12.623	-3.382	9.701	1.00	83.44	C
ATOM	4271	CG2	ILE	A	61	14.255	-3.105	7.253	1.00	83.90	C
ATOM	4275	C	ILE	A	61	12.838	-3.678	4.563	1.00	84.60	C
ATOM	4276	O	ILE	A	61	12.521	-4.827	4.229	1.00	85.06	O
ATOM	4278	N	ILE	A	62	13.729	-2.950	3.871	1.00	85.09	N
ATOM	4279	CA	ILE	A	62	14.450	-3.481	2.676	1.00	85.39	C
ATOM	4281	CB	ILE	A	62	14.074	-2.722	1.367	1.00	85.47	C
ATOM	4283	CG1	ILE	A	62	12.570	-2.830	1.082	1.00	85.98	C
ATOM	4286	CD1	ILE	A	62	12.129	-2.183	-0.273	1.00	85.70	C
ATOM	4290	CG2	ILE	A	62	14.839	-3.290	0.169	1.00	85.59	C
ATOM	4294	C	ILE	A	62	15.983	-3.474	2.872	1.00	85.49	C
ATOM	4295	O	ILE	A	62	16.765	-3.150	1.962	1.00	85.65	O
ATOM	4297	N	LYS	A	73	6.938	2.964	-1.660	1.00	48.05	N
ATOM	4298	CA	LYS	A	73	6.539	4.123	-0.839	1.00	48.25	C
ATOM	4300	CB	LYS	A	73	5.067	3.954	-0.459	1.00	49.02	C
ATOM	4303	CG	LYS	A	73	4.385	5.133	0.229	1.00	53.20	C
ATOM	4306	CD	LYS	A	73	2.844	4.863	0.197	1.00	56.19	C
ATOM	4309	CE	LYS	A	73	1.921	6.006	0.697	1.00	57.81	C
ATOM	4312	NZ	LYS	A	73	0.509	5.455	0.873	1.00	56.71	N
ATOM	4316	C	LYS	A	73	7.395	4.315	0.444	1.00	46.21	C
ATOM	4317	O	LYS	A	73	7.399	3.441	1.331	1.00	45.27	O
ATOM	4319	N	HIS	A	74	8.047	5.478	0.570	1.00	42.54	N
ATOM	4320	CA	HIS	A	74	8.901	5.755	1.732	1.00	41.51	C
ATOM	4322	CB	HIS	A	74	9.773	7.001	1.502	1.00	41.99	C

```
ATOM   4325  CG  HIS A  74      10.794   6.828   0.424  1.00 45.77           C
ATOM   4326  ND1 HIS A  74      11.882   7.666   0.278  1.00 51.13           N
ATOM   4328  CE1 HIS A  74      12.613   7.272  -0.747  1.00 50.19           C
ATOM   4330  NE2 HIS A  74      12.053   6.192  -1.257  1.00 49.77           N
ATOM   4332  CD2 HIS A  74      10.909   5.900  -0.551  1.00 48.34           C
ATOM   4334  C   HIS A  74       8.053   5.945   2.990  1.00 38.11           C
ATOM   4335  O   HIS A  74       7.068   6.687   2.971  1.00 39.13           O
ATOM   4337  N   ARG A  75       8.432   5.286   4.078  1.00 33.28           N
ATOM   4338  CA  ARG A  75       7.790   5.529   5.383  1.00 31.40           C
ATOM   4340  CB  ARG A  75       8.310   4.536   6.419  1.00 30.88           C
ATOM   4343  CG  ARG A  75       7.838   4.843   7.806  1.00 32.49           C
ATOM   4346  CD  ARG A  75       8.088   3.752   8.788  1.00 29.37           C
ATOM   4349  NE  ARG A  75       7.641   4.211  10.076  1.00 32.59           N
ATOM   4351  CZ  ARG A  75       7.726   3.528  11.208  1.00 35.96           C
ATOM   4352  NH1 ARG A  75       8.254   2.326  11.229  1.00 40.55           N
ATOM   4355  NH2 ARG A  75       7.309   4.078  12.327  1.00 38.41           N
ATOM   4358  C   ARG A  75       7.998   6.972   5.893  1.00 29.60           C
ATOM   4359  O   ARG A  75       7.136   7.555   6.553  1.00 29.98           O
ATOM   4361  N   PHE A  76       9.131   7.552   5.569  1.00 27.87           N
ATOM   4362  CA  PHE A  76       9.510   8.814   6.132  1.00 27.42           C
ATOM   4364  CB  PHE A  76      10.811   8.665   6.904  1.00 27.96           C
ATOM   4367  CG  PHE A  76      10.705   7.775   8.089  1.00 25.71           C
ATOM   4368  CD1 PHE A  76      10.062   8.207   9.226  1.00 24.03           C
ATOM   4370  CE1 PHE A  76       9.966   7.392  10.311  1.00 26.98           C
ATOM   4372  CZ  PHE A  76      10.511   6.175  10.276  1.00 24.68           C
ATOM   4374  CE2 PHE A  76      11.176   5.725   9.176  1.00 26.92           C
ATOM   4376  CD2 PHE A  76      11.281   6.528   8.084  1.00 29.01           C
ATOM   4378  C   PHE A  76       9.738   9.838   5.041  1.00 26.82           C
ATOM   4379  O   PHE A  76      10.435   9.552   4.078  1.00 28.59           O
ATOM   4381  N   GLU A  77       9.205  11.041   5.206  1.00 25.46           N
ATOM   4382  CA  GLU A  77       9.584  12.135   4.363  1.00 24.88           C
ATOM   4384  CB  GLU A  77       8.437  13.136   4.297  1.00 26.37           C
ATOM   4387  CG  GLU A  77       8.775  14.311   3.354  1.00 29.27           C
ATOM   4390  CD  GLU A  77       8.802  13.849   1.933  1.00 30.94           C
ATOM   4391  OE1 GLU A  77       9.772  14.104   1.188  1.00 38.76           O
ATOM   4392  OE2 GLU A  77       7.870  13.122   1.617  1.00 33.73           O
ATOM   4393  C   GLU A  77      10.833  12.818   4.985  1.00 25.17           C
ATOM   4394  O   GLU A  77      10.836  13.070   6.172  1.00 25.52           O
ATOM   4396  N   ILE A  78      11.868  13.153   4.212  1.00 23.90           N
ATOM   4397  CA  ILE A  78      13.028  13.832   4.801  1.00 24.27           C
ATOM   4399  CB  ILE A  78      14.384  13.395   4.193  1.00 26.03           C
ATOM   4401  CG1 ILE A  78      14.548  11.854   4.322  1.00 28.41           C
ATOM   4404  CD1 ILE A  78      15.529  11.142   3.285  1.00 29.47           C
ATOM   4408  CG2 ILE A  78      15.522  14.075   4.953  1.00 25.15           C
ATOM   4412  C   ILE A  78      12.861  15.359   4.682  1.00 22.51           C
ATOM   4413  O   ILE A  78      12.699  15.869   3.638  1.00 23.77           O
ATOM   4415  N   ILE A  79      12.775  16.053   5.791  1.00 21.51           N
ATOM   4416  CA  ILE A  79      12.680  17.524   5.836  1.00 20.74           C
ATOM   4418  CB  ILE A  79      11.719  17.834   6.936  1.00 20.06           C
ATOM   4420  CG1 ILE A  79      10.335  17.217   6.505  1.00 23.77           C
ATOM   4423  CD1 ILE A  79       9.431  17.082   7.599  1.00 25.23           C
ATOM   4427  CG2 ILE A  79      11.557  19.343   7.135  1.00 18.11           C
ATOM   4431  C   ILE A  79      14.063  18.196   5.974  1.00 19.32           C
ATOM   4432  O   ILE A  79      14.410  19.151   5.254  1.00 18.63           O
ATOM   4434  N   GLU A  80      14.873  17.649   6.850  1.00 18.99           N
ATOM   4435  CA  GLU A  80      16.261  18.154   7.077  1.00 19.21           C
ATOM   4437  CB  GLU A  80      16.902  17.361   8.223  1.00 19.58           C
ATOM   4440  CG  GLU A  80      18.266  17.872   8.736  1.00 21.39           C
ATOM   4443  CD  GLU A  80      18.271  19.248   9.206  1.00 21.69           C
ATOM   4444  OE1 GLU A  80      17.943  19.564  10.330  1.00 27.20           O
ATOM   4445  OE2 GLU A  80      18.622  20.130   8.457  1.00 26.69           O
ATOM   4446  C   GLU A  80      17.038  17.953   5.817  1.00 18.98           C
ATOM   4447  O   GLU A  80      16.826  16.974   5.126  1.00 19.55           O
```

ATOM	4449	N	GLY	A	81	17.961	18.865	5.521	1.00	21.49	N
ATOM	4450	CA	GLY	A	81	18.735	18.863	4.276	1.00	20.61	C
ATOM	4453	C	GLY	A	81	18.147	19.780	3.223	1.00	21.59	C
ATOM	4454	O	GLY	A	81	18.865	20.256	2.335	1.00	20.89	O
ATOM	4456	N	ARG	A	82	16.841	20.039	3.318	1.00	21.56	N
ATOM	4457	CA	ARG	A	82	16.174	20.983	2.435	1.00	22.08	C
ATOM	4459	CB	ARG	A	82	14.643	20.698	2.362	1.00	22.60	C
ATOM	4462	CG	ARG	A	82	14.384	19.272	1.930	1.00	21.62	C
ATOM	4465	CD	ARG	A	82	13.003	18.619	2.219	1.00	31.85	C
ATOM	4468	NE	ARG	A	82	12.520	18.520	0.905	1.00	35.87	N
ATOM	4470	CZ	ARG	A	82	12.224	17.517	0.130	1.00	27.09	C
ATOM	4471	NH1	ARG	A	82	11.988	16.259	0.455	1.00	27.90	N
ATOM	4474	NH2	ARG	A	82	12.075	17.918	-1.087	1.00	29.02	N
ATOM	4477	C	ARG	A	82	16.454	22.385	2.890	1.00	21.61	C
ATOM	4478	O	ARG	A	82	16.526	22.619	4.030	1.00	21.64	O
ATOM	4480	N	ASP	A	83	16.529	23.362	1.993	1.00	23.18	N
ATOM	4481	CA	ASP	A	83	16.443	24.742	2.466	1.00	24.33	C
ATOM	4483	CB	ASP	A	83	16.859	25.761	1.367	1.00	25.29	C
ATOM	4486	CG	ASP	A	83	15.830	25.943	0.262	1.00	29.71	C
ATOM	4487	OD1	ASP	A	83	14.707	25.406	0.276	1.00	33.99	O
ATOM	4488	OD2	ASP	A	83	16.167	26.685	-0.640	1.00	39.38	O
ATOM	4489	C	ASP	A	83	15.048	25.062	3.081	1.00	23.94	C
ATOM	4490	O	ASP	A	83	14.131	24.238	3.020	1.00	22.18	O
ATOM	4492	N	ARG	A	84	14.921	26.239	3.678	1.00	23.12	N
ATOM	4493	CA	ARG	A	84	13.766	26.490	4.515	1.00	23.78	C
ATOM	4495	CB	ARG	A	84	13.879	27.780	5.304	1.00	23.86	C
ATOM	4498	CG	ARG	A	84	14.665	27.726	6.571	1.00	25.58	C
ATOM	4501	CD	ARG	A	84	14.592	29.049	7.254	1.00	25.51	C
ATOM	4504	NE	ARG	A	84	15.303	29.032	8.540	1.00	30.29	N
ATOM	4506	CZ	ARG	A	84	16.408	29.722	8.799	1.00	32.03	C
ATOM	4507	NH1	ARG	A	84	16.949	30.502	7.870	1.00	31.92	N
ATOM	4510	NH2	ARG	A	84	16.991	29.639	9.994	1.00	35.49	N
ATOM	4513	C	ARG	A	84	12.546	26.540	3.617	1.00	24.57	C
ATOM	4514	O	ARG	A	84	11.480	26.093	4.009	1.00	24.75	O
ATOM	4516	N	ILE	A	85	12.706	27.115	2.433	1.00	23.26	N
ATOM	4517	CA	ILE	A	85	11.607	27.261	1.537	1.00	23.31	C
ATOM	4519	CB	ILE	A	85	11.979	28.167	0.400	1.00	24.01	C
ATOM	4521	CG1	ILE	A	85	12.224	29.574	0.954	1.00	25.10	C
ATOM	4524	CD1	ILE	A	85	13.111	30.416	-0.093	1.00	33.55	C
ATOM	4528	CG2	ILE	A	85	10.892	28.156	-0.692	1.00	23.45	C
ATOM	4532	C	ILE	A	85	11.032	25.951	1.080	1.00	23.83	C
ATOM	4533	O	ILE	A	85	9.799	25.728	1.232	1.00	23.01	O
ATOM	4535	N	MET	A	86	11.880	25.047	0.594	1.00	23.70	N
ATOM	4536	CA	MET	A	86	11.453	23.706	0.240	1.00	24.04	C
ATOM	4538	CB	MET	A	86	12.552	22.913	-0.480	1.00	25.61	C
ATOM	4541	CG	MET	A	86	12.822	23.410	-1.922	1.00	29.68	C
ATOM	4544	SD	MET	A	86	11.329	23.275	-2.901	1.00	38.30	S
ATOM	4545	CE	MET	A	86	11.932	24.152	-4.366	1.00	44.18	C
ATOM	4549	C	MET	A	86	10.973	22.895	1.436	1.00	23.56	C
ATOM	4550	O	MET	A	86	9.939	22.184	1.343	1.00	22.21	O
ATOM	4552	N	ALA	A	87	11.647	23.030	2.569	1.00	20.43	N
ATOM	4553	CA	ALA	A	87	11.207	22.367	3.790	1.00	20.21	C
ATOM	4555	CB	ALA	A	87	12.126	22.651	4.934	1.00	19.24	C
ATOM	4559	C	ALA	A	87	9.730	22.784	4.199	1.00	19.78	C
ATOM	4560	O	ALA	A	87	8.900	21.935	4.518	1.00	18.95	O
ATOM	4562	N	TRP	A	88	9.447	24.054	4.200	1.00	20.65	N
ATOM	4563	CA	TRP	A	88	8.053	24.500	4.559	1.00	21.04	C
ATOM	4565	CB	TRP	A	88	8.023	25.960	4.796	1.00	21.58	C
ATOM	4568	CG	TRP	A	88	8.508	26.312	6.146	1.00	18.17	C
ATOM	4569	CD1	TRP	A	88	9.592	27.069	6.449	1.00	20.94	C
ATOM	4571	NE1	TRP	A	88	9.730	27.182	7.781	1.00	24.67	N
ATOM	4573	CE2	TRP	A	88	8.689	26.540	8.395	1.00	23.58	C
ATOM	4574	CD2	TRP	A	88	7.883	25.997	7.378	1.00	18.52	C

```
ATOM   4575  CE3 TRP A  88       6.746  25.251   7.733  1.00 20.25           C
ATOM   4577  CZ3 TRP A  88       6.448  25.093   9.039  1.00 22.47           C
ATOM   4579  CH2 TRP A  88       7.274  25.653  10.060  1.00 26.37           C
ATOM   4581  CZ2 TRP A  88       8.402  26.373   9.750  1.00 26.62           C
ATOM   4583  C   TRP A  88       7.069  24.096   3.498  1.00 21.67           C
ATOM   4584  O   TRP A  88       5.957  23.688   3.812  1.00 22.18           O
ATOM   4586  N   THR A  89       7.535  24.024   2.254  1.00 21.88           N
ATOM   4587  CA  THR A  89       6.691  23.547   1.176  1.00 22.15           C
ATOM   4589  CB  THR A  89       7.405  23.610  -0.167  1.00 21.30           C
ATOM   4591  OG1 THR A  89       7.803  24.932  -0.361  1.00 21.89           O
ATOM   4593  CG2 THR A  89       6.491  23.236  -1.421  1.00 25.31           C
ATOM   4597  C   THR A  89       6.247  22.158   1.508  1.00 22.56           C
ATOM   4598  O   THR A  89       5.039  21.808   1.356  1.00 19.63           O
ATOM   4600  N   VAL A  90       7.219  21.327   1.925  1.00 22.06           N
ATOM   4601  CA  VAL A  90       6.956  19.943   2.169  1.00 22.93           C
ATOM   4603  CB  VAL A  90       8.279  19.123   2.270  1.00 24.11           C
ATOM   4605  CG1 VAL A  90       8.045  17.790   2.870  1.00 25.20           C
ATOM   4609  CG2 VAL A  90       8.902  18.931   0.886  1.00 27.88           C
ATOM   4613  C   VAL A  90       6.080  19.790   3.427  1.00 21.81           C
ATOM   4614  O   VAL A  90       5.127  19.031   3.408  1.00 20.95           O
ATOM   4616  N   VAL A  91       6.400  20.533   4.486  1.00 20.25           N
ATOM   4617  CA  VAL A  91       5.663  20.469   5.719  1.00 19.92           C
ATOM   4619  CB  VAL A  91       6.315  21.321   6.791  1.00 20.85           C
ATOM   4621  CG1 VAL A  91       5.403  21.463   8.018  1.00 17.94           C
ATOM   4625  CG2 VAL A  91       7.751  20.664   7.174  1.00 20.42           C
ATOM   4629  C   VAL A  91       4.193  20.917   5.464  1.00 20.56           C
ATOM   4630  O   VAL A  91       3.262  20.259   5.914  1.00 19.15           O
ATOM   4632  N   ASN A  92       4.029  21.980   4.706  1.00 21.42           N
ATOM   4633  CA  ASN A  92       2.711  22.489   4.435  1.00 23.06           C
ATOM   4635  CB  ASN A  92       2.824  23.766   3.639  1.00 23.94           C
ATOM   4638  CG  ASN A  92       3.210  24.892   4.454  1.00 25.31           C
ATOM   4639  OD1 ASN A  92       3.365  24.790   5.696  1.00 26.26           O
ATOM   4640  ND2 ASN A  92       3.312  26.060   3.795  1.00 31.85           N
ATOM   4643  C   ASN A  92       1.864  21.506   3.694  1.00 23.30           C
ATOM   4644  O   ASN A  92       0.733  21.255   4.085  1.00 23.77           O
ATOM   4646  N   SER A  93       2.439  20.884   2.672  1.00 23.36           N
ATOM   4647  CA  SER A  93       1.746  19.906   1.866  1.00 23.47           C
ATOM   4649  CB  SER A  93       2.687  19.507   0.737  1.00 23.42           C
ATOM   4652  OG  SER A  93       2.219  18.458  -0.044  1.00 26.35           O
ATOM   4654  C   SER A  93       1.285  18.677   2.697  1.00 25.02           C
ATOM   4655  O   SER A  93       0.131  18.189   2.604  1.00 22.83           O
ATOM   4657  N   ILE A  94       2.179  18.198   3.559  1.00 24.78           N
ATOM   4658  CA  ILE A  94       1.880  17.107   4.421  1.00 23.76           C
ATOM   4660  CB  ILE A  94       3.130  16.675   5.220  1.00 24.01           C
ATOM   4662  CG1 ILE A  94       4.079  15.862   4.356  1.00 24.64           C
ATOM   4665  CD1 ILE A  94       5.475  15.728   5.021  1.00 21.78           C
ATOM   4669  CG2 ILE A  94       2.731  15.884   6.456  1.00 20.87           C
ATOM   4673  C   ILE A  94       0.737  17.460   5.426  1.00 24.70           C
ATOM   4674  O   ILE A  94      -0.172  16.623   5.618  1.00 24.12           O
ATOM   4676  N   CYS A  95       0.819  18.629   6.074  1.00 22.49           N
ATOM   4677  CA  CYS A  95      -0.214  19.057   6.999  1.00 24.70           C
ATOM   4679  CB  CYS A  95       0.165  20.366   7.692  1.00 23.51           C
ATOM   4682  SG  CYS A  95       1.627  20.123   8.837  1.00 26.20           S
ATOM   4684  C   CYS A  95      -1.584  19.178   6.317  1.00 25.37           C
ATOM   4685  O   CYS A  95      -2.582  18.683   6.860  1.00 27.30           O
ATOM   4687  N   ASN A  96      -1.589  19.743   5.115  1.00 25.91           N
ATOM   4688  CA  ASN A  96      -2.819  19.958   4.350  1.00 27.86           C
ATOM   4690  CB  ASN A  96      -2.520  20.768   3.075  1.00 27.67           C
ATOM   4693  CG  ASN A  96      -2.179  22.197   3.357  1.00 31.54           C
ATOM   4694  OD1 ASN A  96      -2.443  22.722   4.457  1.00 36.77           O
ATOM   4695  ND2 ASN A  96      -1.603  22.877   2.341  1.00 32.47           N
ATOM   4698  C   ASN A  96      -3.476  18.633   4.003  1.00 28.53           C
ATOM   4699  O   ASN A  96      -4.684  18.421   4.140  1.00 26.67           O
```

```
ATOM   4701  N   THR A  97      -2.625  17.725   3.578  1.00 29.23           N
ATOM   4702  CA  THR A  97      -2.958  16.414   3.104  1.00 31.24           C
ATOM   4704  CB  THR A  97      -1.773  16.031   2.220  1.00 32.02           C
ATOM   4706  OG1 THR A  97      -1.988  16.668   0.933  1.00 38.24           O
ATOM   4708  CG2 THR A  97      -1.551  14.653   2.113  1.00 33.72           C
ATOM   4712  C   THR A  97      -3.277  15.324   4.165  1.00 31.50           C
ATOM   4713  O   THR A  97      -4.028  14.426   3.876  1.00 31.45           O
ATOM   4715  N   THR A  98      -2.746  15.425   5.380  1.00 30.49           N
ATOM   4716  CA  THR A  98      -2.925  14.408   6.412  1.00 30.11           C
ATOM   4718  CB  THR A  98      -1.563  13.981   7.029  1.00 29.99           C
ATOM   4720  OG1 THR A  98      -0.999  15.135   7.642  1.00 25.52           O
ATOM   4722  CG2 THR A  98      -0.642  13.365   5.996  1.00 29.30           C
ATOM   4726  C   THR A  98      -3.737  14.879   7.583  1.00 31.24           C
ATOM   4727  O   THR A  98      -4.207  14.054   8.359  1.00 31.90           O
ATOM   4729  N   GLY A  99      -3.864  16.186   7.741  1.00 32.43           N
ATOM   4730  CA  GLY A  99      -4.546  16.782   8.879  1.00 33.28           C
ATOM   4733  C   GLY A  99      -3.662  16.923  10.121  1.00 33.98           C
ATOM   4734  O   GLY A  99      -4.112  17.455  11.117  1.00 35.59           O
ATOM   4736  N   VAL A 100      -2.413  16.455  10.095  1.00 33.92           N
ATOM   4737  CA  VAL A 100      -1.538  16.717  11.259  1.00 33.90           C
ATOM   4739  CB  VAL A 100      -0.118  16.037  11.163  1.00 33.99           C
ATOM   4741  CG1 VAL A 100      -0.297  14.580  11.342  1.00 33.72           C
ATOM   4745  CG2 VAL A 100       0.618  16.372   9.801  1.00 32.56           C
ATOM   4749  C   VAL A 100      -1.357  18.182  11.504  1.00 33.22           C
ATOM   4750  O   VAL A 100      -1.251  18.974  10.596  1.00 32.99           O
ATOM   4752  N   GLU A 101      -1.331  18.510  12.776  1.00 34.14           N
ATOM   4753  CA  GLU A 101      -1.006  19.834  13.309  1.00 35.00           C
ATOM   4755  CB  GLU A 101      -0.882  19.699  14.859  1.00 36.13           C
ATOM   4758  CG  GLU A 101      -0.204  20.878  15.637  1.00 40.70           C
ATOM   4761  CD  GLU A 101      -0.190  20.628  17.154  1.00 48.59           C
ATOM   4762  OE1 GLU A 101      -1.295  20.645  17.806  1.00 51.01           O
ATOM   4763  OE2 GLU A 101       0.928  20.390  17.694  1.00 53.90           O
ATOM   4764  C   GLU A 101       0.293  20.398  12.716  1.00 33.10           C
ATOM   4765  O   GLU A 101       1.286  19.684  12.550  1.00 32.12           O
ATOM   4767  N   LYS A 102       0.261  21.665  12.351  1.00 32.11           N
ATOM   4768  CA  LYS A 102       1.386  22.248  11.710  1.00 31.98           C
ATOM   4770  CB  LYS A 102       0.959  23.431  10.909  1.00 32.96           C
ATOM   4773  CG  LYS A 102       2.188  24.058  10.219  1.00 33.83           C
ATOM   4776  CD  LYS A 102       1.787  25.023   9.206  1.00 36.21           C
ATOM   4779  CE  LYS A 102       0.973  24.404   8.111  1.00 32.75           C
ATOM   4782  NZ  LYS A 102       0.724  25.545   7.167  1.00 29.74           N
ATOM   4786  C   LYS A 102       2.425  22.663  12.725  1.00 30.91           C
ATOM   4787  O   LYS A 102       2.139  23.447  13.601  1.00 30.99           O
ATOM   4789  N   PRO A 103       3.645  22.148  12.615  1.00 30.60           N
ATOM   4790  CA  PRO A 103       4.657  22.542  13.633  1.00 30.96           C
ATOM   4792  CB  PRO A 103       5.916  21.724  13.264  1.00 31.44           C
ATOM   4795  CG  PRO A 103       5.696  21.202  11.868  1.00 31.26           C
ATOM   4798  CD  PRO A 103       4.189  21.301  11.552  1.00 31.28           C
ATOM   4801  C   PRO A 103       4.969  24.028  13.550  1.00 30.24           C
ATOM   4802  O   PRO A 103       4.737  24.626  12.516  1.00 29.18           O
ATOM   4803  N   LYS A 104       5.461  24.607  14.642  1.00 30.63           N
ATOM   4804  CA  LYS A 104       5.923  26.017  14.646  1.00 31.79           C
ATOM   4806  CB  LYS A 104       5.792  26.637  16.037  1.00 33.81           C
ATOM   4809  CG  LYS A 104       4.372  26.720  16.545  1.00 38.65           C
ATOM   4812  CD  LYS A 104       3.581  27.852  15.799  1.00 42.44           C
ATOM   4815  CE  LYS A 104       2.159  27.987  16.401  1.00 46.56           C
ATOM   4818  NZ  LYS A 104       2.184  28.941  17.582  1.00 47.58           N
ATOM   4822  C   LYS A 104       7.385  26.136  14.192  1.00 30.83           C
ATOM   4823  O   LYS A 104       7.790  27.188  13.734  1.00 29.36           O
ATOM   4825  N   PHE A 105       8.144  25.040  14.272  1.00 29.59           N
ATOM   4826  CA  PHE A 105       9.482  24.994  13.736  1.00 29.63           C
ATOM   4828  CB  PHE A 105      10.501  24.953  14.899  1.00 31.16           C
ATOM   4831  CG  PHE A 105      10.191  25.941  16.009  1.00 33.67           C
```

```
ATOM   4832  CD1 PHE A 105      10.709  27.232  15.972  1.00 37.41           C
ATOM   4834  CE1 PHE A 105      10.372  28.145  16.966  1.00 38.82           C
ATOM   4836  CZ  PHE A 105       9.495  27.770  18.002  1.00 36.70           C
ATOM   4838  CE2 PHE A 105       8.965  26.517  18.026  1.00 36.76           C
ATOM   4840  CD2 PHE A 105       9.304  25.601  17.039  1.00 34.31           C
ATOM   4842  C   PHE A 105       9.636  23.750  12.843  1.00 27.42           C
ATOM   4843  O   PHE A 105       8.995  22.711  13.063  1.00 29.07           O
ATOM   4845  N   LEU A 106      10.543  23.855  11.909  1.00 25.19           N
ATOM   4846  CA  LEU A 106      10.824  22.816  10.977  1.00 25.00           C
ATOM   4848  CB  LEU A 106      11.827  23.279   9.936  1.00 25.27           C
ATOM   4851  CG  LEU A 106      11.338  24.314   8.903  1.00 24.10           C
ATOM   4853  CD1 LEU A 106      12.616  24.876   8.179  1.00 22.92           C
ATOM   4857  CD2 LEU A 106      10.362  23.685   7.888  1.00 20.32           C
ATOM   4861  C   LEU A 106      11.361  21.596  11.725  1.00 24.06           C
ATOM   4862  O   LEU A 106      12.305  21.692  12.484  1.00 23.08           O
ATOM   4864  N   PRO A 107      10.719  20.441  11.524  1.00 23.01           N
ATOM   4865  CA  PRO A 107      11.221  19.229  12.105  1.00 21.52           C
ATOM   4867  CB  PRO A 107       9.976  18.354  12.238  1.00 21.18           C
ATOM   4870  CG  PRO A 107       9.005  18.884  11.261  1.00 24.05           C
ATOM   4873  CD  PRO A 107       9.438  20.241  10.824  1.00 23.47           C
ATOM   4876  C   PRO A 107      12.160  18.624  11.123  1.00 20.29           C
ATOM   4877  O   PRO A 107      12.350  19.163  10.011  1.00 19.85           O
ATOM   4878  N   ASP A 108      12.616  17.430  11.450  1.00 19.68           N
ATOM   4879  CA  ASP A 108      13.500  16.725  10.564  1.00 19.49           C
ATOM   4881  CB  ASP A 108      14.489  16.014  11.446  1.00 19.69           C
ATOM   4884  CG  ASP A 108      15.403  16.964  12.116  1.00 19.29           C
ATOM   4885  OD1 ASP A 108      15.795  18.026  11.495  1.00 18.08           O
ATOM   4886  OD2 ASP A 108      15.687  16.644  13.284  1.00 14.86           O
ATOM   4887  C   ASP A 108      12.965  15.691   9.621  1.00 18.52           C
ATOM   4888  O   ASP A 108      13.547  15.523   8.551  1.00 17.83           O
ATOM   4890  N   LEU A 109      11.916  14.961  10.082  1.00 19.44           N
ATOM   4891  CA  LEU A 109      11.272  13.891   9.386  1.00 18.77           C
ATOM   4893  CB  LEU A 109      11.781  12.534   9.873  1.00 18.44           C
ATOM   4896  CG  LEU A 109      13.263  12.120   9.679  1.00 17.95           C
ATOM   4898  CD1 LEU A 109      13.491  10.795  10.239  1.00 25.66           C
ATOM   4902  CD2 LEU A 109      13.695  12.110   8.230  1.00 14.62           C
ATOM   4906  C   LEU A 109       9.753  13.971   9.602  1.00 18.72           C
ATOM   4907  O   LEU A 109       9.298  14.650  10.518  1.00 18.75           O
ATOM   4909  N   TYR A 110       9.031  13.346   8.690  1.00 19.56           N
ATOM   4910  CA  TYR A 110       7.621  12.948   8.872  1.00 20.42           C
ATOM   4912  CB  TYR A 110       6.705  13.767   7.964  1.00 21.85           C
ATOM   4915  CG  TYR A 110       5.235  13.432   8.170  1.00 22.08           C
ATOM   4916  CD1 TYR A 110       4.529  13.962   9.272  1.00 23.99           C
ATOM   4918  CE1 TYR A 110       3.191  13.642   9.493  1.00 24.06           C
ATOM   4920  CZ  TYR A 110       2.550  12.774   8.601  1.00 22.57           C
ATOM   4921  OH  TYR A 110       1.234  12.512   8.805  1.00 25.86           O
ATOM   4923  CE2 TYR A 110       3.203  12.255   7.526  1.00 24.34           C
ATOM   4925  CD2 TYR A 110       4.587  12.576   7.316  1.00 17.59           C
ATOM   4927  C   TYR A 110       7.435  11.452   8.629  1.00 21.88           C
ATOM   4928  O   TYR A 110       7.881  10.892   7.643  1.00 24.70           O
ATOM   4930  N   ASP A 111       6.771  10.823   9.571  1.00 22.57           N
ATOM   4931  CA  ASP A 111       6.555   9.412   9.647  1.00 24.85           C
ATOM   4933  CB  ASP A 111       6.730   8.999  11.109  1.00 22.59           C
ATOM   4936  CG  ASP A 111       6.476   7.507  11.343  1.00 28.35           C
ATOM   4937  OD1 ASP A 111       5.940   6.820  10.436  1.00 29.11           O
ATOM   4938  OD2 ASP A 111       6.872   7.017  12.428  1.00 25.75           O
ATOM   4939  C   ASP A 111       5.108   9.171   9.176  1.00 25.94           C
ATOM   4940  O   ASP A 111       4.141   9.533   9.872  1.00 24.93           O
ATOM   4942  N   TYR A 112       4.973   8.699   7.958  1.00 29.67           N
ATOM   4943  CA  TYR A 112       3.642   8.476   7.400  1.00 32.79           C
ATOM   4945  CB  TYR A 112       3.649   8.215   5.880  1.00 33.41           C
ATOM   4948  CG  TYR A 112       3.973   9.441   5.010  1.00 33.52           C
ATOM   4949  CD1 TYR A 112       3.015  10.366   4.627  1.00 34.66           C
```

ATOM	4951	CE1	TYR	A	112	3.373	11.469	3.804	1.00	34.31	C
ATOM	4953	CZ	TYR	A	112	4.717	11.591	3.438	1.00	36.36	C
ATOM	4954	OH	TYR	A	112	5.277	12.534	2.633	1.00	34.77	O
ATOM	4956	CE2	TYR	A	112	5.614	10.664	3.838	1.00	36.92	C
ATOM	4958	CD2	TYR	A	112	5.233	9.617	4.572	1.00	33.66	C
ATOM	4960	C	TYR	A	112	2.997	7.280	8.083	1.00	35.76	C
ATOM	4961	O	TYR	A	112	1.817	7.103	7.925	1.00	36.77	O
ATOM	4963	N	LYS	A	113	3.751	6.414	8.778	1.00	37.26	N
ATOM	4964	CA	LYS	A	113	3.103	5.277	9.437	1.00	38.17	C
ATOM	4966	CB	LYS	A	113	4.066	4.140	9.704	1.00	38.53	C
ATOM	4969	CG	LYS	A	113	3.447	2.932	10.408	1.00	41.42	C
ATOM	4972	CD	LYS	A	113	4.520	2.151	11.195	1.00	44.74	C
ATOM	4975	CE	LYS	A	113	3.970	0.799	11.740	1.00	48.17	C
ATOM	4978	NZ	LYS	A	113	3.745	-0.277	10.637	1.00	46.49	N
ATOM	4982	C	LYS	A	113	2.469	5.769	10.707	1.00	38.53	C
ATOM	4983	O	LYS	A	113	1.315	5.465	10.998	1.00	40.27	O
ATOM	4985	N	GLU	A	114	3.184	6.568	11.471	1.00	37.48	N
ATOM	4986	CA	GLU	A	114	2.637	7.026	12.734	1.00	36.27	C
ATOM	4988	CB	GLU	A	114	3.759	7.201	13.732	1.00	36.48	C
ATOM	4991	CG	GLU	A	114	4.431	5.914	14.134	1.00	39.44	C
ATOM	4994	CD	GLU	A	114	3.696	5.136	15.241	1.00	43.74	C
ATOM	4995	OE1	GLU	A	114	2.798	5.703	15.895	1.00	44.63	O
ATOM	4996	OE2	GLU	A	114	4.043	3.945	15.446	1.00	47.49	O
ATOM	4997	C	GLU	A	114	1.867	8.316	12.578	1.00	34.69	C
ATOM	4998	O	GLU	A	114	1.199	8.758	13.478	1.00	33.45	O
ATOM	5000	N	ASN	A	115	1.982	8.929	11.414	1.00	34.33	N
ATOM	5001	CA	ASN	A	115	1.404	10.244	11.156	1.00	33.81	C
ATOM	5003	CB	ASN	A	115	-0.107	10.163	10.908	1.00	35.90	C
ATOM	5006	CG	ASN	A	115	-0.405	9.640	9.501	1.00	39.18	C
ATOM	5007	OD1	ASN	A	115	-0.881	8.528	9.395	1.00	42.57	O
ATOM	5008	ND2	ASN	A	115	-0.020	10.405	8.408	1.00	37.31	N
ATOM	5011	C	ASN	A	115	1.821	11.294	12.163	1.00	31.77	C
ATOM	5012	O	ASN	A	115	0.995	11.947	12.814	1.00	30.79	O
ATOM	5014	N	ARG	A	116	3.154	11.515	12.199	1.00	29.00	N
ATOM	5015	CA	ARG	A	116	3.729	12.517	13.060	1.00	26.39	C
ATOM	5017	CB	ARG	A	116	3.853	11.991	14.457	1.00	27.63	C
ATOM	5020	CG	ARG	A	116	4.810	10.866	14.648	1.00	28.83	C
ATOM	5023	CD	ARG	A	116	4.485	10.128	15.957	1.00	29.50	C
ATOM	5026	NE	ARG	A	116	5.452	9.033	16.179	1.00	31.02	N
ATOM	5028	CZ	ARG	A	116	5.386	8.136	17.181	1.00	33.08	C
ATOM	5029	NH1	ARG	A	116	4.393	8.174	18.064	1.00	34.43	N
ATOM	5032	NH2	ARG	A	116	6.335	7.195	17.322	1.00	29.98	N
ATOM	5035	C	ARG	A	116	5.085	12.974	12.582	1.00	24.57	C
ATOM	5036	O	ARG	A	116	5.819	12.227	11.942	1.00	22.78	O
ATOM	5038	N	PHE	A	117	5.385	14.218	12.898	1.00	22.64	N
ATOM	5039	CA	PHE	A	117	6.705	14.750	12.590	1.00	22.98	C
ATOM	5041	CB	PHE	A	117	6.659	16.257	12.563	1.00	21.78	C
ATOM	5044	CG	PHE	A	117	5.946	16.794	11.385	1.00	22.84	C
ATOM	5045	CD1	PHE	A	117	6.548	16.822	10.186	1.00	20.76	C
ATOM	5047	CE1	PHE	A	117	5.860	17.320	9.030	1.00	21.40	C
ATOM	5049	CZ	PHE	A	117	4.564	17.707	9.145	1.00	23.52	C
ATOM	5051	CE2	PHE	A	117	3.927	17.649	10.412	1.00	22.69	C
ATOM	5053	CD2	PHE	A	117	4.618	17.224	11.502	1.00	20.29	C
ATOM	5055	C	PHE	A	117	7.665	14.267	13.661	1.00	22.43	C
ATOM	5056	O	PHE	A	117	7.226	13.905	14.783	1.00	23.34	O
ATOM	5058	N	ILE	A	118	8.960	14.280	13.320	1.00	22.57	N
ATOM	5059	CA	ILE	A	118	10.012	13.863	14.258	1.00	21.68	C
ATOM	5061	CB	ILE	A	118	10.638	12.501	13.857	1.00	22.40	C
ATOM	5063	CG1	ILE	A	118	9.600	11.453	13.660	1.00	24.98	C
ATOM	5066	CD1	ILE	A	118	10.183	10.160	13.058	1.00	23.03	C
ATOM	5070	CG2	ILE	A	118	11.684	12.014	14.939	1.00	21.73	C
ATOM	5074	C	ILE	A	118	11.096	14.882	14.188	1.00	20.97	C
ATOM	5075	O	ILE	A	118	11.529	15.308	13.074	1.00	20.64	O

```
ATOM   5077  N   GLU A 119      11.562  15.230  15.386  1.00 20.99           N
ATOM   5078  CA  GLU A 119      12.715  16.021  15.620  1.00 20.79           C
ATOM   5080  CB  GLU A 119      12.433  17.127  16.674  1.00 20.86           C
ATOM   5083  CG  GLU A 119      13.679  17.989  17.035  1.00 23.81           C
ATOM   5086  CD  GLU A 119      14.379  18.631  15.829  1.00 28.19           C
ATOM   5087  OE1 GLU A 119      13.661  19.191  14.981  1.00 28.89           O
ATOM   5088  OE2 GLU A 119      15.637  18.571  15.732  1.00 31.88           O
ATOM   5089  C   GLU A 119      13.807  15.104  16.131  1.00 21.33           C
ATOM   5090  O   GLU A 119      13.647  14.420  17.143  1.00 22.44           O
ATOM   5092  N   ILE A 120      14.901  15.049  15.379  1.00 21.35           N
ATOM   5093  CA  ILE A 120      16.000  14.171  15.679  1.00 19.98           C
ATOM   5095  CB  ILE A 120      16.636  13.623  14.409  1.00 21.39           C
ATOM   5097  CG1 ILE A 120      15.683  12.670  13.677  1.00 20.96           C
ATOM   5100  CD1 ILE A 120      15.279  11.486  14.397  1.00 26.55           C
ATOM   5104  CG2 ILE A 120      17.943  12.912  14.706  1.00 20.43           C
ATOM   5108  C   ILE A 120      17.012  15.012  16.354  1.00 20.11           C
ATOM   5109  O   ILE A 120      17.336  16.107  15.887  1.00 19.50           O
ATOM   5111  N   GLY A 121      17.556  14.527  17.454  1.00 20.99           N
ATOM   5112  CA  GLY A 121      18.675  15.210  18.076  1.00 20.91           C
ATOM   5115  C   GLY A 121      19.884  14.315  18.144  1.00 20.94           C
ATOM   5116  O   GLY A 121      19.739  13.120  18.384  1.00 20.56           O
ATOM   5118  N   VAL A 122      21.074  14.880  17.934  1.00 21.69           N
ATOM   5119  CA  VAL A 122      22.308  14.072  18.065  1.00 23.58           C
ATOM   5121  CB  VAL A 122      23.055  13.779  16.772  1.00 25.29           C
ATOM   5123  CG1 VAL A 122      24.420  13.036  17.114  1.00 23.52           C
ATOM   5127  CG2 VAL A 122      22.312  12.875  15.858  1.00 22.13           C
ATOM   5131  C   VAL A 122      23.236  14.871  19.017  1.00 23.55           C
ATOM   5132  O   VAL A 122      23.485  16.010  18.792  1.00 22.71           O
ATOM   5134  N   THR A 123      23.536  14.268  20.154  1.00 24.16           N
ATOM   5135  CA  THR A 123      24.111  14.971  21.284  1.00 26.23           C
ATOM   5137  CB  THR A 123      23.125  15.206  22.463  1.00 25.44           C
ATOM   5139  OG1 THR A 123      23.761  16.103  23.393  1.00 25.14           O
ATOM   5141  CG2 THR A 123      22.757  13.968  23.147  1.00 26.59           C
ATOM   5145  C   THR A 123      25.359  14.317  21.863  1.00 27.75           C
ATOM   5146  O   THR A 123      25.461  13.086  21.927  1.00 27.75           O
ATOM   5148  N   ARG A 124      26.285  15.191  22.238  1.00 30.85           N
ATOM   5149  CA  ARG A 124      27.501  14.861  22.983  1.00 32.89           C
ATOM   5151  CB  ARG A 124      28.606  15.773  22.454  1.00 33.22           C
ATOM   5154  CG  ARG A 124      28.831  15.761  20.939  1.00 35.45           C
ATOM   5157  CD  ARG A 124      29.434  17.052  20.435  1.00 37.68           C
ATOM   5160  NE  ARG A 124      28.434  17.724  19.671  1.00 38.87           N
ATOM   5162  CZ  ARG A 124      28.509  18.929  19.134  1.00 37.32           C
ATOM   5163  NH1 ARG A 124      29.571  19.738  19.271  1.00 36.52           N
ATOM   5166  NH2 ARG A 124      27.455  19.316  18.457  1.00 34.67           N
ATOM   5169  C   ARG A 124      27.324  15.188  24.485  1.00 34.45           C
ATOM   5170  O   ARG A 124      28.273  15.086  25.231  1.00 35.66           O
ATOM   5172  N   ARG A 125      26.178  15.752  24.870  1.00 35.36           N
ATOM   5173  CA  ARG A 125      25.840  16.009  26.273  1.00 35.64           C
ATOM   5175  CB  ARG A 125      25.160  17.381  26.433  1.00 35.56           C
ATOM   5178  CG  ARG A 125      26.059  18.578  26.306  1.00 35.38           C
ATOM   5181  CD  ARG A 125      25.271  19.859  26.363  1.00 37.73           C
ATOM   5184  NE  ARG A 125      24.263  19.915  25.294  1.00 38.35           N
ATOM   5186  CZ  ARG A 125      23.242  20.769  25.208  1.00 42.26           C
ATOM   5187  NH1 ARG A 125      23.032  21.704  26.127  1.00 42.33           N
ATOM   5190  NH2 ARG A 125      22.415  20.687  24.160  1.00 43.26           N
ATOM   5193  C   ARG A 125      24.908  14.935  26.790  1.00 35.73           C
ATOM   5194  O   ARG A 125      24.482  14.009  26.070  1.00 36.31           O
ATOM   5196  N   GLU A 126      24.582  15.027  28.065  1.00 36.52           N
ATOM   5197  CA  GLU A 126      23.645  14.080  28.655  1.00 36.81           C
ATOM   5199  CB  GLU A 126      23.424  14.460  30.138  1.00 37.31           C
ATOM   5202  CG  GLU A 126      23.034  13.241  30.999  1.00 39.80           C
ATOM   5205  CD  GLU A 126      21.622  12.866  30.788  1.00 35.83           C
ATOM   5206  OE1 GLU A 126      20.868  13.816  30.553  1.00 41.69           O
```

ATOM	5207	OE2	GLU	A	126	21.265	11.686	30.835	1.00	33.68	O
ATOM	5208	C	GLU	A	126	22.324	14.036	27.814	1.00	35.45	C
ATOM	5209	O	GLU	A	126	21.724	15.068	27.511	1.00	35.89	O
ATOM	5211	N	VAL	A	127	21.877	12.837	27.463	1.00	35.07	N
ATOM	5212	CA	VAL	A	127	20.745	12.630	26.561	1.00	33.41	C
ATOM	5214	CB	VAL	A	127	20.515	11.111	26.306	1.00	34.98	C
ATOM	5216	CG1	VAL	A	127	19.572	10.410	27.370	1.00	30.93	C
ATOM	5220	CG2	VAL	A	127	20.028	10.851	24.856	1.00	33.48	C
ATOM	5224	C	VAL	A	127	19.436	13.337	26.962	1.00	34.24	C
ATOM	5225	O	VAL	A	127	18.696	13.779	26.070	1.00	32.79	O
ATOM	5227	N	HIS	A	128	19.142	13.469	28.266	1.00	32.85	N
ATOM	5228	CA	HIS	A	128	17.899	14.203	28.675	1.00	33.05	C
ATOM	5230	CB	HIS	A	128	17.558	14.043	30.177	1.00	32.76	C
ATOM	5233	CG	HIS	A	128	17.185	12.655	30.563	1.00	31.31	C
ATOM	5234	ND1	HIS	A	128	18.122	11.702	30.874	1.00	36.05	N
ATOM	5236	CE1	HIS	A	128	17.510	10.567	31.143	1.00	37.04	C
ATOM	5238	NE2	HIS	A	128	16.208	10.756	31.022	1.00	35.99	N
ATOM	5240	CD2	HIS	A	128	15.984	12.045	30.628	1.00	35.98	C
ATOM	5242	C	HIS	A	128	17.974	15.689	28.375	1.00	32.21	C
ATOM	5243	O	HIS	A	128	16.969	16.273	28.175	1.00	32.13	O
ATOM	5245	N	ILE	A	129	19.163	16.279	28.352	1.00	32.38	N
ATOM	5246	CA	ILE	A	129	19.314	17.721	28.164	1.00	33.03	C
ATOM	5248	CB	ILE	A	129	20.796	18.156	28.389	1.00	34.00	C
ATOM	5250	CG1	ILE	A	129	21.149	18.025	29.884	1.00	33.95	C
ATOM	5253	CD1	ILE	A	129	22.553	18.290	30.237	1.00	34.74	C
ATOM	5257	CG2	ILE	A	129	21.100	19.562	27.866	1.00	32.34	C
ATOM	5261	C	ILE	A	129	18.798	18.161	26.802	1.00	33.61	C
ATOM	5262	O	ILE	A	129	17.950	19.077	26.675	1.00	34.12	O
ATOM	5264	N	TYR	A	130	19.220	17.455	25.771	1.00	32.85	N
ATOM	5265	CA	TYR	A	130	18.885	17.883	24.457	1.00	32.65	C
ATOM	5267	CB	TYR	A	130	19.769	17.159	23.431	1.00	34.68	C
ATOM	5270	CG	TYR	A	130	19.979	17.920	22.150	1.00	37.22	C
ATOM	5271	CD1	TYR	A	130	20.188	19.300	22.136	1.00	44.34	C
ATOM	5273	CE1	TYR	A	130	20.382	19.981	20.918	1.00	46.32	C
ATOM	5275	CZ	TYR	A	130	20.373	19.237	19.717	1.00	43.87	C
ATOM	5276	OH	TYR	A	130	20.526	19.808	18.456	1.00	44.04	O
ATOM	5278	CE2	TYR	A	130	20.184	17.922	19.764	1.00	42.09	C
ATOM	5280	CD2	TYR	A	130	19.976	17.269	20.960	1.00	41.85	C
ATOM	5282	C	TYR	A	130	17.414	17.620	24.242	1.00	31.94	C
ATOM	5283	O	TYR	A	130	16.733	18.382	23.535	1.00	28.25	O
ATOM	5285	N	TYR	A	131	16.913	16.588	24.942	1.00	30.99	N
ATOM	5286	CA	TYR	A	131	15.552	16.181	24.782	1.00	31.03	C
ATOM	5288	CB	TYR	A	131	15.210	14.896	25.581	1.00	30.32	C
ATOM	5291	CG	TYR	A	131	13.724	14.596	25.493	1.00	30.23	C
ATOM	5292	CD1	TYR	A	131	13.237	13.728	24.542	1.00	30.44	C
ATOM	5294	CE1	TYR	A	131	11.914	13.511	24.390	1.00	35.11	C
ATOM	5296	CZ	TYR	A	131	10.999	14.141	25.202	1.00	37.00	C
ATOM	5297	OH	TYR	A	131	9.662	13.845	25.026	1.00	42.43	O
ATOM	5299	CE2	TYR	A	131	11.424	15.008	26.175	1.00	32.98	C
ATOM	5301	CD2	TYR	A	131	12.794	15.241	26.315	1.00	34.17	C
ATOM	5303	C	TYR	A	131	14.747	17.354	25.292	1.00	30.93	C
ATOM	5304	O	TYR	A	131	13.775	17.730	24.714	1.00	31.34	O
ATOM	5306	N	LEU	A	132	15.197	17.935	26.395	1.00	32.82	N
ATOM	5307	CA	LEU	A	132	14.443	18.962	27.097	1.00	32.46	C
ATOM	5309	CB	LEU	A	132	14.950	19.076	28.544	1.00	32.00	C
ATOM	5312	CG	LEU	A	132	14.423	18.024	29.520	1.00	31.87	C
ATOM	5314	CD1	LEU	A	132	15.403	17.900	30.669	1.00	27.92	C
ATOM	5318	CD2	LEU	A	132	12.966	18.327	30.013	1.00	31.96	C
ATOM	5322	C	LEU	A	132	14.516	20.314	26.388	1.00	33.12	C
ATOM	5323	O	LEU	A	132	13.491	21.014	26.271	1.00	32.87	O
ATOM	5325	N	GLU	A	133	15.691	20.675	25.880	1.00	34.26	N
ATOM	5326	CA	GLU	A	133	15.813	21.873	24.990	1.00	35.13	C
ATOM	5328	CB	GLU	A	133	17.220	22.011	24.434	1.00	35.77	C

```
ATOM   5331  CG  GLU A 133      18.329  22.032  25.512  1.00 38.71           C
ATOM   5334  CD  GLU A 133      19.701  22.450  24.973  1.00 42.35           C
ATOM   5335  OE1 GLU A 133      20.114  22.044  23.851  1.00 46.63           O
ATOM   5336  OE2 GLU A 133      20.396  23.179  25.689  1.00 41.91           O
ATOM   5337  C   GLU A 133      14.853  21.791  23.796  1.00 35.24           C
ATOM   5338  O   GLU A 133      14.162  22.736  23.477  1.00 34.78           O
ATOM   5340  N   LYS A 134      14.811  20.633  23.150  1.00 36.33           N
ATOM   5341  CA  LYS A 134      13.904  20.433  22.050  1.00 36.65           C
ATOM   5343  CB  LYS A 134      14.105  19.081  21.371  1.00 37.06           C
ATOM   5346  CG  LYS A 134      15.492  18.851  20.740  1.00 38.38           C
ATOM   5349  CD  LYS A 134      15.709  19.662  19.463  1.00 38.57           C
ATOM   5352  CE  LYS A 134      17.012  19.227  18.717  1.00 36.39           C
ATOM   5355  NZ  LYS A 134      17.241  20.091  17.562  1.00 34.31           N
ATOM   5359  C   LYS A 134      12.491  20.533  22.543  1.00 37.39           C
ATOM   5360  O   LYS A 134      11.732  21.289  21.960  1.00 37.59           O
ATOM   5362  N   ALA A 135      12.130  19.775  23.594  1.00 37.71           N
ATOM   5363  CA  ALA A 135      10.733  19.804  24.080  1.00 39.89           C
ATOM   5365  CB  ALA A 135      10.451  18.788  25.239  1.00 38.29           C
ATOM   5369  C   ALA A 135      10.374  21.194  24.538  1.00 41.41           C
ATOM   5370  O   ALA A 135       9.273  21.627  24.347  1.00 41.30           O
ATOM   5372  N   ASN A 136      11.300  21.896  25.158  1.00 45.15           N
ATOM   5373  CA  ASN A 136      10.964  23.237  25.514  1.00 48.79           C
ATOM   5375  CB  ASN A 136      11.907  23.813  26.550  1.00 49.28           C
ATOM   5378  CG  ASN A 136      11.394  25.138  27.082  1.00 52.63           C
ATOM   5379  OD1 ASN A 136      11.519  26.154  26.396  1.00 55.30           O
ATOM   5380  ND2 ASN A 136      10.767  25.131  28.286  1.00 53.15           N
ATOM   5383  C   ASN A 136      10.881  24.124  24.265  1.00 51.27           C
ATOM   5384  O   ASN A 136       9.877  24.796  24.077  1.00 51.97           O
ATOM   5386  N   LYS A 137      11.904  24.090  23.403  1.00 54.54           N
ATOM   5387  CA  LYS A 137      11.915  24.940  22.197  1.00 56.62           C
ATOM   5389  CB  LYS A 137      13.105  24.672  21.271  1.00 56.82           C
ATOM   5392  CG  LYS A 137      12.842  25.253  19.864  1.00 57.48           C
ATOM   5395  CD  LYS A 137      14.030  25.240  18.949  1.00 59.50           C
ATOM   5398  CE  LYS A 137      13.750  26.048  17.679  1.00 60.50           C
ATOM   5401  NZ  LYS A 137      13.229  27.441  17.992  1.00 60.93           N
ATOM   5405  C   LYS A 137      10.637  24.740  21.416  1.00 58.12           C
ATOM   5406  O   LYS A 137       9.942  25.701  21.138  1.00 59.00           O
ATOM   5408  N   ILE A 138      10.348  23.498  21.031  1.00 60.12           N
ATOM   5409  CA  ILE A 138       9.099  23.224  20.328  1.00 61.65           C
ATOM   5411  CB  ILE A 138       9.139  21.967  19.338  1.00 61.70           C
ATOM   5413  CG1 ILE A 138       9.009  20.611  20.060  1.00 61.14           C
ATOM   5416  CD1 ILE A 138       7.583  20.106  20.169  1.00 59.21           C
ATOM   5420  CG2 ILE A 138      10.376  22.005  18.459  1.00 61.29           C
ATOM   5424  C   ILE A 138       8.089  23.021  21.402  1.00 63.14           C
ATOM   5425  O   ILE A 138       8.441  22.845  22.559  1.00 64.78           O
ATOM   5460  N   GLU A 141       3.876  19.557  21.554  1.00 59.21           N
ATOM   5461  CA  GLU A 141       3.782  18.176  21.160  1.00 57.45           C
ATOM   5463  CB  GLU A 141       3.028  17.314  22.216  1.00 57.96           C
ATOM   5466  CG  GLU A 141       1.473  17.202  22.034  1.00 59.82           C
ATOM   5469  CD  GLU A 141       0.681  17.478  23.312  1.00 63.12           C
ATOM   5470  OE1 GLU A 141      -0.228  16.672  23.606  1.00 64.80           O
ATOM   5471  OE2 GLU A 141       0.957  18.492  24.013  1.00 64.58           O
ATOM   5472  C   GLU A 141       3.181  18.029  19.770  1.00 54.78           C
ATOM   5473  O   GLU A 141       3.192  18.958  18.942  1.00 54.77           O
ATOM   5475  N   LYS A 142       2.667  16.826  19.544  1.00 50.93           N
ATOM   5476  CA  LYS A 142       2.484  16.289  18.244  1.00 48.09           C
ATOM   5478  CB  LYS A 142       1.578  17.164  17.381  1.00 48.08           C
ATOM   5481  CG  LYS A 142       0.237  17.433  18.087  1.00 50.33           C
ATOM   5484  CD  LYS A 142      -0.578  16.144  18.293  1.00 53.05           C
ATOM   5487  CE  LYS A 142      -2.094  16.429  18.369  1.00 55.73           C
ATOM   5490  NZ  LYS A 142      -2.617  16.712  19.746  1.00 56.54           N
ATOM   5494  C   LYS A 142       3.887  15.996  17.697  1.00 43.19           C
ATOM   5495  O   LYS A 142       4.136  14.868  17.407  1.00 43.47           O
```

ATOM	5497	N	THR	A	143	4.816	16.943	17.652	1.00	39.10	N
ATOM	5498	CA	THR	A	143	6.159	16.569	17.163	1.00	35.58	C
ATOM	5500	CB	THR	A	143	7.045	17.742	16.865	1.00	35.34	C
ATOM	5502	OG1	THR	A	143	6.364	18.615	15.975	1.00	34.89	O
ATOM	5504	CG2	THR	A	143	8.424	17.267	16.225	1.00	33.54	C
ATOM	5508	C	THR	A	143	6.856	15.617	18.128	1.00	32.81	C
ATOM	5509	O	THR	A	143	7.194	15.973	19.256	1.00	32.08	O
ATOM	5511	N	HIS	A	144	7.104	14.412	17.646	1.00	30.83	N
ATOM	5512	CA	HIS	A	144	7.873	13.396	18.380	1.00	29.52	C
ATOM	5514	CB	HIS	A	144	7.661	12.082	17.674	1.00	28.83	C
ATOM	5517	CG	HIS	A	144	7.736	10.904	18.577	1.00	29.31	C
ATOM	5518	ND1	HIS	A	144	6.681	10.521	19.389	1.00	26.72	N
ATOM	5520	CE1	HIS	A	144	7.032	9.446	20.061	1.00	30.35	C
ATOM	5522	NE2	HIS	A	144	8.263	9.116	19.708	1.00	32.52	N
ATOM	5524	CD2	HIS	A	144	8.714	10.005	18.771	1.00	29.00	C
ATOM	5526	C	HIS	A	144	9.381	13.696	18.436	1.00	28.96	C
ATOM	5527	O	HIS	A	144	9.951	14.079	17.444	1.00	30.10	O
ATOM	5529	N	ILE	A	145	10.034	13.539	19.584	1.00	27.20	N
ATOM	5530	CA	ILE	A	145	11.453	13.833	19.700	1.00	25.64	C
ATOM	5532	CB	ILE	A	145	11.755	14.734	20.888	1.00	26.53	C
ATOM	5534	CG1	ILE	A	145	11.049	16.080	20.720	1.00	28.31	C
ATOM	5537	CD1	ILE	A	145	10.803	16.793	22.041	1.00	29.05	C
ATOM	5541	CG2	ILE	A	145	13.254	14.968	21.086	1.00	21.92	C
ATOM	5545	C	ILE	A	145	12.197	12.521	19.866	1.00	26.87	C
ATOM	5546	O	ILE	A	145	11.795	11.665	20.685	1.00	28.32	O
ATOM	5548	N	HIS	A	146	13.294	12.336	19.127	1.00	24.40	N
ATOM	5549	CA	HIS	A	146	14.166	11.171	19.313	1.00	23.21	C
ATOM	5551	CB	HIS	A	146	13.917	10.157	18.188	1.00	23.84	C
ATOM	5554	CG	HIS	A	146	14.520	8.782	18.403	1.00	21.72	C
ATOM	5555	ND1	HIS	A	146	14.045	7.666	17.746	1.00	24.44	N
ATOM	5557	CE1	HIS	A	146	14.742	6.607	18.102	1.00	25.79	C
ATOM	5559	NE2	HIS	A	146	15.694	6.993	18.941	1.00	26.04	N
ATOM	5561	CD2	HIS	A	146	15.575	8.350	19.141	1.00	27.26	C
ATOM	5563	C	HIS	A	146	15.595	11.668	19.301	1.00	23.84	C
ATOM	5564	O	HIS	A	146	16.060	12.294	18.290	1.00	21.67	O
ATOM	5566	N	ILE	A	147	16.280	11.437	20.427	1.00	23.11	N
ATOM	5567	CA	ILE	A	147	17.584	11.931	20.679	1.00	22.94	C
ATOM	5569	CB	ILE	A	147	17.690	12.630	22.000	1.00	22.97	C
ATOM	5571	CG1	ILE	A	147	16.688	13.772	22.162	1.00	22.95	C
ATOM	5574	CD1	ILE	A	147	16.835	14.950	21.198	1.00	21.64	C
ATOM	5578	CG2	ILE	A	147	19.164	13.019	22.253	1.00	20.59	C
ATOM	5582	C	ILE	A	147	18.546	10.755	20.752	1.00	25.00	C
ATOM	5583	O	ILE	A	147	18.223	9.719	21.373	1.00	26.02	O
ATOM	5585	N	PHE	A	148	19.704	10.886	20.127	1.00	24.41	N
ATOM	5586	CA	PHE	A	148	20.727	9.841	20.143	1.00	26.58	C
ATOM	5588	CB	PHE	A	148	21.107	9.331	18.768	1.00	25.84	C
ATOM	5591	CG	PHE	A	148	20.027	8.628	18.052	1.00	24.60	C
ATOM	5592	CD1	PHE	A	148	19.916	7.252	18.128	1.00	25.26	C
ATOM	5594	CE1	PHE	A	148	18.912	6.544	17.449	1.00	24.20	C
ATOM	5596	CZ	PHE	A	148	18.014	7.212	16.690	1.00	26.92	C
ATOM	5598	CE2	PHE	A	148	18.104	8.616	16.601	1.00	25.66	C
ATOM	5600	CD2	PHE	A	148	19.109	9.310	17.305	1.00	23.77	C
ATOM	5602	C	PHE	A	148	21.965	10.524	20.679	1.00	27.81	C
ATOM	5603	O	PHE	A	148	22.230	11.650	20.326	1.00	27.99	O
ATOM	5605	N	SER	A	149	22.701	9.870	21.562	1.00	28.62	N
ATOM	5606	CA	SER	A	149	23.991	10.413	21.944	1.00	30.88	C
ATOM	5608	CB	SER	A	149	24.177	10.469	23.452	1.00	31.17	C
ATOM	5611	OG	SER	A	149	24.505	9.186	23.871	1.00	34.53	O
ATOM	5613	C	SER	A	149	25.101	9.570	21.377	1.00	31.23	C
ATOM	5614	O	SER	A	149	24.887	8.434	20.985	1.00	33.07	O
ATOM	5616	N	PHE	A	150	26.286	10.138	21.365	1.00	32.55	N
ATOM	5617	CA	PHE	A	150	27.466	9.400	20.978	1.00	34.57	C
ATOM	5619	CB	PHE	A	150	28.663	10.325	20.745	1.00	33.55	C

```
ATOM   5622  CG  PHE A 150      28.524  11.219  19.550  1.00 31.30           C
ATOM   5623  CD1 PHE A 150      27.896  12.435  19.667  1.00 28.52           C
ATOM   5625  CE1 PHE A 150      27.790  13.275  18.600  1.00 29.60           C
ATOM   5627  CZ  PHE A 150      28.285  12.888  17.354  1.00 33.22           C
ATOM   5629  CE2 PHE A 150      28.932  11.662  17.214  1.00 29.70           C
ATOM   5631  CD2 PHE A 150      29.033  10.843  18.297  1.00 31.31           C
ATOM   5633  C   PHE A 150      27.814   8.317  22.005  1.00 37.59           C
ATOM   5634  O   PHE A 150      28.628   7.464  21.697  1.00 38.78           O
ATOM   5636  N   THR A 151      27.187   8.310  23.189  1.00 39.50           N
ATOM   5637  CA  THR A 151      27.470   7.257  24.166  1.00 41.17           C
ATOM   5639  CB  THR A 151      27.163   7.680  25.603  1.00 42.21           C
ATOM   5641  OG1 THR A 151      25.735   7.694  25.763  1.00 44.81           O
ATOM   5643  CG2 THR A 151      27.744   9.026  25.920  1.00 42.12           C
ATOM   5647  C   THR A 151      26.594   6.049  23.950  1.00 41.24           C
ATOM   5648  O   THR A 151      26.752   5.071  24.655  1.00 43.10           O
ATOM   5650  N   GLY A 152      25.635   6.113  23.029  1.00 39.78           N
ATOM   5651  CA  GLY A 152      24.809   4.965  22.707  1.00 37.64           C
ATOM   5654  C   GLY A 152      23.445   5.034  23.337  1.00 36.58           C
ATOM   5655  O   GLY A 152      22.608   4.175  23.113  1.00 37.39           O
ATOM   5657  N   GLU A 153      23.217   6.038  24.155  1.00 35.57           N
ATOM   5658  CA  GLU A 153      21.942   6.177  24.852  1.00 35.12           C
ATOM   5660  CB  GLU A 153      22.137   7.014  26.105  1.00 35.59           C
ATOM   5663  CG  GLU A 153      23.104   6.361  27.126  1.00 40.05           C
ATOM   5666  CD  GLU A 153      22.996   6.976  28.550  1.00 43.31           C
ATOM   5667  OE1 GLU A 153      22.432   8.055  28.711  1.00 44.86           O
ATOM   5668  OE2 GLU A 153      23.438   6.338  29.537  1.00 50.12           O
ATOM   5669  C   GLU A 153      20.968   6.844  23.892  1.00 33.92           C
ATOM   5670  O   GLU A 153      21.381   7.468  22.915  1.00 31.33           O
ATOM   5672  N   GLU A 154      19.681   6.680  24.137  1.00 33.73           N
ATOM   5673  CA  GLU A 154      18.690   7.350  23.334  1.00 33.95           C
ATOM   5675  CB  GLU A 154      18.290   6.555  22.051  1.00 34.14           C
ATOM   5678  CG  GLU A 154      17.675   5.218  22.304  1.00 36.12           C
ATOM   5681  CD  GLU A 154      17.436   4.373  21.068  1.00 36.61           C
ATOM   5682  OE1 GLU A 154      17.069   4.856  19.973  1.00 30.15           O
ATOM   5683  OE2 GLU A 154      17.600   3.155  21.225  1.00 37.95           O
ATOM   5684  C   GLU A 154      17.541   7.681  24.272  1.00 35.16           C
ATOM   5685  O   GLU A 154      17.394   7.092  25.337  1.00 34.87           O
ATOM   5687  N   MET A 155      16.813   8.721  23.926  1.00 34.53           N
ATOM   5688  CA  MET A 155      15.613   9.063  24.583  1.00 34.55           C
ATOM   5690  CB  MET A 155      15.898  10.173  25.528  1.00 35.98           C
ATOM   5693  CG  MET A 155      14.684  10.641  26.185  1.00 40.29           C
ATOM   5696  SD  MET A 155      15.144  11.635  27.551  1.00 48.65           S
ATOM   5697  CE  MET A 155      13.454  11.711  28.268  1.00 47.98           C
ATOM   5701  C   MET A 155      14.668   9.577  23.518  1.00 33.54           C
ATOM   5702  O   MET A 155      15.088  10.320  22.603  1.00 32.14           O
ATOM   5704  N   ALA A 156      13.412   9.191  23.651  1.00 31.53           N
ATOM   5705  CA  ALA A 156      12.383   9.514  22.721  1.00 31.19           C
ATOM   5707  CB  ALA A 156      12.239   8.383  21.741  1.00 29.85           C
ATOM   5711  C   ALA A 156      11.053   9.764  23.483  1.00 32.17           C
ATOM   5712  O   ALA A 156      10.808   9.181  24.550  1.00 32.09           O
ATOM   5714  N   THR A 157      10.228  10.637  22.934  1.00 31.32           N
ATOM   5715  CA  THR A 157       8.879  10.907  23.437  1.00 33.56           C
ATOM   5717  CB  THR A 157       8.101  11.753  22.388  1.00 32.63           C
ATOM   5719  OG1 THR A 157       8.845  12.937  22.118  1.00 31.49           O
ATOM   5721  CG2 THR A 157       6.707  12.151  22.838  1.00 35.00           C
ATOM   5725  C   THR A 157       8.172   9.606  23.824  1.00 33.29           C
ATOM   5726  O   THR A 157       8.106   8.634  23.056  1.00 34.08           O
ATOM   5728  N   LYS A 158       7.752   9.567  25.077  1.00 36.21           N
ATOM   5729  CA  LYS A 158       7.024   8.410  25.655  1.00 36.17           C
ATOM   5731  CB  LYS A 158       5.719   8.258  24.934  1.00 36.36           C
ATOM   5734  CG  LYS A 158       4.851   9.513  25.033  1.00 38.77           C
ATOM   5737  CD  LYS A 158       3.633   9.378  24.118  1.00 41.45           C
ATOM   5740  CE  LYS A 158       2.366   9.796  24.825  1.00 45.12           C
```

```
ATOM   5743  NZ  LYS A 158       2.412  11.238  25.121  1.00 46.77           N
ATOM   5747  C   LYS A 158       7.753   7.129  25.511  1.00 36.28           C
ATOM   5748  O   LYS A 158       7.123   6.112  25.271  1.00 37.46           O
ATOM   5750  N   ALA A 159       9.081   7.161  25.582  1.00 36.45           N
ATOM   5751  CA  ALA A 159       9.905   5.962  25.305  1.00 35.35           C
ATOM   5753  CB  ALA A 159      10.007   5.044  26.560  1.00 36.36           C
ATOM   5757  C   ALA A 159       9.404   5.181  24.090  1.00 35.52           C
ATOM   5758  O   ALA A 159       9.529   3.949  24.038  1.00 33.91           O
ATOM   5760  N   ASP A 160       8.890   5.918  23.074  1.00 35.12           N
ATOM   5761  CA  ASP A 160       8.504   5.331  21.801  1.00 33.93           C
ATOM   5763  CB  ASP A 160       7.116   5.860  21.447  1.00 34.67           C
ATOM   5766  CG  ASP A 160       6.644   5.427  20.129  1.00 34.90           C
ATOM   5767  OD1 ASP A 160       7.329   4.661  19.439  1.00 36.96           O
ATOM   5768  OD2 ASP A 160       5.544   5.861  19.745  1.00 37.75           O
ATOM   5769  C   ASP A 160       9.611   5.701  20.785  1.00 34.19           C
ATOM   5770  O   ASP A 160       9.741   6.889  20.315  1.00 32.67           O
ATOM   5772  N   TYR A 161      10.416   4.685  20.458  1.00 32.93           N
ATOM   5773  CA  TYR A 161      11.664   4.863  19.684  1.00 32.18           C
ATOM   5775  CB  TYR A 161      12.738   3.875  20.196  1.00 32.82           C
ATOM   5778  CG  TYR A 161      13.091   4.101  21.663  1.00 32.93           C
ATOM   5779  CD1 TYR A 161      13.825   5.186  22.040  1.00 31.88           C
ATOM   5781  CE1 TYR A 161      14.101   5.442  23.336  1.00 38.00           C
ATOM   5783  CZ  TYR A 161      13.671   4.553  24.314  1.00 42.38           C
ATOM   5784  OH  TYR A 161      13.999   4.788  25.598  1.00 44.08           O
ATOM   5786  CE2 TYR A 161      12.959   3.434  23.970  1.00 42.24           C
ATOM   5788  CD2 TYR A 161      12.667   3.214  22.640  1.00 37.73           C
ATOM   5790  C   TYR A 161      11.421   4.696  18.168  1.00 31.18           C
ATOM   5791  O   TYR A 161      12.372   4.731  17.357  1.00 27.16           O
ATOM   5793  N   THR A 162      10.129   4.485  17.813  1.00 29.57           N
ATOM   5794  CA  THR A 162       9.659   4.426  16.452  1.00 29.27           C
ATOM   5796  CB  THR A 162      10.002   5.748  15.633  1.00 28.80           C
ATOM   5798  OG1 THR A 162       9.498   6.881  16.307  1.00 26.38           O
ATOM   5800  CG2 THR A 162       9.413   5.750  14.310  1.00 28.12           C
ATOM   5804  C   THR A 162      10.218   3.296  15.661  1.00 29.90           C
ATOM   5805  O   THR A 162       9.474   2.561  14.981  1.00 29.65           O
ATOM   5807  N   LEU A 163      11.545   3.233  15.610  1.00 30.60           N
ATOM   5808  CA  LEU A 163      12.189   2.292  14.761  1.00 31.31           C
ATOM   5810  CB  LEU A 163      13.541   2.829  14.343  1.00 30.83           C
ATOM   5813  CG  LEU A 163      13.591   4.104  13.492  1.00 31.84           C
ATOM   5815  CD1 LEU A 163      15.033   4.384  13.159  1.00 31.55           C
ATOM   5819  CD2 LEU A 163      12.743   4.007  12.212  1.00 29.01           C
ATOM   5823  C   LEU A 163      12.394   0.960  15.520  1.00 32.80           C
ATOM   5824  O   LEU A 163      12.337   0.940  16.753  1.00 32.75           O
ATOM   5826  N   ASP A 164      12.664  -0.099  14.754  1.00 34.26           N
ATOM   5827  CA  ASP A 164      13.129  -1.384  15.243  1.00 36.76           C
ATOM   5829  CB  ASP A 164      13.276  -2.390  14.089  1.00 37.95           C
ATOM   5832  CG  ASP A 164      14.189  -1.884  12.975  1.00 42.05           C
ATOM   5833  OD1 ASP A 164      13.788  -0.942  12.214  1.00 49.39           O
ATOM   5834  OD2 ASP A 164      15.330  -2.370  12.858  1.00 47.06           O
ATOM   5835  C   ASP A 164      14.511  -1.193  15.875  1.00 37.68           C
ATOM   5836  O   ASP A 164      15.244  -0.243  15.547  1.00 35.84           O
ATOM   5838  N   GLU A 165      14.892  -2.146  16.717  1.00 37.68           N
ATOM   5839  CA  GLU A 165      16.167  -2.082  17.428  1.00 38.72           C
ATOM   5841  CB  GLU A 165      16.216  -3.208  18.495  1.00 39.95           C
ATOM   5844  CG  GLU A 165      17.138  -2.904  19.703  1.00 43.37           C
ATOM   5847  CD  GLU A 165      17.045  -3.968  20.802  1.00 50.02           C
ATOM   5848  OE1 GLU A 165      15.915  -4.436  21.077  1.00 51.72           O
ATOM   5849  OE2 GLU A 165      18.097  -4.305  21.405  1.00 55.03           O
ATOM   5850  C   GLU A 165      17.400  -2.114  16.492  1.00 38.14           C
ATOM   5851  O   GLU A 165      18.398  -1.440  16.743  1.00 38.13           O
ATOM   5853  N   GLU A 166      17.323  -2.850  15.390  1.00 37.57           N
ATOM   5854  CA  GLU A 166      18.460  -2.963  14.486  1.00 37.34           C
ATOM   5856  CB  GLU A 166      18.258  -4.102  13.473  1.00 37.68           C
```

```
ATOM   5859  CG  GLU A 166      19.312  -4.182  12.324  1.00 39.46           C
ATOM   5862  CD  GLU A 166      20.695  -4.674  12.773  1.00 42.44           C
ATOM   5863  OE1 GLU A 166      20.955  -4.769  13.978  1.00 46.71           O
ATOM   5864  OE2 GLU A 166      21.542  -4.978  11.915  1.00 45.64           O
ATOM   5865  C   GLU A 166      18.674  -1.641  13.760  1.00 36.13           C
ATOM   5866  O   GLU A 166      19.796  -1.184  13.659  1.00 38.21           O
ATOM   5868  N   SER A 167      17.599  -1.005  13.318  1.00 34.14           N
ATOM   5869  CA  SER A 167      17.720   0.303  12.650  1.00 33.30           C
ATOM   5871  CB  SER A 167      16.374   0.828  12.222  1.00 32.17           C
ATOM   5874  OG  SER A 167      15.715  -0.099  11.377  1.00 34.51           O
ATOM   5876  C   SER A 167      18.393   1.283  13.571  1.00 30.87           C
ATOM   5877  O   SER A 167      19.278   1.992  13.134  1.00 31.49           O
ATOM   5879  N   ARG A 168      18.004   1.292  14.850  1.00 29.38           N
ATOM   5880  CA  ARG A 168      18.639   2.157  15.836  1.00 28.56           C
ATOM   5882  CB  ARG A 168      17.878   2.150  17.117  1.00 29.48           C
ATOM   5885  CG  ARG A 168      16.554   2.835  16.999  1.00 32.07           C
ATOM   5888  CD  ARG A 168      15.965   2.874  18.359  1.00 35.95           C
ATOM   5891  NE  ARG A 168      14.991   1.874  18.490  1.00 35.74           N
ATOM   5893  CZ  ARG A 168      14.726   1.168  19.590  1.00 36.73           C
ATOM   5894  NH1 ARG A 168      15.316   1.352  20.776  1.00 36.99           N
ATOM   5897  NH2 ARG A 168      13.784   0.300  19.477  1.00 34.77           N
ATOM   5900  C   ARG A 168      20.080   1.827  16.140  1.00 27.43           C
ATOM   5901  O   ARG A 168      20.873   2.702  16.442  1.00 23.27           O
ATOM   5903  N   ALA A 169      20.387   0.539  16.103  1.00 28.70           N
ATOM   5904  CA  ALA A 169      21.760   0.054  16.309  1.00 28.58           C
ATOM   5906  CB  ALA A 169      21.742  -1.535  16.398  1.00 29.63           C
ATOM   5910  C   ALA A 169      22.629   0.488  15.165  1.00 28.42           C
ATOM   5911  O   ALA A 169      23.743   0.765  15.365  1.00 27.79           O
ATOM   5913  N   ARG A 170      22.113   0.467  13.938  1.00 30.11           N
ATOM   5914  CA  ARG A 170      22.866   0.994  12.794  1.00 31.58           C
ATOM   5916  CB  ARG A 170      22.006   0.931  11.532  1.00 32.82           C
ATOM   5919  CG  ARG A 170      22.751   1.149  10.228  1.00 40.04           C
ATOM   5922  CD  ARG A 170      21.770   1.308   9.040  1.00 48.48           C
ATOM   5925  NE  ARG A 170      21.170   0.011   8.738  1.00 55.58           N
ATOM   5927  CZ  ARG A 170      21.846  -1.004   8.190  1.00 61.84           C
ATOM   5928  NH1 ARG A 170      23.139  -0.858   7.859  1.00 63.30           N
ATOM   5931  NH2 ARG A 170      21.237  -2.177   7.957  1.00 62.81           N
ATOM   5934  C   ARG A 170      23.353   2.424  13.076  1.00 30.18           C
ATOM   5935  O   ARG A 170      24.553   2.747  12.979  1.00 28.40           O
ATOM   5937  N   ILE A 171      22.420   3.279  13.497  1.00 29.52           N
ATOM   5938  CA  ILE A 171      22.735   4.681  13.852  1.00 28.02           C
ATOM   5940  CB  ILE A 171      21.440   5.476  14.225  1.00 28.40           C
ATOM   5942  CG1 ILE A 171      20.586   5.674  12.978  1.00 27.25           C
ATOM   5945  CD1 ILE A 171      18.989   6.056  13.237  1.00 25.06           C
ATOM   5949  CG2 ILE A 171      21.804   6.871  14.938  1.00 28.73           C
ATOM   5953  C   ILE A 171      23.719   4.780  15.001  1.00 28.08           C
ATOM   5954  O   ILE A 171      24.734   5.492  14.934  1.00 26.21           O
ATOM   5956  N   LYS A 172      23.448   4.064  16.078  1.00 28.36           N
ATOM   5957  CA  LYS A 172      24.382   4.088  17.208  1.00 29.21           C
ATOM   5959  CB  LYS A 172      23.871   3.176  18.319  1.00 29.60           C
ATOM   5962  CG  LYS A 172      22.531   3.591  18.882  1.00 32.46           C
ATOM   5965  CD  LYS A 172      22.010   2.576  19.817  1.00 34.70           C
ATOM   5968  CE  LYS A 172      20.754   3.100  20.479  1.00 37.65           C
ATOM   5971  NZ  LYS A 172      19.894   1.954  21.015  1.00 33.76           N
ATOM   5975  C   LYS A 172      25.776   3.586  16.781  1.00 27.84           C
ATOM   5976  O   LYS A 172      26.796   4.046  17.279  1.00 29.48           O
ATOM   5978  N   THR A 173      25.823   2.614  15.893  1.00 27.57           N
ATOM   5979  CA  THR A 173      27.105   2.097  15.452  1.00 28.51           C
ATOM   5981  CB  THR A 173      26.963   0.785  14.599  1.00 29.22           C
ATOM   5983  OG1 THR A 173      26.463  -0.272  15.431  1.00 34.02           O
ATOM   5985  CG2 THR A 173      28.321   0.268  14.032  1.00 28.21           C
ATOM   5989  C   THR A 173      27.792   3.227  14.704  1.00 28.01           C
ATOM   5990  O   THR A 173      28.975   3.501  14.887  1.00 28.49           O
```

ATOM	5992	N	ARG	A	174	27.023	3.969	13.897	1.00 27.44	N
ATOM	5993	CA	ARG	A	174	27.637	5.090	13.182	1.00 27.11	C
ATOM	5995	CB	ARG	A	174	26.650	5.785	12.238	1.00 27.58	C
ATOM	5998	CG	ARG	A	174	27.241	6.903	11.457	1.00 29.58	C
ATOM	6001	CD	ARG	A	174	28.232	6.266	10.520	1.00 35.38	C
ATOM	6004	NE	ARG	A	174	28.827	7.248	9.661	1.00 41.14	N
ATOM	6006	CZ	ARG	A	174	29.542	6.955	8.585	1.00 47.71	C
ATOM	6007	NH1	ARG	A	174	29.761	5.678	8.237	1.00 48.98	N
ATOM	6010	NH2	ARG	A	174	30.059	7.944	7.867	1.00 50.34	N
ATOM	6013	C	ARG	A	174	28.237	6.067	14.114	1.00 25.23	C
ATOM	6014	O	ARG	A	174	29.363	6.523	13.875	1.00 22.94	O
ATOM	6016	N	LEU	A	175	27.486	6.425	15.157	1.00 24.54	N
ATOM	6017	CA	LEU	A	175	27.963	7.440	16.133	1.00 24.11	C
ATOM	6019	CB	LEU	A	175	26.851	7.857	17.074	1.00 23.47	C
ATOM	6022	CG	LEU	A	175	25.529	8.406	16.403	1.00 24.12	C
ATOM	6024	CD1	LEU	A	175	24.436	8.769	17.378	1.00 23.42	C
ATOM	6028	CD2	LEU	A	175	25.861	9.611	15.603	1.00 19.70	C
ATOM	6032	C	LEU	A	175	29.152	6.967	16.977	1.00 26.04	C
ATOM	6033	O	LEU	A	175	29.996	7.739	17.316	1.00 25.79	O
ATOM	6035	N	PHE	A	176	29.159	5.707	17.358	1.00 28.13	N
ATOM	6036	CA	PHE	A	176	30.308	5.113	18.090	1.00 30.90	C
ATOM	6038	CB	PHE	A	176	29.962	3.653	18.364	1.00 31.38	C
ATOM	6041	CG	PHE	A	176	31.038	2.854	19.041	1.00 37.70	C
ATOM	6042	CD1	PHE	A	176	32.010	2.187	18.286	1.00 39.42	C
ATOM	6044	CE1	PHE	A	176	33.007	1.437	18.911	1.00 40.80	C
ATOM	6046	CZ	PHE	A	176	33.012	1.313	20.305	1.00 41.87	C
ATOM	6048	CE2	PHE	A	176	32.038	1.931	21.066	1.00 43.88	C
ATOM	6050	CD2	PHE	A	176	31.038	2.701	20.428	1.00 42.08	C
ATOM	6052	C	PHE	A	176	31.568	5.251	17.219	1.00 31.17	C
ATOM	6053	O	PHE	A	176	32.597	5.670	17.679	1.00 29.60	O
ATOM	6055	N	THR	A	177	31.417	4.946	15.931	1.00 32.23	N
ATOM	6056	CA	THR	A	177	32.519	4.966	14.983	1.00 32.30	C
ATOM	6058	CB	THR	A	177	32.060	4.444	13.655	1.00 32.56	C
ATOM	6060	OG1	THR	A	177	31.573	3.110	13.823	1.00 33.77	O
ATOM	6062	CG2	THR	A	177	33.180	4.420	12.683	1.00 34.29	C
ATOM	6066	C	THR	A	177	33.050	6.329	14.762	1.00 31.78	C
ATOM	6067	O	THR	A	177	34.257	6.513	14.645	1.00 30.06	O
ATOM	6069	N	ILE	A	178	32.146	7.319	14.694	1.00 31.31	N
ATOM	6070	CA	ILE	A	178	32.555	8.683	14.494	1.00 29.31	C
ATOM	6072	CB	ILE	A	178	31.349	9.587	14.228	1.00 31.07	C
ATOM	6074	CG1	ILE	A	178	30.870	9.441	12.748	1.00 28.43	C
ATOM	6077	CD1	ILE	A	178	29.386	10.059	12.500	1.00 28.35	C
ATOM	6081	CG2	ILE	A	178	31.701	10.989	14.602	1.00 27.52	C
ATOM	6085	C	ILE	A	178	33.306	9.190	15.713	1.00 31.15	C
ATOM	6086	O	ILE	A	178	34.316	9.908	15.590	1.00 28.66	O
ATOM	6088	N	ARG	A	179	32.817	8.863	16.900	1.00 30.03	N
ATOM	6089	CA	ARG	A	179	33.498	9.271	18.083	1.00 31.68	C
ATOM	6091	CB	ARG	A	179	32.663	8.898	19.291	1.00 32.08	C
ATOM	6094	CG	ARG	A	179	33.357	8.981	20.664	1.00 35.09	C
ATOM	6097	CD	ARG	A	179	32.474	8.196	21.636	1.00 42.45	C
ATOM	6100	NE	ARG	A	179	32.544	8.615	23.039	1.00 50.82	N
ATOM	6102	CZ	ARG	A	179	33.293	8.037	23.995	1.00 57.90	C
ATOM	6103	NH1	ARG	A	179	34.115	7.004	23.739	1.00 58.57	N
ATOM	6106	NH2	ARG	A	179	33.238	8.514	25.238	1.00 61.33	N
ATOM	6109	C	ARG	A	179	34.898	8.553	18.176	1.00 33.24	C
ATOM	6110	O	ARG	A	179	35.878	9.180	18.448	1.00 30.58	O
ATOM	6112	N	GLN	A	180	34.959	7.255	17.969	1.00 36.01	N
ATOM	6113	CA	GLN	A	180	36.294	6.597	18.031	1.00 39.30	C
ATOM	6115	CB	GLN	A	180	36.150	5.101	17.822	1.00 39.90	C
ATOM	6118	CG	GLN	A	180	35.443	4.390	19.003	1.00 46.03	C
ATOM	6121	CD	GLN	A	180	36.186	4.482	20.354	1.00 52.50	C
ATOM	6122	OE1	GLN	A	180	37.398	4.785	20.399	1.00 56.81	O
ATOM	6123	NE2	GLN	A	180	35.454	4.203	21.469	1.00 54.63	N

```
ATOM   6126  C   GLN A 180      37.306   7.275  17.077  1.00 39.85           C
ATOM   6127  O   GLN A 180      38.433   7.669  17.483  1.00 41.27           O
ATOM   6129  N   GLU A 181      36.879   7.516  15.831  1.00 40.96           N
ATOM   6130  CA  GLU A 181      37.761   8.110  14.826  1.00 39.80           C
ATOM   6132  CB  GLU A 181      37.119   8.145  13.460  1.00 40.41           C
ATOM   6135  CG  GLU A 181      36.979   6.829  12.791  1.00 41.90           C
ATOM   6138  CD  GLU A 181      38.322   6.124  12.546  1.00 45.90           C
ATOM   6139  OE1 GLU A 181      39.341   6.806  12.241  1.00 46.42           O
ATOM   6140  OE2 GLU A 181      38.324   4.879  12.692  1.00 49.22           O
ATOM   6141  C   GLU A 181      38.160   9.503  15.187  1.00 40.61           C
ATOM   6142  O   GLU A 181      39.278   9.956  14.826  1.00 39.32           O
ATOM   6144  N   MET A 182      37.266  10.245  15.851  1.00 39.52           N
ATOM   6145  CA  MET A 182      37.613  11.608  16.256  1.00 38.77           C
ATOM   6147  CB  MET A 182      36.389  12.354  16.759  1.00 37.91           C
ATOM   6150  CG  MET A 182      35.416  12.823  15.688  1.00 37.77           C
ATOM   6153  SD  MET A 182      34.183  13.936  16.362  1.00 35.31           S
ATOM   6154  CE  MET A 182      33.315  14.409  14.804  1.00 34.42           C
ATOM   6158  C   MET A 182      38.675  11.566  17.383  1.00 39.15           C
ATOM   6159  O   MET A 182      39.660  12.326  17.380  1.00 38.70           O
ATOM   6161  N   ALA A 183      38.418  10.697  18.342  1.00 39.85           N
ATOM   6162  CA  ALA A 183      39.359  10.386  19.434  1.00 41.20           C
ATOM   6164  CB  ALA A 183      38.798   9.292  20.328  1.00 40.66           C
ATOM   6168  C   ALA A 183      40.740  10.022  18.879  1.00 41.54           C
ATOM   6169  O   ALA A 183      41.685  10.691  19.171  1.00 42.10           O
ATOM   6171  N   SER A 184      40.810   9.050  17.978  1.00 43.07           N
ATOM   6172  CA  SER A 184      42.041   8.737  17.237  1.00 43.27           C
ATOM   6174  CB  SER A 184      41.755   7.761  16.096  1.00 43.55           C
ATOM   6177  OG  SER A 184      41.410   6.515  16.639  1.00 47.00           O
ATOM   6179  C   SER A 184      42.769   9.882  16.592  1.00 43.28           C
ATOM   6180  O   SER A 184      43.941   9.719  16.261  1.00 41.85           O
ATOM   6182  N   ARG A 185      42.091  11.006  16.330  1.00 42.56           N
ATOM   6183  CA  ARG A 185      42.778  12.132  15.684  1.00 41.98           C
ATOM   6185  CB  ARG A 185      42.035  12.541  14.427  1.00 42.71           C
ATOM   6188  CG  ARG A 185      42.112  11.513  13.286  1.00 44.32           C
ATOM   6191  CD  ARG A 185      40.772  11.375  12.601  1.00 46.31           C
ATOM   6194  NE  ARG A 185      40.841  11.600  11.167  1.00 48.70           N
ATOM   6196  CZ  ARG A 185      40.855  10.662  10.232  1.00 50.47           C
ATOM   6197  NH1 ARG A 185      40.810   9.367  10.552  1.00 54.56           N
ATOM   6200  NH2 ARG A 185      40.915  11.028   8.954  1.00 51.36           N
ATOM   6203  C   ARG A 185      42.921  13.280  16.643  1.00 41.46           C
ATOM   6204  O   ARG A 185      43.389  14.357  16.255  1.00 42.04           O
ATOM   6206  N   SER A 186      42.559  13.049  17.907  1.00 40.15           N
ATOM   6207  CA  SER A 186      42.690  14.080  18.895  1.00 40.46           C
ATOM   6209  CB  SER A 186      44.168  14.565  18.967  1.00 41.03           C
ATOM   6212  OG  SER A 186      45.057  13.465  18.793  1.00 41.70           O
ATOM   6214  C   SER A 186      41.722  15.225  18.625  1.00 40.66           C
ATOM   6215  O   SER A 186      42.049  16.387  18.830  1.00 41.52           O
ATOM   6217  N   LEU A 187      40.516  14.903  18.137  1.00 40.17           N
ATOM   6218  CA  LEU A 187      39.545  15.937  17.811  1.00 39.38           C
ATOM   6220  CB  LEU A 187      39.071  15.792  16.342  1.00 37.70           C
ATOM   6223  CG  LEU A 187      40.052  16.060  15.231  1.00 35.50           C
ATOM   6225  CD1 LEU A 187      39.533  15.545  13.893  1.00 37.73           C
ATOM   6229  CD2 LEU A 187      40.413  17.519  15.118  1.00 34.91           C
ATOM   6233  C   LEU A 187      38.335  15.825  18.718  1.00 40.04           C
ATOM   6234  O   LEU A 187      37.467  16.714  18.680  1.00 40.14           O
ATOM   6236  N   TRP A 188      38.254  14.728  19.485  1.00 40.63           N
ATOM   6237  CA  TRP A 188      37.047  14.372  20.247  1.00 41.70           C
ATOM   6239  CB  TRP A 188      37.019  12.876  20.680  1.00 41.23           C
ATOM   6242  CG  TRP A 188      35.865  12.590  21.612  1.00 42.78           C
ATOM   6243  CD1 TRP A 188      35.933  12.377  22.974  1.00 43.61           C
ATOM   6245  NE1 TRP A 188      34.664  12.209  23.495  1.00 41.33           N
ATOM   6247  CE2 TRP A 188      33.745  12.333  22.489  1.00 43.56           C
ATOM   6248  CD2 TRP A 188      34.458  12.603  21.287  1.00 41.64           C
```

```
ATOM   6249  CE3 TRP A 188      33.738  12.766  20.097  1.00 38.96           C
ATOM   6251  CZ3 TRP A 188      32.347  12.690  20.142  1.00 38.37           C
ATOM   6253  CH2 TRP A 188      31.658  12.452  21.351  1.00 40.60           C
ATOM   6255  CZ2 TRP A 188      32.331  12.261  22.533  1.00 42.31           C
ATOM   6257  C   TRP A 188      36.821  15.323  21.417  1.00 42.95           C
ATOM   6258  O   TRP A 188      35.773  15.966  21.514  1.00 42.21           O
ATOM   6260  N   ASP A 189      37.832  15.487  22.267  1.00 44.68           N
ATOM   6261  CA  ASP A 189      37.728  16.438  23.387  1.00 45.62           C
ATOM   6263  CB  ASP A 189      39.089  16.690  24.078  1.00 46.90           C
ATOM   6266  CG  ASP A 189      39.618  15.458  24.792  1.00 50.88           C
ATOM   6267  OD1 ASP A 189      38.856  14.464  24.951  1.00 57.27           O
ATOM   6268  OD2 ASP A 189      40.813  15.474  25.177  1.00 58.02           O
ATOM   6269  C   ASP A 189      37.125  17.765  22.978  1.00 44.63           C
ATOM   6270  O   ASP A 189      36.178  18.228  23.623  1.00 44.50           O
ATOM   6272  N   SER A 190      37.629  18.368  21.909  1.00 43.98           N
ATOM   6273  CA  SER A 190      37.135  19.698  21.536  1.00 43.64           C
ATOM   6275  CB  SER A 190      38.034  20.373  20.535  1.00 44.12           C
ATOM   6278  OG  SER A 190      37.320  21.490  19.984  1.00 42.51           O
ATOM   6280  C   SER A 190      35.721  19.664  20.921  1.00 43.14           C
ATOM   6281  O   SER A 190      34.929  20.549  21.165  1.00 44.73           O
ATOM   6283  N   PHE A 191      35.449  18.659  20.092  1.00 42.12           N
ATOM   6284  CA  PHE A 191      34.103  18.405  19.586  1.00 40.48           C
ATOM   6286  CB  PHE A 191      34.103  17.229  18.602  1.00 38.37           C
ATOM   6289  CG  PHE A 191      32.735  16.951  17.994  1.00 35.18           C
ATOM   6290  CD1 PHE A 191      32.162  17.840  17.115  1.00 31.73           C
ATOM   6292  CE1 PHE A 191      30.916  17.572  16.525  1.00 28.61           C
ATOM   6294  CZ  PHE A 191      30.249  16.436  16.850  1.00 28.17           C
ATOM   6296  CE2 PHE A 191      30.790  15.514  17.715  1.00 30.21           C
ATOM   6298  CD2 PHE A 191      32.039  15.784  18.293  1.00 34.28           C
ATOM   6300  C   PHE A 191      33.120  18.178  20.758  1.00 40.75           C
ATOM   6301  O   PHE A 191      32.107  18.871  20.872  1.00 41.14           O
ATOM   6303  N   ARG A 192      33.456  17.282  21.662  1.00 42.35           N
ATOM   6304  CA  ARG A 192      32.569  17.012  22.783  1.00 44.44           C
ATOM   6306  CB  ARG A 192      33.051  15.841  23.662  1.00 44.72           C
ATOM   6309  CG  ARG A 192      32.136  15.580  24.891  1.00 49.27           C
ATOM   6312  CD  ARG A 192      32.653  14.523  25.877  1.00 55.19           C
ATOM   6315  NE  ARG A 192      34.062  14.741  26.241  1.00 60.10           N
ATOM   6317  CZ  ARG A 192      34.508  15.720  27.034  1.00 64.70           C
ATOM   6318  NH1 ARG A 192      33.664  16.614  27.576  1.00 65.66           N
ATOM   6321  NH2 ARG A 192      35.817  15.824  27.271  1.00 64.46           N
ATOM   6324  C   ARG A 192      32.302  18.237  23.622  1.00 44.96           C
ATOM   6325  O   ARG A 192      31.224  18.349  24.187  1.00 45.11           O
ATOM   6327  N   GLN A 193      33.238  19.169  23.691  1.00 46.51           N
ATOM   6328  CA  GLN A 193      33.043  20.382  24.510  1.00 47.96           C
ATOM   6330  CB  GLN A 193      34.407  20.906  25.012  1.00 48.06           C
ATOM   6333  CG  GLN A 193      35.007  20.014  26.104  1.00 51.75           C
ATOM   6336  CD  GLN A 193      36.350  20.516  26.638  1.00 54.61           C
ATOM   6337  OE1 GLN A 193      37.410  19.937  26.341  1.00 56.62           O
ATOM   6338  NE2 GLN A 193      36.311  21.594  27.434  1.00 55.66           N
ATOM   6341  C   GLN A 193      32.253  21.552  23.879  1.00 48.24           C
ATOM   6342  O   GLN A 193      31.846  22.474  24.583  1.00 48.42           O
ATOM   6344  N   SER A 194      32.052  21.546  22.569  1.00 48.36           N
ATOM   6345  CA  SER A 194      31.495  22.723  21.896  1.00 48.16           C
ATOM   6347  CB  SER A 194      32.097  22.849  20.484  1.00 48.00           C
ATOM   6350  OG  SER A 194      32.187  21.578  19.842  1.00 48.78           O
ATOM   6352  C   SER A 194      29.972  22.751  21.789  1.00 47.98           C
ATOM   6353  O   SER A 194      29.428  23.698  21.243  1.00 48.12           O
ATOM   6355  N   GLU A 195      29.270  21.739  22.270  1.00 48.15           N
ATOM   6356  CA  GLU A 195      27.818  21.734  22.083  1.00 49.04           C
ATOM   6358  CB  GLU A 195      27.248  20.337  22.246  1.00 47.73           C
ATOM   6361  CG  GLU A 195      25.708  20.275  21.988  1.00 47.51           C
ATOM   6364  CD  GLU A 195      25.184  18.866  21.954  1.00 40.56           C
ATOM   6365  OE1 GLU A 195      25.951  17.957  21.535  1.00 38.62           O
```

```
ATOM   6366  OE2 GLU A 195      24.018  18.661  22.355  1.00 41.85           O
ATOM   6367  C   GLU A 195      27.106  22.774  23.002  1.00 50.42           C
ATOM   6368  O   GLU A 195      27.407  22.858  24.191  1.00 50.12           O
ATOM   6370  N   ARG A 196      26.208  23.572  22.413  1.00 52.14           N
ATOM   6371  CA  ARG A 196      25.535  24.719  23.085  1.00 54.22           C
ATOM   6373  CB  ARG A 196      25.553  25.970  22.178  1.00 54.91           C
ATOM   6376  CG  ARG A 196      26.913  26.280  21.555  1.00 58.70           C
ATOM   6379  CD  ARG A 196      27.193  27.801  21.309  1.00 63.36           C
ATOM   6382  NE  ARG A 196      28.625  28.093  21.546  1.00 67.68           N
ATOM   6384  CZ  ARG A 196      29.219  29.289  21.466  1.00 69.92           C
ATOM   6385  NH1 ARG A 196      28.536  30.386  21.126  1.00 70.56           N
ATOM   6388  NH2 ARG A 196      30.526  29.380  21.728  1.00 70.21           N
ATOM   6391  C   ARG A 196      24.073  24.422  23.392  1.00 53.67           C
ATOM   6392  O   ARG A 196      23.387  23.853  22.541  1.00 53.86           O
ATOM   6394 MN    MN A 495      17.177  17.733  14.554  1.00 27.34          MN
ATOM   6395 MN    MN A 496      16.334  20.007  11.605  1.00 25.22          MN
ATOM   6396  P     U A 910      18.219  20.415  14.571  1.00 27.05           P
ATOM   6397  O1P   U A 910      17.604  21.673  15.082  1.00 23.04           O
ATOM   6398  O2P   U A 910      18.577  19.263  15.469  1.00 31.98           O
ATOM   6399  O5*   U A 910      19.574  21.020  13.967  1.00 23.57           O
ATOM   6400  C5*   U A 910      20.367  20.247  13.117  1.00 24.39           C
ATOM   6403  C4*   U A 910      21.784  20.705  13.215  1.00 28.06           C
ATOM   6405  O4*   U A 910      21.815  21.996  12.589  1.00 26.37           O
ATOM   6406  C1*   U A 910      22.248  22.933  13.474  1.00 30.01           C
ATOM   6408  N1    U A 910      21.536  24.181  13.181  1.00 32.01           N
ATOM   6409  C2    U A 910      22.256  25.356  12.994  1.00 32.20           C
ATOM   6410  O2    U A 910      23.483  25.405  12.991  1.00 34.28           O
ATOM   6411  N3    U A 910      21.467  26.454  12.746  1.00 28.48           N
ATOM   6413  C4    U A 910      20.056  26.518  12.730  1.00 33.14           C
ATOM   6414  O4    U A 910      19.445  27.586  12.504  1.00 34.24           O
ATOM   6415  C5    U A 910      19.400  25.246  12.961  1.00 30.32           C
ATOM   6417  C6    U A 910      20.134  24.159  13.139  1.00 31.66           C
ATOM   6419  C2*   U A 910      22.008  22.384  14.874  1.00 31.55           C
ATOM   6421  O2*   U A 910      22.837  23.039  15.841  1.00 37.61           O
ATOM   6423  C3*   U A 910      22.338  20.935  14.627  1.00 30.46           C
ATOM   6425  O3*   U A 910      23.743  20.749  14.670  1.00 31.33           O
ATOM   6426  O3P   U A 910      17.461  19.664  13.515  1.00 23.08           O
ATOM   1588  OH2 WAT A   1      14.505  20.354  12.931  1.00 21.34      A    O
ATOM   1589  OH2 WAT A   2      14.846  20.240   9.761  1.00 23.05      A    O
ATOM   1591  OH2 WAT A   3      18.587  22.283   9.729  1.00 43.33      A    O
ATOM   1592  OH2 WAT A   4      16.862  22.040  11.589  1.00 22.93      A    O
ATOM   1593  OH2 WAT A   5      21.286  20.252   8.173  1.00 26.14      A    O
ATOM   1594  OH2 WAT A   6      27.845  21.922  17.662  1.00 36.53      A    O
ATOM   1595  OH2 WAT A   7      29.576  24.494  -0.774  1.00 26.71      A    O
ATOM   1597  OH2 WAT A   8      20.137  24.907   2.814  1.00 35.50      A    O
ATOM   1598  OH2 WAT A   9      16.624  30.565   4.822  1.00 24.94      A    O
ATOM   1599  OH2 WAT A  10      11.003   7.856  18.224  1.00 25.82      A    O
ATOM   1600  OH2 WAT A  11      21.990  18.523  10.066  1.00 21.07      A    O
ATOM   1601  OH2 WAT A  12      34.615  22.163   3.521  1.00 31.63      A    O
ATOM   1602  OH2 WAT A  13       3.807  28.657   3.719  1.00 24.89      A    O
ATOM   1603  OH2 WAT A  14       3.370  27.070   7.393  1.00 29.15      A    O
ATOM   1604  OH2 WAT A  15       7.739   8.326  14.326  1.00 33.16      A    O
ATOM   1605  OH2 WAT A  16      11.825  12.412   1.504  1.00 39.80      A    O
END
```

Figure 6: H1N1 PA structure (Chain A) native




Figure 7A: H1N1 PA structure (Chain A) with EMBL-R05-3





Figure 7B: H1N1 PA structure (Chain A) with EMBL-R05-3






Figure 8: H1N1 PA structure (Chain D) with EMBL-R05-3




Figure 9: H1N1 PA structure (Chain A) with EMBL-R05-2

Figure 10: H1N1 PA structure (Chain A) with ribo-Uridine Monophosphate





Figure 11


Whole cell
Load
Flow though
Wash1
Wash2
Elute1
Elute2
Elute3
200
120
116
97
66
45
31
21
Elute 1st Nickel
Load
Flow though
Elute3
1st Nickel column
2nd Nickel column



mAU
1000
800
600
400
200
0
12.21
1 2 3 4 5 6 7 8 9 10
66
45
31
21
5.0
10.0
15.0
20.0
ml

Figure 12




Figure 13




Figure 14




Figure 15: H1N1 polypeptide fragment (chain A) with bound EMBL-R05-1

```
HEADER    ----                                        XX-XXX-XX    xxxx
COMPND    ---
REMARK   3
REMARK   3 REFINEMENT.
REMARK   3   PROGRAM     : REFMAC 5.5.0102
REMARK   3   AUTHORS     : MURSHUDOV,VAGIN,DODSON
REMARK   3
REMARK   3    REFINEMENT TARGET : MAXIMUM LIKELIHOOD
REMARK   3
REMARK   3  DATA USED IN REFINEMENT.
REMARK   3   RESOLUTION RANGE HIGH (ANGSTROMS) :   1.90
REMARK   3   RESOLUTION RANGE LOW  (ANGSTROMS) :  65.01
REMARK   3   DATA CUTOFF            (SIGMA(F)) : NONE
REMARK   3   COMPLETENESS FOR RANGE        (%) :  99.79
REMARK   3   NUMBER OF REFLECTIONS             :   15580
REMARK   3
REMARK   3  FIT TO DATA USED IN REFINEMENT.
REMARK   3   CROSS-VALIDATION METHOD           : THROUGHOUT
REMARK   3   FREE R VALUE TEST SET SELECTION   : RANDOM
REMARK   3   R VALUE     (WORKING + TEST SET) : 0.20827
REMARK   3   R VALUE           (WORKING SET) :  0.20610
REMARK   3   FREE R VALUE                     :  0.25114
REMARK   3   FREE R VALUE TEST SET SIZE   (%) :  5.1
REMARK   3   FREE R VALUE TEST SET COUNT      :   830
REMARK   3
REMARK   3  FIT IN THE HIGHEST RESOLUTION BIN.
REMARK   3   TOTAL NUMBER OF BINS USED           :      20
REMARK   3   BIN RESOLUTION RANGE HIGH           :   1.899
REMARK   3   BIN RESOLUTION RANGE LOW            :   1.949
REMARK   3   REFLECTION IN BIN     (WORKING SET) :    1092
REMARK   3   BIN COMPLETENESS (WORKING+TEST) (%) :   98.15
REMARK   3   BIN R VALUE           (WORKING SET) :   0.317
REMARK   3   BIN FREE R VALUE SET COUNT          :      77
REMARK   3   BIN FREE R VALUE                    :   0.355
REMARK   3
REMARK   3  NUMBER OF NON-HYDROGEN ATOMS USED IN REFINEMENT.
REMARK   3   ALL ATOMS                 :     1592
REMARK   3
REMARK   3  B VALUES.
REMARK   3   FROM WILSON PLOT           (A**2) : NULL
REMARK   3   MEAN B VALUE      (OVERALL, A**2) :  30.699
REMARK   3   OVERALL ANISOTROPIC B VALUE.
REMARK   3    B11 (A**2) :     2.00
REMARK   3    B22 (A**2) :     2.00
REMARK   3    B33 (A**2) :    -4.00
REMARK   3    B12 (A**2) :     0.00
REMARK   3    B13 (A**2) :     0.00
REMARK   3    B23 (A**2) :     0.00
REMARK   3
REMARK   3  ESTIMATED OVERALL COORDINATE ERROR.
REMARK   3   ESU BASED ON R VALUE                                (A):   0.035
REMARK   3   ESU BASED ON FREE R VALUE                           (A):   0.033
REMARK   3   ESU BASED ON MAXIMUM LIKELIHOOD                     (A):   0.084
REMARK   3   ESU FOR B VALUES BASED ON MAXIMUM LIKELIHOOD (A**2):   3.129
REMARK   3
REMARK   3 CORRELATION COEFFICIENTS.
REMARK   3   CORRELATION COEFFICIENT FO-FC      :   0.952
REMARK   3   CORRELATION COEFFICIENT FO-FC FREE :   0.939
```

```
REMARK   3
REMARK   3  RMS DEVIATIONS FROM IDEAL VALUES         COUNT    RMS     WEIGHT
REMARK   3   BOND LENGTHS REFINED ATOMS        (A):  1522 ; 0.022 ; 0.022
REMARK   3   BOND LENGTHS OTHERS               (A):  1075 ; 0.002 ; 0.020
REMARK   3   BOND ANGLES REFINED ATOMS   (DEGREES):  2045 ; 1.843 ; 1.966
REMARK   3   BOND ANGLES OTHERS          (DEGREES):  2588 ; 1.007 ; 3.000
REMARK   3   TORSION ANGLES, PERIOD 1    (DEGREES):   173 ; 5.556 ; 5.000
REMARK   3   TORSION ANGLES, PERIOD 2    (DEGREES):    78 ;34.734 ;23.333
REMARK   3   TORSION ANGLES, PERIOD 3    (DEGREES):   279 ;14.663 ;15.000
REMARK   3   TORSION ANGLES, PERIOD 4    (DEGREES):    13 ;17.969 ;15.000
REMARK   3   CHIRAL-CENTER RESTRAINTS       (A**3):   215 ; 0.111 ; 0.200
REMARK   3   GENERAL PLANES REFINED ATOMS      (A):  1658 ; 0.010 ; 0.020
REMARK   3   GENERAL PLANES OTHERS             (A):   340 ; 0.004 ; 0.020
REMARK   3
REMARK   3  ISOTROPIC THERMAL FACTOR RESTRAINTS.     COUNT    RMS     WEIGHT
REMARK   3   MAIN-CHAIN BOND REFINED ATOMS  (A**2):   878 ; 1.390 ; 1.500
REMARK   3   MAIN-CHAIN BOND OTHER ATOMS    (A**2):   353 ; 0.396 ; 1.500
REMARK   3   MAIN-CHAIN ANGLE REFINED ATOMS (A**2):  1418 ; 2.403 ; 2.000
REMARK   3   SIDE-CHAIN BOND REFINED ATOMS  (A**2):   644 ; 3.554 ; 3.000
REMARK   3   SIDE-CHAIN ANGLE REFINED ATOMS (A**2):   627 ; 5.783 ; 4.500
REMARK   3
REMARK   3  NCS RESTRAINTS STATISTICS
REMARK   3   NUMBER OF NCS GROUPS : NULL
REMARK   3
REMARK   3  TWIN DETAILS
REMARK   3   NUMBER OF TWIN DOMAINS  : NULL
REMARK   3
REMARK   3
REMARK   3  TLS DETAILS
REMARK   3   NUMBER OF TLS GROUPS  : NULL
REMARK   3
REMARK   3
REMARK   3  BULK SOLVENT MODELLING.
REMARK   3   METHOD USED :  MASK
REMARK   3   PARAMETERS FOR MASK CALCULATION
REMARK   3   VDW PROBE RADIUS   :   1.40
REMARK   3   ION PROBE RADIUS   :   0.80
REMARK   3   SHRINKAGE RADIUS   :   0.80
REMARK   3
REMARK   3  OTHER REFINEMENT REMARKS:
REMARK   3  HYDROGENS HAVE BEEN ADDED IN THE RIDING POSITIONS
REMARK   3  U VALUES       : REFINED INDIVIDUALLY
REMARK   3
LINKR          GLY A  52                    LYS A  73                    gap
LINKR          LYS A 139                    GLU A 141                    gap
CRYST1   75.060   75.060  120.050  90.00  90.00 120.00 P 62 2 2
SCALE1      0.013323  0.007692  0.000000        0.00000
SCALE2      0.000000  0.015384  0.000000        0.00000
SCALE3      0.000000  0.000000  0.008330        0.00000
ATOM      1  N   ALA A   0      32.705   9.904  20.915  1.00 46.80           N
ATOM      2  CA  ALA A   0      34.010  10.013  21.658  1.00 46.90           C
ATOM      4  CB  ALA A   0      34.129   8.971  22.756  1.00 46.72           C
ATOM      8  C   ALA A   0      35.274   9.961  20.738  1.00 45.78           C
ATOM      9  O   ALA A   0      35.571   8.954  20.084  1.00 48.51           O
ATOM     13  N   MET A   1      36.021  11.036  20.730  1.00 45.20           N
ATOM     14  CA  MET A   1      37.196  11.143  19.801  1.00 44.87           C
ATOM     16  CB  MET A   1      37.842  12.491  19.948  1.00 43.94           C
ATOM     19  CG  MET A   1      39.041  12.697  19.045  1.00 43.15           C
ATOM     22  SD  MET A   1      38.629  12.410  17.284  1.00 38.41           S
ATOM     23  CE  MET A   1      38.364  14.091  17.050  1.00 30.85           C
ATOM     27  C   MET A   1      38.222  10.049  20.005  1.00 44.30           C
ATOM     28  O   MET A   1      38.737   9.461  19.057  1.00 43.72           O
ATOM     30  N   GLU A   2      38.510   9.716  21.259  1.00 45.08           N
```

```
ATOM     31  CA  GLU A   2      39.458   8.627  21.499  1.00 45.07      C
ATOM     33  CB  GLU A   2      39.699   8.426  23.013  1.00 46.79      C
ATOM     36  CG  GLU A   2      40.839   7.490  23.302  1.00 48.28      C
ATOM     39  CD  GLU A   2      40.849   6.940  24.750  1.00 51.47      C
ATOM     40  OE1 GLU A   2      40.318   7.609  25.663  1.00 51.73      O
ATOM     41  OE2 GLU A   2      41.412   5.837  24.937  1.00 53.93      O
ATOM     42  C   GLU A   2      39.015   7.339  20.841  1.00 44.15      C
ATOM     43  O   GLU A   2      39.817   6.682  20.212  1.00 44.18      O
ATOM     45  N   ASP A   3      37.736   6.958  20.961  1.00 43.00      N
ATOM     46  CA  ASP A   3      37.230   5.748  20.260  1.00 42.31      C
ATOM     48  CB  ASP A   3      35.831   5.336  20.768  1.00 43.36      C
ATOM     51  CG  ASP A   3      35.898   4.734  22.204  1.00 46.34      C
ATOM     52  OD1 ASP A   3      36.548   3.673  22.411  1.00 45.20      O
ATOM     53  OD2 ASP A   3      35.375   5.402  23.096  1.00 51.42      O
ATOM     54  C   ASP A   3      37.187   5.895  18.727  1.00 39.54      C
ATOM     55  O   ASP A   3      37.526   5.003  18.015  1.00 36.33      O
ATOM     57  N   PHE A   4      36.740   7.029  18.230  1.00 40.01      N
ATOM     58  CA  PHE A   4      37.014   7.336  16.828  1.00 39.34      C
ATOM     60  CB  PHE A   4      36.748   8.784  16.542  1.00 39.01      C
ATOM     63  CG  PHE A   4      37.007   9.100  15.139  1.00 40.24      C
ATOM     64  CD1 PHE A   4      36.113   8.658  14.181  1.00 42.88      C
ATOM     66  CE1 PHE A   4      36.362   8.860  12.834  1.00 43.41      C
ATOM     68  CZ  PHE A   4      37.548   9.481  12.450  1.00 40.84      C
ATOM     70  CE2 PHE A   4      38.445   9.923  13.390  1.00 39.99      C
ATOM     72  CD2 PHE A   4      38.206   9.697  14.741  1.00 38.67      C
ATOM     74  C   PHE A   4      38.447   6.982  16.287  1.00 38.41      C
ATOM     75  O   PHE A   4      38.632   6.188  15.326  1.00 37.84      O
ATOM     77  N   VAL A   5      39.459   7.552  16.929  1.00 39.80      N
ATOM     78  CA  VAL A   5      40.863   7.302  16.532  1.00 39.12      C
ATOM     80  CB  VAL A   5      41.832   7.994  17.471  1.00 40.00      C
ATOM     82  CG1 VAL A   5      43.292   7.610  17.120  1.00 34.65      C
ATOM     86  CG2 VAL A   5      41.597   9.515  17.449  1.00 36.50      C
ATOM     90  C   VAL A   5      41.203   5.854  16.534  1.00 40.24      C
ATOM     91  O   VAL A   5      41.846   5.337  15.614  1.00 39.45      O
ATOM     93  N   ARG A   6      40.734   5.130  17.555  1.00 41.95      N
ATOM     94  CA  ARG A   6      40.971   3.692  17.573  1.00 42.22      C
ATOM     96  CB  ARG A   6      40.695   3.128  18.979  1.00 42.67      C
ATOM     99  CG  ARG A   6      41.687   3.685  19.986  1.00 45.01      C
ATOM    102  CD  ARG A   6      41.385   3.360  21.445  1.00 46.86      C
ATOM    105  NE  ARG A   6      42.179   4.217  22.335  1.00 46.22      N
ATOM    107  CZ  ARG A   6      43.471   4.043  22.607  1.00 43.79      C
ATOM    108  NH1 ARG A   6      44.140   3.040  22.057  1.00 44.27      N
ATOM    111  NH2 ARG A   6      44.098   4.892  23.461  1.00 49.15      N
ATOM    114  C   ARG A   6      40.257   2.919  16.459  1.00 42.70      C
ATOM    115  O   ARG A   6      40.715   1.864  16.046  1.00 43.47      O
ATOM    117  N   GLN A   7      39.157   3.442  15.934  1.00 43.72      N
ATOM    118  CA  GLN A   7      38.462   2.741  14.826  1.00 43.50      C
ATOM    120  CB  GLN A   7      36.942   2.884  14.934  1.00 44.41      C
ATOM    123  CG  GLN A   7      36.334   4.286  14.587  1.00 49.44      C
ATOM    126  CD  GLN A   7      35.161   4.240  13.571  1.00 56.61      C
ATOM    127  OE1 GLN A   7      34.923   3.214  12.911  1.00 62.15      O
ATOM    128  NE2 GLN A   7      34.412   5.350  13.459  1.00 62.20      N
ATOM    131  C   GLN A   7      38.908   3.198  13.416  1.00 42.71      C
ATOM    132  O   GLN A   7      38.763   2.473  12.455  1.00 41.90      O
ATOM    134  N   CYS A   8      39.418   4.408  13.322  1.00 41.81      N
ATOM    135  CA  CYS A   8      39.768   5.063  12.016  1.00 40.76      C
ATOM    137  CB  CYS A   8      39.578   6.568  12.224  1.00 40.40      C
ATOM    140  SG  CYS A   8      40.073   7.732  10.854  1.00 42.15      S
ATOM    142  C   CYS A   8      41.186   4.710  11.485  1.00 39.98      C
ATOM    143  O   CYS A   8      41.409   4.496  10.282  1.00 40.49      O
ATOM    145  N   PHE A   9      42.141   4.563  12.396  1.00 39.04      N
ATOM    146  CA  PHE A   9      43.501   4.272  12.052  1.00 37.93      C
ATOM    148  CB  PHE A   9      44.375   5.256  12.812  1.00 38.19      C
```

```
ATOM    151  CG  PHE A   9      44.104   6.657  12.432  1.00 31.90      C
ATOM    152  CD1 PHE A   9      44.692   7.190  11.317  1.00 32.40      C
ATOM    154  CE1 PHE A   9      44.454   8.473  10.986  1.00 27.02      C
ATOM    156  CZ  PHE A   9      43.652   9.216  11.685  1.00 32.18      C
ATOM    158  CE2 PHE A   9      43.036   8.710  12.814  1.00 32.36      C
ATOM    160  CD2 PHE A   9      43.299   7.436  13.182  1.00 30.81      C
ATOM    162  C   PHE A   9      43.937   2.872  12.361  1.00 40.11      C
ATOM    163  O   PHE A   9      43.472   2.232  13.305  1.00 38.23      O
ATOM    165  N   ASN A  10      44.867   2.401  11.579  1.00 41.36      N
ATOM    166  CA  ASN A  10      45.299   1.074  11.753  1.00 43.17      C
ATOM    168  CB  ASN A  10      46.002   0.568  10.504  1.00 45.30      C
ATOM    171  CG  ASN A  10      47.485   0.770  10.490  1.00 49.13      C
ATOM    172  OD1 ASN A  10      48.109   1.231  11.457  1.00 55.05      O
ATOM    173  ND2 ASN A  10      48.086   0.394   9.355  1.00 56.56      N
ATOM    176  C   ASN A  10      46.059   0.920  13.068  1.00 43.49      C
ATOM    177  O   ASN A  10      46.443   1.924  13.716  1.00 41.30      O
ATOM    179  N   PRO A  11      46.174  -0.332  13.524  1.00 43.22      N
ATOM    180  CA  PRO A  11      46.665  -0.469  14.876  1.00 42.66      C
ATOM    182  CB  PRO A  11      46.538  -1.983  15.155  1.00 43.18      C
ATOM    185  CG  PRO A  11      45.578  -2.512  14.138  1.00 44.32      C
ATOM    188  CD  PRO A  11      45.433  -1.529  13.059  1.00 43.91      C
ATOM    191  C   PRO A  11      48.094  -0.021  15.037  1.00 40.71      C
ATOM    192  O   PRO A  11      48.399   0.518  16.080  1.00 40.83      O
ATOM    193  N   MET A  12      48.949  -0.280  14.039  1.00 39.97      N
ATOM    194  CA  MET A  12      50.332   0.177  14.063  1.00 39.17      C
ATOM    196  CB  MET A  12      51.046  -0.192  12.782  1.00 40.79      C
ATOM    199  CG  MET A  12      52.432   0.498  12.579  1.00 46.56      C
ATOM    202  SD  MET A  12      53.061   0.207  10.883  1.00 62.60      S
ATOM    203  CE  MET A  12      51.840   1.130   9.888  1.00 60.09      C
ATOM    207  C   MET A  12      50.401   1.686  14.309  1.00 37.46      C
ATOM    208  O   MET A  12      51.213   2.141  15.092  1.00 35.55      O
ATOM    210  N   ILE A  13      49.532   2.436  13.634  1.00 35.53      N
ATOM    211  CA  ILE A  13      49.544   3.896  13.670  1.00 35.50      C
ATOM    213  CB  ILE A  13      48.616   4.513  12.594  1.00 33.84      C
ATOM    215  CG1 ILE A  13      49.112   4.292  11.162  1.00 36.54      C
ATOM    218  CD1 ILE A  13      50.209   5.154  10.801  1.00 40.55      C
ATOM    222  CG2 ILE A  13      48.304   6.056  12.857  1.00 33.81      C
ATOM    226  C   ILE A  13      49.114   4.326  15.061  1.00 34.57      C
ATOM    227  O   ILE A  13      49.746   5.203  15.694  1.00 34.50      O
ATOM    229  N   VAL A  14      48.037   3.727  15.564  1.00 33.15      N
ATOM    230  CA  VAL A  14      47.560   4.085  16.871  1.00 34.21      C
ATOM    232  CB  VAL A  14      46.238   3.382  17.252  1.00 34.30      C
ATOM    234  CG1 VAL A  14      45.764   3.804  18.648  1.00 33.03      C
ATOM    238  CG2 VAL A  14      45.143   3.737  16.259  1.00 35.73      C
ATOM    242  C   VAL A  14      48.637   3.828  17.927  1.00 35.71      C
ATOM    243  O   VAL A  14      48.869   4.682  18.779  1.00 36.45      O
ATOM    245  N   GLU A  15      49.309   2.691  17.838  1.00 37.13      N
ATOM    246  CA  GLU A  15      50.369   2.354  18.800  1.00 39.91      C
ATOM    248  CB  GLU A  15      51.026   0.998  18.463  1.00 40.71      C
ATOM    251  CG  GLU A  15      50.412  -0.243  19.100  1.00 48.93      C
ATOM    254  CD  GLU A  15      51.305  -1.515  18.976  1.00 55.78      C
ATOM    255  OE1 GLU A  15      52.425  -1.469  18.368  1.00 57.79      O
ATOM    256  OE2 GLU A  15      50.855  -2.578  19.489  1.00 60.50      O
ATOM    257  C   GLU A  15      51.471   3.447  18.744  1.00 39.79      C
ATOM    258  O   GLU A  15      51.893   3.961  19.781  1.00 38.30      O
ATOM    260  N   LEU A  16      51.949   3.743  17.527  1.00 40.41      N
ATOM    261  CA  LEU A  16      53.006   4.748  17.359  1.00 40.78      C
ATOM    263  CB  LEU A  16      53.446   4.889  15.911  1.00 41.25      C
ATOM    266  CG  LEU A  16      54.075   3.611  15.380  1.00 42.02      C
ATOM    268  CD1 LEU A  16      54.294   3.737  13.894  1.00 41.89      C
ATOM    272  CD2 LEU A  16      55.363   3.242  16.153  1.00 42.80      C
ATOM    276  C   LEU A  16      52.596   6.085  17.905  1.00 40.38      C
ATOM    277  O   LEU A  16      53.429   6.760  18.567  1.00 39.11      O
```

```
ATOM    279  N   ALA A  17      51.343   6.469  17.669  1.00 38.39           N
ATOM    280  CA  ALA A  17      50.814   7.733  18.214  1.00 39.46           C
ATOM    282  CB  ALA A  17      49.439   8.076  17.652  1.00 38.01           C
ATOM    286  C   ALA A  17      50.776   7.753  19.760  1.00 40.24           C
ATOM    287  O   ALA A  17      51.120   8.751  20.408  1.00 38.60           O
ATOM    289  N   GLU A  18      50.360   6.646  20.349  1.00 42.22           N
ATOM    290  CA  GLU A  18      50.302   6.592  21.813  1.00 43.95           C
ATOM    292  CB  GLU A  18      49.642   5.305  22.265  1.00 44.73           C
ATOM    295  CG  GLU A  18      48.140   5.305  22.036  1.00 46.92           C
ATOM    298  CD  GLU A  18      47.446   4.139  22.729  1.00 48.80           C
ATOM    299  OE1 GLU A  18      47.661   3.013  22.289  1.00 49.43           O
ATOM    300  OE2 GLU A  18      46.703   4.360  23.721  1.00 53.91           O
ATOM    301  C   GLU A  18      51.716   6.727  22.394  1.00 44.65           C
ATOM    302  O   GLU A  18      51.903   7.477  23.336  1.00 44.11           O
ATOM    304  N   LYS A  19      52.680   6.030  21.794  1.00 46.00           N
ATOM    305  CA  LYS A  19      54.089   6.073  22.208  1.00 47.58           C
ATOM    307  CB  LYS A  19      54.899   5.094  21.380  1.00 48.56           C
ATOM    310  CG  LYS A  19      54.717   3.593  21.687  1.00 51.09           C
ATOM    313  CD  LYS A  19      55.743   2.795  20.830  1.00 55.89           C
ATOM    316  CE  LYS A  19      55.447   1.282  20.716  1.00 59.14           C
ATOM    319  NZ  LYS A  19      56.675   0.552  20.235  1.00 59.08           N
ATOM    323  C   LYS A  19      54.721   7.477  22.045  1.00 48.06           C
ATOM    324  O   LYS A  19      55.474   7.937  22.906  1.00 47.61           O
ATOM    326  N   ALA A  20      54.436   8.136  20.930  1.00 46.96           N
ATOM    327  CA  ALA A  20      54.903   9.479  20.695  1.00 48.49           C
ATOM    329  CB  ALA A  20      54.526   9.998  19.225  1.00 47.84           C
ATOM    333  C   ALA A  20      54.338  10.402  21.752  1.00 49.19           C
ATOM    334  O   ALA A  20      55.038  11.276  22.241  1.00 49.21           O
ATOM    336  N   MET A  21      53.084  10.198  22.131  1.00 50.73           N
ATOM    337  CA  MET A  21      52.445  11.108  23.057  1.00 52.02           C
ATOM    339  CB  MET A  21      50.950  10.867  23.139  1.00 51.42           C
ATOM    342  CG  MET A  21      50.267  11.467  21.923  1.00 49.73           C
ATOM    345  SD  MET A  21      48.495  11.479  21.966  1.00 44.10           S
ATOM    346  CE  MET A  21      48.082  13.087  22.545  1.00 41.49           C
ATOM    350  C   MET A  21      53.126  11.039  24.413  1.00 54.84           C
ATOM    351  O   MET A  21      53.518  12.079  24.964  1.00 55.52           O
ATOM    353  N   LYS A  22      53.354   9.824  24.890  1.00 57.57           N
ATOM    354  CA  LYS A  22      53.987   9.630  26.193  1.00 59.31           C
ATOM    356  CB  LYS A  22      53.859   8.177  26.603  1.00 60.30           C
ATOM    359  CG  LYS A  22      52.368   7.746  26.726  1.00 63.31           C
ATOM    362  CD  LYS A  22      52.229   6.314  27.283  1.00 67.07           C
ATOM    365  CE  LYS A  22      50.800   5.752  27.151  1.00 68.81           C
ATOM    368  NZ  LYS A  22      50.629   4.591  28.075  1.00 70.93           N
ATOM    372  C   LYS A  22      55.440  10.148  26.216  1.00 59.45           C
ATOM    373  O   LYS A  22      55.781  10.969  27.083  1.00 59.33           O
ATOM    375  N   GLU A  23      56.245   9.735  25.223  1.00 59.22           N
ATOM    376  CA  GLU A  23      57.616  10.256  24.998  1.00 59.66           C
ATOM    378  CB  GLU A  23      58.186   9.782  23.618  1.00 59.02           C
ATOM    381  CG  GLU A  23      59.705   9.948  23.441  1.00 60.52           C
ATOM    384  CD  GLU A  23      60.265   9.386  22.104  1.00 61.02           C
ATOM    385  OE1 GLU A  23      59.536   9.342  21.091  1.00 63.65           O
ATOM    386  OE2 GLU A  23      61.447   9.008  22.063  1.00 61.08           O
ATOM    387  C   GLU A  23      57.679  11.781  25.099  1.00 59.34           C
ATOM    388  O   GLU A  23      58.688  12.358  25.503  1.00 59.71           O
ATOM    390  N   TYR A  24      56.583  12.429  24.748  1.00 59.76           N
ATOM    391  CA  TYR A  24      56.513  13.871  24.706  1.00 59.92           C
ATOM    393  CB  TYR A  24      56.107  14.290  23.290  1.00 60.13           C
ATOM    396  CG  TYR A  24      56.570  15.662  22.869  1.00 61.52           C
ATOM    397  CD1 TYR A  24      57.901  15.900  22.553  1.00 62.62           C
ATOM    399  CE1 TYR A  24      58.332  17.177  22.150  1.00 64.21           C
ATOM    401  CZ  TYR A  24      57.416  18.225  22.052  1.00 63.87           C
ATOM    402  OH  TYR A  24      57.846  19.480  21.655  1.00 65.64           O
ATOM    404  CE2 TYR A  24      56.082  18.010  22.357  1.00 63.99           C
```

ATOM	406	CD2	TYR	A	24	55.662	16.726	22.756	1.00	63.49	C
ATOM	408	C	TYR	A	24	55.545	14.403	25.765	1.00	59.58	C
ATOM	409	O	TYR	A	24	55.087	15.534	25.666	1.00	59.96	O
ATOM	411	N	GLY	A	25	55.242	13.571	26.764	1.00	59.90	N
ATOM	412	CA	GLY	A	25	54.493	13.986	27.971	1.00	59.81	C
ATOM	415	C	GLY	A	25	52.975	13.809	28.081	1.00	59.97	C
ATOM	416	O	GLY	A	25	52.454	13.843	29.209	1.00	60.51	O
ATOM	418	N	GLU	A	26	52.282	13.554	26.952	1.00	59.10	N
ATOM	419	CA	GLU	A	26	50.803	13.738	26.812	1.00	58.30	C
ATOM	421	CB	GLU	A	26	50.511	14.338	25.424	1.00	58.29	C
ATOM	424	CG	GLU	A	26	51.224	15.617	25.096	1.00	58.31	C
ATOM	427	CD	GLU	A	26	50.792	16.726	25.993	1.00	59.07	C
ATOM	428	OE1	GLU	A	26	49.566	16.850	26.204	1.00	62.18	O
ATOM	429	OE2	GLU	A	26	51.666	17.476	26.481	1.00	59.44	O
ATOM	430	C	GLU	A	26	49.911	12.484	26.935	1.00	58.16	C
ATOM	431	O	GLU	A	26	50.320	11.351	26.616	1.00	58.80	O
ATOM	433	N	ASP	A	27	48.659	12.703	27.329	1.00	57.04	N
ATOM	434	CA	ASP	A	27	47.728	11.607	27.544	1.00	56.23	C
ATOM	436	CB	ASP	A	27	46.989	11.777	28.873	1.00	56.36	C
ATOM	439	CG	ASP	A	27	45.982	10.649	29.149	1.00	58.44	C
ATOM	440	OD1	ASP	A	27	45.917	9.653	28.376	1.00	59.06	O
ATOM	441	OD2	ASP	A	27	45.240	10.742	30.157	1.00	62.08	O
ATOM	442	C	ASP	A	27	46.696	11.564	26.402	1.00	54.78	C
ATOM	443	O	ASP	A	27	45.894	12.491	26.277	1.00	53.52	O
ATOM	445	N	PRO	A	28	46.676	10.462	25.627	1.00	53.87	N
ATOM	446	CA	PRO	A	28	45.700	10.276	24.528	1.00	53.60	C
ATOM	448	CB	PRO	A	28	46.037	8.879	23.983	1.00	53.21	C
ATOM	451	CG	PRO	A	28	46.822	8.218	25.035	1.00	54.25	C
ATOM	454	CD	PRO	A	28	47.586	9.300	25.725	1.00	53.63	C
ATOM	457	C	PRO	A	28	44.264	10.261	24.976	1.00	53.18	C
ATOM	458	O	PRO	A	28	43.363	10.578	24.198	1.00	52.05	O
ATOM	459	N	LYS	A	29	44.048	9.894	26.238	1.00	53.31	N
ATOM	460	CA	LYS	A	29	42.709	9.864	26.790	1.00	53.08	C
ATOM	462	CB	LYS	A	29	42.678	8.987	28.050	1.00	53.95	C
ATOM	465	CG	LYS	A	29	42.953	7.491	27.783	1.00	57.43	C
ATOM	468	CD	LYS	A	29	42.406	6.593	28.927	1.00	62.00	C
ATOM	471	CE	LYS	A	29	41.955	5.187	28.437	1.00	62.89	C
ATOM	474	NZ	LYS	A	29	41.360	4.375	29.540	1.00	61.45	N
ATOM	478	C	LYS	A	29	42.165	11.277	27.056	1.00	51.76	C
ATOM	479	O	LYS	A	29	40.972	11.479	27.102	1.00	51.40	O
ATOM	481	N	ILE	A	30	43.035	12.262	27.187	1.00	50.90	N
ATOM	482	CA	ILE	A	30	42.615	13.618	27.477	1.00	50.42	C
ATOM	484	CB	ILE	A	30	43.505	14.239	28.616	1.00	51.21	C
ATOM	486	CG1	ILE	A	30	43.253	13.532	29.953	1.00	53.48	C
ATOM	489	CD1	ILE	A	30	43.921	14.213	31.165	1.00	55.34	C
ATOM	493	CG2	ILE	A	30	43.261	15.776	28.768	1.00	51.82	C
ATOM	497	C	ILE	A	30	42.713	14.501	26.246	1.00	48.45	C
ATOM	498	O	ILE	A	30	41.763	15.195	25.886	1.00	48.91	O
ATOM	500	N	GLU	A	31	43.887	14.489	25.619	1.00	46.18	N
ATOM	501	CA	GLU	A	31	44.183	15.345	24.505	1.00	44.26	C
ATOM	503	CB	GLU	A	31	45.683	15.708	24.473	1.00	45.81	C
ATOM	506	CG	GLU	A	31	46.152	16.676	25.618	1.00	48.19	C
ATOM	509	CD	GLU	A	31	45.103	17.734	25.877	1.00	52.01	C
ATOM	510	OE1	GLU	A	31	44.886	18.554	24.952	1.00	51.03	O
ATOM	511	OE2	GLU	A	31	44.449	17.713	26.959	1.00	53.86	O
ATOM	512	C	GLU	A	31	43.769	14.468	23.314	1.00	42.26	C
ATOM	513	O	GLU	A	31	44.612	13.862	22.649	1.00	40.25	O
ATOM	515	N	THR	A	32	42.467	14.347	23.109	1.00	39.04	N
ATOM	516	CA	THR	A	32	41.988	13.407	22.131	1.00	37.70	C
ATOM	518	CB	THR	A	32	40.578	12.869	22.416	1.00	38.00	C
ATOM	520	OG1	THR	A	32	39.651	13.931	22.420	1.00	39.31	O
ATOM	522	CG2	THR	A	32	40.544	12.091	23.782	1.00	39.07	C
ATOM	526	C	THR	A	32	42.119	14.005	20.747	1.00	35.54	C

```
ATOM    527  O   THR A  32      42.374  13.291  19.814  1.00 34.64           O
ATOM    529  N   ASN A  33      42.047  15.311  20.619  1.00 34.52           N
ATOM    530  CA  ASN A  33      42.145  15.911  19.313  1.00 33.77           C
ATOM    532  CB  ASN A  33      41.674  17.313  19.304  1.00 33.95           C
ATOM    535  CG  ASN A  33      40.179  17.452  19.360  1.00 35.32           C
ATOM    536  OD1 ASN A  33      39.715  18.561  19.587  1.00 38.41           O
ATOM    537  ND2 ASN A  33      39.418  16.381  19.074  1.00 32.64           N
ATOM    540  C   ASN A  33      43.580  15.840  18.857  1.00 34.12           C
ATOM    541  O   ASN A  33      43.853  15.485  17.733  1.00 32.00           O
ATOM    543  N   LYS A  34      44.500  16.115  19.765  1.00 34.79           N
ATOM    544  CA  LYS A  34      45.919  15.927  19.490  1.00 34.89           C
ATOM    546  CB  LYS A  34      46.721  16.362  20.702  1.00 36.54           C
ATOM    549  CG  LYS A  34      48.206  16.161  20.584  1.00 39.36           C
ATOM    552  CD  LYS A  34      48.870  16.791  21.860  1.00 47.58           C
ATOM    555  CE  LYS A  34      48.868  18.335  21.853  1.00 50.27           C
ATOM    558  NZ  LYS A  34      48.393  18.882  23.193  1.00 55.33           N
ATOM    562  C   LYS A  34      46.265  14.502  19.096  1.00 33.45           C
ATOM    563  O   LYS A  34      46.964  14.323  18.101  1.00 31.93           O
ATOM    565  N   PHE A  35      45.730  13.501  19.826  1.00 32.58           N
ATOM    566  CA  PHE A  35      45.875  12.063  19.493  1.00 32.48           C
ATOM    568  CB  PHE A  35      44.996  11.244  20.484  1.00 31.76           C
ATOM    571  CG  PHE A  35      45.077   9.740  20.379  1.00 31.60           C
ATOM    572  CD1 PHE A  35      46.201   9.067  19.980  1.00 30.51           C
ATOM    574  CE1 PHE A  35      46.237   7.661  19.937  1.00 32.27           C
ATOM    576  CZ  PHE A  35      45.177   6.935  20.348  1.00 37.25           C
ATOM    578  CE2 PHE A  35      44.039   7.583  20.762  1.00 35.15           C
ATOM    580  CD2 PHE A  35      44.009   8.981  20.824  1.00 36.86           C
ATOM    582  C   PHE A  35      45.411  11.797  18.025  1.00 31.14           C
ATOM    583  O   PHE A  35      46.058  11.081  17.267  1.00 30.28           O
ATOM    585  N   ALA A  36      44.271  12.387  17.665  1.00 31.50           N
ATOM    586  CA  ALA A  36      43.759  12.234  16.292  1.00 30.02           C
ATOM    588  CB  ALA A  36      42.380  12.805  16.164  1.00 29.01           C
ATOM    592  C   ALA A  36      44.697  12.898  15.276  1.00 29.95           C
ATOM    593  O   ALA A  36      44.958  12.329  14.209  1.00 29.06           O
ATOM    595  N   ALA A  37      45.231  14.082  15.617  1.00 27.72           N
ATOM    596  CA  ALA A  37      46.127  14.794  14.720  1.00 27.19           C
ATOM    598  CB  ALA A  37      46.406  16.237  15.252  1.00 26.52           C
ATOM    602  C   ALA A  37      47.420  14.046  14.511  1.00 27.00           C
ATOM    603  O   ALA A  37      47.950  14.030  13.399  1.00 27.38           O
ATOM    605  N   ILE A  38      47.954  13.461  15.573  1.00 27.10           N
ATOM    606  CA  ILE A  38      49.239  12.726  15.521  1.00 28.20           C
ATOM    608  CB  ILE A  38      49.710  12.324  16.925  1.00 30.03           C
ATOM    610  CG1 ILE A  38      50.129  13.588  17.683  1.00 31.11           C
ATOM    613  CD1 ILE A  38      50.240  13.306  19.252  1.00 33.33           C
ATOM    617  CG2 ILE A  38      50.866  11.234  16.864  1.00 26.80           C
ATOM    621  C   ILE A  38      49.068  11.492  14.675  1.00 28.32           C
ATOM    622  O   ILE A  38      49.911  11.222  13.811  1.00 27.19           O
ATOM    624  N   CYS A  39      47.929  10.791  14.825  1.00 26.33           N
ATOM    625  CA  CYS A  39      47.654   9.640  13.946  1.00 27.24           C
ATOM    627  CB  CYS A  39      46.325   8.957  14.327  1.00 28.57           C
ATOM    630  SG  CYS A  39      46.482   8.073  15.870  1.00 32.84           S
ATOM    632  C   CYS A  39      47.574  10.045  12.485  1.00 24.91           C
ATOM    633  O   CYS A  39      48.128   9.399  11.634  1.00 25.54           O
ATOM    635  N   THR A  40      46.834  11.091  12.214  1.00 25.66           N
ATOM    636  CA  THR A  40      46.624  11.561  10.853  1.00 25.89           C
ATOM    638  CB  THR A  40      45.742  12.791  10.851  1.00 26.03           C
ATOM    640  OG1 THR A  40      44.458  12.490  11.452  1.00 26.97           O
ATOM    642  CG2 THR A  40      45.513  13.288   9.457  1.00 25.07           C
ATOM    646  C   THR A  40      47.987  11.888  10.237  1.00 25.84           C
ATOM    647  O   THR A  40      48.301  11.509   9.111  1.00 26.38           O
ATOM    649  N   HIS A  41      48.749  12.681  10.943  1.00 24.88           N
ATOM    650  CA  HIS A  41      50.096  13.100  10.454  1.00 25.98           C
ATOM    652  CB  HIS A  41      50.710  14.208  11.363  1.00 26.34           C
```

```
ATOM    655  CG  HIS A  41      52.135  14.537  11.071  1.00 24.61           C
ATOM    656  ND1 HIS A  41      53.166  13.780  11.564  1.00 24.99           N
ATOM    658  CE1 HIS A  41      54.313  14.295  11.172  1.00 27.54           C
ATOM    660  NE2 HIS A  41      54.069  15.346  10.413  1.00 22.92           N
ATOM    662  CD2 HIS A  41      52.714  15.546  10.361  1.00 26.94           C
ATOM    664  C   HIS A  41      51.027  11.898  10.262  1.00 25.39           C
ATOM    665  O   HIS A  41      51.700  11.744   9.231  1.00 24.47           O
ATOM    667  N   LEU A  42      51.033  10.999  11.214  1.00 25.11           N
ATOM    668  CA  LEU A  42      51.739   9.740  10.958  1.00 27.52           C
ATOM    670  CB  LEU A  42      51.675   8.772  12.137  1.00 27.69           C
ATOM    673  CG  LEU A  42      52.538   8.928  13.366  1.00 31.80           C
ATOM    675  CD1 LEU A  42      51.909   8.078  14.530  1.00 34.67           C
ATOM    679  CD2 LEU A  42      53.984   8.476  13.059  1.00 34.51           C
ATOM    683  C   LEU A  42      51.287   9.045   9.702  1.00 26.25           C
ATOM    684  O   LEU A  42      52.099   8.585   8.909  1.00 27.53           O
ATOM    686  N   GLU A  43      49.985   8.943   9.477  1.00 26.61           N
ATOM    687  CA  GLU A  43      49.543   8.160   8.321  1.00 26.85           C
ATOM    689  CB  GLU A  43      47.996   7.994   8.340  1.00 28.03           C
ATOM    692  CG  GLU A  43      47.566   7.084   7.311  1.00 32.44           C
ATOM    695  CD  GLU A  43      46.169   6.480   7.510  1.00 39.32           C
ATOM    696  OE1 GLU A  43      45.851   5.546   6.765  1.00 43.40           O
ATOM    697  OE2 GLU A  43      45.385   6.966   8.312  1.00 43.91           O
ATOM    698  C   GLU A  43      49.955   8.865   7.033  1.00 26.06           C
ATOM    699  O   GLU A  43      50.295   8.232   6.029  1.00 26.34           O
ATOM    701  N   VAL A  44      49.909  10.185   7.020  1.00 23.78           N
ATOM    702  CA  VAL A  44      50.323  10.911   5.811  1.00 21.96           C
ATOM    704  CB  VAL A  44      49.966  12.383   5.908  1.00 22.48           C
ATOM    706  CG1 VAL A  44      50.695  13.245   4.839  1.00 22.23           C
ATOM    710  CG2 VAL A  44      48.441  12.534   5.884  1.00 23.28           C
ATOM    714  C   VAL A  44      51.794  10.701   5.538  1.00 22.90           C
ATOM    715  O   VAL A  44      52.186  10.414   4.392  1.00 23.74           O
ATOM    717  N   CYS A  45      52.595  10.761   6.581  1.00 22.26           N
ATOM    718  CA  CYS A  45      54.021  10.450   6.426  1.00 23.67           C
ATOM    720  CB  CYS A  45      54.761  10.631   7.732  1.00 23.37           C
ATOM    723  SG  CYS A  45      54.877  12.405   8.328  1.00 25.99           S
ATOM    725  C   CYS A  45      54.280   9.033   5.830  1.00 23.51           C
ATOM    726  O   CYS A  45      55.125   8.860   4.964  1.00 23.06           O
ATOM    728  N   PHE A  46      53.627   8.026   6.362  1.00 25.19           N
ATOM    729  CA  PHE A  46      53.761   6.714   5.852  1.00 26.03           C
ATOM    731  CB  PHE A  46      53.050   5.689   6.734  1.00 27.99           C
ATOM    734  CG  PHE A  46      53.596   5.627   8.169  1.00 31.74           C
ATOM    735  CD1 PHE A  46      52.924   4.903   9.133  1.00 42.03           C
ATOM    737  CE1 PHE A  46      53.407   4.838  10.463  1.00 42.43           C
ATOM    739  CZ  PHE A  46      54.558   5.469  10.790  1.00 43.17           C
ATOM    741  CE2 PHE A  46      55.220   6.209   9.834  1.00 41.76           C
ATOM    743  CD2 PHE A  46      54.740   6.269   8.538  1.00 37.20           C
ATOM    745  C   PHE A  46      53.252   6.601   4.434  1.00 27.54           C
ATOM    746  O   PHE A  46      53.902   5.987   3.603  1.00 27.30           O
ATOM    748  N   MET A  47      52.127   7.221   4.119  1.00 28.70           N
ATOM    749  CA  MET A  47      51.658   7.197   2.735  1.00 28.78           C
ATOM    751  CB  MET A  47      50.304   7.827   2.597  1.00 28.05           C
ATOM    754  CG  MET A  47      49.155   7.042   3.260  1.00 30.76           C
ATOM    757  SD  MET A  47      47.646   8.044   3.112  1.00 31.27           S
ATOM    758  CE  MET A  47      47.341   7.951   1.406  1.00 30.23           C
ATOM    762  C   MET A  47      52.602   7.921   1.775  1.00 29.96           C
ATOM    763  O   MET A  47      52.790   7.463   0.631  1.00 31.63           O
ATOM    765  N   TYR A  48      53.183   9.028   2.226  1.00 28.93           N
ATOM    766  CA  TYR A  48      54.063   9.828   1.433  1.00 28.12           C
ATOM    768  CB  TYR A  48      54.509  11.043   2.218  1.00 26.67           C
ATOM    771  CG  TYR A  48      54.988  12.219   1.405  1.00 26.63           C
ATOM    772  CD1 TYR A  48      54.207  13.365   1.308  1.00 25.62           C
ATOM    774  CE1 TYR A  48      54.660  14.471   0.711  1.00 20.45           C
ATOM    776  CZ  TYR A  48      55.859  14.446   0.020  1.00 24.91           C
```

```
ATOM    777  OH  TYR A  48      56.264  15.598  -0.589  1.00 26.73           O
ATOM    779  CE2 TYR A  48      56.652  13.337   0.068  1.00 24.50           C
ATOM    781  CD2 TYR A  48      56.230  12.242   0.801  1.00 23.89           C
ATOM    783  C   TYR A  48      55.235   8.951   1.073  1.00 28.14           C
ATOM    784  O   TYR A  48      55.702   8.943  -0.033  1.00 28.09           O
ATOM    786  N   SER A  49      55.713   8.283   2.074  1.00 31.34           N
ATOM    787  CA  SER A  49      56.873   7.448   1.973  1.00 35.16           C
ATOM    789  CB  SER A  49      57.364   7.048   3.319  1.00 34.36           C
ATOM    792  OG  SER A  49      58.502   6.211   3.091  1.00 40.09           O
ATOM    794  C   SER A  49      56.597   6.197   1.167  1.00 37.53           C
ATOM    795  O   SER A  49      57.432   5.810   0.383  1.00 38.85           O
ATOM    797  N   ASP A  50      55.415   5.611   1.302  1.00 41.01           N
ATOM    798  CA  ASP A  50      55.086   4.387   0.521  1.00 44.36           C
ATOM    800  CB  ASP A  50      53.871   3.670   1.158  1.00 44.72           C
ATOM    803  CG  ASP A  50      54.263   2.996   2.523  1.00 48.52           C
ATOM    804  OD1 ASP A  50      53.394   2.439   3.225  1.00 53.16           O
ATOM    805  OD2 ASP A  50      55.482   3.045   2.902  1.00 51.41           O
ATOM    806  C   ASP A  50      54.938   4.657  -0.978  1.00 46.30           C
ATOM    807  O   ASP A  50      55.223   3.805  -1.817  1.00 46.29           O
ATOM    809  N   PHE A  51      54.579   5.882  -1.314  1.00 49.65           N
ATOM    810  CA  PHE A  51      54.555   6.340  -2.711  1.00 52.45           C
ATOM    812  CB  PHE A  51      53.730   7.647  -2.795  1.00 51.92           C
ATOM    815  CG  PHE A  51      52.269   7.456  -2.432  1.00 53.76           C
ATOM    816  CD1 PHE A  51      51.590   8.378  -1.627  1.00 56.10           C
ATOM    818  CE1 PHE A  51      50.252   8.187  -1.302  1.00 52.71           C
ATOM    820  CZ  PHE A  51      49.579   7.085  -1.769  1.00 56.18           C
ATOM    822  CE2 PHE A  51      50.234   6.158  -2.596  1.00 56.57           C
ATOM    824  CD2 PHE A  51      51.567   6.345  -2.906  1.00 55.25           C
ATOM    826  C   PHE A  51      55.948   6.567  -3.310  1.00 53.76           C
ATOM    827  O   PHE A  51      56.169   7.579  -3.945  1.00 54.84           O
ATOM    829  N   GLY A  52      56.882   5.627  -3.135  1.00 55.39           N
ATOM    830  CA  GLY A  52      58.270   5.824  -3.623  1.00 55.86           C
ATOM    833  C   GLY A  52      59.124   4.584  -3.436  1.00 56.18           C
ATOM    834  O   GLY A  52      58.612   3.530  -3.011  1.00 57.12           O
ATOM    836  N   LYS A  73      63.661   2.892  -6.173  1.00 55.58           N
ATOM    837  CA  LYS A  73      63.127   1.698  -5.471  1.00 55.21           C
ATOM    839  CB  LYS A  73      64.266   0.696  -5.157  1.00 55.05           C
ATOM    846  C   LYS A  73      62.439   2.121  -4.171  1.00 54.02           C
ATOM    847  O   LYS A  73      61.217   1.927  -3.973  1.00 56.31           O
ATOM    849  N   HIS A  74      63.257   2.727  -3.306  1.00 51.19           N
ATOM    850  CA  HIS A  74      62.878   3.239  -2.005  1.00 48.42           C
ATOM    852  CB  HIS A  74      63.526   2.328  -0.948  1.00 48.86           C
ATOM    855  CG  HIS A  74      63.718   2.923   0.430  1.00 53.09           C
ATOM    856  ND1 HIS A  74      62.684   3.094   1.342  1.00 58.57           N
ATOM    858  CE1 HIS A  74      63.171   3.574   2.481  1.00 54.31           C
ATOM    860  NE2 HIS A  74      64.479   3.719   2.348  1.00 50.07           N
ATOM    862  CD2 HIS A  74      64.852   3.297   1.087  1.00 54.26           C
ATOM    864  C   HIS A  74      63.400   4.698  -2.015  1.00 44.69           C
ATOM    865  O   HIS A  74      64.551   4.967  -1.689  1.00 45.18           O
ATOM    867  N   ARG A  75      62.556   5.614  -2.489  1.00 39.40           N
ATOM    868  CA  ARG A  75      62.892   7.037  -2.567  1.00 35.64           C
ATOM    870  CB  ARG A  75      61.858   7.781  -3.390  1.00 34.06           C
ATOM    873  CG  ARG A  75      62.093   9.252  -3.420  1.00 33.10           C
ATOM    876  CD  ARG A  75      61.336   9.942  -4.532  1.00 30.93           C
ATOM    879  NE  ARG A  75      61.583  11.378  -4.556  1.00 29.38           N
ATOM    881  CZ  ARG A  75      61.059  12.226  -5.408  1.00 32.69           C
ATOM    882  NH1 ARG A  75      60.260  11.798  -6.389  1.00 38.25           N
ATOM    885  NH2 ARG A  75      61.328  13.504  -5.306  1.00 35.66           N
ATOM    888  C   ARG A  75      62.981   7.704  -1.191  1.00 31.56           C
ATOM    889  O   ARG A  75      63.714   8.681  -1.027  1.00 32.55           O
ATOM    891  N   PHE A  76      62.206   7.269  -0.210  1.00 30.32           N
ATOM    892  CA  PHE A  76      62.102   8.029   1.018  1.00 28.41           C
ATOM    894  CB  PHE A  76      60.675   8.503   1.272  1.00 28.48           C
```

```
ATOM    897  CG  PHE A  76      60.187   9.447   0.246  1.00 26.94           C
ATOM    898  CD1 PHE A  76      60.621  10.781   0.228  1.00 27.25           C
ATOM    900  CE1 PHE A  76      60.212  11.599  -0.762  1.00 26.70           C
ATOM    902  CZ  PHE A  76      59.388  11.142  -1.733  1.00 27.76           C
ATOM    904  CE2 PHE A  76      58.973   9.864  -1.711  1.00 27.83           C
ATOM    906  CD2 PHE A  76      59.379   9.023  -0.747  1.00 27.10           C
ATOM    908  C   PHE A  76      62.583   7.249   2.208  1.00 30.06           C
ATOM    909  O   PHE A  76      62.446   6.030   2.237  1.00 31.26           O
ATOM    911  N   GLU A  77      63.162   7.959   3.164  1.00 27.71           N
ATOM    912  CA  GLU A  77      63.458   7.371   4.502  1.00 28.00           C
ATOM    914  CB  GLU A  77      64.846   7.740   4.961  1.00 26.44           C
ATOM    917  CG  GLU A  77      65.305   7.028   6.186  1.00 28.16           C
ATOM    920  CD  GLU A  77      65.654   5.584   5.872  1.00 32.53           C
ATOM    921  OE1 GLU A  77      65.139   4.762   6.621  1.00 38.28           O
ATOM    922  OE2 GLU A  77      66.367   5.286   4.831  1.00 36.50           O
ATOM    923  C   GLU A  77      62.463   7.980   5.402  1.00 27.97           C
ATOM    924  O   GLU A  77      62.321   9.206   5.371  1.00 29.70           O
ATOM    926  N   ILE A  78      61.772   7.176   6.201  1.00 27.77           N
ATOM    927  CA  ILE A  78      60.738   7.699   7.101  1.00 28.41           C
ATOM    929  CB  ILE A  78      59.628   6.703   7.395  1.00 29.44           C
ATOM    931  CG1 ILE A  78      58.998   6.205   6.100  1.00 33.21           C
ATOM    934  CD1 ILE A  78      57.800   5.243   6.268  1.00 39.92           C
ATOM    938  CG2 ILE A  78      58.498   7.366   8.216  1.00 32.00           C
ATOM    942  C   ILE A  78      61.444   8.020   8.373  1.00 28.76           C
ATOM    943  O   ILE A  78      62.180   7.175   8.910  1.00 31.57           O
ATOM    945  N   ILE A  79      61.284   9.241   8.857  1.00 26.91           N
ATOM    946  CA  ILE A  79      61.910   9.628  10.085  1.00 26.42           C
ATOM    948  CB  ILE A  79      62.714  10.984   9.908  1.00 27.71           C
ATOM    950  CG1 ILE A  79      63.917  10.703   8.990  1.00 30.83           C
ATOM    953  CD1 ILE A  79      64.427  11.895   8.278  1.00 36.25           C
ATOM    957  CG2 ILE A  79      63.219  11.472  11.308  1.00 24.00           C
ATOM    961  C   ILE A  79      60.882   9.715  11.214  1.00 27.24           C
ATOM    962  O   ILE A  79      61.122   9.223  12.364  1.00 26.71           O
ATOM    964  N   GLU A  80      59.745  10.309  10.872  1.00 26.46           N
ATOM    965  CA  GLU A  80      58.575  10.339  11.707  1.00 28.25           C
ATOM    967  CB  GLU A  80      57.421  11.028  10.971  1.00 27.80           C
ATOM    970  CG  GLU A  80      56.166  11.382  11.846  1.00 32.66           C
ATOM    973  CD  GLU A  80      56.536  12.175  13.090  1.00 31.24           C
ATOM    974  OE1 GLU A  80      56.533  13.481  13.122  1.00 29.45           O
ATOM    975  OE2 GLU A  80      56.898  11.496  14.046  1.00 39.19           O
ATOM    976  C   GLU A  80      58.177   8.906  12.167  1.00 28.75           C
ATOM    977  O   GLU A  80      58.308   7.949  11.446  1.00 29.51           O
ATOM    979  N   GLY A  81      57.710   8.762  13.380  1.00 31.70           N
ATOM    980  CA  GLY A  81      57.310   7.417  13.827  1.00 32.58           C
ATOM    983  C   GLY A  81      58.398   6.644  14.534  1.00 33.97           C
ATOM    984  O   GLY A  81      58.123   5.643  15.231  1.00 37.29           O
ATOM    986  N   ARG A  82      59.638   7.060  14.383  1.00 33.41           N
ATOM    987  CA  ARG A  82      60.701   6.441  15.138  1.00 33.70           C
ATOM    989  CB  ARG A  82      61.994   6.577  14.372  1.00 33.53           C
ATOM    992  CG  ARG A  82      61.953   5.965  12.977  1.00 35.61           C
ATOM    995  CD  ARG A  82      63.226   6.193  12.351  1.00 37.85           C
ATOM    998  NE  ARG A  82      63.309   5.799  10.935  1.00 36.78           N
ATOM   1000  CZ  ARG A  82      63.724   4.627  10.493  1.00 42.41           C
ATOM   1001  NH1 ARG A  82      64.055   3.665  11.349  1.00 43.93           N
ATOM   1004  NH2 ARG A  82      63.808   4.421   9.185  1.00 45.62           N
ATOM   1007  C   ARG A  82      60.797   7.107  16.528  1.00 33.23           C
ATOM   1008  O   ARG A  82      60.483   8.284  16.685  1.00 33.61           O
ATOM   1010  N   ASP A  83      61.234   6.375  17.544  1.00 34.42           N
ATOM   1011  CA  ASP A  83      61.584   7.033  18.795  1.00 34.75           C
ATOM   1013  CB  ASP A  83      61.906   6.032  19.933  1.00 37.10           C
ATOM   1016  CG  ASP A  83      63.228   5.255  19.760  1.00 41.05           C
ATOM   1017  OD1 ASP A  83      64.295   5.849  19.496  1.00 42.23           O
ATOM   1018  OD2 ASP A  83      63.221   4.014  20.011  1.00 51.05           O
```

```
ATOM   1019  C   ASP A  83      62.722   8.029  18.544  1.00 34.57           C
ATOM   1020  O   ASP A  83      63.490   7.899  17.579  1.00 33.96           O
ATOM   1022  N   ARG A  84      62.864   8.971  19.445  1.00 35.28           N
ATOM   1023  CA  ARG A  84      63.754  10.123  19.275  1.00 35.45           C
ATOM   1025  CB  ARG A  84      63.729  10.987  20.547  1.00 36.54           C
ATOM   1028  CG  ARG A  84      63.558  12.438  20.330  1.00 39.98           C
ATOM   1031  CD  ARG A  84      63.533  13.125  21.692  1.00 41.59           C
ATOM   1034  NE  ARG A  84      62.870  14.417  21.723  1.00 47.97           N
ATOM   1036  CZ  ARG A  84      61.914  14.784  22.578  1.00 52.02           C
ATOM   1037  NH1 ARG A  84      61.460  13.970  23.520  1.00 55.25           N
ATOM   1040  NH2 ARG A  84      61.437  16.015  22.519  1.00 55.87           N
ATOM   1043  C   ARG A  84      65.179   9.761  18.939  1.00 34.18           C
ATOM   1044  O   ARG A  84      65.787  10.360  18.019  1.00 33.81           O
ATOM   1046  N   ILE A  85      65.724   8.763  19.630  1.00 32.73           N
ATOM   1047  CA  ILE A  85      67.098   8.353  19.418  1.00 31.80           C
ATOM   1049  CB  ILE A  85      67.539   7.375  20.510  1.00 34.16           C
ATOM   1051  CG1 ILE A  85      67.603   8.142  21.850  1.00 34.27           C
ATOM   1054  CD1 ILE A  85      67.623   7.273  23.022  1.00 38.78           C
ATOM   1058  CG2 ILE A  85      68.878   6.662  20.105  1.00 32.58           C
ATOM   1062  C   ILE A  85      67.337   7.729  18.065  1.00 32.35           C
ATOM   1063  O   ILE A  85      68.304   8.059  17.361  1.00 27.06           O
ATOM   1065  N   MET A  86      66.413   6.851  17.674  1.00 30.51           N
ATOM   1066  CA  MET A  86      66.456   6.287  16.346  1.00 32.48           C
ATOM   1068  CB  MET A  86      65.445   5.157  16.199  1.00 33.04           C
ATOM   1071  CG  MET A  86      65.931   3.934  16.997  1.00 40.81           C
ATOM   1074  SD  MET A  86      67.681   3.564  16.685  1.00 51.34           S
ATOM   1075  CE  MET A  86      67.698   3.446  14.868  1.00 41.58           C
ATOM   1079  C   MET A  86      66.295   7.308  15.258  1.00 29.80           C
ATOM   1080  O   MET A  86      66.954   7.182  14.234  1.00 29.70           O
ATOM   1082  N   ALA A  87      65.434   8.270  15.480  1.00 28.27           N
ATOM   1083  CA  ALA A  87      65.167   9.291  14.519  1.00 28.84           C
ATOM   1085  CB  ALA A  87      64.007  10.201  14.949  1.00 27.51           C
ATOM   1089  C   ALA A  87      66.464  10.077  14.243  1.00 29.11           C
ATOM   1090  O   ALA A  87      66.852  10.258  13.085  1.00 27.10           O
ATOM   1092  N   TRP A  88      67.120  10.512  15.311  1.00 28.23           N
ATOM   1093  CA  TRP A  88      68.350  11.231  15.181  1.00 28.62           C
ATOM   1095  CB  TRP A  88      68.699  11.958  16.481  1.00 28.73           C
ATOM   1098  CG  TRP A  88      67.926  13.220  16.669  1.00 27.17           C
ATOM   1099  CD1 TRP A  88      67.025  13.495  17.686  1.00 29.81           C
ATOM   1101  NE1 TRP A  88      66.504  14.751  17.531  1.00 29.27           N
ATOM   1103  CE2 TRP A  88      67.065  15.335  16.426  1.00 30.57           C
ATOM   1104  CD2 TRP A  88      67.975  14.398  15.861  1.00 28.98           C
ATOM   1105  CE3 TRP A  88      68.679  14.755  14.702  1.00 31.11           C
ATOM   1107  CZ3 TRP A  88      68.491  16.039  14.153  1.00 30.88           C
ATOM   1109  CH2 TRP A  88      67.568  16.952  14.743  1.00 32.87           C
ATOM   1111  CZ2 TRP A  88      66.871  16.617  15.891  1.00 32.84           C
ATOM   1113  C   TRP A  88      69.496  10.341  14.669  1.00 29.09           C
ATOM   1114  O   TRP A  88      70.376  10.844  13.988  1.00 29.20           O
ATOM   1116  N   THR A  89      69.513   9.051  14.992  1.00 28.39           N
ATOM   1117  CA  THR A  89      70.511   8.203  14.458  1.00 28.07           C
ATOM   1119  CB  THR A  89      70.351   6.780  15.025  1.00 30.45           C
ATOM   1121  OG1 THR A  89      70.403   6.829  16.472  1.00 30.47           O
ATOM   1123  CG2 THR A  89      71.375   5.852  14.445  1.00 27.45           C
ATOM   1127  C   THR A  89      70.363   8.163  12.951  1.00 27.73           C
ATOM   1128  O   THR A  89      71.364   8.202  12.254  1.00 29.24           O
ATOM   1130  N   VAL A  90      69.128   7.984  12.455  1.00 26.04           N
ATOM   1131  CA  VAL A  90      68.880   7.973  11.025  1.00 28.17           C
ATOM   1133  CB  VAL A  90      67.392   7.630  10.747  1.00 28.09           C
ATOM   1135  CG1 VAL A  90      67.116   7.760   9.270  1.00 32.79           C
ATOM   1139  CG2 VAL A  90      67.117   6.165  11.183  1.00 33.06           C
ATOM   1143  C   VAL A  90      69.294   9.304  10.332  1.00 25.29           C
ATOM   1144  O   VAL A  90      69.917   9.313   9.281  1.00 26.94           O
ATOM   1146  N   VAL A  91      68.920  10.413  10.941  1.00 24.78           N
```

```
ATOM   1147  CA  VAL A  91      69.194  11.703  10.388  1.00 26.03           C
ATOM   1149  CB  VAL A  91      68.555  12.844  11.211  1.00 26.73           C
ATOM   1151  CG1 VAL A  91      69.226  14.161  10.901  1.00 24.74           C
ATOM   1155  CG2 VAL A  91      67.028  12.902  11.061  1.00 26.13           C
ATOM   1159  C   VAL A  91      70.698  11.864  10.345  1.00 26.72           C
ATOM   1160  O   VAL A  91      71.220  12.272   9.344  1.00 25.76           O
ATOM   1162  N   ASN A  92      71.363  11.530  11.440  1.00 28.74           N
ATOM   1163  CA  ASN A  92      72.821  11.583  11.468  1.00 29.66           C
ATOM   1165  CB  ASN A  92      73.295  11.150  12.829  1.00 31.16           C
ATOM   1168  CG  ASN A  92      73.037  12.204  13.841  1.00 38.36           C
ATOM   1169  OD1 ASN A  92      72.486  13.261  13.498  1.00 40.90           O
ATOM   1170  ND2 ASN A  92      73.409  11.946  15.108  1.00 46.19           N
ATOM   1173  C   ASN A  92      73.514  10.765  10.410  1.00 29.41           C
ATOM   1174  O   ASN A  92      74.465  11.238   9.759  1.00 29.52           O
ATOM   1176  N   SER A  93      73.027   9.559  10.243  1.00 28.39           N
ATOM   1177  CA  SER A  93      73.528   8.654   9.251  1.00 29.99           C
ATOM   1179  CB  SER A  93      72.762   7.340   9.352  1.00 30.93           C
ATOM   1182  OG  SER A  93      73.330   6.429   8.454  1.00 38.77           O
ATOM   1184  C   SER A  93      73.381   9.231   7.849  1.00 28.47           C
ATOM   1185  O   SER A  93      74.335   9.186   7.015  1.00 28.29           O
ATOM   1187  N   ILE A  94      72.231   9.843   7.598  1.00 25.74           N
ATOM   1188  CA  ILE A  94      72.003  10.410   6.313  1.00 26.38           C
ATOM   1190  CB  ILE A  94      70.526  10.827   6.109  1.00 25.00           C
ATOM   1192  CG1 ILE A  94      69.641   9.573   5.895  1.00 27.06           C
ATOM   1195  CD1 ILE A  94      68.146   9.944   6.065  1.00 27.94           C
ATOM   1199  CG2 ILE A  94      70.440  11.755   4.881  1.00 23.67           C
ATOM   1203  C   ILE A  94      72.946  11.607   6.118  1.00 26.78           C
ATOM   1204  O   ILE A  94      73.590  11.779   5.052  1.00 28.05           O
ATOM   1206  N   CYS A  95      73.071  12.431   7.121  1.00 28.08           N
ATOM   1207  CA  CYS A  95      73.914  13.621   6.966  1.00 27.76           C
ATOM   1209  CB  CYS A  95      73.825  14.514   8.170  1.00 28.99           C
ATOM   1212  SG  CYS A  95      72.182  15.295   8.255  1.00 30.96           S
ATOM   1214  C   CYS A  95      75.391  13.222   6.771  1.00 28.81           C
ATOM   1215  O   CYS A  95      76.076  13.847   6.000  1.00 30.43           O
ATOM   1217  N   ASN A  96      75.805  12.165   7.428  1.00 30.19           N
ATOM   1218  CA  ASN A  96      77.155  11.638   7.326  1.00 30.99           C
ATOM   1220  CB  ASN A  96      77.390  10.648   8.409  1.00 31.98           C
ATOM   1223  CG  ASN A  96      77.529  11.285   9.703  1.00 34.09           C
ATOM   1224  OD1 ASN A  96      77.785  12.471   9.760  1.00 38.12           O
ATOM   1225  ND2 ASN A  96      77.443  10.505  10.777  1.00 37.79           N
ATOM   1228  C   ASN A  96      77.469  10.997   5.990  1.00 30.99           C
ATOM   1229  O   ASN A  96      78.632  10.916   5.608  1.00 32.53           O
ATOM   1231  N   THR A  97      76.458  10.584   5.241  1.00 31.87           N
ATOM   1232  CA  THR A  97      76.677   9.940   3.958  1.00 31.89           C
ATOM   1234  CB  THR A  97      75.918   8.581   3.922  1.00 33.06           C
ATOM   1236  OG1 THR A  97      74.547   8.804   4.168  1.00 30.94           O
ATOM   1238  CG2 THR A  97      76.432   7.624   4.993  1.00 37.08           C
ATOM   1242  C   THR A  97      76.274  10.796   2.784  1.00 32.52           C
ATOM   1243  O   THR A  97      76.406  10.371   1.632  1.00 34.10           O
ATOM   1245  N   THR A  98      75.752  11.999   3.017  1.00 32.16           N
ATOM   1246  CA  THR A  98      75.389  12.895   1.956  1.00 30.79           C
ATOM   1248  CB  THR A  98      73.850  13.080   1.925  1.00 31.93           C
ATOM   1250  OG1 THR A  98      73.465  13.807   3.105  1.00 28.31           O
ATOM   1252  CG2 THR A  98      73.141  11.726   1.783  1.00 28.96           C
ATOM   1256  C   THR A  98      75.966  14.277   2.059  1.00 32.23           C
ATOM   1257  O   THR A  98      75.926  15.075   1.083  1.00 33.52           O
ATOM   1259  N   GLY A  99      76.450  14.600   3.238  1.00 32.13           N
ATOM   1260  CA  GLY A  99      76.811  15.938   3.594  1.00 35.19           C
ATOM   1263  C   GLY A  99      75.688  16.961   3.648  1.00 35.47           C
ATOM   1264  O   GLY A  99      75.954  18.163   3.863  1.00 37.28           O
ATOM   1266  N   VAL A 100      74.436  16.554   3.397  1.00 34.98           N
ATOM   1267  CA  VAL A 100      73.326  17.477   3.629  1.00 34.52           C
ATOM   1269  CB  VAL A 100      71.940  16.785   3.368  1.00 33.48           C
```

```
ATOM   1271  CG1 VAL A 100      70.760  17.662   3.875  1.00 34.09           C
ATOM   1275  CG2 VAL A 100      71.806  16.509   1.922  1.00 34.00           C
ATOM   1279  C   VAL A 100      73.455  17.959   5.053  1.00 34.99           C
ATOM   1280  O   VAL A 100      73.786  17.220   5.937  1.00 35.13           O
ATOM   1282  N   GLU A 101      73.228  19.227   5.245  1.00 38.67           N
ATOM   1283  CA  GLU A 101      73.307  19.882   6.541  1.00 40.23           C
ATOM   1285  CB  GLU A 101      72.974  21.356   6.298  1.00 41.73           C
ATOM   1288  CG  GLU A 101      72.946  22.267   7.549  1.00 49.25           C
ATOM   1291  CD  GLU A 101      72.581  23.732   7.225  1.00 55.29           C
ATOM   1292  OE1 GLU A 101      72.233  24.471   8.179  1.00 57.93           O
ATOM   1293  OE2 GLU A 101      72.626  24.125   6.024  1.00 59.90           O
ATOM   1294  C   GLU A 101      72.313  19.279   7.592  1.00 39.87           C
ATOM   1295  O   GLU A 101      71.163  18.964   7.245  1.00 36.74           O
ATOM   1297  N   LYS A 102      72.755  19.161   8.851  1.00 40.02           N
ATOM   1298  CA  LYS A 102      71.892  18.586   9.906  1.00 40.48           C
ATOM   1300  CB  LYS A 102      72.636  18.175  11.173  1.00 42.28           C
ATOM   1303  CG  LYS A 102      72.525  16.685  11.437  1.00 46.45           C
ATOM   1306  CD  LYS A 102      73.005  16.258  12.827  1.00 50.39           C
ATOM   1309  CE  LYS A 102      74.493  16.040  12.865  1.00 51.80           C
ATOM   1312  NZ  LYS A 102      74.829  15.096  13.928  1.00 52.68           N
ATOM   1316  C   LYS A 102      70.808  19.553  10.275  1.00 38.78           C
ATOM   1317  O   LYS A 102      71.093  20.702  10.549  1.00 38.04           O
ATOM   1319  N   PRO A 103      69.549  19.092  10.274  1.00 36.34           N
ATOM   1320  CA  PRO A 103      68.519  20.053  10.566  1.00 34.63           C
ATOM   1322  CB  PRO A 103      67.227  19.361  10.090  1.00 35.11           C
ATOM   1325  CG  PRO A 103      67.552  17.966  10.133  1.00 34.09           C
ATOM   1328  CD  PRO A 103      68.992  17.865   9.710  1.00 35.93           C
ATOM   1331  C   PRO A 103      68.510  20.316  12.058  1.00 33.46           C
ATOM   1332  O   PRO A 103      68.935  19.464  12.829  1.00 31.01           O
ATOM   1333  N   LYS A 104      68.059  21.514  12.418  1.00 32.72           N
ATOM   1334  CA  LYS A 104      67.884  21.946  13.803  1.00 35.25           C
ATOM   1336  CB  LYS A 104      67.467  23.424  13.835  1.00 36.22           C
ATOM   1339  CG  LYS A 104      68.572  24.305  13.322  1.00 42.91           C
ATOM   1342  CD  LYS A 104      68.375  25.787  13.693  1.00 49.19           C
ATOM   1345  CE  LYS A 104      69.093  26.641  12.663  1.00 54.36           C
ATOM   1348  NZ  LYS A 104      69.130  28.087  13.047  1.00 60.95           N
ATOM   1352  C   LYS A 104      66.802  21.156  14.492  1.00 34.59           C
ATOM   1353  O   LYS A 104      66.902  20.889  15.686  1.00 34.61           O
ATOM   1355  N   PHE A 105      65.760  20.802  13.724  1.00 33.69           N
ATOM   1356  CA  PHE A 105      64.588  20.072  14.280  1.00 32.73           C
ATOM   1358  CB  PHE A 105      63.377  20.941  14.096  1.00 33.45           C
ATOM   1361  CG  PHE A 105      63.479  22.256  14.838  1.00 38.65           C
ATOM   1362  CD1 PHE A 105      63.467  22.272  16.239  1.00 44.18           C
ATOM   1364  CE1 PHE A 105      63.573  23.510  16.927  1.00 47.09           C
ATOM   1366  CZ  PHE A 105      63.683  24.702  16.211  1.00 43.63           C
ATOM   1368  CE2 PHE A 105      63.704  24.675  14.830  1.00 43.54           C
ATOM   1370  CD2 PHE A 105      63.619  23.463  14.150  1.00 40.08           C
ATOM   1372  C   PHE A 105      64.395  18.757  13.518  1.00 31.55           C
ATOM   1373  O   PHE A 105      64.729  18.701  12.357  1.00 29.93           O
ATOM   1375  N   LEU A 106      63.901  17.723  14.160  1.00 28.75           N
ATOM   1376  CA  LEU A 106      63.668  16.474  13.437  1.00 28.86           C
ATOM   1378  CB  LEU A 106      63.049  15.409  14.367  1.00 29.42           C
ATOM   1381  CG  LEU A 106      63.864  14.395  15.129  1.00 34.72           C
ATOM   1383  CD1 LEU A 106      62.880  13.291  15.671  1.00 34.63           C
ATOM   1387  CD2 LEU A 106      64.900  13.789  14.279  1.00 26.80           C
ATOM   1391  C   LEU A 106      62.705  16.690  12.294  1.00 26.40           C
ATOM   1392  O   LEU A 106      61.663  17.245  12.485  1.00 25.36           O
ATOM   1394  N   PRO A 107      63.028  16.276  11.079  1.00 25.21           N
ATOM   1395  CA  PRO A 107      62.022  16.372  10.006  1.00 24.80           C
ATOM   1397  CB  PRO A 107      62.916  16.504   8.771  1.00 26.70           C
ATOM   1400  CG  PRO A 107      64.078  15.644   9.118  1.00 27.32           C
ATOM   1403  CD  PRO A 107      64.334  15.842  10.564  1.00 27.04           C
ATOM   1406  C   PRO A 107      61.257  15.059   9.938  1.00 25.01           C
```

```
ATOM   1407  O   PRO A 107      61.460  14.178  10.812  1.00 25.42           O
ATOM   1408  N   ASP A 108      60.466  14.890   8.893  1.00 23.40           N
ATOM   1409  CA  ASP A 108      59.559  13.751   8.794  1.00 24.79           C
ATOM   1411  CB  ASP A 108      58.193  14.244   8.337  1.00 23.28           C
ATOM   1414  CG  ASP A 108      57.524  15.051   9.405  1.00 23.89           C
ATOM   1415  OD1 ASP A 108      57.552  14.593  10.575  1.00 23.84           O
ATOM   1416  OD2 ASP A 108      56.930  16.083   9.088  1.00 27.89           O
ATOM   1417  C   ASP A 108      60.067  12.661   7.891  1.00 24.46           C
ATOM   1418  O   ASP A 108      59.785  11.513   8.193  1.00 25.25           O
ATOM   1420  N   LEU A 109      60.705  13.049   6.774  1.00 23.26           N
ATOM   1421  CA  LEU A 109      61.250  12.171   5.748  1.00 23.65           C
ATOM   1423  CB  LEU A 109      60.318  12.051   4.527  1.00 24.18           C
ATOM   1426  CG  LEU A 109      58.818  11.678   4.749  1.00 27.31           C
ATOM   1428  CD1 LEU A 109      58.000  11.950   3.517  1.00 30.45           C
ATOM   1432  CD2 LEU A 109      58.641  10.255   5.224  1.00 27.38           C
ATOM   1436  C   LEU A 109      62.597  12.680   5.223  1.00 23.28           C
ATOM   1437  O   LEU A 109      62.890  13.883   5.336  1.00 24.26           O
ATOM   1439  N   TYR A 110      63.329  11.800   4.547  1.00 22.76           N
ATOM   1440  CA  TYR A 110      64.429  12.229   3.656  1.00 23.81           C
ATOM   1442  CB  TYR A 110      65.803  11.706   4.129  1.00 24.70           C
ATOM   1445  CG  TYR A 110      66.980  12.214   3.313  1.00 23.87           C
ATOM   1446  CD1 TYR A 110      67.413  13.498   3.439  1.00 26.85           C
ATOM   1448  CE1 TYR A 110      68.436  13.961   2.692  1.00 28.71           C
ATOM   1450  CZ  TYR A 110      69.049  13.150   1.805  1.00 26.47           C
ATOM   1451  OH  TYR A 110      70.128  13.601   1.049  1.00 29.18           O
ATOM   1453  CE2 TYR A 110      68.618  11.870   1.634  1.00 26.21           C
ATOM   1455  CD2 TYR A 110      67.593  11.413   2.387  1.00 24.74           C
ATOM   1457  C   TYR A 110      64.119  11.708   2.277  1.00 25.22           C
ATOM   1458  O   TYR A 110      63.721  10.539   2.101  1.00 26.47           O
ATOM   1460  N   ASP A 111      64.304  12.577   1.304  1.00 23.71           N
ATOM   1461  CA  ASP A 111      64.098  12.272  -0.086  1.00 23.95           C
ATOM   1463  CB  ASP A 111      63.483  13.478  -0.715  1.00 23.51           C
ATOM   1466  CG  ASP A 111      63.150  13.295  -2.204  1.00 26.19           C
ATOM   1467  OD1 ASP A 111      63.722  12.431  -2.905  1.00 24.46           O
ATOM   1468  OD2 ASP A 111      62.289  14.049  -2.662  1.00 24.83           O
ATOM   1469  C   ASP A 111      65.507  11.982  -0.670  1.00 26.57           C
ATOM   1470  O   ASP A 111      66.307  12.900  -0.806  1.00 23.25           O
ATOM   1472  N   TYR A 112      65.732  10.710  -0.974  1.00 26.78           N
ATOM   1473  CA  TYR A 112      67.010  10.213  -1.566  1.00 29.95           C
ATOM   1475  CB  TYR A 112      67.105   8.681  -1.458  1.00 28.48           C
ATOM   1478  CG  TYR A 112      67.357   8.175  -0.088  1.00 32.03           C
ATOM   1479  CD1 TYR A 112      68.546   8.448   0.552  1.00 30.80           C
ATOM   1481  CE1 TYR A 112      68.783   8.007   1.833  1.00 30.92           C
ATOM   1483  CZ  TYR A 112      67.865   7.231   2.485  1.00 32.17           C
ATOM   1484  OH  TYR A 112      68.134   6.827   3.780  1.00 32.83           O
ATOM   1486  CE2 TYR A 112      66.665   6.929   1.887  1.00 32.64           C
ATOM   1488  CD2 TYR A 112      66.416   7.428   0.588  1.00 34.95           C
ATOM   1490  C   TYR A 112      67.120  10.605  -3.017  1.00 31.55           C
ATOM   1491  O   TYR A 112      68.229  10.662  -3.560  1.00 34.48           O
ATOM   1493  N   LYS A 113      66.021  10.955  -3.649  1.00 31.03           N
ATOM   1494  CA  LYS A 113      66.136  11.436  -5.022  1.00 32.58           C
ATOM   1496  CB  LYS A 113      64.861  11.173  -5.826  1.00 32.76           C
ATOM   1499  CG  LYS A 113      64.985  11.582  -7.320  1.00 36.49           C
ATOM   1502  CD  LYS A 113      63.685  11.401  -7.983  1.00 44.02           C
ATOM   1505  CE  LYS A 113      63.790  11.452  -9.517  1.00 47.29           C
ATOM   1508  NZ  LYS A 113      62.618  10.654 -10.007  1.00 52.44           N
ATOM   1512  C   LYS A 113      66.528  12.874  -5.113  1.00 32.02           C
ATOM   1513  O   LYS A 113      67.505  13.200  -5.798  1.00 31.77           O
ATOM   1515  N   GLU A 114      65.843  13.749  -4.396  1.00 29.70           N
ATOM   1516  CA  GLU A 114      66.268  15.163  -4.318  1.00 30.53           C
ATOM   1518  CB  GLU A 114      65.061  16.089  -4.047  1.00 31.86           C
ATOM   1521  CG  GLU A 114      64.012  15.925  -5.044  1.00 33.89           C
ATOM   1524  CD  GLU A 114      64.247  16.698  -6.340  1.00 40.59           C
```

```
ATOM   1525  OE1 GLU A 114      65.163  17.578  -6.395  1.00 35.62           O
ATOM   1526  OE2 GLU A 114      63.476  16.385  -7.296  1.00 43.51           O
ATOM   1527  C   GLU A 114      67.323  15.477  -3.304  1.00 29.79           C
ATOM   1528  O   GLU A 114      67.813  16.593  -3.281  1.00 32.38           O
ATOM   1530  N   ASN A 115      67.699  14.512  -2.485  1.00 29.15           N
ATOM   1531  CA  ASN A 115      68.634  14.708  -1.367  1.00 29.75           C
ATOM   1533  CB  ASN A 115      70.072  14.728  -1.936  1.00 30.28           C
ATOM   1536  CG  ASN A 115      70.553  13.324  -2.317  1.00 30.10           C
ATOM   1537  OD1 ASN A 115      70.645  12.971  -3.492  1.00 34.49           O
ATOM   1538  ND2 ASN A 115      70.713  12.501  -1.337  1.00 27.64           N
ATOM   1541  C   ASN A 115      68.323  15.896  -0.517  1.00 28.87           C
ATOM   1542  O   ASN A 115      69.133  16.839  -0.311  1.00 27.25           O
ATOM   1544  N   ARG A 116      67.094  15.871   0.044  1.00 28.59           N
ATOM   1545  CA  ARG A 116      66.681  16.835   0.994  1.00 25.83           C
ATOM   1547  CB  ARG A 116      66.001  17.985   0.311  1.00 27.04           C
ATOM   1550  CG  ARG A 116      64.665  17.601  -0.372  1.00 26.90           C
ATOM   1553  CD  ARG A 116      64.373  18.665  -1.444  1.00 29.00           C
ATOM   1556  NE  ARG A 116      63.155  18.330  -2.105  1.00 28.73           N
ATOM   1558  CZ  ARG A 116      62.725  18.858  -3.256  1.00 29.84           C
ATOM   1559  NH1 ARG A 116      63.390  19.844  -3.811  1.00 33.24           N
ATOM   1562  NH2 ARG A 116      61.565  18.440  -3.768  1.00 30.97           N
ATOM   1565  C   ARG A 116      65.722  16.258   2.024  1.00 25.38           C
ATOM   1566  O   ARG A 116      65.030  15.281   1.755  1.00 24.92           O
ATOM   1568  N   PHE A 117      65.772  16.789   3.213  1.00 24.74           N
ATOM   1569  CA  PHE A 117      64.812  16.401   4.246  1.00 25.21           C
ATOM   1571  CB  PHE A 117      65.299  16.777   5.616  1.00 24.84           C
ATOM   1574  CG  PHE A 117      66.385  15.919   6.121  1.00 26.07           C
ATOM   1575  CD1 PHE A 117      66.112  14.682   6.606  1.00 25.75           C
ATOM   1577  CE1 PHE A 117      67.112  13.877   7.105  1.00 30.03           C
ATOM   1579  CZ  PHE A 117      68.442  14.304   7.092  1.00 26.03           C
ATOM   1581  CE2 PHE A 117      68.736  15.523   6.581  1.00 27.23           C
ATOM   1583  CD2 PHE A 117      67.708  16.360   6.142  1.00 24.45           C
ATOM   1585  C   PHE A 117      63.497  17.086   3.926  1.00 24.15           C
ATOM   1586  O   PHE A 117      63.437  18.159   3.275  1.00 25.20           O
ATOM   1588  N   ILE A 118      62.418  16.449   4.364  1.00 24.50           N
ATOM   1589  CA  ILE A 118      61.081  16.993   4.177  1.00 24.40           C
ATOM   1591  CB  ILE A 118      60.220  16.073   3.318  1.00 24.41           C
ATOM   1593  CG1 ILE A 118      60.801  15.888   1.924  1.00 27.44           C
ATOM   1596  CD1 ILE A 118      60.182  14.688   1.242  1.00 30.22           C
ATOM   1600  CG2 ILE A 118      58.808  16.625   3.101  1.00 22.98           C
ATOM   1604  C   ILE A 118      60.342  17.124   5.514  1.00 23.65           C
ATOM   1605  O   ILE A 118      60.311  16.195   6.326  1.00 24.27           O
ATOM   1607  N   GLU A 119      59.668  18.249   5.675  1.00 24.65           N
ATOM   1608  CA  GLU A 119      58.798  18.522   6.792  1.00 25.58           C
ATOM   1610  CB  GLU A 119      59.029  19.893   7.475  1.00 25.17           C
ATOM   1613  CG  GLU A 119      57.961  20.192   8.529  1.00 29.34           C
ATOM   1616  CD  GLU A 119      57.827  19.121   9.619  1.00 29.67           C
ATOM   1617  OE1 GLU A 119      58.861  18.599  10.094  1.00 26.90           O
ATOM   1618  OE2 GLU A 119      56.688  18.876  10.074  1.00 27.14           O
ATOM   1619  C   GLU A 119      57.360  18.457   6.214  1.00 25.13           C
ATOM   1620  O   GLU A 119      57.036  19.157   5.294  1.00 24.01           O
ATOM   1622  N   ILE A 120      56.588  17.522   6.729  1.00 23.31           N
ATOM   1623  CA  ILE A 120      55.195  17.327   6.363  1.00 25.06           C
ATOM   1625  CB  ILE A 120      54.854  15.838   6.355  1.00 24.51           C
ATOM   1627  CG1 ILE A 120      55.653  15.156   5.290  1.00 25.83           C
ATOM   1630  CD1 ILE A 120      55.366  15.654   4.029  1.00 25.16           C
ATOM   1634  CG2 ILE A 120      53.302  15.602   6.164  1.00 26.01           C
ATOM   1638  C   ILE A 120      54.311  18.004   7.404  1.00 24.05           C
ATOM   1639  O   ILE A 120      54.449  17.712   8.639  1.00 25.86           O
ATOM   1641  N   GLY A 121      53.382  18.804   6.867  1.00 26.74           N
ATOM   1642  CA  GLY A 121      52.413  19.536   7.659  1.00 25.86           C
ATOM   1645  C   GLY A 121      51.010  19.088   7.280  1.00 25.17           C
ATOM   1646  O   GLY A 121      50.707  18.934   6.118  1.00 24.93           O
```

```
ATOM   1648  N   VAL A 122      50.192  18.836   8.280  1.00 23.76           N
ATOM   1649  CA  VAL A 122      48.749  18.577   8.099  1.00 23.87           C
ATOM   1651  CB  VAL A 122      48.341  17.149   8.504  1.00 25.39           C
ATOM   1653  CG1 VAL A 122      46.777  16.950   8.262  1.00 22.76           C
ATOM   1657  CG2 VAL A 122      49.165  16.116   7.717  1.00 24.40           C
ATOM   1661  C   VAL A 122      47.943  19.558   8.917  1.00 25.55           C
ATOM   1662  O   VAL A 122      48.085  19.597  10.138  1.00 27.28           O
ATOM   1664  N   THR A 123      47.110  20.361   8.278  1.00 27.69           N
ATOM   1665  CA  THR A 123      46.442  21.458   8.985  1.00 29.10           C
ATOM   1667  CB  THR A 123      46.983  22.854   8.510  1.00 30.55           C
ATOM   1669  OG1 THR A 123      46.353  23.946   9.208  1.00 32.05           O
ATOM   1671  CG2 THR A 123      46.716  23.090   7.018  1.00 29.90           C
ATOM   1675  C   THR A 123      44.938  21.435   8.745  1.00 29.70           C
ATOM   1676  O   THR A 123      44.500  21.161   7.678  1.00 25.46           O
ATOM   1678  N   ARG A 124      44.206  21.897   9.748  1.00 29.79           N
ATOM   1679  CA  ARG A 124      42.798  22.154   9.611  1.00 32.70           C
ATOM   1681  CB  ARG A 124      42.125  21.846  10.929  1.00 32.34           C
ATOM   1684  CG  ARG A 124      42.049  20.403  11.359  1.00 35.33           C
ATOM   1687  CD  ARG A 124      42.241  20.320  12.915  1.00 39.10           C
ATOM   1690  NE  ARG A 124      43.567  19.998  13.192  1.00 38.12           N
ATOM   1692  CZ  ARG A 124      44.110  19.738  14.364  1.00 37.82           C
ATOM   1693  NH1 ARG A 124      43.484  19.846  15.540  1.00 35.25           N
ATOM   1696  NH2 ARG A 124      45.367  19.427  14.324  1.00 35.38           N
ATOM   1699  C   ARG A 124      42.507  23.600   9.259  1.00 34.47           C
ATOM   1700  O   ARG A 124      41.348  23.974   9.180  1.00 36.83           O
ATOM   1702  N   ARG A 125      43.546  24.423   9.183  1.00 34.59           N
ATOM   1703  CA  ARG A 125      43.473  25.784   8.783  1.00 36.06           C
ATOM   1705  CB  ARG A 125      44.406  26.606   9.671  1.00 35.43           C
ATOM   1708  CG  ARG A 125      43.949  26.637  11.120  1.00 38.75           C
ATOM   1711  CD  ARG A 125      44.967  27.396  11.978  1.00 40.42           C
ATOM   1714  NE  ARG A 125      46.138  26.564  12.276  1.00 39.65           N
ATOM   1716  CZ  ARG A 125      47.320  27.021  12.674  1.00 45.69           C
ATOM   1717  NH1 ARG A 125      47.564  28.325  12.786  1.00 49.63           N
ATOM   1720  NH2 ARG A 125      48.291  26.161  12.940  1.00 49.30           N
ATOM   1723  C   ARG A 125      43.903  25.892   7.315  1.00 36.89           C
ATOM   1724  O   ARG A 125      44.077  24.878   6.617  1.00 37.27           O
ATOM   1726  N   GLU A 126      44.104  27.111   6.867  1.00 36.51           N
ATOM   1727  CA  GLU A 126      44.486  27.390   5.480  1.00 37.82           C
ATOM   1729  CB  GLU A 126      44.384  28.897   5.230  1.00 40.38           C
ATOM   1732  CG  GLU A 126      42.990  29.535   5.450  1.00 46.89           C
ATOM   1735  CD  GLU A 126      42.287  29.740   4.130  1.00 53.98           C
ATOM   1736  OE1 GLU A 126      41.958  28.703   3.509  1.00 54.03           O
ATOM   1737  OE2 GLU A 126      42.116  30.919   3.693  1.00 58.25           O
ATOM   1738  C   GLU A 126      45.952  26.978   5.315  1.00 36.18           C
ATOM   1739  O   GLU A 126      46.763  27.271   6.183  1.00 35.97           O
ATOM   1741  N   VAL A 127      46.269  26.287   4.229  1.00 34.74           N
ATOM   1742  CA  VAL A 127      47.626  25.793   3.986  1.00 34.58           C
ATOM   1744  CB  VAL A 127      47.730  24.908   2.713  1.00 32.34           C
ATOM   1746  CG1 VAL A 127      46.776  23.713   2.864  1.00 32.03           C
ATOM   1750  CG2 VAL A 127      47.458  25.708   1.360  1.00 33.77           C
ATOM   1754  C   VAL A 127      48.663  26.885   3.957  1.00 35.18           C
ATOM   1755  O   VAL A 127      49.707  26.707   4.522  1.00 35.08           O
ATOM   1757  N   HIS A 128      48.364  28.050   3.386  1.00 37.46           N
ATOM   1758  CA  HIS A 128      49.400  29.132   3.346  1.00 39.07           C
ATOM   1760  CB  HIS A 128      48.992  30.293   2.444  1.00 40.36           C
ATOM   1763  CG  HIS A 128      47.761  31.010   2.910  1.00 46.62           C
ATOM   1764  ND1 HIS A 128      46.524  30.837   2.319  1.00 53.49           N
ATOM   1766  CE1 HIS A 128      45.626  31.582   2.943  1.00 54.15           C
ATOM   1768  NE2 HIS A 128      46.235  32.225   3.928  1.00 53.93           N
ATOM   1770  CD2 HIS A 128      47.569  31.883   3.928  1.00 52.74           C
ATOM   1772  C   HIS A 128      49.758  29.606   4.734  1.00 38.82           C
ATOM   1773  O   HIS A 128      50.907  29.903   4.962  1.00 41.18           O
ATOM   1775  N   ILE A 129      48.786  29.629   5.649  1.00 38.08           N
```

```
ATOM   1776  CA  ILE A 129      48.950  29.995   7.056  1.00 38.75           C
ATOM   1778  CB  ILE A 129      47.513  30.106   7.719  1.00 40.14           C
ATOM   1780  CG1 ILE A 129      46.770  31.305   7.116  1.00 45.03           C
ATOM   1783  CD1 ILE A 129      45.423  31.608   7.784  1.00 50.51           C
ATOM   1787  CG2 ILE A 129      47.514  30.187   9.211  1.00 41.78           C
ATOM   1791  C   ILE A 129      49.854  29.019   7.813  1.00 36.91           C
ATOM   1792  O   ILE A 129      50.829  29.383   8.527  1.00 35.23           O
ATOM   1794  N   TYR A 130      49.519  27.738   7.679  1.00 34.42           N
ATOM   1795  CA  TYR A 130      50.326  26.744   8.319  1.00 32.26           C
ATOM   1797  CB  TYR A 130      49.571  25.424   8.285  1.00 33.12           C
ATOM   1800  CG  TYR A 130      50.105  24.423   9.227  1.00 29.16           C
ATOM   1801  CD1 TYR A 130      50.162  24.672  10.574  1.00 34.13           C
ATOM   1803  CE1 TYR A 130      50.665  23.754  11.457  1.00 34.09           C
ATOM   1805  CZ  TYR A 130      51.046  22.500  10.972  1.00 32.73           C
ATOM   1806  OH  TYR A 130      51.505  21.529  11.773  1.00 33.99           O
ATOM   1808  CE2 TYR A 130      50.999  22.244   9.650  1.00 31.35           C
ATOM   1810  CD2 TYR A 130      50.560  23.225   8.773  1.00 32.28           C
ATOM   1812  C   TYR A 130      51.714  26.640   7.665  1.00 30.92           C
ATOM   1813  O   TYR A 130      52.659  26.402   8.365  1.00 31.54           O
ATOM   1815  N   TYR A 131      51.819  26.837   6.364  1.00 31.50           N
ATOM   1816  CA  TYR A 131      53.103  26.832   5.673  1.00 32.79           C
ATOM   1818  CB  TYR A 131      52.966  27.138   4.179  1.00 32.33           C
ATOM   1821  CG  TYR A 131      54.325  27.104   3.461  1.00 35.34           C
ATOM   1822  CD1 TYR A 131      54.779  25.939   2.846  1.00 38.30           C
ATOM   1824  CE1 TYR A 131      56.009  25.877   2.217  1.00 37.73           C
ATOM   1826  CZ  TYR A 131      56.810  27.009   2.181  1.00 40.99           C
ATOM   1827  OH  TYR A 131      58.005  26.936   1.576  1.00 44.82           O
ATOM   1829  CE2 TYR A 131      56.410  28.182   2.789  1.00 40.13           C
ATOM   1831  CD2 TYR A 131      55.164  28.230   3.416  1.00 38.86           C
ATOM   1833  C   TYR A 131      54.035  27.861   6.321  1.00 33.95           C
ATOM   1834  O   TYR A 131      55.210  27.593   6.630  1.00 32.72           O
ATOM   1836  N   LEU A 132      53.481  29.059   6.533  1.00 35.56           N
ATOM   1837  CA  LEU A 132      54.252  30.196   7.096  1.00 37.00           C
ATOM   1839  CB  LEU A 132      53.369  31.476   7.106  1.00 37.41           C
ATOM   1842  CG  LEU A 132      53.206  32.108   5.722  1.00 40.82           C
ATOM   1844  CD1 LEU A 132      52.087  33.123   5.661  1.00 43.05           C
ATOM   1848  CD2 LEU A 132      54.485  32.793   5.376  1.00 42.60           C
ATOM   1852  C   LEU A 132      54.687  29.888   8.477  1.00 36.29           C
ATOM   1853  O   LEU A 132      55.849  30.096   8.852  1.00 38.30           O
ATOM   1855  N   GLU A 133      53.767  29.361   9.243  1.00 35.44           N
ATOM   1856  CA  GLU A 133      54.051  28.949  10.587  1.00 36.86           C
ATOM   1858  CB  GLU A 133      52.783  28.433  11.272  1.00 36.73           C
ATOM   1861  CG  GLU A 133      53.010  27.900  12.640  1.00 43.86           C
ATOM   1864  CD  GLU A 133      51.843  27.101  13.209  1.00 50.30           C
ATOM   1865  OE1 GLU A 133      50.686  27.594  13.126  1.00 55.46           O
ATOM   1866  OE2 GLU A 133      52.107  25.985  13.740  1.00 53.00           O
ATOM   1867  C   GLU A 133      55.180  27.913  10.659  1.00 35.70           C
ATOM   1868  O   GLU A 133      56.075  28.002  11.515  1.00 35.52           O
ATOM   1870  N   LYS A 134      55.173  26.950   9.743  1.00 36.10           N
ATOM   1871  CA  LYS A 134      56.178  25.919   9.742  1.00 36.22           C
ATOM   1873  CB  LYS A 134      55.813  24.780   8.769  1.00 36.51           C
ATOM   1876  CG  LYS A 134      54.829  23.807   9.356  1.00 40.26           C
ATOM   1879  CD  LYS A 134      55.496  22.994  10.439  1.00 43.13           C
ATOM   1882  CE  LYS A 134      54.779  21.666  10.663  1.00 43.25           C
ATOM   1885  NZ  LYS A 134      54.946  21.318  12.058  1.00 45.22           N
ATOM   1889  C   LYS A 134      57.520  26.480   9.314  1.00 35.70           C
ATOM   1890  O   LYS A 134      58.534  26.195   9.941  1.00 33.54           O
ATOM   1892  N   ALA A 135      57.515  27.165   8.168  1.00 37.54           N
ATOM   1893  CA  ALA A 135      58.702  27.714   7.566  1.00 37.54           C
ATOM   1895  CB  ALA A 135      58.335  28.490   6.291  1.00 38.38           C
ATOM   1899  C   ALA A 135      59.384  28.649   8.539  1.00 39.49           C
ATOM   1900  O   ALA A 135      60.618  28.638   8.660  1.00 37.56           O
ATOM   1902  N   ASN A 136      58.577  29.449   9.219  1.00 41.06           N
```

```
ATOM   1903  CA  ASN A 136      59.086  30.369  10.272  1.00 43.97           C
ATOM   1905  CB  ASN A 136      57.975  31.265  10.849  1.00 42.31           C
ATOM   1908  CG  ASN A 136      58.525  32.236  11.892  1.00 44.84           C
ATOM   1909  OD1 ASN A 136      59.404  33.042  11.561  1.00 42.30           O
ATOM   1910  ND2 ASN A 136      58.043  32.152  13.147  1.00 39.73           N
ATOM   1913  C   ASN A 136      59.710  29.582  11.410  1.00 47.15           C
ATOM   1914  O   ASN A 136      60.811  29.920  11.915  1.00 47.98           O
ATOM   1916  N   LYS A 137      59.021  28.514  11.801  1.00 50.42           N
ATOM   1917  CA  LYS A 137      59.456  27.724  12.929  1.00 53.76           C
ATOM   1919  CB  LYS A 137      58.399  26.703  13.328  1.00 55.00           C
ATOM   1922  CG  LYS A 137      58.931  25.484  14.114  1.00 58.80           C
ATOM   1925  CD  LYS A 137      59.354  25.799  15.557  1.00 61.04           C
ATOM   1928  CE  LYS A 137      59.777  24.511  16.260  1.00 64.10           C
ATOM   1931  NZ  LYS A 137      59.915  24.664  17.745  1.00 65.54           N
ATOM   1935  C   LYS A 137      60.750  27.016  12.650  1.00 55.16           C
ATOM   1936  O   LYS A 137      61.562  26.898  13.552  1.00 55.31           O
ATOM   1938  N   ILE A 138      60.951  26.510  11.430  1.00 57.26           N
ATOM   1939  CA  ILE A 138      62.014  25.514  11.246  1.00 58.82           C
ATOM   1941  CB  ILE A 138      61.638  24.265  10.364  1.00 58.37           C
ATOM   1943  CG1 ILE A 138      61.470  24.598   8.891  1.00 57.40           C
ATOM   1946  CD1 ILE A 138      61.075  23.331   8.097  1.00 53.52           C
ATOM   1950  CG2 ILE A 138      60.398  23.521  10.909  1.00 59.17           C
ATOM   1954  C   ILE A 138      63.298  26.119  10.751  1.00 60.85           C
ATOM   1955  O   ILE A 138      64.373  25.690  11.188  1.00 62.53           O
ATOM   1957  N   LYS A 139      63.179  27.082   9.842  1.00 62.69           N
ATOM   1958  CA  LYS A 139      64.296  27.681   9.097  1.00 64.44           C
ATOM   1960  CB  LYS A 139      64.722  29.007   9.754  1.00 65.41           C
ATOM   1963  CG  LYS A 139      63.656  30.089   9.672  1.00 67.28           C
ATOM   1966  CD  LYS A 139      63.710  30.729   8.289  1.00 71.31           C
ATOM   1969  CE  LYS A 139      62.621  31.773   8.128  1.00 72.84           C
ATOM   1972  NZ  LYS A 139      62.877  33.018   8.930  1.00 73.64           N
ATOM   1976  C   LYS A 139      65.504  26.773   8.904  1.00 64.77           C
ATOM   1977  O   LYS A 139      66.589  27.072   9.406  1.00 65.82           O
ATOM   1979  N   GLU A 141      66.252  26.330   6.007  1.00 54.19           N
ATOM   1980  CA  GLU A 141      65.971  26.468   4.553  1.00 54.93           C
ATOM   1982  CB  GLU A 141      66.633  27.733   3.955  1.00 56.54           C
ATOM   1985  CG  GLU A 141      65.680  28.870   3.689  1.00 60.97           C
ATOM   1988  CD  GLU A 141      66.254  29.946   2.789  1.00 66.63           C
ATOM   1989  OE1 GLU A 141      67.437  29.847   2.350  1.00 70.47           O
ATOM   1990  OE2 GLU A 141      65.497  30.914   2.526  1.00 71.07           O
ATOM   1991  C   GLU A 141      66.455  25.315   3.660  1.00 52.30           C
ATOM   1992  O   GLU A 141      66.354  25.412   2.432  1.00 53.22           O
ATOM   1994  N   LYS A 142      67.056  24.268   4.208  1.00 48.76           N
ATOM   1995  CA  LYS A 142      67.351  23.156   3.312  1.00 45.83           C
ATOM   1997  CB  LYS A 142      68.699  22.518   3.630  1.00 46.92           C
ATOM   2000  CG  LYS A 142      69.914  23.416   3.212  1.00 48.41           C
ATOM   2003  CD  LYS A 142      69.975  23.689   1.694  1.00 49.50           C
ATOM   2006  CE  LYS A 142      71.273  24.477   1.335  1.00 52.43           C
ATOM   2009  NZ  LYS A 142      71.287  25.053  -0.054  1.00 54.98           N
ATOM   2013  C   LYS A 142      66.161  22.174   3.366  1.00 41.85           C
ATOM   2014  O   LYS A 142      65.904  21.483   2.391  1.00 42.59           O
ATOM   2016  N   THR A 143      65.424  22.204   4.466  1.00 37.79           N
ATOM   2017  CA  THR A 143      64.265  21.330   4.686  1.00 36.03           C
ATOM   2019  CB  THR A 143      63.871  21.227   6.185  1.00 35.63           C
ATOM   2021  OG1 THR A 143      64.958  20.676   6.941  1.00 36.26           O
ATOM   2023  CG2 THR A 143      62.639  20.237   6.370  1.00 34.75           C
ATOM   2027  C   THR A 143      63.078  21.784   3.858  1.00 34.21           C
ATOM   2028  O   THR A 143      62.558  22.884   4.067  1.00 34.89           O
ATOM   2030  N   HIS A 144      62.714  20.931   2.897  1.00 31.61           N
ATOM   2031  CA  HIS A 144      61.557  21.048   2.101  1.00 29.62           C
ATOM   2033  CB  HIS A 144      61.573  20.060   0.969  1.00 29.61           C
ATOM   2036  CG  HIS A 144      60.901  20.538  -0.260  1.00 31.00           C
ATOM   2037  ND1 HIS A 144      61.530  21.406  -1.146  1.00 30.50           N
```

```
ATOM   2039  CE1 HIS A 144      60.698  21.661  -2.148  1.00 32.11           C
ATOM   2041  NE2 HIS A 144      59.582  20.965  -1.968  1.00 31.10           N
ATOM   2043  CD2 HIS A 144      59.685  20.247  -0.805  1.00 26.87           C
ATOM   2045  C   HIS A 144      60.291  20.879   2.888  1.00 28.47           C
ATOM   2046  O   HIS A 144      60.116  19.879   3.541  1.00 27.79           O
ATOM   2048  N   ILE A 145      59.381  21.841   2.748  1.00 27.56           N
ATOM   2049  CA  ILE A 145      58.080  21.792   3.438  1.00 27.91           C
ATOM   2051  CB  ILE A 145      57.761  23.115   4.109  1.00 28.32           C
ATOM   2053  CG1 ILE A 145      58.790  23.402   5.167  1.00 28.36           C
ATOM   2056  CD1 ILE A 145      58.893  24.933   5.450  1.00 29.89           C
ATOM   2060  CG2 ILE A 145      56.325  23.070   4.881  1.00 27.62           C
ATOM   2064  C   ILE A 145      56.975  21.421   2.522  1.00 27.68           C
ATOM   2065  O   ILE A 145      56.886  21.927   1.415  1.00 28.64           O
ATOM   2067  N   HIS A 146      56.111  20.518   2.971  1.00 26.16           N
ATOM   2068  CA  HIS A 146      54.929  20.144   2.201  1.00 24.73           C
ATOM   2070  CB  HIS A 146      55.136  18.818   1.472  1.00 24.51           C
ATOM   2073  CG  HIS A 146      54.169  18.565   0.349  1.00 24.21           C
ATOM   2074  ND1 HIS A 146      54.447  17.723  -0.705  1.00 24.83           N
ATOM   2076  CE1 HIS A 146      53.403  17.658  -1.495  1.00 26.04           C
ATOM   2078  NE2 HIS A 146      52.438  18.410  -0.980  1.00 26.01           N
ATOM   2080  CD2 HIS A 146      52.892  18.996   0.161  1.00 23.03           C
ATOM   2082  C   HIS A 146      53.743  20.098   3.168  1.00 24.70           C
ATOM   2083  O   HIS A 146      53.741  19.318   4.118  1.00 25.50           O
ATOM   2085  N   ILE A 147      52.733  20.918   2.879  1.00 25.24           N
ATOM   2086  CA  ILE A 147      51.561  21.095   3.697  1.00 25.32           C
ATOM   2088  CB  ILE A 147      51.276  22.604   4.068  1.00 27.36           C
ATOM   2090  CG1 ILE A 147      52.496  23.287   4.709  1.00 24.22           C
ATOM   2093  CD1 ILE A 147      53.108  22.684   5.995  1.00 25.83           C
ATOM   2097  CG2 ILE A 147      50.020  22.683   4.958  1.00 24.95           C
ATOM   2101  C   ILE A 147      50.321  20.586   2.971  1.00 24.52           C
ATOM   2102  O   ILE A 147      50.121  20.813   1.767  1.00 26.06           O
ATOM   2104  N   PHE A 148      49.511  19.799   3.700  1.00 23.79           N
ATOM   2105  CA  PHE A 148      48.264  19.311   3.214  1.00 24.52           C
ATOM   2107  CB  PHE A 148      48.246  17.752   3.251  1.00 22.62           C
ATOM   2110  CG  PHE A 148      49.172  17.107   2.331  1.00 23.94           C
ATOM   2111  CD1 PHE A 148      48.826  16.863   1.009  1.00 24.02           C
ATOM   2113  CE1 PHE A 148      49.719  16.254   0.125  1.00 26.48           C
ATOM   2115  CZ  PHE A 148      50.943  15.861   0.585  1.00 24.27           C
ATOM   2117  CE2 PHE A 148      51.291  16.076   1.927  1.00 23.44           C
ATOM   2119  CD2 PHE A 148      50.429  16.705   2.787  1.00 23.79           C
ATOM   2121  C   PHE A 148      47.144  19.791   4.126  1.00 24.42           C
ATOM   2122  O   PHE A 148      47.348  19.816   5.362  1.00 25.05           O
ATOM   2124  N   SER A 149      45.977  20.084   3.547  1.00 25.10           N
ATOM   2125  CA  SER A 149      44.806  20.383   4.306  1.00 25.50           C
ATOM   2127  CB  SER A 149      44.099  21.644   3.774  1.00 26.08           C
ATOM   2130  OG  SER A 149      43.483  21.414   2.506  1.00 28.35           O
ATOM   2132  C   SER A 149      43.839  19.204   4.272  1.00 26.70           C
ATOM   2133  O   SER A 149      44.091  18.235   3.586  1.00 26.61           O
ATOM   2135  N   PHE A 150      42.741  19.313   5.008  1.00 26.45           N
ATOM   2136  CA  PHE A 150      41.639  18.391   4.875  1.00 27.80           C
ATOM   2138  CB  PHE A 150      40.931  18.288   6.218  1.00 28.57           C
ATOM   2141  CG  PHE A 150      41.767  17.653   7.309  1.00 26.93           C
ATOM   2142  CD1 PHE A 150      41.667  16.303   7.599  1.00 23.08           C
ATOM   2144  CE1 PHE A 150      42.369  15.751   8.576  1.00 24.02           C
ATOM   2146  CZ  PHE A 150      43.297  16.513   9.298  1.00 26.68           C
ATOM   2148  CE2 PHE A 150      43.443  17.857   9.016  1.00 28.79           C
ATOM   2150  CD2 PHE A 150      42.691  18.412   8.009  1.00 27.83           C
ATOM   2152  C   PHE A 150      40.650  18.836   3.765  1.00 29.06           C
ATOM   2153  O   PHE A 150      39.548  18.367   3.719  1.00 30.35           O
ATOM   2155  N   THR A 151      41.041  19.811   2.936  1.00 30.82           N
ATOM   2156  CA  THR A 151      40.217  20.378   1.901  1.00 31.77           C
ATOM   2158  CB  THR A 151      40.138  21.930   2.053  1.00 32.21           C
ATOM   2160  OG1 THR A 151      41.463  22.507   1.760  1.00 35.79           O
```

```
ATOM   2162  CG2 THR A 151      39.645  22.290   3.432  1.00 32.61           C
ATOM   2166  C   THR A 151      40.809  20.046   0.507  1.00 31.31           C
ATOM   2167  O   THR A 151      40.309  20.571  -0.475  1.00 31.21           O
ATOM   2169  N   GLY A 152      41.920  19.284   0.438  1.00 29.28           N
ATOM   2170  CA  GLY A 152      42.507  18.954  -0.837  1.00 30.05           C
ATOM   2173  C   GLY A 152      43.457  19.992  -1.298  1.00 30.16           C
ATOM   2174  O   GLY A 152      43.849  19.994  -2.482  1.00 28.81           O
ATOM   2176  N   GLU A 153      43.789  20.913  -0.395  1.00 28.76           N
ATOM   2177  CA  GLU A 153      44.788  21.894  -0.724  1.00 30.94           C
ATOM   2179  CB  GLU A 153      44.422  23.209  -0.098  1.00 30.70           C
ATOM   2182  CG  GLU A 153      43.191  23.755  -0.720  1.00 37.46           C
ATOM   2185  CD  GLU A 153      43.467  24.156  -2.172  1.00 48.47           C
ATOM   2186  OE1 GLU A 153      44.252  25.126  -2.392  1.00 55.74           O
ATOM   2187  OE2 GLU A 153      42.952  23.478  -3.098  1.00 55.29           O
ATOM   2188  C   GLU A 153      46.196  21.426  -0.313  1.00 29.71           C
ATOM   2189  O   GLU A 153      46.354  20.673   0.639  1.00 27.76           O
ATOM   2191  N   GLU A 154      47.198  21.945  -0.991  1.00 29.46           N
ATOM   2192  CA  GLU A 154      48.562  21.730  -0.576  1.00 30.45           C
ATOM   2194  CB  GLU A 154      49.126  20.443  -1.232  1.00 30.39           C
ATOM   2197  CG  GLU A 154      49.029  20.438  -2.711  1.00 30.47           C
ATOM   2200  CD  GLU A 154      49.543  19.158  -3.375  1.00 32.96           C
ATOM   2201  OE1 GLU A 154      49.165  18.974  -4.568  1.00 31.61           O
ATOM   2202  OE2 GLU A 154      50.338  18.351  -2.753  1.00 29.73           O
ATOM   2203  C   GLU A 154      49.358  22.958  -0.921  1.00 29.77           C
ATOM   2204  O   GLU A 154      48.999  23.718  -1.838  1.00 31.37           O
ATOM   2206  N   MET A 155      50.431  23.118  -0.202  1.00 29.24           N
ATOM   2207  CA  MET A 155      51.468  24.115  -0.452  1.00 30.22           C
ATOM   2209  CB  MET A 155      51.227  25.396   0.327  1.00 26.93           C
ATOM   2212  CG  MET A 155      52.217  26.532   0.009  1.00 32.34           C
ATOM   2215  SD  MET A 155      51.787  28.035   0.881  1.00 36.87           S
ATOM   2216  CE  MET A 155      50.684  28.665  -0.426  1.00 41.93           C
ATOM   2220  C   MET A 155      52.827  23.509  -0.074  1.00 29.88           C
ATOM   2221  O   MET A 155      52.967  22.893   0.970  1.00 30.17           O
ATOM   2223  N   ALA A 156      53.813  23.732  -0.939  1.00 31.46           N
ATOM   2224  CA  ALA A 156      55.135  23.141  -0.788  1.00 31.35           C
ATOM   2226  CB  ALA A 156      55.209  21.891  -1.695  1.00 31.85           C
ATOM   2230  C   ALA A 156      56.190  24.165  -1.143  1.00 32.96           C
ATOM   2231  O   ALA A 156      55.946  25.051  -2.001  1.00 32.16           O
ATOM   2233  N   THR A 157      57.344  24.081  -0.481  1.00 31.90           N
ATOM   2234  CA  THR A 157      58.473  24.916  -0.848  1.00 32.63           C
ATOM   2236  CB  THR A 157      59.719  24.392  -0.261  1.00 31.33           C
ATOM   2238  OG1 THR A 157      59.526  24.218   1.131  1.00 30.59           O
ATOM   2240  CG2 THR A 157      60.969  25.400  -0.589  1.00 33.92           C
ATOM   2244  C   THR A 157      58.627  24.965  -2.356  1.00 33.71           C
ATOM   2245  O   THR A 157      58.709  23.939  -2.983  1.00 33.41           O
ATOM   2247  N   LYS A 158      58.684  26.178  -2.926  1.00 35.63           N
ATOM   2248  CA  LYS A 158      59.037  26.426  -4.345  1.00 38.06           C
ATOM   2250  CB  LYS A 158      60.440  25.881  -4.720  1.00 38.52           C
ATOM   2253  CG  LYS A 158      61.548  26.813  -4.287  1.00 43.77           C
ATOM   2256  CD  LYS A 158      62.920  26.176  -4.451  1.00 50.12           C
ATOM   2259  CE  LYS A 158      63.968  26.696  -3.419  1.00 51.94           C
ATOM   2262  NZ  LYS A 158      65.303  25.978  -3.569  1.00 54.48           N
ATOM   2266  C   LYS A 158      57.947  25.882  -5.222  1.00 36.66           C
ATOM   2267  O   LYS A 158      58.120  25.633  -6.409  1.00 37.81           O
ATOM   2269  N   ALA A 159      56.778  25.672  -4.620  1.00 36.78           N
ATOM   2270  CA  ALA A 159      55.736  24.921  -5.290  1.00 35.33           C
ATOM   2272  CB  ALA A 159      54.976  25.840  -6.328  1.00 35.78           C
ATOM   2276  C   ALA A 159      56.247  23.630  -5.941  1.00 34.36           C
ATOM   2277  O   ALA A 159      55.789  23.215  -6.989  1.00 35.50           O
ATOM   2279  N   ASP A 160      57.194  22.962  -5.276  1.00 33.74           N
ATOM   2280  CA  ASP A 160      57.680  21.695  -5.702  1.00 32.65           C
ATOM   2282  CB  ASP A 160      59.195  21.657  -5.490  1.00 33.13           C
ATOM   2285  CG  ASP A 160      59.807  20.348  -5.880  1.00 33.72           C
```

```
ATOM   2286  OD1 ASP A 160      59.094  19.340  -6.149  1.00 37.99           O
ATOM   2287  OD2 ASP A 160      61.050  20.297  -5.922  1.00 36.13           O
ATOM   2288  C   ASP A 160      56.994  20.667  -4.813  1.00 31.04           C
ATOM   2289  O   ASP A 160      57.323  20.583  -3.656  1.00 30.14           O
ATOM   2291  N   TYR A 161      55.990  19.993  -5.356  1.00 31.54           N
ATOM   2292  CA  TYR A 161      55.150  19.039  -4.597  1.00 30.31           C
ATOM   2294  CB  TYR A 161      53.761  18.992  -5.205  1.00 31.64           C
ATOM   2297  CG  TYR A 161      53.080  20.350  -5.121  1.00 31.18           C
ATOM   2298  CD1 TYR A 161      52.722  20.893  -3.914  1.00 30.44           C
ATOM   2300  CE1 TYR A 161      52.067  22.143  -3.845  1.00 32.44           C
ATOM   2302  CZ  TYR A 161      51.843  22.853  -5.036  1.00 38.20           C
ATOM   2303  OH  TYR A 161      51.207  24.078  -5.056  1.00 39.66           O
ATOM   2305  CE2 TYR A 161      52.215  22.326  -6.234  1.00 34.66           C
ATOM   2307  CD2 TYR A 161      52.842  21.088  -6.278  1.00 37.13           C
ATOM   2309  C   TYR A 161      55.754  17.607  -4.494  1.00 29.93           C
ATOM   2310  O   TYR A 161      55.142  16.694  -3.932  1.00 26.52           O
ATOM   2312  N   THR A 162      56.976  17.440  -5.018  1.00 31.04           N
ATOM   2313  CA  THR A 162      57.783  16.227  -4.830  1.00 29.62           C
ATOM   2315  CB  THR A 162      58.114  15.930  -3.310  1.00 28.53           C
ATOM   2317  OG1 THR A 162      58.865  16.995  -2.757  1.00 27.24           O
ATOM   2319  CG2 THR A 162      58.884  14.666  -3.140  1.00 26.62           C
ATOM   2323  C   THR A 162      57.168  15.000  -5.450  1.00 30.35           C
ATOM   2324  O   THR A 162      57.798  14.372  -6.306  1.00 31.59           O
ATOM   2326  N   LEU A 163      55.952  14.588  -5.027  1.00 29.24           N
ATOM   2327  CA  LEU A 163      55.304  13.380  -5.504  1.00 28.46           C
ATOM   2329  CB  LEU A 163      54.302  12.829  -4.464  1.00 29.74           C
ATOM   2332  CG  LEU A 163      54.888  12.473  -3.103  1.00 30.65           C
ATOM   2334  CD1 LEU A 163      53.824  12.209  -2.055  1.00 30.87           C
ATOM   2338  CD2 LEU A 163      55.757  11.188  -3.301  1.00 27.81           C
ATOM   2342  C   LEU A 163      54.540  13.647  -6.821  1.00 29.29           C
ATOM   2343  O   LEU A 163      54.259  14.767  -7.177  1.00 30.11           O
ATOM   2345  N   ASP A 164      54.200  12.596  -7.508  1.00 30.22           N
ATOM   2346  CA  ASP A 164      53.320  12.707  -8.701  1.00 32.33           C
ATOM   2348  CB  ASP A 164      53.387  11.478  -9.605  1.00 32.82           C
ATOM   2351  CG  ASP A 164      52.827  10.191  -8.939  1.00 39.74           C
ATOM   2352  OD1 ASP A 164      52.212  10.249  -7.832  1.00 42.97           O
ATOM   2353  OD2 ASP A 164      53.018   9.089  -9.527  1.00 43.10           O
ATOM   2354  C   ASP A 164      51.889  12.990  -8.219  1.00 33.00           C
ATOM   2355  O   ASP A 164      51.568  12.945  -7.005  1.00 30.46           O
ATOM   2357  N   GLU A 165      51.038  13.304  -9.181  1.00 33.85           N
ATOM   2358  CA  GLU A 165      49.652  13.749  -8.914  1.00 35.10           C
ATOM   2360  CB  GLU A 165      48.959  14.137 -10.215  1.00 35.75           C
ATOM   2363  CG  GLU A 165      49.597  15.382 -10.844  1.00 38.75           C
ATOM   2366  CD  GLU A 165      49.198  16.668 -10.160  1.00 46.27           C
ATOM   2367  OE1 GLU A 165      48.227  16.711  -9.322  1.00 49.58           O
ATOM   2368  OE2 GLU A 165      49.853  17.682 -10.467  1.00 50.07           O
ATOM   2369  C   GLU A 165      48.836  12.687  -8.195  1.00 33.48           C
ATOM   2370  O   GLU A 165      48.088  13.029  -7.260  1.00 32.20           O
ATOM   2372  N   GLU A 166      49.008  11.434  -8.622  1.00 31.26           N
ATOM   2373  CA  GLU A 166      48.276  10.347  -8.047  1.00 32.53           C
ATOM   2375  CB  GLU A 166      48.427   9.052  -8.797  1.00 33.11           C
ATOM   2378  CG  GLU A 166      47.620   7.961  -8.149  1.00 38.83           C
ATOM   2381  CD  GLU A 166      47.435   6.732  -8.966  1.00 47.82           C
ATOM   2382  OE1 GLU A 166      47.707   6.766 -10.189  1.00 54.26           O
ATOM   2383  OE2 GLU A 166      46.991   5.718  -8.381  1.00 53.70           O
ATOM   2384  C   GLU A 166      48.597  10.128  -6.572  1.00 31.20           C
ATOM   2385  O   GLU A 166      47.704   9.799  -5.780  1.00 27.69           O
ATOM   2387  N   SER A 167      49.858  10.360  -6.200  1.00 30.33           N
ATOM   2388  CA  SER A 167      50.253  10.084  -4.831  1.00 30.62           C
ATOM   2390  CB  SER A 167      51.768  10.001  -4.697  1.00 31.04           C
ATOM   2393  OG  SER A 167      52.236   8.805  -5.296  1.00 32.02           O
ATOM   2395  C   SER A 167      49.643  11.154  -3.972  1.00 29.54           C
ATOM   2396  O   SER A 167      49.121  10.861  -2.878  1.00 28.16           O
```

```
ATOM   2398  N   ARG A 168      49.680  12.390  -4.468  1.00 27.80           N
ATOM   2399  CA  ARG A 168      49.181  13.483  -3.676  1.00 27.94           C
ATOM   2401  CB  ARG A 168      49.602  14.756  -4.289  1.00 27.61           C
ATOM   2404  CG  ARG A 168      51.052  15.132  -3.932  1.00 30.40           C
ATOM   2407  CD  ARG A 168      51.303  16.482  -4.557  1.00 40.05           C
ATOM   2410  NE  ARG A 168      51.643  16.311  -5.894  1.00 41.57           N
ATOM   2412  CZ  ARG A 168      51.408  17.095  -6.946  1.00 40.06           C
ATOM   2413  NH1 ARG A 168      50.701  18.206  -6.942  1.00 41.33           N
ATOM   2416  NH2 ARG A 168      51.920  16.648  -8.076  1.00 39.18           N
ATOM   2419  C   ARG A 168      47.650  13.374  -3.584  1.00 28.20           C
ATOM   2420  O   ARG A 168      47.074  13.630  -2.527  1.00 27.76           O
ATOM   2422  N   ALA A 169      47.032  13.007  -4.692  1.00 27.81           N
ATOM   2423  CA  ALA A 169      45.548  12.764  -4.693  1.00 28.27           C
ATOM   2425  CB  ALA A 169      45.087  12.409  -6.075  1.00 27.69           C
ATOM   2429  C   ALA A 169      45.112  11.696  -3.665  1.00 27.68           C
ATOM   2430  O   ALA A 169      44.105  11.874  -2.985  1.00 27.14           O
ATOM   2432  N   ARG A 170      45.856  10.605  -3.508  1.00 28.18           N
ATOM   2433  CA  ARG A 170      45.515   9.601  -2.535  1.00 28.85           C
ATOM   2435  CB  ARG A 170      46.323   8.331  -2.663  1.00 30.37           C
ATOM   2438  CG  ARG A 170      46.175   7.629  -4.044  1.00 38.79           C
ATOM   2441  CD  ARG A 170      46.727   6.173  -3.939  1.00 46.28           C
ATOM   2444  NE  ARG A 170      46.438   5.369  -5.143  1.00 56.73           N
ATOM   2446  CZ  ARG A 170      46.761   4.074  -5.288  1.00 61.83           C
ATOM   2447  NH1 ARG A 170      47.389   3.410  -4.301  1.00 61.96           N
ATOM   2450  NH2 ARG A 170      46.462   3.435  -6.426  1.00 63.35           N
ATOM   2453  C   ARG A 170      45.673  10.124  -1.113  1.00 27.52           C
ATOM   2454  O   ARG A 170      44.894   9.782  -0.225  1.00 25.16           O
ATOM   2456  N   ILE A 171      46.695  10.922  -0.882  1.00 24.59           N
ATOM   2457  CA  ILE A 171      46.852  11.521   0.453  1.00 23.95           C
ATOM   2459  CB  ILE A 171      48.202  12.243   0.559  1.00 22.75           C
ATOM   2461  CG1 ILE A 171      49.324  11.240   0.584  1.00 25.81           C
ATOM   2464  CD1 ILE A 171      50.712  11.862   0.201  1.00 27.61           C
ATOM   2468  CG2 ILE A 171      48.280  13.221   1.786  1.00 22.81           C
ATOM   2472  C   ILE A 171      45.669  12.493   0.739  1.00 23.85           C
ATOM   2473  O   ILE A 171      45.043  12.455   1.813  1.00 21.70           O
ATOM   2475  N   LYS A 172      45.352  13.311  -0.244  1.00 23.48           N
ATOM   2476  CA  LYS A 172      44.295  14.270  -0.114  1.00 23.54           C
ATOM   2478  CB  LYS A 172      44.202  15.135  -1.376  1.00 22.27           C
ATOM   2481  CG  LYS A 172      45.327  16.113  -1.474  1.00 24.79           C
ATOM   2484  CD  LYS A 172      45.367  16.711  -2.930  1.00 25.26           C
ATOM   2487  CE  LYS A 172      46.374  17.801  -3.082  1.00 28.91           C
ATOM   2490  NZ  LYS A 172      46.554  18.236  -4.533  1.00 29.28           N
ATOM   2494  C   LYS A 172      42.971  13.542   0.173  1.00 23.88           C
ATOM   2495  O   LYS A 172      42.165  14.030   1.010  1.00 22.00           O
ATOM   2497  N   THR A 173      42.757  12.416  -0.514  1.00 22.09           N
ATOM   2498  CA  THR A 173      41.527  11.632  -0.363  1.00 23.82           C
ATOM   2500  CB  THR A 173      41.394  10.515  -1.407  1.00 24.34           C
ATOM   2502  OG1 THR A 173      41.422  11.125  -2.696  1.00 23.99           O
ATOM   2504  CG2 THR A 173      40.096   9.695  -1.190  1.00 22.42           C
ATOM   2508  C   THR A 173      41.439  11.057   1.030  1.00 23.63           C
ATOM   2509  O   THR A 173      40.400  11.143   1.690  1.00 23.28           O
ATOM   2511  N   ARG A 174      42.540  10.554   1.524  1.00 23.86           N
ATOM   2512  CA  ARG A 174      42.509   9.975   2.870  1.00 23.67           C
ATOM   2514  CB  ARG A 174      43.814   9.284   3.146  1.00 23.50           C
ATOM   2517  CG  ARG A 174      43.920   8.746   4.577  1.00 24.93           C
ATOM   2520  CD  ARG A 174      42.896   7.651   4.897  1.00 26.22           C
ATOM   2523  NE  ARG A 174      43.107   7.214   6.290  1.00 28.64           N
ATOM   2525  CZ  ARG A 174      42.196   6.719   7.111  1.00 34.36           C
ATOM   2526  NH1 ARG A 174      40.900   6.626   6.767  1.00 32.44           N
ATOM   2529  NH2 ARG A 174      42.594   6.367   8.317  1.00 33.99           N
ATOM   2532  C   ARG A 174      42.214  11.052   3.922  1.00 23.15           C
ATOM   2533  O   ARG A 174      41.442  10.781   4.858  1.00 23.23           O
ATOM   2535  N   LEU A 175      42.907  12.223   3.853  1.00 22.25           N
```

```
ATOM   2536  CA  LEU A 175      42.683  13.315   4.791  1.00 22.73           C
ATOM   2538  CB  LEU A 175      43.562  14.486   4.428  1.00 23.20           C
ATOM   2541  CG  LEU A 175      45.052  14.243   4.736  1.00 21.29           C
ATOM   2543  CD1 LEU A 175      45.978  15.356   4.264  1.00 22.48           C
ATOM   2547  CD2 LEU A 175      45.154  14.117   6.277  1.00 20.52           C
ATOM   2551  C   LEU A 175      41.191  13.719   4.774  1.00 24.51           C
ATOM   2552  O   LEU A 175      40.549  13.806   5.814  1.00 23.15           O
ATOM   2554  N   PHE A 176      40.646  13.897   3.560  1.00 24.68           N
ATOM   2555  CA  PHE A 176      39.267  14.332   3.426  1.00 24.62           C
ATOM   2557  CB  PHE A 176      38.960  14.629   1.959  1.00 25.01           C
ATOM   2560  CG  PHE A 176      37.599  15.275   1.727  1.00 20.36           C
ATOM   2561  CD1 PHE A 176      37.441  16.648   1.745  1.00 28.35           C
ATOM   2563  CE1 PHE A 176      36.194  17.214   1.532  1.00 28.96           C
ATOM   2565  CZ  PHE A 176      35.148  16.389   1.345  1.00 26.10           C
ATOM   2567  CE2 PHE A 176      35.295  15.084   1.376  1.00 23.03           C
ATOM   2569  CD2 PHE A 176      36.503  14.497   1.593  1.00 24.15           C
ATOM   2571  C   PHE A 176      38.334  13.253   3.974  1.00 23.43           C
ATOM   2572  O   PHE A 176      37.286  13.587   4.580  1.00 24.90           O
ATOM   2574  N   THR A 177      38.669  12.001   3.790  1.00 24.64           N
ATOM   2575  CA  THR A 177      37.884  10.928   4.311  1.00 24.07           C
ATOM   2577  CB  THR A 177      38.364   9.607   3.764  1.00 26.26           C
ATOM   2579  OG1 THR A 177      38.215   9.651   2.345  1.00 26.99           O
ATOM   2581  CG2 THR A 177      37.616   8.416   4.360  1.00 27.14           C
ATOM   2585  C   THR A 177      37.876  10.951   5.852  1.00 26.03           C
ATOM   2586  O   THR A 177      36.823  10.815   6.481  1.00 24.89           O
ATOM   2588  N   ILE A 178      39.041  11.144   6.462  1.00 25.83           N
ATOM   2589  CA  ILE A 178      39.119  11.251   7.945  1.00 24.22           C
ATOM   2591  CB  ILE A 178      40.548  11.538   8.404  1.00 24.87           C
ATOM   2593  CG1 ILE A 178      41.441  10.290   8.145  1.00 21.54           C
ATOM   2596  CD1 ILE A 178      42.964  10.562   8.107  1.00 24.20           C
ATOM   2600  CG2 ILE A 178      40.539  12.106   9.885  1.00 25.42           C
ATOM   2604  C   ILE A 178      38.199  12.381   8.379  1.00 25.55           C
ATOM   2605  O   ILE A 178      37.462  12.227   9.347  1.00 28.89           O
ATOM   2607  N   ARG A 179      38.279  13.542   7.747  1.00 25.10           N
ATOM   2608  CA  ARG A 179      37.461  14.672   8.099  1.00 25.30           C
ATOM   2610  CB  ARG A 179      37.755  15.812   7.115  1.00 26.41           C
ATOM   2613  CG  ARG A 179      36.779  16.943   7.113  1.00 26.34           C
ATOM   2616  CD  ARG A 179      37.121  18.019   6.100  1.00 31.57           C
ATOM   2619  NE  ARG A 179      35.931  18.813   5.749  1.00 32.67           N
ATOM   2621  CZ  ARG A 179      35.889  19.741   4.834  1.00 36.55           C
ATOM   2622  NH1 ARG A 179      36.985  20.033   4.106  1.00 38.00           N
ATOM   2625  NH2 ARG A 179      34.744  20.380   4.606  1.00 39.70           N
ATOM   2628  C   ARG A 179      35.983  14.288   8.070  1.00 26.17           C
ATOM   2629  O   ARG A 179      35.218  14.604   8.998  1.00 25.08           O
ATOM   2631  N   GLN A 180      35.572  13.655   6.962  1.00 26.58           N
ATOM   2632  CA  GLN A 180      34.154  13.298   6.825  1.00 27.17           C
ATOM   2634  CB  GLN A 180      33.885  12.855   5.390  1.00 26.73           C
ATOM   2637  CG  GLN A 180      34.018  13.994   4.390  1.00 23.51           C
ATOM   2640  CD  GLN A 180      33.116  15.130   4.695  1.00 24.73           C
ATOM   2641  OE1 GLN A 180      31.982  14.953   5.153  1.00 26.56           O
ATOM   2642  NE2 GLN A 180      33.573  16.305   4.450  1.00 24.59           N
ATOM   2645  C   GLN A 180      33.730  12.203   7.835  1.00 28.34           C
ATOM   2646  O   GLN A 180      32.531  12.191   8.265  1.00 31.72           O
ATOM   2648  N   GLU A 181      34.614  11.263   8.183  1.00 27.65           N
ATOM   2649  CA  GLU A 181      34.296  10.254   9.194  1.00 29.16           C
ATOM   2651  CB  GLU A 181      35.316   9.122   9.257  1.00 28.63           C
ATOM   2654  CG  GLU A 181      35.324   8.306   7.968  1.00 33.56           C
ATOM   2657  CD  GLU A 181      36.360   7.231   7.983  1.00 37.89           C
ATOM   2658  OE1 GLU A 181      37.231   7.237   8.889  1.00 43.00           O
ATOM   2659  OE2 GLU A 181      36.346   6.376   7.073  1.00 45.13           O
ATOM   2660  C   GLU A 181      34.160  10.935  10.531  1.00 29.30           C
ATOM   2661  O   GLU A 181      33.228  10.619  11.313  1.00 29.71           O
ATOM   2663  N   MET A 182      34.974  11.960  10.774  1.00 28.89           N
```

```
ATOM   2664  CA  MET A 182      34.773  12.791  11.978  1.00 27.59           C
ATOM   2666  CB  MET A 182      35.909  13.781  12.237  1.00 26.73           C
ATOM   2669  CG  MET A 182      37.272  13.095  12.513  1.00 26.59           C
ATOM   2672  SD  MET A 182      38.431  14.392  12.816  1.00 30.86           S
ATOM   2673  CE  MET A 182      39.752  13.396  13.318  1.00 29.47           C
ATOM   2677  C   MET A 182      33.476  13.551  11.903  1.00 29.37           C
ATOM   2678  O   MET A 182      32.724  13.602  12.893  1.00 30.90           O
ATOM   2680  N   ALA A 183      33.170  14.128  10.732  1.00 29.41           N
ATOM   2681  CA  ALA A 183      31.936  14.879  10.585  1.00 29.66           C
ATOM   2683  CB  ALA A 183      31.840  15.655   9.208  1.00 28.42           C
ATOM   2687  C   ALA A 183      30.739  13.951  10.774  1.00 30.31           C
ATOM   2688  O   ALA A 183      29.721  14.382  11.300  1.00 32.63           O
ATOM   2690  N   SER A 184      30.857  12.711  10.379  1.00 33.09           N
ATOM   2691  CA  SER A 184      29.799  11.758  10.550  1.00 34.98           C
ATOM   2693  CB  SER A 184      30.210  10.395  10.093  1.00 34.44           C
ATOM   2696  OG  SER A 184      30.307  10.394   8.685  1.00 40.38           O
ATOM   2698  C   SER A 184      29.431  11.622  12.015  1.00 37.48           C
ATOM   2699  O   SER A 184      28.245  11.442  12.315  1.00 36.22           O
ATOM   2701  N   ARG A 185      30.460  11.607  12.867  1.00 38.38           N
ATOM   2702  CA  ARG A 185      30.344  11.463  14.314  1.00 40.16           C
ATOM   2704  CB  ARG A 185      31.492  10.558  14.820  1.00 41.09           C
ATOM   2707  CG  ARG A 185      31.447   9.154  14.176  1.00 45.67           C
ATOM   2710  CD  ARG A 185      32.420   8.085  14.767  1.00 53.28           C
ATOM   2713  NE  ARG A 185      32.377   8.033  16.256  1.00 59.10           N
ATOM   2715  CZ  ARG A 185      33.014   7.155  17.043  1.00 54.68           C
ATOM   2716  NH1 ARG A 185      33.727   6.155  16.537  1.00 55.85           N
ATOM   2719  NH2 ARG A 185      32.878   7.272  18.350  1.00 57.19           N
ATOM   2722  C   ARG A 185      30.252  12.759  15.082  1.00 39.45           C
ATOM   2723  O   ARG A 185      30.312  12.734  16.279  1.00 40.69           O
ATOM   2725  N   SER A 186      30.043  13.886  14.404  1.00 39.19           N
ATOM   2726  CA  SER A 186      29.988  15.215  14.994  1.00 39.62           C
ATOM   2728  CB  SER A 186      28.676  15.387  15.824  1.00 41.74           C
ATOM   2731  OG  SER A 186      27.524  15.263  14.982  1.00 41.75           O
ATOM   2733  C   SER A 186      31.236  15.598  15.809  1.00 39.62           C
ATOM   2734  O   SER A 186      31.153  16.349  16.794  1.00 39.05           O
ATOM   2736  N   LEU A 187      32.401  15.096  15.370  1.00 38.55           N
ATOM   2737  CA  LEU A 187      33.700  15.343  16.016  1.00 36.62           C
ATOM   2739  CB  LEU A 187      34.441  14.052  16.203  1.00 37.57           C
ATOM   2742  CG  LEU A 187      33.783  12.907  16.973  1.00 37.85           C
ATOM   2744  CD1 LEU A 187      34.698  11.790  16.843  1.00 34.83           C
ATOM   2748  CD2 LEU A 187      33.520  13.383  18.393  1.00 41.06           C
ATOM   2752  C   LEU A 187      34.606  16.302  15.239  1.00 36.62           C
ATOM   2753  O   LEU A 187      35.654  16.715  15.784  1.00 37.11           O
ATOM   2755  N   TRP A 188      34.238  16.642  13.988  1.00 35.45           N
ATOM   2756  CA  TRP A 188      35.060  17.477  13.113  1.00 35.47           C
ATOM   2758  CB  TRP A 188      34.489  17.537  11.668  1.00 35.76           C
ATOM   2761  CG  TRP A 188      35.171  18.570  10.882  1.00 31.25           C
ATOM   2762  CD1 TRP A 188      34.667  19.785  10.506  1.00 32.35           C
ATOM   2764  NE1 TRP A 188      35.623  20.513   9.849  1.00 32.61           N
ATOM   2766  CE2 TRP A 188      36.795  19.794   9.837  1.00 28.06           C
ATOM   2767  CD2 TRP A 188      36.545  18.568  10.487  1.00 28.00           C
ATOM   2768  CE3 TRP A 188      37.573  17.637  10.593  1.00 29.17           C
ATOM   2770  CZ3 TRP A 188      38.797  17.942  10.023  1.00 26.69           C
ATOM   2772  CH2 TRP A 188      39.019  19.174   9.408  1.00 23.86           C
ATOM   2774  CZ2 TRP A 188      38.014  20.111   9.302  1.00 26.86           C
ATOM   2776  C   TRP A 188      35.192  18.928  13.646  1.00 36.29           C
ATOM   2777  O   TRP A 188      36.256  19.491  13.693  1.00 35.22           O
ATOM   2779  N   ASP A 189      34.084  19.538  14.029  1.00 36.39           N
ATOM   2780  CA  ASP A 189      34.147  20.903  14.454  1.00 37.65           C
ATOM   2782  CB  ASP A 189      32.734  21.378  14.778  1.00 38.87           C
ATOM   2785  CG  ASP A 189      32.691  22.838  15.076  1.00 43.69           C
ATOM   2786  OD1 ASP A 189      32.547  23.642  14.113  1.00 51.93           O
ATOM   2787  OD2 ASP A 189      32.773  23.173  16.270  1.00 48.12           O
```

```
ATOM   2788  C   ASP A 189      35.131  21.123  15.650  1.00 36.44           C
ATOM   2789  O   ASP A 189      35.949  22.046  15.628  1.00 37.05           O
ATOM   2791  N   SER A 190      35.075  20.237  16.630  1.00 35.71           N
ATOM   2792  CA  SER A 190      35.958  20.251  17.781  1.00 36.18           C
ATOM   2794  CB  SER A 190      35.649  19.078  18.701  1.00 35.90           C
ATOM   2797  OG  SER A 190      36.657  18.917  19.700  1.00 36.76           O
ATOM   2799  C   SER A 190      37.396  20.128  17.297  1.00 36.17           C
ATOM   2800  O   SER A 190      38.274  20.997  17.564  1.00 35.59           O
ATOM   2802  N   PHE A 191      37.609  19.077  16.508  1.00 35.68           N
ATOM   2803  CA  PHE A 191      38.964  18.783  15.974  1.00 34.86           C
ATOM   2805  CB  PHE A 191      38.941  17.520  15.120  1.00 34.80           C
ATOM   2808  CG  PHE A 191      40.256  17.159  14.536  1.00 29.83           C
ATOM   2809  CD1 PHE A 191      41.267  16.608  15.319  1.00 27.51           C
ATOM   2811  CE1 PHE A 191      42.483  16.243  14.715  1.00 28.12           C
ATOM   2813  CZ  PHE A 191      42.660  16.403  13.371  1.00 28.30           C
ATOM   2815  CE2 PHE A 191      41.662  16.899  12.606  1.00 31.17           C
ATOM   2817  CD2 PHE A 191      40.469  17.308  13.186  1.00 30.35           C
ATOM   2819  C   PHE A 191      39.484  19.953  15.240  1.00 35.81           C
ATOM   2820  O   PHE A 191      40.635  20.377  15.468  1.00 39.04           O
ATOM   2822  N   ARG A 192      38.681  20.510  14.364  1.00 37.44           N
ATOM   2823  CA  ARG A 192      39.101  21.661  13.596  1.00 40.73           C
ATOM   2825  CB  ARG A 192      38.016  22.101  12.627  1.00 40.97           C
ATOM   2828  CG  ARG A 192      38.410  23.310  11.820  1.00 45.51           C
ATOM   2831  CD  ARG A 192      37.284  23.911  11.063  1.00 47.51           C
ATOM   2834  NE  ARG A 192      36.085  24.046  11.889  1.00 52.34           N
ATOM   2836  CZ  ARG A 192      35.718  25.145  12.543  1.00 55.03           C
ATOM   2837  NH1 ARG A 192      36.460  26.233  12.528  1.00 56.77           N
ATOM   2840  NH2 ARG A 192      34.594  25.149  13.239  1.00 57.12           N
ATOM   2843  C   ARG A 192      39.465  22.872  14.471  1.00 42.53           C
ATOM   2844  O   ARG A 192      40.391  23.620  14.168  1.00 42.73           O
ATOM   2846  N   GLN A 193      38.718  23.101  15.540  1.00 42.64           N
ATOM   2847  CA  GLN A 193      39.006  24.286  16.361  1.00 42.84           C
ATOM   2849  CB  GLN A 193      37.741  24.763  17.083  1.00 42.89           C
ATOM   2852  CG  GLN A 193      36.664  25.313  16.209  1.00 41.61           C
ATOM   2855  CD  GLN A 193      35.556  25.994  17.016  1.00 44.64           C
ATOM   2856  OE1 GLN A 193      35.743  27.085  17.557  1.00 39.07           O
ATOM   2857  NE2 GLN A 193      34.384  25.349  17.081  1.00 45.01           N
ATOM   2860  C   GLN A 193      40.210  24.107  17.307  1.00 44.01           C
ATOM   2861  O   GLN A 193      40.785  25.124  17.712  1.00 45.48           O
ATOM   2863  N   SER A 194      40.663  22.886  17.593  1.00 44.02           N
ATOM   2864  CA  SER A 194      41.803  22.698  18.519  1.00 45.95           C
ATOM   2866  CB  SER A 194      41.708  21.356  19.167  1.00 45.22           C
ATOM   2869  OG  SER A 194      41.505  20.452  18.153  1.00 49.40           O
ATOM   2871  C   SER A 194      43.218  22.837  17.948  1.00 47.09           C
ATOM   2872  O   SER A 194      44.201  22.407  18.561  1.00 48.16           O
ATOM   2874  N   GLU A 195      43.351  23.392  16.763  1.00 47.27           N
ATOM   2875  CA  GLU A 195      44.713  23.569  16.211  1.00 47.89           C
ATOM   2877  CB  GLU A 195      44.749  23.242  14.698  1.00 46.47           C
ATOM   2880  CG  GLU A 195      46.171  23.343  14.088  1.00 46.49           C
ATOM   2883  CD  GLU A 195      46.208  23.019  12.592  1.00 42.09           C
ATOM   2884  OE1 GLU A 195      45.667  21.977  12.213  1.00 39.80           O
ATOM   2885  OE2 GLU A 195      46.695  23.836  11.817  1.00 37.52           O
ATOM   2886  C   GLU A 195      45.098  25.032  16.431  1.00 48.18           C
ATOM   2887  O   GLU A 195      44.312  25.890  16.106  1.00 48.18           O
ATOM   2889  N   ARG A 196      46.316  25.274  16.904  1.00 50.67           N
ATOM   2890  CA  ARG A 196      46.898  26.649  17.239  1.00 52.34           C
ATOM   2892  CB  ARG A 196      48.434  26.548  17.169  1.00 51.78           C
ATOM   2901  C   ARG A 196      46.510  27.934  16.445  1.00 52.74           C
ATOM   2902  O   ARG A 196      45.357  28.154  16.021  1.00 55.25           O
ATOM   2904  O32 cil A 801      61.053  17.166  17.336  0.60 57.73           O
ATOM   2905  S30 cil A 801      60.183  16.043  17.508  0.60 56.27           S
ATOM   2906  O31 cil A 801      60.426  15.130  16.424  0.60 57.38           O
ATOM   2907  CP  cil A 801      60.634  15.277  18.941  1.00 56.91           C
```

```
ATOM   2910  CGB cil A 801      59.951  13.939  19.141  1.00 57.03           C
ATOM   2911  CD2 cil A 801      58.907  13.839  20.061  1.00 58.23           C
ATOM   2913  CE2 cil A 801      58.254  12.616  20.248  1.00 60.31           C
ATOM   2915  CZ  cil A 801      58.665  11.481  19.524  1.00 60.85           C
ATOM   2917  CE1 cil A 801      59.720  11.576  18.615  1.00 59.94           C
ATOM   2919  CD1 cil A 801      60.356  12.805  18.419  1.00 56.93           C
ATOM   2921  NJ  cil A 801      58.703  16.509  17.539  1.00 52.53           N
ATOM   2922  CI  cil A 801      58.427  17.933  17.855  1.00 51.58           C
ATOM   2925  CK  cil A 801      57.175  18.469  17.184  1.00 49.24           C
ATOM   2928  CG  cil A 801      56.064  17.431  17.352  1.00 48.54           C
ATOM   2931  CH  cil A 801      57.642  15.516  17.314  1.00 46.73           C
ATOM   2934  CF  cil A 801      56.410  16.120  16.631  1.00 45.93           C
ATOM   2935  CB  cil A 801      56.698  16.366  15.149  1.00 36.01           C
ATOM   2936  O13 cil A 801      57.678  15.835  14.580  1.00 32.50           O
ATOM   2937  CM  cil A 801      55.730  17.248  14.445  1.00 32.79           C
ATOM   2939  CA  cil A 801      55.509  17.325  13.110  1.00 32.20           C
ATOM   2940  O14 cil A 801      56.235  16.638  12.291  1.00 25.87           O
ATOM   2942  CE  cil A 801      54.451  18.222  12.629  1.00 33.27           C
ATOM   2943  OAN cil A 801      54.043  19.050  13.478  1.00 35.33           O
ATOM   2944  OAO cil A 801      54.071  18.295  11.450  1.00 30.90           O
ATOM   2945  CO  cil A 801      55.258  15.099  16.672  1.00 50.17           C
ATOM   2948  CGA cil A 801      54.568  15.044  18.019  1.00 53.47           C
ATOM   2949  CDB cil A 801      53.630  16.024  18.401  1.00 55.14           C
ATOM   2951  CEB cil A 801      53.018  15.968  19.658  1.00 57.71           C
ATOM   2953  CDA cil A 801      54.895  13.997  18.886  1.00 56.23           C
ATOM   2955  CEA cil A 801      54.261  13.934  20.128  1.00 58.00           C
ATOM   2957  CZB cil A 801      53.342  14.916  20.500  1.00 57.45           C
ATOM   2958  CL  cil A 801      52.552  14.795  22.088  1.00 65.61          CL
ATOM   2959  MN   MN A 901      55.441  17.121  10.259  1.00 26.23          MN
ATOM   2960  MN   MN A 902      57.695  15.256  12.553  1.00 32.69          MN
ATOM   2961  OH2 WAT A 903      59.083  16.811  11.845  1.00 30.18           O
ATOM   2964  OH2 WAT A 904      59.506  13.985  12.897  1.00 34.20           O
ATOM   2967  OH2 WAT Z   1      57.073  18.744  -1.578  1.00 27.97           O
ATOM   2970  OH2 WAT Z   2      61.259  16.436  -1.670  1.00 28.42           O
ATOM   2973  OH2 WAT Z   3      38.704  21.743  20.181  0.50 24.92           O
ATOM   2976  OH2 WAT Z   4      51.566  18.952  10.933  1.00 24.92           O
ATOM   2979  OH2 WAT Z   5      64.685  16.407  19.443  1.00 34.57           O
ATOM   2982  OH2 WAT Z   6      40.128   6.104   4.054  1.00 35.98           O
ATOM   2985  OH2 WAT Z   7      67.540  19.096   3.287  1.00 28.22           O
ATOM   2988  OH2 WAT Z   8      41.923  21.652   6.410  1.00 31.66           O
ATOM   2991  OH2 WAT Z   9      46.140  18.576  11.562  1.00 29.29           O
ATOM   2994  OH2 WAT Z  10      52.050  13.557 -11.851  1.00 42.71           O
ATOM   2997  OH2 WAT Z  11      30.038  16.498   6.206  1.00 30.20           O
ATOM   3000  OH2 WAT Z  12      47.655  16.197  11.836  1.00 29.72           O
ATOM   3003  OH2 WAT Z  13      55.304   9.756  -6.788  1.00 41.79           O
ATOM   3006  OH2 WAT Z  14      42.495  16.851   1.694  1.00 28.06           O
ATOM   3009  OH2 WAT Z  15      50.309  10.910 -11.312  1.00 42.43           O
ATOM   3012  OH2 WAT Z  16      45.497   3.737   9.204  1.00 37.30           O
ATOM   3015  OH2 WAT Z  18      65.343  22.138  10.865  1.00 36.86           O
ATOM   3018  OH2 WAT Z  19      59.976   5.414  -0.644  1.00 40.92           O
ATOM   3021  OH2 WAT Z  20      43.941  25.422   2.549  1.00 40.75           O
ATOM   3024  OH2 WAT Z  21      49.956  17.533  12.556  1.00 34.74           O
ATOM   3027  OH2 WAT Z  22      31.343  18.235  13.530  1.00 38.23           O
ATOM   3030  OH2 WAT Z  23      69.121  19.282   1.068  1.00 34.73           O
ATOM   3033  OH2 WAT Z  24      42.744  19.068  -4.776  1.00 32.18           O
ATOM   3036  OH2 WAT Z  25      71.088   5.741   6.557  1.00 42.30           O
ATOM   3039  OH2 WAT Z  26      40.961   7.159   1.472  1.00 41.68           O
ATOM   3042  OH2 WAT Z  27      73.968   7.591  13.017  1.00 38.60           O
ATOM   3045  OH2 WAT Z  29      60.643  15.295  -7.290  1.00 34.95           O
ATOM   3048  OH2 WAT Z  30      71.852  14.259  15.848  1.00 48.93           O
ATOM   3051  OH2 WAT Z  31      38.051  21.616  -1.639  1.00 42.27           O
ATOM   3054  OH2 WAT Z  32      55.765  19.517  -8.142  1.00 39.74           O
ATOM   3057  OH2 WAT Z  33      61.902   3.640  17.023  1.00 43.42           O
```

```
ATOM   3060  OH2 WAT Z  34      45.519  20.703  -4.713  1.00 44.57           O
ATOM   3063  OH2 WAT Z  35      38.985   5.470   8.431  1.00 38.90           O
ATOM   3066  OH2 WAT Z  36      59.427  12.749  15.253  1.00 39.92           O
ATOM   3069  OH2 WAT Z  37      60.472  10.440  14.876  1.00 35.27           O
ATOM   3072  OH2 WAT Z  38      52.941  25.345  -3.209  1.00 36.14           O
ATOM   3075  OH2 WAT Z  39      32.646  18.717  17.216  1.00 38.32           O
ATOM   3078  OH2 WAT Z  40      48.706  23.747  -4.804  1.00 34.97           O
ATOM   3081  OH2 WAT Z  43      63.902  22.703  -1.026  1.00 39.80           O
ATOM   3084  OH2 WAT Z  44      47.086  15.488  -7.245  1.00 41.14           O
ATOM   3087  OH2 WAT Z  45      37.348  29.035  17.843  1.00 37.75           O
ATOM   3090  OH2 WAT Z  46      43.518   7.443  -0.088  1.00 41.34           O
ATOM   3093  OH2 WAT Z  47      35.474  23.141   8.204  1.00 43.91           O
ATOM   3096  OH2 WAT Z  48      62.625   4.491   6.219  1.00 46.42           O
ATOM   3099  OH2 WAT Z  49      55.363   3.527   4.813  1.00 53.74           O
ATOM   3102  OH2 WAT Z  50      29.097  17.237  11.257  1.00 40.71           O
ATOM   3105  OH2 WAT Z  52      46.450  23.495  -3.357  1.00 36.42           O
ATOM   3108  OH2 WAT Z  53      39.816  22.566   7.787  1.00 44.23           O
ATOM   3111  OH2 WAT Z  54      50.790  25.296  -7.626  1.00 47.59           O
ATOM   3114  OH2 WAT Z  55      33.752  18.740   7.662  1.00 38.93           O
ATOM   3117  OH2 WAT Z  56      54.946  28.181  -2.378  1.00 56.22           O
ATOM   3120  OH2 WAT Z  57      59.397  28.744  -1.513  1.00 44.95           O
ATOM   3123  OH2 WAT Z  58      37.750  23.261   6.502  1.00 48.53           O
ATOM   3126  OH2 WAT Z  59      35.300  12.965  21.863  1.00 57.82           O
ATOM   3129  OH2 WAT Z  60      37.614   7.381   1.350  1.00 36.73           O
ATOM   3132  OH2 WAT Z  61      63.498   3.175  14.610  1.00 53.27           O
ATOM   3135  OH2 WAT Z  62      42.301  24.286   4.864  1.00 42.97           O
ATOM   3138  OH2 WAT Z  63      63.366  18.279  16.941  1.00 39.55           O
ATOM   3141  OH2 WAT Z  64      31.100  18.979   7.375  1.00 44.42           O
ATOM   3144  OH2 WAT Z  65      45.337  18.138   1.047  1.00 40.67           O
ATOM   3147  OH2 WAT Z  66      52.657  12.351  13.992  1.00 35.16           O
ATOM   3150  OH2 WAT Z  67      42.874  29.165   8.279  1.00 45.65           O
ATOM   3153  OH2 WAT Z  68      56.220  29.847  13.406  1.00 45.04           O
ATOM   3156  OH2 WAT Z  69      62.411  22.567  -5.362  1.00 45.81           O
ATOM   3159  OH2 WAT Z  70      70.451   9.758  -2.164  1.00 39.56           O
ATOM   3162  OH2 WAT Z  71      66.063   3.607  -9.354  1.00 58.02           O
ATOM   3165  OH2 WAT Z  72      68.977  20.053   5.572  1.00 50.52           O
ATOM   3168  OH2 WAT Z  73      43.220   1.110  20.549  1.00 57.38           O
ATOM   3171  OH2 WAT Z  74      60.177  18.447  15.195  1.00 63.23           O
ATOM   3174  OH2 WAT Z  75      47.048  -0.137  18.643  1.00 41.49           O
ATOM   3177  OH2 WAT Z  76      30.889  18.926  11.147  1.00 49.30           O
ATOM   3180  OH2 WAT Z  77      35.546   5.848   2.440  1.00 51.27           O
ATOM   3183  OH2 WAT Z  78      42.310   8.977  -4.655  1.00 44.90           O
ATOM   3186  OH2 WAT Z  79      29.515  19.108  15.277  1.00 52.98           O
ATOM   3189  OH2 WAT Z  80      65.972  21.567  -0.154  1.00 54.82           O
ATOM   3192  OH2 WAT Z  81      63.611  19.972  10.280  1.00 34.36           O
ATOM   3195  OH2 WAT Z  84      70.312  14.978  -5.408  1.00 46.49           O
ATOM   3198  OH2 WAT Z  85      59.075  17.120  -8.006  1.00 36.47           O
ATOM   3201  OH2 WAT Z  86      61.218  19.761  10.732  1.00 35.24           O
ATOM   3204  OH2 WAT Z  87      34.505  22.643   2.888  1.00 43.76           O
ATOM   3207  OH2 WAT Z  88      70.603  23.278   9.934  1.00 58.37           O
ATOM   3210  OH2 WAT Z  89      42.605   6.965  -2.891  1.00 51.64           O
ATOM   3213  OH2 WAT Z  90      32.745   7.515  11.255  1.00 53.65           O
ATOM   3216  OH2 WAT Z  91      76.625   8.103  10.968  1.00 49.14           O
ATOM   3219  OH2 WAT Z  92      70.296  18.337  -2.321  1.00 43.04           O
ATOM   3222  OH2 WAT Z  93      51.113  31.653  10.198  1.00 45.47           O
ATOM   3225  OH2 WAT Z  94      35.555  17.473  21.332  1.00 46.53           O
ATOM   3228  OH2 WAT Z  95      45.909  28.788   1.826  1.00 40.43           O
ATOM   3231  OH2 WAT Z  96      69.218  11.585  -7.075  1.00 42.48           O
ATOM   3234  OH2 WAT Z 100      53.881  27.018  15.702  1.00 61.65           O
ATOM   3237  OH2 WAT Z 101      58.547   4.831  11.123  1.00 54.10           O
ATOM   3240  OH2 WAT Z 102      28.101   8.109  12.728  1.00 57.92           O
ATOM   3243  OH2 WAT Z 103      54.197  23.707  -9.308  1.00 51.65           O
ATOM   3246  OH2 WAT Z 104      44.604  -0.043  17.825  1.00 40.83           O
```

```
ATOM   3249  OH2 WAT Z 106      67.152  23.413  10.396  1.00 53.36           O
ATOM   3252  OH2 WAT Z 107      47.292  19.642  16.716  1.00 59.73           O
ATOM   3255  OH2 WAT Z 111      50.477   6.557  -6.233  1.00 49.13           O
END
```

Figure 16: H1N1 polypeptide fragment (chain A) with bound EGCG

```
HEADER    ----                                      XX-XXX-XX    xxxx
COMPND    ---
REMARK   3
REMARK   3 REFINEMENT.
REMARK   3   PROGRAM     : REFMAC 5.5.0102
REMARK   3   AUTHORS     : MURSHUDOV,VAGIN,DODSON
REMARK   3
REMARK   3    REFINEMENT TARGET : MAXIMUM LIKELIHOOD
REMARK   3
REMARK   3  DATA USED IN REFINEMENT.
REMARK   3   RESOLUTION RANGE HIGH (ANGSTROMS) :   2.60
REMARK   3   RESOLUTION RANGE LOW  (ANGSTROMS) :  42.78
REMARK   3   DATA CUTOFF            (SIGMA(F)) : NONE
REMARK   3   COMPLETENESS FOR RANGE        (%) :  98.48
REMARK   3   NUMBER OF REFLECTIONS             :    7434
REMARK   3
REMARK   3  FIT TO DATA USED IN REFINEMENT.
REMARK   3   CROSS-VALIDATION METHOD           : THROUGHOUT
REMARK   3   FREE R VALUE TEST SET SELECTION   : RANDOM
REMARK   3   R VALUE     (WORKING + TEST SET) : 0.25191
REMARK   3   R VALUE            (WORKING SET) :  0.24948
REMARK   3   FREE R VALUE                      :  0.30415
REMARK   3   FREE R VALUE TEST SET SIZE   (%) :  4.7
REMARK   3   FREE R VALUE TEST SET COUNT       :   363
REMARK   3
REMARK   3  FIT IN THE HIGHEST RESOLUTION BIN.
REMARK   3   TOTAL NUMBER OF BINS USED           :      20
REMARK   3   BIN RESOLUTION RANGE HIGH           :   2.602
REMARK   3   BIN RESOLUTION RANGE LOW            :   2.669
REMARK   3   REFLECTION IN BIN     (WORKING SET) :     523
REMARK   3   BIN COMPLETENESS (WORKING+TEST) (%) :   97.35
REMARK   3   BIN R VALUE           (WORKING SET) :   0.340
REMARK   3   BIN FREE R VALUE SET COUNT          :      27
REMARK   3   BIN FREE R VALUE                    :   0.559
REMARK   3
REMARK   3  NUMBER OF NON-HYDROGEN ATOMS USED IN REFINEMENT.
REMARK   3   ALL ATOMS                 :     1557
REMARK   3
REMARK   3  B VALUES.
REMARK   3   FROM WILSON PLOT           (A**2) : NULL
REMARK   3   MEAN B VALUE      (OVERALL, A**2) :  34.202
REMARK   3   OVERALL ANISOTROPIC B VALUE.
REMARK   3    B11 (A**2) :     9.15
REMARK   3    B22 (A**2) :     9.15
REMARK   3    B33 (A**2) :   -18.30
REMARK   3    B12 (A**2) :     0.00
REMARK   3    B13 (A**2) :     0.00
REMARK   3    B23 (A**2) :     0.00
REMARK   3
REMARK   3  ESTIMATED OVERALL COORDINATE ERROR.
REMARK   3   ESU BASED ON R VALUE                                (A):   0.160
REMARK   3   ESU BASED ON FREE R VALUE                           (A):   0.078
REMARK   3   ESU BASED ON MAXIMUM LIKELIHOOD                     (A):   0.257
REMARK   3   ESU FOR B VALUES BASED ON MAXIMUM LIKELIHOOD (A**2):  13.175
REMARK   3
REMARK   3 CORRELATION COEFFICIENTS.
REMARK   3   CORRELATION COEFFICIENT FO-FC      :   0.902
REMARK   3   CORRELATION COEFFICIENT FO-FC FREE :   0.868
REMARK   3
REMARK   3  RMS DEVIATIONS FROM IDEAL VALUES        COUNT    RMS    WEIGHT
```

```
REMARK   3   BOND LENGTHS REFINED ATOMS        (A):  1554 ; 0.009 ; 0.022
REMARK   3   BOND LENGTHS OTHERS               (A):  1094 ; 0.001 ; 0.020
REMARK   3   BOND ANGLES REFINED ATOMS   (DEGREES):  2088 ; 1.201 ; 1.973
REMARK   3   BOND ANGLES OTHERS          (DEGREES):  2634 ; 0.789 ; 3.000
REMARK   3   TORSION ANGLES, PERIOD 1    (DEGREES):   176 ; 5.150 ; 5.000
REMARK   3   TORSION ANGLES, PERIOD 2    (DEGREES):    79 ;35.593 ;23.165
REMARK   3   TORSION ANGLES, PERIOD 3    (DEGREES):   290 ;16.970 ;15.000
REMARK   3   TORSION ANGLES, PERIOD 4    (DEGREES):    14 ;18.333 ;15.000
REMARK   3   CHIRAL-CENTER RESTRAINTS       (A**3):   219 ; 0.058 ; 0.200
REMARK   3   GENERAL PLANES REFINED ATOMS      (A):  1686 ; 0.004 ; 0.020
REMARK   3   GENERAL PLANES OTHERS             (A):   342 ; 0.001 ; 0.020
REMARK   3
REMARK   3  ISOTROPIC THERMAL FACTOR RESTRAINTS.     COUNT   RMS     WEIGHT
REMARK   3   MAIN-CHAIN BOND REFINED ATOMS  (A**2):   889 ; 0.548 ; 1.500
REMARK   3   MAIN-CHAIN BOND OTHER ATOMS    (A**2):   359 ; 0.069 ; 1.500
REMARK   3   MAIN-CHAIN ANGLE REFINED ATOMS (A**2):  1438 ; 1.057 ; 2.000
REMARK   3   SIDE-CHAIN BOND REFINED ATOMS  (A**2):   665 ; 1.403 ; 3.000
REMARK   3   SIDE-CHAIN ANGLE REFINED ATOMS (A**2):   650 ; 2.392 ; 4.500
REMARK   3
REMARK   3  NCS RESTRAINTS STATISTICS
REMARK   3   NUMBER OF NCS GROUPS : NULL
REMARK   3
REMARK   3  TWIN DETAILS
REMARK   3   NUMBER OF TWIN DOMAINS  : NULL
REMARK   3
REMARK   3
REMARK   3  TLS DETAILS
REMARK   3   NUMBER OF TLS GROUPS  : NULL
REMARK   3
REMARK   3
REMARK   3  BULK SOLVENT MODELLING.
REMARK   3   METHOD USED :  MASK
REMARK   3   PARAMETERS FOR MASK CALCULATION
REMARK   3   VDW PROBE RADIUS   :   1.40
REMARK   3   ION PROBE RADIUS   :   0.80
REMARK   3   SHRINKAGE RADIUS   :   0.80
REMARK   3
REMARK   3  OTHER REFINEMENT REMARKS:
REMARK   3  HYDROGENS HAVE BEEN ADDED IN THE RIDING POSITIONS
REMARK   3  U VALUES       : REFINED INDIVIDUALLY
REMARK   3
LINKR          GLY A  52                    ALA A  70                 gap
LINKR          LYS A 139                    GLU A 141                 gap
CRYST1   99.940   99.940   82.730  90.00  90.00 120.00 P 64 2 2
SCALE1      0.010006  0.005777  0.000000        0.00000
SCALE2      0.000000  0.011554  0.000000        0.00000
SCALE3      0.000000  0.000000  0.012088        0.00000
ATOM      2  CA  ALA A   0      -2.958 -50.956  20.866  1.00 38.32           C
ATOM      4  CB  ALA A   0      -4.292 -50.809  20.158  1.00 38.65           C
ATOM      8  C   ALA A   0      -1.914 -50.172  20.100  1.00 38.49           C
ATOM      9  O   ALA A   0      -1.251 -50.707  19.213  1.00 38.54           O
ATOM     10  N   MET A   1      -1.797 -48.886  20.419  1.00 38.55           N
ATOM     11  CA  MET A   1      -0.896 -47.991  19.693  1.00 38.41           C
ATOM     13  CB  MET A   1      -1.116 -46.540  20.118  1.00 38.56           C
ATOM     16  CG  MET A   1      -0.069 -45.553  19.591  1.00 38.72           C
ATOM     19  SD  MET A   1      -0.064 -45.442  17.800  1.00 38.46           S
ATOM     20  CE  MET A   1      -1.234 -44.111  17.543  1.00 38.94           C
ATOM     24  C   MET A   1       0.562 -48.381  19.889  1.00 38.50           C
ATOM     25  O   MET A   1       1.389 -48.168  19.005  1.00 38.18           O
ATOM     27  N   GLU A   2       0.888 -48.956  21.038  1.00 38.78           N
ATOM     28  CA  GLU A   2       2.254 -49.380  21.251  1.00 39.20           C
ATOM     30  CB  GLU A   2       2.473 -49.950  22.654  1.00 39.51           C
ATOM     33  CG  GLU A   2       3.962 -50.141  22.975  1.00 39.86           C
```

```
ATOM     36  CD  GLU A   2       4.244 -50.723  24.351  1.00 41.32           C
ATOM     37  OE1 GLU A   2       3.315 -51.206  25.047  1.00 42.21           O
ATOM     38  OE2 GLU A   2       5.430 -50.700  24.736  1.00 43.38           O
ATOM     39  C   GLU A   2       2.616 -50.410  20.205  1.00 39.33           C
ATOM     40  O   GLU A   2       3.656 -50.312  19.575  1.00 39.67           O
ATOM     42  N   ASP A   3       1.742 -51.387  20.001  1.00 39.74           N
ATOM     43  CA  ASP A   3       2.044 -52.518  19.106  1.00 39.73           C
ATOM     45  CB  ASP A   3       1.003 -53.621  19.292  1.00 40.00           C
ATOM     48  CG  ASP A   3       1.006 -54.180  20.706  1.00 42.56           C
ATOM     49  OD1 ASP A   3       2.114 -54.449  21.244  1.00 46.13           O
ATOM     50  OD2 ASP A   3      -0.091 -54.336  21.290  1.00 45.10           O
ATOM     51  C   ASP A   3       2.141 -52.096  17.642  1.00 38.69           C
ATOM     52  O   ASP A   3       2.936 -52.639  16.870  1.00 38.86           O
ATOM     54  N   PHE A   4       1.340 -51.115  17.268  1.00 37.65           N
ATOM     55  CA  PHE A   4       1.449 -50.531  15.946  1.00 37.05           C
ATOM     57  CB  PHE A   4       0.439 -49.408  15.769  1.00 36.69           C
ATOM     60  CG  PHE A   4       0.588 -48.694  14.481  1.00 37.32           C
ATOM     61  CD1 PHE A   4       0.130 -49.271  13.311  1.00 37.67           C
ATOM     63  CE1 PHE A   4       0.277 -48.622  12.103  1.00 37.71           C
ATOM     65  CZ  PHE A   4       0.897 -47.386  12.057  1.00 38.26           C
ATOM     67  CE2 PHE A   4       1.376 -46.800  13.224  1.00 36.88           C
ATOM     69  CD2 PHE A   4       1.226 -47.455  14.421  1.00 37.64           C
ATOM     71  C   PHE A   4       2.861 -49.989  15.721  1.00 36.40           C
ATOM     72  O   PHE A   4       3.539 -50.387  14.773  1.00 36.25           O
ATOM     74  N   VAL A   5       3.297 -49.098  16.607  1.00 35.59           N
ATOM     75  CA  VAL A   5       4.622 -48.513  16.507  1.00 35.33           C
ATOM     77  CB  VAL A   5       4.990 -47.674  17.758  1.00 35.58           C
ATOM     79  CG1 VAL A   5       6.443 -47.169  17.646  1.00 35.49           C
ATOM     83  CG2 VAL A   5       4.017 -46.485  17.951  1.00 34.00           C
ATOM     87  C   VAL A   5       5.697 -49.586  16.253  1.00 35.25           C
ATOM     88  O   VAL A   5       6.487 -49.448  15.320  1.00 34.86           O
ATOM     90  N   ARG A   6       5.678 -50.673  17.025  1.00 34.99           N
ATOM     91  CA  ARG A   6       6.731 -51.687  16.946  1.00 35.30           C
ATOM     93  CB  ARG A   6       6.811 -52.561  18.219  1.00 35.55           C
ATOM     96  CG  ARG A   6       6.306 -51.916  19.512  1.00 36.75           C
ATOM     99  CD  ARG A   6       6.714 -52.703  20.745  1.00 37.93           C
ATOM    102  NE  ARG A   6       8.038 -52.291  21.188  1.00 40.77           N
ATOM    104  CZ  ARG A   6       8.297 -51.363  22.108  1.00 41.42           C
ATOM    105  NH1 ARG A   6       7.325 -50.737  22.757  1.00 42.21           N
ATOM    108  NH2 ARG A   6       9.554 -51.069  22.396  1.00 42.13           N
ATOM    111  C   ARG A   6       6.579 -52.605  15.735  1.00 35.22           C
ATOM    112  O   ARG A   6       7.390 -53.511  15.533  1.00 35.54           O
ATOM    114  N   GLN A   7       5.520 -52.421  14.961  1.00 34.97           N
ATOM    115  CA  GLN A   7       5.358 -53.141  13.697  1.00 34.58           C
ATOM    117  CB  GLN A   7       3.942 -53.733  13.586  1.00 35.12           C
ATOM    120  CG  GLN A   7       3.617 -54.842  14.604  1.00 36.29           C
ATOM    123  CD  GLN A   7       2.111 -54.980  14.879  1.00 38.16           C
ATOM    124  OE1 GLN A   7       1.284 -54.470  14.121  1.00 40.59           O
ATOM    125  NE2 GLN A   7       1.758 -55.653  15.974  1.00 36.63           N
ATOM    128  C   GLN A   7       5.594 -52.176  12.557  1.00 33.63           C
ATOM    129  O   GLN A   7       6.157 -52.545  11.545  1.00 33.98           O
ATOM    131  N   CYS A   8       5.154 -50.932  12.719  1.00 32.58           N
ATOM    132  CA  CYS A   8       5.220 -49.952  11.641  1.00 32.10           C
ATOM    134  CB  CYS A   8       4.286 -48.791  11.956  1.00 31.88           C
ATOM    137  SG  CYS A   8       4.508 -47.419  10.843  1.00 33.87           S
ATOM    139  C   CYS A   8       6.636 -49.414  11.372  1.00 31.12           C
ATOM    140  O   CYS A   8       6.987 -49.056  10.243  1.00 30.42           O
ATOM    142  N   PHE A   9       7.434 -49.342  12.426  1.00 30.32           N
ATOM    143  CA  PHE A   9       8.717 -48.676  12.363  1.00 29.67           C
ATOM    145  CB  PHE A   9       8.768 -47.548  13.405  1.00 29.41           C
ATOM    148  CG  PHE A   9       7.812 -46.413  13.114  1.00 28.23           C
ATOM    149  CD1 PHE A   9       8.093 -45.501  12.095  1.00 28.80           C
ATOM    151  CE1 PHE A   9       7.223 -44.444  11.809  1.00 28.14           C
```

```
ATOM    153  CZ  PHE A   9       6.052 -44.311  12.549  1.00 27.84           C
ATOM    155  CE2 PHE A   9       5.764 -45.224  13.571  1.00 26.77           C
ATOM    157  CD2 PHE A   9       6.639 -46.262  13.840  1.00 26.84           C
ATOM    159  C   PHE A   9       9.813 -49.690  12.583  1.00 29.45           C
ATOM    160  O   PHE A   9       9.621 -50.671  13.298  1.00 29.14           O
ATOM    162  N   ASN A  10      10.962 -49.463  11.953  1.00 29.40           N
ATOM    163  CA  ASN A  10      12.074 -50.379  12.116  1.00 29.32           C
ATOM    165  CB  ASN A  10      13.155 -50.136  11.048  1.00 29.60           C
ATOM    168  CG  ASN A  10      14.130 -49.044  11.425  1.00 30.88           C
ATOM    169  OD1 ASN A  10      14.838 -49.152  12.422  1.00 34.37           O
ATOM    170  ND2 ASN A  10      14.204 -48.003  10.611  1.00 31.40           N
ATOM    173  C   ASN A  10      12.601 -50.288  13.561  1.00 28.82           C
ATOM    174  O   ASN A  10      12.433 -49.262  14.234  1.00 28.98           O
ATOM    176  N   PRO A  11      13.210 -51.366  14.054  1.00 27.98           N
ATOM    177  CA  PRO A  11      13.616 -51.390  15.452  1.00 28.02           C
ATOM    179  CB  PRO A  11      14.245 -52.786  15.602  1.00 28.00           C
ATOM    182  CG  PRO A  11      13.689 -53.585  14.484  1.00 27.59           C
ATOM    185  CD  PRO A  11      13.491 -52.638  13.370  1.00 27.90           C
ATOM    188  C   PRO A  11      14.603 -50.282  15.908  1.00 28.28           C
ATOM    189  O   PRO A  11      14.509 -49.839  17.057  1.00 27.65           O
ATOM    190  N   MET A  12      15.522 -49.847  15.037  1.00 28.46           N
ATOM    191  CA  MET A  12      16.458 -48.764  15.370  1.00 29.11           C
ATOM    193  CB  MET A  12      17.460 -48.497  14.214  1.00 30.11           C
ATOM    196  CG  MET A  12      18.237 -47.137  14.301  1.00 34.75           C
ATOM    199  SD  MET A  12      19.622 -46.832  13.106  1.00 45.22           S
ATOM    200  CE  MET A  12      18.752 -45.924  11.808  1.00 42.93           C
ATOM    204  C   MET A  12      15.676 -47.504  15.727  1.00 28.27           C
ATOM    205  O   MET A  12      15.883 -46.915  16.791  1.00 27.82           O
ATOM    207  N   ILE A  13      14.777 -47.107  14.831  1.00 27.74           N
ATOM    208  CA  ILE A  13      13.888 -45.963  15.043  1.00 27.50           C
ATOM    210  CB  ILE A  13      12.812 -45.867  13.916  1.00 27.79           C
ATOM    212  CG1 ILE A  13      13.453 -45.462  12.590  1.00 28.46           C
ATOM    215  CD1 ILE A  13      14.177 -44.171  12.667  1.00 31.66           C
ATOM    219  CG2 ILE A  13      11.711 -44.885  14.272  1.00 26.30           C
ATOM    223  C   ILE A  13      13.158 -46.090  16.377  1.00 27.31           C
ATOM    224  O   ILE A  13      13.194 -45.183  17.218  1.00 27.14           O
ATOM    226  N   VAL A  14      12.486 -47.220  16.568  1.00 26.83           N
ATOM    227  CA  VAL A  14      11.727 -47.422  17.790  1.00 26.51           C
ATOM    229  CB  VAL A  14      11.073 -48.826  17.851  1.00 26.30           C
ATOM    231  CG1 VAL A  14      10.888 -49.271  19.269  1.00 25.54           C
ATOM    235  CG2 VAL A  14       9.747 -48.811  17.135  1.00 25.28           C
ATOM    239  C   VAL A  14      12.655 -47.199  18.966  1.00 26.65           C
ATOM    240  O   VAL A  14      12.350 -46.410  19.841  1.00 27.21           O
ATOM    242  N   GLU A  15      13.806 -47.860  18.956  1.00 26.55           N
ATOM    243  CA  GLU A  15      14.763 -47.767  20.057  1.00 26.50           C
ATOM    245  CB  GLU A  15      15.994 -48.643  19.759  1.00 26.92           C
ATOM    248  CG  GLU A  15      17.055 -48.645  20.831  1.00 28.10           C
ATOM    251  CD  GLU A  15      16.546 -49.161  22.138  1.00 30.86           C
ATOM    252  OE1 GLU A  15      15.821 -50.179  22.118  1.00 32.95           O
ATOM    253  OE2 GLU A  15      16.870 -48.560  23.187  1.00 33.11           O
ATOM    254  C   GLU A  15      15.170 -46.321  20.324  1.00 25.96           C
ATOM    255  O   GLU A  15      15.196 -45.888  21.470  1.00 26.34           O
ATOM    257  N   LEU A  16      15.463 -45.567  19.276  1.00 25.16           N
ATOM    258  CA  LEU A  16      15.798 -44.165  19.443  1.00 24.97           C
ATOM    260  CB  LEU A  16      16.244 -43.535  18.108  1.00 24.92           C
ATOM    263  CG  LEU A  16      17.655 -43.892  17.596  1.00 24.76           C
ATOM    265  CD1 LEU A  16      17.995 -43.157  16.316  1.00 24.82           C
ATOM    269  CD2 LEU A  16      18.706 -43.597  18.648  1.00 23.94           C
ATOM    273  C   LEU A  16      14.629 -43.377  20.041  1.00 25.24           C
ATOM    274  O   LEU A  16      14.831 -42.437  20.833  1.00 25.65           O
ATOM    276  N   ALA A  17      13.408 -43.744  19.669  1.00 25.24           N
ATOM    277  CA  ALA A  17      12.228 -43.077  20.214  1.00 25.17           C
ATOM    279  CB  ALA A  17      10.972 -43.559  19.525  1.00 24.97           C
```

```
ATOM    283  C   ALA A  17      12.132 -43.298  21.718  1.00 25.19           C
ATOM    284  O   ALA A  17      11.855 -42.361  22.464  1.00 24.69           O
ATOM    286  N   GLU A  18      12.384 -44.526  22.163  1.00 25.61           N
ATOM    287  CA  GLU A  18      12.268 -44.852  23.582  1.00 26.54           C
ATOM    289  CB  GLU A  18      12.446 -46.343  23.831  1.00 26.75           C
ATOM    292  CG  GLU A  18      11.279 -47.172  23.345  1.00 28.90           C
ATOM    295  CD  GLU A  18      11.627 -48.644  23.197  1.00 30.85           C
ATOM    296  OE1 GLU A  18      12.348 -49.014  22.244  1.00 35.60           O
ATOM    297  OE2 GLU A  18      11.176 -49.439  24.025  1.00 30.02           O
ATOM    298  C   GLU A  18      13.280 -44.081  24.406  1.00 26.76           C
ATOM    299  O   GLU A  18      12.914 -43.368  25.333  1.00 26.80           O
ATOM    301  N   LYS A  19      14.553 -44.221  24.062  1.00 27.19           N
ATOM    302  CA  LYS A  19      15.599 -43.493  24.761  1.00 27.72           C
ATOM    304  CB  LYS A  19      16.943 -43.745  24.075  1.00 28.13           C
ATOM    307  CG  LYS A  19      18.075 -42.844  24.515  1.00 30.88           C
ATOM    310  CD  LYS A  19      19.393 -43.274  23.846  1.00 35.40           C
ATOM    313  CE  LYS A  19      20.548 -42.341  24.229  1.00 38.04           C
ATOM    316  NZ  LYS A  19      21.565 -42.290  23.135  1.00 40.40           N
ATOM    320  C   LYS A  19      15.255 -41.991  24.838  1.00 27.32           C
ATOM    321  O   LYS A  19      15.385 -41.377  25.883  1.00 27.25           O
ATOM    323  N   ALA A  20      14.788 -41.417  23.738  1.00 27.29           N
ATOM    324  CA  ALA A  20      14.406 -40.008  23.712  1.00 27.47           C
ATOM    326  CB  ALA A  20      14.017 -39.594  22.305  1.00 27.28           C
ATOM    330  C   ALA A  20      13.271 -39.704  24.692  1.00 27.79           C
ATOM    331  O   ALA A  20      13.338 -38.729  25.440  1.00 28.10           O
ATOM    333  N   MET A  21      12.235 -40.541  24.704  1.00 28.05           N
ATOM    334  CA  MET A  21      11.116 -40.328  25.625  1.00 27.93           C
ATOM    336  CB  MET A  21       9.982 -41.310  25.361  1.00 27.92           C
ATOM    339  CG  MET A  21       9.211 -41.021  24.095  1.00 27.92           C
ATOM    342  SD  MET A  21       7.753 -42.077  23.918  1.00 27.49           S
ATOM    343  CE  MET A  21       6.684 -41.421  25.202  1.00 24.54           C
ATOM    347  C   MET A  21      11.578 -40.463  27.052  1.00 27.87           C
ATOM    348  O   MET A  21      11.203 -39.661  27.898  1.00 27.95           O
ATOM    350  N   LYS A  22      12.395 -41.476  27.319  1.00 27.99           N
ATOM    351  CA  LYS A  22      12.909 -41.696  28.668  1.00 28.41           C
ATOM    353  CB  LYS A  22      13.624 -43.047  28.768  1.00 28.43           C
ATOM    356  CG  LYS A  22      12.701 -44.266  28.780  1.00 28.34           C
ATOM    359  CD  LYS A  22      13.443 -45.537  29.204  1.00 28.21           C
ATOM    362  CE  LYS A  22      12.817 -46.786  28.586  1.00 28.68           C
ATOM    365  NZ  LYS A  22      13.112 -48.026  29.373  1.00 29.07           N
ATOM    369  C   LYS A  22      13.847 -40.569  29.145  1.00 28.80           C
ATOM    370  O   LYS A  22      13.923 -40.278  30.336  1.00 28.62           O
ATOM    372  N   GLU A  23      14.564 -39.931  28.230  1.00 29.39           N
ATOM    373  CA  GLU A  23      15.401 -38.805  28.624  1.00 30.07           C
ATOM    375  CB  GLU A  23      16.215 -38.281  27.453  1.00 30.38           C
ATOM    378  CG  GLU A  23      17.462 -39.073  27.187  1.00 31.17           C
ATOM    381  CD  GLU A  23      18.211 -38.579  25.977  1.00 32.82           C
ATOM    382  OE1 GLU A  23      18.295 -37.344  25.781  1.00 33.58           O
ATOM    383  OE2 GLU A  23      18.724 -39.441  25.227  1.00 35.98           O
ATOM    384  C   GLU A  23      14.551 -37.692  29.184  1.00 30.41           C
ATOM    385  O   GLU A  23      14.984 -36.954  30.063  1.00 29.86           O
ATOM    387  N   TYR A  24      13.326 -37.591  28.684  1.00 31.29           N
ATOM    388  CA  TYR A  24      12.436 -36.506  29.058  1.00 32.01           C
ATOM    390  CB  TYR A  24      11.680 -35.998  27.823  1.00 32.57           C
ATOM    393  CG  TYR A  24      12.421 -34.885  27.141  1.00 34.05           C
ATOM    394  CD1 TYR A  24      13.112 -35.091  25.952  1.00 35.94           C
ATOM    396  CE1 TYR A  24      13.811 -34.047  25.349  1.00 38.48           C
ATOM    398  CZ  TYR A  24      13.823 -32.794  25.964  1.00 39.58           C
ATOM    399  OH  TYR A  24      14.491 -31.727  25.425  1.00 43.50           O
ATOM    401  CE2 TYR A  24      13.159 -32.586  27.145  1.00 38.47           C
ATOM    403  CD2 TYR A  24      12.469 -33.625  27.726  1.00 36.71           C
ATOM    405  C   TYR A  24      11.485 -36.887  30.161  1.00 32.07           C
ATOM    406  O   TYR A  24      10.630 -36.093  30.535  1.00 32.09           O
```

```
ATOM    408  N   GLY A  25      11.645 -38.096  30.692  1.00 32.53           N
ATOM    409  CA  GLY A  25      10.838 -38.559  31.818  1.00 32.86           C
ATOM    412  C   GLY A  25       9.575 -39.324  31.463  1.00 33.29           C
ATOM    413  O   GLY A  25       8.864 -39.762  32.355  1.00 33.72           O
ATOM    415  N   GLU A  26       9.325 -39.532  30.174  1.00 33.69           N
ATOM    416  CA  GLU A  26       8.064 -40.092  29.697  1.00 34.32           C
ATOM    418  CB  GLU A  26       7.618 -39.372  28.423  1.00 34.42           C
ATOM    421  CG  GLU A  26       7.417 -37.866  28.630  1.00 34.93           C
ATOM    424  CD  GLU A  26       7.632 -37.040  27.379  1.00 36.22           C
ATOM    425  OE1 GLU A  26       7.048 -35.939  27.323  1.00 39.27           O
ATOM    426  OE2 GLU A  26       8.369 -37.460  26.454  1.00 36.41           O
ATOM    427  C   GLU A  26       8.172 -41.576  29.425  1.00 34.69           C
ATOM    428  O   GLU A  26       9.215 -42.067  29.009  1.00 35.07           O
ATOM    430  N   ASP A  27       7.076 -42.285  29.655  1.00 35.11           N
ATOM    431  CA  ASP A  27       7.045 -43.723  29.502  1.00 35.48           C
ATOM    433  CB  ASP A  27       6.205 -44.352  30.610  1.00 35.66           C
ATOM    436  CG  ASP A  27       6.389 -45.850  30.709  1.00 36.28           C
ATOM    437  OD1 ASP A  27       6.685 -46.510  29.686  1.00 36.77           O
ATOM    438  OD2 ASP A  27       6.221 -46.368  31.829  1.00 38.44           O
ATOM    439  C   ASP A  27       6.445 -44.053  28.153  1.00 35.74           C
ATOM    440  O   ASP A  27       5.270 -43.758  27.895  1.00 35.78           O
ATOM    442  N   PRO A  28       7.240 -44.675  27.277  1.00 36.14           N
ATOM    443  CA  PRO A  28       6.687 -45.024  25.970  1.00 36.38           C
ATOM    445  CB  PRO A  28       7.853 -45.751  25.265  1.00 36.24           C
ATOM    448  CG  PRO A  28       8.907 -45.959  26.290  1.00 36.08           C
ATOM    451  CD  PRO A  28       8.680 -44.975  27.379  1.00 36.08           C
ATOM    454  C   PRO A  28       5.408 -45.905  26.023  1.00 36.68           C
ATOM    455  O   PRO A  28       4.645 -45.909  25.052  1.00 36.76           O
ATOM    456  N   LYS A  29       5.194 -46.625  27.130  1.00 36.79           N
ATOM    457  CA  LYS A  29       4.002 -47.472  27.333  1.00 37.06           C
ATOM    459  CB  LYS A  29       4.247 -48.522  28.427  1.00 37.41           C
ATOM    462  CG  LYS A  29       5.280 -49.560  28.071  1.00 39.12           C
ATOM    465  CD  LYS A  29       5.366 -50.612  29.151  1.00 42.04           C
ATOM    468  CE  LYS A  29       6.753 -51.290  29.199  1.00 43.90           C
ATOM    471  NZ  LYS A  29       6.861 -52.266  30.348  1.00 45.30           N
ATOM    475  C   LYS A  29       2.737 -46.732  27.722  1.00 36.64           C
ATOM    476  O   LYS A  29       1.658 -47.291  27.606  1.00 37.00           O
ATOM    478  N   ILE A  30       2.852 -45.506  28.222  1.00 36.45           N
ATOM    479  CA  ILE A  30       1.667 -44.721  28.562  1.00 36.02           C
ATOM    481  CB  ILE A  30       1.803 -44.030  29.927  1.00 36.25           C
ATOM    483  CG1 ILE A  30       2.287 -45.018  31.003  1.00 36.11           C
ATOM    486  CD1 ILE A  30       1.499 -46.310  31.080  1.00 36.55           C
ATOM    490  CG2 ILE A  30       0.473 -43.339  30.317  1.00 35.94           C
ATOM    494  C   ILE A  30       1.403 -43.650  27.522  1.00 35.72           C
ATOM    495  O   ILE A  30       0.269 -43.449  27.115  1.00 36.26           O
ATOM    497  N   GLU A  31       2.441 -42.940  27.109  1.00 35.26           N
ATOM    498  CA  GLU A  31       2.273 -41.871  26.138  1.00 34.97           C
ATOM    500  CB  GLU A  31       3.210 -40.720  26.446  1.00 35.31           C
ATOM    503  CG  GLU A  31       2.981 -40.100  27.798  1.00 36.95           C
ATOM    506  CD  GLU A  31       2.764 -38.617  27.680  1.00 40.75           C
ATOM    507  OE1 GLU A  31       1.617 -38.238  27.320  1.00 43.96           O
ATOM    508  OE2 GLU A  31       3.730 -37.840  27.917  1.00 41.59           O
ATOM    509  C   GLU A  31       2.531 -42.417  24.746  1.00 34.31           C
ATOM    510  O   GLU A  31       3.514 -42.068  24.080  1.00 33.82           O
ATOM    512  N   THR A  32       1.605 -43.266  24.312  1.00 33.64           N
ATOM    513  CA  THR A  32       1.749 -44.027  23.082  1.00 32.92           C
ATOM    515  CB  THR A  32       0.766 -45.203  23.074  1.00 32.98           C
ATOM    517  OG1 THR A  32      -0.558 -44.717  23.315  1.00 32.87           O
ATOM    519  CG2 THR A  32       1.138 -46.200  24.170  1.00 32.57           C
ATOM    523  C   THR A  32       1.564 -43.165  21.835  1.00 32.43           C
ATOM    524  O   THR A  32       2.176 -43.427  20.800  1.00 31.95           O
ATOM    526  N   ASN A  33       0.740 -42.129  21.917  1.00 32.03           N
ATOM    527  CA  ASN A  33       0.617 -41.239  20.772  1.00 32.16           C
```

```
ATOM    529  CB  ASN A  33      -0.532 -40.248  20.949  1.00 32.51           C
ATOM    532  CG  ASN A  33      -1.905 -40.919  20.849  1.00 34.05           C
ATOM    533  OD1 ASN A  33      -2.073 -41.913  20.141  1.00 36.33           O
ATOM    534  ND2 ASN A  33      -2.886 -40.378  21.563  1.00 34.87           N
ATOM    537  C   ASN A  33       1.939 -40.523  20.516  1.00 31.51           C
ATOM    538  O   ASN A  33       2.489 -40.610  19.414  1.00 32.10           O
ATOM    540  N   LYS A  34       2.454 -39.849  21.546  1.00 30.49           N
ATOM    541  CA  LYS A  34       3.769 -39.209  21.499  1.00 29.32           C
ATOM    543  CB  LYS A  34       4.112 -38.635  22.870  1.00 29.26           C
ATOM    546  CG  LYS A  34       5.512 -38.037  22.957  1.00 30.64           C
ATOM    549  CD  LYS A  34       5.696 -37.126  24.195  1.00 31.23           C
ATOM    552  CE  LYS A  34       5.585 -35.640  23.859  1.00 32.05           C
ATOM    555  NZ  LYS A  34       6.238 -34.764  24.901  1.00 33.88           N
ATOM    559  C   LYS A  34       4.863 -40.180  21.021  1.00 28.15           C
ATOM    560  O   LYS A  34       5.655 -39.838  20.148  1.00 27.91           O
ATOM    562  N   PHE A  35       4.879 -41.395  21.568  1.00 26.76           N
ATOM    563  CA  PHE A  35       5.828 -42.434  21.143  1.00 26.05           C
ATOM    565  CB  PHE A  35       5.447 -43.793  21.778  1.00 25.73           C
ATOM    568  CG  PHE A  35       6.429 -44.926  21.528  1.00 24.67           C
ATOM    569  CD1 PHE A  35       6.014 -46.240  21.708  1.00 24.64           C
ATOM    571  CE1 PHE A  35       6.880 -47.318  21.516  1.00 24.84           C
ATOM    573  CZ  PHE A  35       8.200 -47.096  21.127  1.00 25.53           C
ATOM    575  CE2 PHE A  35       8.645 -45.788  20.949  1.00 25.67           C
ATOM    577  CD2 PHE A  35       7.753 -44.703  21.156  1.00 25.59           C
ATOM    579  C   PHE A  35       5.872 -42.524  19.627  1.00 25.88           C
ATOM    580  O   PHE A  35       6.952 -42.475  19.034  1.00 26.20           O
ATOM    582  N   ALA A  36       4.685 -42.630  19.021  1.00 25.55           N
ATOM    583  CA  ALA A  36       4.513 -42.758  17.578  1.00 25.05           C
ATOM    585  CB  ALA A  36       3.101 -43.221  17.272  1.00 25.33           C
ATOM    589  C   ALA A  36       4.782 -41.450  16.848  1.00 24.97           C
ATOM    590  O   ALA A  36       5.292 -41.448  15.720  1.00 24.71           O
ATOM    592  N   ALA A  37       4.409 -40.330  17.460  1.00 24.56           N
ATOM    593  CA  ALA A  37       4.827 -39.039  16.916  1.00 24.55           C
ATOM    595  CB  ALA A  37       4.384 -37.869  17.824  1.00 24.00           C
ATOM    599  C   ALA A  37       6.356 -39.043  16.751  1.00 24.28           C
ATOM    600  O   ALA A  37       6.866 -38.683  15.703  1.00 24.04           O
ATOM    602  N   ILE A  38       7.068 -39.492  17.784  1.00 24.05           N
ATOM    603  CA  ILE A  38       8.517 -39.364  17.814  1.00 24.02           C
ATOM    605  CB  ILE A  38       9.095 -39.711  19.211  1.00 24.10           C
ATOM    607  CG1 ILE A  38       8.771 -38.580  20.198  1.00 22.62           C
ATOM    610  CD1 ILE A  38       8.897 -38.962  21.658  1.00 20.65           C
ATOM    614  CG2 ILE A  38      10.620 -39.909  19.133  1.00 24.14           C
ATOM    618  C   ILE A  38       9.146 -40.221  16.733  1.00 24.02           C
ATOM    619  O   ILE A  38      10.007 -39.750  15.998  1.00 23.57           O
ATOM    621  N   CYS A  39       8.695 -41.469  16.631  1.00 24.20           N
ATOM    622  CA  CYS A  39       9.126 -42.363  15.551  1.00 24.21           C
ATOM    624  CB  CYS A  39       8.363 -43.683  15.603  1.00 24.23           C
ATOM    627  SG  CYS A  39       8.741 -44.707  17.021  1.00 23.25           S
ATOM    629  C   CYS A  39       8.925 -41.755  14.167  1.00 24.60           C
ATOM    630  O   CYS A  39       9.740 -41.993  13.265  1.00 25.04           O
ATOM    632  N   THR A  40       7.842 -40.995  13.985  1.00 24.47           N
ATOM    633  CA  THR A  40       7.545 -40.399  12.675  1.00 24.55           C
ATOM    635  CB  THR A  40       6.078 -39.851  12.581  1.00 24.67           C
ATOM    637  OG1 THR A  40       5.141 -40.934  12.550  1.00 24.71           O
ATOM    639  CG2 THR A  40       5.882 -39.021  11.335  1.00 24.61           C
ATOM    643  C   THR A  40       8.525 -39.278  12.340  1.00 24.61           C
ATOM    644  O   THR A  40       8.996 -39.191  11.203  1.00 24.74           O
ATOM    646  N   HIS A  41       8.800 -38.407  13.310  1.00 24.80           N
ATOM    647  CA  HIS A  41       9.762 -37.318  13.123  1.00 25.34           C
ATOM    649  CB  HIS A  41       9.794 -36.393  14.350  1.00 25.49           C
ATOM    652  CG  HIS A  41      10.878 -35.346  14.317  1.00 27.04           C
ATOM    653  ND1 HIS A  41      12.215 -35.646  14.493  1.00 28.09           N
ATOM    655  CE1 HIS A  41      12.923 -34.529  14.434  1.00 27.73           C
```

```
ATOM    657  NE2 HIS A  41      12.095 -33.515  14.262  1.00 26.35           N
ATOM    659  CD2 HIS A  41      10.811 -33.996  14.191  1.00 26.13           C
ATOM    661  C   HIS A  41      11.129 -37.940  12.859  1.00 25.49           C
ATOM    662  O   HIS A  41      11.822 -37.551  11.933  1.00 25.38           O
ATOM    664  N   LEU A  42      11.492 -38.928  13.666  1.00 25.95           N
ATOM    665  CA  LEU A  42      12.727 -39.667  13.460  1.00 26.48           C
ATOM    667  CB  LEU A  42      12.858 -40.826  14.465  1.00 26.51           C
ATOM    670  CG  LEU A  42      13.836 -40.745  15.658  1.00 26.43           C
ATOM    672  CD1 LEU A  42      14.571 -39.408  15.828  1.00 25.29           C
ATOM    676  CD2 LEU A  42      13.123 -41.119  16.939  1.00 26.61           C
ATOM    680  C   LEU A  42      12.819 -40.187  12.034  1.00 27.21           C
ATOM    681  O   LEU A  42      13.809 -39.915  11.350  1.00 27.76           O
ATOM    683  N   GLU A  43      11.804 -40.917  11.565  1.00 27.88           N
ATOM    684  CA  GLU A  43      11.883 -41.507  10.210  1.00 28.30           C
ATOM    686  CB  GLU A  43      10.735 -42.478   9.913  1.00 28.63           C
ATOM    689  CG  GLU A  43      10.925 -43.232   8.584  1.00 30.06           C
ATOM    692  CD  GLU A  43      10.083 -44.492   8.456  1.00 33.14           C
ATOM    693  OE1 GLU A  43      10.294 -45.275   7.495  1.00 35.19           O
ATOM    694  OE2 GLU A  43       9.197 -44.709   9.307  1.00 35.59           O
ATOM    695  C   GLU A  43      11.940 -40.461   9.103  1.00 28.09           C
ATOM    696  O   GLU A  43      12.699 -40.628   8.149  1.00 28.64           O
ATOM    698  N   VAL A  44      11.148 -39.396   9.202  1.00 27.56           N
ATOM    699  CA  VAL A  44      11.221 -38.348   8.188  1.00 27.48           C
ATOM    701  CB  VAL A  44      10.156 -37.241   8.381  1.00 27.51           C
ATOM    703  CG1 VAL A  44      10.482 -36.018   7.545  1.00 26.93           C
ATOM    707  CG2 VAL A  44       8.798 -37.763   7.983  1.00 28.07           C
ATOM    711  C   VAL A  44      12.620 -37.750   8.130  1.00 27.30           C
ATOM    712  O   VAL A  44      13.127 -37.529   7.062  1.00 27.85           O
ATOM    714  N   CYS A  45      13.248 -37.501   9.270  1.00 27.56           N
ATOM    715  CA  CYS A  45      14.614 -36.979   9.287  1.00 27.71           C
ATOM    717  CB  CYS A  45      15.094 -36.735  10.715  1.00 27.72           C
ATOM    720  SG  CYS A  45      14.293 -35.368  11.552  1.00 27.67           S
ATOM    722  C   CYS A  45      15.595 -37.897   8.575  1.00 28.00           C
ATOM    723  O   CYS A  45      16.425 -37.432   7.808  1.00 27.62           O
ATOM    725  N   PHE A  46      15.498 -39.198   8.819  1.00 28.77           N
ATOM    726  CA  PHE A  46      16.415 -40.127   8.179  1.00 29.80           C
ATOM    728  CB  PHE A  46      16.412 -41.496   8.852  1.00 29.70           C
ATOM    731  CG  PHE A  46      16.831 -41.489  10.309  1.00 30.79           C
ATOM    732  CD1 PHE A  46      17.366 -40.365  10.922  1.00 32.94           C
ATOM    734  CE1 PHE A  46      17.739 -40.398  12.267  1.00 33.58           C
ATOM    736  CZ  PHE A  46      17.602 -41.562  12.991  1.00 33.59           C
ATOM    738  CE2 PHE A  46      17.075 -42.677  12.392  1.00 33.18           C
ATOM    740  CD2 PHE A  46      16.703 -42.644  11.066  1.00 32.37           C
ATOM    742  C   PHE A  46      16.108 -40.283   6.696  1.00 30.78           C
ATOM    743  O   PHE A  46      17.011 -40.524   5.900  1.00 31.29           O
ATOM    745  N   MET A  47      14.847 -40.156   6.307  1.00 31.99           N
ATOM    746  CA  MET A  47      14.514 -40.254   4.889  1.00 33.04           C
ATOM    748  CB  MET A  47      13.002 -40.321   4.667  1.00 33.38           C
ATOM    751  CG  MET A  47      12.404 -41.707   4.804  1.00 34.59           C
ATOM    754  SD  MET A  47      10.606 -41.610   4.589  1.00 38.97           S
ATOM    755  CE  MET A  47      10.524 -41.399   2.805  1.00 37.18           C
ATOM    759  C   MET A  47      15.079 -39.044   4.177  1.00 33.39           C
ATOM    760  O   MET A  47      15.726 -39.168   3.144  1.00 33.49           O
ATOM    762  N   TYR A  48      14.810 -37.877   4.754  1.00 33.98           N
ATOM    763  CA  TYR A  48      15.295 -36.599   4.251  1.00 34.87           C
ATOM    765  CB  TYR A  48      14.890 -35.497   5.234  1.00 34.73           C
ATOM    768  CG  TYR A  48      14.804 -34.073   4.699  1.00 34.60           C
ATOM    769  CD1 TYR A  48      13.603 -33.363   4.742  1.00 34.57           C
ATOM    771  CE1 TYR A  48      13.528 -32.057   4.295  1.00 34.17           C
ATOM    773  CZ  TYR A  48      14.673 -31.443   3.804  1.00 34.27           C
ATOM    774  OH  TYR A  48      14.635 -30.137   3.349  1.00 34.35           O
ATOM    776  CE2 TYR A  48      15.863 -32.121   3.773  1.00 32.97           C
ATOM    778  CD2 TYR A  48      15.929 -33.415   4.224  1.00 34.11           C
```

```
ATOM    780  C   TYR A  48      16.817 -36.658   4.081  1.00 35.92           C
ATOM    781  O   TYR A  48      17.354 -36.181   3.085  1.00 35.93           O
ATOM    783  N   SER A  49      17.492 -37.266   5.059  1.00 37.24           N
ATOM    784  CA  SER A  49      18.933 -37.492   5.011  1.00 38.34           C
ATOM    786  CB  SER A  49      19.410 -38.209   6.284  1.00 38.66           C
ATOM    789  OG  SER A  49      20.564 -39.016   6.046  1.00 38.81           O
ATOM    791  C   SER A  49      19.343 -38.315   3.804  1.00 39.36           C
ATOM    792  O   SER A  49      20.182 -37.871   3.015  1.00 39.83           O
ATOM    794  N   ASP A  50      18.743 -39.500   3.663  1.00 40.23           N
ATOM    795  CA  ASP A  50      19.183 -40.483   2.665  1.00 41.03           C
ATOM    797  CB  ASP A  50      18.439 -41.811   2.825  1.00 41.26           C
ATOM    800  CG  ASP A  50      19.245 -42.842   3.613  1.00 42.74           C
ATOM    801  OD1 ASP A  50      20.087 -43.543   2.994  1.00 44.74           O
ATOM    802  OD2 ASP A  50      19.037 -42.959   4.845  1.00 44.45           O
ATOM    803  C   ASP A  50      19.103 -40.002   1.214  1.00 41.46           C
ATOM    804  O   ASP A  50      19.787 -40.555   0.352  1.00 41.38           O
ATOM    806  N   PHE A  51      18.282 -38.987   0.940  1.00 41.96           N
ATOM    807  CA  PHE A  51      18.325 -38.316  -0.363  1.00 42.54           C
ATOM    809  CB  PHE A  51      17.059 -37.472  -0.605  1.00 42.51           C
ATOM    812  CG  PHE A  51      15.766 -38.256  -0.491  1.00 41.89           C
ATOM    813  CD1 PHE A  51      14.701 -37.761   0.261  1.00 41.74           C
ATOM    815  CE1 PHE A  51      13.506 -38.478   0.376  1.00 41.45           C
ATOM    817  CZ  PHE A  51      13.370 -39.715  -0.256  1.00 41.44           C
ATOM    819  CE2 PHE A  51      14.427 -40.226  -0.999  1.00 41.90           C
ATOM    821  CD2 PHE A  51      15.621 -39.495  -1.114  1.00 41.38           C
ATOM    823  C   PHE A  51      19.590 -37.449  -0.417  1.00 43.16           C
ATOM    824  O   PHE A  51      19.659 -36.397   0.215  1.00 43.67           O
ATOM    826  N   GLY A  52      20.598 -37.914  -1.151  1.00 43.59           N
ATOM    827  CA  GLY A  52      21.914 -37.265  -1.174  1.00 43.70           C
ATOM    830  C   GLY A  52      23.017 -38.301  -1.175  1.00 43.78           C
ATOM    831  O   GLY A  52      22.773 -39.472  -1.481  1.00 43.78           O
ATOM    833  N   ALA A  70      24.774 -33.472  -7.196  1.00 61.12           N
ATOM    834  CA  ALA A  70      25.654 -34.263  -8.043  1.00 61.17           C
ATOM    836  CB  ALA A  70      25.413 -33.925  -9.517  1.00 61.15           C
ATOM    840  C   ALA A  70      27.133 -34.073  -7.668  1.00 61.08           C
ATOM    841  O   ALA A  70      27.929 -35.001  -7.808  1.00 61.30           O
ATOM    843  N   LEU A  71      27.497 -32.883  -7.185  1.00 60.92           N
ATOM    844  CA  LEU A  71      28.890 -32.597  -6.793  1.00 60.78           C
ATOM    846  CB  LEU A  71      29.097 -31.087  -6.586  1.00 60.80           C
ATOM    849  CG  LEU A  71      30.547 -30.618  -6.387  1.00 61.38           C
ATOM    851  CD1 LEU A  71      31.433 -31.044  -7.561  1.00 61.28           C
ATOM    855  CD2 LEU A  71      30.602 -29.107  -6.191  1.00 61.40           C
ATOM    859  C   LEU A  71      29.308 -33.366  -5.527  1.00 60.34           C
ATOM    860  O   LEU A  71      30.232 -34.188  -5.563  1.00 60.62           O
ATOM    862  N   LEU A  72      28.607 -33.102  -4.425  1.00 59.64           N
ATOM    863  CA  LEU A  72      28.912 -33.695  -3.115  1.00 58.90           C
ATOM    865  CB  LEU A  72      28.115 -32.971  -2.023  1.00 58.84           C
ATOM    868  CG  LEU A  72      28.349 -31.460  -1.881  1.00 58.58           C
ATOM    870  CD1 LEU A  72      27.079 -30.733  -1.437  1.00 57.55           C
ATOM    874  CD2 LEU A  72      29.518 -31.186  -0.930  1.00 58.09           C
ATOM    878  C   LEU A  72      28.581 -35.197  -3.080  1.00 58.23           C
ATOM    879  O   LEU A  72      27.828 -35.692  -3.933  1.00 58.38           O
ATOM    881  N   LYS A  73      29.141 -35.910  -2.096  1.00 57.05           N
ATOM    882  CA  LYS A  73      28.864 -37.351  -1.913  1.00 55.92           C
ATOM    884  CB  LYS A  73      30.087 -38.087  -1.350  1.00 56.13           C
ATOM    887  CG  LYS A  73      31.279 -38.109  -2.332  1.00 57.08           C
ATOM    890  CD  LYS A  73      32.401 -39.076  -1.906  1.00 58.07           C
ATOM    893  CE  LYS A  73      33.716 -38.794  -2.659  1.00 58.09           C
ATOM    896  NZ  LYS A  73      34.612 -39.985  -2.737  1.00 57.03           N
ATOM    900  C   LYS A  73      27.635 -37.558  -1.029  1.00 54.30           C
ATOM    901  O   LYS A  73      26.687 -38.236  -1.431  1.00 54.49           O
ATOM    903  N   HIS A  74      27.657 -36.965   0.163  1.00 52.21           N
ATOM    904  CA  HIS A  74      26.484 -36.901   1.036  1.00 50.51           C
```

```
ATOM    906  CB  HIS A  74      26.787 -37.469   2.426  1.00 50.51           C
ATOM    909  CG  HIS A  74      27.450 -38.810   2.412  1.00 52.26           C
ATOM    910  ND1 HIS A  74      26.741 -39.995   2.460  1.00 54.03           N
ATOM    912  CE1 HIS A  74      27.587 -41.011   2.446  1.00 54.64           C
ATOM    914  NE2 HIS A  74      28.818 -40.531   2.392  1.00 54.70           N
ATOM    916  CD2 HIS A  74      28.761 -39.156   2.375  1.00 53.75           C
ATOM    918  C   HIS A  74      26.107 -35.437   1.173  1.00 48.59           C
ATOM    919  O   HIS A  74      26.887 -34.655   1.718  1.00 48.33           O
ATOM    921  N   ARG A  75      24.928 -35.055   0.684  1.00 46.50           N
ATOM    922  CA  ARG A  75      24.495 -33.655   0.792  1.00 44.90           C
ATOM    924  CB  ARG A  75      23.347 -33.327  -0.168  1.00 44.90           C
ATOM    927  CG  ARG A  75      22.869 -31.875  -0.037  1.00 44.48           C
ATOM    930  CD  ARG A  75      21.760 -31.521  -0.991  1.00 44.37           C
ATOM    933  NE  ARG A  75      21.202 -30.227  -0.627  1.00 44.87           N
ATOM    935  CZ  ARG A  75      20.268 -29.579  -1.319  1.00 45.23           C
ATOM    936  NH1 ARG A  75      19.779 -30.101  -2.439  1.00 44.86           N
ATOM    939  NH2 ARG A  75      19.829 -28.393  -0.891  1.00 44.76           N
ATOM    942  C   ARG A  75      24.081 -33.283   2.215  1.00 43.31           C
ATOM    943  O   ARG A  75      24.117 -32.104   2.589  1.00 42.93           O
ATOM    945  N   PHE A  76      23.691 -34.278   3.007  1.00 41.50           N
ATOM    946  CA  PHE A  76      23.236 -34.002   4.362  1.00 40.11           C
ATOM    948  CB  PHE A  76      21.762 -34.350   4.493  1.00 39.96           C
ATOM    951  CG  PHE A  76      20.891 -33.560   3.571  1.00 39.79           C
ATOM    952  CD1 PHE A  76      20.608 -32.224   3.841  1.00 40.41           C
ATOM    954  CE1 PHE A  76      19.804 -31.475   2.983  1.00 39.78           C
ATOM    956  CZ  PHE A  76      19.288 -32.070   1.842  1.00 40.19           C
ATOM    958  CE2 PHE A  76      19.574 -33.406   1.565  1.00 39.39           C
ATOM    960  CD2 PHE A  76      20.375 -34.135   2.424  1.00 39.30           C
ATOM    962  C   PHE A  76      24.062 -34.698   5.426  1.00 38.82           C
ATOM    963  O   PHE A  76      24.587 -35.786   5.210  1.00 38.78           O
ATOM    965  N   GLU A  77      24.209 -34.033   6.565  1.00 37.43           N
ATOM    966  CA  GLU A  77      24.704 -34.679   7.762  1.00 36.49           C
ATOM    968  CB  GLU A  77      25.830 -33.856   8.406  1.00 36.48           C
ATOM    971  CG  GLU A  77      26.439 -34.455   9.679  1.00 37.14           C
ATOM    974  CD  GLU A  77      26.757 -35.947   9.578  1.00 39.38           C
ATOM    975  OE1 GLU A  77      27.526 -36.348   8.677  1.00 39.72           O
ATOM    976  OE2 GLU A  77      26.231 -36.730  10.408  1.00 41.46           O
ATOM    977  C   GLU A  77      23.506 -34.819   8.693  1.00 35.48           C
ATOM    978  O   GLU A  77      22.754 -33.856   8.880  1.00 35.25           O
ATOM    980  N   ILE A  78      23.329 -36.016   9.253  1.00 34.19           N
ATOM    981  CA  ILE A  78      22.249 -36.286  10.197  1.00 33.34           C
ATOM    983  CB  ILE A  78      21.824 -37.792  10.252  1.00 33.41           C
ATOM    985  CG1 ILE A  78      21.965 -38.479   8.894  1.00 34.00           C
ATOM    988  CD1 ILE A  78      21.409 -39.916   8.851  1.00 35.88           C
ATOM    992  CG2 ILE A  78      20.376 -37.908  10.758  1.00 33.46           C
ATOM    996  C   ILE A  78      22.702 -35.884  11.597  1.00 32.35           C
ATOM    997  O   ILE A  78      23.801 -36.242  12.028  1.00 32.27           O
ATOM    999  N   ILE A  79      21.840 -35.155  12.299  1.00 31.20           N
ATOM   1000  CA  ILE A  79      22.112 -34.670  13.646  1.00 30.26           C
ATOM   1002  CB  ILE A  79      22.172 -33.131  13.641  1.00 30.23           C
ATOM   1004  CG1 ILE A  79      23.380 -32.676  12.801  1.00 29.79           C
ATOM   1007  CD1 ILE A  79      23.128 -31.486  11.982  1.00 29.52           C
ATOM   1011  CG2 ILE A  79      22.277 -32.579  15.054  1.00 29.14           C
ATOM   1015  C   ILE A  79      21.061 -35.198  14.635  1.00 30.14           C
ATOM   1016  O   ILE A  79      21.383 -35.563  15.778  1.00 30.11           O
ATOM   1018  N   GLU A  80      19.807 -35.267  14.196  1.00 29.68           N
ATOM   1019  CA  GLU A  80      18.777 -35.948  14.978  1.00 29.13           C
ATOM   1021  CB  GLU A  80      17.404 -35.750  14.338  1.00 28.67           C
ATOM   1024  CG  GLU A  80      16.227 -36.286  15.152  1.00 27.69           C
ATOM   1027  CD  GLU A  80      16.084 -35.673  16.522  1.00 24.21           C
ATOM   1028  OE1 GLU A  80      15.340 -34.696  16.655  1.00 19.59           O
ATOM   1029  OE2 GLU A  80      16.716 -36.180  17.465  1.00 24.81           O
ATOM   1030  C   GLU A  80      19.122 -37.431  15.081  1.00 28.93           C
```

```
ATOM   1031  O   GLU A  80      19.790 -37.978  14.206  1.00 28.88           O
ATOM   1033  N   GLY A  81      18.702 -38.071  16.165  1.00 28.61           N
ATOM   1034  CA  GLY A  81      18.942 -39.506  16.328  1.00 28.77           C
ATOM   1037  C   GLY A  81      20.350 -39.872  16.766  1.00 28.87           C
ATOM   1038  O   GLY A  81      20.805 -41.004  16.587  1.00 29.88           O
ATOM   1040  N   ARG A  82      21.055 -38.918  17.351  1.00 28.47           N
ATOM   1041  CA  ARG A  82      22.362 -39.182  17.897  1.00 27.66           C
ATOM   1043  CB  ARG A  82      23.391 -38.304  17.208  1.00 27.67           C
ATOM   1046  CG  ARG A  82      23.679 -38.639  15.772  1.00 27.21           C
ATOM   1049  CD  ARG A  82      24.752 -37.707  15.303  1.00 27.78           C
ATOM   1052  NE  ARG A  82      25.171 -37.915  13.923  1.00 28.81           N
ATOM   1054  CZ  ARG A  82      26.069 -38.808  13.520  1.00 28.31           C
ATOM   1055  NH1 ARG A  82      26.654 -39.633  14.388  1.00 28.57           N
ATOM   1058  NH2 ARG A  82      26.370 -38.883  12.230  1.00 27.26           N
ATOM   1061  C   ARG A  82      22.286 -38.815  19.362  1.00 27.49           C
ATOM   1062  O   ARG A  82      21.506 -37.927  19.728  1.00 27.56           O
ATOM   1064  N   ASP A  83      23.081 -39.478  20.199  1.00 27.02           N
ATOM   1065  CA  ASP A  83      23.251 -39.025  21.569  1.00 27.25           C
ATOM   1067  CB  ASP A  83      24.171 -39.952  22.387  1.00 27.27           C
ATOM   1070  CG  ASP A  83      25.654 -39.734  22.089  1.00 30.15           C
ATOM   1071  OD1 ASP A  83      26.160 -40.198  21.032  1.00 29.66           O
ATOM   1072  OD2 ASP A  83      26.326 -39.101  22.944  1.00 35.18           O
ATOM   1073  C   ASP A  83      23.774 -37.594  21.522  1.00 26.74           C
ATOM   1074  O   ASP A  83      24.328 -37.146  20.512  1.00 26.66           O
ATOM   1076  N   ARG A  84      23.566 -36.860  22.602  1.00 26.74           N
ATOM   1077  CA  ARG A  84      23.844 -35.429  22.599  1.00 26.67           C
ATOM   1079  CB  ARG A  84      23.255 -34.777  23.826  1.00 27.25           C
ATOM   1082  CG  ARG A  84      21.765 -34.602  23.719  1.00 30.70           C
ATOM   1085  CD  ARG A  84      21.118 -34.753  25.075  1.00 35.33           C
ATOM   1088  NE  ARG A  84      21.055 -33.482  25.773  1.00 39.75           N
ATOM   1090  CZ  ARG A  84      19.926 -32.872  26.131  1.00 45.20           C
ATOM   1091  NH1 ARG A  84      18.735 -33.430  25.862  1.00 47.41           N
ATOM   1094  NH2 ARG A  84      19.983 -31.702  26.771  1.00 45.45           N
ATOM   1097  C   ARG A  84      25.313 -35.077  22.488  1.00 25.43           C
ATOM   1098  O   ARG A  84      25.639 -34.085  21.851  1.00 24.47           O
ATOM   1100  N   ILE A  85      26.179 -35.886  23.098  1.00 24.95           N
ATOM   1101  CA  ILE A  85      27.620 -35.670  23.018  1.00 24.78           C
ATOM   1103  CB  ILE A  85      28.438 -36.749  23.793  1.00 24.78           C
ATOM   1105  CG1 ILE A  85      28.068 -36.800  25.286  1.00 24.24           C
ATOM   1108  CD1 ILE A  85      27.601 -35.517  25.840  1.00 23.47           C
ATOM   1112  CG2 ILE A  85      29.928 -36.513  23.642  1.00 24.54           C
ATOM   1116  C   ILE A  85      28.053 -35.653  21.553  1.00 24.93           C
ATOM   1117  O   ILE A  85      28.682 -34.702  21.099  1.00 24.65           O
ATOM   1119  N   MET A  86      27.678 -36.688  20.811  1.00 25.38           N
ATOM   1120  CA  MET A  86      28.030 -36.785  19.387  1.00 26.03           C
ATOM   1122  CB  MET A  86      27.744 -38.194  18.837  1.00 26.65           C
ATOM   1125  CG  MET A  86      28.900 -39.200  19.039  1.00 29.33           C
ATOM   1128  SD  MET A  86      30.372 -38.922  17.989  1.00 35.60           S
ATOM   1129  CE  MET A  86      29.696 -38.027  16.600  1.00 33.20           C
ATOM   1133  C   MET A  86      27.320 -35.753  18.524  1.00 25.32           C
ATOM   1134  O   MET A  86      27.883 -35.270  17.546  1.00 26.22           O
ATOM   1136  N   ALA A  87      26.078 -35.438  18.850  1.00 24.52           N
ATOM   1137  CA  ALA A  87      25.333 -34.462  18.074  1.00 23.76           C
ATOM   1139  CB  ALA A  87      23.909 -34.284  18.641  1.00 23.37           C
ATOM   1143  C   ALA A  87      26.093 -33.142  18.073  1.00 23.09           C
ATOM   1144  O   ALA A  87      26.356 -32.564  17.018  1.00 23.05           O
ATOM   1146  N   TRP A  88      26.466 -32.678  19.255  1.00 22.72           N
ATOM   1147  CA  TRP A  88      27.188 -31.422  19.361  1.00 22.83           C
ATOM   1149  CB  TRP A  88      27.214 -30.939  20.792  1.00 22.74           C
ATOM   1152  CG  TRP A  88      25.943 -30.321  21.220  1.00 21.88           C
ATOM   1153  CD1 TRP A  88      25.040 -30.838  22.084  1.00 21.81           C
ATOM   1155  NE1 TRP A  88      23.990 -29.968  22.252  1.00 21.74           N
ATOM   1157  CE2 TRP A  88      24.203 -28.866  21.472  1.00 22.00           C
```

```
ATOM   1158  CD2 TRP A  88      25.438 -29.050  20.819  1.00 22.37           C
ATOM   1159  CE3 TRP A  88      25.900 -28.049  19.957  1.00 23.06           C
ATOM   1161  CZ3 TRP A  88      25.120 -26.905  19.779  1.00 22.32           C
ATOM   1163  CH2 TRP A  88      23.898 -26.747  20.457  1.00 22.11           C
ATOM   1165  CZ2 TRP A  88      23.422 -27.713  21.300  1.00 22.43           C
ATOM   1167  C   TRP A  88      28.612 -31.517  18.800  1.00 23.30           C
ATOM   1168  O   TRP A  88      29.142 -30.535  18.274  1.00 22.77           O
ATOM   1170  N   THR A  89      29.217 -32.701  18.882  1.00 23.62           N
ATOM   1171  CA  THR A  89      30.522 -32.913  18.266  1.00 23.72           C
ATOM   1173  CB  THR A  89      31.094 -34.322  18.532  1.00 23.67           C
ATOM   1175  OG1 THR A  89      31.402 -34.456  19.920  1.00 22.95           O
ATOM   1177  CG2 THR A  89      32.357 -34.557  17.692  1.00 22.34           C
ATOM   1181  C   THR A  89      30.398 -32.713  16.779  1.00 24.28           C
ATOM   1182  O   THR A  89      31.201 -31.987  16.192  1.00 24.53           O
ATOM   1184  N   VAL A  90      29.396 -33.350  16.172  1.00 24.74           N
ATOM   1185  CA  VAL A  90      29.158 -33.191  14.734  1.00 25.32           C
ATOM   1187  CB  VAL A  90      28.055 -34.146  14.209  1.00 25.51           C
ATOM   1189  CG1 VAL A  90      27.830 -33.943  12.730  1.00 24.97           C
ATOM   1193  CG2 VAL A  90      28.428 -35.604  14.462  1.00 25.28           C
ATOM   1197  C   VAL A  90      28.803 -31.731  14.406  1.00 25.79           C
ATOM   1198  O   VAL A  90      29.408 -31.114  13.537  1.00 25.15           O
ATOM   1200  N   VAL A  91      27.853 -31.164  15.131  1.00 26.67           N
ATOM   1201  CA  VAL A  91      27.490 -29.761  14.919  1.00 27.54           C
ATOM   1203  CB  VAL A  91      26.332 -29.343  15.852  1.00 27.45           C
ATOM   1205  CG1 VAL A  91      26.090 -27.856  15.796  1.00 27.80           C
ATOM   1209  CG2 VAL A  91      25.082 -30.077  15.459  1.00 27.65           C
ATOM   1213  C   VAL A  91      28.676 -28.788  15.069  1.00 28.44           C
ATOM   1214  O   VAL A  91      28.792 -27.852  14.293  1.00 28.27           O
ATOM   1216  N   ASN A  92      29.544 -29.006  16.057  1.00 29.67           N
ATOM   1217  CA  ASN A  92      30.720 -28.135  16.276  1.00 30.42           C
ATOM   1219  CB  ASN A  92      31.376 -28.387  17.641  1.00 30.16           C
ATOM   1222  CG  ASN A  92      30.654 -27.711  18.782  1.00 29.62           C
ATOM   1223  OD1 ASN A  92      30.317 -26.531  18.706  1.00 29.36           O
ATOM   1224  ND2 ASN A  92      30.434 -28.453  19.868  1.00 29.77           N
ATOM   1227  C   ASN A  92      31.774 -28.338  15.205  1.00 31.86           C
ATOM   1228  O   ASN A  92      32.441 -27.389  14.805  1.00 32.25           O
ATOM   1230  N   SER A  93      31.941 -29.585  14.767  1.00 33.42           N
ATOM   1231  CA  SER A  93      32.839 -29.910  13.656  1.00 34.58           C
ATOM   1233  CB  SER A  93      32.772 -31.417  13.354  1.00 34.62           C
ATOM   1236  OG  SER A  93      33.711 -31.839  12.387  1.00 34.43           O
ATOM   1238  C   SER A  93      32.444 -29.080  12.428  1.00 35.88           C
ATOM   1239  O   SER A  93      33.268 -28.339  11.890  1.00 36.78           O
ATOM   1241  N   ILE A  94      31.177 -29.194  12.016  1.00 36.99           N
ATOM   1242  CA  ILE A  94      30.605 -28.432  10.896  1.00 37.62           C
ATOM   1244  CB  ILE A  94      29.074 -28.692  10.772  1.00 37.60           C
ATOM   1246  CG1 ILE A  94      28.798 -30.044  10.096  1.00 38.01           C
ATOM   1249  CD1 ILE A  94      27.445 -30.681  10.487  1.00 37.00           C
ATOM   1253  CG2 ILE A  94      28.379 -27.570   9.998  1.00 37.52           C
ATOM   1257  C   ILE A  94      30.826 -26.921  11.039  1.00 38.56           C
ATOM   1258  O   ILE A  94      31.247 -26.250  10.099  1.00 38.63           O
ATOM   1260  N   CYS A  95      30.529 -26.384  12.214  1.00 39.56           N
ATOM   1261  CA  CYS A  95      30.689 -24.957  12.447  1.00 40.38           C
ATOM   1263  CB  CYS A  95      30.092 -24.571  13.790  1.00 40.24           C
ATOM   1266  SG  CYS A  95      28.303 -24.673  13.828  1.00 39.52           S
ATOM   1268  C   CYS A  95      32.156 -24.548  12.397  1.00 41.75           C
ATOM   1269  O   CYS A  95      32.508 -23.560  11.767  1.00 42.30           O
ATOM   1271  N   ASN A  96      33.016 -25.320  13.048  1.00 43.14           N
ATOM   1272  CA  ASN A  96      34.429 -24.979  13.111  1.00 44.09           C
ATOM   1274  CB  ASN A  96      35.157 -25.860  14.145  1.00 44.46           C
ATOM   1277  CG  ASN A  96      34.629 -25.659  15.596  1.00 46.19           C
ATOM   1278  OD1 ASN A  96      33.702 -24.871  15.851  1.00 48.05           O
ATOM   1279  ND2 ASN A  96      35.218 -26.396  16.540  1.00 47.62           N
ATOM   1282  C   ASN A  96      35.130 -25.059  11.751  1.00 44.38           C
```

```
ATOM   1283  O   ASN A  96      36.153 -24.416  11.568  1.00 44.60           O
ATOM   1285  N   THR A  97      34.585 -25.828  10.806  1.00 44.78           N
ATOM   1286  CA  THR A  97      35.242 -26.052   9.511  1.00 45.13           C
ATOM   1288  CB  THR A  97      35.372 -27.552   9.207  1.00 45.22           C
ATOM   1290  OG1 THR A  97      34.096 -28.063   8.822  1.00 45.02           O
ATOM   1292  CG2 THR A  97      35.900 -28.321  10.414  1.00 45.09           C
ATOM   1296  C   THR A  97      34.538 -25.435   8.295  1.00 45.62           C
ATOM   1297  O   THR A  97      35.025 -25.576   7.168  1.00 46.04           O
ATOM   1299  N   THR A  98      33.380 -24.812   8.510  1.00 45.85           N
ATOM   1300  CA  THR A  98      32.670 -24.063   7.465  1.00 45.77           C
ATOM   1302  CB  THR A  98      31.306 -24.703   7.122  1.00 45.97           C
ATOM   1304  OG1 THR A  98      30.401 -24.547   8.233  1.00 45.21           O
ATOM   1306  CG2 THR A  98      31.459 -26.185   6.750  1.00 45.92           C
ATOM   1310  C   THR A  98      32.372 -22.622   7.892  1.00 45.89           C
ATOM   1311  O   THR A  98      31.915 -21.822   7.073  1.00 46.24           O
ATOM   1313  N   GLY A  99      32.575 -22.308   9.170  1.00 45.62           N
ATOM   1314  CA  GLY A  99      32.351 -20.964   9.692  1.00 45.67           C
ATOM   1317  C   GLY A  99      30.921 -20.499   9.918  1.00 45.69           C
ATOM   1318  O   GLY A  99      30.715 -19.363  10.356  1.00 45.73           O
ATOM   1320  N   VAL A 100      29.927 -21.343   9.639  1.00 45.65           N
ATOM   1321  CA  VAL A 100      28.529 -20.953   9.871  1.00 45.60           C
ATOM   1323  CB  VAL A 100      27.510 -21.958   9.252  1.00 45.73           C
ATOM   1325  CG1 VAL A 100      27.853 -22.242   7.780  1.00 45.96           C
ATOM   1329  CG2 VAL A 100      27.461 -23.248  10.044  1.00 45.34           C
ATOM   1333  C   VAL A 100      28.279 -20.793  11.373  1.00 45.62           C
ATOM   1334  O   VAL A 100      28.953 -21.416  12.192  1.00 45.43           O
ATOM   1336  N   GLU A 101      27.321 -19.943  11.728  1.00 45.76           N
ATOM   1337  CA  GLU A 101      27.008 -19.676  13.135  1.00 45.87           C
ATOM   1339  CB  GLU A 101      26.001 -18.526  13.244  1.00 45.97           C
ATOM   1342  CG  GLU A 101      25.934 -17.911  14.649  1.00 47.57           C
ATOM   1345  CD  GLU A 101      24.684 -17.059  14.901  1.00 49.41           C
ATOM   1346  OE1 GLU A 101      23.724 -17.112  14.096  1.00 50.37           O
ATOM   1347  OE2 GLU A 101      24.661 -16.345  15.930  1.00 50.00           O
ATOM   1348  C   GLU A 101      26.467 -20.930  13.868  1.00 45.61           C
ATOM   1349  O   GLU A 101      25.748 -21.748  13.280  1.00 45.51           O
ATOM   1351  N   LYS A 102      26.818 -21.049  15.150  1.00 45.19           N
ATOM   1352  CA  LYS A 102      26.495 -22.207  15.974  1.00 44.90           C
ATOM   1354  CB  LYS A 102      27.503 -22.327  17.119  1.00 44.92           C
ATOM   1357  CG  LYS A 102      27.167 -23.380  18.177  1.00 45.81           C
ATOM   1360  CD  LYS A 102      28.370 -23.672  19.077  1.00 47.07           C
ATOM   1363  CE  LYS A 102      28.056 -24.760  20.101  1.00 48.07           C
ATOM   1366  NZ  LYS A 102      29.283 -25.225  20.821  1.00 48.42           N
ATOM   1370  C   LYS A 102      25.078 -22.093  16.535  1.00 44.59           C
ATOM   1371  O   LYS A 102      24.739 -21.084  17.145  1.00 44.77           O
ATOM   1373  N   PRO A 103      24.247 -23.132  16.339  1.00 44.06           N
ATOM   1374  CA  PRO A 103      22.878 -23.088  16.847  1.00 43.66           C
ATOM   1376  CB  PRO A 103      22.261 -24.400  16.336  1.00 43.85           C
ATOM   1379  CG  PRO A 103      23.186 -24.915  15.299  1.00 44.09           C
ATOM   1382  CD  PRO A 103      24.533 -24.390  15.624  1.00 44.10           C
ATOM   1385  C   PRO A 103      22.832 -23.066  18.367  1.00 43.12           C
ATOM   1386  O   PRO A 103      23.731 -23.611  19.002  1.00 42.87           O
ATOM   1387  N   LYS A 104      21.796 -22.439  18.931  1.00 42.34           N
ATOM   1388  CA  LYS A 104      21.566 -22.469  20.373  1.00 41.95           C
ATOM   1390  CB  LYS A 104      20.646 -21.326  20.804  1.00 42.29           C
ATOM   1393  CG  LYS A 104      21.334 -19.969  20.845  1.00 44.73           C
ATOM   1396  CD  LYS A 104      20.385 -18.854  21.320  1.00 47.70           C
ATOM   1399  CE  LYS A 104      21.032 -17.459  21.175  1.00 49.06           C
ATOM   1402  NZ  LYS A 104      20.091 -16.354  21.565  1.00 49.81           N
ATOM   1406  C   LYS A 104      20.976 -23.815  20.814  1.00 40.95           C
ATOM   1407  O   LYS A 104      21.213 -24.265  21.932  1.00 40.78           O
ATOM   1409  N   PHE A 105      20.196 -24.437  19.933  1.00 39.87           N
ATOM   1410  CA  PHE A 105      19.614 -25.754  20.182  1.00 39.25           C
ATOM   1412  CB  PHE A 105      18.093 -25.633  20.319  1.00 39.72           C
```

```
ATOM   1415  CG  PHE A 105      17.647 -24.831  21.528  1.00 41.82           C
ATOM   1416  CD1 PHE A 105      17.921 -25.279  22.820  1.00 43.75           C
ATOM   1418  CE1 PHE A 105      17.513 -24.545  23.940  1.00 44.10           C
ATOM   1420  CZ  PHE A 105      16.813 -23.361  23.769  1.00 43.68           C
ATOM   1422  CE2 PHE A 105      16.523 -22.908  22.485  1.00 43.88           C
ATOM   1424  CD2 PHE A 105      16.939 -23.640  21.374  1.00 43.40           C
ATOM   1426  C   PHE A 105      19.976 -26.714  19.038  1.00 37.58           C
ATOM   1427  O   PHE A 105      20.211 -26.271  17.916  1.00 37.07           O
ATOM   1429  N   LEU A 106      20.028 -28.017  19.322  1.00 35.46           N
ATOM   1430  CA  LEU A 106      20.329 -28.997  18.280  1.00 34.09           C
ATOM   1432  CB  LEU A 106      20.461 -30.413  18.851  1.00 34.01           C
ATOM   1435  CG  LEU A 106      21.754 -30.873  19.528  1.00 33.36           C
ATOM   1437  CD1 LEU A 106      21.567 -32.315  19.959  1.00 32.09           C
ATOM   1441  CD2 LEU A 106      22.967 -30.742  18.619  1.00 31.50           C
ATOM   1445  C   LEU A 106      19.235 -29.020  17.226  1.00 32.92           C
ATOM   1446  O   LEU A 106      18.078 -29.165  17.561  1.00 32.71           O
ATOM   1448  N   PRO A 107      19.598 -28.895  15.944  1.00 32.17           N
ATOM   1449  CA  PRO A 107      18.626 -29.063  14.885  1.00 31.74           C
ATOM   1451  CB  PRO A 107      19.138 -28.097  13.816  1.00 31.71           C
ATOM   1454  CG  PRO A 107      20.610 -28.086  14.005  1.00 31.66           C
ATOM   1457  CD  PRO A 107      20.924 -28.587  15.381  1.00 32.17           C
ATOM   1460  C   PRO A 107      18.629 -30.521  14.417  1.00 31.09           C
ATOM   1461  O   PRO A 107      19.133 -31.374  15.139  1.00 30.98           O
ATOM   1462  N   ASP A 108      18.078 -30.803  13.237  1.00 30.62           N
ATOM   1463  CA  ASP A 108      17.933 -32.179  12.749  1.00 30.37           C
ATOM   1465  CB  ASP A 108      16.505 -32.388  12.239  1.00 30.40           C
ATOM   1468  CG  ASP A 108      15.449 -32.136  13.322  1.00 30.54           C
ATOM   1469  OD1 ASP A 108      15.634 -32.602  14.477  1.00 27.46           O
ATOM   1470  OD2 ASP A 108      14.439 -31.465  13.005  1.00 30.39           O
ATOM   1471  C   ASP A 108      18.934 -32.569  11.656  1.00 30.46           C
ATOM   1472  O   ASP A 108      19.354 -33.714  11.595  1.00 30.14           O
ATOM   1474  N   LEU A 109      19.302 -31.624  10.790  1.00 30.79           N
ATOM   1475  CA  LEU A 109      20.242 -31.887   9.691  1.00 30.85           C
ATOM   1477  CB  LEU A 109      19.475 -32.231   8.415  1.00 30.72           C
ATOM   1480  CG  LEU A 109      18.466 -33.377   8.371  1.00 30.21           C
ATOM   1482  CD1 LEU A 109      17.591 -33.139   7.173  1.00 30.04           C
ATOM   1486  CD2 LEU A 109      19.121 -34.764   8.281  1.00 29.17           C
ATOM   1490  C   LEU A 109      21.152 -30.691   9.376  1.00 31.31           C
ATOM   1491  O   LEU A 109      20.917 -29.577   9.818  1.00 31.04           O
ATOM   1493  N   TYR A 110      22.197 -30.942   8.602  1.00 32.34           N
ATOM   1494  CA  TYR A 110      22.981 -29.870   7.989  1.00 33.22           C
ATOM   1496  CB  TYR A 110      24.423 -29.826   8.523  1.00 33.33           C
ATOM   1499  CG  TYR A 110      25.215 -28.662   7.954  1.00 33.07           C
ATOM   1500  CD1 TYR A 110      24.932 -27.359   8.333  1.00 33.36           C
ATOM   1502  CE1 TYR A 110      25.643 -26.278   7.809  1.00 34.08           C
ATOM   1504  CZ  TYR A 110      26.648 -26.495   6.898  1.00 34.55           C
ATOM   1505  OH  TYR A 110      27.344 -25.421   6.388  1.00 36.03           O
ATOM   1507  CE2 TYR A 110      26.951 -27.782   6.491  1.00 35.02           C
ATOM   1509  CD2 TYR A 110      26.227 -28.864   7.021  1.00 34.78           C
ATOM   1511  C   TYR A 110      23.032 -30.095   6.496  1.00 33.87           C
ATOM   1512  O   TYR A 110      23.252 -31.215   6.047  1.00 33.49           O
ATOM   1514  N   ASP A 111      22.842 -29.022   5.737  1.00 35.09           N
ATOM   1515  CA  ASP A 111      22.890 -29.087   4.284  1.00 36.18           C
ATOM   1517  CB  ASP A 111      21.758 -28.230   3.705  1.00 36.30           C
ATOM   1520  CG  ASP A 111      21.542 -28.465   2.219  1.00 36.33           C
ATOM   1521  OD1 ASP A 111      22.409 -29.106   1.577  1.00 35.59           O
ATOM   1522  OD2 ASP A 111      20.492 -28.013   1.696  1.00 35.58           O
ATOM   1523  C   ASP A 111      24.244 -28.580   3.781  1.00 37.05           C
ATOM   1524  O   ASP A 111      24.540 -27.387   3.862  1.00 36.92           O
ATOM   1526  N   TYR A 112      25.059 -29.482   3.250  1.00 38.34           N
ATOM   1527  CA  TYR A 112      26.397 -29.104   2.782  1.00 39.58           C
ATOM   1529  CB  TYR A 112      27.258 -30.343   2.538  1.00 39.64           C
ATOM   1532  CG  TYR A 112      27.802 -30.984   3.798  1.00 39.90           C
```

```
ATOM   1533  CD1 TYR A 112      27.340 -32.223   4.222  1.00 40.91           C
ATOM   1535  CE1 TYR A 112      27.839 -32.825   5.374  1.00 41.15           C
ATOM   1537  CZ  TYR A 112      28.806 -32.181   6.111  1.00 40.99           C
ATOM   1538  OH  TYR A 112      29.284 -32.781   7.246  1.00 41.18           O
ATOM   1540  CE2 TYR A 112      29.287 -30.946   5.708  1.00 40.68           C
ATOM   1542  CD2 TYR A 112      28.785 -30.358   4.555  1.00 40.03           C
ATOM   1544  C   TYR A 112      26.401 -28.224   1.521  1.00 40.71           C
ATOM   1545  O   TYR A 112      27.384 -27.536   1.243  1.00 41.24           O
ATOM   1547  N   LYS A 113      25.316 -28.260   0.753  1.00 41.88           N
ATOM   1548  CA  LYS A 113      25.241 -27.532  -0.508  1.00 42.22           C
ATOM   1550  CB  LYS A 113      24.270 -28.237  -1.471  1.00 42.45           C
ATOM   1553  CG  LYS A 113      23.912 -27.443  -2.738  1.00 43.40           C
ATOM   1556  CD  LYS A 113      23.015 -28.238  -3.687  1.00 43.70           C
ATOM   1559  CE  LYS A 113      22.563 -27.374  -4.874  1.00 44.50           C
ATOM   1562  NZ  LYS A 113      21.360 -27.929  -5.585  1.00 44.53           N
ATOM   1566  C   LYS A 113      24.825 -26.088  -0.245  1.00 42.47           C
ATOM   1567  O   LYS A 113      25.389 -25.166  -0.833  1.00 43.03           O
ATOM   1569  N   GLU A 114      23.850 -25.893   0.640  1.00 42.38           N
ATOM   1570  CA  GLU A 114      23.326 -24.566   0.925  1.00 42.25           C
ATOM   1572  CB  GLU A 114      21.804 -24.625   1.045  1.00 42.48           C
ATOM   1575  CG  GLU A 114      21.101 -25.211  -0.177  1.00 43.12           C
ATOM   1578  CD  GLU A 114      20.972 -24.245  -1.341  1.00 44.54           C
ATOM   1579  OE1 GLU A 114      21.635 -23.182  -1.349  1.00 45.47           O
ATOM   1580  OE2 GLU A 114      20.187 -24.558  -2.267  1.00 46.87           O
ATOM   1581  C   GLU A 114      23.918 -24.018   2.210  1.00 42.27           C
ATOM   1582  O   GLU A 114      23.530 -22.937   2.672  1.00 42.36           O
ATOM   1584  N   ASN A 115      24.841 -24.781   2.793  1.00 42.24           N
ATOM   1585  CA  ASN A 115      25.518 -24.420   4.037  1.00 42.33           C
ATOM   1587  CB  ASN A 115      26.706 -23.506   3.747  1.00 42.54           C
ATOM   1590  CG  ASN A 115      27.775 -24.201   2.913  1.00 44.14           C
ATOM   1591  OD1 ASN A 115      28.134 -23.730   1.822  1.00 47.65           O
ATOM   1592  ND2 ASN A 115      28.266 -25.345   3.403  1.00 43.77           N
ATOM   1595  C   ASN A 115      24.611 -23.819   5.102  1.00 41.99           C
ATOM   1596  O   ASN A 115      24.735 -22.644   5.468  1.00 42.22           O
ATOM   1598  N   ARG A 116      23.702 -24.649   5.601  1.00 41.33           N
ATOM   1599  CA  ARG A 116      22.796 -24.242   6.657  1.00 40.59           C
ATOM   1601  CB  ARG A 116      21.693 -23.370   6.084  1.00 40.85           C
ATOM   1604  CG  ARG A 116      20.850 -24.073   5.049  1.00 42.04           C
ATOM   1607  CD  ARG A 116      19.894 -23.108   4.403  1.00 43.56           C
ATOM   1610  NE  ARG A 116      19.078 -23.770   3.396  1.00 45.04           N
ATOM   1612  CZ  ARG A 116      18.320 -23.134   2.508  1.00 46.12           C
ATOM   1613  NH1 ARG A 116      18.263 -21.805   2.498  1.00 45.63           N
ATOM   1616  NH2 ARG A 116      17.611 -23.835   1.629  1.00 46.47           N
ATOM   1619  C   ARG A 116      22.169 -25.444   7.336  1.00 39.65           C
ATOM   1620  O   ARG A 116      22.084 -26.537   6.746  1.00 39.49           O
ATOM   1622  N   PHE A 117      21.720 -25.216   8.570  1.00 38.46           N
ATOM   1623  CA  PHE A 117      21.048 -26.229   9.365  1.00 37.48           C
ATOM   1625  CB  PHE A 117      21.268 -25.985  10.851  1.00 37.18           C
ATOM   1628  CG  PHE A 117      22.660 -26.297  11.303  1.00 36.90           C
ATOM   1629  CD1 PHE A 117      23.060 -27.612  11.488  1.00 35.87           C
ATOM   1631  CE1 PHE A 117      24.342 -27.908  11.891  1.00 35.89           C
ATOM   1633  CZ  PHE A 117      25.245 -26.886  12.122  1.00 35.53           C
ATOM   1635  CE2 PHE A 117      24.856 -25.569  11.939  1.00 36.00           C
ATOM   1637  CD2 PHE A 117      23.577 -25.279  11.533  1.00 36.26           C
ATOM   1639  C   PHE A 117      19.570 -26.245   9.060  1.00 37.05           C
ATOM   1640  O   PHE A 117      18.997 -25.225   8.649  1.00 36.82           O
ATOM   1642  N   ILE A 118      18.967 -27.419   9.253  1.00 36.44           N
ATOM   1643  CA  ILE A 118      17.545 -27.641   8.960  1.00 35.88           C
ATOM   1645  CB  ILE A 118      17.348 -28.632   7.801  1.00 35.62           C
ATOM   1647  CG1 ILE A 118      18.150 -28.199   6.567  1.00 35.28           C
ATOM   1650  CD1 ILE A 118      18.272 -29.271   5.489  1.00 33.61           C
ATOM   1654  CG2 ILE A 118      15.871 -28.765   7.470  1.00 35.12           C
ATOM   1658  C   ILE A 118      16.820 -28.200  10.185  1.00 35.61           C
```

```
ATOM   1659  O   ILE A 118      17.305 -29.147  10.836  1.00 35.73           O
ATOM   1661  N   GLU A 119      15.672 -27.607  10.499  1.00 34.98           N
ATOM   1662  CA  GLU A 119      14.801 -28.113  11.547  1.00 35.00           C
ATOM   1664  CB  GLU A 119      14.467 -27.017  12.570  1.00 35.24           C
ATOM   1667  CG  GLU A 119      13.432 -27.405  13.641  1.00 35.49           C
ATOM   1670  CD  GLU A 119      13.728 -28.715  14.333  1.00 35.78           C
ATOM   1671  OE1 GLU A 119      12.765 -29.474  14.574  1.00 37.24           O
ATOM   1672  OE2 GLU A 119      14.910 -28.990  14.629  1.00 35.45           O
ATOM   1673  C   GLU A 119      13.537 -28.664  10.898  1.00 34.57           C
ATOM   1674  O   GLU A 119      12.692 -27.901  10.431  1.00 34.20           O
ATOM   1676  N   ILE A 120      13.453 -29.996  10.854  1.00 34.05           N
ATOM   1677  CA  ILE A 120      12.318 -30.709  10.307  1.00 33.58           C
ATOM   1679  CB  ILE A 120      12.673 -32.156   9.965  1.00 33.46           C
ATOM   1681  CG1 ILE A 120      13.751 -32.220   8.883  1.00 34.02           C
ATOM   1684  CD1 ILE A 120      13.395 -31.531   7.587  1.00 34.17           C
ATOM   1688  CG2 ILE A 120      11.436 -32.925   9.549  1.00 33.36           C
ATOM   1692  C   ILE A 120      11.219 -30.752  11.357  1.00 33.80           C
ATOM   1693  O   ILE A 120      11.450 -31.129  12.506  1.00 33.34           O
ATOM   1695  N   GLY A 121      10.026 -30.344  10.950  1.00 34.18           N
ATOM   1696  CA  GLY A 121       8.836 -30.476  11.770  1.00 34.33           C
ATOM   1699  C   GLY A 121       7.862 -31.419  11.099  1.00 34.42           C
ATOM   1700  O   GLY A 121       7.762 -31.454   9.878  1.00 33.90           O
ATOM   1702  N   VAL A 122       7.170 -32.207  11.909  1.00 35.16           N
ATOM   1703  CA  VAL A 122       6.058 -33.020  11.451  1.00 35.47           C
ATOM   1705  CB  VAL A 122       6.397 -34.497  11.474  1.00 35.31           C
ATOM   1707  CG1 VAL A 122       5.261 -35.292  10.848  1.00 34.65           C
ATOM   1711  CG2 VAL A 122       7.716 -34.744  10.750  1.00 34.22           C
ATOM   1715  C   VAL A 122       4.887 -32.752  12.376  1.00 36.49           C
ATOM   1716  O   VAL A 122       5.006 -32.889  13.580  1.00 36.06           O
ATOM   1718  N   THR A 123       3.763 -32.334  11.812  1.00 38.25           N
ATOM   1719  CA  THR A 123       2.579 -32.030  12.606  1.00 39.75           C
ATOM   1721  CB  THR A 123       2.302 -30.519  12.644  1.00 39.76           C
ATOM   1723  OG1 THR A 123       1.369 -30.240  13.688  1.00 40.75           O
ATOM   1725  CG2 THR A 123       1.740 -30.008  11.307  1.00 39.49           C
ATOM   1729  C   THR A 123       1.388 -32.736  12.011  1.00 40.95           C
ATOM   1730  O   THR A 123       1.397 -33.051  10.833  1.00 40.89           O
ATOM   1732  N   ARG A 124       0.369 -32.991  12.820  1.00 42.67           N
ATOM   1733  CA  ARG A 124      -0.873 -33.583  12.300  1.00 44.25           C
ATOM   1735  CB  ARG A 124      -1.262 -34.879  13.053  1.00 44.20           C
ATOM   1738  CG  ARG A 124      -1.043 -34.891  14.572  1.00 43.73           C
ATOM   1741  CD  ARG A 124      -0.181 -36.060  15.073  1.00 42.41           C
ATOM   1744  NE  ARG A 124       0.776 -35.603  16.085  1.00 42.71           N
ATOM   1746  CZ  ARG A 124       0.789 -35.911  17.387  1.00 42.89           C
ATOM   1747  NH1 ARG A 124      -0.099 -36.727  17.936  1.00 43.49           N
ATOM   1750  NH2 ARG A 124       1.736 -35.394  18.162  1.00 43.09           N
ATOM   1753  C   ARG A 124      -1.993 -32.520  12.239  1.00 45.93           C
ATOM   1754  O   ARG A 124      -3.164 -32.819  11.957  1.00 45.97           O
ATOM   1756  N   ARG A 125      -1.585 -31.271  12.463  1.00 47.69           N
ATOM   1757  CA  ARG A 125      -2.415 -30.106  12.229  1.00 49.21           C
ATOM   1759  CB  ARG A 125      -2.260 -29.132  13.397  1.00 49.39           C
ATOM   1762  CG  ARG A 125      -2.830 -29.639  14.696  1.00 50.37           C
ATOM   1765  CD  ARG A 125      -2.641 -28.591  15.785  1.00 52.42           C
ATOM   1768  NE  ARG A 125      -1.401 -28.782  16.544  1.00 53.57           N
ATOM   1770  CZ  ARG A 125      -0.676 -27.807  17.098  1.00 53.86           C
ATOM   1771  NH1 ARG A 125      -1.030 -26.533  16.976  1.00 53.62           N
ATOM   1774  NH2 ARG A 125       0.433 -28.113  17.768  1.00 54.17           N
ATOM   1777  C   ARG A 125      -2.031 -29.439  10.890  1.00 50.38           C
ATOM   1778  O   ARG A 125      -1.513 -30.102   9.977  1.00 50.26           O
ATOM   1780  N   GLU A 126      -2.299 -28.135  10.776  1.00 51.87           N
ATOM   1781  CA  GLU A 126      -2.062 -27.375   9.544  1.00 52.89           C
ATOM   1783  CB  GLU A 126      -3.159 -26.323   9.357  1.00 53.10           C
ATOM   1786  CG  GLU A 126      -4.582 -26.846   9.556  1.00 54.37           C
ATOM   1789  CD  GLU A 126      -5.549 -25.734   9.907  1.00 56.25           C
```

```
ATOM   1790  OE1 GLU A 126      -5.627 -24.762   9.129  1.00 57.91           O
ATOM   1791  OE2 GLU A 126      -6.222 -25.819  10.959  1.00 57.22           O
ATOM   1792  C   GLU A 126      -0.687 -26.694   9.589  1.00 53.27           C
ATOM   1793  O   GLU A 126      -0.390 -25.930  10.518  1.00 53.08           O
ATOM   1795  N   VAL A 127       0.140 -26.997   8.587  1.00 53.87           N
ATOM   1796  CA  VAL A 127       1.521 -26.509   8.517  1.00 54.32           C
ATOM   1798  CB  VAL A 127       2.066 -26.550   7.065  1.00 54.30           C
ATOM   1800  CG1 VAL A 127       2.669 -27.906   6.752  1.00 54.92           C
ATOM   1804  CG2 VAL A 127       0.972 -26.217   6.056  1.00 54.54           C
ATOM   1808  C   VAL A 127       1.710 -25.096   9.072  1.00 54.78           C
ATOM   1809  O   VAL A 127       2.426 -24.906  10.053  1.00 54.69           O
ATOM   1811  N   HIS A 128       1.041 -24.122   8.459  1.00 55.54           N
ATOM   1812  CA  HIS A 128       1.350 -22.702   8.676  1.00 56.24           C
ATOM   1814  CB  HIS A 128       0.349 -21.774   7.955  1.00 56.67           C
ATOM   1817  CG  HIS A 128      -1.060 -21.872   8.463  1.00 58.76           C
ATOM   1818  ND1 HIS A 128      -1.852 -22.986   8.264  1.00 60.13           N
ATOM   1820  CE1 HIS A 128      -3.036 -22.786   8.815  1.00 60.50           C
ATOM   1822  NE2 HIS A 128      -3.048 -21.579   9.354  1.00 60.99           N
ATOM   1824  CD2 HIS A 128      -1.826 -20.985   9.145  1.00 60.28           C
ATOM   1826  C   HIS A 128       1.472 -22.326  10.146  1.00 56.07           C
ATOM   1827  O   HIS A 128       2.369 -21.566  10.506  1.00 56.30           O
ATOM   1829  N   ILE A 129       0.608 -22.881  10.994  1.00 55.81           N
ATOM   1830  CA  ILE A 129       0.647 -22.555  12.428  1.00 55.67           C
ATOM   1832  CB  ILE A 129      -0.656 -22.934  13.180  1.00 55.88           C
ATOM   1834  CG1 ILE A 129      -1.900 -22.732  12.290  1.00 56.67           C
ATOM   1837  CD1 ILE A 129      -3.237 -22.828  13.032  1.00 57.10           C
ATOM   1841  CG2 ILE A 129      -0.749 -22.119  14.478  1.00 55.39           C
ATOM   1845  C   ILE A 129       1.821 -23.238  13.135  1.00 55.29           C
ATOM   1846  O   ILE A 129       2.501 -22.619  13.952  1.00 55.20           O
ATOM   1848  N   TYR A 130       2.046 -24.516  12.830  1.00 55.01           N
ATOM   1849  CA  TYR A 130       3.141 -25.268  13.453  1.00 54.74           C
ATOM   1851  CB  TYR A 130       3.120 -26.749  13.053  1.00 54.46           C
ATOM   1854  CG  TYR A 130       4.114 -27.608  13.822  1.00 53.54           C
ATOM   1855  CD1 TYR A 130       3.840 -28.040  15.119  1.00 52.88           C
ATOM   1857  CE1 TYR A 130       4.748 -28.833  15.828  1.00 51.74           C
ATOM   1859  CZ  TYR A 130       5.941 -29.207  15.235  1.00 50.71           C
ATOM   1860  OH  TYR A 130       6.837 -29.994  15.923  1.00 47.79           O
ATOM   1862  CE2 TYR A 130       6.227 -28.799  13.948  1.00 50.99           C
ATOM   1864  CD2 TYR A 130       5.319 -28.003  13.249  1.00 52.18           C
ATOM   1866  C   TYR A 130       4.471 -24.642  13.078  1.00 54.65           C
ATOM   1867  O   TYR A 130       5.349 -24.505  13.915  1.00 54.47           O
ATOM   1869  N   TYR A 131       4.602 -24.255  11.817  1.00 54.85           N
ATOM   1870  CA  TYR A 131       5.757 -23.507  11.367  1.00 55.14           C
ATOM   1872  CB  TYR A 131       5.542 -23.029   9.932  1.00 54.97           C
ATOM   1875  CG  TYR A 131       6.691 -22.227   9.373  1.00 53.88           C
ATOM   1876  CD1 TYR A 131       7.614 -22.808   8.519  1.00 52.45           C
ATOM   1878  CE1 TYR A 131       8.668 -22.082   8.008  1.00 52.73           C
ATOM   1880  CZ  TYR A 131       8.811 -20.751   8.353  1.00 53.28           C
ATOM   1881  OH  TYR A 131       9.856 -20.015   7.849  1.00 53.98           O
ATOM   1883  CE2 TYR A 131       7.904 -20.147   9.202  1.00 53.18           C
ATOM   1885  CD2 TYR A 131       6.856 -20.883   9.709  1.00 53.29           C
ATOM   1887  C   TYR A 131       6.019 -22.316  12.292  1.00 55.97           C
ATOM   1888  O   TYR A 131       7.136 -22.126  12.772  1.00 55.86           O
ATOM   1890  N   LEU A 132       4.985 -21.520  12.546  1.00 57.03           N
ATOM   1891  CA  LEU A 132       5.140 -20.327  13.369  1.00 58.04           C
ATOM   1893  CB  LEU A 132       3.872 -19.464  13.343  1.00 58.13           C
ATOM   1896  CG  LEU A 132       3.549 -18.730  12.033  1.00 58.50           C
ATOM   1898  CD1 LEU A 132       2.332 -17.827  12.236  1.00 58.65           C
ATOM   1902  CD2 LEU A 132       4.739 -17.923  11.512  1.00 58.44           C
ATOM   1906  C   LEU A 132       5.523 -20.654  14.811  1.00 58.85           C
ATOM   1907  O   LEU A 132       6.281 -19.910  15.430  1.00 59.31           O
ATOM   1909  N   GLU A 133       5.005 -21.756  15.351  1.00 59.71           N
ATOM   1910  CA  GLU A 133       5.376 -22.181  16.705  1.00 60.14           C
```

```
ATOM   1912  CB  GLU A 133       4.385 -23.218  17.251  1.00 60.24           C
ATOM   1915  CG  GLU A 133       2.961 -22.659  17.466  1.00 60.87           C
ATOM   1918  CD  GLU A 133       1.961 -23.690  18.018  1.00 61.61           C
ATOM   1919  OE1 GLU A 133       2.344 -24.858  18.247  1.00 62.42           O
ATOM   1920  OE2 GLU A 133       0.779 -23.331  18.219  1.00 61.07           O
ATOM   1921  C   GLU A 133       6.814 -22.710  16.729  1.00 60.43           C
ATOM   1922  O   GLU A 133       7.506 -22.592  17.742  1.00 60.50           O
ATOM   1924  N   LYS A 134       7.264 -23.272  15.607  1.00 60.82           N
ATOM   1925  CA  LYS A 134       8.660 -23.692  15.472  1.00 61.22           C
ATOM   1927  CB  LYS A 134       8.894 -24.505  14.192  1.00 61.09           C
ATOM   1930  CG  LYS A 134       8.749 -26.001  14.367  1.00 60.85           C
ATOM   1933  CD  LYS A 134       9.906 -26.617  15.147  1.00 59.97           C
ATOM   1936  CE  LYS A 134       9.756 -28.123  15.233  1.00 59.41           C
ATOM   1939  NZ  LYS A 134      10.467 -28.695  16.401  1.00 59.78           N
ATOM   1943  C   LYS A 134       9.575 -22.485  15.465  1.00 61.76           C
ATOM   1944  O   LYS A 134      10.472 -22.388  16.297  1.00 61.78           O
ATOM   1946  N   ALA A 135       9.337 -21.579  14.520  1.00 62.52           N
ATOM   1947  CA  ALA A 135      10.149 -20.370  14.353  1.00 63.28           C
ATOM   1949  CB  ALA A 135       9.513 -19.446  13.327  1.00 63.27           C
ATOM   1953  C   ALA A 135      10.376 -19.617  15.664  1.00 64.11           C
ATOM   1954  O   ALA A 135      11.512 -19.266  15.990  1.00 64.12           O
ATOM   1956  N   ASN A 136       9.303 -19.378  16.413  1.00 65.15           N
ATOM   1957  CA  ASN A 136       9.408 -18.693  17.708  1.00 66.21           C
ATOM   1959  CB  ASN A 136       8.048 -18.649  18.414  1.00 66.23           C
ATOM   1962  CG  ASN A 136       7.113 -17.611  17.820  1.00 66.63           C
ATOM   1963  OD1 ASN A 136       7.328 -17.108  16.711  1.00 66.81           O
ATOM   1964  ND2 ASN A 136       6.059 -17.285  18.561  1.00 67.06           N
ATOM   1967  C   ASN A 136      10.453 -19.304  18.650  1.00 66.97           C
ATOM   1968  O   ASN A 136      11.259 -18.583  19.232  1.00 67.21           O
ATOM   1970  N   LYS A 137      10.430 -20.627  18.791  1.00 67.87           N
ATOM   1971  CA  LYS A 137      11.375 -21.335  19.656  1.00 68.71           C
ATOM   1973  CB  LYS A 137      10.977 -22.815  19.765  1.00 68.85           C
ATOM   1976  CG  LYS A 137      12.044 -23.707  20.395  1.00 69.45           C
ATOM   1979  CD  LYS A 137      11.492 -25.045  20.875  1.00 70.12           C
ATOM   1982  CE  LYS A 137      12.631 -25.968  21.308  1.00 70.41           C
ATOM   1985  NZ  LYS A 137      12.148 -27.131  22.094  1.00 70.63           N
ATOM   1989  C   LYS A 137      12.841 -21.220  19.203  1.00 69.26           C
ATOM   1990  O   LYS A 137      13.752 -21.252  20.032  1.00 69.34           O
ATOM   1992  N   ILE A 138      13.059 -21.077  17.897  1.00 70.01           N
ATOM   1993  CA  ILE A 138      14.401 -21.134  17.302  1.00 70.47           C
ATOM   1995  CB  ILE A 138      14.391 -22.020  16.031  1.00 70.45           C
ATOM   1997  CG1 ILE A 138      13.905 -23.429  16.357  1.00 70.76           C
ATOM   2000  CD1 ILE A 138      13.693 -24.266  15.127  1.00 71.11           C
ATOM   2004  CG2 ILE A 138      15.764 -22.103  15.413  1.00 70.41           C
ATOM   2008  C   ILE A 138      14.930 -19.756  16.900  1.00 70.95           C
ATOM   2009  O   ILE A 138      14.448 -19.153  15.933  1.00 71.13           O
ATOM   2011  N   LYS A 139      15.925 -19.262  17.633  1.00 71.34           N
ATOM   2012  CA  LYS A 139      16.692 -18.093  17.195  1.00 71.67           C
ATOM   2014  CB  LYS A 139      16.520 -16.908  18.153  1.00 71.72           C
ATOM   2017  CG  LYS A 139      15.622 -15.804  17.599  1.00 71.82           C
ATOM   2020  CD  LYS A 139      15.766 -14.502  18.380  1.00 71.87           C
ATOM   2023  CE  LYS A 139      15.252 -13.315  17.575  1.00 71.74           C
ATOM   2026  NZ  LYS A 139      15.132 -12.089  18.406  1.00 71.74           N
ATOM   2030  C   LYS A 139      18.171 -18.446  17.030  1.00 71.93           C
ATOM   2031  O   LYS A 139      18.667 -18.556  15.903  1.00 72.13           O
ATOM   2033  N   GLU A 141      17.092 -18.759  14.096  1.00 56.22           N
ATOM   2034  CA  GLU A 141      16.583 -17.809  13.106  1.00 56.40           C
ATOM   2036  CB  GLU A 141      16.762 -16.357  13.579  1.00 56.67           C
ATOM   2039  CG  GLU A 141      16.675 -15.319  12.435  1.00 58.19           C
ATOM   2042  CD  GLU A 141      16.506 -13.876  12.902  1.00 59.66           C
ATOM   2043  OE1 GLU A 141      16.120 -13.641  14.073  1.00 60.52           O
ATOM   2044  OE2 GLU A 141      16.754 -12.974  12.070  1.00 60.27           O
ATOM   2045  C   GLU A 141      17.268 -17.997  11.761  1.00 55.75           C
```

```
ATOM   2046  O   GLU A 141      16.683 -17.703  10.718  1.00 55.89           O
ATOM   2048  N   LYS A 142      18.515 -18.459  11.798  1.00 54.98           N
ATOM   2049  CA  LYS A 142      19.285 -18.717  10.585  1.00 54.31           C
ATOM   2051  CB  LYS A 142      20.736 -18.286  10.791  1.00 54.42           C
ATOM   2054  CG  LYS A 142      20.869 -16.843  11.297  1.00 54.96           C
ATOM   2057  CD  LYS A 142      22.329 -16.434  11.466  1.00 55.72           C
ATOM   2060  CE  LYS A 142      22.990 -16.006  10.154  1.00 55.44           C
ATOM   2063  NZ  LYS A 142      24.472 -16.091  10.270  1.00 54.93           N
ATOM   2067  C   LYS A 142      19.194 -20.192  10.195  1.00 53.35           C
ATOM   2068  O   LYS A 142      19.723 -20.604   9.158  1.00 52.94           O
ATOM   2070  N   THR A 143      18.510 -20.972  11.033  1.00 52.37           N
ATOM   2071  CA  THR A 143      18.187 -22.366  10.738  1.00 51.54           C
ATOM   2073  CB  THR A 143      17.780 -23.128  12.012  1.00 51.60           C
ATOM   2075  OG1 THR A 143      18.867 -23.128  12.945  1.00 52.12           O
ATOM   2077  CG2 THR A 143      17.403 -24.560  11.684  1.00 51.66           C
ATOM   2081  C   THR A 143      17.009 -22.437   9.781  1.00 50.61           C
ATOM   2082  O   THR A 143      15.972 -21.839  10.030  1.00 50.42           O
ATOM   2084  N   HIS A 144      17.168 -23.185   8.700  1.00 49.59           N
ATOM   2085  CA  HIS A 144      16.083 -23.397   7.751  1.00 49.04           C
ATOM   2087  CB  HIS A 144      16.656 -23.927   6.434  1.00 49.09           C
ATOM   2090  CG  HIS A 144      15.766 -23.705   5.253  1.00 49.77           C
ATOM   2091  ND1 HIS A 144      15.778 -22.535   4.525  1.00 49.98           N
ATOM   2093  CE1 HIS A 144      14.906 -22.629   3.538  1.00 50.58           C
ATOM   2095  NE2 HIS A 144      14.328 -23.817   3.601  1.00 50.51           N
ATOM   2097  CD2 HIS A 144      14.852 -24.511   4.663  1.00 50.38           C
ATOM   2099  C   HIS A 144      15.049 -24.384   8.334  1.00 48.04           C
ATOM   2100  O   HIS A 144      15.405 -25.444   8.815  1.00 47.85           O
ATOM   2102  N   ILE A 145      13.776 -24.014   8.293  1.00 47.07           N
ATOM   2103  CA  ILE A 145      12.697 -24.836   8.836  1.00 46.29           C
ATOM   2105  CB  ILE A 145      11.751 -23.994   9.720  1.00 46.08           C
ATOM   2107  CG1 ILE A 145      12.510 -23.454  10.938  1.00 45.79           C
ATOM   2110  CD1 ILE A 145      11.753 -22.421  11.752  1.00 45.49           C
ATOM   2114  CG2 ILE A 145      10.546 -24.812  10.159  1.00 45.29           C
ATOM   2118  C   ILE A 145      11.896 -25.478   7.708  1.00 45.92           C
ATOM   2119  O   ILE A 145      11.712 -24.880   6.660  1.00 45.65           O
ATOM   2121  N   HIS A 146      11.429 -26.701   7.934  1.00 45.79           N
ATOM   2122  CA  HIS A 146      10.636 -27.439   6.946  1.00 45.53           C
ATOM   2124  CB  HIS A 146      11.562 -28.322   6.107  1.00 45.36           C
ATOM   2127  CG  HIS A 146      10.961 -28.786   4.819  1.00 44.92           C
ATOM   2128  ND1 HIS A 146      11.679 -28.837   3.644  1.00 44.45           N
ATOM   2130  CE1 HIS A 146      10.904 -29.296   2.678  1.00 44.56           C
ATOM   2132  NE2 HIS A 146       9.707 -29.535   3.181  1.00 44.13           N
ATOM   2134  CD2 HIS A 146       9.715 -29.224   4.519  1.00 44.35           C
ATOM   2136  C   HIS A 146       9.575 -28.296   7.653  1.00 45.49           C
ATOM   2137  O   HIS A 146       9.905 -29.269   8.325  1.00 45.24           O
ATOM   2139  N   ILE A 147       8.307 -27.916   7.521  1.00 45.44           N
ATOM   2140  CA  ILE A 147       7.223 -28.662   8.149  1.00 45.52           C
ATOM   2142  CB  ILE A 147       6.155 -27.735   8.758  1.00 45.50           C
ATOM   2144  CG1 ILE A 147       6.813 -26.626   9.580  1.00 46.11           C
ATOM   2147  CD1 ILE A 147       7.783 -27.133  10.634  1.00 45.97           C
ATOM   2151  CG2 ILE A 147       5.213 -28.515   9.646  1.00 44.84           C
ATOM   2155  C   ILE A 147       6.566 -29.590   7.130  1.00 45.87           C
ATOM   2156  O   ILE A 147       6.449 -29.259   5.949  1.00 45.65           O
ATOM   2158  N   PHE A 148       6.195 -30.778   7.592  1.00 46.20           N
ATOM   2159  CA  PHE A 148       5.323 -31.671   6.848  1.00 46.38           C
ATOM   2161  CB  PHE A 148       5.989 -33.014   6.596  1.00 46.34           C
ATOM   2164  CG  PHE A 148       7.155 -32.939   5.686  1.00 46.66           C
ATOM   2165  CD1 PHE A 148       7.001 -33.146   4.328  1.00 47.50           C
ATOM   2167  CE1 PHE A 148       8.095 -33.074   3.469  1.00 47.74           C
ATOM   2169  CZ  PHE A 148       9.354 -32.795   3.977  1.00 47.54           C
ATOM   2171  CE2 PHE A 148       9.514 -32.589   5.335  1.00 47.37           C
ATOM   2173  CD2 PHE A 148       8.416 -32.660   6.181  1.00 47.27           C
ATOM   2175  C   PHE A 148       4.106 -31.890   7.705  1.00 46.56           C
```

```
ATOM   2176  O   PHE A 148       4.142 -31.666   8.910  1.00 46.65           O
ATOM   2178  N   SER A 149       3.022 -32.324   7.084  1.00 46.95           N
ATOM   2179  CA  SER A 149       1.815 -32.649   7.827  1.00 47.08           C
ATOM   2181  CB  SER A 149       0.825 -31.489   7.772  1.00 47.20           C
ATOM   2184  OG  SER A 149       0.524 -31.175   6.421  1.00 48.80           O
ATOM   2186  C   SER A 149       1.195 -33.903   7.254  1.00 46.81           C
ATOM   2187  O   SER A 149       1.487 -34.285   6.119  1.00 46.80           O
ATOM   2189  N   PHE A 150       0.348 -34.545   8.050  1.00 46.57           N
ATOM   2190  CA  PHE A 150      -0.388 -35.712   7.587  1.00 46.60           C
ATOM   2192  CB  PHE A 150      -0.882 -36.538   8.775  1.00 46.47           C
ATOM   2195  CG  PHE A 150       0.192 -37.368   9.436  1.00 45.05           C
ATOM   2196  CD1 PHE A 150       0.402 -38.682   9.054  1.00 43.86           C
ATOM   2198  CE1 PHE A 150       1.378 -39.454   9.672  1.00 43.74           C
ATOM   2200  CZ  PHE A 150       2.153 -38.908  10.686  1.00 43.47           C
ATOM   2202  CE2 PHE A 150       1.952 -37.602  11.081  1.00 43.34           C
ATOM   2204  CD2 PHE A 150       0.975 -36.838  10.459  1.00 44.17           C
ATOM   2206  C   PHE A 150      -1.559 -35.319   6.666  1.00 46.94           C
ATOM   2207  O   PHE A 150      -2.227 -36.187   6.101  1.00 46.82           O
ATOM   2209  N   THR A 151      -1.800 -34.017   6.513  1.00 47.15           N
ATOM   2210  CA  THR A 151      -2.744 -33.520   5.515  1.00 47.38           C
ATOM   2212  CB  THR A 151      -3.248 -32.091   5.868  1.00 47.52           C
ATOM   2214  OG1 THR A 151      -2.190 -31.136   5.694  1.00 48.54           O
ATOM   2216  CG2 THR A 151      -3.769 -32.022   7.314  1.00 47.41           C
ATOM   2220  C   THR A 151      -2.133 -33.505   4.108  1.00 47.33           C
ATOM   2221  O   THR A 151      -2.806 -33.147   3.143  1.00 47.31           O
ATOM   2223  N   GLY A 152      -0.855 -33.870   4.002  1.00 47.40           N
ATOM   2224  CA  GLY A 152      -0.158 -33.967   2.717  1.00 47.31           C
ATOM   2227  C   GLY A 152       0.576 -32.690   2.351  1.00 47.49           C
ATOM   2228  O   GLY A 152       1.300 -32.636   1.342  1.00 47.67           O
ATOM   2230  N   GLU A 153       0.392 -31.659   3.171  1.00 47.43           N
ATOM   2231  CA  GLU A 153       0.999 -30.359   2.924  1.00 47.61           C
ATOM   2233  CB  GLU A 153       0.218 -29.279   3.682  1.00 47.73           C
ATOM   2236  CG  GLU A 153      -1.084 -28.906   3.025  1.00 48.08           C
ATOM   2239  CD  GLU A 153      -2.110 -28.339   3.987  1.00 48.76           C
ATOM   2240  OE1 GLU A 153      -1.735 -27.840   5.079  1.00 47.98           O
ATOM   2241  OE2 GLU A 153      -3.307 -28.402   3.625  1.00 49.67           O
ATOM   2242  C   GLU A 153       2.476 -30.295   3.335  1.00 47.64           C
ATOM   2243  O   GLU A 153       3.029 -31.243   3.910  1.00 47.48           O
ATOM   2245  N   GLU A 154       3.097 -29.158   3.022  1.00 47.60           N
ATOM   2246  CA  GLU A 154       4.407 -28.822   3.534  1.00 47.64           C
ATOM   2248  CB  GLU A 154       5.488 -29.464   2.684  1.00 47.55           C
ATOM   2251  CG  GLU A 154       5.330 -29.254   1.195  1.00 47.62           C
ATOM   2254  CD  GLU A 154       6.524 -29.753   0.415  1.00 46.94           C
ATOM   2255  OE1 GLU A 154       7.470 -30.256   1.049  1.00 46.23           O
ATOM   2256  OE2 GLU A 154       6.523 -29.634  -0.829  1.00 47.81           O
ATOM   2257  C   GLU A 154       4.600 -27.314   3.607  1.00 47.99           C
ATOM   2258  O   GLU A 154       3.764 -26.559   3.135  1.00 48.24           O
ATOM   2260  N   MET A 155       5.692 -26.888   4.235  1.00 48.34           N
ATOM   2261  CA  MET A 155       6.029 -25.477   4.356  1.00 48.49           C
ATOM   2263  CB  MET A 155       5.088 -24.775   5.336  1.00 48.57           C
ATOM   2266  CG  MET A 155       5.554 -23.365   5.694  1.00 49.76           C
ATOM   2269  SD  MET A 155       4.258 -22.235   6.206  1.00 51.85           S
ATOM   2270  CE  MET A 155       3.416 -21.995   4.633  1.00 51.21           C
ATOM   2274  C   MET A 155       7.477 -25.310   4.819  1.00 48.63           C
ATOM   2275  O   MET A 155       7.881 -25.926   5.803  1.00 48.67           O
ATOM   2277  N   ALA A 156       8.229 -24.454   4.115  1.00 48.88           N
ATOM   2278  CA  ALA A 156       9.649 -24.181   4.388  1.00 48.84           C
ATOM   2280  CB  ALA A 156      10.505 -24.910   3.391  1.00 48.79           C
ATOM   2284  C   ALA A 156       9.963 -22.680   4.342  1.00 49.16           C
ATOM   2285  O   ALA A 156       9.288 -21.925   3.639  1.00 49.18           O
ATOM   2287  N   THR A 157      10.988 -22.242   5.080  1.00 49.43           N
ATOM   2288  CA  THR A 157      11.311 -20.812   5.148  1.00 49.65           C
ATOM   2290  CB  THR A 157      12.572 -20.500   5.986  1.00 49.80           C
```

```
ATOM   2292  OG1 THR A 157      13.675 -21.279   5.505  1.00 51.08           O
ATOM   2294  CG2 THR A 157      12.354 -20.799   7.452  1.00 50.12           C
ATOM   2298  C   THR A 157      11.554 -20.280   3.752  1.00 49.49           C
ATOM   2299  O   THR A 157      12.238 -20.925   2.956  1.00 49.49           O
ATOM   2301  N   LYS A 158      10.980 -19.108   3.465  1.00 49.50           N
ATOM   2302  CA  LYS A 158      11.108 -18.449   2.163  1.00 49.29           C
ATOM   2304  CB  LYS A 158      12.537 -17.920   1.977  1.00 49.40           C
ATOM   2307  CG  LYS A 158      12.979 -16.904   3.032  1.00 50.03           C
ATOM   2310  CD  LYS A 158      14.455 -16.535   2.862  1.00 51.02           C
ATOM   2313  CE  LYS A 158      15.089 -16.043   4.165  1.00 52.04           C
ATOM   2316  NZ  LYS A 158      16.567 -16.317   4.217  1.00 52.29           N
ATOM   2320  C   LYS A 158      10.724 -19.373   0.998  1.00 48.93           C
ATOM   2321  O   LYS A 158      11.213 -19.203  -0.120  1.00 49.33           O
ATOM   2323  N   ALA A 159       9.852 -20.345   1.269  1.00 48.23           N
ATOM   2324  CA  ALA A 159       9.461 -21.358   0.295  1.00 47.78           C
ATOM   2326  CB  ALA A 159       8.446 -20.785  -0.684  1.00 47.65           C
ATOM   2330  C   ALA A 159      10.630 -21.984  -0.466  1.00 47.54           C
ATOM   2331  O   ALA A 159      10.533 -22.191  -1.673  1.00 48.06           O
ATOM   2333  N   ASP A 160      11.729 -22.273   0.227  1.00 46.99           N
ATOM   2334  CA  ASP A 160      12.820 -23.067  -0.349  1.00 46.60           C
ATOM   2336  CB  ASP A 160      14.176 -22.426  -0.042  1.00 46.49           C
ATOM   2339  CG  ASP A 160      15.346 -23.127  -0.743  1.00 46.39           C
ATOM   2340  OD1 ASP A 160      15.222 -24.300  -1.170  1.00 45.22           O
ATOM   2341  OD2 ASP A 160      16.413 -22.488  -0.851  1.00 46.18           O
ATOM   2342  C   ASP A 160      12.723 -24.463   0.271  1.00 46.37           C
ATOM   2343  O   ASP A 160      12.914 -24.619   1.482  1.00 46.41           O
ATOM   2345  N   TYR A 161      12.399 -25.466  -0.548  1.00 45.83           N
ATOM   2346  CA  TYR A 161      12.113 -26.810  -0.040  1.00 45.28           C
ATOM   2348  CB  TYR A 161      10.901 -27.411  -0.755  1.00 45.45           C
ATOM   2351  CG  TYR A 161       9.655 -26.583  -0.557  1.00 46.81           C
ATOM   2352  CD1 TYR A 161       9.106 -26.420   0.711  1.00 48.02           C
ATOM   2354  CE1 TYR A 161       7.976 -25.645   0.912  1.00 48.30           C
ATOM   2356  CZ  TYR A 161       7.369 -25.027  -0.158  1.00 48.63           C
ATOM   2357  OH  TYR A 161       6.243 -24.266   0.050  1.00 48.24           O
ATOM   2359  CE2 TYR A 161       7.891 -25.174  -1.433  1.00 48.64           C
ATOM   2361  CD2 TYR A 161       9.035 -25.946  -1.625  1.00 48.02           C
ATOM   2363  C   TYR A 161      13.322 -27.725  -0.149  1.00 44.58           C
ATOM   2364  O   TYR A 161      13.221 -28.929   0.114  1.00 44.46           O
ATOM   2366  N   THR A 162      14.469 -27.158  -0.525  1.00 43.50           N
ATOM   2367  CA  THR A 162      15.734 -27.875  -0.479  1.00 42.55           C
ATOM   2369  CB  THR A 162      16.044 -28.359   0.958  1.00 42.54           C
ATOM   2371  OG1 THR A 162      16.154 -27.227   1.825  1.00 41.69           O
ATOM   2373  CG2 THR A 162      17.322 -29.204   1.002  1.00 41.51           C
ATOM   2377  C   THR A 162      15.712 -29.071  -1.400  1.00 42.09           C
ATOM   2378  O   THR A 162      16.518 -29.172  -2.327  1.00 42.35           O
ATOM   2380  N   LEU A 163      14.797 -29.992  -1.122  1.00 41.33           N
ATOM   2381  CA  LEU A 163      14.695 -31.226  -1.881  1.00 40.86           C
ATOM   2383  CB  LEU A 163      13.922 -32.265  -1.073  1.00 40.74           C
ATOM   2386  CG  LEU A 163      14.601 -32.768   0.202  1.00 40.22           C
ATOM   2388  CD1 LEU A 163      13.633 -33.659   0.988  1.00 39.56           C
ATOM   2392  CD2 LEU A 163      15.895 -33.504  -0.127  1.00 38.43           C
ATOM   2396  C   LEU A 163      13.994 -30.990  -3.207  1.00 40.47           C
ATOM   2397  O   LEU A 163      13.321 -29.968  -3.401  1.00 40.41           O
ATOM   2399  N   ASP A 164      14.158 -31.941  -4.120  1.00 39.93           N
ATOM   2400  CA  ASP A 164      13.407 -31.922  -5.363  1.00 39.57           C
ATOM   2402  CB  ASP A 164      14.114 -32.769  -6.435  1.00 39.32           C
ATOM   2405  CG  ASP A 164      14.104 -34.257  -6.130  1.00 39.41           C
ATOM   2406  OD1 ASP A 164      13.323 -34.691  -5.272  1.00 40.02           O
ATOM   2407  OD2 ASP A 164      14.869 -35.010  -6.768  1.00 39.21           O
ATOM   2408  C   ASP A 164      11.960 -32.375  -5.065  1.00 39.44           C
ATOM   2409  O   ASP A 164      11.632 -32.706  -3.925  1.00 39.11           O
ATOM   2411  N   GLU A 165      11.089 -32.358  -6.073  1.00 39.55           N
ATOM   2412  CA  GLU A 165       9.694 -32.802  -5.888  1.00 39.27           C
```

```
ATOM   2414  CB  GLU A 165       8.822 -32.354  -7.069  1.00 39.27           C
ATOM   2417  CG  GLU A 165       7.307 -32.480  -6.836  1.00 39.15           C
ATOM   2420  CD  GLU A 165       6.769 -33.907  -7.054  1.00 39.46           C
ATOM   2421  OE1 GLU A 165       7.393 -34.708  -7.794  1.00 36.27           O
ATOM   2422  OE2 GLU A 165       5.707 -34.226  -6.477  1.00 38.42           O
ATOM   2423  C   GLU A 165       9.630 -34.320  -5.707  1.00 39.07           C
ATOM   2424  O   GLU A 165       8.838 -34.818  -4.923  1.00 38.30           O
ATOM   2426  N   GLU A 166      10.486 -35.040  -6.431  1.00 39.48           N
ATOM   2427  CA  GLU A 166      10.538 -36.504  -6.359  1.00 39.85           C
ATOM   2429  CB  GLU A 166      11.716 -37.053  -7.184  1.00 40.16           C
ATOM   2432  CG  GLU A 166      11.431 -38.312  -8.024  1.00 41.37           C
ATOM   2435  CD  GLU A 166      10.428 -39.254  -7.402  1.00 43.24           C
ATOM   2436  OE1 GLU A 166      10.741 -39.852  -6.356  1.00 45.39           O
ATOM   2437  OE2 GLU A 166       9.322 -39.405  -7.967  1.00 45.28           O
ATOM   2438  C   GLU A 166      10.685 -36.964  -4.910  1.00 39.58           C
ATOM   2439  O   GLU A 166       9.953 -37.839  -4.456  1.00 40.05           O
ATOM   2441  N   SER A 167      11.628 -36.351  -4.198  1.00 39.07           N
ATOM   2442  CA  SER A 167      12.011 -36.761  -2.847  1.00 38.68           C
ATOM   2444  CB  SER A 167      13.306 -36.047  -2.440  1.00 38.68           C
ATOM   2447  OG  SER A 167      14.400 -36.472  -3.242  1.00 38.61           O
ATOM   2449  C   SER A 167      10.922 -36.466  -1.824  1.00 38.49           C
ATOM   2450  O   SER A 167      10.638 -37.276  -0.951  1.00 38.05           O
ATOM   2452  N   ARG A 168      10.328 -35.286  -1.941  1.00 38.56           N
ATOM   2453  CA  ARG A 168       9.246 -34.868  -1.074  1.00 38.63           C
ATOM   2455  CB  ARG A 168       8.887 -33.428  -1.377  1.00 39.02           C
ATOM   2458  CG  ARG A 168       9.941 -32.454  -0.910  1.00 41.33           C
ATOM   2461  CD  ARG A 168       9.551 -31.031  -1.250  1.00 44.07           C
ATOM   2464  NE  ARG A 168      10.124 -30.579  -2.517  1.00 46.13           N
ATOM   2466  CZ  ARG A 168       9.627 -29.587  -3.254  1.00 48.23           C
ATOM   2467  NH1 ARG A 168       8.520 -28.935  -2.875  1.00 47.89           N
ATOM   2470  NH2 ARG A 168      10.238 -29.249  -4.387  1.00 49.04           N
ATOM   2473  C   ARG A 168       7.992 -35.732  -1.196  1.00 38.13           C
ATOM   2474  O   ARG A 168       7.341 -36.032  -0.195  1.00 38.30           O
ATOM   2476  N   ALA A 169       7.649 -36.130  -2.413  1.00 37.40           N
ATOM   2477  CA  ALA A 169       6.492 -36.984  -2.605  1.00 36.97           C
ATOM   2479  CB  ALA A 169       6.211 -37.180  -4.082  1.00 36.88           C
ATOM   2483  C   ALA A 169       6.688 -38.328  -1.909  1.00 36.77           C
ATOM   2484  O   ALA A 169       5.715 -38.956  -1.498  1.00 36.91           O
ATOM   2486  N   ARG A 170       7.938 -38.771  -1.778  1.00 36.50           N
ATOM   2487  CA  ARG A 170       8.230 -40.028  -1.086  1.00 36.39           C
ATOM   2489  CB  ARG A 170       9.653 -40.512  -1.369  1.00 36.90           C
ATOM   2492  CG  ARG A 170       9.822 -41.048  -2.772  1.00 39.59           C
ATOM   2495  CD  ARG A 170      11.186 -41.654  -3.012  1.00 43.56           C
ATOM   2498  NE  ARG A 170      11.427 -41.820  -4.450  1.00 47.71           N
ATOM   2500  CZ  ARG A 170      12.598 -42.155  -5.000  1.00 50.88           C
ATOM   2501  NH1 ARG A 170      13.675 -42.371  -4.236  1.00 52.20           N
ATOM   2504  NH2 ARG A 170      12.698 -42.269  -6.328  1.00 51.43           N
ATOM   2507  C   ARG A 170       8.016 -39.879   0.401  1.00 35.26           C
ATOM   2508  O   ARG A 170       7.486 -40.784   1.040  1.00 35.00           O
ATOM   2510  N   ILE A 171       8.432 -38.737   0.944  1.00 34.26           N
ATOM   2511  CA  ILE A 171       8.190 -38.421   2.354  1.00 33.56           C
ATOM   2513  CB  ILE A 171       8.914 -37.113   2.806  1.00 33.43           C
ATOM   2515  CG1 ILE A 171      10.422 -37.362   2.944  1.00 33.13           C
ATOM   2518  CD1 ILE A 171      11.238 -36.091   3.066  1.00 32.34           C
ATOM   2522  CG2 ILE A 171       8.347 -36.595   4.142  1.00 32.80           C
ATOM   2526  C   ILE A 171       6.687 -38.312   2.602  1.00 33.02           C
ATOM   2527  O   ILE A 171       6.183 -38.805   3.613  1.00 32.73           O
ATOM   2529  N   LYS A 172       5.982 -37.676   1.671  1.00 32.37           N
ATOM   2530  CA  LYS A 172       4.546 -37.475   1.806  1.00 32.17           C
ATOM   2532  CB  LYS A 172       4.036 -36.486   0.774  1.00 32.34           C
ATOM   2535  CG  LYS A 172       4.276 -35.045   1.144  1.00 33.47           C
ATOM   2538  CD  LYS A 172       4.162 -34.168  -0.082  1.00 35.92           C
ATOM   2541  CE  LYS A 172       4.518 -32.727   0.228  1.00 38.04           C
```

```
ATOM   2544  NZ  LYS A 172       4.926 -31.994  -1.022  1.00 39.72           N
ATOM   2548  C   LYS A 172       3.776 -38.776   1.683  1.00 31.57           C
ATOM   2549  O   LYS A 172       2.800 -38.985   2.407  1.00 31.40           O
ATOM   2551  N   THR A 173       4.204 -39.650   0.775  1.00 31.01           N
ATOM   2552  CA  THR A 173       3.568 -40.956   0.646  1.00 30.66           C
ATOM   2554  CB  THR A 173       4.229 -41.808  -0.408  1.00 30.42           C
ATOM   2556  OG1 THR A 173       4.246 -41.075  -1.630  1.00 31.59           O
ATOM   2558  CG2 THR A 173       3.478 -43.112  -0.604  1.00 28.72           C
ATOM   2562  C   THR A 173       3.655 -41.691   1.956  1.00 30.79           C
ATOM   2563  O   THR A 173       2.643 -42.172   2.465  1.00 31.04           O
ATOM   2565  N   ARG A 174       4.868 -41.747   2.504  1.00 30.80           N
ATOM   2566  CA  ARG A 174       5.139 -42.462   3.750  1.00 30.82           C
ATOM   2568  CB  ARG A 174       6.624 -42.342   4.121  1.00 30.93           C
ATOM   2571  CG  ARG A 174       7.042 -43.028   5.408  1.00 30.30           C
ATOM   2574  CD  ARG A 174       6.820 -44.537   5.399  1.00 30.20           C
ATOM   2577  NE  ARG A 174       7.206 -45.090   6.700  1.00 30.59           N
ATOM   2579  CZ  ARG A 174       6.703 -46.192   7.256  1.00 30.17           C
ATOM   2580  NH1 ARG A 174       5.775 -46.917   6.637  1.00 30.61           N
ATOM   2583  NH2 ARG A 174       7.132 -46.571   8.454  1.00 29.36           N
ATOM   2586  C   ARG A 174       4.268 -41.956   4.886  1.00 30.81           C
ATOM   2587  O   ARG A 174       3.783 -42.739   5.670  1.00 30.61           O
ATOM   2589  N   LEU A 175       4.075 -40.647   4.977  1.00 31.27           N
ATOM   2590  CA  LEU A 175       3.181 -40.092   5.991  1.00 31.49           C
ATOM   2592  CB  LEU A 175       3.164 -38.566   5.943  1.00 31.29           C
ATOM   2595  CG  LEU A 175       4.406 -37.866   6.486  1.00 32.29           C
ATOM   2597  CD1 LEU A 175       4.250 -36.336   6.439  1.00 33.56           C
ATOM   2601  CD2 LEU A 175       4.686 -38.311   7.914  1.00 33.38           C
ATOM   2605  C   LEU A 175       1.774 -40.631   5.795  1.00 31.82           C
ATOM   2606  O   LEU A 175       1.184 -41.170   6.734  1.00 32.27           O
ATOM   2608  N   PHE A 176       1.241 -40.499   4.578  1.00 32.00           N
ATOM   2609  CA  PHE A 176      -0.103 -40.994   4.274  1.00 32.00           C
ATOM   2611  CB  PHE A 176      -0.541 -40.649   2.846  1.00 32.08           C
ATOM   2614  CG  PHE A 176      -1.094 -39.252   2.691  1.00 31.82           C
ATOM   2615  CD1 PHE A 176      -0.532 -38.359   1.786  1.00 32.96           C
ATOM   2617  CE1 PHE A 176      -1.048 -37.070   1.643  1.00 32.60           C
ATOM   2619  CZ  PHE A 176      -2.128 -36.674   2.415  1.00 31.47           C
ATOM   2621  CE2 PHE A 176      -2.691 -37.562   3.306  1.00 30.41           C
ATOM   2623  CD2 PHE A 176      -2.176 -38.834   3.440  1.00 30.66           C
ATOM   2625  C   PHE A 176      -0.187 -42.499   4.486  1.00 32.30           C
ATOM   2626  O   PHE A 176      -1.203 -42.995   4.982  1.00 32.74           O
ATOM   2628  N   THR A 177       0.871 -43.229   4.133  1.00 32.09           N
ATOM   2629  CA  THR A 177       0.898 -44.660   4.405  1.00 32.03           C
ATOM   2631  CB  THR A 177       2.165 -45.330   3.867  1.00 32.06           C
ATOM   2633  OG1 THR A 177       2.290 -45.084   2.455  1.00 30.50           O
ATOM   2635  CG2 THR A 177       2.123 -46.826   4.138  1.00 30.92           C
ATOM   2639  C   THR A 177       0.770 -44.943   5.911  1.00 32.84           C
ATOM   2640  O   THR A 177       0.081 -45.881   6.304  1.00 33.30           O
ATOM   2642  N   ILE A 178       1.414 -44.133   6.752  1.00 33.26           N
ATOM   2643  CA  ILE A 178       1.328 -44.321   8.196  1.00 33.71           C
ATOM   2645  CB  ILE A 178       2.301 -43.404   8.977  1.00 33.68           C
ATOM   2647  CG1 ILE A 178       3.758 -43.806   8.729  1.00 33.87           C
ATOM   2650  CD1 ILE A 178       4.770 -42.747   9.141  1.00 31.58           C
ATOM   2654  CG2 ILE A 178       2.017 -43.475  10.472  1.00 33.34           C
ATOM   2658  C   ILE A 178      -0.088 -44.000   8.648  1.00 34.49           C
ATOM   2659  O   ILE A 178      -0.646 -44.678   9.510  1.00 34.24           O
ATOM   2661  N   ARG A 179      -0.645 -42.951   8.049  1.00 35.35           N
ATOM   2662  CA  ARG A 179      -1.970 -42.468   8.380  1.00 35.92           C
ATOM   2664  CB  ARG A 179      -2.264 -41.190   7.608  1.00 35.74           C
ATOM   2667  CG  ARG A 179      -3.700 -40.757   7.715  1.00 35.42           C
ATOM   2670  CD  ARG A 179      -3.938 -39.436   7.075  1.00 34.74           C
ATOM   2673  NE  ARG A 179      -5.224 -38.921   7.504  1.00 35.39           N
ATOM   2675  CZ  ARG A 179      -5.571 -37.641   7.498  1.00 36.51           C
ATOM   2676  NH1 ARG A 179      -4.725 -36.708   7.076  1.00 37.51           N
```

```
ATOM   2679  NH2 ARG A 179      -6.775 -37.293   7.925  1.00 36.68           N
ATOM   2682  C   ARG A 179      -3.070 -43.480   8.093  1.00 36.92           C
ATOM   2683  O   ARG A 179      -3.978 -43.642   8.906  1.00 37.30           O
ATOM   2685  N   GLN A 180      -3.020 -44.135   6.935  1.00 38.06           N
ATOM   2686  CA  GLN A 180      -4.070 -45.107   6.586  1.00 38.99           C
ATOM   2688  CB  GLN A 180      -4.068 -45.449   5.087  1.00 39.16           C
ATOM   2691  CG  GLN A 180      -3.512 -46.837   4.735  1.00 40.72           C
ATOM   2694  CD  GLN A 180      -3.364 -47.050   3.241  1.00 42.02           C
ATOM   2695  OE1 GLN A 180      -4.150 -46.524   2.449  1.00 42.40           O
ATOM   2696  NE2 GLN A 180      -2.345 -47.823   2.846  1.00 42.09           N
ATOM   2699  C   GLN A 180      -3.904 -46.361   7.446  1.00 39.24           C
ATOM   2700  O   GLN A 180      -4.879 -46.978   7.864  1.00 39.17           O
ATOM   2702  N   GLU A 181      -2.656 -46.718   7.721  1.00 39.78           N
ATOM   2703  CA  GLU A 181      -2.358 -47.867   8.577  1.00 40.30           C
ATOM   2705  CB  GLU A 181      -0.867 -48.178   8.522  1.00 40.73           C
ATOM   2708  CG  GLU A 181      -0.387 -48.673   7.157  1.00 42.79           C
ATOM   2711  CD  GLU A 181      -0.770 -50.112   6.871  1.00 46.05           C
ATOM   2712  OE1 GLU A 181      -1.321 -50.781   7.775  1.00 49.04           O
ATOM   2713  OE2 GLU A 181      -0.518 -50.574   5.732  1.00 48.35           O
ATOM   2714  C   GLU A 181      -2.811 -47.632  10.027  1.00 39.89           C
ATOM   2715  O   GLU A 181      -3.125 -48.577  10.754  1.00 39.81           O
ATOM   2717  N   MET A 182      -2.840 -46.368  10.438  1.00 39.35           N
ATOM   2718  CA  MET A 182      -3.399 -46.011  11.722  1.00 38.92           C
ATOM   2720  CB  MET A 182      -2.992 -44.589  12.136  1.00 38.53           C
ATOM   2723  CG  MET A 182      -1.592 -44.498  12.787  1.00 37.73           C
ATOM   2726  SD  MET A 182      -1.129 -42.822  13.310  1.00 34.01           S
ATOM   2727  CE  MET A 182       0.574 -43.048  13.786  1.00 34.19           C
ATOM   2731  C   MET A 182      -4.917 -46.148  11.615  1.00 39.25           C
ATOM   2732  O   MET A 182      -5.519 -47.010  12.272  1.00 39.36           O
ATOM   2734  N   ALA A 183      -5.519 -45.320  10.761  1.00 39.15           N
ATOM   2735  CA  ALA A 183      -6.974 -45.289  10.569  1.00 39.02           C
ATOM   2737  CB  ALA A 183      -7.326 -44.548   9.275  1.00 38.79           C
ATOM   2741  C   ALA A 183      -7.627 -46.683  10.596  1.00 38.82           C
ATOM   2742  O   ALA A 183      -8.561 -46.902  11.368  1.00 38.96           O
ATOM   2744  N   SER A 184      -7.116 -47.617   9.792  1.00 38.77           N
ATOM   2745  CA  SER A 184      -7.605 -49.014   9.749  1.00 38.98           C
ATOM   2747  CB  SER A 184      -6.678 -49.877   8.890  1.00 38.86           C
ATOM   2750  OG  SER A 184      -6.559 -49.351   7.586  1.00 39.28           O
ATOM   2752  C   SER A 184      -7.730 -49.708  11.108  1.00 39.27           C
ATOM   2753  O   SER A 184      -8.301 -50.781  11.200  1.00 39.52           O
ATOM   2755  N   ARG A 185      -7.152 -49.118  12.145  1.00 39.75           N
ATOM   2756  CA  ARG A 185      -7.150 -49.696  13.480  1.00 39.90           C
ATOM   2758  CB  ARG A 185      -5.725 -50.107  13.827  1.00 40.06           C
ATOM   2761  CG  ARG A 185      -5.047 -50.681  12.615  1.00 41.02           C
ATOM   2764  CD  ARG A 185      -3.666 -51.231  12.835  1.00 42.83           C
ATOM   2767  NE  ARG A 185      -3.146 -51.627  11.526  1.00 45.27           N
ATOM   2769  CZ  ARG A 185      -2.028 -52.312  11.316  1.00 46.99           C
ATOM   2770  NH1 ARG A 185      -1.255 -52.695  12.334  1.00 47.24           N
ATOM   2773  NH2 ARG A 185      -1.683 -52.612  10.069  1.00 47.68           N
ATOM   2776  C   ARG A 185      -7.696 -48.682  14.465  1.00 39.80           C
ATOM   2777  O   ARG A 185      -7.506 -48.802  15.670  1.00 39.41           O
ATOM   2779  N   SER A 186      -8.389 -47.681  13.932  1.00 40.05           N
ATOM   2780  CA  SER A 186      -9.030 -46.664  14.741  1.00 40.57           C
ATOM   2782  CB  SER A 186     -10.206 -47.281  15.541  1.00 40.69           C
ATOM   2785  OG  SER A 186     -11.017 -48.135  14.736  1.00 40.64           O
ATOM   2787  C   SER A 186      -8.050 -45.948  15.689  1.00 40.70           C
ATOM   2788  O   SER A 186      -8.476 -45.360  16.679  1.00 41.28           O
ATOM   2790  N   LEU A 187      -6.751 -45.986  15.384  1.00 40.68           N
ATOM   2791  CA  LEU A 187      -5.736 -45.307  16.194  1.00 40.33           C
ATOM   2793  CB  LEU A 187      -4.403 -46.057  16.133  1.00 40.08           C
ATOM   2796  CG  LEU A 187      -4.357 -47.541  16.534  1.00 39.09           C
ATOM   2798  CD1 LEU A 187      -3.067 -48.181  16.053  1.00 38.05           C
ATOM   2802  CD2 LEU A 187      -4.505 -47.732  18.021  1.00 37.25           C
```

```
ATOM   2806  C   LEU A 187      -5.532 -43.881  15.688  1.00 40.83           C
ATOM   2807  O   LEU A 187      -5.029 -43.024  16.414  1.00 41.20           O
ATOM   2809  N   TRP A 188      -5.920 -43.630  14.441  1.00 41.26           N
ATOM   2810  CA  TRP A 188      -5.656 -42.345  13.795  1.00 41.52           C
ATOM   2812  CB  TRP A 188      -6.150 -42.339  12.343  1.00 41.50           C
ATOM   2815  CG  TRP A 188      -6.158 -40.966  11.809  1.00 41.20           C
ATOM   2816  CD1 TRP A 188      -7.246 -40.187  11.564  1.00 41.75           C
ATOM   2818  NE1 TRP A 188      -6.854 -38.950  11.114  1.00 42.16           N
ATOM   2820  CE2 TRP A 188      -5.483 -38.908  11.087  1.00 42.58           C
ATOM   2821  CD2 TRP A 188      -5.014 -40.163  11.532  1.00 41.22           C
ATOM   2822  CE3 TRP A 188      -3.637 -40.383  11.606  1.00 41.13           C
ATOM   2824  CZ3 TRP A 188      -2.777 -39.363  11.228  1.00 41.93           C
ATOM   2826  CH2 TRP A 188      -3.271 -38.117  10.792  1.00 42.24           C
ATOM   2828  CZ2 TRP A 188      -4.615 -37.871  10.713  1.00 42.53           C
ATOM   2830  C   TRP A 188      -6.292 -41.168  14.514  1.00 41.88           C
ATOM   2831  O   TRP A 188      -5.659 -40.115  14.695  1.00 41.56           O
ATOM   2833  N   ASP A 189      -7.552 -41.342  14.894  1.00 42.52           N
ATOM   2834  CA  ASP A 189      -8.345 -40.228  15.412  1.00 43.24           C
ATOM   2836  CB  ASP A 189      -9.828 -40.605  15.492  1.00 43.54           C
ATOM   2839  CG  ASP A 189     -10.722 -39.489  15.019  1.00 45.48           C
ATOM   2840  OD1 ASP A 189     -11.025 -39.463  13.797  1.00 47.35           O
ATOM   2841  OD2 ASP A 189     -11.083 -38.618  15.854  1.00 47.65           O
ATOM   2842  C   ASP A 189      -7.820 -39.746  16.764  1.00 43.04           C
ATOM   2843  O   ASP A 189      -7.793 -38.551  17.034  1.00 42.91           O
ATOM   2845  N   SER A 190      -7.384 -40.684  17.596  1.00 43.12           N
ATOM   2846  CA  SER A 190      -6.683 -40.353  18.825  1.00 43.43           C
ATOM   2848  CB  SER A 190      -6.379 -41.629  19.605  1.00 43.34           C
ATOM   2851  OG  SER A 190      -5.852 -41.319  20.879  1.00 44.13           O
ATOM   2853  C   SER A 190      -5.380 -39.593  18.517  1.00 43.77           C
ATOM   2854  O   SER A 190      -5.183 -38.458  18.961  1.00 43.68           O
ATOM   2856  N   PHE A 191      -4.513 -40.227  17.733  1.00 44.05           N
ATOM   2857  CA  PHE A 191      -3.239 -39.649  17.347  1.00 44.52           C
ATOM   2859  CB  PHE A 191      -2.602 -40.522  16.265  1.00 44.54           C
ATOM   2862  CG  PHE A 191      -1.213 -40.111  15.864  1.00 43.80           C
ATOM   2863  CD1 PHE A 191      -0.143 -40.272  16.740  1.00 44.21           C
ATOM   2865  CE1 PHE A 191       1.145 -39.922  16.358  1.00 43.71           C
ATOM   2867  CZ  PHE A 191       1.379 -39.413  15.079  1.00 42.78           C
ATOM   2869  CE2 PHE A 191       0.330 -39.261  14.199  1.00 42.36           C
ATOM   2871  CD2 PHE A 191      -0.961 -39.616  14.589  1.00 42.74           C
ATOM   2873  C   PHE A 191      -3.418 -38.219  16.860  1.00 45.33           C
ATOM   2874  O   PHE A 191      -2.665 -37.342  17.254  1.00 45.14           O
ATOM   2876  N   ARG A 192      -4.426 -37.972  16.026  1.00 46.63           N
ATOM   2877  CA  ARG A 192      -4.671 -36.612  15.538  1.00 47.77           C
ATOM   2879  CB  ARG A 192      -5.832 -36.549  14.539  1.00 48.21           C
ATOM   2882  CG  ARG A 192      -5.687 -35.388  13.549  1.00 49.97           C
ATOM   2885  CD  ARG A 192      -7.011 -34.760  13.077  1.00 52.52           C
ATOM   2888  NE  ARG A 192      -6.735 -33.566  12.262  1.00 54.29           N
ATOM   2890  CZ  ARG A 192      -7.644 -32.844  11.606  1.00 54.80           C
ATOM   2891  NH1 ARG A 192      -8.935 -33.168  11.646  1.00 55.57           N
ATOM   2894  NH2 ARG A 192      -7.251 -31.785  10.903  1.00 54.56           N
ATOM   2897  C   ARG A 192      -4.955 -35.644  16.683  1.00 48.26           C
ATOM   2898  O   ARG A 192      -4.364 -34.566  16.741  1.00 48.45           O
ATOM   2900  N   GLN A 193      -5.842 -36.035  17.598  1.00 48.69           N
ATOM   2901  CA  GLN A 193      -6.274 -35.139  18.681  1.00 49.13           C
ATOM   2903  CB  GLN A 193      -7.613 -35.613  19.253  1.00 49.42           C
ATOM   2906  CG  GLN A 193      -8.767 -35.559  18.245  1.00 50.46           C
ATOM   2909  CD  GLN A 193     -10.039 -36.207  18.776  1.00 51.87           C
ATOM   2910  OE1 GLN A 193     -10.338 -36.119  19.972  1.00 52.98           O
ATOM   2911  NE2 GLN A 193     -10.796 -36.860  17.888  1.00 51.85           N
ATOM   2914  C   GLN A 193      -5.256 -34.950  19.822  1.00 49.03           C
ATOM   2915  O   GLN A 193      -5.313 -33.953  20.546  1.00 49.13           O
ATOM   2917  N   SER A 194      -4.325 -35.883  19.977  1.00 48.96           N
ATOM   2918  CA  SER A 194      -3.383 -35.835  21.102  1.00 49.13           C
```

```
ATOM   2920  CB  SER A 194      -2.706 -37.200  21.295  1.00 49.05           C
ATOM   2923  OG  SER A 194      -1.924 -37.556  20.168  1.00 48.43           O
ATOM   2925  C   SER A 194      -2.318 -34.719  21.008  1.00 49.40           C
ATOM   2926  O   SER A 194      -1.701 -34.367  22.015  1.00 49.53           O
ATOM   2928  N   GLU A 195      -2.107 -34.160  19.820  1.00 49.59           N
ATOM   2929  CA  GLU A 195      -1.167 -33.060  19.656  1.00 49.84           C
ATOM   2931  CB  GLU A 195      -0.885 -32.832  18.168  1.00 49.58           C
ATOM   2934  CG  GLU A 195       0.398 -32.064  17.912  1.00 49.65           C
ATOM   2937  CD  GLU A 195       0.694 -31.811  16.441  1.00 48.50           C
ATOM   2938  OE1 GLU A 195       0.088 -32.456  15.572  1.00 47.38           O
ATOM   2939  OE2 GLU A 195       1.553 -30.956  16.152  1.00 48.72           O
ATOM   2940  C   GLU A 195      -1.711 -31.784  20.312  1.00 50.65           C
ATOM   2941  O   GLU A 195      -2.155 -30.867  19.625  1.00 50.92           O
ATOM   2943  N   ARG A 196      -1.684 -31.732  21.645  1.00 51.54           N
ATOM   2944  CA  ARG A 196      -2.200 -30.571  22.402  1.00 52.12           C
ATOM   2946  CB  ARG A 196      -3.042 -31.017  23.606  1.00 52.42           C
ATOM   2949  CG  ARG A 196      -4.243 -31.923  23.284  1.00 53.48           C
ATOM   2952  CD  ARG A 196      -4.777 -32.581  24.568  1.00 54.83           C
ATOM   2955  NE  ARG A 196      -5.630 -33.736  24.296  1.00 55.74           N
ATOM   2957  CZ  ARG A 196      -5.990 -34.655  25.195  1.00 57.08           C
ATOM   2958  NH1 ARG A 196      -5.583 -34.586  26.464  1.00 57.73           N
ATOM   2961  NH2 ARG A 196      -6.769 -35.664  24.819  1.00 57.50           N
ATOM   2964  C   ARG A 196      -1.047 -29.719  22.913  1.00 52.08           C
ATOM   2965  O   ARG A 196      -0.327 -30.128  23.829  1.00 52.03           O
ATOM   2967  O11 tte B 801      10.835 -36.373  17.796  1.00 42.05           O
ATOM   2968  C10 tte B 801      10.316 -35.557  18.550  1.00 40.00           C
ATOM   2969  C5  tte B 801       8.873 -35.153  18.337  1.00 39.47           C
ATOM   2970  C6  tte B 801       7.809 -35.410  19.226  1.00 39.38           C
ATOM   2972  C1  tte B 801       6.496 -35.030  18.895  1.00 39.35           C
ATOM   2973  O7  tte B 801       5.447 -35.260  19.747  1.00 38.95           O
ATOM   2975  C2  tte B 801       6.242 -34.403  17.681  1.00 38.89           C
ATOM   2976  O8  tte B 801       4.967 -34.019  17.368  1.00 38.97           O
ATOM   2978  C3  tte B 801       7.291 -34.164  16.799  1.00 38.72           C
ATOM   2979  O9  tte B 801       7.090 -33.549  15.599  1.00 38.53           O
ATOM   2981  C4  tte B 801       8.587 -34.545  17.128  1.00 38.93           C
ATOM   2983  O12 tte B 801      11.220 -35.067  19.560  1.00 40.90           O
ATOM   2984  C13 tte B 801      10.646 -34.543  20.741  1.00 41.82           C
ATOM   2986  C14 tte B 801      10.591 -32.999  20.659  1.00 42.19           C
ATOM   2988  C19 tte B 801      11.286 -32.627  19.406  1.00 41.36           C
ATOM   2989  C20 tte B 801      12.663 -32.838  19.328  1.00 41.52           C
ATOM   2991  C21 tte B 801      13.349 -32.548  18.152  1.00 41.30           C
ATOM   2992  O25 tte B 801      14.596 -32.713  18.106  1.00 40.42           O
ATOM   2993  C22 tte B 801      12.637 -32.067  17.056  1.00 40.80           C
ATOM   2994  O26 tte B 801      13.259 -31.813  16.006  1.00 39.62           O
ATOM   2995  C24 tte B 801      10.560 -32.161  18.303  1.00 40.37           C
ATOM   2997  C23 tte B 801      11.245 -31.870  17.117  1.00 41.43           C
ATOM   2998  O32 tte B 801      10.614 -31.426  16.117  1.00 39.59           O
ATOM   2999  C18 tte B 801      11.449 -35.083  21.917  1.00 40.77           C
ATOM   3002  C17 tte B 801      10.752 -34.444  23.085  1.00 41.20           C
ATOM   3003  C16 tte B 801      10.617 -33.070  22.993  1.00 41.65           C
ATOM   3004  O15 tte B 801      11.135 -32.467  21.865  1.00 41.79           O
ATOM   3005  C27 tte B 801      10.240 -35.151  24.162  1.00 40.94           C
ATOM   3006  O33 tte B 801      10.387 -36.498  24.231  1.00 39.60           O
ATOM   3008  C28 tte B 801       9.590 -34.451  25.183  1.00 42.18           C
ATOM   3010  C29 tte B 801       9.456 -33.054  25.106  1.00 42.77           C
ATOM   3011  O31 tte B 801       8.828 -32.352  26.102  1.00 42.73           O
ATOM   3013  C30 tte B 801       9.964 -32.366  24.001  1.00 41.87           C
ATOM   3015  MN   MN D 901      12.532 -31.587  14.372  1.00 25.44          MN
ATOM   3016  MN   MN D 902      15.458 -32.653  16.373  1.00 30.83          MN
ATOM   3017  OH2 HOH Z   2      13.415 -51.245  18.884  1.00 26.91           O
ATOM   3020  OH2 HOH Z   3      16.730 -33.917  -3.716  1.00 25.18           O
ATOM   3023  OH2 HOH Z   4       2.436 -30.369  -0.702  1.00 39.86           O
ATOM   3026  OH2 HOH Z   5      36.083 -30.269  12.439  1.00 58.91           O
```

```
ATOM   3029  OH2 HOH Z   6      -5.686 -30.717  12.774  1.00 40.87           O
ATOM   3032  OH2 HOH Z   7       9.268 -52.765  11.043  1.00 29.78           O
ATOM   3035  OH2 HOH Z   8      16.565 -46.983  10.118  1.00 43.71           O
ATOM   3038  OH2 HOH Z  10      13.737 -26.906   3.048  1.00 36.56           O
ATOM   3041  OH2 HOH Z  11      13.318 -28.904  17.467  1.00 38.71           O
ATOM   3044  OH2 HOH Z  12      -2.332 -42.550  24.481  1.00 35.70           O
ATOM   3047  OH2 HOH Z  13      20.526 -35.810  18.407  1.00 23.17           O
ATOM   3050  OH2 HOH Z  14       2.036 -35.807  20.623  1.00 27.82           O
ATOM   3053  OH2 HOH Z  15      17.502 -51.219  12.607  1.00 31.36           O
ATOM   3056  OH2 HOH Z  17      10.285 -17.576   5.959  1.00 34.10           O
ATOM   3059  OH2 HOH Z  18      19.185 -28.489  22.437  1.00 31.79           O
ATOM   3062  OH2 HOH Z  19      -8.668 -42.953  17.301  1.00 33.17           O
ATOM   3065  OH2 HOH Z  20       1.902 -50.725  10.398  1.00 48.28           O
ATOM   3068  OH2 HOH Z  21       4.812 -40.883  30.946  1.00 36.95           O
ATOM   3071  OH2 HOH Z  23       0.803 -39.798  24.130  1.00 22.17           O
ATOM   3074  OH2 HOH Z  24      29.680 -32.800  22.760  1.00 24.02           O
ATOM   3077  OH2 HOH Z  26      10.321 -47.201   9.731  1.00 31.65           O
ATOM   3080  OH2 HOH Z  27      33.994 -31.256  17.131  1.00 26.61           O
ATOM   3083  OH2 HOH Z  28       9.636 -48.440  32.425  1.00 44.68           O
ATOM   3086  OH2 HOH Z  29      17.662 -32.975  16.700  1.00 25.53           O
ATOM   3089  OH2 HOH Z  30      11.999 -33.828  -8.615  1.00 33.84           O
ATOM   3092  OH2 HOH Z  31      15.640 -30.617  16.684  1.00 25.52           O
ATOM   3095  OH2 HOH Z  32       1.758 -19.230   9.258  1.00 52.92           O
ATOM   3098  OH2 HOH Z  33      -0.001 -23.575   5.431  1.00 46.79           O
ATOM   3101  OH2 HOH Z  34      12.384 -30.143  25.192  1.00 54.67           O
ATOM   3104  OH2 HOH Z  36      25.120 -37.878   8.328  1.00 36.86           O
ATOM   3107  OH2 HOH Z  37      13.744 -27.369  -4.131  1.00 46.71           O
ATOM   3110  OH2 HOH Z  38      18.892 -27.020   3.282  1.00 29.31           O
ATOM   3113  OH2 HOH Z  40       4.643 -45.577   1.211  1.00 43.16           O
```

Figure 17: H1N1 PA structure with EMBL-R05-1 bound structure





Figure 18A: H1N1 PA structure with EGCG bound structure







Figure 18B: H1N1 PA structure with EGCG bound structure

Figure 19


EMBL-R05-1
EMBL-R05-3 (D)
EMBL-R05-3 (A)
EMBL-R05-2
Pocket 2
Pocket 3
Mn2
Pocket 1
Pocket 4
Mn1
EGCG