

FIG.1






FIG. 2








FIG. 4

FIG. 5A




FIG. 5B




FIG. 6A

Bifunctional Binding to 293-ILT4 cells




FIG. 6B

Bifunctional Binding to human monos




FIG. 7

Antigen Kinetics by Octet (CDX-585)				
Antigen	K _D (pM)	k _{on} (1/Ms)	k _{dis} (1/s)	
ILT4 HIS	305	6.83E+05	2.09E-04	
PD-1 HIS	63	7.66E+05	4.79E-05	

CDX-585 human FcγR binding by Octet				
FcγR	K _D (nM)	k _{on} (1/Ms)	k _{dis} (1/s)	
FcγRI	1378	5.28E+04	7.27E-02	
FcγRIIa	n/a	n/a	n/a	
FcγRIIb	n/a	n/a	n/a	
FcγRIIIa	4909	1.41E+04	6.90E-02	
FcγRIIIb	n/a	n/a	n/a	

CDX-585 human FcRn binding by Octet				
pH	K _D (nM)	k _{on} (1/Ms)	k _{dis} (1/s)	
6.0	2.99	9.42E+05	2.81E-03	
7.2	113.5	3.05E+05	3.47E-02	

PD-1 Signaling Blockade

FIG. 8




FIG. 9B

MF cytokine induction





FIG. 9A

DC cytokine induction






FIG. 10

FIG. 11




FIG. 12B




FIG. 12A




FIG. 13B





FIG. 13A

MLR



PD-1 Synergy





FIG. 14

FIG. 15







FIG. 16D





FIG. 16C

FIG. 17





FIG. 18






FIG. 19




FIG. 20