


Abstract

The present invention relates to the use of compounds of the general formula



5 wherein

- | | |
|-----------------|---|
| Ar ¹ | is phenyl, naphthyl or tetrahydronaphthyl, optionally substituted by hydroxy, lower alkoxy, nitro, amino or methanesulfonamide; |
| Ar ² | is phenyl, naphthyl or tetrahydronaphthyl, optionally substituted by lower alkyl or halogen; |
| X | is C, CH, C(OH) or N; |
| Y | is -CH ₂ -, CH or O |
| Z | -CH ₂ -, -CH(CH ₃)- or -C(CH ₃) ₂ -; |
| R ¹ | is hydrogen, lower alkyl or acetyl; |
| A | is C=O or -(CHR ²) _n -, wherein R ² is hydrogen, lower alkyl or hydroxy-lower alkyl; |
| B | is -(CH ₂) _n -, O, -CH(OH)(CH ₂) _n -, -CH(CH ₂ OH)(CH ₂) _n -, -(CH ₂) _n CH(OH)- or -CH(CH ₂ OH)-; |
| --- | may be a bond and |
| n | is 0-4 |

and to pharmaceutically acceptable acid addition salts thereof for the manufacture of medicaments which represent therapeutic indications for NMDA receptor subtype specific blockers.