



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: C08L 25/04, 27/06, 33/08, 67/02, 67/03, 69/00, 71/08, 75/04	A1	(11) International Publication Number: WO 99/54399 (43) International Publication Date: 28 October 1999 (28.10.99)
(21) International Application Number: PCT/US99/07013 (22) International Filing Date: 22 April 1999 (22.04.99) (30) Priority Data: 09/064,826 23 April 1998 (23.04.98) US (71) Applicant (for all designated States except US): HNA HOLDINGS, INC. [US/US]; 30 Independence Boulevard, Warren, NJ 07059 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): KHANARIAN, Garo [US/US]; 141 Cornell Avenue, Berkeley Heights, NJ 07922 (US). CHARBONNEAU, Larry, F. [US/US]; 64 Mountain-side Road, Mendham, NJ 07945 (US). WITTELER, Helmut, B. [DE/DE]; Birkenstrasse 9, D-67259 Beindersheim (DE). (74) Agents: DUFFETT, Benton, S., Jr. et al.; Burns, Doane, Swecker & Mathis, L.L.P., P.O. Box 1404, Alexandria, VA 22313-1404 (US).	(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>	
(54) Title: POLYESTERS INCLUDING ISOSORBIDE AS A COMONOMER BLENDED WITH OTHER THERMOPLASTIC POLYMERS (57) Abstract A polymer blend including a polyester and another thermoplastic polymer. The polyester includes terephthaloyl moieties and, optionally, other aromatic diacid moieties; and ethylene glycol moieties; optionally diethylene glycol moieties; isosorbide moieties; and, optionally one or more other diol moieties. The polyester has an inherent viscosity of at least about 0.35dL/g.		