Figures

Figure 1




Figure 2



Comparative FaSSGF mean dissolution profiles at T0
%dissolved
Time (min)
Comparative example 1, at T0
Comparative example 2, at T0
Comparative example 3, at T0
Comparative example 4, at T0
Comparative example 5, at T0
Comparative example 6 at T0
Comparative example 7, at T0
Comparative example 8, at T0
Comparative example 9, at T0
Comparative example 10, at T0
Comparative example 11, at T0

Figure 3




Comparative FaSSGF dissolution profiles after 15 days at 40°C/75%RH in open bottle
%dissolved
100.0
95.0
90.0
85.0
80.0
75.0
70.0
65.0
60.0
55.0
50.0
45.0
40.0
35.0
30.0
25.0
20.0
15.0
10.0
5.0
0.0
0
10
20
30
40
50
60
Time (min)
Example #1, stressed sample 15D 40°C/75%RH
Example #2, stressed sample 15D 40°C/75%RH
Example #3, stressed sample 15D 40°C/75%RH
Example #4, stressed sample 15D 40°C/75%RH
Example #5, stressed sample 15D 40°C/75%RH
Example #6, stressed sample 15D 40°C/75%RH
Example #7, stressed sample 15D 40°C/75%RH
Example #8, stressed sample 15D 40°C/75%RH

Figure 4


Comparative FaSSGF dissolution profiles after 15 days at 40°C/75%RH in open bottle
%dissolved
100.0
95.0
90.0
85.0
80.0
75.0
70.0
65.0
60.0
55.0
50.0
45.0
40.0
35.0
30.0
25.0
20.0
15.0
10.0
5.0
0.0
0
10
20
30
40
50
60
Time (min)
Comparative example 1, stressed sample 15D 40°C/75%RH
Comparative example 2, stressed sample 15D 40°C/75%RH
Comparative example 4, stressed sample 15D 40°C/75%RH
Comparative example 5, stressed sample 15D 40°C/75%RH
Comparative example 7, stressed sample 15D 40°C/75%RH
Comparative example 8, stressed sample 15D 40°C/75%RH
Comparative example 9, stressed sample 15D 40°C/75%RH
Comparative example 10, stressed sample 15D 40°C/75%RH