
CLAIMS

1. A compound according to Formula I:



(I)

wherein:

R^1 is selected from:

bicycloheteroaryl, and

bicycloheteroaryl substituted with from one to five substituents independently selected from:

halo,

C_{1-6}alkyl,

C_{1-4}alkyloxy,

-OH,

hydroxyC_{1-4}alkyl,

-COOH,

$-CONH_2$,

tetrazole,

$-CF_3$,

$-C_{1-4}$alkylOC_{1-4}alkyl,

$-CH_2CH_2N(H)C(O)OCH_2$aryl

diC_{1-4}alkylaminoC_{1-4}alkyl,

aminoC_{1-4}alkyl,

$-NO_2$,

$-NH_2$,

–CN,

aryl,

aryl substituted with from one to three substituents independently selected from: C_{1-4}alkyl, diC_{1-4}alkylaminoC_{1-4}alkyl, fluoro, chloro, bromo, iodo and -CF_3,

heterocycloalkyl,

heterocycloalkyl substituted with from one to three substituents independently selected from: C_{1-4}alkyl, diC_{1-4}alkylaminoC_{1-4}alkyl, fluoro, chloro, bromo, iodo and -CF_3,

-C_{1-4}alkylheterocycloalkyl,

-C_{1-4}alkylheterocycloalkyl substituted with from one to three substituents independently selected from: C_{1-4}alkyl, diC_{1-4}alkylaminoC_{1-4}alkyl, fluoro, chloro, bromo, iodo and -CF_3,

heteroaryl, and

heteroaryl substituted with from one to three substituents independently selected from: C_{1-4}alkyl, diC_{1-4}alkylaminoC_{1-4}alkyl, fluoro, chloro, bromo, iodo and -CF_3;

R^2 is selected from:

aryl,

aryl substituted with from one to five substituents independently selected from: fluoro, chloro, bromo, iodo, C_{1-4}alkyl, C_{1-4}alkyloxy, -OH, -COOH, -$CONH_2$, -CF_3, -C_{1-4}alkylOC_{1-4}alkyl, -NO_2, -NH_2 and –CN,

heteroaryl,

heteroaryl substituted with from one to five substituents independently selected from: fluoro, chloro, bromo, iodo, C_{1-4}alkyl, C_{1-4}alkyloxy, -OH, -COOH, -CONH2, -CF_3, -C_{1-4}alkylOC_{1-4}alkyl, -NO_2, -NH_2 and –CN,

cycloalkyl, and

cycloalkyl substituted with from one to five substituents independently selected from: fluoro, chloro, bromo, iodo, C_{1-4}alkyl, C_{1-4}alkyloxy, -OH, -COOH, -CONH2, $-CF_3$, $-C_{1-4}alkylOC_{1-4}alkyl$, $-NO_2$, $-NH_2$ and –CN; and

R^3 is selected from: hydrogen, fluoro, chloro, bromo and iodo;

or a salt thereof including a pharmaceutically acceptable salt thereof.

2. A compound of Formula (I), as described in claim 1, wherein:

R^1 is bicycloheteroaryl substituted with from one to three substituents independently selected from:

halo,

C_{1-6}alkyl,

C_{1-4}alkyloxy,

-OH,

hydroxyC_{1-4}alkyl,

-COOH,

$-CONH_2$,

tetrazole,

$-CF_3$,

$-C_{1-4}alkylOC_{1-4}alkyl$,

$-CH_2CH_2N(H)C(O)OCH_2$aryl

diC_{1-4}alkylaminoC_{1-4}alkyl,

aminoC_{1-4}alkyl,

$-NO_2$,

$-NH_2$,

–CN,

aryl,

aryl substituted with from one to three substituents independently selected from: C_{1-4}alkyl, diC_{1-4}alkylaminoC_{1-4}alkyl, fluoro, chloro, bromo, iodo and $-CF_3$,

heterocycloalkyl,

heterocycloalkyl substituted with from one to three substituents independently selected from: C_{1-4}alkyl, diC_{1-4}alkylaminoC_{1-4}alkyl, fluoro, chloro, bromo, iodo and $-CF_3$,

-C_{1-4}alkylheterocycloalkyl,

-C_{1-4}alkylheterocycloalkyl substituted with from one to three substituents independently selected from: C_{1-4}alkyl, diC_{1-4}alkylaminoC_{1-4}alkyl, fluoro, chloro, bromo, iodo and $-CF_3$,

heteroaryl, and

heteroaryl substituted with from one to three substituents independently selected from: C_{1-4}alkyl, diC_{1-4}alkylaminoC_{1-4}alkyl, fluoro, chloro, bromo, iodo and $-CF_3$;

R^2 is selected from:

aryl,

aryl substituted with from one to five substituents independently selected from: fluoro, chloro, bromo, iodo, C_{1-4}alkyl, C_{1-4}alkyloxy, -OH, -COOH, $-CF_3$, -C_{1-4}alkylOC_{1-4}alkyl, $-NO_2$, $-NH_2$ and –CN,

heteroaryl,

heteroaryl substituted with from one to five substituents independently selected from: fluoro, chloro, bromo, iodo, C_{1-4}alkyl, C_{1-4}alkyloxy, -OH, -COOH, $-CF_3$, -C_{1-4}alkylOC_{1-4}alkyl, $-NO_2$, $-NH_2$ and –CN,

cycloalkyl, and

cycloalkyl substituted with from one to five substituents independently

selected from: fluoro, chloro, bromo, iodo, C_{1-4}alkyl, C_{1-4}alkyloxy,

-OH, -COOH, $-CF_3$, $-C_{1-4}alkylOC_{1-4}alkyl$, $-NO_2$, $-NH_2$ and –CN;


and





















R^3 is selected from: hydrogen, fluoro and chloro;


or a salt thereof including a pharmaceutically acceptable salt thereof.

3. A compound of Formula (I), as described in claim 1, wherein: :

R^1 is selected from:





;

R^2 is selected from:

aryl,

aryl substituted with form one to three substituents independently selected from: halo, C_{1-4}alkyl, C_{1-4}alkyloxy, -OH, -COOH, $-CF_3$, $-C_{1-4}alkylOC_{1-4}$alkyl, $-NO_2$, $-NH_2$ and –CN,

heteroaryl,

heteroaryl substituted with from one to five substituents independently selected from: fluoro, chloro, bromo, iodo, C_{1-4}alkyl, C_{1-4}alkyloxy, -OH, -COOH, $-CF_3$, $-C_{1-4}alkylOC_{1-4}$alkyl, $-NO_2$, $-NH_2$ and –CN;

and

R^3 is selected from: hydrogen, fluoro and chloro;

or a salt thereof including a pharmaceutically acceptable salt thereof.

4. A compound of claim 1 selected from:

1-methyl-3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

7-methyl-5-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]thieno[3,2-c]pyridin-4-amine;

3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;

3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7-(3-pyridinyl)thieno[3,2-c]pyridin-4-amine;

1-methyl-4-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1H-indazol-3-amine;

3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7-(4-pyridinyl)thieno[3,2-c]pyridin-4-amine;

3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-(3-pyridinyl)thieno[3,2-c]pyridin-4-amine;

3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-(1H-pyrazol-3-yl)thieno[3,2-c]pyridin-4-amine;

4-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-indazol-3-amine;

3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7-(1H-pyrazol-4-yl)thieno[3,2-c]pyridin-4-amine;

7-(1-methyl-1H-pyrazol-4-yl)-3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]thieno[3,2-c]pyridin-4-amine;

3-{1-[(2-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

3-{1-[(3-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

1-methyl-3-{1-[(2-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

1-methyl-3-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7-(1,2,3,6-tetrahydro-4-pyridinyl)thieno[3,2-c]pyridin-4-amine;

3-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)thieno[3,2-c]pyridin-4-amine;

3-{1-[(2-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;

3-{1-[(3-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;

3-(1-{[3-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)thieno[3,2-c]pyridin-4-amine;

3-(1-{[2-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)thieno[3,2-c]pyridin-4-amine;

3-[1-(2-naphthalenylacetyl)-2,3-dihydro-1H-indol-5-yl]thieno[3,2-c]pyridin-4-amine;

3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7-(4-piperidinyl)thieno[3,2-c]pyridin-4-amine;

7-{3-[(dimethylamino)methyl]phenyl}-3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]thieno[3,2-c]pyridin-4-amine;

3-{1-[(2,5-dimethylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

3-{1-[(3-fluoro-5-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

3-{1-[(3,5-dimethylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[2,3-d]pyrimidin-4-amine;

3-{1-[(2,3-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

7-methyl-5-{1-[(2-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

5-{1-[(2-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

5-{1-[(3-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

3-{1-[(2,3-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;

7-methyl-5-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

3-{1-[(3-fluoro-2-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;

3-{2-[5-(4-aminothieno[3,2-c]pyridin-3-yl)-2,3-dihydro-1H-indol-1-yl]-2-oxoethyl}benzonitrile;

3-{1-[(2-fluoro-5-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

3-{1-[(2,3-dimethylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

3-{1-[(3-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

1-methyl-3-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

7-methyl-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

5-{1-[(3-fluoro-5-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

5-{1-[(3-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

5-{1-[(2-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

7-methyl-5-(1-{[2-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

1-methyl-3-(1-{[3-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

7-methyl-5-(1-{[3-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

3-{1-[(2-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

1-methyl-3-(1-{[2-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

5-{1-[(3-chloro-5-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}furo[3,2-c]pyridin-4-amine;

1-methyl-3-{1-[(2,3,5-trifluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

5-{1-[(2,5-dimethylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-(1H-pyrazol-4-yl)furo[3,2-c]pyridin-4-amine;

3-{1-[(3,5-dichlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine; and

3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-(1H-pyrazol-4-yl)thieno[3,2-c]pyridin-4-amine;

or a salt thereof including a pharmaceutically acceptable salt thereof.

5. A compound of claim 1 selected from:

1-methyl-3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

7-methyl-5-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]thieno[3,2-c]pyridin-4-amine;

3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;

1-methyl-4-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1H-indazol-3-amine;

3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7-(4-pyridinyl)thieno[3,2-c]pyridin-4-amine;

3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-(3-pyridinyl)thieno[3,2-c]pyridin-4-amine;

3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-(1H-pyrazol-3-yl)thieno[3,2-c]pyridin-4-amine;

4-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-indazol-3-amine;

3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7-(1H-pyrazol-4-yl)thieno[3,2-c]pyridin-4-amine;

7-(1-methyl-1H-pyrazol-4-yl)-3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]thieno[3,2-c]pyridin-4-amine;

3-{1-[(2-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

3-{1-[(3-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

1-methyl-3-{1-[(2-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

1-methyl-3-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7-(1,2,3,6-tetrahydro-4-pyridinyl)thieno[3,2-c]pyridin-4-amine;

3-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)thieno[3,2-c]pyridin-4-amine;

3-{1-[(2-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;

3-{1-[(3-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;

3-(1-{[3-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)thieno[3,2-c]pyridin-4-amine;

3-(1-{[2-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)thieno[3,2-c]pyridin-4-amine;

3-[1-(2-naphthalenylacetyl)-2,3-dihydro-1H-indol-5-yl]thieno[3,2-c]pyridin-4-amine;

3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7-(4-piperidinyl)thieno[3,2-c]pyridin-4-amine;

7-{3-[(dimethylamino)methyl]phenyl}-3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]thieno[3,2-c]pyridin-4-amine;

3-{1-[(2,5-dimethylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

3-{1-[(3-fluoro-5-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

3-{1-[(3,5-dimethylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[2,3-d]pyrimidin-4-amine;

3-{1-[(2,3-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

7-methyl-5-{1-[(2-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

5-{1-[(2-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

5-{1-[(3-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

3-{1-[(2,3-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;

7-methyl-5-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

3-{1-[(3-fluoro-2-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;

3-{2-[5-(4-aminothieno[3,2-c]pyridin-3-yl)-2,3-dihydro-1H-indol-1-yl]-2-oxoethyl}benzonitrile;

3-{1-[(2-fluoro-5-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

3-{1-[(2,3-dimethylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

3-{1-[(3-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

1-methyl-3-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

7-methyl-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

5-{1-[(3-fluoro-5-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

5-{1-[(3-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

5-{1-[(2-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

7-methyl-5-(1-{[2-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

1-methyl-3-(1-{[3-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

7-methyl-5-(1-{[3-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

3-{1-[(2-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

1-methyl-3-(1-{[2-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

5-{1-[(3-chloro-5-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}furo[3,2-c]pyridin-4-amine;

1-methyl-3-{1-[(2,3,5-trifluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

5-{1-[(2,5-dimethylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-(1H-pyrazol-4-yl)furo[3,2-c]pyridin-4-amine;

3-{1-[(3,5-dichlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-(1H-pyrazol-4-yl)thieno[3,2-c]pyridin-4-amine;

3-{1-[(3,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

5-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-(4-piperidinyl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-(1-methyl-4-piperidinyl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}thieno[2,3-*d*]pyrimidin-4-amine;

3-{1-[(3-fluoro-5-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[3,2-*c*]pyridin-4-amine;

3-{1-[(3-chloro-5-fluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[3,2-*c*]pyridin-4-amine;

3-{1-[(2-fluoro-5-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[3,2-*c*]pyridin-4-amine;

1-methyl-3-{1-[(1-methyl-1*H*-pyrrol-2-yl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1*H*-pyrazolo[3,4-*d*]pyrimidin-4-amine;

3-{1-[(3-chlorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[3,2-*c*]pyridin-4-amine;

5-{1-[(2,3-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(2-fluoro-3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(3-fluoro-2-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(2-fluoro-5-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

3-{1-[(2-fluoro-3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1-methyl-1*H*-pyrazolo[3,4-*d*]pyrimidin-4-amine;

3-{1-[(3-fluoro-2-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1-methyl-1*H*-pyrazolo[3,4-*d*]pyrimidin-4-amine;

5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-(1-methyl-4-piperidinyl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(3-chloro-4-fluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(3-chloro-2-fluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

3-{1-[(3-chloro-4-fluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1-methyl-1*H*-pyrazolo[3,4-*d*]pyrimidin-4-amine;

3-{1-[(3-chloro-2-fluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1-methyl-1*H*-pyrazolo[3,4-*d*]pyrimidin-4-amine;

5-{1-[(2,3-dimethylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

1-(1-methylethyl)-3-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1*H*-pyrazolo[3,4-*d*]pyrimidin-4-amine;

2-(4-amino-3-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1*H*-pyrazolo[3,4-*d*]pyrimidin-1-yl)ethanol;

5-{1-[(3,5-dimethylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-(4-piperidinyl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

1-ethyl-3-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1*H*-pyrazolo[3,4-*d*]pyrimidin-4-amine;

3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methylfuro[3,2-*c*]pyridin-4-amine;

3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1-(1-methylethyl)-1*H*-pyrazolo[3,4-*d*]pyrimidin-4-amine;

5-{1-[(3,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

7-methyl-5-{1-[(2,3,5-trifluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(3,5-dichlorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

7-(3-azetidinyl)-5-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(4-fluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

7-methyl-5-{1-[(4-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(3-chloro-2,4-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-(1-{[3-fluoro-5-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

7-[(methyloxy)methyl]-5-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

7-methyl-5-{1-[(1-methyl-1*H*-pyrrol-2-yl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-(1-methylethyl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(5-chloro-2-fluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-[2-(4-morpholinyl)ethyl]-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(2,4-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(3,4-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

phenylmethyl [2-(4-amino-3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[3,2-*c*]pyridin-7-yl)ethyl]carbamate;

5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-(3-methylbutyl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-[2-(dimethylamino)ethyl]-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(6-chloro-2-pyridinyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

3-{1-[(3-chloro-2,4-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1-methyl-1*H*-pyrazolo[3,4-*d*]pyrimidin-4-amine;

7-(2-aminoethyl)-3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[3,2-*c*]pyridin-4-amine;

4-amino-3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[3,2-*c*]pyridine-7-carbonitrile;

5-{1-[(3,5-dimethyl-1*H*-pyrazol-1-yl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-[4-fluoro-1-(phenylacetyl)-2,3-dihydro-1*H*-indol-5-yl]-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{4-fluoro-1-[(1-methyl-1*H*-pyrrol-2-yl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(2,5-difluorophenyl)acetyl]-4-fluoro-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[2,3-*d*]pyrimidin-4-amine;

5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)furo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(3-chloro-5-fluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[2,3-*d*]pyrimidin-4-amine;

5-(1-{[3-fluoro-5-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)furo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-[2-(4-piperidinyl)ethyl]-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

7-methyl-5-{1-[(6-methyl-2-pyridinyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-(1-{[4-fluoro-3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-(3-oxetanyl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-[2-(dimethylamino)ethyl]furo[3,2-*c*]pyridin-4-amine;

7-methyl-5-(1-{[6-(trifluoromethyl)-2-pyridinyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

7-(3-oxetanyl)-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

7-[2-(4-morpholinyl)ethyl]-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

7-(1-methylethyl)-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

7-(3-methylbutyl)-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

4-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1*H*-pyrazolo[3,4-*c*]pyridin-3-amine;

7-chloro-3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[3,2-*c*]pyridin-4-amine;

7-(3-azetidinyl)-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

7-(1-methyl-3-azetidinyl)-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

7-[2-(dimethylamino)ethyl]-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-(4-fluoro-1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{4-fluoro-1-[(6-methyl-2-pyridinyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-(4-fluoro-1-{[6-(trifluoromethyl)-2-pyridinyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-{1-[(3,5-dimethyl-1*H*-pyrazol-1-yl)acetyl]-4-fluoro-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

5-(4-fluoro-1-{[4-fluoro-3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

3-{1-[(2,5-difluorophenyl)acetyl]-4-fluoro-2,3-dihydro-1*H*-indol-5-yl}furo[3,2-*c*]pyridin-4-amine;

5-{4-fluoro-1-[(4-fluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;

4-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-1*H*-pyrazolo[3,4-*c*]pyridin-3-amine;

1-methyl-4-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-1*H*-pyrazolo[3,4-*c*]pyridin-3-amine;

7-(3-azetidinyl)-5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

7-[2-(4-piperidinyl)ethyl]-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

7-(2-aminoethyl)-3-{1-[(2,5-difluorophenyl)acetyl]-4-fluoro-2,3-dihydro-1H-indol-5-yl}furo[3,2-c]pyridin-4-amine;

3-{1-[(3,5-dimethyl-1H-pyrazol-1-yl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-1H-pyrrolo[2,3-d]pyrimidin-4-amine;

5-{4-chloro-1-[(6-methyl-2-pyridinyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine; and

5-(4-chloro-1-{[6-(trifluoromethyl)-2-pyridinyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

or a salt thereof including a pharmaceutically acceptable salt thereof.

6. A pharmaceutical composition comprising a compound of Formula (I) according to claim 1 or a pharmaceutically acceptable salt thereof and a pharmaceutically acceptable excipient.

7. Use of a compound of Formula I, as described in claim 1 or a pharmaceutically acceptable salt thereof for the preparation of a medicament for treating or lessening the severity of cancer, pre-cancerous syndromes, Alzheimer's disease, stroke, Type 1 diabetes, Parkinson disease, Huntington's disease, amyotrophic lateral sclerosis, myocardial infarction, cardiovascular disease, atherosclerosis, arrhythmias, and age-related macular degeneration in a mammal in need thereof.

8. The use of claim 7 wherein the mammal is a human.

9. The use of inhibiting PERK activity in a human in need thereof, which comprises administering to such human a therapeutically effective amount of a compound of Formula I, as described in claim 1 or a pharmaceutically acceptable salt thereof.

10. Use of

a) a compound of Formula (I), as described in claim 1 or a pharmaceutically acceptable salt thereof; and

b) at least one anti-neoplastic agent

for the preparation of a medicament for treating cancer in a mammal in need thereof.

11. The use according to claim 8 wherein said cancer is selected from: brain (gliomas), glioblastomas, astrocytomas, glioblastoma multiforme, Bannayan-Zonana syndrome, Cowden disease, Lhermitte-Duclos disease, breast, inflammatory breast cancer, Wilm's tumor, Ewing's sarcoma, Rhabdomyosarcoma, ependymoma, medulloblastoma, colon, head and neck, kidney, lung, liver, melanoma, ovarian, pancreatic, adenocarcinoma, ductal adenocarcinoma, adenosquamous carcinoma, acinar cell carcinoma, glucagonoma, insulinoma, metastatic melanoma, prostate, sarcoma, osteosarcoma, giant cell tumor of bone, thyroid,

Lymphoblastic T cell leukemia, Chronic myelogenous leukemia, Chronic lymphocytic leukemia, Hairy-cell leukemia, acute lymphoblastic leukemia, acute myelogenous leukemia, Chronic neutrophilic leukemia, Acute lymphoblastic T cell leukemia, Plasmacytoma, Immunoblastic large cell leukemia, Mantle cell leukemia, Multiple myeloma Megakaryoblastic leukemia, multiple myeloma, acute megakaryocytic leukemia, promyelocytic leukemia, Erythroleukemia,

malignant lymphoma, hodgkins lymphoma, non-hodgkins lymphoma, lymphoblastic T cell lymphoma, Burkitt's lymphoma, follicular lymphoma,
neuroblastoma, bladder cancer, urothelial cancer, lung cancer, vulval cancer, cervical cancer, endometrial cancer, renal cancer, mesothelioma, esophageal cancer, salivary gland cancer, hepatocellular cancer, gastric cancer, nasopharangeal cancer, buccal cancer, cancer of the mouth, GIST (gastrointestinal stromal tumor) and testicular cancer.

12. A process for preparing a pharmaceutical composition containing a pharmaceutically acceptable excipient and an effective amount of a compound of Formula (I) as described in claim 1 or a pharmaceutically acceptable salt thereof, which process comprises bringing the compound of Formula (I) or a pharmaceutically acceptable salt thereof into association with a pharmaceutically acceptable excipient.

13 The use according to claim 8 wherein said pre-cancerous syndrome is selected from: cervical intraepithelial neoplasia, monoclonal gammapathy of unknown significance (MGUS), myelodysplastic syndrome, aplastic anemia, cervical lesions, skin


nevi (pre-melanoma), prostatic intraepithleial (intraductal) neoplasia (PIN), Ductal Carcinoma in situ (DCIS), colon polyps and severe hepatitis or cirrhosis.

14. Use of a compound of Formula I, as described in claim 1 or a pharmaceutically acceptable salt thereof for the preparation of a medicament for treating or lessening the severity of ocular diseases in a human in need thereof.

15. The use according to claim 14 wherein the ocular disease is selected from: rubeosis irides; neovascular glaucoma; pterygium; vascularized glaucoma filtering blebs; conjunctival papilloma; choroidal neovascularization associated with age-related macular degeneration (AMD), myopia, prior uveitis, trauma, or idiopathic; macular edema; retinal neovascularization due to diabetes; age-related macular degeneration (AMD); macular degeneration (AMD); ocular ischemic syndrome from carotid artery disease; ophthalmic or retinal artery occlusion; sickle cell retinopathy; retinopathy of prematurity; Eale's Disease; and VonHippel-Lindau syndrome.

CLAIMS

1. A compound according to Formula (I):



(I)

wherein:

R^1 is selected from:

bicycloheteroaryl, and
bicycloheteroaryl substituted with from one to five substituents independently selected from:

halo,
C_{1-6}alkyl,
C_{1-4}alkyloxy,
-OH,
hydroxyC_{1-4}alkyl,
-COOH,
-$CONH_2$,
tetrazole,
-CF_3,
-C_{1-4}alkylOC_{1-4}alkyl,
-$CH_2CH_2N(H)C(O)OCH_2$aryl
diC_{1-4}alkylaminoC_{1-4}alkyl

aminoC$_{1-4}$alkyl,
-NO$_2$,
-NH2,
-CN,
aryl,
aryl substituted with from one to three substituents independently selected from: C$_{1-4}$alkyl, diC$_{1-4}$alkylaminoC$_{1-4}$alkyl, fluoro, chloro, bromo, iodo and -CF$_3$,
heterocycloalkyl,
heterocycloalkyl substituted with from one to three substituents independently selected from: C$_{1-4}$alkyl, diC$_{1-4}$alkylaminoC$_{1-4}$alkyl, fluoro, chloro, bromo, iodo and -CF$_3$,
-C$_{1-4}$alkylheterocycloalkyl,
-C$_{1-4}$alkylheterocycloalkyl substituted with from one to three substituents independently selected from: C$_{1-4}$alkyl,
diC$_{1-4}$alkylaminoC$_{1-4}$alkyl, fluoro, chloro, bromo, iodo and -CF$_3$, heteroaryl, and
heteroaryl substituted with from one to three substituents
independently selected from: C$_{1-4}$alkyl, diC$_{1-4}$alkylaminoC$_{1-4}$alkyl, fluoro, chloro, bromo, iodo and -CF$_3$;

R^2 is selected from:

aryl,
aryl substituted with from one to five substituents independently selected from: fluoro, chloro, bromo, iodo, C$_{1-4}$alkyl, C$_{1-4}$alkyloxy, -OH, -COOH, -CONH$_2$, -CF$_3$, -C$_{1-4}$alkylOC$_{1-4}$alkyl, -NO$_2$, -NH$_2$ and -CN, heteroaryl,
heteroaryl substituted with from one to five substituents independently selected from: fluoro, chloro, bromo, iodo, C$_{1-4}$alkyl, C$_{1-4}$alkyloxy, -OH, -COOH, -CONH2, -CF$_3$, -C$_{1-4}$alkylOC$_{1-4}$alkyl, -NO$_2$, -NH$_2$ and -CN,
cycloalkyl, and
cycloalkyl substituted with from one to five substituents independently selected from: fluoro, chloro, bromo, iodo, C$_{1-4}$alkyl, C$_{1-4}$alkyloxy,- OH, -COOH, -CONH2, -CF$_3$, -C$_{1-4}$alkylOC$_{1-4}$alkyl, -NO$_2$, -NH$_2$ and -CN; and

R^3 is selected from: hydrogen, fluoro, chloro, bromo and iodo;

or a salt thereof including a pharmaceutically acceptable salt thereof.

2. A compound of Formula (I), as described in claim 1, wherein:

R^1 is bicycloheteroaryl substituted with from one to three substituents independently selected from:

halo,
C$_{1-6}$alkyl,
C$_{1-4}$alkyloxy,
-OH,
hydroxyC$_{1-4}$alkyl,
-COOH,
-CONH$_2$,
tetrazole,
-CF3,
-C$_{1-4}$alkylOC$_{1-4}$alkyl,
-CH$_2$CH$_2$N(H)C(O)OCH$_2$aryl
diC$_{1-4}$alkylaminoC$_{1-4}$alkyl,
aminoC$_{1-4}$alkyl,
-NO$_2$,
-NH$_2$,
-CN,
aryl,
aryl substituted with from one to three substituents independently
selected from: C$_{1-4}$alkyl, diC$_{1-4}$alkylaminoC$_{1-4}$alkyl, fluoro, chloro, bromo, iodo and -CF$_3$,
heterocycloalkyl,
heterocycloalkyl substituted with from one to three substituents independently selected from: C$_{1-4}$alkyl,

diC_{1-4}alkylaminoC_{1-4}alkyl, fluoro, chloro, bromo, iodo and -CF_3,
-C_{1-4}alkylheterocycloalkyl,
-C_{1-4}alkylheterocycloalkyl substituted with from one to three substituents independently selected from: C_{1-4}alkyl,
diC_{1-4}alkylaminoC_{1-4}alkyl, fluoro, chloro, bromo, iodo and -CF_3, heteroaryl, and
heteroaryl substituted with from one to three substituents
independently selected from: C_{1-4}alkyl, diC_{1-4}alkylaminoC_{1-4}alkyl, fluoro, chloro, bromo, iodo and -CF_3;


R^2 is selected from:


aryl,
aryl substituted with from one to five substituents independently selected from: fluoro, chloro, bromo, iodo, C_{1-4}alkyl, C_{1-4}alkyloxy, -OH, -COOH, -CF_3, -C_{1-4}alkylOC_{1-4}alkyl, -NO_2, -NH_2 and -CN,
heteroaryl,
heteroaryl substituted with from one to five substituents independently selected from: fluoro, chloro, bromo, iodo, C_{1-4}alkyl, C_{1-4}alkyloxy, -OH, -COOH, -CF_3, -C_{1-4}alkylOC_{1-4}alkyl, -NO_2, -NH_2 and -CN, cycloalkyl, and
cycloalkyl substituted with from one to five substituents independently selected from: fluoro, chloro, bromo, iodo, C_{1-4}alkyl, C_{1-4}alkyloxy, -OH, -COOH, -CF_3, -C_{1-4}alkylOC_{1-4}alkyl, -NO_2, -NH_2 and -CN; and

R^3 is selected from: hydrogen, fluoro and chloro;
or a salt thereof including a pharmaceutically acceptable salt thereof.

3. A compound of Formula (I), as described in claim 1, wherein:

R^1 is selected from:





R^2 is selected from:

aryl,
aryl substituted with form one to three substituents independently selected from: halo, C_{1-4}alkyl, C_{1-4}alkyloxy, -OH, -COOH, $-CF_3$, $-C_{1-4}$alkylOC_{1-4}alkyl, $-NO_2$, $-NH_2$ and -CN,
heteroaryl,
heteroaryl substituted with from one to five substituents independently selected from: fluoro, chloro, bromo, iodo, C_{1-4}alkyl, C_{1-4}alkyloxy, -OH, -COOH, $-CF_3$, $-C_{1-4}$alkylOC_{1-4}alkyl, $-NO_2$, $-NH_2$ and -CN; and

R^3 is selected from: hydrogen, fluoro and chloro;

or a salt thereof including a pharmaceutically acceptable salt thereof.

4. A compound of claim 1 selected from:

1-methyl-3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
3-{1-[(2,S-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
7-methyl-5-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]thieno[3,2-c]pyridin-4-amine;
3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;
3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7-(3-pyridinyl)thieno[3,2-c]pyridin-4-amine;
1-methyl-4-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1H-indazol-3-amine;
3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7-(4-pyridinyl)thieno[3,2-c]pyridin-4-amine;
3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-(3-pyridinyl)thieno[3,2-c]pyridin-4-amine;
3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-(1H-pyrazol-3-yl)thieno[3,2-c]pyridin-4-amine;
4-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-indazol-3-amine;
3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7-(1H-pyrazol-4-yl)thieno[3,2-c]pyridin-4-amine;
7-((1-methyl-1H-pyrazol-4-yl)-3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]thieno[3,2-c]pyridin-4-amine;
3-{1-[(2-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-djpyrimidin-4-amine;
3-{1-[(3-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
1-methyl-3-{1-[(2-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
1-methyl-3-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7-(1,2,3,6-tetrahydro-4-pyridinyl)thieno[3,2-c]pyridin-4-amine;
3-((1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)thieno[3,2-c]pyridin-4-amine;
3-{1-[(2-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;
3-{1-[(3-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;
3-((1-{[3-(methy)oxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)thieno[3,2-c]pyridin-4-amine;
3-((1-{[2-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)thieno[3,2-c]pyridin-4-amine;
3-[1-(2-naphthalenylacetyl)-2,3-dihydro-1H-indol-5-yl]thieno[3,2-c]pyridin-4-amine;
3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7-(4-piperidinyl)thieno[3,2-c]pyridin-4-amine;
7-{3-[(dimethylamino)methyl]phenyl}-3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]thieno[3,2-c]pyridin-4-amine;
3-{1-[(2,5-dimethylphenyl)acetyl]-2,3-dihydro-1H-indof-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
3-{1-[(3-fluoro-5-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
3-{1-[(3,5-dimethylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[2,3-d]pyrimidin-4-amine;
3-{1-[(2,3-dif]uorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
7-methyl-5-{1-[(2-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
5-{1-[(2-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
5-{1-[(3-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
3-{1-[(2,3-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;
7-methyl-5-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
3-{1-[(3-fluoro-2-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;
3-{2-[5-(4-aminothieno[3,2-c]pyridin-3-yl)-2,3-dihydro-1H-indol-1-yl]-2-,oxoethyl}benzonitrile;
3-{1-[(2-fluoro-5-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
3-{1-[(2,3-dimethylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
3-{1-[(3-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
1-methyl-3-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
7-methyl-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
5-{1-[(3-fluoro-5-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
5-{1-[(3-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
5-{1-[(2-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
7-methyl-5-(1-{[2-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
1-methyl-3-(1-{[3-(methyloxy)phenyl]acety)}-2,3-dihydro-1H-indol-5-yl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
7-methyl-5-(1-{[3-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

3-{1-[(2-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
1-methyl-3-(1-{[2-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
5-{1-[(3-chloro-5-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}furo[3,2-c]pyridin-4-amine;
1-methyl-3-{1-[(2,3,5-trifluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
5-{1-[(2,5-dimethylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-(1H-pyrazol-4-yl)furo[3,2-c]pyridin-4-amine;
3-{1-[(3,5-dichlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine; and
3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-(1H-pyrazol-4-yl)thieno[3,2-c]pyridin-4-amine;
or a salt thereof including a pharmaceutically acceptable salt thereof.

5. A compound of claim 1 selected from:

1-methyl-3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
7-methyl-5-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]thieno[3,2-c]pyridin-4-amine;
3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;
1-methyl-4-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1H-indazol-3-amine;
3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7-(4-pyridinyl)thieno[3,2-c]pyridin-4-amine;
3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-(3-pyridinyl)thieno[3,2-c]pyridin-4-amine;
3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-(1H-pyrazol-3-yl)thieno[3,2-c]pyridin-4-amine;
4-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-indazol-3-amine;
3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7-(1H-pyrazol-4-yl)thieno[3,2-c]pyridin-4-amine;
7-((1-methyl-1H-pyrazol-4-yl)-3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]thieno[3,2-c]pyridin-4-amine;
3-{1-[(2-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
3-{1-[(3-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amirie;
1-methyl-3-{1-[(2-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
1-methyl-3-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7-(1,2,3,6-tetrahydro-4-pyridinyl)thieno[3,2-c]pyridin-4-amine;
3-((1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)thieno[3,2-c]pyridin-4-amine;
3-{1-[(2-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;
3-{1-[(3-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;
3-((1-{[3-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)thieno[3,2-c]pyridin-4-amine;
3-((1-{[2-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)thieno[3,2-c]pyridin-4-amine;
3-[1-(2-naphthalenylacetyl)-2,3-dihydro-1H-indol-5-yl]thieno[3,2-c]pyridin-4-amine;
3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]-7-(4-piperidinyl)thieno[3,2-c]pyridin-4-amine;
7-{3-[(dimethylamino)methyl]phenyl}-3-[1-(phenylacetyl)-2,3-dihydro-1H-indol-5-yl]thieno[3,2-c]pyridin-4-amine;
3-{1-[(2,5-dimethylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
3-{1-[(3-fluoro-5-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
3-{1-[(3,5-dimethylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[2,3-d]pyrimidin-4-amine;
3-{1-[(2,3-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
7-methyl-5-{1-[(2-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
5-{1-[(2-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
5-{1-[(3-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
3-{1-[(2,3-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;
7-methyl-5-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
3-{1-[(3-fluoro-2-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}thieno[3,2-c]pyridin-4-amine;
3-{2-[5-(4-aminothieno[3,2-c]pyridin-3-yl)-2,3-dihydro-1H-indol-1-yl]-2-oxoethyl}benzonitrile;
3-{1-[(2-fluoro-5-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
3-{1-[(2,3-dimethylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
3-{1-[(3-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;

1-methyl-3-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
7-methyl-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
5-{1-[(3-fluoro-5-methylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
5-{1-[(3-chlorophenyl)acetyl]-2,3-dihydro1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
5-{1-[(2-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
7-methyl-5-(1-{[2-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
1-methyl-3-(1-{[3-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
7-methyl-5-(1-{[3-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
3-{1-[(2-chlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
1-methyl-3-(1-{[2-(methyloxy)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
5-{1-[(3-chloro-5-fluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}furo[3,2-c]pyridin-4-amine;
1-methyl-3-{1-[(2,3,5-trifluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
5-{1-[(2,5-dimethylphenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-(1H-pyrazol-4-yl)furo[3,2-c]pyridin-4-amine;
3-{1-[(3,5-dichlorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-(1H-pyrazol-4-yl)thieno[3,2-c]pyridin-4-amine;
3-{1-[(3,5-difluorophenyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
5-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-(4-piperidinyl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-(1-methyl-4-piperidinyl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}thieno[2,3-*d*]pyrimidin-4-amine;
3-{1-[(3-fluoro-5-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[3,2-*c*]pyridin-4-amine;
3-{1-[(3-chloro-5-fluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[3,2-*c*]pyridin-4-amine;
3-{1-[(2-fluoro-5-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[3,2-*c*]pyridin-4-amine;
1-methyl-3-{1-[(1-methyl-1*H*-pyrrol-2-yl)acetyl]-2,3-dihydro-1*H*-indol-5-yl)-1*H*-pyrazolo[3,4-*d*]pyrimidin-4-amine;
3-{1-[(3-chlorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[3,2-*c*]pyridin-4-amine;
5-{1-[(2,3-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(2-fluoro-3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H* pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(3-fluoro-2methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H* pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(2-fluoro-5-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H* pyrrolo[2,3-*d*]pyrimidin-4-amine;
3-{1-[(2-fluoro-3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1-methyl-1*H*-pyrazolo[3,4-*d*]pyrimidin-4-amine;
3-{1-[(3-fluoro-2-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1-methyl-1*H*-pyrazolo[3,4-*d*]pyrimidin-4-amine;
5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-(1-methyl-4-piperidinyl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(3-chloro-4-fluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(3-chloro-2-fluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
3-{1-[(3-chloro-4-fluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1-methyl-1*H*-pyrazolo[3,4-*d*]pyrimidin-4-amine;
3-{1-[(3-chloro-2-fluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1-methyl-1*H*-pyrazolo[3,4-*d*]pyrimidin-4-amine;
5-{1-[(2,3-dimethylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
1-((1-methylethyl)-3-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1*H*-pyrazolo[3,4-d]pyrimidin-4-amine;
2-((4-amino-3-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1*H*-pyrazolo[3,4-*d*]pyrimidin-1-yl)ethanol;
5-{1-[(3,5-dimethylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-(4-piperidinyl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
1-ethyl-3-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1*H*-pyrazolo[3,4-d]pyrimidin-4-amine;
3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methylfuro[3,2-*c*]pyridin-4-amine;

3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1-(1-methylethyl)-1*H*-pyrazolo[3,4-*d*]pyrimidin-4-amine;
5-{1-[(3,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
7-methyl-5-{1-[(2,3,5-trifluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(3,5-dichlorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
7-((3-azetidinyl)-5-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(4-fluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-d]pyrimidin-4-amine;
7-methyl-5-{1-[(4-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(3-chloro-2,4-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-((1-{[3-fluoro-5-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
7-[((methyloxy)methyl]-5-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7*H* pyrrolo[2,3-*d*]pyrimidin-4-amine;
7-methyl-5-{1-[(1-methyl-1*H*-pyrrol-2-yl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7*H*-pyrrolo[2,3-d]pyrimidin-4-amine;
5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-(1-methylethyl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(5-chloro-2-fluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-d]pyrimidin-4-amine;
5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-[2-(4-morpholinyl)ethyl]-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(2,4-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(3,4-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
phenylmethyl [2-(4-amino-3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indof-5-yl}furo[3,2-*c*]pyridin-7-yl)ethyl]carbamate;
5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-(3-methylbutyl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-[2-(dimethylamino)ethyl]-7H-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(6-chloro-2-pyridinyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
3-{1-[(3-chloro-2,4-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1-methyl-1*H*-pyrazolo[3,4-*d*]pyrimidin-4-amine;
7-((2-aminoethyl)-3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[3,2-c]pyridin-4-amine;
4-amino-3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[3,2-*c*]pyridine-7-carbonitrile;
5-{1-[(3,5-dimethyl-1*H*-pyrazol-1-yl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-[4-fluoro-1-(phenylacetyl)-2,3-dihydro-1*H*-indol-5-yl]-7-methyl-7*H*-pyrrolo[2,3-d]pyrimidin-4-amine;
5-{4-fluoro-1-[(1-methyl-1*H*-pyrrol-2-yl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(2,5-difluorophenyl)acetyl]-4-fluoro-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[2,3-*d*]pyrimidin-4-amine;
5-((1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)furo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(3-chloro-5-fluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[2,3-*d*]pyrimidin-4-amine;
5-((1-{[3-fluoro-5-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)furo[2,3-d]pyrimidin-4-amine;
5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-[2-(4-piperidinyl)ethyl]-7H pyrrolo[2,3-*d*]pyrimidin-4-amine;
7-methyl-5-{1-[(6-methyl-2-pyridinyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-((1-{[4-fluoro-3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-(3-oxetanyl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
3-{1-((2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-[2-(dimethylamino)ethyl]furo[3,2-*c*]pyridin-4-amine;
7-methyl-5-(1-{[6-(trifluoromethyl)-2-pyridinyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7*H*-pyrrolo[2,3-d]pyrimidin-4-amine;
7-((3-oxetanyl)-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7*H* pyrrolo[2,3-*d*]pyrimidin-4-amine;
7-[2-(4-morpholinyl)ethyl]-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7*H*-pyrrolo[2,3-

d]pyrimidin-4-amine;
7-((1-methylethyl)-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
7-((3-methylbutyl)-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
4-{1-[(3-methylphenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-1H-pyrazolo[3,4-c]pyridin-3-amine;
7-chloro-3-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}furo[3,2-c]pyridin-4-amine;
7-((3-azetidinyl)-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
7-((1-methyl-3-azetidinyl)-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
7-[2-(dimethylamino)ethyl]-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-((4-fluoro-1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{4-fluoro-1-[(6-methyl-2-pyridinyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-((4-fluoro-1-{[6-(trifluoromethyl)-2-pyridinyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(3,5-dimethyl-1*H*-pyrazol-1-yl)acetyl]-4-fluoro-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-((4-fluoro-1-{[4-fluoro-3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
3-{1-[(2,5-difluorophenyl)acetyl]-4-fluoro-2,3-dihydro-1*H*-indol-5-yl}furo[3,2-*c*]pyridin-4-amine;
5-{4-fluoro-1-[(4-fluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
4-((1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-1*H*-pyrazolo[3,4-c]pyridin-3-amine;
1-methyl-4-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-1H-pyrazolo[3,4-*c*]pyridin-3-amine;
7-((3-azetidinyl)-5-{1-[(2,5-difluorophenyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
7-[2-(4-piperidinyl)ethyl]-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
7-((2-aminoethyl)-3-{1-[(2,5-difluorophenyl)acetyl]-4-fluoro-2,3-dihydro-1H-indol-5-yl}furo[3,2-c]pyridin-4-amine;
3-{1-[(3,5-dimethyl-1H-pyrazol-1-yl)acetyl]-2,3-dihydro-1H-indol-5-yl}-1-methyl-1H-pyrazolo[3,4-d]pyrimidin-4-amine;
5-((1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-1H-pyrrolo[2,3-d]pyrimidin-4-amine;
5-{4-chloro-1-[(6-methyl-2-pyridinyl)acetyl]-2,3-dihydro-1H-indol-5-yl}-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine; and
5-((4-chloro-1-{[6-(trifluoromethyl)-2-pyridinyl]acetyl}-2,3-dihydro-1H-indol-5-yl)-7-methyl-7H-pyrrolo[2,3-d]pyrimidin-4-amine;

or a salt thereof including a pharmaceutically acceptable salt thereof.

6. A compound of claim 1 selected from:

5-{4-fluoro-1-[(6-methyl-2-pyridinyl)acetyl]-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-d]pyrimidin-4-amine;
or a salt thereof including a pharmaceutically acceptable salt thereof.

7. A compound of claim 1 selected from:

5-((4-fluoro-1-{[6-(trifluoromethyl)-2-pyridinyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7-methyl-7*H*-pyrrolo[2,3-*d*]pyrimidin-4-amine;
5-{1-[(3,5-dimethyl-1*H*-pyrazol-1-yl)acetyl]-4-fluoro-2,3-dihydro-1*H*-indol-5-yl}-7-methyl-7*H*-pyrrolo[2,3-d]pyrimidin-4-amine;
7-methyl-5-(1-{[3-(trifluoromethyl)phenyl]acetyl}-2,3-dihydro-1*H*-indol-5-yl)-7H-pyrrolo[2,3-d]pyrimidin-4-amine;
or a salt thereof including a pharmaceutically acceptable salt thereof.

8. A pharmaceutical composition comprising a compound of Formula (I) according to any one of claims 1 to 7 or a pharmaceutically acceptable salt thereof and a pharmaceutically acceptable excipient.

9. A compound of Formula (I) as described in any one of claims 1 to 7, or a pharmaceutically acceptable salt thereof, for use in medical therapy.

10. A compound of Formula (I) as described in any one of claims 1 to 7, or a pharmaceutically acceptable salt thereof, for use in treating or lessening the severity of cancer, pre-cancerous syndromes, Alzheimer's disease, stroke, Type 1 diabetes, Parkinson disease, Huntington's disease, amyotrophic lateral sclerosis, myocardial infarction, cardiovascular disease, atherosclerosis, arrhythmias, and age-related macular degeneration.

11. A compound of Formula (I) as described in any one of claims 1 to 7, or a pharmaceutically acceptable salt thereof, for use in inhibiting PERK activity in a human.

12. A pharmaceutical combination including a therapeutically effective amount of:

a) a compound of Formula (I) as described in any one of claims 1 to 7, or a pharmaceutically acceptable salt thereof; and
b) at least one anti-neoplastic agent;
for use in the treatment of cancer in a human.

13. A compound of Formula (I), or a pharmaceutically acceptable salt thereof, for use according to claim 10 wherein said cancer is selected from: brain (gliomas), glioblastomas, astrocytomas, glioblastoma multiforme, Bannayan-Zonana syndrome, Cowden disease, Lhermitte-Duclos disease, breast, inflammatory breast cancer, Wilm's tumor, Ewing's sarcoma, Rhabdomyosarcoma, ependymoma, medulloblastoma, colon, head and neck, kidney, lung, liver, melanoma, ovarian, pancreatic, adenocarcinoma, ductal adenocarcinoma, adenosquamous carcinoma, acinar cell carcinoma, glucagonoma, insulinoma, metastatic melanoma, prostate, sarcoma, osteosarcoma, giant cell tumor of bone, thyroid,
Lymphoblastic T cell leukemia, Chronic myelogenous leukemia, Chronic lymphocytic leukemia, Hairy-cell leukemia, acute lymphoblastic leukemia, acute myelogenous leukemia, Chronic neutrophilic leukemia, Acute lymphoblastic T cell leukemia, Plasmacytoma, Immunoblastic large cell leukemia, Mantle cell leukemia, Multiple myeloma Megakaryoblastic leukemia, multiple myeloma, acute megakaryocytic leukemia, promyelocytic leukemia, Erythroleukemia,
malignant lymphoma, hodgkins lymphoma, non-hodgkins lymphoma, lymphoblastic T cell lymphoma, Burkitt's lymphoma, follicular lymphoma,
neuroblastoma, bladder cancer, urothelial cancer, lung cancer, vulval cancer, cervical cancer, endometrial cancer, renal cancer, mesothelioma, esophageal cancer, salivary gland cancer, hepatocellular cancer, gastric cancer, nasopharangeal cancer, buccal cancer, cancer of the mouth, GIST (gastrointestinal stromal tumor) and testicular cancer.

14. A process for preparing a pharmaceutical composition containing a pharmaceutically acceptable excipient and an effective amount of a compound of Formula (I) as described in any one of claims 1 to 7 or a pharmaceutically acceptable salt thereof, which process comprises bringing the compound of Formula (I) or a pharmaceutically acceptable salt thereof into association with a pharmaceutically acceptable excipient.

15. A compound of Formula (I), or a pharmaceutically acceptable salt thereof, for use according to claim 10 wherein said pre-cancerous syndrome is selected from: cervical intraepithelial neoplasia, monoclonal gammapathy of unknown significance (MGUS), myelodysplastic syndrome, aplastic anemia, cervical lesions, skin nevi (pre-melanoma), prostatic intraepithleial (intraductal) neoplasia (PIN), Ductal Carcinoma in situ (DCIS), colon polyps and severe hepatitis or cirrhosis.

16. A compound of Formula (I) as described in any one of claims 1 to 7, or a pharmaceutically acceptable salt thereof, for use in treating or lessening the severity of ocular diseases in a human.

17. A compound of Formula (I), or a pharmaceutically acceptable salt thereof, for use according to claim 16 wherein the ocular disease is selected from: rubeosis irides; neovascular glaucoma; pterygium; vascularized glaucoma filtering blebs; conjunctival papilloma; choroidal neovascularization associated with age-related macular degeneration (AMD), myopia, prior uveitis, trauma, or idiopathic; macular edema; retinal neovascularization due to diabetes;

age-related macular degeneration (AMD); macular degeneration (AMD); ocular ischemic syndrome from carotid artery disease; ophthalmic or retinal artery occlusion; sickle cell retinopathy; retinopathy of prematurity; Eale's Disease; and VonHippel-Lindau syndrome.