

CD3-EXPRESSING NATURAL KILLER CELLS WITH ENHANCED FUNCTION FOR ADOPTIVE IMMUNOTHERAPY

[0001] This application claims priority to U.S. Provisional Patent Application Serial No. 63/225,281, filed July 23, 2021, and also claims priority to U.S. Provisional Patent Application Serial No. 63/310,526, filed February 15, 2022, and also claims priority to U.S. Provisional Patent Application Serial No. 63/344,931, filed May 23, 2022, each of which are incorporated by reference herein in their entirety.

I. Technical Field

[0002] This disclosure relates at least to the fields of immunology, cell biology, molecular biology, and medicine, including at least cancer medicine.

II. Background

[0003] Natural killer (NK) cells have been studied as potential anti-tumor effectors, yet a number of barriers limit their therapeutic exploitation, mainly related to their lack of antigen specificity. One approach to overcome this is to transduce NK cells with a chimeric antigen receptor (CAR) or an engineered T-cell receptor (TCR) to target a desired antigen. In T cells, one can utilize a bispecific or multi-specific antibody, such as a bispecific T cell engager (BiTE) that binds CD3 on the surface of T cells and that also binds an antigen on the surface of cancer cells. CD3 is composed of four distinct chains, and in mammals, the complex contains a CD3 γ chain, a CD3 δ chain, and two CD3 ϵ chains. These chains associate with the T-cell receptor (TCR) and the ζ -chain (zeta-chain) to generate an activation signal in T lymphocytes. However, NK cells do not naturally express the CD3 receptor complex or TCRs.

[0004] The present disclosure satisfies a long-felt need in the art to improve upon immunotherapies including those that utilize NK cells.

BRIEF SUMMARY

[0005] Embodiments of the disclosure include methods and compositions for treatment of an individual with cancer using adoptive cell therapy. In specific embodiments, the individual is provided a therapeutically effective amount of a bipartite therapy that includes both modified NK cells and antibodies that are capable of being able to bind the NK cells to initiate signaling, activation, and killing of target cells. The disclosure concerns NK cells that have been modified

to express multiple proteins that are not naturally expressed in NK cells and that work in conjunction together, including heterologous proteins on the surface of the NK cells that are naturally not present in NK cells.

[0006] In specific embodiments, NK cells are engineered to express one or more proteins from a CD3 co-receptor complex and optionally a TCR receptor complex, each normally present on the surface of T cells. Such engineering provides greater versatility for the NK cells to be utilized in conjunction with a variety of bispecific or multi-specific antibodies, including those that comprise an anti-CD3 antibody (*e.g.*, an anti-CD3 scFv). In particular embodiments, the modified NK cells are administered to an individual in need thereof in conjunction with one or more bispecific or multi-specific antibodies each having one antibody that targets CD3 and one antibody that binds a desired antigen, such as a cancer antigen. As a result, in specific cases the NK cells expressing CD3 are able to bind the anti-CD3 antibody part of the bispecific or multi-specific antibody, and the antibody that binds a cancer antigen binds the cancer antigen on the surface of a cancer cell. Such a coordinated binding between the NK cells and the antibody results in activation of cytotoxicity against the target cancer antigen.

[0007] In particular embodiments, the present disclosure concerns modified NK cells that express the full or partial CD3 complex with or without TCRs, and in some cases individual CD3 chain(s) are heterologously linked to an NK-relevant signaling domain, all of which allows the modified NK cells to be utilized with a variety of bispecific antibodies.

[0008] Embodiments of the disclosure include compositions comprising NK cells modified to express part or all of a single chain or any combination of CD3 δ , CD3 ϵ , CD3 γ , or CD3 ζ . In some cases, the NK cells are modified to express the T-cell receptor (TCR) $\alpha\beta$ chains or the TCR $\gamma\delta$ chains. The NK cells may be modified to express part or all of CD3 ζ , two of CD3 ϵ , CD3 δ , and CD3 γ . In some cases, the NK cells are modified to express full length of CD3 ζ , CD3 ϵ , CD3 δ , and/or CD3 γ . In particular cases, any one or more of the CD3 ζ , CD3 ϵ , CD3 δ , and CD3 γ are heterologously linked to one or more intracellular signaling domains. The intracellular signaling domain may be selected from the group consisting of CD16, NKG2D, DAP10, DAP12, 2B4, 4-1BB, CD2, CD28 and a combination thereof. In some embodiments, an intracellular signaling domain is fused to CD3 ζ . In some embodiments, an intracellular signaling domain is derived from DAP10. In some embodiments, an intracellular signaling domain is derived from CD28. In some embodiments, an intracellular signaling domain comprises a sequence derived from DAP10 and a sequence derived from CD28. In some embodiments, the intracellular signaling domain could also include other costimulatory signals

relevant to NK cell function such as but not limited to, 2B4, DNA, 4-1BB, DAP12, NKG2D, etc. In specific embodiments, the composition further comprises one or more bispecific or multi-specific antibodies, wherein the bispecific or multi-specific antibody comprises an anti-CD3 antibody. The NK cells may express the antibody and/or are complexed with the antibody. In some embodiments, the TCR is directed to a cancer antigen or a viral antigen. In specific embodiments, the NK cells are derived from cord blood (CB), peripheral blood (PB), bone marrow, stem cells, or a mixture thereof. In some embodiments, the TCR is directed to an NY-ESO antigen. In some embodiments, the TCR is directed to a PRAME antigen. The NK cells may be pre-activated, such as with one or more cytokines, including IL-2, IL-7, IL-12, IL-15, IL-18, IL-21, or a combination thereof, for example. In some embodiments, the NK cells are expanded, such as in the presence of IL-2. In specific embodiments, the NK cells are modified to express one or more heterologous proteins, such as one or more engineered antigen receptors, one or more cytokines, one or more homing receptors, and/or one or more chemokine receptors. In specific cases, the engineered antigen receptor is a chimeric antigen receptor and/or engineered T cell receptor. In some cases, the heterologous protein is a cytokine, such as one selected from the group consisting of IL-15, IL-12, IL-2, IL-18, IL-21, IL-23, GM-CSF, or a combination thereof. The cytokine may be membrane-bound, and the membrane-bound cytokine may comprise a transmembrane domain from CD8, CD28, CD27, B7H3, IgG1, IgG4, CD4, DAP10, or DAP12. In specific cases, the NK cell expresses a chimeric antigen receptor and a cytokine. In some cases, the bispecific antibody comprises an antibody that targets a cancer antigen.

[0009] Embodiments of the disclosure include compositions comprising a complex, comprising: (1) NK cells modified to express part or all of the CD3 receptor complex and optionally modified to express the T-cell receptor (TCR) $\alpha\beta$ chains or the TCR $\gamma\delta$ chains; and (2) a bispecific or multi-specific antibody, wherein the bispecific or multi-specific antibody comprises an anti-CD3 antibody that is bound to CD3 on the NK cells. In specific embodiments, the complex is housed in a pharmaceutically acceptable excipient. The complex may be housed in a delivery device.

[0010] In particular embodiments, there is a method of treating cancer in an individual, comprising the step of administering to the individual a therapeutically effective amount of any one of the compositions encompassed herein. In some embodiments, the NK cells and the antibody are administered to the individual at the same time. The NK cells and the antibody may or may not be administered in the same formulation. The NK cells and the antibody may

be pre-complexed prior to administration to the individual. In specific embodiments, the NK cells and the antibody are administered to the individual at different times. The NK cells and the antibody may be administered by infusion. In specific embodiments, the NK cells are autologous or allogeneic with respect to the individual.

[0011] Embodiments of the disclosure include methods of redirecting the specificity of NK cells against a cancer antigen for treatment of an individual with a bispecific or multi-specific anti-CD3 antibody, comprising the steps of administering to the individual the antibody and NK cells that express part or all of the CD3 receptor complex and that optionally express part or all of TCR $\alpha\beta$ chains or the TCR $\gamma\delta$ chains. In specific embodiments, the method further comprising the step of modifying NK cells to express part or all of the CD3 receptor complex. In specific embodiments, the method further comprises the step of modifying NK cells to express the TCR $\alpha\beta$ chains or the TCR $\gamma\delta$ chains. In some cases, the method further comprises the step of modifying the NK cells to express one or more heterologous proteins.

[0012] Other objects, features and advantages of the present invention will become apparent from the following detailed description. It should be understood, however, that the detailed description and the specific examples, while indicating specific embodiments of the invention, are given by way of illustration only, since various changes and modifications within the spirit and scope of the invention will become apparent to those skilled in the art from this detailed description.

BRIEF DESCRIPTION OF THE DRAWINGS

[0013] The following drawings form part of the present specification and are included to further demonstrate certain aspects of the present invention. The invention may be better understood by reference to one or more of these drawings in combination with the detailed description of specific embodiments presented herein.

[0014] **FIG. 1A** illustrates various embodiments of NK cells engineered to express CD3, including for use with a variety of heterologous proteins, such as cytokines, bi-specific NK cell engagers, and engineered antigen receptors (CAR and/or TCR). **FIG. 1B** illustrates NK cells accommodated for CD3 and TCR for optimal cancer immunotherapy. **FIG. 1C** illustrates examples of single chimeric CD3 constructions.

[0015] **FIG. 2A** illustrates one example of an expression construct for CD3 receptor complex components for transduction or transfection of NK cells. **FIG. 2B** shows an example of a plasmid map for the representative expression construct.

- [0016] FIG. 3 provides a table of various TCR/CD3 expression construct designs for NK-TCR engineering.
- [0017] FIG. 4 shows CD3 expression at day 4 on engineered NK cells after transduction with one example of a CMV-directed TCR complex.
- [0018] FIG. 5 demonstrates TCR expression at day 4 on engineered NK cells following CMV-directed TCR complex transduction.
- [0019] FIG. 6 shows TCR/CD3 expression at day 6 on engineered NK cells after transduction of a CMV-directed TCR complex into the cells.
- [0020] FIG. 7 demonstrates binding at different concentrations of one example of a CD3-CD19 BiTE on NK cells through the CD3/TCR complex on the NK cells.
- [0021] FIG. 8 shows NK-TCR cytokine production of TNF α and CD107a after stimulation with plate-bound CD3 antibody.
- [0022] FIG. 9 demonstrates phosphorylation of CD3z in NK TCR/CD3 cells after crosslinking CD3.
- [0023] FIGS. 10A-10B show that pre-culturing CD3-CD19 BiTEs with TCR/CD3-expressing NK cells increased its killing activity against Raji cells. FIG. 10A represents a 1:1 Effector:Target ratio, and FIG. 10B represents a 1:5 Effector:Target ratio.
- [0024] FIG. 11 provides a schematic overview of multiple retroviral transductions to generate NK cells expressing CD3, IL-15, and a TCR complex.
- [0025] FIG. 12 shows expression of NY-ESO TCR on NK cells transduced with uTNK15. WT refers to wild type CD3 molecules with IL-15; A refers to CD3-CD28 with IL-15; B refers to CD3-DAP10 with IL-15; and C refers to CD3-CD28-Dap10 with IL-15.
- [0026] FIG. 13 shows the number of TCR molecules per cell expressed on NK cells. WT refers to wild type CD3 molecules with IL-15; A refers to CD3-CD28 with IL-15; B refers to CD3-DAP10 with IL-15; and C refers to CD3-CD28-Dap10 with IL-15. Phycoerythrin Fluorescence Quantitation Kit (BD Biosciences) was used to determine the number of molecules of NY-ESO TCR on NK cells.
- [0027] FIG. 14 shows expression of NY-ESO TCR on T cells.
- [0028] FIG. 15 shows that NK cells transduced with NY-ESO TCR kill NY-ESO peptide-pulsed target cells in a dose-dependent manner. WT refers to wild type CD3 molecules with IL-15; A refers to CD3-CD28 with IL-15; B refers to CD3-DAP10 with IL-15; and C refers to CD3-CD28-Dap10 with IL-15.
- [0029] FIG. 16 demonstrates endogenous NY-ESO expression on human tumor cell lines.

[0030] FIG. 17 demonstrates that NY-ESO TCR transduced T cells kill NY-ESO expressing tumor targets.

[0031] FIG. 18 provides results that NY-ESO TCR transduced NK cells kill NY-ESO expressing tumor targets even at low E:T ratios. WT refers to wild type CD3 molecules with IL-15; A refers to CD3-CD28 with IL-15; B refers to CD3-DAP10 with IL-15; and C refers to CD3-CD28-Dap10 with IL-15.

[0032] FIGS. 19A and 19B show that NY-ESO transduced NK cells have a similar phenotype (19A) and expression pattern (19B) to NT NK cells. WT refers to wild type CD3 molecules with IL-15; A refers to CD3-CD28 with IL-15; B refers to CD3-DAP10 with IL-15; and C refers to CD3-CD28-Dap10 with IL-15.

[0033] FIG. 20 provides a table representing the cellular composition of the expanded uTNK15 product. WT refers to wild type CD3 molecules with IL-15; A refers to CD3-CD28 with IL-15; B refers to CD3-DAP10 with IL-15; and C refers to CD3-CD28-Dap10 with IL-15.

[0034] FIG. 21A shows that NK cells can be successfully transduced with CD3 and TCR constant alpha-beta (TCRCab) (called TCR6 construct) and that the engineered NK cell can bind Blinatumumab (FIG. 21B) and selectively kill CD19+ lymphoma targets (FIG. 21C).

[0035] FIGS. 22A-22C shows the *in vivo* activity of effector cells (e.g., NK cells, or T cells) comprising NY-ESO targeted TCRs. FIG. 22A is a schematic outlining the experimental procedure performed. FIG. 22B displays bioluminescent imaging over time (day 1, day 7, day 14, and day 21) for the mice engrafted with U266B.1 cells transduced with FireFlyluciferase (FFluc) and treated with control, NY-ESO TCR NK cells, or NY-ESO TCR T cells (NK cells comprising WT, #A, or #B UT-NK15-NY ESO TCR constructs respectively; WT refers to wild type CD3 molecules with IL-15; #A refers to CD3-CD28 with IL-15; and #B refers to CD3-DAP10 with IL-15). FIG. 22C is a graphical quantification of the bioluminescence average radiance displayed in FIG 22B. These results showed that effector cells comprising NY-ESO TCR constructs described herein robustly inhibited tumor growth *in vivo*.

[0036] FIGS. 23A-B shows the *in vitro* activity of effector cells (e.g., NK cells or T cells) comprising NY-ESO targeted TCRs and UT-NK15 constructs. FIG. 23A are images of spheroids formed by osteosarcoma tumor cell line Saos-2 stably transduced to express GFP that were used to test the activity of NY-ESO1-specific TCR expressing NK and T cells cytotoxicity. FIG. 23B is a graph showing percentage of cytotoxicity (Y axis) for representative images after 3 days of co-culture. NK cells were co-transduced with NY-ESO-TCR, and the UT-NK15 signaling complex co-expressing different co-stimulatory molecules

fused to the CD3 ζ signaling chain or the TCR complex without IL-15. T cells were only transduced with NY-ESO TCR. Abbreviation in the graph: 28 = CD3 ζ fused to a CD28 co-stimulatory domain; 10 = CD3 ζ fused to a Dap10 co-stimulatory domain; 8 = CD8 alpha/beta co-receptor as part of the NY ESO TCR construct; wo IL-15 = the construct only contains CD3 zeta, epsilon, gamma and delta TCR complex without co-stimulation or IL-15.

[0037] **FIGS. 24A-D** shows the *in vivo* activity of effector cells (e.g., NK cells or T cells) comprising NY-ESO targeted TCRs and UT-NK15 constructs. **FIG. 24A** depicts a plan for an *in vivo* study to test the activity of different NY ESO TCR transduced NK and T cells. **FIG. 24B** depicts BLI imaging results of the test outlined and performed according to FIG. 24A, Mice were injected with U266 tumor cells, and three days later received T cells transduced with NY-ESO-specific TCR, or NK cells co-transduced with NY-ESO TCR and UT-NK15 with CD3 ζ fused to CD28 (labelled as NY-ESO NK UT-NK15 CD28 or NY-ESO TCR UTNK-15 CD28 NK cells). The tumor alone group was used as control. **FIG. 24C** depicts region of interest average radiance intensity for the animals tested according to FIG. 24A and imaged in FIG. 24B. **FIG. 24D** is a graph depicting the cohort survival curves for the aforementioned animals.

[0038] **FIG. 25** shows the *in vivo* activity of effector cells (e.g., NK cells) engineered to express NY ESO TCR and CD3 complex with or without IL-15 transgene comprised in the construct. NSG mice were irradiated (300 cGy) and the next day were injected with 500,000 U266 cells (HLA-A2 positive, NY-ESO-expressing myeloma cell line) via the tail vein. Three days later, mice received 5 million TCR transduced T or NK cells. Mice were monitored for tumor control by BLI imaging. NK cells were transduced with NY-ESO-specific TCR with or without expression of CD8 alpha/beta co-receptors, co-transduced with CD3 complex without IL-15 transgene or with UT-NK15 expressing CD3 ζ fused to CD28 (UT-NK15 CD28) or CD3 ζ fused to DAP10 (UT-NK15 DAP10) co-stimulatory molecules.

[0039] **FIGS. 26A-C** shows *in vitro* expression of Preferentially Expressed Antigen in Melanoma (PRAME) TCRs on effector cells (e.g., NK cells or T cells) and the *in vitro* activity of said cells. **FIG. 26A** shows the expression of both UT-NK15 (x-axis, CD3) and PRAME-specific TCRs (y-axis, TCR) in NK cells (TCR clones 46, 54, or DSK3 respectively), or the expression of PRAME-specific TCRs in T cells transduced with the same (TCR clones 46 or 54). **FIG. 26B** shows the *in vitro* cytotoxicity of NK cells expressing a PRAME-specific TCR against the U266 myeloma cell line. Incucyte live cell imaging was used to measure the cytotoxicity of T cells transduced with PRAME-specific TCR and NK cells transduced with UT-NK15 and PRAME-specific TCR against U266 myeloma cells. GFP-expressing U266 cells

were co-cultured with PRAME-specific TCR expressing T cell or NK cells at 1:1 effector : target ratio. A reduction in GFP expression indicated cell death. After 26 hours, a second round of 50,000 tumor cells was added (noted as “rechallenging”) to each well for the tumor rechallenge assay. Open symbols represent T cells, while closed symbols represent NK cells. NT = non-transduced. **FIG. 26C** shows the *in vitro* cytotoxicity of NK cells expressing a PRAME-specific TCR against the UA375 melanoma cell line. Incucyte live cell imaging was used to measure the cytotoxicity of T cells transduced with PRAME-specific TCR and NK cells transduced with UT-NK15 and PRAME-specific TCR (PRAME-specific TCR clone 46 (TCR-46), PRAME-specific TCR clone 54 (TCR-54), or PRAME-specific TCR clone DSK3 (DSK)) against UA375 melanoma cells. GFP-expressing UA375 cells were co-cultured with PRAME-expressing T cell or NK cells at 1:1 effector : target ratio. A reduction in GFP expression indicated cell death. After 26 hours, a second round of 50,000 tumor cells was added to each well for the tumor rechallenge assay. Open symbols represent T cells, while closed symbols represent NK cells. NT = non-transduced.

DETAILED DESCRIPTION

[0040] In keeping with long-standing patent law convention, the words “a” and “an” when used in the present specification in concert with the word comprising, including the claims, denote “one or more.” Some embodiments of the disclosure may consist of or consist essentially of one or more elements, method steps, and/or methods of the disclosure. It is contemplated that any method or composition described herein can be implemented with respect to any other method or composition described herein and that different embodiments may be combined.

[0041] Throughout this specification, unless the context requires otherwise, the words “comprise”, “comprises” and “comprising” will be understood to imply the inclusion of a stated step or element or group of steps or elements but not the exclusion of any other step or element or group of steps or elements. By “consisting of” is meant including, and limited to, whatever follows the phrase “consisting of.” Thus, the phrase “consisting of” indicates that the listed elements are required or mandatory, and that no other elements may be present. By “consisting essentially of” is meant including any elements listed after the phrase, and limited to other elements that do not interfere with or contribute to the activity or action specified in the disclosure for the listed elements. Thus, the phrase “consisting essentially of” indicates that the listed elements are required or mandatory, but that no other elements are optional and may or

may not be present depending upon whether or not they affect the activity or action of the listed elements.

[0042] Reference throughout this specification to “one embodiment,” “an embodiment,” “a particular embodiment,” “a related embodiment,” “a certain embodiment,” “an additional embodiment,” or “a further embodiment” or combinations thereof means that a particular feature, structure or characteristic described in connection with the embodiment is included in at least one embodiment of the present invention. Thus, the appearances of the foregoing phrases in various places throughout this specification are not necessarily all referring to the same embodiment. Furthermore, the particular features, structures, or characteristics may be combined in any suitable manner in one or more embodiments.

[0043] As used herein, the terms “or” and “and/or” are utilized to describe multiple components in combination or exclusive of one another. For example, “x, y, and/or z” can refer to “x” alone, “y” alone, “z” alone, “x, y, and z,” “(x and y) or z,” “x or (y and z),” or “x or y or z.” It is specifically contemplated that x, y, or z may be specifically excluded from an embodiment.

[0044] Throughout this application, the term “about” is used according to its plain and ordinary meaning in the area of cell and molecular biology to indicate that a value includes the standard deviation of error for the device or method being employed to determine the value.

[0045] As used herein, the term “CD3 receptor complex” or “CD3 co-receptor complex” refers to the protein complex that in nature acts as a T cell co-receptor and is comprised of CD3 ζ chain, CD3 γ chain, a CD3 δ chain, and two CD3 ϵ chains (although in alternatives only one CD3 ϵ chain is used).

[0046] The term “engineered” as used herein refers to an entity that is generated by the hand of man, including a cell, nucleic acid, polypeptide, vector, and so forth. In at least some cases, an engineered entity is synthetic and comprises elements that are not naturally present or configured in the manner in which it is utilized in the disclosure. In specific embodiments, a vector is engineered through recombinant nucleic acid technologies, and a cell is engineered through transfection or transduction of an engineered vector. Cells may be engineered to express heterologous proteins that are not naturally expressed by the cells, either because the heterologous proteins are recombinant or synthetic or because the cells do not naturally express the proteins.

[0047] The phrases “pharmaceutical or pharmacologically acceptable” refers to molecular entities and compositions that do not produce an adverse, allergic, or other untoward reaction

when administered to an animal, such as a human, as appropriate. The preparation of a pharmaceutical composition comprising an antibody or additional active ingredient will be known to those of skill in the art in light of the present disclosure. Moreover, for animal (*e.g.*, human) administration, it will be understood that preparations should meet sterility, pyrogenicity, general safety, and purity standards as required by FDA Office of Biological Standards.

[0048] As used herein, “pharmaceutically acceptable carrier” includes any and all aqueous solvents (*e.g.*, water, alcoholic/aqueous solutions, saline solutions, parenteral vehicles, such as sodium chloride, Ringer's dextrose, *etc.*), non-aqueous solvents (*e.g.*, propylene glycol, polyethylene glycol, vegetable oil, and injectable organic esters, such as ethyloleate), dispersion media, coatings, surfactants, antioxidants, preservatives (*e.g.*, antibacterial or antifungal agents, anti-oxidants, chelating agents, and inert gases), isotonic agents, absorption delaying agents, salts, drugs, drug stabilizers, gels, binders, excipients, disintegration agents, lubricants, sweetening agents, flavoring agents, dyes, fluid and nutrient replenishers, such like materials and combinations thereof, as would be known to one of ordinary skill in the art. The pH and exact concentration of the various components in a pharmaceutical composition are adjusted according to well-known parameters.

[0049] The term “subject,” as used herein, generally refers to an individual having a that has or is suspected of having cancer. The subject can be any organism or animal subject that is an object of a method or material, including mammals, *e.g.*, humans, laboratory animals (*e.g.*, primates, rats, mice, rabbits), livestock (*e.g.*, cows, sheep, goats, pigs, turkeys, and chickens), household pets (*e.g.*, dogs, cats, and rodents), horses, and transgenic non-human animals. The subject can be a patient, *e.g.*, have or be suspected of having a disease (that may be referred to as a medical condition), such as benign or malignant neoplasias, or cancer. The subject may be undergoing or having undergone treatment. The subject may be asymptomatic. The subject may be healthy individuals but that are desirous of prevention of cancer. The term “individual” may be used interchangeably, in at least some cases. The “subject” or “individual”, as used herein, may or may not be housed in a medical facility and may be treated as an outpatient of a medical facility. The individual may be receiving one or more medical compositions via the internet. An individual may comprise any age of a human or non-human animal and therefore includes both adult and juveniles (*i.e.*, children) and infants and includes in utero individuals. It is not intended that the term connote a need for medical treatment, therefore, an individual may voluntarily or involuntarily be part of experimentation whether clinical or in support of basic science studies.

[0050] As used herein “treatment” or “treating,” includes any beneficial or desirable effect on the symptoms or pathology of a disease or pathological condition, and may include even minimal reductions in one or more measurable markers of the disease or condition being treated, *e.g.*, cancer. Treatment can involve optionally either the reduction or amelioration of one or more symptoms of the disease or condition, or the delaying of the progression of the disease or condition. “Treatment” does not necessarily indicate complete eradication or cure of the disease or condition, or associated symptoms thereof. Treating may mean alleviation of at least one symptom of the disease or condition.

[0051] As used herein “TCR/CD3 complex” refers to a protein complex naturally found on the surface of T cells and that comprises T-cell receptor α and β chains and/or a T-cell receptor γ and δ chains, in addition to CD3 ζ , CD3 γ , CD3 δ , and CD3 ϵ chains.

I. Embodiments of the Disclosure

[0052] Natural killer (NK) cells are an emerging cellular immunotherapy for patients with malignant hematologic disease, as well as solid tumors. The present disclosure specifically relates to NK cells that have been modified to render the NK cells to have enhanced function as an immunotherapy compared to NK cells not so modified. The modifications allow for the NK cells to have greater versatility when used with other therapeutic agents and at least in some embodiments to have T cell-like activity by utilizing the CD3/TCR receptor complex. In specific embodiments, the NK cells are modified to express (i) either a single CD3 chain (CD3zeta, CD3 epsilon, CD3 delta, or CD3 gamma) or part or all of the human CD3 receptor complex (including any combination of CD3 delta, epsilon (one or two copies of epsilon), gamma, and zeta); or (ii) either a single CD3 chain or the human CD3 receptor complex (including any combination of CD3 delta, epsilon (one or two molecules), gamma, and zeta) as a full length protein or as a partial protein heterologously linked to one or more intracellular signaling domains); and (iii) the CD3 complex may or may not include the T-cell receptor ($\alpha\beta$ or $\gamma\delta$). The disclosure concerns the use of CD3-expressing NK cells in the diagnosis and treatment of disease, including use of the cells in combination with bispecific or multi-specific antibodies in which one epitope of the antibody binds CD3 on the CD3-expressing NK cells). The CD3-expressing NK cells can either be pre-complexed *ex vivo* with the bi/multi-specific antibody to redirect their specificity toward the target antigen and/or combined *in vivo*. In diagnostic embodiments, labeled NK cells may be loaded with bispecific or multi-specific antibodies of any kind, including that comprise at least an anti-CD3 antibody, and the loaded,

labeled NK cells may be monitored for trafficking to the site of the target antigen for which another antibody on the bispecific or multi-specific antibody binds.

II. Compositions of the Disclosure

[0053] The disclosure concerns compositions that at least include modified NK cells that express at least parts of the TCR/CD3 complex. In some cases, the compositions also include bispecific or multi-specific antibodies, including in the same formulation, although in alternative embodiments the NK cells and antibodies are utilized as physically separate compositions.

A. NK Cell TCR/CD3 Modifications

[0054] In particular embodiments, provided herein are compositions that comprise NK cells that have been modified by the hand of man to express part or all of the TCR receptor complex and part or all of the CD3 co-receptor complex. In specific embodiments, the NK cells are modified to include all components of the CD3 complex, including CD3 ζ , CD3 ϵ , CD3 γ and CD3 δ . Although in particular cases the full lengths of CD3 ζ , CD3 ϵ , CD3 γ and CD3 δ are utilized, including their extracellular domain, transmembrane domain, and intracellular domain, in alternative embodiments only part of one or more of CD3 ζ , CD3 ϵ , CD3 γ and CD3 δ are utilized each of which that may or may not be combined with one or more intracellular signaling domains such as CD16, NKG2D, DAP10, DAP12, CD28, 41BB, 2B4, CD27, OX40, or any combination thereof. The NK cells may also be modified to express the TCR receptor complex, although in alternative embodiments none of the TCR receptor complex components are utilized.

[0055] In certain embodiments, an amino acid sequence (e.g., a polypeptide) may comprise an amino acid represented by a single letter "X" or a three letter code "Xaa". In some embodiments, the amino acid represented by "X" or "Xaa" is any naturally occurring amino acid, such as but not limited to, Arginine (Arg, R), Histidine (His, H), Lysine (Lys, K), Aspartic Acid (Asp, D), Glutamic Acid (Glu, E), Serine (Ser, S), Threonine (Thr, T), Asparagine (Asn, N), Glutamine (Gln, Q), Glycine (Gly, G), Proline (Pro, P), Cysteine (Cys, C), Alanine (Ala, A), Valine (Val, V), Isoleucine (Ile, I), Leucine (Leu, L), Methionine (Met, M), Phenylalanine (Phe, F), Tyrosine (Tyr, Y), or Tryptophan (Trp, W).

[0056] In some embodiments, the amino acid represented by "X" or "Xaa" in SEQ ID NO: 25 or SEQ ID NO: 88 is Arginine (Arg, R). In some embodiments, the amino acid represented

by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Histidine (His, H). In some embodiments, the amino acid represented by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Lysine (Lys, K). In some embodiments, the amino acid represented by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Aspartic Acid (Asp, D). In some embodiments, the amino acid represented by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Glutamic Acid (Glu, E). In some embodiments, the amino acid represented by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Serine (Ser, S). In some embodiments, the amino acid represented by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Threonine (Thr, T). In some embodiments, the amino acid represented by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Asparagine (Asn, N). In some embodiments, the amino acid represented by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Glutamine (Gln, Q). In some embodiments, the amino acid represented by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Glycine (Gly, G). In some embodiments, the amino acid represented by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Proline (Pro, P). In some embodiments, the amino acid represented by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Cysteine (Cys, C). In some embodiments, the amino acid represented by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Alanine (Ala, A). In some embodiments, the amino acid represented by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Valine (Val, V). In some embodiments, the amino acid represented by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Isoleucine (Ile, I). In some embodiments, the amino acid represented by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Leucine (Leu, L). In some embodiments, the amino acid represented by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Methionine (Met, M). In some embodiments, the amino acid represented by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Phenylalanine (Phe, F). In some embodiments, the amino acid represented by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Tyrosine (Tyr, Y). In some embodiments, the amino acid represented by “X” or “Xaa” in SEQ ID NO: 25 or SEQ ID NO: 88 is Tryptophan (Trp, W).

[0057] In certain embodiments, particular sequences for any of the CD3 receptor components are utilized, including wildtype or mutants of the components so long as the CD3 receptor having the mutant is able to allow signaling through the CD3 complex leading to activation and killing of targets. In some cases, the following examples of sequences for CD3 ϵ , CD3 δ , CD3 γ , and CD3 ζ and are utilized for modification of the NK cells.

[0058] CD3 Epsilon (UniProtKB - P07766 (CD3E_HUMAN))

[0059] Signal Peptide

MQSGTHWRVLGLCLLSVGW (SEQ ID NO: 1)

[0060] Extracellular Domain

sp|P07766|23-126

DGNEEMGGITQTPYKVSISGTTVILTCPQYPGSEILWQHNDKNIGGDEDDKNIGSDEDHLSL
KEFSELEQSGYYVCYPRGSKPEDANFYLYLRARVCENCMEMD (SEQ ID NO: 2)**[0061] Transmembrane Domain**

sp|P07766|127-152

VMSVATIVIVDICITGLLLLLVYYWS (SEQ ID NO: 3)

[0062] Intracellular Domain

sp|P07766|153-207

KNRKAKAKPVTRGAGAGGRQRGQNKERPPVPNPDIPIRKQORDLYSGLNQRRRI (SEQ ID
NO: 4)**[0063] An example of a Homo sapiens CD3e molecule (CD3E), mRNA is at NCBI**

Reference Sequence: GENBANK® Accession No. NM_000733.4

ATGCAGTCGGGCACTCACTGGAGAGTTCTGGGCCTCTGCCTCTTATCAGTTGGCGTTTGGGG
GCAAGATGGTAATGAAGAAATGGGTGGTATTACACAGACACCATATAAAGTCTCCATCTCTG
GAACCACAGTAATATTGACATGCCCTCAGTATCCTGGATCTGAAATACTATGGCAACACAAT
GATAAAAACATAGGCGGTGATGAGGATGATAAAAACATAGGCAGTGATGAGGATCACCTGTC
ACTGAAGGAATTTTCAGAATTGGAGCAAAGTGGTTATTATGTCTGCTACCCCAGAGGAAGCA
AACCAGAAGATGCGAAGCTTTTATCTCTACCTGAGGGCAAGAGTGTGTGAGAAGTGCATGGAG
ATGGATGTGATGTCTGGTGGCCACAATTGTCATAGTGGACATCTGCATCACTGGGGGCTTGCT
GCTGCTGGTTTACTACTGGAGCAAGAATAGAAAGGCCAAGGCCAAGCCTGTGACACGAGGAG
CGGGTGTCTGGCGGCAGGCAAAGGGGACAAAACAAGGAGAGGCCACCACCTGTTCCCAACCCA
GACTATGAGCCCATCCGGAAGGCCAGCGGGACCTGTATTCTGGCCTGAATCAGAGACGCAT
CTGA (SEQ ID NO: 5)**[0064] Examples of respective nucleic acid and amino acid CD3 epsilon sequences in their entirety are as follows (underlining refers to signal peptide sequence):**ATGCAGAGCGGCACCCACTGGAGAGTGCTGGGCCTGTGCCTGCTGAGCGTGGGCGTGTTGGGG
CCAGGACGGCAACGAGGAGATGGGCGGCATACCCAGACCCCTACAAGGTGAGCATCAGCG
GCACCACCGTGATCCTGACCTGCCCCAGTACCCCGGCAGCGAGATCCTGTGGCAGCACAAAC
GACAAGAACATCGGCGGCGACGAGGACGACAAGAACATCGGCAGCGACGAGGACCACCTGAG
CCTGAAGGAGTTCAGCGAGCTGGAGCAGAGCGGCTACTACGTGTGCTACCCCAGAGGCAGCA
AGCCCGAGGACGCCAAGTCTACCTGTACCTGAGAGCCAGAGTGTGCGAGAAGTGCATGGAG
ATGGACGTGATGAGCGTGGCCACCATCGTGATCGTGGACATCTGCATCACCGGCGGCCTGCT
GCTGCTGGTGTACTACTGGAGCAAGAACAGAAAGGCCAAGGCCAAGCCCGTGACCAGAGGCG
CCGGCGCCGGCGGCAGACAGAGAGGCCAGAACAAGGAGAGACCCCCCCCCGTTGCCAACCCC
GACTACGAGCCCATCAGAAAGGCCAGAGAGACCTGTACAGCGGCCTGAACCAGAGAAGAAT
C (SEQ ID NO: 37)

MQSGTHWRVLGLCLLSVGWVGQDGNEEMGGITQTPYKVISGTTVILTCPQYPGSEILWQHN
DKNIGGDEDDKNIGSDEDHLSLKEFSELEQSGYYVCYPRGSKPEDANFYLYLRARVCENCME
 MDVMSVATIVIVDICITGGLLLL VYYWSKNRKAKAKPVTRGAGAGGRQGRGQNKERPPFPVNP
 DYEPIRKGQRDLYSGLNQRI (SEQ ID NO: 38)

[0065] CD3 Delta (UniProtKB - P04234 (CD3D_HUMAN))

[0066] Signal Peptide

MEHSTFLSGLVLATLLSQVS (SEQ ID NO: 6)

[0067] Extracellular Domain

sp|P04234|22-105

FKIPIEELED RVFVNCNTSITWVEGTVGTLSDITRLDLGKRILDPRGIYRCNGTDIYKDKE
 STVQVHYRMCQSCVELDPATVA (SEQ ID NO: 7)

[0068] Transmembrane Domain

sp|P04234|106-126

GIIIVTDVIATLLLLALGVFCFA (SEQ ID NO: 8)

[0069] Intracellular Domain

sp|P04234|127-171

GHETGRLSGAADTQALLRNDQVYQPLRDRDDAQYSHLGGNWARNK (SEQ ID NO: 9)

[0070] Homo sapiens CD3d molecule, delta (CD3-TCR complex), mRNA (cDNA clone
 MGC:88324 IMAGE:30412345), complete cds GENBANK®: BC070321.1

ATGGAACATAGCACGTTTCTCTCTGGCCTGGTACTGGCTACCCTTCTCTCGCAAGTGAGCCC
 CTTCAAGATACCTATAGAGGAACCTTGAGGACAGAGTGTTGTGAATTGCAATACCAGCATCA
 CATGGGTAGAGGGAACGGTGGGAACACTGCTCTCAGACATTACAAGACTGGACCTGGGAAAA
 CGCATCCTGGACCCACGAGGAATATATAGGTGTAATGGGACAGATATATACAAGGACAAAGA
 ATCTACCGTGCAAGTTCATTATCGAATGTGCCAGAGCTGTGTGGAGCTGGATCCAGCCACCG
 TGGCTGGCATCATTTGCTACTGATGTTCATTTGCCACTCTGCTCCTTGCTTTGGGAGTCTTCTGC
 TTTGCTGGACATGAGACTGGAAGGCTGTCTGGGGCTGCCGACACACAAGCTCTGTTGAGGAA
 TGACCAGGTCTATCAGCCCCTCCGAGATCGAGATGATGCTCAGTACAGCCACCTTGGAGGAA
 ACTGGGCTCGGAACAAGTGA (SEQ ID NO: 10)

[0071] Examples of respective nucleic acid and amino acid CD3 delta sequences in their
 entirety are as follows (underlining refers to signal peptide sequence):

ATGGAGCACAGCACCTTCCTGAGCGGCCTGGTGTCTGGCCACCCTGCTGAGCCAGGTGAGCCC
CTTCAAGATCCCATCGAGGAGCTGGAGGACAGAGTGTTCTGTGAATTGCAACACCAGCATCA
CCTGGGTGGAGGGCACCCTGGGCACCCTGCTGAGCGACATCACCAGACTGGACCTGGGCAAG
 AGAATCCTGGACCCACGAGGCATCTACAGATGCAACGGCACCGACATCTACAAGGACAAGGA
 GAGCACCGTGCAAGTGTACTACAGAATGTGCCAGAGCTGCGTGGAGCTGGACCCCGCCACCG
 TGGCCGGCATCATCGTGACCGACGTGATCGCCACCCTGCTGCTGGCCCTGGGCGTGTCTGC
 TTCGCCGGCCACGAGACCGGCAGACTGAGCGGCGCCGCCGACACCCAGGCCCTGCTGAGAAA
 CGACCAGGTGTACCAGCCCCTGAGAGACAGAGACGACGCCCAGTACAGCCACCTGGGCGGCA
 ACTGGGCCAGAAACAAG (SEQ ID NO: 35)

MEHSTFLSGLVLATLLSQVSPFKIPIEELEDVFNVCNTSITWVEGTVGTLLSDITRLDLGK
RILDPRGIYRCNGTDIYKDKESTVQVHYRMCQSCVELDPATVAGIIVTDVIATLLLLALGVFC
FAGHETGRLSGAADTQALLRNDQVYQPLRDRDDAQYSHLGGNWARNK (SEQ ID NO: 36)

[0072] CD3 Gamma (T-cell surface glycoprotein CD3 gamma chain Gene CD3G P09693)

Signal Peptide

MEQGKGLAVL ILAIILLQGTLA (SEQ ID NO: 11)

[0073] Extracellular Domain

sp|P09693|23-116

QSIKGNHLVKVYDYQEDGSVLLTCDAAEAKNITWFKDGKMIGFLTEDKKKWNLGSNAKDPRGM
YQCKGSQNKSKPLQVYRMCQNCIELNAATIS (SEQ ID NO: 12)

[0074] Transmembrane Domain

sp|P09693|117-137

GFLFAEIVSIFVLAVGVYFIA (SEQ ID NO: 13)

[0075] Intracellular Domain

sp|P09693|138-182

QGDGVRQSRASDKQTLLPNDQLYQPLKDREDDQYSHLQGNQLRRN (SEQ ID NO: 14)

[0076] Homo sapiens CD3g molecule (CD3G), mRNA; NM_000073.3:81-629 Homo sapiens CD3g molecule (CD3G), mRNA

ATGGAACAGGGGAAGGGCCTGGCTGTCTCATCCTGGCTATCATTCTTCTTCAAGGTACTTT
GGCCCAGTCAATCAAAGGAAACCACTTGGTTAAGGTGTATGACTATCAAGAAGATGGTTTCGG
TACTTCTGACTTGTGATGCAGAAGCCAAAAATATCACATGGTTTAAAGATGGGAAGATGATC
GGCTTCCTAACTGAAGATAAAAAAATGGAATCTGGGAAGTAATGCCAAGGACCCCTCGAGG
GATGTATCAGTGTAAGGATCACAGAACAAGTCAAACCACTCCAAGTGTATTACAGAATGT
GTCAGAACTGCATTGAACTAAATGCAGCCACCATATCTGGCTTTCTCTTTGCTGAAATCGTC
AGCATTTTTCGTCTTGCTGTTGGGGTCTACTTCATTGCTGGACAGGATGGAGTTTCGCCAGTC
GAGAGCTTCAGACAAGCAGACTCTGTTGCCCAATGACCAGCTCTACCAGCCCCCTCAAGGATC
GAGAAGATGACCAGTACAGCCACCTTCAAGGAAACCAAGTTGAGGAGGAATTGA (SEQ ID
NO: 15)

[0077] Examples of respective nucleic acid and amino acid CD3 gamma sequences in their entirety are as follows (underlining refers to signal peptide sequence):

ATGGAACAGGGGAAGGGCCTGGCTGTCTCATCCTGGCTATCATTCTTCTTCAAGGTACTTT
GGCCCAGTCAATCAAAGGAAACCACTTGGTTAAGGTGTATGACTATCAAGAAGATGGTTTCGG
TACTTCTGACTTGTGATGCAGAAGCCAAAAATATCACATGGTTTAAAGATGGGAAGATGATC
GGCTTCCTAACTGAAGATAAAAAAATGGAATCTGGGAAGTAATGCCAAGGACCCCTCGTGG
GATGTATCAGTGTAAGGATCACAGAACAAGTCAAACCACTCCAAGTGTATTACAGAATGT
GTCAGAACTGCATTGAACTAAATGCAGCCACCATATCTGGCTTTCTCTTTGCTGAAATCGTC
AGCATTTTTCGTCTTGCTGTTGGGGTCTACTTCATTGCTGGACAGGATGGAGTTTCGCCAGTC
GAGAGCTTCAGACAAGCAGACTCTGTTGCCCAATGACCAGCTCTACCAGCCCCCTCAAGGATC

GAGAAGATGACCAGTACAGCCACCTTCAAGGAAACCAGTTGAGGAGGAAT (SEQ ID NO: 33)

MEQGKGLAVLILAIILLQGTLAQSIKGNHLVKVYDYQEDGSVLLTCDAEAKNITWFKDGKMI
GFLTEDKKKWNLGSKNAKDPRGMYQCKGSQNKSKPLQVYYRMCQNCIELNAATISGFLFAEIV
SIFVLAVGVYFIAGQDGVQRASDKQTLLPNDQLYQPLKDREDDQYSHLQGNQLRRN
 (SEQ ID NO: 34)

[0078] CD3 Zeta

[0079] Signal Peptide

sp|P20963| SP

MKWKALFTAAILQAQLPITEA (SEQ ID NO: 16)

[0080] Extracellular Domain

sp|P20963|22-30 ECD

QSFGLLDPK (SEQ ID NO: 17)

[0081] Transmembrane Domain

sp|P20963|31-51 tmd

LCYLLDGILFIYGVILTALFL (SEQ ID NO: 18)

[0082] Intracellular Domain

sp|P20963|52-164 ICD

RVKFSRSADAPAYQQGQNQLYNELNLGRREEYDVLDKRRGRDPGEMGGKPQRRKNPQEGLYNE
 LQKDKMAEAYSEIGMKGERRRGKGGHDGLYQGLSTATKDTYDALHMQALPPR (SEQ ID NO: 19)

[0083] Examples of respective nucleic acid and amino acid CD3 zeta sequences in their entirety are as follows (underlining refers to signal peptide sequence):

ATGAAGTGGAAAGGCGCTTTTACCGCGGCCATCCTGCAGGCACAGTTGCCGATTACAGAGGC
ACAGAGCTTTGGCCTGCTGGATCCCAAACCTCTGCTACCTGCTGGATGGAATCCTCTTCATCT
ATGGTGTCAATCTCACTGCCTTGTTCTGAGAGTGAAGTTCAGCAGGAGCGCAGACGCCCC
 GCGTACCAGCAGGGCCAGAACCAGCTCTATAACGAGCTCAATCTAGGACGAAGAGAGGAGTA
 CGATGTTTTGGACAAGAGACGTGGCCGGGACCCTGAGATGGGGGGAAAGCCGCAGAGAAGGA
 AGAACCTCAGGAAGGCCTGTACAATGAAGTGCAGAAAGATAAGATGGCGGAGGCCTACAGT
 GAGATTGGGATGAAAGGCGAGCGCCGGAGGGGCAAGGGGCACGATGGCCTTTACCAGGGTCT
 CAGTACAGCCACCAAGGACACCTACGACGCCCTTACATGCAGGCCCTGCCCCCTCGC
 (SEQ ID NO: 31)

MKWKALFTAAILQAQLPITEAQSFGLLDPKLCYLLDGILFIYGVILTALFLRVKFSRSADAP
AYQQGQNQLYNELNLGRREEYDVLDKRRGRDPGEMGGKPQRRKNPQEGLYNELQKDKMAEAYS
EIGMKGERRRGKGGHDGLYQGLSTATKDTYDALHMQALPPR (SEQ ID NO: 32)

[0084] Homo sapiens CD247 molecule (CD247; also referred to as CD3 Zeta), transcript variant 1, mRNA

NCBI Reference Sequence: NM_198053.3

NM_198053.3:65-559 Homo sapiens CD247 molecule (CD247), transcript variant 1, mRNA
 ATGAAGTGGAAAGGCGCTTTTACCGCGGCCATCCTGCAGGCACAGTTGCCGATTACAGAGGC
 ACAGAGCTTTGGCCTGCTGGATCCCAAACTCTGCTACCTGCTGGATGGAATCCTCTTCATCT
 ATGGTGTCAATTCTCACTGCCTTGTTCTGAGAGTGAAGTTCAGCAGGAGCGCAGACGCCCCC
 GCGTACCAGCAGGGGCCAGAACCAGCTCTATAACGAGCTCAATCTAGGACGAAGAGAGGAGTA
 CGATGTTTTGGACAAGAGACGTGGCCGGGACCCTGAGATGGGGGAAAGCCGCAGAGAAGGA
 AGAACCTCAGGAAGGCCTGTACAATGAACTGCAGAAAGATAAGATGGCGGAGGCCTACAGT
 GAGATTGGGATGAAAGGCGAGCGCCGGAGGGGCAAGGGGCACGATGGCCTTTACCAGGGTCT
 CAGTACAGCCACCAAGGACACCTACGACGCCCTTCACATGCAGGCCCTGCCCCCTCGCTAA
 (SEQ ID NO: 20)

[0085] In specific embodiments, the NK cells are modified to express one or more of the TCR α chain, the TCR β chain, the TCR γ chain, and the TCR δ chain, and any combination thereof may be utilized. In a specific case, the NK cells are modified to express the T-cell receptor (TCR) $\alpha\beta$ chains or the TCR $\gamma\delta$ chains. In certain cases, the NK cells are modified to express part or all of only the constant region of one or more of the TCR α chain, the TCR β chain, the TCR γ chain, and the TCR δ chain. The NK cells may be modified to express part or all of only the constant region of the T-cell receptor (TCR) $\alpha\beta$ chains or the TCR $\gamma\delta$ chains. In cases wherein part of the constant region is utilized, the part of the constant region may be at least 50, 75, 100, 125, 150, 175, 200, 225, 250, 275, 300, 325, 350, 375, or 400 amino acids, including contiguous amino acids of any constant region. The part of the constant region may comprise at least 50, 55, 60, 65, 70, 75, 80, 85, 90, 91, 92, 93, 94, 95, 96, 97, 98, or 99% of the amino acids of a constant region, including contiguous amino acids of a constant region.

[0086] In specific cases, any sequences encompassed herein are utilized to modify the NK cells, although in other cases sequences that are related to these in identity are utilized. For example, related sequences that are at least 80, 85, 90, 95, 96, 97, 98, 99% identical to any sequence encompassed herein may be utilized in the disclosure.

[0087] Particular constructs for the expression of various TCR/CD3 proteins in the NK cells may be utilized, and in a variety of configurations. In specific cases, the NK cells may be transduced or transfected with one or more vectors to express any of the various proteins encompassed herein, including at least any one or more components of the TCR/CD3 complex. In specific cases, the one or more vectors themselves may or may not be multicistronic by being able ultimately to produce more than one separate polypeptide. In cases wherein one or more multicistronic vectors are employed, they may utilize one or more internal ribosome entry sites (IRES) and/or one or more 2A self-cleaving peptide sites. In cases wherein one or more 2A sequences are utilized, the following may be used, where GSG is an optional linker:

- [0088] T2A (GSG) EGRGSLLTCTGDVEENPGP (SEQ ID NO: 21)
 [0089] P2A (GSG) ATNFSLLKQAGDVEENPGP (SEQ ID NO: 22)
 [0090] E2A (GSG) QCTNYALLKLAGDVESNPGP (SEQ ID NO: 23)
 [0091] F2A (GSG) VKQTLNFDLLKLAGDVESNPGP (SEQ ID NO: 24)

[0092] In situations wherein multiple protein components are expressed from a multicistronic vector, the order in a 5' to 3' direction on the polynucleotide vector may be of any order, although in alternative cases they are present on the vector in a particular order. A multicistronic vector may express multiple components of the CD3 receptor complex and no other heterologous protein, or the multicistronic vector may express multiple components of the CD3 receptor complex and one or more other heterologous proteins. A multicistronic vector may express multiple components of the TCR receptor complex and no other heterologous protein, or the multicistronic vector may express multiple components of the TCR receptor complex and one or more other heterologous proteins. A multicistronic vector may or may not express one or more multiple components of the TCR receptor complex and one or more multiple components of the CD3 complex. In a specific embodiment, a multicistronic vector includes one or multiple components of the CD3 receptor complex and one or more heterologous proteins, such as a cytokine and an engineered antigen receptor, such as a CAR.

[0093] There is an example in FIG. 2A of a multicistronic vector in which full lengths of CD3 ϵ , CD3 δ , CD3 γ , and CD3 ζ are present and separated by the same or different 2A self-cleaving peptide sites. As further noted in the plasmid map of FIG. 2B, a multicistronic vector may include the signal peptide, extracellular domain, transmembrane domain, and intracellular domain of each of CD3 ϵ , CD3 δ , CD3 γ , and CD3 ζ .

[0094] FIG. 3 provides a table showing examples of various TCR expression constructs for engineering of TCR-expressing NK cells. In particular embodiments of the disclosure, CD3 receptor components and TCR receptor components are expressed from different vectors in the NK cells. In any case, the vector(s) may express a TCR directed against a particular antigen, such as a cancer antigen or a viral antigen. The TCR may or may not comprise at least part of CD3 ζ , including the intracellular domain of CD3 ζ , in addition to the NK cells also expressing CD3 ζ as a separate molecule from the TCR and as part of the CD3 receptor complex. Likewise, a CAR may or may not comprise at least part of CD3 ζ , including the intracellular domain of CD3 ζ , in addition to the NK cells also expressing CD3 ζ as a separate molecule from the TCR and as part of the CD3 receptor complex.

[0095] In specific embodiments, a TCR of the modified NK cells is utilized not necessarily as a therapeutic aspect for the cells but as a structural support or scaffold to facilitate function or enhanced function of the CD3 receptor complex. That is, the TCR may be any TCR and may not be utilized for its ability to target a particularly desired antigen. In such cases, and as an example, a TCR that targets a viral antigen may be employed for NK cells that will be used for cancers that are not necessarily related to that particular virus. In other cases, the TCR is selected for the ability to target a particular cancer antigen. Examples of antigens to which the TCR may be directed are provided elsewhere herein.

[0096] In FIG. 3, the following examples of constructs are noted:

[0097] **TCR1**: refers to TCRpp65 (the TCR against the HLA-A2 restricted CMVpp65) linked to the intracellular CD3zeta domain and full length CD3 gamma, full length CD3 delta, and full length CD3 epsilon, and the construct may also be referred to as TCRpp65ZicdGDEFL that may comprise the following sequence:

```
MLEGVTQTPKFQVLKTGQSM TLQCAQDMNHEYMSWYRQDPGMGLRLIHYSVGAGITDQGEVP
NGYNVSRSTTEDFPLRLLSAAPSQTSVYFCASSPVTGGIYGYTFGSGTRLT VVEDLNKVFPF
EVAVFEPSEAEISHTQKATLVCLATGFFPDHVELSWVWNGKEVHSGVSTDPQPLKEQPALND
SRYCLSSRLRVSATFWQNP RNHFRCQVQFYGLSENDEWTQDRAKPV TQIVSAEAWGRADRVK
FSRSADAPAYQQGQNQLYNE LNLGRREEYDVL DKRRGRDPEMGGKPQRRKNPQEGLYNELQK
DKMAEAYSEIGMKGERRRGKGHDGLYQGLSTATKDTYDALHMQALPPRATNFSLLKQAGDVE
ENPGPMILNVEQSPQSLHVQEGDSTNFTCSFPSSNFYALHWYRWETAKSPEALFVMTLNGDE
KKKGRISATLNTKEGYSYLYIKGSQPEDSATYLCARNTGNQFYFGTGTSLTVIPNIQNPDPA
VYQLRDSKSSDKSVCLFTDFDSQTNVSQSKSDAYITDKTVLDMRSMDFKSNSAVAWSNKSD
FACANAFNNSIIPEDTFFPSPESRRVKFSRSADAPAYQQGQNQLYNE LNLGRREEYDVL DKR
RGRDPEMGGKPQRRKNPQEGLYNELQKDKMAEAYSEIGMKGERRRGKGHDGLYQGLSTATKDTY
DALHMQALPPRQCTNYALLKLAGDVESNPGPMEQGKGLAVLILAIILLQGT LAQSIKGNH
LVKVYDYQEDGSVLLTCDAEAKNITWFKDGKMI GFLTEDKKKWNLGSNAKDPRGMYQCKGSQ
NKS KPLQVYYRMCQNCIELNAATISGFLFAEIVSIFVLAVGVYFIAGQDGV RQSRASDKQTL
LPNDQLYQPLKDREDDQYSHLQGNQLRRNVKQTLNFDLLKLAGDVESNPGPMEHSTFLSGLV
LATLLSQVSPFKIPIEELED RVFVNCNTSITWVEGTVGTLLSDITRLDLGKRILDP RGIYRC
NGTDIYKDKESTVQVHYRMCQSCVELDPATVAGIIVTDVIATLLLALGVFCFAGHETGRLSG
AADTQALLRNDQVYQPLRDRDDAQYSHLGGNWAR NKEGRGSL LTCGDVEENPGPMQSGTHWR
VLGLCLLSVG VWGQDGNEEMGGITQTPYKVSISGTTVILT CPQYPGSEILWQHNDKNIGGDE
DDKNIGSDEDHLSLKEFSELEQSGYYVCYPRGSKPEDANFYLYLRARVCENCMEMDVMSVAT
IVIVDICITGGLLLL VYYWSKNRKAKAKPVTRGAGAGGRQ RQGNKERPPVPNP DYEP IRKG
QRDLYSGLNQRRIGPQCTNYALLKLAGDVESNPGPMRISKPHLRSISIQCYLC LLLNSHFLT
EAGIHVFILGCF SAGLPKTEANWVNVISDLKKIEDLIQSMHIDATLYTESDVHP SCKVTAMK
CFLLELQVISLES GDASIHDTVENLIILANNSLSSNGNVTESGCKECEELEEKNIKEFLQSF
VHIVQMFINTS* (SEQ ID NO: 39)
```

[0098] In TCRpp65ZicdGDEFL, the corresponding component sequences are as follows, although these particular sequences or others may be utilized in this and/or other constructs:

[0099] *TCRb-extracellular domain*:

MLEGVTQTPKFQVLKTQSM TLQCAQDMNHEYMSWYRQDPGMGLRLIHYSVGAGITDQGEVP
 NGYNVSRSTTEDFPLRLLSAAPSQTSVYFCASSPVTGGIYGYTFGSGTRLTVVEDLNKVFPP
 EVAVFEPSEAEISHTQKATLVCLATGFFPDHVELSWVWNGKEVHSGVSTDPQPLKEQPALND
 SRYCLSSRLRVSATFWQNP RNHFRCQVQFYGLSENDEWTQDRAKPVTQIVSAEAWGRAD
 (SEQ ID NO: 40)

ATGCTCGAGGGAGTGACCCAGACCCCCAAGTTCAGGTGCTGAAGACCGGACAGAGCATGAC
 CCTGCAGTGCGCCAGGACATGAACCACGAGTACATGAGCTGGTACCGGCAGGACCCCCGAA
 TGGGACTGCGGCTGATCCACTACAGCGTGGGAGCCGGAATCACCGACCAGGGAGAGGTGCCC
 AACGGATAACAACGTGAGCCGGAGCACACCGAGGACTTCCCCCTGCGGCTGCTGAGCGCCG
 CCCCAGCCAGACCAGCGTGTACTTCTGCGCCAGCAGCCCCGTGACCGGAGGAATCTACGGAT
 ACACCTTCGGAAGCGGAACCCGGCTGACCGTGGTGGAGGACCTGAACAAGGTGTTCCCCCCC
 GAGGTGGCCGTGTTTCGAGCCAGCGAGGCCGAGATCAGCCACACCCAGAAGGCCACCTGGT
 GTGCCTGGCCACCGGATTCTTCCCCGACCACGTGGAGCTGAGCTGGTGGGTGAACGAAAAGG
 AGGTGCACAGCGGAGTGAGCACCGACCCCCAGCCCCCTGAAGGAGCAGCCCGCCCTGAACGAC
 AGCCGGTACTGCCTGAGCAGCCGGCTGCGGGTGAGCGCCACCTTCTGGCAGAACCCCCGAA
 CCACTTCCGGTGCCAGGTGCAGTTCTACGGACTGAGCGAGAACGACGAGTGGACCCAGGACC
 GGGCCAAGCCCGTGACCCAGATCGTGAGCGCCGAGGCCTGGGGACGGGCCGAC (SEQ ID
 NO: 41)

[0100] CD3 zeta intracellular domain (Z-ICD):

RVKFSRSADAPAYQQGQNQLYNELNLGRREEYDVLDKRRGRDPGEMGGKPQRRKNPQEGLYNE
 LQKDKMAEAYSEIGMKGERRRRGKHDGLYQGLSTATKDTYDALHMQALPPRATNFSLLKQAG
 DVEENPGP (SEQ ID NO: 42) (where the P2A sequence is at the C-
 terminus)

AGAGTGAAGTTCAGCAGGAGCGCAGACGCCCCCGCGTACCAGCAGGGCCAGAACCAGCTCTA
 TAACGAGCTCAATCTAGGACGAAGAGAGGAGTACGATGTTTTGGACAAGAGACGTGGCCGGG
 ACCCTGAGATGGGGGGAAAGCCGCAGAGAAGGAAGAACCCTCAGGAAGGCCTGTACAATGAA
 CTGCAGAAAGATAAGATGGCGGAGGCCTACAGTGAGATTGGGATGAAAGGCGAGCGCCGGAG
 GGGCAAGGGGCACGATGGCCTTTACCAGGGTCTCAGTACAGCCACCAAGGACACCTACGACG
 CCCTTCACATGCAGGCCCTGCCCCCTCGCgcccaccaacttctccctgctgaagcaggccggc
 gacgtggaggagaacccccggcccc (SEQ ID NO: 43) (where the lower case
 sequence is the P2A sequence)

[0101] TCRa-extracellular domain:

MILNVEQSPQSLHVQEGDSTNFTCSFPSSNFYALHWYRWETAKSPEALFVMTLNGDEKKKGR
 ISATLNTKEGYSYLYIKGSQPEDSATYLCARNTGNQFYFGTGTSLTVIPNIQNPDPVAVYQLR
 DSKSSDKSVCLFTDFDSQTNVSQSKDSDAYITDKTVLDMRSMDFKSNSAVAWSNKSDFACAN
 AFNNSIIPEDTFFPSPESS (SEQ ID NO: 44)

ATGATCCTGAACGTGGAGCAGAGCCCCCAGAGCCTGCACGTGCAGGAGGGAGACAGCACCAA
 CTTACCTGCAGCTTCCCCAGCAGCAACTTCTACGCCCTGCACTGGTACCGGTGGGAGACCG
 CCAAGAGCCCCGAGGCCCTGTTCTGTGATGACCCTGAACGGAGACGAGAAGAAGAAGGGACGG
 ATCAGCGCCACCTGAACACCAAGGAGGGATACAGCTACCTGTACATCAAGGGAAGCCAGCC
 CGAGGACAGCGCCACCTACCTGTGCGCCCGGAACACCGGAAACCAAGTCTACTTCGGAACCG
 GAACGAGCCTGACCGTGATCCCCAACATCCAGAACCCCGACCCGCCGTGTACCAGCTGCGG
 GACAGCAAGAGCAGCGACAAGAGCGTGTGCCTGTTACCGACTTCGACAGCCAGACCAACGT
 GAGCCAGAGCAAGGACAGCGACGCCTACATACCGACAAGACCGTGCTGGACATGCGGAGCA
 TGGACTTCAAGAGCAACAGCGCCGTGGCCTGGAGCAACAAGAGCGACTTCGCCTGCGCCAAC

GCCTTCAACAACAGCATCATCCCCGAGGACACCTTCTTCCCCAGCCCCGAGAGCAGC (SEQ ID NO: 45)

[0102] *CD3 gamma delta epsilon (CD3GDE):*

MEQKGGLAVLILAIILLQGTLAQSIKGNHLVKVYDYQEDGSVLLTCDAEAKNITWFKDGKMI
GFLTEDKKKWNLGSNAKDPRGMYQCKGSQNKSKPLQVYYRMCQNCIELNAATISGFLFAEIV
SIFVLAVGVYFIAGQDGVRSRASDKQTLLPNDQLYQPLKDREDDQYSHLQGNQLRRNVKQT
LNFDDLKLAGDVESNPGPMEHSTFLSGLVLATLLSQVSPFKIPIEELEDREVFNVCNTSITWV
EGTVGTLLSDITRLDLGKRILDPRIYRCNGTDIYKDKESTVQVHYRMCQSCVELDPATVAG
IIVTDVIATLLALGVFCFAGHETGRLSGAADTQALLRNDQVYQPLRDRDDAQYSHLGGNWA
RNKEGRGSLLTCGDVEENPGPMQSGTHWRVLGLCLLSVGWVGQDNEEMGGITQTPYKVSIS
GTTVILTCPQYPGSEILWQHNDKNIGGEDDKNIGSDEDHLSLKEFSELEQSGYYVCYPRGS
KPEDANFYLYLRARVCENCMEMDMVSATIVIVDICITGGLLLLVIYWSKNRKAKAKPVTRG
AGAGGRQRGQNKERPPVPNPDIYEPIRKGQRDLYSGLNQRRIGPQCTNYALLKLAGDVESNP
GP (SEQ ID NO: 46) (where the E2A sequence is at the C-terminus)

ATGGAACAGGGGAAGGGCCTGGCTGTCCTCATCCTGGCTATCATTTCTTCTTCAAGGTACTTT
GGCCCAGTCAATCAAAGGAAACCACTTGGTTAAGGTGTATGACTATCAAGAAGATGGTTTCGG
TACTTCTGACTTGTGATGCAGAAGCCAAAAATATCACATGGTTTAAAGATGGGAAGATGATC
GGCTTCCTAACTGAAGATAAAAAAATGGAATCTGGGAAGTAATGCCAAGGACCCTCGTGG
GATGTATCAGTGTAAGGATCACAGAACAAGTCAAACCACTCCAAGTGTATTACAGAATGT
GTCAGAACTGCATTGAACTAAATGCAGCCACCATATCTGGCTTTCTCTTTGCTGAAATCGTC
AGCATTTTCGTCCTTGCTGTTGGGGTCTACTTCATTGCTGGACAGGATGGAGTTCGCCAGTC
GAGAGCTTCAGACAAGCAGACTCTGTTGCCAATGACCAGCTCTACCAGCCCCCTCAAGGATC
GAGAAGATGACCAGTACAGCCACCTTCAAGGAAACCAAGTTGAGGAGGAATGTGAAGCAGACC
CTGAACCTTCGACCTGCTGAAGCTGGCCGGCGACGCTGGAGAGCAACCCCGCCCATGGAGCA
CAGACCTTCCTGAGCGGCCCTGGTGCTGGCCACCCTGCTGAGCCAGGTGAGCCCCCTCAAGA
TCCCCATCGAGGAGCTGGAGGACAGAGTGTTCTGTAAGTGAACACCAGCATCACCTGGGTG
GAGGGCACCGTGGGCACCCTGCTGAGCGACATCACCAGACTGGACCTGGGCAAGAGAATCCT
GGACCCAGAGGCATCTACAGATGCAACGGCACCGACATCTACAAGGACAAGGAGAGACCCG
TGCAGGTGCACTACAGAATGTGCCAGAGCTGCGTGAGAGTGGACCCCGCCACCGTGCCCGG
ATCATCGTGACCGAGCTGATCGCCACCCTGCTGCTGGCCCTGGGCGTGTTCTGCTTCGCCGG
CCACGAGACCGGCAGACTGAGCGGCGCCCGGACACCCAGGCCCTGCTGAGAAACGACACAGG
TGTACCAGCCCCCTGAGAGACAGAGACGACGCCCAAGTACAGCCACCTGGGCGGCAACTGGGCC
AGAAACAAGGAGGGCAGAGGCAGCCTGCTGACCTGCGGCGACGTGGAGGAGAACCCCGGCC
CATGCAGAGCGGCACCCACTGGAGAGTGCTGGGCCTGTGCTGCTGAGCGTGGGCGTGTTGGG
GCCAGGACGGCAACGAGGAGATGGGCGGCATCACCCAGACCCCCCTACAAGGTGAGCATCAGC
GGCACCACCGTGATCCTGACCTGCCCCAGTACCCCGGCAGCGAGATCCTGTGGCAGCACAA
CGACAAGAACATCGGCGGCGACGAGGACGACAAGAACATCGGCAGCGACGAGGACCACCTGA
GCCTGAAGGAGTTCAGCGAGCTGGAGCAGAGCGGCTACTACGTGTGCTACCCAGAGGCAGC
AAGCCCGAGGACGCCAACTTCTACCTGTACCTGAGAGCCAGAGTGTGCGAGAAGTGCATGGA
GATGGACGTGATGAGCGTGGCCACCATCGTGATCGTGACATCTGCATCACCGGCGGCCTGC
TGCTGCTGGTGTAATACTGGAGCAAGAACAGAAAGGCCAAGGCCAAGCCCGTGACCAGAGGC
GCCGGCGCGGCGGCGAGACAGAGAGGCCAGAACAGGAGAGACCCCCCCCCGTGCCAACCC
CGACTACGAGCCCATCAGAAAGGGCCAGAGAGACCTGTACAGCGGCCTGAACCAGAGAAGAA
TCGGACCGcagtgtactaattatgctctcttgaaattggctggagatgttgagagcaatccc
gggccc (SEQ ID NO: 47) (where the lower case is the E2A sequence)

[0103] *IL-15:*

MRISKPHLRISISIQCYLCLLLNSHFLTEAGIHVFILGCF SAGLPKTEANWVNVISDLKKIED
LIQSMHIDATLYTESDVHPSCKVTAMKCFLLLELQVISLES GDASIHDTVENLIILANNSLSS
NGNVTESGCKECEEELEEKNIKEFLQSFVHIVQMFINITS* (SEQ ID NO: 48)

ATGCGCATTAGCAAGCCCCACCTGCGGAGCATCAGCATCCAGTGCTACCTGTGCCTGCTGCT
GAACAGCCACTTCCTGACCGAGGCCGGCATCCACGTGTTTCATCCTGGGCTGCTTCAGCGCCG
GACTGCCCAAGACCGAGGCCAACTGGGTGAACGTGATCAGCGACCTGAAGAAGATCGAGGAC
CTGATCCAGAGCATGCACATCGACGCCACCCTGTACACCGAGAGCGACGTGCACCCAGCTG
CAAGGTGACCGCCATGAAGTGCTTTCTGCTGGAACCTGCAGGTGATCAGCCTGGAAAGCGGCG
ACGCCAGCATCCACGACACCGTGGAGAACCTGATCATCCTGGCCAACAACAGCCTGAGCAGC
AACGGCAACGTGACCGAGAGCGGCTGCAAAGAGTGCGAGGAACCTGGAAGAGAAGAACATCAA
AGAGTTTCTGCAGAGCTTCGTGCACATCGTGCAGATGTTTCATCAACACCAGC (SEQ ID
NO: 49)

[0104] **TCR2:** refers to TCRpp65 linked to full length CD3zeta, full length CD3 gamma, full length CD3 delta, and full length CD3 epsilon; it lacks IL-15. Representative sequences are as follows:

CTCGAGGGAGTGACCCAGACCCCCAAGTTCAGGTGCTGAAGACCGGACAGAGCATGACCCT
GCAGTGCGCCCAGGACATGAACCACGAGTACATGAGCTGGTACCGGCAGGACCCCGGAATGG
GACTGCGGCTGATCCACTACAGCGTGGGAGCCGGAATCACCGACCGAGGAGAGGTGCCAAC
GGATACAACGTGAGCCGGAGCACCACCGAGGACTTCCCCCTGCGGCTGCTGAGCGCCGCC
CAGCCAGACCAGCGTGTACTTCTGCGCCAGCAGCCCCGTGACCGGAGGAATCTACGGATACA
CCTTCGGAAGCGGAACCCGGCTGACCGTGGTGGAGGACCTGAACAAGGTGTTCCCCCGGAG
GTGGCCGTGTTTCGAGCCCAGCGAGGCCGAGATCAGCCACACCCAGAAGGCCACCCTGGTGTG
CCTGGCCACCGGATTCTTCCCCGACCACGTGGAGCTGAGCTGGTGGGTGAACGGAAAGGAGG
TGCACAGCGGAGTGAGCACCAGCCCCAGCCCCCTGAAGGAGCAGCCCGCCCTGAACGACAGC
CGGTACTGCCTGAGCAGCCGGCTGCGGGTGAGCGCCACCTTCTGGCAGAACCCCGGAACCA
CTTCCGGTGCCAGGTGCAGTTCTACGGAAGTGCAGGAGAACGACGAGTGGACCCAGGACCGGG
CCAAGCCCGTGACCCAGATCGTGAGCGCCGAGGCCCTGGGGACGGGCCGACGCCACCAACTTC
AGCCTGCTGAAGCAGGCCGGCGACGTGGAGGAGAACCCCGGCCCATGATCCTGAACGTGGA
GCAGAGCCCCAGAGCCTGCACGTGCAGGAGGGAGACAGCACCACCTTCACCTGCAGCTTCC
CCAGCAGCAACTTCTACGCCCTGCACTGGTACCGGTGGGAGACCGCCAAGAGCCCCGAGGCC
CTGTTCTGATGACCCTGAACGGAGACGAGAAGAAGGGACGGATCAGCGCCACCCTGAA
CACCAAGGAGGGATACAGTACCTGTACATCAAGGGAAGCCAGCCGAGGACAGCGCCACCT
ACCTGTGCGCCCCGGAACACCGGAAACCAAGTTCTACTTTCGGAACCGGAACAGCCTGACCGTG
ATCCCCAACATCCAGAACCCCGACCCCGCCGTGTACCAGCTGCGGGACAGCAAGAGCAGCGA
CAAGAGCGTGTGCTTGTACCGACTTCGACAGCCAGACCAACGTGAGCCAGAGCAAGGACA
GCGACGCCTACATCACGACAAGACCGTGTGGACATGCGGAGCATGGACTTCAAGAGCAAC
AGCGCCGTGGCCTGGAGCAACAAGAGCGACTTCGCCTGCGCCAACGCCTTCAACAACAGCAT
CATCCCCGAGGACACCTTCTTCCCCAGCCCCGAGAGCAGCGAGGGCAGAGGCAGCCTGCTGA
CCTGCGGCGACGTGGAGGAGAACCCCGGCCCATGAAGTGGAAGGCGCTTTTACCAGCGGCC
ATCCTGCAGGCACAGTTGCCGATTACAGAGGCACAGAGCTTTGGCCTGCTGGATCCCAAACT
CTGCTACCTGCTGGATGGAATCCTCTTCATCTATGGTGTCTATTCTCACTGCCTTGTTCCTGA
GAGTGAAGTTTCAGCAGGAGCGCAGACGCCCCGCGTACCAGCAGGGCCAGAACCAGCTCTAT
AACGAGCTCAATCTAGGACGAAGAGAGGAGTACGATGTTTTGGACAAGAGACGTGGCCGGGA
CCCTGAGATGGGGGGAAGCCGCAGAGAAGGAAGAACCCTCAGGAAGGCCTGTACAATGAAC
TGCAGAAAGATAAGATGGCGGAGGCCTACAGTGAGATTGGGATGAAAGGCGAGCGCCGGAGG
GGCAAGGGGACAGATGGCCTTTACCAGGGTCTCAGTACAGCCACCAAGGACACCTACGACGC
CCTTCACATGCAGGCCCTGCCCCCTCGCCAGTGCACCAACTACGCCCTGCTGAAGCTGGCCG

GCGACGTGGAGAGCAACCCCGGCCCATGGAACAGGGGAAGGGCCTGGCTGTCCTCATCCTG
GCTATCATTCTTCTTCAAGGTACTTTGGCCCAGTCAATCAAAGGAAACCACTTGGTTAAGGT
GTATGACTATCAAGAAGATGGTTTCGGTACTTCTGACTTGTGATGCAGAAGCCAAAAATATCA
CATGGTTTAAAGATGGGAAGATGATCGGCTTCCTAACTGAAGATAAAAAAAATGGAATCTG
GGAAGTAATGCCAAGGACCCTCGTGGGATGTATCAGTGTAAAGGATCACAGAACAAGTCAAA
ACCACTCCAAGTGTATTACAGAATGTGTCAGAACTGCATTGAACTAAATGCAGCCACCATAT
CTGGCTTTCTCTTTGCTGAAATCGTCAGCATTTTTCGTCCTTGCTGTTGGGGTCTACTTCATT
GCTGGACAGGATGGAGTTCGCCAGTCGAGAGCTTCAGACAAGCAGACTCTGTTGCCCAATGA
CCAGCTCTACCAGCCCCTCAAGGATCGAGAAGATGACCAGTACAGCCACCTTCAAGGAAACC
AGTTGAGGAGGAATGTGAAGCAGACCCTGAACTTCGACCTGCTGAAGCTGGCCGGCGACGTG
GAGAGCAACCCCGGCCCATGGAGCACAGCACCTTCCTGAGCGGCCTGGTGCTGGCCACCCT
GCTGAGCCAGGTGAGCCCCTTCAAGATCCCCATCGAGGAGCTGGAGGACAGAGTGTTCTGTA
ACTGCAACACCAGCATCACCTGGGTGGAGGGCACCGTGGGCACCCTGCTGAGCGACATCACC
AGACTGGACCTGGGCAAGAGAATCCTGGACCCCAGAGGCATCTACAGATGCAACGGCACCGA
CATCTACAAGGACAAGGAGAGCACCGTGCAGGTGCACTACAGAATGTGCCAGAGCTGCGTGG
AGCTGGACCCCGCCACCCTGGCCGGCATCATCGTGACCGACGTGATCGCCACCCTGCTGCTG
GCCCTGGGCGTGTTCTGCTTCGCCGGCCACGAGACCGGCAGACTGAGCGGCGCCGCCGACAC
CCAGGCCCTGCTGAGAAACGACCAGGTGTACCAGCCCCTGAGAGACAGAGACGACGCCCAGT
ACAGCCACCTGGGCGGCAACTGGGCCAGAAACAAGGAGGGCAGAGGCAGCCTGCTGACCTGC
GGCGACGTGGAGGAGAACCCCGGCCCATGTCAGAGCGGCACCCACTGGAGAGTGCTGGGCCT
GTGCCTGCTGAGCGTGGGCGTGTTGGGGCCAGGACGGCAACGAGGAGATGGGCGGCATCACCC
AGACCCCTTACAAGGTGAGCATCAGCGGCACCACCGTGATCCTGACCTGCCCCCAGTACCCC
GGCAGCGAGATCCTGTGGCAGCACAAACGACAAGAACATCGGCGGCGACGAGGACGACAAGAA
CATCGGCAGCGACGAGGACCACCTGAGCCTGAAGGAGTTCAGCGAGCTGGAGCAGAGCGGCT
ACTACGTGTGCTACCCCAGAGGCAGCAAGCCCGAGGACGCCAACTTCTACCTGTACCTGAGA
GCCAGAGTGTCGAGAACTGCATGGAGATGGACGTGATGAGCGTGGCCACCATCGTGATCGT
GGACATCTGCATCACCGGCGGCCTGCTGCTGCTGGTGTACTACTGGAGCAAGAACAGAAAGG
CCAAGGCCAAGCCCGTGACCAGAGGCGCCGGCGCCGGCGGCAGACAGAGAGGCCAGAAACAAG
GAGAGACCCCCCCCCGTCGCCAACCCCGACTACGAGCCCATCAGAAAGGGCCAGAGAGACCT
GTACAGCGGCCTGAACCAGAGAAGAATCGGACCG (SEQ ID NO: 50)

LEGVTQTPKFQVLKTGQSMTLQCAQDMNHEYMSWYRQDPGMGLRLIHYSVGAGITDQGEVNP
GYNVSRSTTEDFPLRLLSAAPSQTSVYFCASSPVTGGIYGYTFGSGTRLTVVEDLNKVFPE
VAVFEPSEAEISHTQKATLVCLATGFFPDHVELSWWVNGKEVHSGVSTDPQLKEQPALNDS
RYCLSSRLRVSATFWQNPРНHFRСQVQFYGLSENDEWTQDRAKPVТQIVSAEAWGRADATNF
SLLKQAGDVEENPGPMILNVEQSPQSLHVQEGDSTNFTCSFPSSNFYALHWYRWETAKSPEA
LFVMTLNGDEKKKGRISATLNTKEGYSYLYIKGSQPEDSATYLCARNTGNQFYFGTGTSLTV
IPNIQNPDPVYQLRDSKSSDKSVCLFTDFDSQTNVSQSKDSDAYITDKTVLDMRSMDFKSN
SAVAWSNKSDFACANAFNNSIIPEDTFFPSPESEGRGSLTLCGDVEENPGPMKWKALFTAA
ILQAQLPITEAQSFGLLPKLCYLLDGILFIYGVILTALFLRVKFSRSADAPAYQQGNQLY
NELNLGRREEYDVLDRRGRDPGMPGKPKRRKNPQEGLYNELQKDKMAEAYSEIGMKGERRR
GKGHDGLYQGLSTATKDTYDALHMQALPPRQCTNYALLKLAGDVESNPGPMEQGKGLAVLIL
AII LLQGTLAQSIKGNHLVKVYDYQEDGSVLLTCDAEAKNITWFKDGKMIGFLTEDKKKWNL
GSNAKDPRGMYQCKGSQNKSKPLQVYRMCQNCIELNAATISGFLFAEIVSI FVLAVGVYFI
AGQDGVRRQSRASDKQTLTPNDQLYQPLKDREDDQYSHLQGNQLRRNVKQTLNFDLLKLAGDV
ESNPGPMEHSTFLSGLVLATLLSQVSPFKIPIEELED RVFVNCNTSITWVEGTVGTLLSDIT
RLDLGKRILDPRGIYRCNGTDIYKDKESTVQVHYRMCQSCVELDPATVAGIIVTDVIATLLL
ALGVFCFAGHETGRLSGAADTQALLRNDQVYQPLRDRDDAQYSHLGGNWARNKEGRGSLTLC
GDVEENPGPMQSGTHWRVLGLCLLSVG VWGDGNEEMGGITQTPYKVISIGTTVILTCPQYP
GSEILWQHNDKNIGGEDDKNIGSDEDHLSLKEFSELEQSGYYVCYPRGSKPEDANFYLYLR

ARVCENCMEMDVM SVATIVIVDICTGGLLLLLVYYWSKNRKAKAKPVTRGAGAGGRQRGQNK
ERPPVPNPDPYEPPIRKGQRDLYSGLNQRRIGP (SEQ ID NO: 51)

[0105] **TCR3:** refers to TCRpp65 linked to the intracellular CD3z domain and IL-15, and it may also be referred to as TCRpp65Zicd15, with a representative sequence as follows:

MLEGVTQTPKFQVLKTGQSM TLQCAQDMNHEYMSWYRQDPGMGLRLIHYSVGAGITDQGEVP
NGYNVSRSTTEDFPLRLLSAAPSQTSVYFCASSPVTGGIYGYTFGSGTRLTVVEDLNKVFPP
EVAVFEPSEAEISHTQKATLVCLATGFFPDHVELSWVWNGKEVHSGVSTDPQPLKEQPALND
SRYCLSSRLRVSATFWQNP RNHFRCQVQFYGLSENDEWTQDRAKPVTQIVSAEAWGRADRVK
FSRSADAPAYQQGQNQLYNELNLGRREEYDVL DKRRGRDP EMGGKPQRRKNPQEGLYNELQK
DKMAEAYSEIGMKGERRRGKGHDGLYQGLSTATKDTYDALHMQALPPRATNFSLLKQAGDVE
ENPGPMILNVEQSPQSLHVQEGDSTNFTCSFPSSNFYALHWYRWETAKSPEALFVMTLNGDE
KKKGRISATLNTKEGYSYLYIKGSQPEDSATYLCARNTGNQFYFGTGTSLTVIPNIQNPDPA
VYQLRDSKSSDKSVCLFTDFDSQTNVSQSKSDAYITDKTVLDMRSMDFKSNSAVAWSNKSD
FACANAFNNSIIPEDTFFPSPESRVRKFSRSADAPAYQQGQNQLYNELNLGRREEYDVL DKR
RGRDP EMGGKPQRRKNPQEGLYNELQKDKMAEAYSEIGMKGERRRGKGHDGLYQGLSTATKD
TYDALHMQALPPRPGPQCTNYALLKLAGDVESNPGPMRISKPHLRSISIQCYLCLLLNSHFL
TEAGIHVFILGCF SAGLPKTEANWVNVISDLKKIEDLIQSMHIDATLYTESDVHPSCKVTAM
KCFLELQVISLES GDASIHDTVENLIILANNSLSSNGNVTESGCKECEEELEEKNIKEFLQS
FVHIVQMFINTS* (SEQ ID NO: 52)

[0106] In TCRpp65Zicd15, the corresponding component sequences are as follows, although these particular sequences or others may be utilized in this and/or other constructs:

[0107] TCRb-extracellular domain:

MLEGVTQTPKFQVLKTGQSM TLQCAQDMNHEYMSWYRQDPGMGLRLIHYSVGAGITDQGEVP
NGYNVSRSTTEDFPLRLLSAAPSQTSVYFCASSPVTGGIYGYTFGSGTRLTVVEDLNKVFPP
EVAVFEPSEAEISHTQKATLVCLATGFFPDHVELSWVWNGKEVHSGVSTDPQPLKEQPALND
SRYCLSSRLRVSATFWQNP RNHFRCQVQFYGLSENDEWTQDRAKPVTQIVSAEAWGRAD
(SEQ ID NO: 40)

ATGCTCGAGGGAGTGACCCAGACCCCCAAGTTCCAGGTGCTGAAGACCGGACAGAGCATGAC
CCTGCAGTGCGCCAGGACATGAACCACGAGTACATGAGCTGGTACCGGCAGGACCCCCGAA
TGGGACTGCGGCTGATCCACTACAGCGTGGGAGCCGGAATCACCAGCAGGGAGAGGTGCCC
AACGGATACAACGTGAGCCGGAGCACCACGAGGACTTCCCCCTGCGGCTGCTGAGCGCCGC
CCCCAGCCAGACCAGCGTGTACTTCTGCGCCAGCAGCCCCGTGACCGGAGGAATCTACGGAT
ACACCTTCGGAAGCGGAACCCGGCTGACCGTGGTGAGGACCTGAACAAGGTGTTCCCCCCC
GAGGTGGCCGTGTTGAGCCAGCGAGGCCGAGATCAGCCACACCCAGAAGGCCACCCCTGGT
GTGCCTGGCCACCGGATTCTTCCCCGACCACGTGGAGCTGAGCTGGTGGGTGAACGGAAAAGG
AGGTGCACAGCGGAGTGAGCACCAGCCCCAGCCCCTGAAGGAGCAGCCCGCCCTGAACGAC
AGCCGGTACTGCCTGAGCAGCCGGCTGCGGGTGAGCGCCACCTTCTGGCAGAACCCCCGGAA
CCACTTCCGGTGCCAGGTGCAGTTCTACGGACTGAGCGAGAACGACGAGTGGACCCAGGACC
GGGCCAAGCCCGTGACCCAGATCGTGAGCGCCGAGGCCTGGGGACGGGCCGAC (SEQ ID
NO: 41)

[0108] CD3 zeta intracellular domain (Z-ICD):

RVKFSRSADAPAYQQGQNQLYNELNLGRREEYDVL DKRRGRDP EMGGKPQRRKNPQEGLYNE
LQDKDKMAEAYSEIGMKGERRRGKGHDGLYQGLSTATKDTYDALHMQALPPRATNFSLLKQAG

DVEENPGP (SEQ ID NO: 42) (where P2A sequence is at the C-terminus)

AGAGTGAAGTTCAGCAGGAGCGCAGACGCCCCCGCGTACCAGCAGGGCCAGAACCAGCTCTA
TAACGAGCTCAATCTAGGACGAAGAGAGGAGTACGATGTTTTGGACAAGAGACGTGGCCGGG
ACCCTGAGATGGGGGGAAGCCGCAGAGAAGGAAGAACCCTCAGGAAGGCCTGTACAATGAA
CTGCAGAAAGATAAGATGGCGGAGGCCTACAGTGAGATTGGGATGAAAGGCGAGCGCCGGAG
GGGCAAGGGGCACGATGGCCTTTACCAGGGTCTCAGTACAGCCACCAAGGACACCTACGACG
CCCTTCACATGCAGGCCCTGCCCCCTCGCgccaccaacttctccctgctgaagcaggccggc
gacgtggaggagaacccccggcccc (SEQ ID NO: 43) (where the lowercase
sequence is P2A sequence)

[0109] TCRa-extracellular domain:

MILNVEQSPQSLHVQEGDSTNFTCSFPSSNFYALHWYRWETAKSPEALFVMTLNGDEKKKGR
ISATLNTKEGYSYLYIKGSQPEDSATYLCARNTGNQFYFGTGTSITVIPNIQNPDPAVYQLR
DSKSSDKSVCLFTDFDSQTNVSQSKDSDAYITDKTVLDMRSMDFKSNSAVAWSNKSDFACAN
AFNNSIIPEDTFFPSPRESS (SEQ ID NO: 44)

ATGATCCTGAACGTGGAGCAGAGCCCCCAGAGCCTGCACGTGCAGGAGGGAGACAGCACCAA
CTTCACCTGCAGCTTCCCCAGCAGCAACTTCTACGCCCTGCACTGGTACCGGTGGGAGACCG
CCAAGAGCCCCGAGGCCCTGTTTCGTGATGACCCTGAACGGAGACGAGAAGAAGAAGGGACGG
ATCAGCGCCACCTGAACACCAAGGAGGGATACAGCTACCTGTACATCAAGGGAAGCCAGCC
CGAGGACAGCGCCACCTACCTGTGCGCCCGGAACACCGGAAACCAGTTCTACTTCGGAACCG
GAACCAGCCTGACCGTGATCCCCAACATCCAGAACCCCGACCCCGCCGTGTACCAGCTGCGG
GACAGCAAGAGCAGCGACAAGAGCGTGTGCCTGTTACCGACTTCGACAGCCAGACCAACGT
GAGCCAGAGCAAGGACAGCGACGCCTACATCACCGACAAGACCGTGCTGGACATGCGGAGCA
TGGACTTCAAGAGCAACAGCGCCGTGGCCTGGAGCAACAAGAGCGACTTCGCCTGCGCCAAC
GCCTTCAACAACAGCATCATCCCCGAGGACACCTTCTTCCCCAGCCCCGAGAGCAGC (SEQ
ID NO: 45)

[0110] CD3 zeta intracellular domain (Z-ICD)(in specific embodiments, two or more Z-ICD sequences may be utilized):

RVKFSRSADAPAYQQGQNQLYNELNLGRREEYDVLDKRRGRDPGEMGGKPQRRKNPQEGLYNE
LQKDKMAEAYSEIGMKGERRRGKGGHDGLYQGLSTATKDTYDALHMQALPPRPGPQCTNYALL
KLAGDVESNPGP (SEQ ID NO: 53)

AGAGTGAAGTTCAGCAGGAGCGCAGACGCCCCCGCGTACCAGCAGGGCCAGAACCAGCTCTA
TAACGAGCTCAATCTAGGACGAAGAGAGGAGTACGATGTTTTGGACAAGAGACGTGGCCGGG
ACCCTGAGATGGGGGGAAGCCGCAGAGAAGGAAGAACCCTCAGGAAGGCCTGTACAATGAA
CTGCAGAAAGATAAGATGGCGGAGGCCTACAGTGAGATTGGGATGAAAGGCGAGCGCCGGAG
GGGCAAGGGGCACGATGGCCTTTACCAGGGTCTCAGTACAGCCACCAAGGACACCTACGACG
CCCTTCACATGCAGGCCCTGCCCCCTCGCCAGTGCACCAACTACGCCCTGCTGAAGCTGGCC
GGCGACGTGGAGAGCAACCCCGGCCCC (SEQ ID NO: 54)

[0111] IL-15:

MRISKPHLRISISIQCYLCLLLNSHFLTEAGIHVFILGCFSAGLPKTEANWVNVISDLKKIED
LIQSMHIDATLYTESDVHPSCKVTAMKCFLELQVISLES GDASIHD TVENLIILANNSLSS
NGNVTESGCKECEELEEKNIKEFLQSFVHVIVQMFINITS* (SEQ ID NO: 48)

ATGCGCATTAGCAAGCCCCACCTGCGGAGCATCAGCATCCAGTGCTACCTGTGCCTGCTGCT
 GAACAGCCACTTCCTGACCGAGGCCGGCATCCACGTGTTTCATCCTGGGCTGCTTCAGCGCCG
 GACTGCCCCAAGACCGAGGCCAACTGGGTGAACGTGATCAGCGACCTGAAGAAGATCGAGGAC
 CTGATCCAGAGCATGCACATCGACGCCACCCTGTACACCGAGAGCGACGTGCACCCAGCTG
 CAAGGTGACCGCCATGAAGTGCTTTCTGCTGGAAGTGCAGGTGATCAGCCTGGAAAGCGGCG
 ACGCCAGCATCCACGACACCGTGGAGAACCTGATCATCCTGGCCAACAACAGCCTGAGCAGC
 AACGGCAACGTGACCGAGAGCGGCTGCAAAGAGTGCGAGGAAGTGAAGAGAAGAACATCAA
 AGAGTTTCTGCAGAGCTTCGTGCACATCGTGCAGATGTTTCATCAACACCAGC (SEQ ID
 NO: 49)

[0112] **TCR4**: refers to TCRpp65 that also may be referred to as TCRpp65betaalpha, and a representative sequence is as follows:

MLEGVTQTPKFQVLKTQSMTLQCAQDMNHEYMSWYRQDPGMGLRLIHYSVGAGITDQGEVP
 NGYNVSRSTTEDFPLRLLSAAPSQTSVYFCASSPVTGGIYGYTFGSGTRLTVVEDLNKVFPP
 EVAVFEPSEAEISHTQKATLVCLATGFFPDHVELSWVNGKEVHSGVSTDPQPLKEQPALND
 SRYCLSSRLRVSATFWQNP RNHFRCQVQFYGLSENDEWTQDRAKPVQTIVSAEAWGRADRVK
 FRSADAPAYQQGQNQLYNELNLGRREEYDVLDRGRDPEMGGKPQRRKNPQEGLYNELQK
 DKMAEAYSEIGMKGERRRGKGHDGLYQGLSTATKDTYDALHMQALPPRATNFSLLKQAGDVE
 ENPGPMILNVEQSPQSLHVQEGDSTNFTCSFPSSNFYALHWYRWETAKSPEALFVMTLNGDE
 KKKGRISATLNTKEGYSYLYIKGSQPEDSATYLCARNTGNQFYFGTGTSLTVIPNIQNPDP
 VYQLRDSKSSDKSVCLFTDFDSQTNVSQSKSDAYITDKTVLDMRSMDFKSNSAVAWSNKSD
 FACANAFNNSIIPEDTFFPSPSSRVKFSRSADAPAYQQGQNQLYNELNLGRREEYDVLDRK
 RGRDPEMGGKPQRRKNPQEGLYNELQKDKMAEAYSEIGMKGERRRGKGHDGLYQGLSTATK
 TYDALHMQALPPRPGPQCTNYALLKLAGDVESNPGPMRISKPHLRSISIQCYLCLLLNSHFL
 TEAGIHVFILGCF SAGLPKTEANWVNVISDLKKIEDLIQSMHIDATLYTESDVHPSCKVTAM
 KCFLLELQVISLES GDASIHDTVENLIILANNSLSSNGNVTESGCKECEEELEEKNIKEFLQS
 FVHIVQMFINITS* (SEQ ID NO: 55)

[0113] For TCRpp65betaalpha, the corresponding component sequences are as follows, although these particular sequences or others may be utilized in this and/or other constructs:

[0114] TCRb-extracellular domain:

MLEGVTQTPKFQVLKTQSMTLQCAQDMNHEYMSWYRQDPGMGLRLIHYSVGAGITDQGEVP
 NGYNVSRSTTEDFPLRLLSAAPSQTSVYFCASSPVTGGIYGYTFGSGTRLTVVEDLNKVFPP
 EVAVFEPSEAEISHTQKATLVCLATGFFPDHVELSWVNGKEVHSGVSTDPQPLKEQPALND
 SRYCLSSRLRVSATFWQNP RNHFRCQVQFYGLSENDEWTQDRAKPVQTIVSAEAWGRAD
 (SEQ ID NO: 40)

ATGCTCGAGGGAGTGACCCAGACCCCCAAGTTCAGGTGCTGAAGACCGGACAGAGCATGAC
 CCTGCAGTGCGCCCAGGACATGAACCACGAGTACATGAGCTGGTACCGGCAGGACCCCGGAA
 TGGGACTGCGGCTGATCCACTACAGCGTGGGAGCCGGAATCACCAGCAGGGAGAGGTGCCC
 AACGGATACAACGTGAGCCGGAGCACCACCGAGGACTTCCCCCTGCGGCTGCTGAGCGCCGC
 CCCCAGCCAGACCAGCGTGTACTTCTGCGCCAGCAGCCCCGTGACCGGAGGAATCTACGGAT
 ACACCTTCGGAAGCGGAACCCGGCTGACCGTGGTGGAGGACCTGAACAAGGTGTTCCCCCCC
 GAGGTGGCCGTGTTTCGAGCCCAGCGAGGCCGAGATCAGCCACACCCAGAAGGCCACCCCTGGT
 GTGCCTGGCCACCGGATTCTTCCCCGACCACGTGGAGCTGAGCTGGTGGGTGAACGGAAAGG
 AGGTGCACAGCGGAGTGAGCACCAGCCCCAGCCCCCTGAAGGAGCAGCCCGCCCTGAACGAC
 AGCCGGTACTGCCTGAGCAGCCGGCTGCGGGTGAGCGCCACCTTCTGGCAGAACCCCGGAA
 CCACTTCCGGTGCCAGGTGCAGTTCTACGGACTGAGCGAGAACGACGAGTGGACCCAGGACC

GGGCCAAGCCCGTGACCCAGATCGTGAGCGCCGAGGCCTGGGGACGGGCCGAC (SEQ ID NO: 41)

[0115] *CD3 zeta intracellular domain (Z-ICD):*

RVKFSRSADAPAYQQGQNQLYNELNLGRREEYDVLDKRRGRDPGEMGGKPQRRKNPQEGLYNE
LQKDKMAEAYSEIGMKGERRRGKGGHDGLYQGLSTATKDTYDALHMQALPPRATNFSLLKQAG
DVEENPGP (SEQ ID NO: 42)

AGAGTGAAGTTCAGCAGGAGCGCAGACGCCCCCGCGTACCAGCAGGGCCAGAACCAGCTCTA
TAACGAGCTCAATCTAGGACGAAGAGAGGAGTACGATGTTTTGGACAAGAGACGTGGCCGGG
ACCCTGAGATGGGGGGAAAGCCGCAGAGAAGGAAGAACCCTCAGGAAGGCCTGTACAATGAA
CTGCAGAAAGATAAGATGGCGGAGGCCTACAGTGAGATTGGGATGAAAGGCGAGCGCCGGAG
GGGCAAGGGGCACGATGGCCTTTACCAGGGTCTCAGTACAGCCACCAAGGACACCTACGACG
CCCTTCACATGCAGGCCCTGCCCCCTCGCCAGTGCACCAACTACGCCCTGCTGAAGCTGGCC
GGCGACGTGGAGAGCAACCCCGGCCCC (SEQ ID NO: 54)

[0116] *TCRa-extracellular domain:*

MILNVEQSPQSLHVQEGDSTNFTCSFPSSNFYALHWYRWETAKSPEALFVMTLNGDEKKKGR
ISATLNTKEGYSYLYIKGSQPEDSATYLCARNTGNQFYFGTGTSLTVIPNIQNPDPVYQLR
DSKSSDKSVCLFTDFDSQTNVSQSKSDAYITDKTVLDMRSMDFKSNSAVAWSNKSDFACAN
AFNNSIIPEDTFFPSPESS (SEQ ID NO: 44)

ATGATCCTGAACGTGGAGCAGAGCCCCCAGAGCCTGCACGTGCAGGAGGGAGACAGCACCAA
CTTCACCTGCAGCTTCCCCAGCAGCAACTTCTACGCCCTGCACTGGTACCAGTGGGAGACCG
CCAAGAGCCCCGAGGCCCTGTTCGTGATGACCCTGAACGGAGACGAGAAGAAGAAGGGACGG
ATCAGCGCCACCTGAACACCAAGGAGGGATACAGCTACCTGTACATCAAGGGAAGCCAGCC
CGAGGACAGCGCCACCTACCTGTGCGCCCGGAACACCGGAAACCAAGTTCTACTTCGGAACCG
GAACCAGCCTGACCGTGATCCCCAACATCCAGAACCCCGACCCCGCCGTGTACCAGCTGCGG
GACAGCAAGAGCAGCGACAAGAGCGTGTGCCTGTTCACCGACTTCGACAGCCAGACCAACGT
GAGCCAGAGCAAGGACAGCGACGCCTACATCACCAGCAAGACCGTGTGGACATGCGGAGCA
TGGACTTCAAGAGCAACAGCGCCGTGGCCTGGAGCAACAAGAGCGACTTCGCCTGCGCCAAC
GCCTTCAACAACAGCATCATCCCCGAGGACACCTTCTTCCCCAGCCCCGAGAGCAGC (SEQ
ID NO: 45)

[0117] *CD3 zeta intracellular domain (Z-ICD):*

RVKFSRSADAPAYQQGQNQLYNELNLGRREEYDVLDKRRGRDPGEMGGKPQRRKNPQEGLYNE
LQKDKMAEAYSEIGMKGERRRGKGGHDGLYQGLSTATKDTYDALHMQALPPRPGPQCTNYALL
KLAGDVESNPGP (SEQ ID NO: 53)

AGAGTGAAGTTCAGCAGGAGCGCAGACGCCCCCGCGTACCAGCAGGGCCAGAACCAGCTCTA
TAACGAGCTCAATCTAGGACGAAGAGAGGAGTACGATGTTTTGGACAAGAGACGTGGCCGGG
ACCCTGAGATGGGGGGAAAGCCGCAGAGAAGGAAGAACCCTCAGGAAGGCCTGTACAATGAA
CTGCAGAAAGATAAGATGGCGGAGGCCTACAGTGAGATTGGGATGAAAGGCGAGCGCCGGAG
GGGCAAGGGGCACGATGGCCTTTACCAGGGTCTCAGTACAGCCACCAAGGACACCTACGACG
CCCTTCACATGCAGGCCCTGCCCCCTCGCCAGTGCACCAACTACGCCCTGCTGAAGCTGGCC
GGCGACGTGGAGAGCAACCCCGGCCCC (SEQ ID NO: 54)

[0118] IL-15:

MRISKPHLRISISIQCYLCLLLNSHFLTEAGIHVFILGCF SAGLPKTEANWVNVISDLKKIED
LIQSMHIDATLYTESDVHPSCKVTAMKCF LLELQVISLES GDASIHDTVENLIILANNSLSS
NGNVTESGCKECEEELEEKNIKEFLQSFVHIVQMFIN TS* (SEQ ID NO: 48)

ATGCGCATTAGCAAGCCCCACCTGCGGAGCATCAGCATCCAGTGCTACCTGTGCCTGCTGCT
GAACAGCCACTTCCTGACCGAGGCCGGCATCCACGTGTTTCATCCTGGGCTGCTTCAGCGCCG
GACTGCCCCAAGACCGAGGCCAACTGGGTGAACGTGATCAGCGACCTGAAGAAGATCGAGGAC
CTGATCCAGAGCATGCACATCGACGCCACCCTGTACACCGAGAGCGACGTGCACCCAGCTG
CAAGGTGACCGCCATGAAGTGCTTTCTGCTGGAAGTGCAGGTGATCAGCCTGGAAAGCGGCG
ACGCCAGCATCCACGACACCGTGGAGAACCTGATCATCCTGGCCAACAACAGCCTGAGCAGC
AACGGCAACGTGACCGAGAGCGGCTGCAAAGAGTGCGAGGAAGTGAAGAGAAGAACATCAA
AGAGTTTCTGCAGAGCTTCGTGCACATCGTGCAGATGTTTCATCAACACCAGC (SEQ ID
NO: 49)

[0119] An additional representative sequence for TCRpp65betaalpha is as follows:

ATGGACTCCTGGACCTTCTGCTGTGTGTCCCTTTGCATCCTGGTAGCAAAGCACACAGATGC
TGGAGTTATCCAGTCACCCCGGCACGAGGTGACAGAGATGGGACAAGAAGTGA CTCTGAGAT
GTAAACCAATTT CAGGACACGACTACCTTTTCTGGTACAGACAGACCATGATGCGGGGACTG
GAGTTGCTCATTTACTTTAACAACAACGTTCCGATAGATGATTCAGGGATGCCCGAGGATCG
ATTCTCAGCTAAGATGCCTAATGCATCATTTCTCCACTCTGAAGATCCAGCCCTCAGAACCCA
GGGACTCAGCTGTGTACTTCTGTGCCAGCAGTTCGGCAAACCTATGGCTACACCTTCGGTTCG
GGGACCAGGTTAACCGTTGTAGAGGACCTGAACAAGGTGTTCCACCCGAGGTGCGTGTGTT
TGAGCCATCAGAAGCAGAGATCTCCACACCCAAAAGGCCACACTGGTGTGCCTGGCCACAG
GCTTCTTCCCTGACCACGTGGAGCTGAGCTGGTGGGTGAATGGGAAGGAGGTGCACAGTGGG
GTCAGCACGGACCCG CAGCCCCCTCAAGGAGCAGCCCCGCCCTCAATGACTCCAGATACTGCCT
GAGCAGCCGCTGAGGGTCTCGGCCACCTTCTGGCAGAACCCCCGCAACCATTCCGCTGTC
AAGTCCAGTTCTACGGGCTCTCGGAGAATGACGAGTGGACCCAGGATAGGGCCAAACCCGTC
ACCCAGATCGTCAGCGCCGAGGCCCTGGGGTAGAGCAGACTGTGGCTTTACCTCGGTGTCTTA
CCAGCAAGGGGTCTGTCTGCCACCATCCTCTATGAGATCCTGCTAGGGAAGGCCACCCGTGT
ATGCTGTGCTGGTCAGCGCCCTTGTGTTGATGGCCATGGTCAAGAGAAAGGATTTTCGAGGCG
AGGGGAAGTCTTCTAACATGCGGGGACGTGGAGGAAAATCCCGGGCCCATGCTCCTTGAACA
TTTATTAATAATCTTGTGGATGCAGCTGACATGGGTGAGTGGTCAACAGCTGAATCAGAGTC
CTCAATCTATGTTTATCCAGGAAGGAGAAGATGTCTCCATGAAC TGCACCTTCTTCAAGCATA
TTTAACACCTGGCTATGGTACAAGCAGGACCTGGGGAAGGTCTGTCTCTTGATAGCCTT
ATATAAGGCTGGTGAATTGACCTCAAATGGAAGACTGACTGCTCAGTTTGGTATAACCAGAA
AGGACAGCTTCTGAATATCTCAGCATCCATACCCAGTGATGTAGGCATCTACTTCTGTGCT
GGACCCATGAAAACCTCTACGACAAGGTGATATTTGGGCCAGGGACAAGCTTATCAGTCAT
TCCAAATATCCAGAACCCTGACCCTGCCGTGTACCAGCTGAGAGACTCTAAATCCAGTGACA
AGTCTGTCTGCCTATTACCGATTTT GATTCTCAAACAAATGTGTCAAAAGTAAGGATTCT
GATGTGTATATCACAGACAAAACCTGTGCTAGACATGAGGTCTATGGACTTCAAGAGCAACAG
TGCTGTGGCCTGGAGCAACAAATCTGACTTTGCATGTGCAAACGCCTTCAACAACAGCATTA
TTCCAGAAGACACCTTCTTCCCCAGCCAGAAAGTTCTGTGATGTCAAGCTGGTTCGAGAAA
AGCTTTGAAACAGATACGAACCTAAACTTTCAAACCTGTGAGTGATTGGGTTCCGAATCCT
CCTCTGAAAGTGGCCGGGTTTAATCTGCTCATGACGCTGCGGCTGTGGTCCAGCTGA
(SEQ ID NO: 56)

MDSWTFCCVSLCILVAKHTDAGVIQSPRHEVTEMGQEVTLRCKPISGHDYLFWYRQTMMRGL
ELLIYFNNNVPIDDSGMPEDRFS AKMPNASFSTLKIQPSERDSAVYFCASSSANYGYTFGS
GTRLTVVEDLNKVFPPPEVAVFEPSEAEISHTQKATLVCLATGFFPDHVELSWVWNGKEVHSG
VSTD PQPLKEQPALNDSRYCLSSRLRVSATFWQNP RNHFRCQVQFYGLSENDEWTQDRAKPV
TQIVSAEAWGRADCGFTSVSYQQGVLSATILYEILLGKATLYAVLV SALVLMAMVKRKDFEG

RGSLLTCDGVEENPGPMLLEHLLIILWMQLTWVSGQQLNQSPQSMFIQEGEDVSMNCTSSSI
FNTWLWYKQDPGEGPVLLIALYKAGELTNGRLTAQFGITRKDSFLNISASIPSDVGIYFCA
GPMKTSYDKVIFGPGTSLSVIPNIQNPDPAVYQLRDSKSSDKSVCLFTDFDSQTNVSQSKDS
DVYITDKTVLDMRSMDFKSN SAVAWSNKSD FACANAFNNSIIPEDTFFPSPRESSCDVKLVEK
SFETDTNLFNQNL SVIGFRILLKLVAGFNLLMTLRLWSS* (SEQ ID NO: 57)

[0120] **Z1:** refers to full length CD3zeta, full length CD3 gamma, full length CD3 delta, and full length CD3 epsilon linked to IL15 (see FIGS. 2A and 2B), and it may also be referred to as CD3ZFLGDEFL15, and representative sequences may be as follows:

MLEMKWKALFTAAAILQAQLPITEAQSFGLLDPKLCYLLDGILFIYGVILTALFLRVKFSRSA
DAPAYQQGQNQLYNELNLGRREEYDVLDKRRGRDPEMGGKPQRRKNPQEGLYNELQKDKMAE
AYSEIGMKGERRRGKGHDGLYQGLSTATKDTYDALHMQALPPRQCTNYALLKLAGDVESNPG
PMEQKGKGLAVLILAIILLQGTLAQSIKGNHLVKVYDYQEDGSLVLTCDAEAKNITWFKDGKM
IGFLTEDKKKWNLGSNAKDPRGMYQCKGSQNKSKPLQVYRMCQNCIELNAATISGFLFAEI
VSIFVLAVGVYFIAGQDGVQRASDKQTLTPNDQLYQPLKDREDDQYSHLQGNQLRRNVKQ
TLNFDLLKLAGDVESNPGPMEHSTFLSGLVLATLLSQVSPFKIPIEELEDVRFVNCNTSITW
VEGTVGTLLSDITRLDLGKRILDPRGIYRCNGTDIYKDKESTVQVHYRMCQSCVELDPATVA
GIIIVTDVIATLLLALGVFCFAGHETGRLSGAADTQALLRNDQVYQPLRDRDDAQYSHLGGNW
ARNKEGRGSLTCDGVEENPGPMQSGTHWRVLGLCLLSVGWVGQDNEEMGGITQTPYKVS
SGTTVILTCPQYPGSEILWQHNDKNIGGDEDDKNIGSDEDDHLSLKEFSELEQSGYYVCYPRG
SKPEDANFYLYLRARVCENCMEMDVMSVATIVIVDICITGGLLLL VYYWSKNRKAKAKPVTR
GAGAGGRQRGQNKERPPPVPNPDYEPIRKGQRDLYSGLNQRRIGPQCTNYALLKLAGDVESN
PGPMRISKPHLRSISIQCYLCLLLNSHFLTEAGIHVFILGCF SAGLPKTEANWVNVISDLKK
IEDLIQSMHIDATLYTESDVHPSCKVTAMKCFLELQVISLES GDASIHDTVENLIILANNS
LSSNGNVTESGCKECEELEEKNIKEFLQSFVHIVQMFINTS (SEQ ID NO: 58)

ATGCTCGAGATGAAGTGAAGGCGCTTTTACCGCGGCCATCCTGCAGGCACAGTTGCCGAT
TACAGAGGCACAGAGCTTTGGCCTGCTGGATCCCAAACCTCTGCTACCTGCTGGATGGAATCC
TCTTCATCTATGGTGTCATTCTCACTGCCTTGTTCTGAGAGTGAAGTTCAGCAGGAGCGCA
GACGCCCCCGCGTACCAGCAGGGCCAGAACCAGCTCTATAACGAGCTCAATCTAGGACGAAG
AGAGGAGTACGATGTTTTGGACAAGAGACGTGGCCGGGACCCCTGAGATGGGGGGAAAGCCGC
AGAGAAGGAAGAACCCTCAGGAAGGCCTGTACAATGAAGTGCAGAAAGATAAGATGGCGGAG
GCCTACAGTGAGATTGGGATGAAAGGCGAGCGCCGAGGGGCAAGGGGCACGATGGCCTTTA
CCAGGGTCTCAGTACAGCCACCAAGGACACCTACGACGCCCTTCACATGCAGGCCCTGCCCC
CTCGCCAGTGCACCAACTACGCCCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGGC
CCCATGGAACAGGGGAAGGGCCTGGCTGCTCCTCATCCTGGCTATCATTCTTCTCAAGGTAC
TTTGGCCAGTCAATCAAAGGAACCACTTGTTAAGGTGTATGACTATCAAGAAGATGGTT
CGGTACTTCTGACTTGTGATGCAGAAGCCAAAATATCACATGGTTTAAAGATGGGAAGATG
ATCGGCTTCTTAAGTGAAGATAAAAAAATGGAATCTGGGAAGTAATGCCAAGGACCCCTCG
TGGGATGTATCAGTGTAAGGATCACAGAACAAAGTCAAACCACTCCAAGTGTATTACAGAA
TGTGTGAGAAGTGCATTGAACTAAATGCAGCCACCATATCTGGCTTTCTCTTTGCTGAAATC
GTCAGCATTTTCTGCTCTGCTGTTGGGGTCTACTTCATTGCTGGACAGGATGGAGTTTCGCCA
GTCGAGAGCTTCAGACAAGCAGACTCTGTTGCCAATGACCAGCTCTACCAGCCCTCAAGG
ATCGAGAAGATGACCAGTACAGCCACCTTCAAGGAACAGTTGAGGAGGAATGTGAAGCAG
ACCCTGAACCTCGACCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGGCCCATGGA
GCACAGCACCTTCTGAGCGGCCTGGTGCTGGCCACCCTGCTGAGCCAGGTGAGCCCTTCA
AGATCCCCATCGAGGAGCTGGAGGACAGAGTGTTCTGTAAGTGCACACAGCATCACCTGG
GTGGAGGGCACCGTGGGCACCCTGCTGAGCGACATCACAGACTGGACCTGGGCAAGAGAAT
CCTGGACCCAGAGGCATCTACAGATGCAACGGCACCGACATCTACAAGGACAAGGAGAGCA

CCGTGCAGGTGCACTACAGAATGTGCCAGAGCTGCGTGGAGCTGGACCCCGCCACCGTGGCC
 GGCATCATCGTGACCGACGTGATCGCCACCCTGCTGCTGGCCCTGGGCGTGTCTGCTTCGC
 CGGCCACGAGACCGGCAGACTGAGCGGCGCCGCCGACACCCAGGCCCTGCTGAGAAACGACC
 AGGTGTACCAGCCCCTGAGAGACAGAGACGACGCCCAGTACAGCCACCTGGGCGGCAACTGG
 GCCAGAAACAAGGAGGGCAGAGGCAGCCTGCTGACCTGCGGCGACGTGGAGGAGAACCCCGG
 CCCCATGCAGAGCGGCACCCACTGGAGAGTGTGCTGGGCCTGTGCCTGCTGAGCGTGGGCGTGT
 GGGGCCAGGACGGCAACGAGGAGATGGGCGGCATCACCCAGACCCCTACAAGGTGAGCATC
 AGCGGCACCAACCGTGATCCTGACCTGCCCCAGTACCCCGGCAGCGAGATCCTGTGGCAGCA
 CAACGACAAGAACATCGGCGGCGACGAGGACGACAAGAACATCGGCAGCGACGAGGACCACC
 TGAGCCTGAAGGAGTTTCAGCGAGCTGGAGCAGAGCGGCTACTACGTGTGCTACCCAGAGGC
 AGCAAGCCCGAGGACGCCAATTCTACCTGTACCTGAGAGCCAGAGTGTGCGAGAACTGCAT
 GGAGATGGACGTGATGAGCGTGGCCACCATCGTGATCGTGGACATCTGCATCACCGGCGGCC
 TGCTGCTGCTGGTGTACTACTGGAGCAAGAACAGAAAGGCCAAGGCCAAGCCCGTGACCAGA
 GGCGCCGGCGCCGGCGGCAGACAGAGAGGCCAGAACAAAGGAGAGACCCCCCCCCCGTGCCCAA
 CCCCAGTACGAGCCCATCAGAAAGGGCCAGAGAGACCTGTACAGCGGCCTGAACCAGAGAA
 GAATCGGACCGCAGTGTACTAATTATGCTCTCTTGAAATTGGCTGGAGATGTTGAGAGCAAT
 CCGGGGCCCATGCGCATTAGCAAGCCCCACCTGCGGAGCATCAGCATCCAGTGTACCTGTG
 CCTGCTGCTGAACAGCCACTTCCTGACCGAGGCGGCATCCACGTGTTTCATCCTGGGCTGCT
 TCAGCGCCGGACTGCCCCAAGACCGAGGCCAAGTGGGTGAACGTGATCAGCGACCTGAAGAAG
 ATCAGAGACCTGATCCAGAGCATGCACATCGACGCCACCCTGTACACCGAGAGCGACGTGCA
 CCCCAGCTGCAAGGTGACCGCCATGAAGTGCTTTCTGCTGGAAGTGCAGGTGATCAGCCTGG
 AAAGCGGCGACGCCAGCATCCACGACACCGTGGAGAACCTGATCATCCTGGCCAACAACAGC
 CTGAGCAGCAACGGCAACGTGACCGAGAGCGGCTGCAAAGAGTGCAGGAACTGGAAGAGAA
 GAACATCAAAGAGTTTCTGCAGAGCTTCGTGCACATCGTGCAGATGTTTCATCAACACCAGC
 (SEQ ID NO: 59)

[0121] **Z2**: refers to full length CD3zeta, full length CD3 gamma, full length CD3 delta, and full length CD3 epsilon linked to membrane bound IL21 (with CD8 transmembrane domain for the membrane bound IL21), and it may also be referred to as CD3ZGDEFLSP821CD28, and a representative sequence is as follows:

MLEMKWKALFTAAILQAQLPITEAQSFGLDPKLCYLLDGILFIYGVILTALFLRVKFSRSA
 DAPAYQQGQNQLYNELNLGRREEYDVLDKRRGRDPGEGKPKQRRKNPQEGLYNELQKDKMAE
 AYSEIGMKGERRRRGKHDGLYQGLSTATKDTYDALHMQALPPRQCTNYALLKLAGDVESNPG
 PMEQQGKLAVLILAIILLQGTLAQSIKGNHLVKVYDYQEDGSVLLTCDAEAKNITWFKDGKM
 IGFLTEDKKKWNLGSNAKDPRGMYQCKGSQNKSKPLQVYYRMCQNCIELNAATISGFLFAEI
 VSIFVLAVGVYFIAGQDGVRSRASDKQTLLPNQDLYQPLKDREDDQYSHLQGNQLRRNVKQ
 TLNFDLLKLAGDVESNPGPMEHSTFLSGLVLATLLSQVSPFKIPIEELEDVRFVNCNTSITW
 VEGTVGTLLSDITRLDLGKRILDPRGIYRCNGTDIYKDKESTVQVHYRMCQSCVELDPATVA
 GIIIVTDVIATLLLALGVFCFAGHETGRLSGAADTQALLRNDQVYQPLRDRDDAQYSHLGGNW
 ARNKEGRGSLTTCGDVEENPGPMQSGTHWRVLGLCLLSVGWVGQDGNEEMGGITQTPYKVS
 ISGTTVILTCPPQYPGSEILWQHNDKNIGGDEDDKNIGSDEDHLSLKEFSELEQSGYYVCYPRG
 SKPEDANFYLYLRARVCENCMEMDVMSVATIVIVDICITGGLLLLVIYWSKNRKAKAKPVTR
 GAGAGGRQRGQNKERPPVPNPDYEPIRKGQRDLYSGLNQRRIGPQCTNYALLKLAGDVESN
 PGPRICTSDRLAPAAGLAAPRRQAVHKSSSQGQDRHMIRMRLIDIVDQLKNYVNDLVPE
 FLPAPEDVETNCEWSAFSCFQKAQLKSANTGNNERIINVS IKKLKRKPSTNAGRRQKHRLT
 CPSCDSYEKKPPKEFLERFKSLQKMIHQHLSRTHGSEDSTTTPAPRPPTPAPTIASQPLS
 LRPEACRPAAGGAVHTRGLDFACDFWVLVVGVLACYSLLVTVAFIIFWV* (SEQ ID
 NO: 60)

[0122] For CD3ZGDEFLSP821CD28, the corresponding component sequences are as follows, although these particular sequences or others may be utilized in this and/or other constructs:

[0123] *CD3:*

MLEMKWKALFTAAILQAQLPITEAQSFGLLDPKLCYLLDGILFIYGVILTALFLRVKFSRSA
DAPAYQQGQNQLYNELNLGRREEYDVLDKRRGRDPEMGGKPQRRKNPQEGLYNELQKDKMAE
AYSEIGMKGERRRGKGHGGLYQGLSTATKDTYDALHMQALPPRQCTNYALLKLAGDVESNPG
PMEQGGKGLAVLILAIILLQGTLAQSIKGNHLVKVYDYQEDGSLTCDAEAKNITWFKDGKM
IGFLTEDKKKWNLGSNAKDPRGMYQCKGSQNKSKPLQVYYRMCQNCIELNAATISGFLFAEI
VSI FVLAVGVYFIAGQDQVRQSRASDKQTLTPNDQLYQPLKDREDDQYSHLQGNQLRRNVKQ
TLNFDLLKLAGDVESNPGMEHSTFSLGLVLATLLSQVSPFKIPIEELEDVRFVNCNTSITW
VEGTVGTLLSDITRLDLGKRILDPRGIYRCNGTDIYKDKESTVQVHYRMCQSCVELDPATVA
GIIIVTDVIATLLLLALGVFCFAGHETGRLSGAADTQALLRNDQVYQPLRDRDDAQYSHLGGNW
ARNKEGRGSLTTCGDVEENPGPMQSGTHWRVLGLCLLSVGWVGQDNEEMGGITQTPYKVS I
SGTTVILTCPQYPGSEILWQHNDKNIGGDEDDKNIGSDEDHLSLKEFSELEQSGYYVCYPRG
SKPEDANFYLYLRARVCENCMEMDVMSVATIVIVDICITGGLLLL VYYWSKNRKAKAKPVTR
GAGAGGRQRGQNKERPPVPNPDYEP IRKGQRDLYSGLNQRRIGPQCTNYALLKLAGDVESN
PGP (SEQ ID NO: 61)

ATGCTCGAGATGAAGTGAAGGCGCTTTTCACCGCGGCCATCCTGCAGGCACAGTTGCCGAT
TACAGAGGCACAGAGCTTTGGCCTGCTGGATCCCAAACCTCTGCTACCTGCTGGATGGAATCC
TCTTCATCTATGGTGTCACTTCTCACTGCCTTGTTTCTGAGAGTGAAGTTCAGCAGGAGCGCA
GACGCCCCCGCTACCAGCAGGGCCAGAACCAGCTCTATAACGAGCTCAATCTAGGACGAAG
AGAGGAGTACGATGTTTTGGACAAGAGACGTGGCCGGGACCCCTGAGATGGGGGAAAGCCGC
AGAGAAGGAAGAACCCTCAGGAAGGCCTGTACAATGAACTGCAGAAAGATAAGATGGCGGAG
GCCTACAGTGAGATTGGGATGAAAGGCGAGCGCCGGAGGGGCAAGGGGCACGATGGCCTTTA
CCAGGGTCTCAGTACAGCCACCAAGGACACCTACGACGCCCTTCACATGCAGGCCCTGCCCC
CTCGCCAGTGCACCAACTACGCCCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGGC
CCCATGGAACAGGGGAAGGGCCTGGCTGTCTCATCCTGGCTATCATTCTTCTTCAAGGTAC
TTTGGCCCAGTCAATCAAAGGAAACCACTTGGTTAAGGTGTATGACTATCAAGAAGATGGTT
CGGTACTTCTGACTTGTGATGCAGAAGCCAAAAATATCACATGGTTTAAAGATGGGAAGATG
ATCGGCTTCTTAAGTGAAGATAAAAAAATGGAATCTGGGAAGTAATGCCAAGGACCCCTCG
TGGGATGTATCAGTGTAAGGATCACAGAACAAGTCAAAACCACTCCAAGTGTATTACAGAA
TGTGTGCAAGTGCATTGAACTAAATGCAGCCACCATATCTGGCTTTCTCTTTGCTGAAATC
GTCAGCATTTTCGTCTTGTGTTGGGGTCTACTTCATTGCTGGACAGGATGGAGTTGCGCA
GTCGAGAGCTTCAGACAAGCAGACTCTGTTGCCCAATGACCAGCTCTACCAGCCCCCTCAAGG
ATCGAGAAGATGACCAGTACAGCCACCTTCAAGGAAACCAAGTTGAGGAGGAATGTGAAGCAG
ACCCTGAACTTCGACCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGGCCCATGGA
GCACAGCACCTTCCTGAGCGGCCTGGTGCTGGCCACCCTGCTGAGCCAGGTGAGCCCCCTCA
AGATCCCCATCGAGGAGCTGGAGGACAGAGTGTTCGTGAACTGCAACACCAGCATCACCTGG
GTGGAGGGCACCGTGGGCACCCTGCTGAGCGACATCACAGACTGGACCTGGGCAAGAGAAT
CCTGGACCCAGAGGCATCTACAGATGCAACGGCACCGACATCTACAAGGACAAGGAGAGCA
CCGTGCAGGTGCACTACAGAATGTGCCAGAGCTGCGTGGAGCTGGACCCCGCCACCCTGGCC
GGCATCATCGTGACCGACGTGATCGCCACCCTGCTGCTGGCCCTGGGCGTGTTCTGCTTCGC
CGGCCACGAGACCGGCAGACTGAGCGGCGCCGCCGACACCCAGGCCCTGCTGAGAAACGACC
AGGTGTACCAGCCCCCTGAGAGACAGAGACGACGCCAGTACAGCCACCTGGGCGGCAACTGG
GCCAGAAACAAGGAGGGCAGAGGCAGCCTGCTGACCTGCGGCGACGTGGAGGAGAACCCCGG
CCCCATGCAGAGCGGCACCCACTGGAGAGTGTGGGCCTGTGCCTGCTGAGCGTGGGCGTGT
GGGGCCAGGACGGCAACGAGGAGATGGGCGGCATCACCCAGACCCCTACAAGGTGAGCATC

AGCGGCACCAACCGTGATCCTGACCTGCCCCAGTACCCCGGCAGCGAGATCCTGTGGCAGCA
 CAACGACAAGAACATCGGCGGCGACGAGGACGACAAGAACATCGGCAGCGACGAGGACCACC
 TGAGCCTGAAGGAGTTTCAGCGAGCTGGAGCAGAGCGGCTACTACGTGTGCTACCCAGAGGC
 AGCAAGCCCCGAGGACGCCAATTCTACCTGTACCTGAGAGCCAGAGTGTGCGAGAACTGCAT
 GGAGATGGACGTGATGAGCGTGGCCACCATCGTGATCGTGGACATCTGCATCACCGGCGGCC
 TGCTGCTGCTGGTGTACTACTGGAGCAAGAACAGAAAGGCCAAGGCCAAGCCCGTGACCAGA
 GGCGCCGGCGCCGGCGGCAGACAGAGAGGCCAGAACAAAGGAGAGACCCCCCCCCCGTGCCCAA
 CCCCCACTACGAGCCCATCAGAAAGGGCCAGAGAGACCTGTACAGCGGCCTGAACCAGAGAA
 GAATCGGACCGCAGTGTACTAATTATGCTCTCTTGAAATTGGCTGGAGATGTTGAGAGCAAT
 CCCGGGCC (SEQ ID NO: 62)

[0124] *SP CD8:*

MRICLTSDRLAPAAGLAAPRRQAV (SEQ ID NO: 63)

atgcgcatTTgcctgaccagcgatcgcttggcgccggcgggcctggcgggcgccgcgccg
 ccaggcggtg (SEQ ID NO: 64)

[0125] *IL-21:*

HKSSSQGQDRHMRQLIDIVDQLKNYVNDLVPEFLPAPEDVETNCEWSAFSCFQKAQLKS
 ANTGNNERIINVSIIKKLRKPPSTNAGRRQKHLRTPSCDSYEKKPPKEFLERFKSLQKMI
 HQHLSRTHGSEDS (SEQ ID NO: 65)

CATAAATCTTCCTCTCAAGGTCAGGACCGCCATATGATTGGAATGCGGCAGCTGATTGACAT
 AGTCGATCAACTGAAGAACTATGTGAATGATCTTGTGCCCCGAGTTTTTGCCAGCCCCCTGAAG
 ACGTAGAACTAATTGTGAGTGGAGTGCCTTTCTGCTTTCAAAAGGCACAGCTGAAATCC
 GCCAACACGGGCAATAACGAACGGATAATTAACGTATCCATTAAGAAGCTGAAGCGGAAGCC
 GCCCTCAACCAATGCGGGACGGCGGCAAAAGCATCGCTTGACCTGTCCGTCATGCGACAGCT
 ACGAGAAAAAGCCCCGAAGGAGTTCTTGGAACGCTTCAAGAGTCTCCTTCAGAAAATGATT
 CACCAGCACCTGTCCTCACGGACGCACGGAAGCGAGGACAGT (SEQ ID NO: 66)

[0126] *CD8 hinge:*

TTTPAPRPPTPAPTIASQPLSLRPEACRPAAGGAVHTRGLDFACD (SEQ ID NO: 67)

ACCACGACGCCAGCGCCGCGACCAACACCGGCGCCACCATCGCGTCGCAGCCCCCTGTC
 CCTGCGCCCAGAGGCGTGCCGGCCAGCGGCGGGGGCGCAGTGCACACGAGGGGGCTGGACT
 TCGCCTGTGAT (SEQ ID NO: 68)

[0127] *CD28 Transmembrane domain:*

FWVLVVVGVLACYSLLVTVAFIIFWV* (SEQ ID NO: 69)

TTTTGGGTGCTGGTGGTGGTGGTGGAGTCCTGGCTTGCTATAGCTTGCTAGTAACAGTGGC
 CTTTATTATTTCTGGGTG (SEQ ID NO: 70)

[0128] **Z3**: refers to full length CD3zeta, full length CD3 gamma, full length CD3 delta, and full length CD3 epsilon linked to membrane bound IL21 (with CD28 transmembrane domain for the membrane bound IL21), and it may also be referred to as CD3ZGDEFL8SP21CD8 with a representative sequence as follows:

MLEMKWKALFTAAILQAQLPITEAQSFGLLDPKLCYLLDGILFIYGVILTALFLRVKFSRSA
 DAPAYQQGQNQLYNELNLGRREEYDVLDKRRGRDPEMGGKPQRRKNPQEGLYNELQKDKMAE
 AYSEIGMKGERRRGKGGHDGLYQGLSTATKDTYDALHMQALPPRQCTNYALLKLAGDVESNPG
 PMEQQKGLAVLILAIILLQGTLAQSIKGNHLVKVYDYQEDGSVLLTCDAEAKNITWFKDGKM
 IGFLTEDKKKWNLGSNAKDPRGMYQCKGSQNKSKPLQVYYRMCQNCIELNAATISGFLFAEI
 VSIFVLAVGVYFIAGQDQVRQSRASDKQTLTPNDQLYQPLKDREDDQYSHLQGNQLRRNVKQ
 TLNFDLLKLAGDVESNPGMEHSTFLSGLVLATLLSQVSPFKIPIEELEDVRFVNCNTSITW
 VEGTVGTLLSDITRLDLGKRILDPRGIYRCNGTDIYKDKESTVQVHYRMCQSCVELDPATVA
 GIIIVTDVIATLLALLGVFCFAGHETGRLSGAADTQALLRNDQVYQPLRDRDDAQYSHLGGNW
 ARNKEGRGSLTTCGDVEENPGPMQSGTHWVRLGLCLLSVGVWGQDGNEEMGGITQTPYKVS I
 SGTTVILTTCPPYQSEILWQHNDKNIGGDEDDKNIGSDEDHLSLKEFSELEQSGYYVCYPRG
 SKPEDANFYLYLRARVCENCMEMDVMSVATIVIVDICITGGLLLL VYYWSKNRKAKAPVTR
 GAGAGGRQRGQNKERPPPVPNPDIYEP IIRKGQRDLYSGLNQRRIGPQCTNYALLKLAGDVESN
 PGPMRICLTSDRLAPAAGLAAPRRQAVHKSSSQGQDRHMIRMRLIDIVDQLKKNYVNDLVPE
 FLPAPEDVETNCEWSAFSCFQKAQLKSANTGNNERIINVS IKKLKRKPPSTNAGRRQKHRLT
 CPSCDSYEKKPPKEFLERFKSLLQKMIHQHLSRTHGSEDSTTTPAPRPPTPAPTIASQPLS
 LRPEACRPAAGGAVHTRGLDFACDIYIWAPLAGTCGVLLLSLVIT (SEQ ID NO: 71).

[0129] For CD3ZGDEFL8SP21CD8, the corresponding component sequences are as follows, although these particular sequences or others may be utilized in this and/or other constructs:

[0130] CD3:

MLEMKWKALFTAAILQAQLPITEAQSFGLLDPKLCYLLDGILFIYGVILTALFLRVKFSRSA
 DAPAYQQGQNQLYNELNLGRREEYDVLDKRRGRDPEMGGKPQRRKNPQEGLYNELQKDKMAE
 AYSEIGMKGERRRGKGGHDGLYQGLSTATKDTYDALHMQALPPRQCTNYALLKLAGDVESNPG
 PMEQQKGLAVLILAIILLQGTLAQSIKGNHLVKVYDYQEDGSVLLTCDAEAKNITWFKDGKM
 IGFLTEDKKKWNLGSNAKDPRGMYQCKGSQNKSKPLQVYYRMCQNCIELNAATISGFLFAEI
 VSIFVLAVGVYFIAGQDQVRQSRASDKQTLTPNDQLYQPLKDREDDQYSHLQGNQLRRNVKQ
 TLNFDLLKLAGDVESNPGMEHSTFLSGLVLATLLSQVSPFKIPIEELEDVRFVNCNTSITW
 VEGTVGTLLSDITRLDLGKRILDPRGIYRCNGTDIYKDKESTVQVHYRMCQSCVELDPATVA
 GIIIVTDVIATLLALLGVFCFAGHETGRLSGAADTQALLRNDQVYQPLRDRDDAQYSHLGGNW
 ARNKEGRGSLTTCGDVEENPGPMQSGTHWVRLGLCLLSVGVWGQDGNEEMGGITQTPYKVS I
 SGTTVILTTCPPYQSEILWQHNDKNIGGDEDDKNIGSDEDHLSLKEFSELEQSGYYVCYPRG
 SKPEDANFYLYLRARVCENCMEMDVMSVATIVIVDICITGGLLLL VYYWSKNRKAKAPVTR
 GAGAGGRQRGQNKERPPPVPNPDIYEP IIRKGQRDLYSGLNQRRIGPQCTNYALLKLAGDVESN
 PGP (SEQ ID NO: 61)

ATGCTCGAGATGAAGTGAAGGCGCTTTTCACCGCGGCCATCCTGCAGGCACAGTTGCCGAT
 TACAGAGGCACAGAGCTTTGGCCTGCTGGATCCCAAACTCTGCTACCTGCTGGATGGAATCC
 TCTTCATCTATGGTGTCTATTCTCACTGCCTTGTTTCTGAGAGTGAAGTTCAGCAGGAGCGCA
 GACGCCCCCGCTACCAGCAGGGCCAGAACCAGCTCTATAACGAGCTCAATCTAGGACGAAG
 AGAGGAGTACGATGTTTTGGACAAGAGACGTGGCCGGGACCCTGAGATGGGGGGAAAGCCGC
 AGAGAAGGAAGAACCCTCAGGAAGGCCTGTACAATGAAGTGCAGAAAGATAAGATGGCGGAG
 GCCTACAGTGAGATTGGGATGAAAGGCGAGCGCCGGAGGGGCAAGGGGCACGATGGCCTTTA
 CCAGGGTCTCAGTACAGCCACCAAGGACACCTACGACGCCCTTCACATGCAGGCCCTGCCCC
 CTCGCCAGTGCACCAACTACGCCCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGGC
 CCCATGGAACAGGGGAAGGGCCTGGCTGTCCTCATCTGCTATCATTTCTTCAAGGTAC
 TTTGGCCAGTCAATCAAAGGAAACCACTTGTTAAGGTGTATGACTATCAAGAAGATGGTT
 CGGTACTTCTGACTTGTGATGCAGAAGCCAAAAATATCACATGGTTTAAAGATGGGAAGATG

ATCGGCTTCCTAACTGAAGATAAAAAAAAAAATGGAATCTGGGAAGTAATGCCAAGGACCCTCG
TGGGATGTATCAGTGTAAGGATCACAGAACAAGTCAAAACCACTCCAAGTGTATTACAGAA
TGTGTCAGAACTGCATTGAACTAAATGCAGCCACCATATCTGGCTTTCTCTTTGCTGAAATC
GTCAGCATTTTCGTCCTTGCTGTTGGGGTCTACTTCATTGCTGGACAGGATGGAGTTTCGCCA
GTGAGAGCTTCAGACAAGCAGACTCTGTTGCCCAATGACCAGCTCTACCAGCCCCCTCAAGG
ATCAGAGAAGATGACCAGTACAGCCACCTTCAAGGAAACCAGTTGAGGAGGAATGTGAAGCAG
ACCCTGAACTTCGACCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGCCCCATGGA
GCACAGCACCTTCCTGAGCGGCCTGGTGCTGGCCACCCTGCTGAGCCAGGTGAGCCCCCTCA
AGATCCCCATCGAGGAGCTGGAGGACAGAGTGTTCTGTAAGTGAACACCAGCATCACCTGG
GTGGAGGGCACCGTGGGCACCCTGCTGAGCGACATCACCAGACTGGACCTGGGCAAGAGAAT
CCTGGACCCCGAGAGGCATCTACAGATGCAACGGCACCGACATCTACAAGGACAAGGAGAGCA
CCGTGCAGGTGCACTACAGAATGTGCCAGAGCTGCGTGGAGCTGGACCCCGCCACCGTGGCC
GGCATCATCGTGACCGACGTGATCGCCACCCTGCTGCTGGCCCTGGGCGTGTTCTGCTTCGC
CGGCCACGAGACCGGCAGACTGAGCGGCGCCGCCGACACCCAGGCCCTGCTGAGAAACGACC
AGGTGTACCAGCCCCCTGAGAGACAGAGACGACGCCCAGTACAGCCACCTGGGCGGCAACTGG
GCCAGAAACAAGGAGGGCAGAGGCAGCCTGCTGACCTGCGGCGACGTGGAGGAGAACCCCGG
CCCCATGCAGAGCGGCACCCACTGGAGAGTGCTGGGCCTGTGCCTGCTGAGCGTGGGCGTGT
GGGGCCAGGACGGCAACGAGGAGATGGGCGGCATCACCCAGACCCCTACAAGGTGAGCATC
AGCGGCACCACCGTGATCCTGACCTGCCCCAGTACCCCGGCAGCGAGATCCTGTGGCAGCA
CAACGACAAGAACATCGGCGGCGACGAGGACGACAAGAACATCGGCAGCGACGAGGACCACC
TGAGCCTGAAGGAGTTTCAGCGAGCTGGAGCAGAGCGGCTACTACGTGTGCTACCCCGAGAGGC
AGCAAGCCCCGAGGACGCCAATTCTACCTGTACCTGAGAGCCAGAGTGTCGAGAACTGCAT
GGAGATGGACGTGATGAGCGTGGCCACCATCGTGATCGTGGACATCTGCATCACCGGCGGCC
TGCTGCTGCTGGTGTACTACTGGAGCAAGAACAGAAAGGCCAAGGCCAAGCCCGTGACCAGA
GGCGCCGGCGCCGGCGGCAGACAGAGAGGCCAGAACAAAGGAGAGACCCCCCCCCCGTGCCCAA
CCCCGACTACGAGCCCATCAGAAAGGGCCAGAGAGACCTGTACAGCGGCCTGAACCAGAGAA
GAATCGGACCGCAGTGTAATAATTATGCTCTCTTGAAATTGGCTGGAGATGTTGAGAGCAAT
CCCGGGCCC (SEQ ID NO: 62)

[0131] SP CD8:

MRICLTSDRLAPAAGLAAPRRQAV (SEQ ID NO: 63)

atgcgcatttgcctgaccagcgatcgccctggcgccggcgggcgccctggcgggcgccgcgccc
ccaggcggtg (SEQ ID NO: 64)

[0132] IL-21:

HKSSSQGQDRHMIRMRLIDIVDQLKNYVNDLVPEFLPAPEDVETNCEWSAFSCFQKAQLKS
ANTGNNERIINVS IKKLKRKPPSTNAGRRQKHLRTPSCDSYEKKPPKEFLERFKSLQKMI
HQHLSRTHGSEDS (SEQ ID NO: 65)

cataaatcttcctctcaaggtcaggaccgccatattgattcgaatgcggcagctgattgacat
agtcgatcaactgaagaactatgtgaatgatcttctgccccgagtttttgccagccccctgaag
acgtagaaactaattgtgagtgagtgcccttttcctgctttcaaaaggcacagctgaaatcc
gccaacacgggcaataacgaacggataattaacgtatccattaagaagctgaagcggaagcc
gccctcaaccaatgcgggacggcggaagcatcgcttgacctgtccgtcatgcgacagct
acgagaaaaagccccgaaggagttcttgaacgcttcaagagtctccttcagaaaaatgatt
caccagcacctgtcctcacggacgcacggaagcgaggacagt (SEQ ID NO: 65)

[0133] CD8 hinge:

TTTPAPRPPTPAPTIASQPLSLRPEACRPAAGGAVHTRGLDFACD (SEQ ID NO: 67)

ACCACGACGCCAGCGCCGCGACCACCAACACCGGCGCCACCATCGCGTCGCAGCCCCCTGTC
CCTGCGCCCAGAGGCGTGCCGGCCAGCGGCGGGGGCGCAGTGCACACGAGGGGGCTGGACT
TCGCCTGTGAT (SEQ ID NO: 68)

[0134] CD8 Transmembrane Domain:

IYIWAPLAGTCGVLLLLSLVIT* (SEQ ID NO: 72)

ATCTACATCTGGGCGCCCTTGGCCGGGACTTGTGGGGTCCTTCTCCTGTCACTGGTTATCAC
C (SEQ ID NO: 73)

[0135] In certain embodiments, provided herein are CD3 constructs comprising a fusion with an intracellular co-stimulatory domain derived from CD16, NKG2D, DAP10, DAP12, 2B4, 4-1BB, CD2, CD28, DNAM, or any combination thereof. In certain embodiments, an intracellular co-stimulatory domain is fused to CD3 δ , CD3 ϵ , CD3 γ , and/or CD3 ζ . In certain embodiments, such a CD3 fusion construct comprises a CD3 ζ fused to a DAP10 intracellular co-stimulatory domain. In certain embodiments, such a CD3 fusion construct comprises a CD3 ζ fused to a CD28 intracellular co-stimulatory domain. In certain embodiments, such a CD3 fusion construct comprises a CD3 ζ fused to a DAP10 intracellular co-stimulatory domain and a CD28 intracellular co-stimulatory domain. In certain embodiments, a CD3 ζ fused to a DAP10 intracellular co-stimulatory domain is represented by a nucleotide sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 106. In certain embodiments, a CD3 ζ fused to a CD28 intracellular co-stimulatory domain is represented by a nucleotide sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 107. In certain embodiments, a CD3 ζ fused to a DAP10 intracellular co-stimulatory domain and a CD28 intracellular co-stimulatory domain is represented by a nucleotide sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 108. In certain embodiments, a CD3 ζ fused to a DAP10 intracellular co-stimulatory domain is represented by an amino acid sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 109. In certain embodiments, a CD3 ζ fused to a CD28 intracellular co-stimulatory domain is represented by an amino acid sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 110. In certain embodiments, a

CD3 ζ fused to a DAP10 intracellular co-stimulatory domain and a CD28 intracellular co-stimulatory domain is represented by an amino acid sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 111. In certain embodiments, a CD3 ζ fused to an intracellular domain may not comprise a C terminal 2A domain. In certain embodiments, a CD3 ζ fused to an intracellular domain may not comprise an N terminal signal peptide domain.

ATGAAGTGGAAGGCGCTTTTCACCGCGGCCATCCTGCAGGCACAGTTGCCGATTACAGAGGC
ACAGAGCTTTGGCCTGCTGGATCCCAAACCTCTGCTACCTGCTGGATGGAATCCTCTTCATCT
ATGGTGTCAATTCTCACTGCCTTGTTCTGCTTTGCGCACGCCCACGCCGAGCCCCGCCAA
GAAGATGGCAAAGTCTACATCAACATGCCAGGCAGGGGCAGAGTGAAGTTCAGCAGGAGCGC
AGACGCCCCCGCTACCAGCAGGGCCAGAACCAGCTCTATAACGAGCTCAATCTAGGACGAA
GAGAGGAGTACGATGTTTTGGACAAGAGACGTGGCCGGGACCCTGAGATGGGGGGAAAGCCG
CAGAGAAGGAAGAACCCTCAGGAAGGCCTGTACAATGAACTGCAGAAAGATAAGATGGCGGA
GGCCTACAGTGAGATTGGGATGAAAGGCGAGCGCCGGAGGGGCAAGGGGCACGATGGCCTTT
ACCAGGGTCTCAGTACAGCCACCAAGGACACCTACGACGCCCTTCACATGCAGGCCCTGCCC
CCTCGCCAGTGCACCAACTACGCCCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGG
CCCC (SEQ ID NO: 106)

ATGAAGTGGAAGGCGCTTTTCACCGCGGCCATCCTGCAGGCACAGTTGCCGATTACAGAGGC
ACAGAGCTTTGGCCTGCTGGATCCCAAACCTCTGCTACCTGCTGGATGGAATCCTCTTCATCT
ATGGTGTCAATTCTCACTGCCTTGTTCTGAGGAGTAAGAGGAGCAGGCTCCTGCACAGTGAC
TACATGAACATGACTCCCCGCCGCCCGGGCCACCCGCAAGCATTACCAGCCCTATGCCCC
ACCACGCGACTTCGACGCCTATCGCTCAAGAGTGAAGTTCAGCAGGAGCGCAGACGCCCCCG
CGTACCAGCAGGGCCAGAACCAGCTCTATAACGAGCTCAATCTAGGACGAAGAGAGGAGTAC
GATGTTTTGGACAAGAGACGTGGCCGGGACCCTGAGATGGGGGGAAAGCCGCAGAGAAGGAA
GAACCCTCAGGAAGGCCTGTACAATGAACTGCAGAAAGATAAGATGGCGGAGGCCTACAGTG
AGATTGGGATGAAAGGCGAGCGCCGGAGGGGCAAGGGGCACGATGGCCTTTACCAGGGTCTC
AGTACAGCCACCAAGGACACCTACGACGCCCTTCACATGCAGGCCCTGCCCCCTCGCCAGTG
CACCAACTACGCCCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGGCCCC (SEQ ID
NO: 107)

ATGAAGTGGAAGGCGCTTTTCACCGCGGCCATCCTGCAGGCACAGTTGCCGATTACAGAGGC
ACAGAGCTTTGGCCTGCTGGATCCCAAACCTCTGCTACCTGCTGGATGGAATCCTCTTCATCT
ATGGTGTCAATTCTCACTGCCTTGTTCTGAGGAGTAAGAGGAGCAGGCTCCTGCACAGTGAC
TACATGAACATGACTCCCCGCCGCCCGGGCCACCCGCAAGCATTACCAGCCCTATGCCCC
ACCACGCGACTTCGACGCCTATCGCTCACTTTGCGCACGCCCACGCCGAGCCCCGCCAAG
AAGATGGCAAAGTCTACATCAACATGCCAGGCAGGGGCAGAGTGAAGTTCAGCAGGAGCGCA
GACGCCCCCGCTACCAGCAGGGCCAGAACCAGCTCTATAACGAGCTCAATCTAGGACGAAG
AGAGGAGTACGATGTTTTGGACAAGAGACGTGGCCGGGACCCTGAGATGGGGGGAAAGCCGC
AGAGAAGGAAGAACCCTCAGGAAGGCCTGTACAATGAACTGCAGAAAGATAAGATGGCGGAG
GCCTACAGTGAGATTGGGATGAAAGGCGAGCGCCGGAGGGGCAAGGGGCACGATGGCCTTTA
CCAGGGTCTCAGTACAGCCACCAAGGACACCTACGACGCCCTTCACATGCAGGCCCTGCCCC
CTCGCCAGTGCACCAACTACGCCCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGGC
CCC (SEQ ID NO: 108)

MKWKALFTAAILQAQLPITEAQSFGLLDPKLCYLLDGILFIYGVILTALFLLCARPRRSPAQ
EDGKVYINMPGRGRVKFSRSADAPAYQQGQNQLYNELNLGRREEYDVLDKRRGRDPGEMGGKP
QRRKNPQEGLYNELQKDKMAEAYSEIGMKGERRRGKGDGLYQGLSTATKDTYDALHMQALP
PRQCTNYALLKLAGDVESNPGP (SEQ ID NO: 109)

MKWKALFTAAILQAQLPITEAQSFGLLDPKLCYLLDGILFIYGVILTALFLRSKRSRLLHSD
YMNMTPRRPGPTRKHYPYAPPRDFAAYRSRVKFSRSADAPAYQQGQNQLYNELNLGRREEY
DVLDKRRGRDPGEMGGKPQRRKNPQEGLYNELQKDKMAEAYSEIGMKGERRRGKGDGLYQGL
STATKDTYDALHMQALPPRQCTNYALLKLAGDVESNPGP (SEQ ID NO: 110)

MKWKALFTAAILQAQLPITEAQSFGLLDPKLCYLLDGILFIYGVILTALFLRSKRSRLLHSD
YMNMTPRRPGPTRKHYPYAPPRDFAAYRSLCARPRRSPAQEDGKVYINMPGRGRVKFSRSA
DAPAYQQGQNQLYNELNLGRREEYDVLDKRRGRDPGEMGGKPQRRKNPQEGLYNELQKDKMAE
AYSEIGMKGERRRGKGDGLYQGLSTATKDTYDALHMQALPPRQCTNYALLKLAGDVESNPG
P (SEQ ID NO: 111)

[0136] In certain embodiments, a DAP10 intracellular co-stimulatory domain is represented by a nucleotide sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 112. In certain embodiments, a CD28 intracellular co-stimulatory domain is represented by a nucleotide sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 113. In certain embodiments, a DAP10 intracellular co-stimulatory domain and CD28 intracellular co-stimulatory domain is represented by a nucleotide sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 114. In certain embodiments, a DAP10 intracellular co-stimulatory domain is represented by an amino acid sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 115. In certain embodiments, a CD28 intracellular co-stimulatory domain is represented by an amino acid sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 116. In certain embodiments, a DAP10 intracellular co-stimulatory domain and CD28 intracellular co-stimulatory domain is represented by an amino acid sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 117.

CTTTGCGCACGCCCACGCCGAGCCCCGCCCAAGAAGATGGCAAAGTCTACATCAACATGCC
AGGCAGGGGC (SEQ ID NO: 112)

AGGAGTAAGAGGAGCAGGCTCCTGCACAGTGAACATGACTCCCCGCCGCCCCGG
GCCCACCCGCAAGCATTACCAGCCCTATGCCCCACCACGCGACTTCGCAGCCTATCGCTCA (SEQ ID NO: 113)

AGGAGTAAGAGGAGCAGGCTCCTGCACAGTGAACATGACTCCCCGCCGCCCCGG
GCCCACCCGCAAGCATTACCAGCCCTATGCCCCACCACGCGACTTCGCAGCCTATCGCTCAC
TTTGGCGCACGCCCACGCCGAGCCCCGCCCAAGAAGATGGCAAAGTCTACATCAACATGCCA
GGCAGGGGC (SEQ ID NO: 114)

LCARPRRSPAQEDGKVYINMPGRG (SEQ ID NO: 115)

RSKRSRLHSDYMNMTPRRPGPTRKHYPYAPPRDFAAYRS (SEQ ID NO: 116)

RSKRSRLHSDYMNMTPRRPGPTRKHYPYAPPRDFAAYRSLCARPRRSPAQEDGKVYINMP
GRG (SEQ ID NO: 117)

[0137] UTNK15-DAP10: refers to full length CD3zeta comprising a fusion with an intracellular co-stimulatory domain derived from DAP10, full length CD3 gamma, full length CD3 delta, and full length CD3 epsilon linked to IL15, it may be represented by a nucleotide sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 118. In certain embodiments, a UTKN15-DAP10 amino acid sequence may be represented by an amino acid sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 119.

ATGAAGTGGAAAGGCGCTTTTACCCGCGGCCATCCTGCAGGCACAGTTGCCGATTACAGAGGC
ACAGAGCTTTGGCCTGCTGGATCCCAAACTCTGCTACCTGCTGGATGGAATCCTCTTCATCT
ATGGTGTCTATTCTCACTGCCTTGTTCTGCTTTGCGCACGCCCACGCCGAGCCCCGCCCA
GAAGATGGCAAAGTCTACATCAACATGCCAGGCAGGGGCAGAGTGAAGTTCAGCAGGAGCGC
AGACGCCCCCGCTACCAGCAGGGCCAGAACCAGCTCTATAACGAGCTCAATCTAGGACGAA
GAGAGGAGTACGATGTTTTGGACAAGAGACGTGGCCGGGACCCCTGAGATGGGGGAAAGCCG
CAGAGAAGGAAGAACCCTCAGGAAGGCCTGTACAATGAACTGCAGAAAGATAAGATGGCGGA
GGCCTACAGTGAGATTGGGATGAAAGGCGAGCGCCGGAGGGGCAAGGGGCACGATGGCCTTT
ACCAGGGTCTCAGTACAGCCACCAAGGACACCTACGACGCCCTTCACATGCAGGCCCTGCCC
CCTCGCCAGTGCACCAACTACGCCCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGG
CCCCATGGAACAGGGGAAGGGCCTGGCTGTCCTCATCCTGGCTATCATTCTTCTTCAAGGTA
CTTTGGCCCAGTCAATCAAAGGAAACCACTTGGTTAAGGTGTATGACTATCAAGAAGATGGT
TCGGTACTTCTGACTTGTGATGCAGAAGCCAAAAATATCACATGGTTTAAAGATGGGAAGAT
GATCGGCTTCTTAAGTGAAGATAAAAAAATGGAATCTGGGAAGTAATGCCAAGGACCCCTC
GTGGGATGTATCAGTGTAAAGGATCACAGAACAAGTCAAAACCACTCCAAGTGTATTACAGA
ATGTGTCAGAACTGCATTGAAGTAAATGCAGCCACCATATCTGGCTTTCTTTGCTGAAAT
CGTCAGCATTTTCGTCCTTGCTGTTGGGGTCTACTTCATTGCTGGACAGGATGGAGTTCGCC
AGTCGAGAGCTTCAGACAAGCAGACTCTGTTGCCAATGACCAGCTCTACCAGCCCCCTCAAG

GATCGAGAAGATGACCAGTACAGCCACCTTCAAGGAAACCAGTTGAGGAGGAATGTGAAGCA
GACCCTGAACTTCGACCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGGCCCATGG
AGCACAGCACCTTCCTGAGCGGCCTGGTGTGGCCACCCTGCTGAGCCAGGTGAGCCCCCTTC
AAGATCCCCATCGAGGAGCTGGAGGACAGAGTGTTCTGTAAGTGAACACCAGCATCACCTG
GGTGGAGGGCACCGTGGGCACCCTGCTGAGCGACATCACCAGACTGGACCTGGGCAAGAGAA
TCCTGGACCCCAAGAGGCATCTACAGATGCAACGGCACCGACATCTACAAGACAAGGAGAGC
ACCGTGCAGGTGCACTACAGAATGTGCCAGAGCTGCGTGGAGCTGGACCCCGCCACCGTGGC
CGGCATCATCGTGACCGACGTGATCGCCACCCTGCTGCTGGCCCTGGGCGTGTCTGCTTCG
CCGGCCACGAGACCGGCAGACTGAGCGGCGCCGCCGACACCCAGGCCCTGCTGAGAAACGAC
CAGGTGTACCAGCCCCCTGAGAGACAGAGACGACGCCAGTACAGCCACCTGGGCGGCAACTG
GGCCAGAAACAAGGAGGGCAGAGGCAGCCTGCTGACCTGCGGCGACGTGGAGGAGAACCCCG
GCCCCATGCAGAGCGGCACCCACTGGAGAGTGCTGGGCCTGTGCCTGCTGAGCGTGGGCGTG
TGGGGCCAGGACGGCAACGAGGAGATGGGCGGCATCACCCAGACCCCCCTACAAGGTGAGCAT
CAGCGGCACCACCGTGATCCTGACCTGCCCCAGTACCCCGGCAGCGAGATCCTGTGGCAGC
ACAACGACAAGAATCGGCGGCGACGAGGACGACAAGAATCGGCAGCGACGAGGACCAC
CTGAGCCTGAAGGAGTTCAGCGAGCTGGAGCAGAGCGGCTACTACGTGTGCTACCCAGAGG
CAGCAAGCCCGAGGACGCCAAGTCTACCTGTACCTGAGAGCCAGAGTGTGCGAGAAGTGA
TGGAGATGGACGTGATGAGCGTGGCCACCATCGTGATCGTGGACATCTGCATCACCGGCGGC
CTGCTGCTGCTGGTGTACTACTGGAGCAAGAAGCAAGGCCAAGGCCAAGCCCGTGACCAG
AGGCGCCGGCGCCGGCGGCAGACAGAGAGGCCAGAACAAGGAGAGACCCCCCCCCCGTGCCCA
ACCCCGACTACGAGCCCATCAGAAAGGGCCAGAGAGACCTGTACAGCGGCCTGAACCAGAGA
AGAATCGGACCGCAGTGTACTAATTATGCTCTCTTGAAATTGGCTGGAGATGTTGAGAGCAA
TCCCGGGCCCATGCGCATTAGCAAGCCCCACCTGCGGAGCATCAGCATCCAGTGCTACCTGT
GCCTGCTGCTGAACAGCCACTTCCTGACCGAGGCCGCGCATCCACGTGTTTCATCCTGGGCTGC
TTCAGCGCCGACTGCCCAAGACCGAGGCCAAGTGGTGAACGTGATCAGCGACCTGAAGAA
GATCGAGGACCTGATCCAGAGCATGCACATCGACGCCACCCTGTACACCGAGAGCGACGTGC
ACCCAGCTGCAAGGTGACCGCCATGAAGTGCTTTCTGCTGGAAGTGCAGGTGATCAGCCTG
GAAAGCGGCGACGCCAGCATCCACGACACCGTGGAGAACCTGATCATCCTGGCCAACAACAG
CCTGAGCAGCAACGGCAACGTGACCGAGAGCGGCTGCAAAGAGTGCGAGGAAGTGAAGAGA
AGAACATCAAAGAGTTTCTGCAGAGCTTCGTGCACATCGTGCAGATGTTTCATCAACACCAGC
(SEQ ID NO: 118)

MKWKALFTAAILQAQLPITEAQSFGLLDPKLCYLLDGILFIYGVILTALFLLCARPRRSPAQ
EDGKVYINMPGRGRVKFSRSADAPAYQQGQNQLYNELNLGRREEYDVLDKRRGRDPGEMGGKP
QRRKNPQEGLYNELQKDKMAEAYSEIGMKGERRRGKGHDGLYQGLSTATKDTYDALHMQALP
PRQCTNYALLKLAGDVESNPGPMEQGKGLAVLILAIILLQGTLAQSIKGNHLVKVYDYQEDG
SVLLTCDAEAKNITWFKDGKMIGFLTEDKKKWNLSNAKDPRGMYQCKGSQNKSKPLQVYYR
MCQNCIELNAATISGFLFAEIVSIFVLAVGVYFIAGQDGVQRASDKQTLLPNDQLYQPLK
DREDDQYSHLQGNQLRRNVKQTLNFDLLKLAGDVESNPGPMEHSTFLSGLVLATLLSQVSPF
KIPIEELEDVRFVNCNTSITWVEGTGTLTSDITRLDLGKRILDPRGIYRCNGTDIYKDKE
TVQVHYRMCQSCVELDPATVAGIIVTDVIATLLALGVFCFAGHETGRLSGAADTQALLRND
QVYQPLRDRDDAQYSHLGGNWARNKEGRSLLTCGDVEENPGPMQSGTHWRVLGLCLLSVGV
WGQ.DGNEEMGGITQTPYKVSISGTTVILTCPQYPGSEILWQHNDKNIGGDEDDKNIGSDED
HLSLKEFSELEQSGYYVCYPRGSKPEDANFYLYLRARVCENCMEMDVMSVATIVIVDICITG
GLLLL VYYWSKNRKAKAPVTRGAGAGGRQGRQNKERPPVPNPDYEPIRKGQRDLYSGLNQ
RRIGPQCTNYALLKLAGDVESNPGPMRISKPHLSISIQCYLCLLLNSHFLTEAGIHVFILG
CFSAGLPKTEANWVNVISDLKKIEDLIQSMHIDATLYTESDVHPSCKVTAMKCFLELQVIS
LESGDASIHDTVENLIILANNSLSSNGNVTESGCKECEEELEEKNIKEFLQSFVHIVQMFINT
S (SEQ ID NO: 119)

[0138] **UTNK15-28**: refers to full length CD3zeta comprising a fusion with an intracellular co-stimulatory domain derived from CD28, full length CD3 gamma, full length CD3 delta, and full length CD3 epsilon linked to IL15, it may be represented by a nucleotide sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 120. In certain embodiments, a UTKN15-28 amino acid sequence may be represented by an amino acid sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 121.

```
ATGAAGTGGAAAGGCGCTTTTCACCGCGGCCATCCTGCAGGCACAGTTGCCGATTACAGAGGC
ACAGAGCTTTGGCCTGCTGGATCCCAAACCTCTGCTACCTGCTGGATGGAATCCTCTTCATCT
ATGGTGTCAATTCTCACTGCCTTGTTCTTGAGGAGTAAGAGGAGCAGGCTCCTGCACAGTGAC
TACATGAACATGACTCCCCGCCGCCCGGGCCACCCGCAAGCATTACCAGCCCTATGCCCC
ACCACGCGACTTCGCAGCCTATCGCTCAAGAGTGAAGTTCAGCAGGAGCGCAGACGCCCCCG
CGTACCAGCAGGGCCAGAACCAGCTCTATAACGAGCTCAATCTAGGACGAAGAGAGGAGTAC
GATGTTTTGGACAAGAGACGTGGCCGGGACCCCTGAGATGGGGGGAAAGCCGCAGAGAAGGAA
GAACCCTCAGGAAGGCCTGTACAATGAAGTGCAGAAAGATAAGATGGCGGAGGCCTACAGTG
AGATTGGGATGAAAGGCGAGCGCCGGAGGGGCAAGGGGCACGATGGCCTTTACCAGGGTCTC
AGTACAGCCACCAAGGACACCTACGACGCCCTTCACATGCAGGCCCTGCCCCCTCGCCAGTG
CACCAACTACGCCCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGGCCCATGGAAC
AGGGGAAGGGCCTGGCTGTCCTCATCCTGGCTATCATTCTTCTTCAAGGTACTTTGGCCCAG
TCAATCAAAGGAAACCACTTGGTTAAGGTGTATGACTATCAAGAAGATGGTTCGGTACTTCT
GACTTGTGATGCAGAAGCCAAAAATATCACATGGTTTTAAAGATGGGAAGATGATCGGCTTCC
TAACTGAAGATAAAAAAATGGAATCTGGGAAGTAATGCCAAGGACCCTCGTGGGATGTAT
CAGTGTAAGGATCACAGAACAAGTCAAAACCACTCCAAGTGTATTACAGAATGTGTTCAGAA
CTGCATTGAACTAAATGCAGCCACCATATCTGGCTTTTCTCTTTGCTGAAATCGTCAGCATTT
TCGTCTTTGCTGTTGGGGTCTACTTCATTGCTGGACAGGATGGAGTTCGCCAGTCGAGAGCT
TCAGACAAGCAGACTCTGTTGCCCAATGACCAGCTCTACCAGCCCCTCAAGGATCGAGAAGA
TGACCAGTACAGCCACCTTCAAGGAAACCAAGTTGAGGAGGAATGTGAAGCAGACCCTGAACT
TCGACCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGGCCCATGGAGCACAGCACC
TTCCTGAGCGGCCTGGTGCTGGCCACCCTGCTGAGCCAGGTGAGCCCCTTCAAGATCCCCAT
CGAGGAGCTGGAGGACAGAGTGTTCGTGAAGTGAACACCAGCATCACCTGGGTGGAGGGCA
CCGTGGGCACCCCTGCTGAGCGACATCACCAAGTGGACCTGGGCAAGAGAATCCTGGACCCC
AGAGGCATCTACAGATGCAACGGCACCGACATCTACAAGGACAAGGAGAGCACCGTGCAGGT
GCACTACAGAATGTGCCAGAGCTGCGTGGAGCTGGACCCCGCCACCGTGGCCGGCATCATCG
TGACCGACGTGATCGCCACCCTGCTGCTGGCCCTGGGCGTGTCTGCTTCGCCGGCCACGAG
ACCGGCAGACTGAGCGGCGCCGCCGACACCCAGGCCCTGCTGAGAAACGACCAGGTGTACCA
GCCCCTGAGAGACAGAGACGACGCCCAGTACAGCCACCTGGGCGGCAACTGGGCCAGAAACA
AGGAGGGCAGAGGCAGCCTGCTGACCTGCGGCGACGTGGAGGAGAACCCCGGCCCATGCGAG
AGCGGCACCCACTGGAGAGTGTGGGCCCTGTGCCTGCTGAGCGTGGGCGTGTGGGGCCAGGA
CGGCAACGAGGAGATGGGCGGCATCACCCAGACCCCTACAAGGTGAGCATCAGCGGCACCA
CCGTGATCCTGACCTGCCCCAGTACCCGGCAGCGAGATCCTGTGGCAGCACAAACGACAAG
AACATCGGCGGCGACGAGGACGACAAGAACATCGGCAGCGACGAGGACCACCTGAGCCTGAA
GGAGTTCAGCGAGCTGGAGCAGAGCGGCTACTACGTGTGCTACCCAGAGGCAGCAAGCCCG
AGGACGCCAACTTCTACCTGTACCTGAGAGCCAGAGTGTGCGAGAAGTGCATGGAGATGGAC
```

GTGATGAGCGTGGCCACCATCGTGATCGTGGACATCTGCATCACCGGCGGCCTGCTGCTGCT
 GGTGTACTACTGGAGCAAGAACAGAAAAGGCCAAGGCCAAGCCCGTGACCAGAGGCGCCGGCG
 CCGGCGGCAGACAGAGAGGCCAGAACAAAGGAGAGACCCCCCCCCCGTGCCCAACCCCGACTAC
 GAGCCCATCAGAAAGGGCCAGAGAGACCTGTACAGCGGCCTGAACCAGAGAAGAATCGGACC
 GCAGTGTACTAATTATGCTCTCTTGAAAATTGGCTGGAGATGTTGAGAGCAATCCCGGGCCCA
 TGCGCATTAGCAAGCCCCACCTGCGGAGCATCAGCATCCAGTGCTACCTGTGCCTGCTGCTG
 AACAGCCACTTCCCTGACCGAGGCGGCATCCACGTGTTTCATCCTGGGCTGCTTCAGCGCCGG
 ACTGCCCAAGACCGAGGCCAAGTGGGTGAACGTGATCAGCGACCTGAAGAAGATCGAGGACC
 TGATCCAGAGCATGCACATCGACGCCACCCGTGTACACCGAGAGCGACGTGCACCCAGCTGC
 AAGGTGACCGCCATGAAGTGCTTTCTGCTGGAAGTGCAGGTGATCAGCCTGGAAAGCGGCGA
 CGCCAGCATCCACGACACCGTGGAGAACCTGATCATCCTGGCCAACAACAGCCTGAGCAGCA
 ACGGCAACGTGACCGAGAGCGGCTGCAAAGAGTGCGAGGAACTGGAAGAGAAGAACATCAAA
 GAGTTTCTGCAGAGCTTCGTGCACATCGTGAGATGTTTCATCAACACCAGC (SEQ ID NO:
 120)

MKWKALFTAAILQAQLPITEAQSFGLLDPKLCYLLDGILFIYGVILTALFLRSKRSRLHSD
 YNMTPRRPGPTRKHYQPYAPPRDFAAYRSRVKFSRSADAPAYQQGQNQLYNELNLGRREEY
 DVLDKRRGRDPGEMGGKPPRRKNPQEGLYNELQKDKMAEAYSEIGMKGERRRGKGGHDGLYQGL
 STATKDTYDALHMQALPPRQCTNYALLKLAGDVESNPGPMEQGKGLAVLILAIILLQGTLAQ
 SIKGNHLVKVYDYQEDGSVLLTCDAEAKNITWFKDGKMGFLTEDKKKWNLSNAKDPRGMY
 QCKGSQNKSKPLQVYRMCQNCIELNAATISGFLFAEIVSIFVLAVGVYFIAGQDGVQRSA
 SDKQTLPLNDQLYQPLKDREDDQYSHLQGNQLRRNVKQTLNFDLLKLAGDVESNPGPMEHST
 FLSGLVLATLLSQVSPFKIPIEELEDVRFVNCNTSITWVEGTVGTLLSDITRLDLGKRILDP
 RGIYRCNGTDIYKDESTVQVHYRMCQSCVELDPATVAGIIVTDVIATLLALGVFCFAGHE
 TGRLSGAADTQALLRNDQVYQPLDRDDAQYSHLGGNWARNKEGRSLLTCGDVEENPGPMQ
 SGTHWRVLGLCLLSVGWVGQ.DGNEEMGGITQTPYKVSISGTTVILTCPQYPGSEILWQHND
 KNIGGEDDDKNIGSDEHLSLKEFSELEQSGYYVCYPRGSKPEDANFYLYLRARVCENCMEM
 DVMSVATIVIVDICITGGLLLL VYYWSKNRKAKAKPVTRGAGAGGRQRGQNKERPPVPNP
 YEPKRGQRDLYSGLNQRRIQPCTNYALLKLAGDVESNPGPMRISKPHLRSISIQCYLCLL
 LNSHFLTEAGIHVFILGCFSGALPKTEANWVNVISDLKKIEDLIQSMHIDATLYTESDVHPS
 CKVTAMKCFLELQVISLES GDASIHDTVENLIILANNSLSSNGNVTESGCKECEELEEKNI
 KEFLQSFVHIVQMFINTS (SEQ ID NO: 121)

[0139] UTNK15-28-DAP10: refers to full length CD3zeta comprising a fusion with an intracellular co-stimulatory domain derived from DAP10 and an intracellular co-stimulatory domain derived from CD28, full length CD3 gamma, full length CD3 delta, and full length CD3 epsilon linked to IL15, it may be represented by a nucleotide sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 122. In certain embodiments, a UTNK15-28-DAP10 amino acid sequence may be represented by an amino acid sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 123.

ATGAAGTGAAGGCGCTTTTACCGCGGCCATCCTGCAGGCACAGTTGCCGATTACAGAGGC
 ACAGAGCTTTGGCCTGCTGGATCCCAAACCTCTGCTACCTGCTGGATGGAATCCTCTTCATCT
 ATGGTGTCAATCTCACTGCCTTGTTCTGAGGAGTAAGAGGAGCAGGCTCCTGCACAGTGAC

TACATGAACATGACTCCCCGCCGCCCGGGGCCACCCGCAAGCATTACCAGCCCTATGCCCC
ACCACGCGACTTCGCAGCCTATCGCTCACTTTGCGCACGCCACGCCGAGCCCCGCCAAG
AAGATGGCAAAGTCTACATCAACATGCCAGGCAGGGGCGAGGTGAAGTTCAGCAGGAGCGCA
GACGCCCCCGCTACCAGCAGGGCCAGAACCAGCTCTATAACGAGCTCAATCTAGGACGAAG
AGAGGAGTACGATGTTTTGGACAAGAGACGTGGCCGGGACCCTGAGATGGGGGAAAGCCGC
AGAGAAGGAAGAACCCTCAGGAAGGCCTGTACAATGAACTGCAGAAAGATAAGATGGCGGAG
GCCTACAGTGAGATTGGGATGAAAGGCGAGCGCCGGAGGGGCAAGGGGCACGATGGCCTTTA
CCAGGGTCTCAGTACAGCCACCAAGGACACCTACGACGCCCTTCACATGCAGGCCCTGCCCC
CTCGCCAGTGACCAACTACGCCCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGGC
CCCATGGAACAGGGGAAGGGCCTGGCTGTCCTCATCTGGCTATCATTCTTCTTCAAGGTAC
TTTGGCCCAGTCAATCAAAGGAAACCACTTGGTTAAGGTGTATGACTATCAAGAAGATGGTT
CGGTACTTCTGACTTGTGATGCAGAAGCCAAAAATATCACATGGTTTAAAGATGGGAAGATG
ATCGGCTTCTTAAGTGAAGATAAAAAAAATGGAATCTGGGAAGTAATGCCAAGGACCCTCG
TGGGATGTATCAGTGTAAGGATCACAGAACAAGTCAAAACCACTCCAAGTGTATTACAGAA
TGTGTGCAAGTGCATTGAACTAAATGCAGCCACCATATCTGGCTTTCTCTTTGCTGAAATC
GTCAGCATTTTCGTCCTTGCTGTTGGGGTCTACTTCATTGCTGGACAGGATGGAGTTCGCCA
GTCGAGAGCTTCAGACAAGCAGACTCTGTTGCCCAATGACCAGCTCTACCAGCCCCCTCAAGG
ATCGAGAAGATGACCAGTACAGCCACCTTCAAGGAAACCAAGTTGAGGAGGAATGTGAAGCAG
ACCCTGAACTTCGACCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGGCCCATGGA
GCACAGCACCTTCCTGAGCGGCCTGGTGCTGGCCACCCTGCTGAGCCAGGTGAGCCCCCTCA
AGATCCCCATCGAGGAGCTGGAGGACAGAGTGTTCTGTAAGTGAACACCAGCATCACCTGG
GTGGAGGGCACCGTGGGCACCCTGCTGAGCGACATCACCAAGTGGACCTGGGCAAGAGAAT
CCTGGACCCAGAGGCATCTACAGATGCAACGGCACCGACATCTACAAGGACAAGGAGAGCA
CCGTGCAGGTGCACTACAGAATGTGCCAGAGCTGCGTGGAGCTGGACCCCGCCACCCTGGCC
GGCATCATCGTGACCGACGTGATCGCCACCCTGCTGCTGGCCCTGGGCGTGTTCTGCTTCGC
CGGCCACGAGACCGGCAGACTGAGCGGCGCCGCCGACACCCAGGCCCTGCTGAGAAACGACC
AGGTGTACCAGCCCCCTGAGAGACAGAGACGACGCCAGTACAGCCACCTGGGCGGCAACTGG
GCCAGAAACAAGGAGGGCAGAGGCAGCCTGCTGACCTGCGGCGACGTGGAGGAGAACCCCGG
CCCCATGCAGAGCGGCACCCACTGGAGAGTGCTGGGCCTGTGCCTGCTGAGCGTGGGCGTGT
GGGGCCAGGACGGCAACGAGGAGATGGGCGGCATCACCCAGACCCCTACAAGGTGAGCATC
AGCGGCACCACCGTGATCCTGACCTGCCCCAGTACCCCGGCAGCGAGATCCTGTGGCAGCA
CAACGACAAGAACATCGGCGGCGACGAGGACGACAAGAACATCGGCAGCGACGAGGACCACC
TGAGCCTGAAGGAGTTCAGCGAGCTGGAGCAGAGCGGCTACTACGTGTGCTACCCAGAGGC
AGCAAGCCCCGAGGACGCCAATTCTACCTGTACCTGAGAGCCAGAGTGTGCGAGAATGCAT
GGAGATGGACGTGATGAGCGTGGCCACCATCGTGATCGTGGACATCTGCATCACCGGCGGCC
TGCTGCTGCTGGTGTACTACTGGAGCAAGAACAGAAAGGCCAAGGCCAAGCCCGTGACCAGA
GGCGCCGGCGCCGGCGGCAGACAGAGAGGCCAGAACAAGGAGAGACCCCCCCCCCGTGCCCAA
CCCCGACTACGAGCCCATCAGAAAGGGCCAGAGAGACCTGTACAGCGGCCTGAACCAGAGAA
GAATCGGACCGCAGTGTACTAATTATGCTCTCTTGAAATTGGCTGGAGATGTTGAGAGCAAT
CCCGGGCCCATGCGCATTAGCAAGCCCCACCTGCGGAGCATCAGCATCCAGTGCTACCTGTG
CCTGCTGCTGAACAGCCACTTCCTGACCGAGGCGGCATCCACGTGTTTCATCCTGGGCTGCT
TCAGCGCCGACTGCCCCAAGACCGAGGCCAAGTGGGTGAACGTGATCAGCGACCTGAAGAAG
ATCGAGGACCTGATCCAGAGCATGCACATCGACGCCACCCTGTACACCGAGAGCGACGTGCA
CCCCAGCTGCAAGGTGACCGCCATGAAGTGCTTTCTGCTGGAAGTGCAGGTGATCAGCCTGG
AAAGCGGCGACGCCAGCATCCACGACACCGTGGAGAACCTGATCATCCTGGCCAACAACAGC
CTGAGCAGCAACGGCAACGTGACCGAGAGCGGCTGCAAAGAGTGCGAGGAAGTGGAAAGAGAA
GAACATCAAAGAGTTTCTGCAGAGCTTCGTGCACATCGTGCAGATGTTTCATCAACACCAGC
(SEQ ID NO: 122)

MKWKALFTAAILQAQLPITEAQSFGLLDPKLCYLLDGILFIYGVILTALFLRSKRSRLLHSD
YMNMTPRRPGPTRKHYPYAPPRDFAAYRSLCARPRRSPAQEDGKVYINMPGRGRVKFSRSA

DAPAYQQGQNQLYNELNLGRREEYDVLDKRRGRDPGEGKPKQRRKNPQEGLYNELQKDKMAE
 AYSEIGMKGERRRGKGDGLYQGLSTATKDTYDALHMQALPQRQCTNYALLKLAGDVESNPG
 PMEQQKGLAVLILAIILLQGTLAQSIKGNHLVKVYDYQEDGSVLLTCDAEAKNITWFKDGKM
 IGFLTEDKKKWNLGSNAKDPRGMYQCKGSQNKSKPLQVYYRMCQNCIELNAATISGFLFAEI
 VSIFVLAVGVYFIAGQDQVRQSRASDKQTLTPNDQLYQPLKDREDDQYSHLQGNQLRRNVKQ
 TLNFDLLKLAGDVESNPGMEHSTFLSGLVLATLLSQVSPFKIPIEELEDVRFVNCNTSITW
 VEGTVGTLLSDITRLDLGKRILDPRGIYRCNGTDIYKDKESTVQVHYRMCQSCVELDPATVA
 GIIITDVIIATLLLLALGVFCFAGHETGRLSGAADTQALLRNDQVYQPLRDRDDAQYSHLGGNW
 ARNKEGRGSLTTCGDVEENPGPMQSGTHWRVLGLCLLSVGWVWQ.DGNEEMGGITQTPYKVS
 ISGTTVILTCPQYPGSEILWQHNDKNIGGEDDDKNIGSDEDHLSLKEFSELEQSGYYVCYPR
 GSKPEDANFYLYLRARVCENCMEMDVMSVATIVIVDICITGGLLLLVIYWSKNRKAKAKPVT
 RGAGAGGRQRGQNKERPPVPNPDPYEPPIRGQRDLYSGLNQRRIGPQCTNYALLKLAGDVES
 NPGPMRISKPHLRSISIQCYLCLLLNSHFLTEAGIHVFILGCFSAAGLPKTEANWVNVISDLK
 KIEDLIQSMHIDATLYTESDVHPSCKVTAMKCFLELQVISLES GDASIHDTVENLIILANN
 SLSSNGNVTESGCKECEEELEEKNIKEFLQSFVHIVQMFINTS (SEQ ID NO: 123)

[0140] As depicted in FIG. 3 and described above, the term “linked” refers to being present on the same polynucleotide vector and does not necessarily mean that the two polypeptides are expressed as one polypeptide. For example, a cytokine produced from a vector of the disclosure may ultimately be produced as a separate molecule from any one or more TCR/CD3 receptor complex components. Whereas, the term “fused” or “fusion” refers to two polypeptides that comprise a peptide bond conjoining the two molecules, i.e. that the two polypeptides are covalently bound by an amide bond and are not separated by a splitting element, such as a 2A element.

[0141] One specific example of a TCR that may be utilized in the cells is NY-ESO TCR, and specific examples of sequences include at least the following:

[0142] TCR α :

XQEVTTQIPAAALSVPEGENLVLNCSFTDSAIYNLQWFRQDPGKGLTSLLLIQSSQREQTSGRL
 NASLDKSSGRSTLYIAASQPGDSATYLCVRPLYGGSYIPTFGRGTSLIVHPYIQNPDPVY
 QLRDSKSSDKSVCLFTDFDSQTNVSQSKSDVYITDKTVLDMRSMDFKSNSAVAWSNKSDFA
 CANAFNNSIIPEDTFFPSPESCDVKLVEKSFETDTNLFQNLVIGFRILLKLVAGFNLLM
 TRLWSS (SEQ ID NO: 25)

[0143] TCR β :

GVTQTPKFQVLKTGQSMTLQCAQDMNHEYMSWYRQDPGMGLRLIHYSVGAGITDQGEVPNGY
 NVSRSTTEDFPLRLLSAAPSQTSVYFCASSYVGNTGELFFGEGSRLTVLEDLKNVFPKVA
 FEPSEAEISHTQKATLVCLATGFYPDHVELSWVNGKEVHSGVSTDPQPLKEQPALNDSRYC
 LSSRLRVSATFWQNP RNHFRCQVQFYGLSENDEWTQDRAKPVTVIVSAEAWGRADCGFTSES
 YQQGVLSATILYEILLGKATLYAVLVSAVLMMAMVKRKDSRG (SEQ ID NO: 26)

[0144] In certain embodiments, a TCR may comprise a TCR alpha chain variable region encoded by a nucleotide sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%,

86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 85.

aaacaggaggtgacacagattcctgcagctctgagtgtcccagaaggagaaaacttggttct
caactgcagtttcaactgatagcgctatttacaacctccagtgggttaggcaggaccctggga
aaggtctcacatctctgttgcttattcagtcagtcagagagagcaaacaagtggaagactt
aatgcctcgctggataaatcatcaggacgtagtactttatacattgcagcttctcagcctgg
tgactcagccacctacctctgtgctgtgaggccccctttatggaggaagctacatacctacat
ttggaagaggaaccagccttattgttcatccgtat (SEQ ID NO: 85)

[0145] In certain embodiments, a TCR may comprise a TCR alpha chain constant region encoded by a nucleotide sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 86.

atccagaaccttgacctgcccgtgtaccagctgagagactctaaatccagtgcagaagtctgt
ctgcctattcacaggattttgattctcaaacaagtgtgtcacaaagtaaggattctgatgtgt
atatcacagacaaaactgtgctagacatgaggtctatggacttcaagagcaacagtgctgtg
gcttgagcaacaaatctgactttgcatgtgcaaacgccttcaacaacagcattattccaga
agacaccttcttccccagcccagaaagtctctgtgatgtcaagctggctcgagaaaagctttg
aaacagatacgaacctaaactttcaaaacctgtcagtgattgggttccgaatcctcctcctg
aaagtggccgggtttaatctgctcatgacgctgcggctgtggtccagc (SEQ ID NO: 86)

[0146] In certain embodiments, a TCR may comprise a TCR alpha chain encoded by a nucleotide sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 87.

atggagaccctcttgggcctgcttatcctttggctgcagctgcaatgggtgagcagcaaaca
ggaggtgacacagattcctgcagctctgagtgtcccagaaggagaaaacttggttctcaact
gcagtttcaactgatagcgctatttacaacctccagtgggttaggcaggaccctgggaaaggt
ctcacatctctgttgcttattcagtcagtcagagagagcaaacaagtggaagacttaatgc
ctcgctggataaatcatcaggacgtagtactttatacattgcagcttctcagcctgggtgact
cagccacctacctctgtgctgtgaggccccctttatggaggaagctacatacctacatttgga
agaggaaccagccttattgttcatccgtatatccagaacctgacctgcccgtgtaccagct
gagagactctaaatccagtgcagaagtctgtctgcctattcacaggattttgattctcaaaca
atgtgtcacaaagtaaggattctgatgtgtatatcacagacaaaactgtgctagacatgagg
tctatggacttcaagagcaacagtgctgtggcctggagcaacaaatctgactttgcatgtgc
aaacgccttcaacaacagcattattccagaagacaccttcttccccagcccagaaagtctct
gtgatgtcaagctggctcgagaaaagctttgaaacagatacgaacctaaactttcaaaacctg
tcagtgattgggttccgaatcctcctcctgaaagtggccgggtttaatctgctcatgacgct
gcggctgtggtccagc (SEQ ID NO: 87)

[0147] In certain embodiments, a TCR may comprise a TCR alpha chain variable region amino acid sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 88.

XQEVTTQIPAAALSVPEGENLVLNCSFTDSAIYNLQWFRQDPGKGLTSLLLIQSSQREQTSGRL
NASLDKSSGRSTLYIAASQPGDSATYLCAVRPLYGGSYIPTFGRGTSLIVHPY (SEQ ID
NO: 88)

[0148] In certain embodiments, a TCR may comprise a TCR alpha chain constant region amino acid sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 89.

IQNPDPVAVYQLRDSKSSDKSVCLFTDFDSQTNVSQSKSDVYITDKTVLDMRSMDFKSN SAV
AWSNKSDFA CANAFNNSIIPEDTFFPSPSSCDVKLVKSFETDTNLFQNL SVIGFRILL
KVAGFNLLMTLRLWSS (SEQ ID NO: 89)

[0149] In certain embodiments, a TCR may comprise an alpha chain CDR1 amino acid sequence that is at least, or exactly, 80% or 100% identical to SEQ ID NO: 90.

DSAIYN (SEQ ID NO: 90)

[0150] In certain embodiments, a TCR may comprise an alpha chain CDR2 amino acid sequence that is at least, or exactly, 80% or 100% identical to SEQ ID NO: 91.

IQSSQRE (SEQ ID NO: 91)

[0151] In certain embodiments, a TCR may comprise an alpha chain CDR3 amino acid sequence that is at least, or exactly, 80% or 100% identical to SEQ ID NO: 92.

CAVRPLYGGSYIPTF (SEQ ID NO: 92)

[0152] In certain embodiments, a TCR may comprise a TCR beta chain variable encoded by a nucleotide sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 93.

ggtgtcactcagacccccaaaattccaggtcctgaagacaggacagagcatgacactgcagtg
tgcccaggatatgaaccatgaatacatgtcctggatcgacaagaccaggcatggggctga
ggctgattcattactcagttggtgctggtatcactgaccaaggagaagtccccaatggctac
aatgtctccagatcaaccacagaggatttcccgtcaggctgctgtcggtgctccctccca
gacatctgtgtacttctgtgcccagcagttacgtcgggaacaccggggagctgttttttgag
aaggctctaggctgaccgtactggag (SEQ ID NO: 93)

[0153] In certain embodiments, a TCR may comprise a TCR beta chain constant region encoded by a nucleotide sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 94.

Gacctgaaaaacgtgttcccacccaaggctcgtgtgtttgagccatcagaagcagagatctc
ccacacccaaaaggccacactggatgcctggccacaggcttctaccccgaccacgtggagc
tgagctgggtgggtgaatgggaaggaggtgcacagtggggtcagcacagaccgcagccctc

aaggagcagcccgccctcaatgactccagatactgcctgagcagccgcctgaggggtctcggc
 caccttctggcagaacccccgcaaccacttccgctgtcaagtccagttctacgggctctcgg
 agaatgacgagtggaaccaggatagggccaaacccgtcaccagatcgtcagcgccgagggc
 tggggtagagcagactgtggcttcacctccgagtccttaccagcaaggggtcctgtctgccac
 catcctctatgagatcttgctaggggaaggccaccttgatgccgtgctggtcagtgccctcg
 tgctgatggccatgggtcaagagaaaggattccagaggc (SEQ ID NO: 94)

[0154] In certain embodiments, a TCR may comprise a TCR beta chain encoded by a nucleotide sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 95.

Atgagcatcgccctcctgtgctgtgcagccttgtctctcctgtgggcagggtccagtgaatgc
 tgggtgactcagacccccaaaattccagggtcctgaagacaggacagagcatgacactgcagt
 gtgcccaggatatgaaccatgaatacatgtcctggatcgacaagaccaggcatggggctg
 aggtgtattcattactcagttgggtgctggtatcactgaccaaggagaagtccccaatggcta
 caatgtctccagatcaaccacagaggatttcccgctcaggctgctgtcggtgctccctccc
 agacatctgtgtacttctgtgccagcagttacgtcggaacaccggggagctgttttttggga
 gaaggctctagggtgacctactggaggacctgaaaaacgtgttcccaccAaggctcgctgt
 gtttgagccatcagaagcagagatctcccacccccaaaaggccacactggatgcctggcca
 caggcttctacccccgaccacgtggagctgagctgggtgggtgaatgggaaggaggtgcacagt
 ggggtcagcacagacccgcagccctcaaggagcagcccgccctcaatgactccagatactg
 cctgagcagccgcctgaggggtctcgccaccttctggcagaacccccgcaaccacttccgct
 gtcaagtccagttctacgggtctctcggaatgacgagtggaaccaggatagggccaaaccc
 gtcaccagatcgtcagcgccgaggcctggggtagagcagactgtggcttcacctccgagtc
 ttaccagcaaggggtcctgtctgccaccatcctctatgagatcttgctaggggaaggccacct
 tgtatgccgtgctggtcagtgccctcgctgctgatggccatgggtcaagagaaaggattccaga
 ggc (SEQ ID NO: 95)

[0155] In certain embodiments, a TCR may comprise a TCR beta chain variable region amino acid sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 96.

GVTQTPKFQVLKTGQSMTLQCAQDMNHEYMSWYRQDPGMGLRLIHYSVGAGITDQGEVPNGY
 NVSRSTTEDFPLRLLSAAPSQTSVYFCASSYVGNTGELFFEGESRLTVLE (SEQ ID NO:
 96)

[0156] In certain embodiments, a TCR may comprise a TCR beta chain constant region amino acid sequence that is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 97.

DLKNVFPKQVAVFEPSEAEISHTQKATLVCLATGFYDPHVELSWVNGKEVHSGVSTDPQPL
 KEQPALNDSRYCLSSRLRVSAFWQNPRNHFRCQVQFYGLSENDEWTQDRAKPVTTQIVSAEA
 WGRADCGFTSESYQQGVLSATILYEILLGKATLYAVLVSAVLMMVMKRKDSRG (SEQ ID
 NO: 97)

[0157] In certain embodiments, a TCR may comprise a beta chain CDR1 amino acid sequence that is at least, or exactly, 80% or 100% identical to SEQ ID NO: 98.

MNHEY (SEQ ID NO: 98)

[0158] In certain embodiments, a TCR may comprise a beta chain CDR2 amino acid sequence that is at least, or exactly, 80% or 100% identical to SEQ ID NO: 99.

SVGAGI (SEQ ID NO: 99)

[0159] In certain embodiments, a TCR may comprise a beta chain CDR3 amino acid sequence that is at least, or exactly, 80% or 100% identical to SEQ ID NO: 100.

CASSYVGNTGELFF (SEQ ID NO: 100)

[0160] In certain embodiments, a TCR (e.g., a TCR alpha, beta, delta, and/or gamma) chain may comprise a signal peptide. In certain embodiments, a signal peptide is encoded by a nucleic acid that is at least, or exactly 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 101 or SEQ ID NO: 102. In certain embodiments, a signal peptide is at least, or exactly, 80%, 81%, 82%, 83%, 84%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% identical to SEQ ID NO: 103 or SEQ ID NO: 104.

atggagaccctcttgggcctgcttatcctttggctgcagctgcaatgggtgagcagc (SEQ ID NO: 101)

atgagcatcggcctcctgtgctgtgcagccttgtctctcctgtgggcaggtccagtgaatgc
t (SEQ ID NO: 102)

METLLGLLILWLQLQWVSS (SEQ ID NO: 103)

MSIGLLCCAALSLLWAGPVNA (SEQ ID NO: 104)

[0161] In certain embodiments, a TCR recognizes a peptide corresponding to amino acid residues 157-165 of the human cancer testis Ag NY-ESO-1 in the context of the HLA-A*02 class I allele. In certain embodiments, a TCR may target an epitope characterized by the amino acid sequence according to SEQ ID NO: 105.

SLLMWITQC (SEQ ID NO: 105)

[0162] One specific example of a TCR that may be utilized in the cells is TCRpp65alpha, and specific examples of sequences include at least the following (underlining refers to signal peptide sequence):

ATGGACTCCTGGACCTTCTGCTGTGTGTCCCTTTGCATCCTGGTAGCAAAGCACACAGATGC
TGGACAACAGCTGAATCAGAGTCCTCAATCTATGTTTATCCAGGAAGGAGAAGATGTCTCCA
TGAAGTGCACCTTCTCAAGCATATTTAACACCTGGCTATGGTACAAGCAGGACCCCTGGGGAA

GGTCCTGTCCTCTTGATAGCCTTATATAAGGCTGGTGAATTGACCTCAAATGGAAGACTGAC
 TGCTCAGTTTGGTATAACCAGAAAGGACAGCTTCCTGAATATCTCAGCATCCATACCCAGTG
 ATGTAGGCATCTACTTCTGTGCTGGACCCATGAAAACCTCCTACGACAAGGTGATATTTGGG
 CCAGGGACAAGCTTATCAGTCATTCCAAATATCCAGAACCCTGACCCTGCCGTGTACCAGCT
 GAGAGACTCTAAATCCAGTGACAAGTCTGTCTGCCTATTCACCGATTTTGATTCTCAAACAA
 ATGTGTACAAAAGTAAGGATTCTGATGTGTATATCACAGACAAAACCTGTGCTAGACATGAGG
 TCTATGGACTTCAAGAGCAACAGTGTGTGGCCTGGAGCAACAAATCTGACTTTGCATGTGC
 AAACGCCTTCAACAACAGCATTATTCCAGAAGACACCTTCTTCCCCAGCCCAGAAAGTTCCCT
 GTGATGTCAAGCTGGTCGAGAAAAGCTTTGAAACAGATACGAACCTAAACTTTCAAAACCTG
 TCAGTGATTGGGTTCGAATCCTCCTCCTGAAAGTGGCCGGGTTAATCTGCTCATGACGCT
 GCGGCTGTGGTCCAGC (SEQ ID NO: 27)

MDSWTFCCVSLCILVAKHTDAGQQLNQSPQSMFIQEGEDVSMNCTSSSI FNTWLWYKQDPGE
 GPVLLIALYKAGELTSNRLTAQFGITRKDSFLNISASIPSDVGIYFCAGPMKTSYDKVIFG
 PGTSLSVIPNIQNPDPAVYQLRDSKSSDKSVCLFTDFDSQTNVSQSKSDVYITDKTVLDMR
 SMDFKSNSAVAWSNKSDFACANAFNNSIIPEDTFFPSPRESSCDVKLVEKSFETDTNLFQNL
 SVIGFRILLKLVAGFNLLMTLRLWSS (SEQ ID NO: 28)

[0163] One specific example of a TCR that may be utilized in the cells is TCRpp65beta, and specific examples of sequences include at least the following (underlining refers to signal peptide sequence):

ATGGACTCCTGGACCTTCTGCTGTGTGTCCCTTTGCATCCTGGTAGCAAAGCACACAGATGC
TGGAGTTATCCAGTCACCCCGGCACGAGGTGACAGAGATGGGACAAGAAGTGACTCTGAGAT
GTAACCAATTTCAAGGACACGACTACCTTTTCTGGTACAGACAGACCATGATGCGGGGACTG
GAGTTGCTCATTACTTTAACAACAACGTTCCGATAGATGATTCAGGGATGCCGAGGATCG
ATTCTCAGCTAAGATGCCTAATGCATCATTTCTCCACTCTGAAGATCCAGCCCTCAGAACCCA
GGGACTCAGCTGTGTACTTCTGTGCCAGCAGTTCGGCAAACCTATGGCTACACCTTCGGTTCG
GGGACCAGGTTAACC GTTGTAGAGGACCTGAACAAGGTGTTCCACCCGAGGTCGCTGTGTT
TGAGCCATCAGAAGCAGAGATCTCCACACCCAAAAGGCCACACTGGTGTGCCTGGCCACAG
GCTTCTTCCCTGACCACGTGGAGCTGAGCTGGTGGGTGAATGGGAAGGAGGTGCACAGTGGG
GTCAGCACGGACCCGACGCCCCCTCAAGGAGCAGCCCGCCCTCAATGACTCCAGATACTGCCT
GAGCAGCCGCTGAGGGTCTCGGCCACCTTCTGGCAGAACCCCGCAACCACTTCCGCTGTC
AAGTCCAGTTCTACGGGCTCTCGGAGAATGACGAGTGACCCAGGATAGGGCCAAACCCGTC
ACCCAGATCGTCAGCGCCGAGGCCTGGGGTAGAGCAGACTGTGGCTTTACCTCGGTGTCTTA
CCAGCAAGGGGTCTGTCTGCCACCATCCTCTATGAGATCCTGCTAGGGAAGGCCACCTGT
ATGCTGTGCTGGTCAGCGCCCTTGTGTTGATGGCCATGGTCAAGAGAAAGGATTTT (SEQ
 ID NO: 29)

MDSWTFCCVSLCILVAKHTDAGVIQSPRHEVTEMGQEVTLRCKPISGHDYLFWYRQTMMRGL
 ELLIYFNNNVPIDDSGMPEDRFSKMPNASFSTLKI QPSEPRDSAVYFCASSSANYGYTFGS
 GTRLTVVEDLNKVFPEVAVFEPSEAEISHTQKATLVCLATGFFPDHVELSWVNGKEVHSG
 VSTDQPPLKEQPALNDSRYCLSSRLRVSATFWQNP RNHFRCQVQFYGLSENDEWTQDRAKPV
 TQIVSAEAWGRADCGFTSVSYQQGVLSATILYEILLGKATLYAVLVLSALVLMAMVKRKDF
 (SEQ ID NO: 30)

[0164] TCRpp65ZFLGDEFL15

[0165] In certain embodiments, one may utilize a construct in which TCRpp65 is linked to full length CD3zeta, full length CD3 gamma, full length CD3 delta, full length CD3 epsilon,

and also linked to IL-15 (and may be referred to as TCRpp65ZFLGDEFL15). One representative sequence for such a construct is as follows:

MLEGVTQTPKFQVLKTGQSM TLQCAQDMNHEYMSWYRQDPGMGLRLIHYSVGAGITDQGEVP
 NGYNVSRSTTEDFPLRLLSAAPSQTSVYFCASSPVTGGIYGYTFGSGTRLT VVEDLNKVFPP
 EVAVFEPSEAEISHTQKATLVCLATGFFPDHVELSWWVNGKEVHSGVSTDPQPLKEQPALND
 SRYCLSSRLRVSATFWQNP RNHFRCQVQFYGLSENDEWTQDRAKPVTQIVSAEAWGRADATN
 FSLLKQAGDVEENPGPMILNVEQSPQSLHVQEGDSTNFTCSFPSSNFYALHWYRWETAKSPE
 ALFVMTLNGDEKKKGRISATLNTKEGYSYLYIKGSQPEDSATYLCARNTGNQFYFGTGTSLT
 VIPNIQNPDPAVYQLRDSKSSDKSVCLFTDFDSQTNVSQSKSDAYITDKTVLDMRSMDFKS
 NSAVAWSNKSDFACANAFNNSIIPEDTFFPSPESSEGRGSL LTCGDVEENPGPMKWALFTA
 AILQAQLPITEAQSFGLLDPKLCYLLDGILFIYGVILTALFLRVKFSRSADAPAYQQGQNQL
 YNELNLGRREEYDVLDRRGRDPEMGGKPQRRKNPQEGLYNELQKDKMAEAYSEIGMKGERR
 RGKGHDLGYQGLSTATKDTYDALHMQALPPRQCTNYALLKLAGDVESNPGPMEQGKGLAVLI
 LAIILLQGTLAQS IKG NHLVKVYDYQEDGSVLLTCDAEAKNI TWFKDGKMIGFLTEDKKKWN
 LGSNAKDPRGMYQCKGSQNKSKPLQVYYRMCQNCIELNAATISGFLFAEIVSIFVLAVGVYF
 IAGQDGVRSRASDKQTLLPNDQLYQPLKDREDDQYSHLQGNQLRRNVKQTLNFDLLKLAGD
 VESNPGPMEHSTFLSGLVLATLLSQVSPFKIPIEELED RVFVNCNTSITWVEGTVGTL LSDI
 TRLDLGRKRIIDPRGIYRCNGTDIYKDKESTVQVHYRMCQSCVELDPATVAGIIVTDVIATLL
 LALGVFCFAGHETGRLSGAADTQALLRNDQVYQPLRDRDDAQYSHLGGNWARNKEGRGSLT
 CGDVEENPGPMQSGTHWRVLGLCLLSVGWGDGNEEMGGITQTPYKVSISGTTVILTCPQY
 PGSEILWQHNDKNIGGDEDDKNIGSDEDHLSLKEFSELEQSGYVVCYPRGSKPEDANFYLYL
 RARVCENCMEMDVMSVATIVIVDICITGGLLLL VYYWSKNRKAKAKPVTRGAGAGGRQRGQN
 KERPPVPNPDPYEP IIRKGQRDLYSGLNQRRIGPQCTNYALLKLAGDVESNPGPMRISKPHLR
 SISIQCYLCLLLNSHFLTEAGIHVFILGCF SAGLPKTEANWVNVISDLKKIEDLIQSMHIDA
 TLYTESDVHPSCKVTAMKCFLELQVISLES GDASIHDTVENLII LANNLS SNGNVTESGC
 KECEELEEKNIKEFLQSFVHIVQMFIN TS* (SEQ ID NO: 74).

[0166] In TCRpp65ZFLGDEFL15, the corresponding component sequences are as follows, although these particular sequences or others may be utilized in this and/or other constructs:

[0167] *TCRb-extracellular domain:*

MLEGVTQTPKFQVLKTGQSM TLQCAQDMNHEYMSWYRQDPGMGLRLIHYSVGAGITDQGEVP
 NGYNVSRSTTEDFPLRLLSAAPSQTSVYFCASSPVTGGIYGYTFGSGTRLT VVEDLNKVFPP
 EVAVFEPSEAEISHTQKATLVCLATGFFPDHVELSWWVNGKEVHSGVSTDPQPLKEQPALND
 SRYCLSSRLRVSATFWQNP RNHFRCQVQFYGLSENDEWTQDRAKPVTQIVSAEAWGRADATN
 FSLLKQAGDVEENPGP (SEQ ID NO: 75) (and that includes the P2A
 sequence at its C-terminus)

ATGCTCGAGGGAGTGACCCAGACCCCCAAGTTCAGGTGCTGAAGACCGGACAGAGCATGAC
 CCTGCAGTGCGCCAGGACATGAACCACGAGTACATGAGCTGGTACCGGCAGGACCCCCGAA
 TGGGACTGCGGCTGATCCACTACAGCGTGGGAGCCGGAATCACCGACCAGGGAGAGGTGCCC
 AACGGATAACAACGTGAGCCGGAGCACCACCGAGGACTTCCCCCTGCGGCTGCTGAGCGCCGC
 CCCCAGCCAGACCAGCGTGTACTTCTGCGCCAGCAGCCCCGTGACCGGAGGAATCTACGGAT
 ACACCTTCGGAAGCGGAACCCGGCTGACCGTGGTGGAGGACCTGAACAAGGTGTTCCCCCCC
 GAGGTGGCCGTGTTTCGAGCCAGCGAGGCCGAGATCAGCCACACCCAGAAGGCCACCTGGT
 GTGCCTGGCCACCGGATTCTTCCCCGACCACGTGGAGCTGAGCTGGTGGGTGAACGGAAAGG
 AGGTGCACAGCGGAGTGAGCACCAGCCCCAGCCCCTGAAGGAGCAGCCCGCCCTGAACGAC
 AGCCGGTACTGCCTGAGCAGCCGGCTGCGGGTGAGCGCCACCTTCTGGCAGAACCCCCGAA

CCACTTCCGGTGCCAGGTGCAGTTCTACGGACTGAGCGAGAACGACGAGTGGACCCAGGACC
GGGCCAAGCCCGTGACCCAGATCGTGAGCGCCGAGGCCTGGGGACGGGCCGAC (SEQ ID
NO: 76)

[0168] *TCRa-extracellular domain:*

MILNVEQSPQSLHVQEGDSTNFTCSFPSSNFYALHWYRWETAKSPEALFVMTLNGDEKKKGR
ISATLNTKEGYSYLYIKGSQPEDSATYLCARNTGNQFYFGTGTSITVIPNIQNPDPVYQLR
DSKSSDKSVCLFTDFDSQTNVSQSKSDAYITDKTVLDMRSMDFKSNSAWNSKSDFACAN
AFNNIIIPEDTFFPSPESSEGRGSLTTCGDVEENPGP (SEQ ID NO: 77) (and that
includes the T2A sequence at its C-terminus)

ATGATCCTGAACGTGGAGCAGAGCCCCCAGAGCCTGCACGTGCAGGAGGGAGACAGCACCAA
CTTCACCTGCAGCTTCCCCAGCAGCAACTTCTACGCCCTGCACTGGTACCGGTGGGAGACCG
CCAAGAGCCCCGAGGCCCTGTTTCGTGATGACCCTGAACGGAGACGAGAAGAAGAAGGGACGG
ATCAGCGCCACCCTGAACACCAAGGAGGGATACAGCTACCTGTACATCAAGGGAAGCCAGCC
CGAGGACAGCGCCACCTACCTGTGCGCCCGGAACACCGGAAACCAAGTTCTACTTCGGAACCG
GAACAGCCTGACCGTGATCCCCAACATCCAGAACCCGACCCCGCCGTGTACCAGCTGCGG
GACAGCAAGAGCAGCGACAAGAGCGTGTGCCTGTTACCGACTTCGACAGCCAGACCAACGT
GAGCCAGAGCAAGGACAGCGACGCCTACATCACCAGACAAGACCGTGCTGGACATGCGGAGCA
TGGACTTCAAGAGCAACAGCGCCGTGGCCTGGAGCAACAAGAGCGACTTCGCCTGCGCCAAC
GCCTTCAACAACAGCATCATCCCCGAGGACACCTTCTTCCCCAGCCCCGAGAGCAGCGCCAC
CAACTTCTCCCTGCTGAAGCAGGCCGCGCAGCTGGAGGAGAACCCCGGCCCC (SEQ ID
NO: 78)

[0169] **TCR5:** referred to TCRGdZFLGDEFL15, is the constant region of TCR gamma
and delta, linked to full length CD3zeta, full length CD3 gamma, full length CD3 delta, and
full length CD3 epsilon; and IL-15. Representative sequences are as follows:

[0170] TCR constant gamma-delta (TCRGd)

ATGCGGTGGGCCCTACTGGTGCTTCTAGCTTTCTGTCTCCTGCCAGTCAGGATAAAACAACT
TGATGCAGATGTTTCCCCAAGCCCACTATTTTTCTTCTTCGATTGCTGAAACAAAACCTCC
AGAAGGCTGGAACATACCTTTGTCTTCTTGAGAAATTTTTCCAGATATTATTAAGATACAT
TGGCAAGAAAAGAAGAGCAACACGATTCTGGGATCCCAGGAGGGGAACACCATGAAGACTAA
CGACACATACATGAAATTTAGCTGGTTAACGGTGCCAGAAGAGTCACTGGACAAAGAACACA
GATGTATCGTCAGACATGAGAATAATAAAAACGGAATTGATCAAGAAATTATCTTTCTCCA
ATAAAGACAGATGTCAACACAGTGATCCCAAATACAATTATTCAAAGGATGCAAATGATGT
CATCACAATGGATCCCAAAGACAATTGGTCAAAAGATGCAAATGATACACTACTGCTGCAGC
TCACAAACACCTCTGCATATTACACGTACCTCCTCCTGCTCCTCAAGAGTGTGGTCTATTTT
GCCATCATCACCTGCTGTCTGCTTAGAAGAACGGCTTTCTGCTGCAATGGAGAGAAATCAGG
AAGCGGAGCTACTAAGCTTTAGCCTGCTGAAGCAGGCTGGAGATGTGGAGGAGAACCCTGGAC
CTATGATTCTTACTGTGGGCTTTAGCTTTTTGTTTTTCTACAGGGGCACGCTGTGTAGTCAG
CCTCATACCAAACCATCCGTTTTTGTCTATGAAAAATGGAACAAATGTCGCTTGTCTGGTGAA
GGAATTCTACCCCAAGGATATAAGAATAAATCTCGTGTCAATCAAGAAGATAACAGAGTTTG
ATCCTGCTATTGTCTATCTCTCCAGTGGAAGTACAATGCTGTCAAGCTTGGTAAATATGAA
GATTCAAATTCAGTGACATGTTTCAGTTCAACACGACAATAAAACTGTGCACTCCACTGACTT
TGAAGTGAAGACAGATTCTACAGATCACGTAAAACCAAAGGAACTGAAAACACAAAGCAAC
CTTCAAAGAGCTGCCATAAACCCAAAGCCATAGTTTCATACCGAGAAGGTGAACATGATGTCC
CTCACAGTGCTTGGGCTACGAATGCTGTTTGCAAAGACTGTTGCCGTCAATTTTCTCTTGAC
TGCCAAGTTATTTTTCTTGTA (SEQ ID NO: 81)

MRWALLVLLAFLSPASQDKQLDADVSPKPTIFLPSIAETKLQKAGTYLCLLEKFFPDI IKIH
WQEKKSNTILGSQEGNTMKTNDTYMKFSWLTVPESLDKEHRCIVRHENKNNGIDQEII FPP
IKTDVTTVDPKYNYSKDANDVITMDPKDNWSKDANDTLLLQLTNTSAYYTYLLLLLLKSVVYF
AIITCCLLRRTAFCCNGEKSGSGATNFSLLKQAGDVEENPGPMILTVGFSFLFFYRGTLCSQ
PHTKPSVFMKNGTNVACLVEFYFYPKDIRINLVSSKKITEFDPAIVISPSGKYNAVKLGKYE
DSNSVTCSVQHDNKTVHSTDFEVKTDSTDHVKPKETENTKQPSKSKCHKPKAIVHTEKVNMMMS
LTVLGLRMLFAKTVAVNFLLTAKLFFL (SEQ ID NO: 82)

[0171] *CD3:*

MKWKALFTAAILQAQLPITEAQSFGLLDPKLCYLLDGILFIYGVILTALFLRVKFSRSADAP
AYQQGQNQLYNELNLGRREEYDVLDRRRGRDPEMGGKQRRKNPQEGLYNELQDKMAEAYS
EIGMKGERRRGKGHDGLYQGLSTATKDTYDALHMQALPPRQCTNYALLKLAGDVESNPGPME
QGKGLAVLILAIILLQGTLAQSIKGNHLVKVYDYQEDGSVLLTCDAEAKNITWFKDGKMIGF
LTEDKKKWNLGSNAKDPRGMYQCKGSQNKSKPLQVYYRMCQNCIELNAATISGFLFAEIVSI
FVLAVGVYFIAGQDGVRSRASDKQTLLENQLYQPLKDREDDQYSHLQGNQLRRNVKQTLN
FDLLKLAGDVESNPGPMEHSTFLSGLVLATLLSQVSPFKIPIEELEDREVFNVCNTSITWVEG
TVGTLLSDITRLDLGKRILDPRGIYRCNGTDIYKDKESTVQVHYRMCQSCVELDPATVAGII
VTDVIATLLALGVFCFAGHETGRLSGAADTQALLRNDQVYQPLRDRDDAQYSHLGGNWARN
KEGRGSLTTCGDVEENPGPMQSGTHWRVLGLCLLSVGWVGQDGNEEMGGITQTPYKVSISGT
TVILTCPQYPGSEILWQHNDKNIGGDEDDKNIGSDEDHLSLKEFSELEQSGYYVCYPRGSKP
EDANFYLYLRARVCENCMEMDVMSVATIVIVDICITGGLLLLIVYYWSKNRKAKAKPVTRGAG
AGGRQRGQNKERPPVPNPDYEPPIRKQORDLYSGLNQRRIQPCTNYALLKLAGDVESNPGP
(SEQ ID NO: 79)

ATGAAGTGGAAAGGCGCTTTTACACGCGGCCATCCTGCAGGCACAGTTGCCGATTACAGAGGC
ACAGAGCTTTGGCCTGCTGGATCCCAAACCTCTGCTACCTGCTGGATGGAATCCTCTTCATCT
ATGGTGTCTATTCTCACTGCCTTGTTCTCTGAGAGTGAAGTTCAGCAGGAGCGCAGACGCCCC
GCGTACCAGCAGGGCCAGAACCAGCTCTATAACGAGCTCAATCTAGGACGAAGAGAGGAGTA
CGATGTTTTGGACAAGAGACGTGGCCGGGACCCTGAGATGGGGGGAAAGCCGAGAGAAGGA
AGAACCCTCAGGAAGGCCTGTACAATGAACGAGAGCAAGATAAGATGGCGGAGGCCTACAGT
GAGATTGGGATGAAAGGCGAGCGCCGGAGGGGCAAGGGGCACGATGGCCTTTACCAGGTCT
CAGTACAGCCACCAAGGACACCTACGACGCCCTTACATGCAGGCCCTGCCCCCTCGCCAGT
GCACCAACTACGCCCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGGCCCATGGAA
CAGGGGAAGGGCCTGGCTGTCTCATCTGGCTATCATTCTTCTTCAAGGTACTTTGGCCCA
GTCAATCAAAGGAAACCACCTTGTTAAGGTGTATGACTATCAAGAAGATGGTTCGGTACTTC
TGACTTGTGATGCAGAAGCCAAAAATATCACATGGTTTAAAGATGGGAAGATGATCGGCTTC
CTAACTGAAGATAAAAAAATGGAATCTGGGAAGTAATGCCAAGGACCCTCGTGGGATGTA
TCAGTGTAAAGGATCACAGAACAAGTCAAAACCACTCCAAGTGTATTACAGAATGTGTCAGA
ACTGCATTGAACTAAATGCAGCCACCATATCTGGCTTTCTCTTTGCTGAAATCGTCAGCATT
TTCGTCCTTGCTGTTGGGGTCTACTTCATTGCTGGACAGGATGGAGTTCGCCAGTCGAGAGC
TTCAGACAAGCAGACTCTGTTGCCCAATGACCAGCTCTACCAGCCCCCTCAAGGATCGAGAAG
ATGACCAGTACAGCCACCTTCAAGGAAACCAGTTGAGGAGGAATGTGAAGCAGACCCTGAAC
TTCGACCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGGCCCATGGAGCACAGCAC
CTTCCTGAGCGGCCTGGTGTGGCCACCCTGCTGAGCCAGGTGAGCCCCCTTCAAGATCCCCA
TCGAGGAGCTGGAGGACAGAGTGTTTCGTGAACTGCAACACCAGCATCACCTGGGTGGAGGGC
ACCGTGGGCACCCCTGCTGAGCGACATCACCAGACTGGACCTGGGCAAGAGAATCCTGGACCC
CAGAGGCATCTACAGATGCAACGGCACCGACATCTACAAGGACAAGGAGAGCACCCTGCAGG
TGCACTACAGAATGTGCCAGAGCTGCGTGGAGCTGGACCCCGCCACCCTGGCCGGCATCATC
GTGACCGACGTGATCGCCACCCTGCTGCTGGCCCTGGGCGTGTCTGCTTCGCCGGCCACGA
GACCGGCAGACTGAGCGGCGCCGCCGACACCCAGGCCCTGCTGAGAAACGACCAGGTGTACC
AGCCCCCTGAGAGACAGAGACGACGCCAGTACAGCCACCTGGGCGGCAACTGGGCCAGAAAC

AAGGAGGGCAGAGGCAGCCTGCTGACCTGCGGCGACGTGGAGGAGAACCCCGGCCCATGCA
 GAGCGGCACCCACTGGAGAGTGCTGGGCCTGTGCCTGCTGAGCGTGGGCGTGTGGGGCCAGG
 ACGGCAACGAGGAGATGGGCGGCATCACCCAGACCCCCTACAAGGTGAGCATCAGCGGCACC
 ACCGTGATCCTGACCTGCCCCAGTACCCCGGCAGCGAGATCCTGTGGCAGCACAAACGACAA
 GAACATCGGCGGCGACGAGGACGACAAGAACATCGGCAGCGACGAGGACCACCTGAGCCTGA
 AGGAGTTCAGCGAGCTGGAGCAGAGCGGCTACTACGTGTGCTACCCAGAGGCAGCAAGCCC
 GAGGACGCCAACTTCTACCTGTACCTGAGAGCCAGAGTGTGCGAGAACTGCATGGAGATGGA
 CGTGATGAGCGTGGCCACCATCGTGATCGTGGACATCTGCATCACCGGCGGCCTGCTGCTGC
 TGGTGTACTACTGGAGCAAGAACAGAAAAGGCCAAGGCCAAGCCCGTGACCAGAGGCGCCGGC
 GCCGGCGGCAGACAGAGAGGCCAGAAACAGGAGAGACCCCCCCCCGTGCCCAACCCGACTA
 CGAGCCCATCAGAAAGGGCCAGAGAGACCTGTACAGCGGCCTGAACCAGAGAAGAATCGGAC
 CGCAGTGTACTAATTATGCTCTCTTGAAATTGGCTGGAGATGTTGAGAGCAATCCCGGGCCC
 (SEQ ID NO: 80)

[0172] IL-15:

MRISKPHLRISISIQCYLCLLLNSHFLTEAGIHVFILGCF SAGLPKTEANWVNVISDLKKIED
 LIQSMHIDATLYTESDVHPSCKVTAMKCFLELQVISLES GDASIHDTVENLIILANNSLSS
 NGNVTESGCKECEELEEKNIKEFLQSFVHIVQMFINITS* (SEQ ID NO: 48)

ATGCGCATTAGCAAGCCCCACCTGCGGAGCATCAGCATCCAGTGCTACCTGTGCCTGCTGCT
 GAACAGCCACTTCCTGACCGAGGCGGCATCCACGTGTTTCATCCTGGGCTGCTTCAGCGCCG
 GACTGCCCAAGACCGAGGCCAACTGGGTGAACGTGATCAGCGACCTGAAGAAGATCGAGGAC
 CTGATCCAGAGCATGCACATCGACGCCACCCTGTACACCGAGAGCGACGTGCACCCAGCTG
 CAAGGTGACCGCCATGAAGTGCTTTCTGCTGGAACCTGCAGGTGATCAGCCTGGAAAGCGGCG
 ACGCCAGCATCCACGACACCGTGGAGAACCTGATCATCCTGGCCAACAACAGCCTGAGCAGC
 AACGGCAACGTGACCGAGAGCGGCTGCAAAGAGTGCAGAGAACTGGAAGAGAAGAACATCAA
 AGAGTTTCTGCAGAGCTTCGTGCACATCGTGCAGATGTTTCATCAACACCAGC (SEQ ID
 NO: 49)

[0173] TCR6: also referred to TCR α ZFLGDEFL15, is the constant region of TCR α and β , linked to full length CD3 ζ , full length CD3 γ , full length CD3 δ , and full length CD3 ϵ ; and IL-15. Representative sequences are as follows:

[0174] TCR constant alpha-beta (TCR $\alpha\beta$)

METLLGLLILWLQLQWVSSIQNPDPAVYQLRDSKSSDKSVCLFTDFDSQTNVSQSKDSDVYI
 TDKTVLDMRSMDFKNSAVAWSNKSDFACANAFNNSIIPEDTFFPSPPESSCDVKLVEKS FET
 DTNLFQNL SVIGFRILLK VAGFNLLMTLRLWSSGSGATNFSLLKQAGDVEENPGPMS IGL
 LCCAALSLLWAGPVNADLKNVFPK VAVFEPSEAEISHTQKATLVCLATGFYPDHVELSWWV
 NGKEVHSGVSTDPQPLKEQPALNDSRYCLSSRLRV SATFWQNP RNHFRCQVQFYGLSENDEW
 TQDRAKPVTQIVSAEAWGRADCGFTSES YQQGVLSATILYEILLGKATLYAVLV SALVLMAM
 VKRKDSRG (SEQ ID NO: 83)

ATGGAGACCCTCTTGGGCCTGCTTATCCTTTGGCTGCAGCTGCAATGGGTGAGCAGCATCCA
 GAACCCTGACCCTGCCGTGTACCAGCTGAGAGACTCTAAATCCAGTGACAAGTCTGTCTGCC
 TATTCACCGATTTTGATTCTCAAACAAATGTGTACAAAGTAAGGATTCTGATGTGTATATC
 ACAGACAAAACCTGTGCTAGACATGAGGTCTATGGACTTCAAGAGCAACAGTGCTGTGGCCTG
 GAGCAACAAATCTGACTTTGCATGTGCAACGCCTTCAACAACAGCATTATTCCAGAAGACA
 CCTTCTTCCCCAGCCCAGAAAGTTCTGTGATGTCAAGCTGGTTCGAGAAAAGCTTTGAAACA
 GATACGAACCTAAACTTTCAAACCTGTCAGTGATTGGGTTCGGAATCCTCCTCCTGAAAGT
 GGCCGGGTTTAATCTGCTCATGACGCTGCGGCTGTGGTCCAGCGGAAGCGGAGCTACTAACT

TTAGCCTGCTGAAGCAGGCTGGAGATGTGGAGGAGAACCCTGGACCTATGAGCATCGGCCTC
 CTGTGCTGTGCAGCCTTGTCTCTCCTGTGGGCAGGTCCAGTGAATGCTGACCTGAAAAACGT
 GTTCCCAACCAAGGTCGCTGTGTTTGGAGCCATCAGAAGCAGAGATCTCCACACCCAAAAAGG
 CCACACTGGTATGCCTGGCCACAGGCTTCTACCCCGACCACGTGGAGCTGAGCTGGTGGGTG
 AATGGGAAGGAGGTGCACAGTGGGGTCAGCACAGACCCGACGCCCTCAAGGAGCAGCCCGC
 CCTCAATGACTCCAGATACTGCCTGAGCAGCCGCTGAGGGTCTCGGCCACCTTCTGGCAGA
 ACCCCCGCAACCACTTCCGCTGTCAAGTCCAGTTCTACGGGCTCTCGGAGAATGACGAGTGG
 ACCCAGGATAGGGCCAAACCCGTCACCCAGATCGTCAGCGCCGAGGCCTGGGGTAGAGCAGA
 CTGTGGCTTACCTCCGAGTCTTACCAGCAAGGGGTCTGTCTGCCACCATCCTCTATGAGA
 TCTTGCTAGGGAAGGCCACCTTGTATGCCGTGCTGGTCAGTGCCCTCGTGCTGATGGCCATG
 GTCAAGAGAAAGGATTCCAGAGGCTAA (SEQ ID NO: 84)

[0175] *CD3:*

MKWKALFTAAILQAQLPITEAQSFGLLDPKLCYLLDGILFIYGVILTALFLRVKFSRSADAP
 AYQQGQNQLYNELNLGRREEYDVLDRRGRDPEMGGKQRRKNPQEGLYNELQKDKMAEAYS
 EIGMKGERRRGKGHDLGLYQGLSTATKDTYDALHMQALPPRQCTNYALLKLAGDVESNPGPME
 QGKGLAVLILAIILLQGTLAQSIKGNHLVKVYDYQEDGSVLLTCDAEAKNITWFKDGKMGIF
 LTEDKKKWNLGSNAKDPGRMYQCKGSQNSKPLQVYYRMCQNCIELNAATISGFLFAEIVSI
 FVLAVGVYFIAGQDGVRSASDKQTLLENQLYQPLKDREDDQYSHLQGNQLRRNVKQTLN
 FDLLKLAGDVESNPGPMEHSTFLSGLVLATLLSQVSPFKIPIEELEDVRFVNCNTSITWVEG
 TVGTLLSDITRLDLGKRILDPRIYRCNGTDIYKDKESTVQVHYRMCQSCVELDPATVAGII
 VTDVIATLLALLGVFCFAGHETGRLSGAADTQALLRNDQVYQPLRDRDDAQYSHLGGNWARN
 KEGRGSLLTCGDVEENPGPMQSGTHWRVLGLCLLSVGWVGQDGNEEMGGITQTPYKVISIGT
 TVILTCPOYPGSEILWQHNDKNIGGEDDKNIGSDEDHLSLKEFSELEQSGYYVCYPRGSKP
 EDANFYLYLRARVCENCMEMDMVSATIVIVDICITGGLLLLVYYWSKNRKAKAKPVTRGAG
 AGGRQRGQNKERPPVPNPDYEPKRGQRDLYSGLNQRRIGPQCTNYALLKLAGDVESNPGP
 (SEQ ID NO: 79)

ATGAAGTGGAAAGGCGCTTTTACCCGCGGCCATCCTGCAGGCACAGTTGCCGATTACAGAGGC
 ACAGAGCTTTGGCCTGCTGGATCCCAAACCTCTGCTACCTGCTGGATGGAATCCTCTTCATCT
 ATGGTGTCAATCTCACTGCCTTGTTCCTGAGAGTGAAGTTCAGCAGGAGCGCAGACGCCCCC
 GCGTACCAGCAGGGCCAGAACCAGCTCTATAACGAGCTCAATCTAGGACGAAGAGAGGAGTA
 CGATGTTTTGGACAAGAGACGTGGCCGGGACCCTGAGATGGGGGGAAAGCCGCAGAGAAGGA
 AGAACCTCAGGAAGGCCTGTACAATGAACCTGCAGAAAGATAAGATGGCGGAGGCCTACAGT
 GAGATTGGGATGAAAGGCGAGCGCCGGAGGGGCAAGGGGCACGATGGCCTTTACCAGGTCT
 CAGTACAGCCACCAAGGACACCTACGACGCCCTTACATGCAGGCCCTGCCCCCTGCCAGT
 GCACCAACTACGCCCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGGCCCATGGAA
 CAGGGGAAGGGCTGGCTGTCTCATCTGGCTATCATTCTTCTTCAAGGTACTTTGGCCCA
 GTCAATCAAAGGAAACCCTTGGTTAAGGTGTATGACTATCAAGAAGATGGTTCGGTACTTC
 TGACTTGTGATGCAGAAGCCAAAAATATCACATGGTTTAAAGATGGGAAGATGATCGGCTTC
 CTAAGTGAAGATAAAAAAATGGAATCTGGGAAGTAATGCCAAGGACCCTCGTGGGATGTA
 TCAGTGTAAAGGATCACAGAACAAGTCAAACCACTCCAAGTGTATTACAGAATGTGTCAGA
 ACTGCATTGAACTAAATGCAGCCACCATATCTGGCTTTCTCTTTGCTGAAATCGTCAGCATT
 TTCGTCTTGTGCTTGGGGTCTACTTCATTGCTGGACAGGATGGAGTTCGCCAGTCGAGAGC
 TTCAGACAAGCAGACTCTGTTGCCCAATGACCAGCTCTACCAGCCCCCTCAAGGATCGAGAAG
 ATGACCAGTACAGCCACCTTCAAGGAAACAGTTGAGGAGGAATGTGAAGCAGACCCTGAAC
 TTCGACCTGCTGAAGCTGGCCGGCGACGTGGAGAGCAACCCCGGCCCATGGAGCACAGCAC
 CTTCTGAGCGGCCTGGTGTGGCCACCCTGCTGAGCCAGGTGAGCCCCCTCAAGATCCCCA
 TCGAGGAGCTGGAGGACAGAGTGTTCGTGAACTGCAACACCAGCATCACCTGGGTGGAGGGC
 ACCGTGGGCACCTGCTGAGCGACATCACCAGACTGGACCTGGGCAAGAGAATCCTGGACCC
 CAGAGGCATCTACAGATGCAACGGCACCGACATCTACAAGGACAAGGAGAGCACCGTGCAGG

TGCACTACAGAATGTGCCAGAGCTGCGTGGAGCTGGACCCCGCCACCGTGGCCGGCATCATC
 GTGACCGACGTGATCGCCACCCTGCTGCTGGCCCTGGGCGTGTCTGCTTCGCCGGCCACGA
 GACCGGCAGACTGAGCGGCGCCCGGACACCCAGGCCCTGCTGAGAAACGACCAGGTGTACC
 AGCCCCTGAGAGACAGAGACGACGCCCAGTACAGCCACCTGGGCGGCAACTGGGCCAGAAAC
 AAGGAGGGCAGAGGCAGCCTGCTGACCTGCGGCGACGTGGAGGAGAACCCCGGCCCCATGCA
 GAGCGGCACCCACTGGAGAGTGCTGGGCCTGTGCCTGCTGAGCGTGGGCGTGTGGGGCCAGG
 ACGGCAACGAGGAGATGGGCGGCATCACCCAGACCCCCCTACAAGGTGAGCATCAGCGGCACC
 ACCGTGATCCTGACCTGCCCCCAGTACCCCGGCAGCGAGATCCTGTGGCAGCACAACGACAA
 GAACATCGGCGGCGACGAGGACGACAAGAACATCGGCAGCGACGAGGACCACCTGAGCCTGA
 AGGAGTTCAGCGAGCTGGAGCAGAGCGGCTACTACGTGTGCTACCCAGAGGCAGCAAGCCC
 GAGGACGCCAACTTCTACCTGTACCTGAGAGCCAGAGTGTGCGAGAAGTGCATGGAGATGGA
 CGTGATGAGCGTGGCCACCATCGTGATCGTGGACATCTGCATCACCGGCGGCCTGCTGCTGC
 TGGTGTACTACTGGAGCAAGAACAGAAAGGCCAAGGCCAAGCCCGTGACCAGAGGCGCCGGC
 GCCGGCGGCAGACAGAGAGGCCAGAACAAAGGAGAGACCCCCCCCCCTGCCCAACCCGACTA
 CGAGCCCATCAGAAAGGGCCAGAGAGACCTGTACAGCGGCCTGAACCAGAGAAGAATCGGAC
 CGCAGTGTACTAATTATGCTCTCTTGAAATTGGCTGGAGATGTTGAGAGCAATCCCGGGCCC
 (SEQ ID NO: 80)

[0176] *IL-15:*

MRISKPHLRISISIQCYLCLLLNSHFLTEAGIHVFILGCF SAGLPKTEANWVNVISDLKKIED
 LIQSMHIDATLYTESDVHPSCKVTAMKCFLELQVISLESGDASIHDVTENLIILANNSLSS
 NGNVTESGCKECEELEEKNIKEFLQSFVHIVQMFINTS* (SEQ ID NO: 48)

ATGCGCATTAGCAAGCCCCACCTGCGGAGCATCAGCATCCAGTGCTACCTGTGCCTGCTGCT
 GAACAGCCACTTCCTGACCGAGGCCGGCATCCACGTGTTTCATCCTGGGCTGCTTCAGCGCCG
 GACTGCCCAAGACCGAGGCCAACTGGGTGAACGTGATCAGCGACCTGAAGAAGATCGAGGAC
 CTGATCCAGAGCATGCACATCGACGCCACCCTGTACACCGAGAGCGACGTGCACCCAGCTG
 CAAGGTGACCGCCATGAAGTGCTTTCTGCTGGAAGTGCAGGTGATCAGCCTGGAAAGCGGCG
 ACGCCAGCATCCACGACACCGTGGAGAACCTGATCATCCTGGCCAACAACAGCCTGAGCAGC
 AACGGCAACGTGACCGAGAGCGGCTGCAAAGAGTGCGAGGAAGTGGAAAGAGAAGAACATCAA
 AGAGTTTCTGCAGAGCTTCGTGCACATCGTGCAGATGTTTCATCAACACCAGC (SEQ ID
 NO: 49)

[0177] In some embodiments, a TCR construct comprises an NY-ESO-specific TCR and a CD8 alpha/beta co-receptor molecule. In some embodiments, such a construct can comprise a TCR alpha chain variable region signal peptide, a TCR alpha chain variable region, a TCR alpha chain constant region, a 2A element (e.g., P2A element), a TCR beta chain variable region signal peptide, a TCR beta chain variable region, a TCR beta chain constant region, a 2A element (e.g., a E2A element), a CD8-beta polypeptide, a 2A element (e.g., a T2A element), and a CD8-alpha polypeptide. In some embodiments, a TCR construct comprising an NY-ESO-specific TCR and a CD8 alpha/beta co-receptor molecule nucleotide coding sequence is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to SEQ ID NO: 124. In some embodiments, a TCR construct comprising an NY-ESO-specific TCR and a CD8 alpha/beta co-receptor molecule amino acid

sequence is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to SEQ ID NO: 125.

[0178] In some embodiments, a CD8 alpha co-receptor molecule is transcriptionally linked to any TCR molecule disclosed herein. In some embodiments, a CD8 alpha co-receptor molecule nucleotide coding sequence is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to SEQ ID NO: 126. In some embodiments, a CD8 beta co-receptor molecule nucleotide coding sequence is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to SEQ ID NO: 127. In some embodiments, a CD8 alpha co-receptor amino acid sequence is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to SEQ ID NO: 128. In some embodiments, a CD8 beta co-receptor amino acid sequence is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to SEQ ID NO: 129.

ATGGAGACCCTCTTGGGCCTGCTTATCCTTTGGCTGCAGCTGCAATGGGTGAGCAGCAAACA
GGAGGTGACACAGATTCTGCAGCTCTGAGTGTCCAGAAGGAGAAAACCTTGGTTCTCAACT
GCAGTTTCACTGATAGCGCTATTTACAACCTCCAGTGGTTTAGGCAGGACCCTGGGAAAGGT
CTCACATCTCTGTTGCTTATTCAAGTCAGTCAGAGAGAGCAAACAAGTGGAAGACTTAATGC
CTCGCTGGATAAATCATCAGGACGTAGTACTTTATACATTGCAGCTTCTCAGCCTGGTGACT
CAGCCACCTACCTCTGTGCTGTGAGGCCCTTTATGGAGGAAGCTACATACCTACATTTGGA
AGAGGAACCAGCCTTATTGTTTCATCCGTATATCCAGAACCCTGACCCTGCCGTGTACCAGCT
GAGAGACTCTAAATCCAGTGACAAGTCTGTCTGCCTATTACCGATTTTGATTCTCAAACAA
ATGTGTACACAAAGTAAGGATTCTGATGTGTATATCACAGACAAAACCTGTGCTAGACATGAGG
TCTATGGACTTCAAGAGCAACAGTGCTGTGGCCTGGAGCAACAAATCTGACTTTGCATGTGC
AAACGCCTTCAACAACAGCATTATTCCAGAAGACACCTTCTTCCCCAGCCAGAAAGTTCTCT
GTGATGTCAAGCTGGTCGAGAAAAGCTTTGAAACAGATACGAACCTAAACTTTCAAACCTG
TCAGTGATTGGGTCCGAATCCTCCTCCTGAAAGTGGCCGGGTTAATCTGCTCATGACGCT
GCGGCTGTGGTCCAGCGGAAGCGGAGCTACTAAGTGGCCGGGTTAATCTGCTCATGACGCT
TGGAGGAGAACCTGGACCTATGAGCATCGGCCTCCTGTGCTGTGCAGCCTTGTCTCTCCTG
TGGGCAGGTCCAGTGAATGCTGGTGTCACTCAGACCCCAAAATTCAGGTCCTGAAGACAGG
ACAGAGCATGACACTGCAGTGTGCCAGGATATGAACCATGAATACATGTCCTGGTATCGAC
AAGACCCAGGCATGGGGCTGAGGCTGATTCACTCAGTTGGTGCTGGTATCACTGACCAA
GGAGAAGTCCCCAATGGCTACAATGTCTCCAGATCAACCACAGAGGATTTCCCGCTCAGGCT
GCTGTGCGGCTGCTCCCTCCAGACATCTGTGTAATCTGTGCGCAGCAGTTACGTCGGGAACA
CCGGGGAGCTGTTTTTTGGAGAAGGCTCTAGGCTGACCGTACTGGAGGACCTGAAAAACGTG
TTCCACCCAAGGTCGCTGTGTTTGGAGCCATCAGAAGCAGAGATCTCCACACCCAAAAGGC
CACACTGGTATGCCTGGCCACAGGCTTCTACCCGACCACGTGGAGCTGAGCTGGTGGGTGA
ATGGGAAGGAGGTGCACAGTGGGGTCAGCACAGACCCGCAGCCCCCTCAAGGAGCAGCCGCC
CTCAATGACTCCAGATACTGCCTGAGCAGCCGCCTGAGGGTCTCGGCCACCTTCTGGCAGAA
CCCCCGCAACCACTTCCGCTGTCAAGTCCAGTTCTACGGGCTCTCGGAGAATGACGAGTGGA
CCCAGGATAGGGCCAAACCCGTCACCCAGATCGTCAGCGCCGAGGCCTGGGGTAGAGCAGAC
TGTGGCTTACCTCCGAGTCTTACCAGCAAGGGGTCTGTCTGCCACCATCCTCTATGAGAT

CTTGCTAGGGAAGGCCACCTTGTATGCCGTGCTGGTCAGTGCCCTCGTGCTGATGGCCATGG
TCAAGAGAAAGGATTCCAGAGGCAGTGGACAGTGCACCAACTACGCCCTGCTGAAGCTGGCC
GGCGACGTGGAGAGCAACCCCGCCCCATGGCCTTGCCCGTCACTGCGCTTTTGCTCCCGCT
CGCTCTTCTCCTGCATGCAGCCCGACCATCTCAATTTAGAGTTTCTCCACTCGACAGGACGT
GGAACCTCGGCGAAACCGTCGAACTTAAATGTCAAGTACTTCTCTCAAATCCGACTTCTGGT
TGCTCATGGCTCTTTCAGCCGAGAGGAGCAGTGCCAGCCCCACCTTCCTGCTGTATCTCTC
CCAGAACAAGCCGAAGGCCGCCGAAGGGCTCGATACTCAACGATTTAGCGGGAAGCGACTCG
GGGACACGTTTCGTTCTTACTCTCAGCGATTTTGAAGAGAGAACGAGGGATATTATTTTTGT
TCCGCACTCTCTAACAGCATCATGTACTTCAGTCATTTTGTACCAGTCTTCTCCCTGCAAA
ACCAACGACTACTCCAGCACCAAGACCGCCCACTCCCGCACCTACTATTGCAAGCCAACCTT
TGAGTCTCCGACCAGAGGCATGCAGACCTGCTGCTGGAGGTGCAGTACATACGCGAGGGTTG
GATTTTGCTGCGATATCTATATCTGGGCCCCCTTGGCCGGCACGTGCGGGGTGCTCCTGCT
GAGTCTCGTAATTACTCTTTATTGTAATCATAGAAACCGCAGAAGGGTGTGTAAGTGTCCCC
GGCCTGTGCTGAAAAGCGGGGATAAGCCAGTTTGTCTGCTCGGTACGTCGGAAGCGGTGAG
GGCAGGGGAAGTCTTCTAACATGCGGGGACGTGGAGGAAAATCCCGGACCCATGAGGCCACG
ACTTTGGCTGCTGCTCGCTGCACAGTTGACTGTACTGCATGGCAATAGTGTGTTGCAGCAGA
CACCTGCATACATCAAGGTTTCAAGACAAAATAAGATGGTTATGCTGAGTTGCGAGGCAAAAATT
AGTTTGAGCAATATGCGGATCTACTGGTTGCGACAGAGACAGGCTCCCAGTAGTGATAGTCA
CCACGAATTCTGGCTCTTTGGGATTCCGCAAAAGGAACGATTCATGGGGAAGAAGTAGAGC
AGGAGAAGATTGCGGTTTTCCGCGATGCATCTCGCTTTATCCTTAATCTTACATCCGTTAAG
CCTGAGGACAGTGGGATCTATTTTTGTATGATTGTAGGGTCCCCCGAATTGACATTTGGGAA
GGGTACGACAGTCTCCGTAGTTGACTTTCTGCCCACAACGGCACAACCCACTAAGAAGTCCA
CCCTGAAGAAGCGCGTCTGTGCTTGCCAGACCTGAAACCCAAAAGGGTCCACTCTGTTCC
CCTATAACCCTGGGGTTGTTGGTGGCGGGCGTCTTGGTCCTGCTTGTTAGCTTGGGCGTAGC
CATTATCTGTGTTGCCGAAGACGCAGAGCCCGACTTAGATTTATGAAGCAATTCTATAAGT
GA (SEQ ID NO: 124)

METLLGLLILWLQLQWVSSKQEVTOIPAALSVPEGENLVLNCSFTDSAIYNLQWFRQDPGKG
LTSLLLIQSSQREQTSGRLNASLDKSSGRSTLYIAASQPGDSATYLC AVRPLYGGSYIPTFG
RGTS LIVHPYIQNPDPVYQLRDSKSSDKSVCLFTDFDSQTNVSQSKSDVYITDKTVLDMR
SMDFKSNSAVAWSNKSDFACANAFNNSIIPEDTFFPSPESSCDVKLVEKSFETDTNLFQNL
SVIGFRILLKLVAGFNLLMTLRLWSSGSGATNFSLLKQAGDVEENPGPMSIGLLCCAALSLL
WAGPVNAGVTQTPKFQVLKTGQSMTLQCAQDMNHEYMSWYRQDPGMGLRLIHYSVGAGITDQ
GEVPNGYNVSRSTTEDFPLRLLSAAPSQTSVYFCASSYVGNTEGELFFGEGSRLTVLEDLKNV
FPPKVAVFEPSEAEISHTQKATLVCLATGFYPDHVELSWVWNGKEVHSGVSTDPQLKEQPA
LNDSTRYCLSSRLRVSATFWQNP RNHFRCQVQFYGLSENDEWTQDRAKPVTQIVSAEAWGRAD
CGFTSESYQQGVLSATILYEILLGKATLYAVLV SALVLMAMVKRKDSRGSGQCTNYALLKLA
GDVESNPGPMALPVTALLPLALLLHAARPSQFRVSPLDRTWNLGETVELKCVLLSNPTSG
CSWLFQPRGAAASPTFLLYLSQNKPKAAEGLDQRFSGKRLGDTFVLTLSDFRRENEGYFC
SALSNSIMYFSHFVPVFLPAKPTTTPAPRPPTPAPTIASQPLSLRPEACRPAAGGAVHTRGL
DFACDIYIWAPLAGTCGVLLLSLVITLYCNHRNRRRVCKCPRPVVKS GDKPSLSARYVGSGE
GRGSLTTCGDVEENPGPMRPRWLWLLAAQLTVLHGNSVLQQT PAYIKVQTNKMVMLSCEAKI
SLSNMRIYWLQRQAPSSDSHHEFLALWDS AKGTIHGEEVEQE KIAVFRDASRFILNLTSVK
PEDSGIYFCMIVGSPELTFGKGTQLSVVD FLPTTAQPTKKSTLKKRVCRLRPETQKGPLCS
PITLGLLVAGVLVLLVSLGVAIHLCCRRRRARLRFMKQFYK* (SEQ ID NO: 125)

ATGAGGCCACGACTTTGGCTGCTGCTCGCTGCACAGTTGACTGTACTGCATGGCAATAGTGT
GTTGCAGCAGACACCTGCATACATCAAGGTTTCAAGACAAAATAAGATGGTTATGCTGAGTTGCG
AGGCAAAAATTAGTTTGAGCAATATGCGGATCTACTGGTTGCGACAGAGACAGGCTCCAGT
AGTGATAGTCAACCACGAATTCCTGGCTCTTTGGGATTCCGCAAAAGGAACGATTCATGGGGA

AGAAGTAGAGCAGGAGAAGATTGCGGTTTTCCGCGATGCATCTCGCTTTATCCTTAATCTTA
CATCCGTTAAGCCTGAGGACAGTGGGATCTATTTTTGTATGATTGTAGGGTCCCCGAATTG
ACATTTGGGAAGGGTACGCAGCTCTCCGTAGTTGACTTTCTGCCCACAACGGCACAACCCAC
TAAGAAGTCCACCCTGAAGAAGCGCGTCTGTCGCTTGCCCAGACCTGAAACCCAAAAGGGTC
CACTCTGTTCCCTATAACCCTGGGGTTGTTGGTGGCGGGCGTCTTGGTCCTGCTTGTTAGC
TTGGGCGTAGCCATTCATCTGTGTTGCCGAAGACGCAGAGCCCGACTTAGATTTATGAAGCA
ATTCTATAAGTGA (SEQ ID NO: 126)

ATGGCCTTGCCCGTCACTGCGCTTTTGCTCCCGCTCGCTCTTCTCCTGCATGCAGCCCGACC
ATCTCAATTTAGAGTTTCTCCACTCGACAGGACGTGGAACCTCGGCGAAACCGTCGAACTTA
AATGTCAAGTACTTCTCTCAAATCCGACTTCTGGTTGCTCATGGCTCTTTCAGCCGAGAGGA
GCAGCTGCCAGCCCCACCTTCTGCTGTATCTCTCCAGAACAAGCCGAAGGCCGCCGAAGG
GCTCGATACTCAACGATTTAGCGGGAAGCGACTCGGGGACACGTTCTTCTTACTCTCAGCG
ATTTTAGAAGAGAGAACGAGGGATATTATTTTTGTTCCGCACTCTCTAACAGCATCATGTAC
TTCAGTCATTTTGTACCAGTCTTCTCCCTGCAAAACCAACGACTACTCCAGCACCAAGACC
GCCCCACTCCCGCACCTACTATTGCAAGCCAACCTTTGAGTCTCCGACCAGAGGCATGCAGAC
CTGCTGCTGGAGGTGCAGTACATACGCGAGGGTTGGATTTTGCCTGCGATATCTATATCTGG
GCCCCCTTGCCCGGCACGTGCGGGGTGCTCCTGCTGAGTCTCGTAATTACTCTTTATTGTAA
TCATAGAAACCGCAGAAGGTGTGTAAGTGTCCCCGGCCTGTCGTGAAAAGCGGGGATAAGC
CCAGTTTGTCTGCTCGGTACGTC (SEQ ID NO: 127)

MRPRLWLLLAQLTVLHGNSVLQQTPAYIKVQTNKVMVLSCEAKISLSNMRIYWLRQRQAPS
SDSHHEFLALWDSAGTIHGEEVEQEKIIVFRDASRFILNLTSVKPEDSGIYFCMIVGSP
ELTFGKGTQLSVVDFLPTTAQPTKKSTLKKRVCRLRPETQKGPLCSPITLGLLVAGVLVLLVS
LGVAIHLCCRRRRARLRFMKQFYK (SEQ ID NO: 128)

MALPVTALLLPLALLLHAARPSQFRVSPLDRTWNLGETVELKCQVLLSNPTSGCSWLFQPRG
AAASPTFLLYLSQNKPKAAEGLDTRFSGKRLGDTFVLTLSDFRRENEGYYFCSALSNSIMY
FSHFVPVFLPAKPTTTPAPRPPTPAPTIASQPLSLRPEACRPAAGGAVHTRGLDFACDIYIW
APLAGTCGVLLLSLVITLYCNHRNRRRVCKCPRPVVKS GDKPSLSARYV (SEQ ID NO:
129)

[0179] In some embodiments, a TCR construct comprises PRAME-specific TCR chains. In some embodiments, a TCR construct comprising PRAME-specific TCR chains comprises TCR alpha and TCR beta chains found in PRAME-specific TCR clone 46, clone 54, and/or clone DSK3. In some embodiments, a TCR construct comprising PRAME-specific TCR chains comprises TCR alpha and TCR beta chains that target PRAME epitopes SLLQHLLIGL (SEQ ID NO: 131) and/or QLLALLPSL (SEQ ID NO: 132).

[0180] In some embodiments, a TCR construct comprising PRAME-specific TCR chains comprises a nucleotide coding sequence that is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to SEQ ID NO: 133 (e.g., TCR clone 46 TCR alpha) and/or 134 (e.g., TCR clone 46 TCR beta). In some embodiments, a TCR construct comprising PRAME-specific TCR chains comprises an amino acid sequence that is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%,

94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to SEQ ID NO: 135 (e.g., TCR clone 46 TCR alpha) and/or 136 (e.g., TCR clone 46 TCR beta).

ATGCTTCTGGAACACCTGCTGATTATCCTGTGGATGCAACTCACGTGGGTCTCCGGGCAACA
ACTGAATCAAAGCCCCCAATCCATGTTTATACAGGAGGGAGAGGACGTAAGTATGAATTGCA
CATCTTCATCTATCTTTAACACCTGGCTGTGGTACAAACAAGACCCCGGAGAAGGTCTGTGA
CTTCTCATCGCACTTTACAAAGCAGGTGAGCTTACCAGTAACGGGAGACTCACCGCACAGTT
CGGTATTACAAGAAAGGATTCCCTTTCTCAACATCTCCGCTTCTATCCCTTCAGACGTCGGAA
TTTATTTTTTGTGCTGGTATCCCTCGAGACAATTACGGTCAAAAACCTTTGTATTTGGGCTGGG
ACTCGGCTGTGAGTTTTGCCGTATATCCAGAACCCCGACCCCGCCGTGTACCAGCTGCGGGA
CAGCAAGAGCAGCGACAAGAGCGTGTGCCTGTTCCAGGACTTCGACAGCCAGACCAACGTGT
CCCAGAGCAAGGACAGCGACGTGTACATCACCGATAAGTGCGTGTGGACATGCGGAGCATG
GACTTCAAGAGCAACAGCGCCGTGGCCTGGTCCAACAAGAGCGACTTCGCCTGCGCCAACGC
CTTCAACAACAGCATCATCCCCGAGGACACATTCTTCCCAAGCCCCGAGAGCAGCTGCGACG
TGAAGCTGGTGGAGAAGTCCTTCGAGACAGACACCAACCTGAACTTCCAGAACCTGTCCGTG
ATCGGCTTCAGAACTCTGCTGCTGAAAGTGGCCGGCTTCAACCTGCTGATGACCCTGCGGCT
GTGGTCCAGC (SEQ ID NO: 133)

ATGGGCATTAGGCTGCTGTGCAGAGTAGCATTTTGCTTTCTGGCAGTAGGATTGGTTCGATGT
AAAGGTTACACAGTCCTCACGGTACTTGGTAAAGCGCACTGGTGAAAAGGTCTTTCTGGAAT
GTGTACAAGATATGGATCACGAAAATATGTTTTGGTACAGGCAAGATCCCGGCCCTTGGACTT
AGACTGATATATTTCTCTACGATGTTAAAATGAAGGAGAAGGGCGATATTCCAGAAGGATA
TTCCGTGAGCCGCGAAAAGAAGGAGCGATTTCAGTTTGATACTCGAAAGTGCCTCCACAAACC
AAACCTCTATGTACCTTTGCGCGTCAACGCCGTGGCTGGCCGGTGGCAATGAACAATTCTTC
GGGCCGGGTACGCGCTCACTGTCTGGAGGACCTCAAGAATGTGTTTCCGCCCGAAGTCGC
GGTTTTTTGAACCATCAGAAGCCGAGATCTCTCATACACAAAAGGCGACGCTCGTATGCCTTG
CGACGGGATTTTATCCGGACCACGTGCGAGCTTCTCTGGTGGGTAAATGGAAGGAGGTGCAT
TCCGGAGTTTGCACGGACCCTCAGCCATTGAAGGAACAGCCCGCACTGAACGACAGTAGGTA
TTGCCTTTTCATCTCGCCTGCGCGTGTCTGCGACATTCTGGCAAAACCCAAGAAATCACTTCA
GATGTCAAGTTCAGTTCTACGGTCTCAGCGAGAATGATGAGTGGACACAAGATAGGGCTAAA
CCCGTGACTCAAATAGTCTCTGCCGAGGCCCTGGGGGAGGGCGGATTGCGGCTTCACATCAGA
ATCATACCAACAAGGAGTATTGAGCGCGACAATTCTTTACGAAATTCGCTTGGGAAAGCGA
CTCTGTACGCGGTGCTCGTGTCCGCTTTGGTTCTTATGGCAATGGTTAAACGAAAGGATAGT
AGGGGC (SEQ ID NO: 134)

MLLEHLLIILWMQLTWVSGQQLNQSPQSMFIQEGEDVSMNCTSSSI FNTWLWYKQDPGEGPV
LLIALYKAGELTSNGRLTAQFGITRKDSFLNISASIPSDVGIYFCAGIPRDNYGQNFVFGPG
TRLSVLPYIQNPDPVYQLRDSKSSDKSVCLFTDFDSQTNVSQSKDSVYITDKCVLDMRSM
DFKSNSAVAWSNKSDFACANAFNNIIIPEDTFFPSPSSCDVKLVEKSFETDTNLFQNLVS
IGFRILLKLVAGFNLLMTLRLWSS (SEQ ID NO: 135)

MGIRLLCRVAFCF LAVGLVDVKVTQSSRYLVKRTGEKVFLECVQDMDHENMFYRQDPGLGL
RLIYFSYDVKMKEKGDIPEGYSVSREKKERFSLILESASTNQTSMYLCASTPWLAGGNEQFF
GPGTRLTVLEDLKNVFPPEVAVFEPSEAEISHTQKATLVCLATGFYPDHVELSWVNGKEVH
SGVCTDPQPLKEQPALNDSRYCLSSRLRVSATFWQNPRNHFRQVQFYGLSENDEWTQDRAK
PVTQIVSAEAWGRADCGFTSESYQQGVLSATILYEILLGKATLYAVLV SALVLMAMVKRKDS
RG (SEQ ID NO: 136)

[0181] In some embodiments, a TCR construct comprising PRAME-specific TCR chains comprises a nucleotide coding sequence that is at least, or exactly, 85%, 86%, 87%, 88%, 89%,

90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to SEQ ID NO: 137 (e.g., TCR clone 54 TCR alpha) and/or 138 (e.g., TCR clone 54 TCR beta). In some embodiments, a TCR construct comprising PRAME-specific TCR chains comprises an amino acid sequence that is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to SEQ ID NO: 139 (e.g., TCR clone 54 TCR alpha) and/or 140 (e.g., TCR clone 54 TCR beta).

ATGCTGCTGCTGCTGGTGCCCGTGCTGGAAGTGATCTTCACCCCTGGGCGGCACCAGAGCCCCA
GAGCGTGACACAGCTGGGCAGCCACGTGTCCGTGTCTGAGAGGGCCCTGGTGCTGCTGAGAT
GCAACTACTCTTCTAGCGTGCCCCCTACCTGTTTTGGTACGTGCAGTACCCCAACCAGGGG
CTGCAGCTGCTCCTGAAGTACACCAGCGCCGCCACACTGGTGAAGGGCATCAACGGCTTCGA
GGCCGAGTTCAAGAAAGTCCGAGACAAGCTTCCACCTGACCAAGCCCAGCGCCACATGTCTG
ACGCCGCCGAGTACTTCTGTGCCGTGAGCGGCCAGACCGGCGCCAACAACCTGTTCTTCGGC
ACCGGCACCCGGCTGACAGTGATCCCTTACATCCAGAACCCCGACCCCGCCGTGTACCAGCT
GCGGGACAGCAAGAGCAGCGACAAGAGCGTGTGCCTGTTACCGACTTCGACAGCCAGACCA
ACGTGTCCCAGAGCAAGGACAGCGACGTGTACATCACCGATAAGTGCGTGCTGGACATGCGG
AGCATGGACTTCAAGAGCAACAGCGCCGTGGCCTGGTCCAACAAGAGCGACTTCGCCTGCGC
CAACGCCTTCAACAACAGCATCATCCCCGAGGACACATTCTTCCCAAGCCCCGAGAGCAGCT
GCGACGTGAAGCTGGTGGAGAAGTCTTCGAGACAGACACCAACCTGAACTTCCAGAACCTG
TCCGTGATCGGCTTCAGAATCCTGCTGCTGAAAGTGGCCGGCTTCAACCTGCTGATGACCCT
GCGGCTGTGGTCCAGC (SEQ ID NO: 137)

ATGGGCTTCCGGCTGCTGTGCTGCGTGCCCTTTTGTCTGCTGGGAGCCGGACCTGTGGATAG
CGGCGTGACCCAGACCCCCAAGCACCTGATCACCGCCACCGGCCAGAGAGTGACCCTGCGCT
GCAGCCCTAGAAGCGGCGACCTGAGCGTGTACTGGTATCAGCAGAGCCTCGACCAGGGCCTG
CAGTTCTCTGATCCAGTACTACAACGGCGAGGAACGGGCCAAGGGCAACATCCTGGAACGGTT
CAGCGCCCAGCAGTTCCCCGATCTGCACAGCGAGCTGAACCTGAGCAGCCTGGAACCTGGGCG
ACAGCGCCCTGTACTTCTGCGCCAGCGCCAGATGGGATAGAGGCGGCGAGCAGTACTTCGGC
CCTGGCACCCAGACTGACCGTGACCGAGGACCTCAAGAATGTGTTTCCGCCCCAAGTCGCGGT
TTTTGAACCATCAGAAGCCGAGATCTCTCATAACAAAAGGCGACGCTCGTATGCCTTGCGA
CGGGATTTTATCCGGACCACGTCGAGCTTTCCTGGTGGGTAAATGGAAAGGAGGTGCATTCC
GGAGTTTGCACGGACCCTCAGCCATTGAAGGAACAGCCCGCACTGAACGACAGTAGGTATTG
CCTTTTCATCTCGCCTGCGCGTGTCTGCGACATTCTGGCAAAACCCAAGAAATCACTTCAGAT
GTCAAGTTTCAGTTCTACGGTCTCAGCGAGAATGATGAGTGGACACAAGATAGGGCTAAACCC
GTGACTCAAATAGTCTCTGCCGAGGCCTGGGGGAGGGCGGATTGCGGCTTCACATCAGAAATC
ATACCAACAAGGAGTATTGAGCGCGACAATTCTTTACGAAATCTGCTTGGGAAAGCGACTC
TGACGCGGTGCTCGTGTCCGCTTTGGTTCTTATGGCAATGGTTAAACGAAAGGATAGTAGG
GGC (SEQ ID NO: 138)

MLLLLVPVLEVI FT LGGTRAQSVTQLGSHSVS ERALVLLRCNYSSSVPPYLFWYVQYPNQG
LQLLLKYTSAATLVK GINGFEAEFKKSETSFHLTKPSAHMSDAAEYFCVSGQTGANNLFFG
TGTRLTVIPYIQNPDPVYQLRDSKSSDKSVCLFTDFDSQTNVSQSKSDVYITDKCVLDMR
SMDFKSNSAVAWSNKSD FACANAFNNSIIPEDTFFPSPESSCDVKLVEKSFETDTNLFQNL
SVIGFRILLKLVAGFNLLMTLRLWSS (SEQ ID NO: 139)

MGFRLLCVAFCLLGAGPVD SGVTQTPKHLITATGQRVTLRCS PRSGDLSVYWYQQSLDQGL
QFLIQYYNGEERAKGNILERFSAQQFPDLHSELNLSSLELGDSALYFCASARWDRGGEQYFG
PGTRLTVTEDLKNVFPPEVAVFEPSEAEISHTQKATLVCLATGFYPDHVELS WVVNGKEVHS
GVCTDPQPLKEQPALNDSRYCLSSRLRV SATFWQNPRNHFRQVQFYGLSENDEWTQDRAKP

VTQIVSAEAWGRADCGFTSESYQQGVLSATILYEILLGKATLYAVLVSALVLMAMVKRKDSRG
G (SEQ ID NO: 140)

[0182] In some embodiments, a TCR construct comprising PRAME-specific TCR chains comprises a nucleotide coding sequence that is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to SEQ ID NO: 141 (e.g., TCR clone DSK3 TCR alpha) and/or 142 (e.g., TCR clone DSK3 TCR beta). In some embodiments, a TCR construct comprising PRAME-specific TCR chains comprises an amino acid sequence that is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to SEQ ID NO: 143 (e.g., TCR clone DSK3 TCR alpha) and/or 144 (e.g., TCR clone DSK3 TCR beta).

ATGAAGAGCCTGAGGGTACTGCTGGTGATATTGTGGCTTCAGCTTAGTTGGGTCTGGTCACA
ACAAAAGGAAGTTGAGCAAACTCAGGACCACTGAGTGTACCCGAGGGCGCTATAGCATCAC
TGAAGTGTACCTACTCAGATCGGGGAAGCCAATCCTTTTTCTGGTACAGACAGTATTCCGGG
AAGAGTCCTGAGTTGATCATGTTTATATACTCCAATGGCGATAAGGAGGATGGACGCTTCAC
CGCTCAGCTTAATAAAGCGTACAGTATGTATCCCTCCTGATTCTGGGACTCACAACCATCTG
ACTCTGCAACATACCTTTGTGCCGTAAAGGACAACGCCGGGAACATGCTCACTTTTGGAGGA
GGTACCCGGCTTATGGTAAAACCACATATCCAGAACCCCGACCCCGCCGTGTACCAGCTGCG
GGACAGCAAGAGCAGCGACAAGAGCGTGTGCCTGTTTACCGACTTCGACAGCCAGACCAACG
TGTCAGAGCAAGGACAGCGACGTGTACATCACCGATAAGTGCGTGCTGGACATGCGGAGC
ATGGACTTCAAGAGCAACAGCGCCGTGGCCTGGTCCAACAAGAGCGACTTCGCCTGCGCCAA
CGCCTTCAACAACAGCATCATCCCCGAGGACACATTCTTCCCAAGCCCCGAGAGCAGCTGCG
ACGTGAAGCTGGTGGAGAAGTCCTTCGAGACAGACACCAACCTGAACTTCCAGAACCTGTCC
GTGATCGGCTTCAGAATCCTGCTGCTGAAAGTGGCCGGCTTCAACCTGCTGATGACCCGTGCG
GCTGTGGTCCAGC (SEQ ID NO: 141)

MKSLRVLLVILWLQLSWVWSQQKEVEQNSGPLSVPEGAIASLNCTYSDRGSQSFFWYRQYSG
KPELIMFIYSNGDKEDGRFTAQLNKASQYVSLLRDSQPSDSATYLCVAKDNAGNMLTFGG
GTRLMVKPHIQNPDPVYQLRDSKSSDKSVCLFTDFDSQTNVSQSKSDVYITDKCVLDMRS
MDFKSNSAVAWSNKSDFACANAFNNSIIPEDTFFPSPSSCDVKLVKESFETDTNLFQNL
VIGFRILLKLVAGFNLLMTLRLWSS (SEQ ID NO: 142)

ATGGGATTCCGGCTTCTTTGTTGTGTGGCATTGTCTGTTGGGTGCGGGTCCAGTCGATAG
TGGTGTAACCTCAGACACCAAAACACCTTATCACGGCAACTGGGCAACGAGTGACGCTCCGCT
GTAGCCCCGAGGTCCGGTGATTTGAGTGTGTACTGGTACCAGCAATCTTTGGACCAGGGCTTG
CAGTTCCTCATAAGTATTACAATGGTGAAGAAAGAGCGAAGGGTAATATCCTGGAAAAGATT
CTCCGCACAACAGTTTCTGATCTCCACAGCGAACTGAACCTGAGTTCTCTCGAGCTCGGGG
ATAGTGCTTTGTACTTCTGCGCGTCATCCGACGGTGGCGGAGTCTATGAACAATATTTCCGGC
CCAGGGACTAGGCTTACGGTGACGGAGGACCTCAAGAATGTGTTTCCGCCCCAAGTCGCGGT
TTTTGAACCATCAGAAGCCGAGATCTCTCATAACAAAAGGCGACGCTCGTATGCCTTGCGA
CGGGATTTTATCCGGACCACGTCGAGCTTCTCTGGTGGGTAAATGGAAAGGAGGTGCATTCC
GGAGTTTGCACGGACCTCAGCCATTGAAGGAACAGCCCGCACTGAACGACAGTAGGTATTG
CCTTTTCATCTCGCCTGCGCGTGTCTGCGACATTCTGGCAAAACCAAGAAATCACTTCAGAT
GTCAAGTTCAGTTCTACGGTCTCAGCGAGAATGATGAGTGGACACAAGATAGGGCTAAACCC
GTGACTCAAATAGTCTCTGCCGAGGCCTGGGGGAGGGCGGATTGCGGCTTCACATCAGAATC
ATACCAACAAGGAGTATTGAGCGCGACAATCTTTACGAAATCTGCTTGGGAAAGCGACTC

TGTACGCGGTGCTCGTGTCCGCTTTGGTTCTTATGGCAATGGTTAAACGAAAGGATAGTAGG
GGC (SEQ ID NO: 143)

MGFRLLCVAFCLLGAGPVD SGVTQTPKHLITATGQRVTLRCS PRSGDLSVYWYQQSLDQGL
QFLIQYYNGEERAKGNILERFSAQQFPDLHSELNLSSLELGDSALYFCASSDGGGVYEQYFG
PGTRLTVTEDLKNVFPPEVAVFEPSEAEISHTQKATLVCLATGFYPDHVELSWVNGKEVHS
GVCTDPQPLKEQPALNDSRYCLSSRLRVSATFWQNPRNHFRQCQVQFYGLSENDEWTQDRAKP
VTQIVSAEAWGRADCGFTSESYQQGVLSATILYEILLGKATLYAVLV SALVLMAMVKRKDSR
G (SEQ ID NO: 144)

[0183] In some embodiments, a TCR construct comprising PRAME-specific TCR chains comprises a nucleotide coding sequence that is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to one or more of SEQ ID NOs: 145-152. In some embodiments, a TCR construct comprising PRAME-specific TCR chains comprises TCR alpha and TCR beta chains found in PRAME-specific TCR clone T116-49 and/or T402-93 and/or modified versions thereof. In some embodiments, a TCR construct comprising PRAME-specific TCR chains comprises TCR alpha and TCR beta chains that target PRAME epitope LYVDSLFFL (SEQ ID NO: 167). In some embodiments, PRAME-specific TCR sequences, TCR variable domain sequences, CDR sequences, and/or TCR constant domain sequences, are described in international patent application publication WO 2022/063966 A1, which is incorporated herein by reference for the purpose described herein. In some embodiments, a TCR construct comprising PRAME-specific TCR chains comprises an amino acid sequence that is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to one or more of SEQ ID NOs: 153-166.

ATGGAGACACTGCTGAAGGTGCTGTCTGGCACACTGCTGTGGCAGCTGACCTGGGTCCGATC
TCAGCAGCCTGTT CAGTCTCCTCAGGCCGTGATCCTGAGAGAAGGCGAGGACGCCGTGATCA
ACTGCAGCAGCTCTAAGGCCCTGTACAGCGTGCCTGGTACAGACAGAAGCACGGCGAGGCC
CCTGTGTTCTCTGATGATCCTGCTGAAAGGCGGCGAGCAGAAGGGCCACGAGAAGATCAGCGC
CAGCTTCAACGAGAAGAAGCAGCAGTCCAGCCTGTACCTGACAGCCAGCCAGCTGAGCTACA
GCGGCACCTACTTTTGCGGCACAGCCAATAGCGGCGGCAGCAACTACAAGCTGACCTTCGGC
AAGGGCACCCCTGCTGACCGTGAATCCCAAT (SEQ ID NO: 145)

ATGCTGCTGATCACCTCCATGCTGGTGCTGTGGATGCAGCTGAGCCAAGTGAACGGCCAGCA
AGTGATGCAGATCCCTCAGTACCAGCACGTGCAAGAAGGCGAGGACTTCACCACCTACTGCA
ACAGCAGCACCACACTGAGCAACATCCAGTGGTACAAGCAGCGGCCTGGCGGACACCCCTGTG
TTTCTGATCCAGCTGGTCAAGTCCGGCGAAGTGAAGAAGCAGAAGCGGCTGACCTTCCAGTT
CGGCGAGGCCAAGAAGAACAGCAGCCTGCACATCACCGCCACACAGACCACCGATGTGGGCA
CCTACTTTTGTGCTGGCGCCCTGCCTAGAGCCGGCAGCTATCAACTGACATTTCGGCAAGGGC
ACCAAGCTGAGCGTGATCCCCAAC (SEQ ID NO: 146)

ATGGAGACACTGCTGAAGGTGCTGTCTGGCACACTGCTGTGGCAGCTGACCTGGGTCCGATC
TCAGCAGCCTGTTTCAGTCTCCTCAGGCCGTGATCCTGAGAGAAGGCGAGGACGCCGTGATCA
ACTGCAGCAGCTCTAAGGCCCTGTACAGCGTGCCTGGTACAGACAGAAGCACGGCGAGGCC
CCTGTGTTTCTGATGATCCTGCTGAAAGGCGGCGAGCAGAAGGGCCACGAGAAGATCAGCGC
CAGCTTCAACGAGAAGAAGCAGCAGTCCAGCCTGTACCTGACAGCCAGCCAGCTGAGCTACA
GCGGCACCTACTTTTTCGCGCACAGCCAATAGCGGCGGCGAGCAACTACAAGCTGACCTTCGGC
AAGGGCACCTGCTGACCGTGAATCCCAATATCCAGAATCCGGAGCCCGCCGTATACCAGCT
GAAGGACCCTAGAAGCCAGGACAGCACCTGTGCCTGTTTACCGACTTCGACAGCCAGATCA
ACGTGCCCCAAGACCATGGAAAGCGGCACCTTCATCACCGACAAGACAGTGCTGGACATGAAG
GCCATGGACAGCAAGTCCAACGGCGCAATCGCCTGGTCCAACCAGACCAGCTTCACATGCCA
GGACATCTTCAAAGAGACAAACGCCACATACCCAGCAGCGACGTGCCCTGTGATGCCACCC
TGACAGAGAAGTCTTTCGAGACAGACATGAACCTGAACTTCCAGAATCTGTCCGTGATGGGC
CTGAGAATCCTGCTGCTGAAGGTGGCCGGCTTCAATCTGCTGATGACCCTGCGGCTGTGGTC
CAGC (SEQ ID NO: 147)

ATGCTGCTGATCACCTCCATGCTGGTGTGTGGATGCAGCTGAGCCAAGTGAACGGCCAGCA
AGTGATGCAGATCCCCTCAGTACCAGCACGTGCAAGAAGGCGAGGACTTCACCACCTACTGCA
ACAGCAGCACCACTGAGCAACATCCAGTGGTACAAGCAGCGGCCCTGGCGGACACCCTGTG
TTTCTGATCCAGCTGGTCAAGTCCGGCGAAGTGAAGAAGCAGAAGCGGCTGACCTTCCAGTT
CGGCGAGGCCAAGAAGAACAGCAGCCTGCACATCACCGCCACACAGACCACCGATGTGGGCA
CCTACTTTTGTGCTGGCGCCCTGCCTAGAGCCGGCAGCTATCAACTGACATTCGGCAAGGGC
ACCAAGCTGAGCGTGATCCCCAACATCCAGAATCCGGAGCCCGCCGTATACCAGCTGAAGGA
CCCTAGAAGCCAGGACAGCACCTGTGCCTGTTTACCGACTTCGACAGCCAGATCAACGTGC
CCAAGACCATGGAAAGCGGCACCTTCATCACCGACAAGACAGTGCTGGACATGAAGGCCATG
GACAGCAAGTCCAACGGCGCAATCGCCTGGTCCAACCAGACCAGCTTCACATGCCAGGACAT
CTTCAAAGAGACAAACGCCACATACCCAGCAGCGACGTGCCCTGTGATGCCACCCCTGACAG
AGAAGTCTTTCGAGACAGACATGAACCTGAACTTCCAGAATCTGTCCGTGATGGGCCTGAGA
ATCCTGCTGCTGAAGGTGGCCGGCTTCAATCTGCTGATGACCCTGCGGCTGTGGTCCAGC
(SEQ ID NO: 148)

ATGGGCACCAGACTGTTCTTCTACGTGGCCCTGTGTCTGCTGTGGACAGGCCATGTGGATGC
CGGAATCACACAGAGCCCCAGACACAAAGTGACCGAGACAGGCACCCCTGTGACACTGAGAT
GTCACCAGACCGAGAACCATCGGTACATGTATTGGTACAGACAGGACCCCGGCCACGGCCTG
AGACTGATCCACTATAGCTACGGCGTGAAGGACACCGACAAGGGCGAAGTGTCTGACGGCTA
CAGCGTGTCCAGAAGCAAGACCGAGGACTTCCTGCTGACCCTGGAAAGCGCCACAAGCAGCC
AGACCAGCGTGACTTCTGCGCCATCAGCGACTACGAGGGCACCGAGGCCTTTTTTGGCCAA
GGCACAAGACTGACCGTGGTG (SEQ ID NO: 149)

ATGCTGTGTTCTCTGCTGGCTCTGCTGCTGGGCACCTTTTTTGGCGTCAGAAGCCAGACCAT
CCACCAGTGGCCTGCTACACTGGTGCAGCCTGTTGGAAGCCCTCTGAGCCTGGAATGTACCG
TGGAAGGCACCAGCAATCCCAACCTGTACTGGTACAGACAGGCCGCTGGAAGAGGACTGCAG
CTGCTGTTTTACAGCGTCGGCATCGGCCAGATCAGCAGCGAGGTTCCACAGAATCTGAGCGC
CAGCAGACCCAGGACAGACAGTTTATCCTGAGCAGCAAGAAGCTGCTGCTGAGCGACAGCG
GCTTCTACCTGTGTGCTTGGAGCCTCGGAGCCGGCTACACCGACACACAGTATTTTTGGCCCT
GGCACCAGACTGACCGTGCTG (SEQ ID NO: 150)

ATGGGCACCAGACTGTTCTTCTACGTGGCCCTGTGTCTGCTGTGGACAGGCCATGTGGATGC
CGGAATCACACAGAGCCCCAGACACAAAGTGACCGAGACAGGCACCCCTGTGACACTGAGAT
GTCACCAGACCGAGAACCATCGGTACATGTATTGGTACAGACAGGACCCCGGCCACGGCCTG
AGACTGATCCACTATAGCTACGGCGTGAAGGACACCGACAAGGGCGAAGTGTCTGACGGCTA
CAGCGTGTCCAGAAGCAAGACCGAGGACTTCCTGCTGACCCTGGAAAGCGCCACAAGCAGCC

AGACCAGCGTGACTTCTGCGCCATCAGCGACTACGAGGGCACCGAGGCCTTTTTTGGCCAA
GGCACAAGACTGACCGTGGTGGAAGATCTCCGGAACGTGACCCCCCTAAAGTGACCCGTGT
CGAACCCAGCAAGGCCGAGATCGCCAACAAGCAGAAAGCCACCCTCGTGTGCCTGGCCAGAG
GCTTCTTCCCCGACCATGTGGAAGTGTCTTGGTGGGTCAACGGCAAAGAGGTGCACAGCGGA
GTGTCCACCGACCCCTCAGGCCTACAAAGAGAGCAACTACAGCTACTGCCTGAGCAGCAGACT
GCGGGTGTCCGCCACCTTCTGGCACAACCCCCGGAACCACTTCAGATGCCAGGTGCAGTTTC
ACGGCCTGAGCGAAGAGGACAAGTGGCCCCGAAGGCTCCCCCAAGCCCGTGACCCAGAATATC
TCTGCCGAGGCCTGGGGCAGAGCCGACTGTGGAATTACCAGCGCCAGCTACCACCAGGGCGT
GCTGTCTGCCACCATCCTGTACGAGATCCTGTGGGCAAGGCCACCCTGTACGCCGTGCTGG
TGTCTGGCCTGGTGCTGATGGCCATGGTCAAGAAGAAGAACAGC (SEQ ID NO: 151)

ATGCTGTGTTCTCTGCTGGCTCTGCTGCTGGGCACCTTTTTTGGCGTCAGAAGCCAGACCAT
CCACCAGTGGCCTGCTACACTGGTGCAGCCTGTTGGAAGCCCTCTGAGCCTGGAATGTACCG
TGGAAGGCACCAGCAATCCCAACCTGTACTGGTACAGACAGGCCGCTGGAAGAGGACTGCAG
CTGCTGTTTTACAGCGTCGGCATCGGCCAGATCAGCAGCGAGGTTCCACAGAATCTGAGCGC
CAGCAGACCCCAAGGACAGACAGTTTATCCTGAGCAGCAAGAAGCTGCTGCTGAGCGACAGCG
GCTTCTACCTGTGTGCTTGGAGCCTCGGAGCCGGCTACACCGACACACAGTATTTTTGGCCCT
GGCACCAGACTGACCGTGTGGAAGATCTCCGGAACGTGACCCCCCTAAAGTGACCCGTGT
CGAACCCAGCAAGGCCGAGATCGCCAACAAGCAGAAAGCCACCCTCGTGTGCCTGGCCAGAG
GCTTCTTCCCCGACCATGTGGAAGTGTCTTGGTGGGTCAACGGCAAAGAGGTGCACAGCGGA
GTGTCCACCGACCCCTCAGGCCTACAAAGAGAGCAACTACAGCTACTGCCTGAGCAGCAGACT
GCGGGTGTCCGCCACCTTCTGGCACAACCCCCGGAACCACTTCAGATGCCAGGTGCAGTTTC
ACGGCCTGAGCGAAGAGGACAAGTGGCCCCGAAGGCTCCCCCAAGCCCGTGACCCAGAATATC
TCTGCCGAGGCCTGGGGCAGAGCCGACTGTGGAATTACCAGCGCCAGCTACCACCAGGGCGT
GCTGTCTGCCACCATCCTGTACGAGATCCTGTGGGCAAGGCCACCCTGTACGCCGTGCTGG
TGTCTGGCCTGGTGCTGATGGCCATGGTCAAGAAGAAGAACAGC (SEQ ID NO: 152)]

METLLKVLSGTLLWQLTWVRSQQPVQSPQAVILREGEDAVINCSSSKALYSVHWYRQKHGEA
PVFLMILLKGGEQKGHEKISASFNEKKQQSSLYLTASQLSYSGTYFCGTANSNGGSNYKLTFG
KGTLLTVNPN (SEQ ID NO: 153)

MLLITSMLVLWMQLSQVNGQQVMQIPQYQHVQEGEDFTTYCNSSTTLSNIQWYKQRPGGHPV
FLIQLVKSGEVKKQKRLTFQFGEAKKNSSLHITATQTTDVGTYFCAGALPRAGSYQLTFGKG
TKLSVIPN (SEQ ID NO: 154)

IQNPEPAVYQLKDPRSQDSTLCLFTDFDSQINVPKTMESGTFITDKTVLDMKAMDSKSN
GAI AWSNQTSFTCQDIFKETNATYPSSDVPCDATLTEKSFETDMNLNFQNL SVMGLRILL
LLKVAG FNLLMTLRLWSS (SEQ ID NO: 155)

IQNPDPVAVYQLRDSKSSDKSVCLFTDFDSQTNVSQSKDSVYITDKTVLDMRSMDFKS
NSAV AWSNKSDFACANAFNNSIIPEDTFFPSPSSCDVKLVEKSFETDTNLFQNL SVIGFRILL
LLKVAG FNLLMTLRLWSS (SEQ ID NO: 156)

IQNPDPVAVYQLRDSKSSDKSVCLFTDFDSQTNVSQSKDSVYITDKTVLDMRSMDFKS
NSAV AWSNKSDFACANAFNNSIIPEDTFFPSSDVPCDVKLVEKSFETDTNLFQNL SVIGFRILL
LLKVAG FNLLMTLRLWSS (SEQ ID NO: 157)

METLLKVLSGTLLWQLTWVRSQQPVQSPQAVILREGEDAVINCSSSKALYSVHWYRQKHGEA
PVFLMILLKGGEQKGHEKISASFNEKKQQSSLYLTASQLSYSGTYFCGTANSNGGSNYKLTFG
KGTLLTVNPN IQNPEPAVYQLKDPRSQDSTLCLFTDFDSQINVPKTMESGTFITDKTVLDMK

AMDSKSNAGIAWSNQTSTFCQDIFKETNATYPSSDVPCDATLTEKSFETDMNLFQNL SVMGLR
LRILLKLVAGFNLLMTLRLWSS (SEQ ID NO: 158)

MLLITSMVLVLMQLSQVNGQQVMQIPQYQHVQEGEDFTTYCNSSTTLSNIQWYKQRPGGHPV
FLIQLVKSGEVKKQKRLTFQFGEAKKNSSLHITATQTTDVGTYFCAGALPRAGSYQLTFGKG
TKLSVIPNIQNPEPAVYQLKDPRSQDSTLCLFTDFDSQINVPKTMESGTFITDKTVLDMKAM
DSKSNAGIAWSNQTSTFCQDIFKETNATYPSSDVPCDATLTEKSFETDMNLFQNL SVMGLR
ILLKLVAGFNLLMTLRLWSS (SEQ ID NO: 159)

MGTRLFFFYVALCLLWTHGVDAGITQSPRHKVTTETGTPVTLRCHQTENHRYMYWYRQDPGHGL
RLIHYSYGVKDTDKGEVSDGYSVSRSKTEDFLLTLESATSSQTSVYFCAISDYEGTEAFFGQ
GTRLTVV (SEQ ID NO: 160)

MLCSLLALLLGTFFGVRSQTIHQWPATLVQPVGSPLSLECTVEGTSNPPLYWYRQAAGRGLQ
LLFYSGIGQISSEVPQNLASRPQDRQFILSSKLLLSDSGFYLCAWSLGAGYTDQYFGP
GTRLTVL (SEQ ID NO: 161)

EDLRNVTPPKVTLFEPSKAEIANKQKATLVCLARGFFPDHVELSWWVNGKEVHSGVSTDPQA
YKESNYSYCLSSRLRVSATFWHNPRNHFRCQVQFHGLSEEDKWPEGSPKPVTONISAEAWGR
ADCGITSASYHQGVLSATILYEILLGKATLYAVLVSGLVLMAMVKKKNS (SEQ ID NO:
162)

DLNKVFPPEVAVFEPSEAEISHTQKATLVCLATGFFPDHVELSWWVNGKEVHSGVSTDPQPL
KEQPALNDSRYCLSSRLRVSATFWQNPRNHFRCQVQFYGLSENDEWTQDRAKPVTONISAEAW
WGRADCGFTSVSYQQGVLSATILYEILLGKATLYAVLVSAVLVLMAMVKKKDF (SEQ ID
NO: 163)

EDLNKVFPEVAVFEPSEAEIAHTQKATLVCLATGFFPDHVELSWWVNGKEVHSGVSTDPQP
LKEQPALNDSRYCLSSRLRVSATFWQNPRNHFRCQVQFYGLSENDEWTQDRAKPVTONISAE
AWGRADCGITSASYHQGVLSATILYEILLGKATLYAVLVSAVLVLMAMVKKKDF (SEQ ID
NO: 164)

MGTRLFFFYVALCLLWTHGVDAGITQSPRHKVTTETGTPVTLRCHQTENHRYMYWYRQDPGHGL
RLIHYSYGVKDTDKGEVSDGYSVSRSKTEDFLLTLESATSSQTSVYFCAISDYEGTEAFFGQ
GTRLTVVEDLRNVTPPKVTLFEPSKAEIANKQKATLVCLARGFFPDHVELSWWVNGKEVHSG
VSTDPQAYKESNYSYCLSSRLRVSATFWHNPRNHFRCQVQFHGLSEEDKWPEGSPKPVTONI
SAEAWGRADCGITSASYHQGVLSATILYEILLGKATLYAVLVSGLVLMAMVKKKNS (SEQ
ID NO: 165)

MLCSLLALLLGTFFGVRSQTIHQWPATLVQPVGSPLSLECTVEGTSNPPLYWYRQAAGRGLQ
LLFYSGIGQISSEVPQNLASRPQDRQFILSSKLLLSDSGFYLCAWSLGAGYTDQYFGP
GTRLTVLEDLRNVTPPKVTLFEPSKAEIANKQKATLVCLARGFFPDHVELSWWVNGKEVHSG
VSTDPQAYKESNYSYCLSSRLRVSATFWHNPRNHFRCQVQFHGLSEEDKWPEGSPKPVTONI
SAEAWGRADCGITSASYHQGVLSATILYEILLGKATLYAVLVSGLVLMAMVKKKNS (SEQ
ID NO: 166)

[0184] In some embodiments, a TCR construct comprises gp100-specific TCR chains. In some embodiments, a TCR construct comprising gp100-specific TCR chains comprises TCR alpha and TCR beta chains found in gp100-specific TCR clone Sp(0.01)A and/or modified

versions thereof. In some embodiments, a TCR construct comprising gp100-specific TCR chains comprises TCR alpha and TCR beta chains that target gp100 epitope KTWGQYWQV (SEQ ID NO: 168). In some embodiments, gp100-specific TCR sequences, TCR variable domain sequences, CDR sequences, and/or TCR constant domain sequences, are described in patent publication US 8,216,565 B2, which is incorporated herein by reference for the purpose described herein.

[0185] In some embodiments, a TCR construct comprising gp100-specific TCR chains comprises a nucleotide coding sequence that is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to one or more of SEQ ID NOs: 169 and/or 170. In some embodiments, a TCR construct comprising gp100-specific TCR chains comprises an amino acid sequence that is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to one or more of SEQ ID NOs: 171-174.

ATGAAATCCTTGAGTGTTCCTAGTGGTCCTGTGGCTCCAGTTAACTGGGTGAACAGCCA
GCAGAAGGTGCAGCAGAGCCCAGAATCCCTCATTGTCCCAGAGGGAGCCATGACCTCTCTCA
ACTGCACTTTTCAGCGACAGTGCTTCTCAGTATTTTGCATGGTACAGACAGCATTCTGGGAAA
GCCCCCAAGGCACTGATGTCCATCTTCTCCAATGGTGAAAAAGAAGAAGGCAGATTACAAAT
TCACCTCAATAAAGCCAGTCTGCATTTCTCGCTACACATCAGAGACTCCCAGCCCAGTGACT
CTGCTCTCTACCTCTGTGCAGCCAATAACTATGCCAGGGATTAACCTTCGGTCTTGCCACC
AGAGTATCTGTGTTTCCCTACATCCAGAACCCAGAACCTGCTGTGTACCAGTTAAAAGATCC
TCGGTCTCAGGACAGCACCCCTCTGCCTGTTACCGACTTTGACTCCCAAATCAATGTGCCGA
AAACCATGGAATCTGGAACGTTCACTGACAAAACCTGTGCTGGACATGAAAGCTATGGAT
TCCAAGAGCAATGGGGCCATTGCCTGGAGCAACCAGACAAGCTTCACCTGCCAAGATATCTT
CAAAGAGACCAACGCCACCTACCCAGTTTCAGACGTTCCCTGTGATGCCACGTTGACTGAGA
AAAGCTTTGAAACAGATATGAACCTAACTTTCAAACCTGTGAGTTATGGGACTCCGAATC
CTCCTGCTGAAAGTAGCCGATTTAACCTGCTCATGACGCTGAGGCTGTGGTCCAGTTGA
(SEQ ID NO: 169)

ATGGGCTCCAGACTCTTCTTTGTGGTTTTGATTCTCCTGTGTGCAAAACACATGGAGGCTGC
AGTCAACCAAGTCCAAGAAGCAAGGTGGCAGTAACAGGAGGAAAGGTGACATTGAGCTGTC
ACCAGACTAATAACCATGACTATATGTACTGGTATCGGCAGGACACGGGGCATGGGCTGAGG
CTGATCCATTACTCATATGTGCTGACAGCACGGAGAAAGGAGATATCCCTGATGGGTACAA
GGCCTCCAGACCAAGCCAAGAGAATTTCTCTCTCATTCTGGAGTTGGCTTCCCTTTCTCAGA
CAGCTGTATATTTCTGTGCCAGCAGCCCTGGGGGGGGGGGGAACAGTACTTCGGTCCCGGC
ACCAGGCTCACGGTTTTAGAGGATCTGAGAAATGTGACTCCACCAAGGTCTCCTTGTGTTGA
GCCATCAAAAGCAGAGATTGCAAAACAAACGAAAGGCTACCCTCGTGTGCTTGCCAGGGGCT
TCTTCCCTGACCACGTGGAGCTGAGCTGGTGGGTGAATGGCAAGGAGGTCCACAGTGGGGTC
AGCACGGACCCCTCAGGCCTACAAGGAGAGCAATTATAGCTACTGCCTGAGCAGCCGCTGAG
GGTCTCTGCTACCTTCTGGCACAATCCTCGAAACCACTTCCGCTGCCAAGTGCAGTTCCATG
GGCTTTTCAGAGGAGGACAAGTGGCCAGAGGGCTCACCCAAACCTGTACACAGAACATCAGT
GCAGAGGCCTGGGGCCGAGCAGACTGTGGGATTACCTCAGCATCCTATCAACAAGGGGTCTT
GTCTGCCACCATCCTCTATGAGATCCTGCTAGGGAAAGCCACCCTGTATGCTGTGCTTGTCA
GTACACTGGTGGTGTATGGCTATGGTCAAAAGAAAGAATTCATGA (SEQ ID NO: 170)

MKSLSVSLVVLWLQLNWVNSQQKVQQSPESLIVPEGAMTSLNCTFSDSASQYFAWYRQHSGK
APKALMSIFSNGEKEEGRFTIHLNKASLHFSLHIRDSQPSDSALYLCAANNYAQGLTFGLGT
RVSVFPYIQNPEPAVYQLKDPRSQDSTLCLFTDFDSQINVPKTMESGTFITDKTVLDMKAMD
SKSNGAIAWSNQTSFTCQDIFKETNATYPSSDVPCDATLTEKSFETDMNLNFQNL SVMGLRI
LLLKVAGFNLLMTLRLWSS (SEQ ID NO: 171)

MGSRLFFVVLILLCAKHMEAAVTQSPRSKVAVTGGKVTLSCHQTNNHDYMYWYRQDTGHGLR
LIHYSYVADSTEKGDIPDGYKASRPSQENFSLILELASLSQTAVYFCASSPGGGGEQYFGPG
TRLTVLEDLRNVTTPPKVSLFEPSKAEIANKRKATLVCLARGFFPDHVELSWVNGKEVHSGV
STDPQAYKESNYSYCLSSRLRVSATFWHNPRNHFRQVQFHGLSEEDKWPEGSPKPVTONIS
AEAWGRADCGITSASYQQGVLSATILYEILLGKATLYAVLVSTLVVMAMVKRKNS (SEQ
ID NO: 172)

QQKVQQSPESLIVPEGAMTSLNCTFSDSASQYFAWYRQHSGKAPKALMSIFSNGEKEEGRFT
IHLNKASLHFSLHIRDSQPSDSALYLCAANNYAQGLTFGLGTRVSVFPY (SEQ ID NO:
173)

EAAVTQSPRSKVAVTGGKVTLSCHQTNNHDYMYWYRQDTGHGLRLIHYSYVADSTEKGDIPD
GYKASRPSQENFSLILELASLSQTAVYFCASSPGGGGEQYFGPGTRLTVL (SEQ ID NO:
174)

[0186] In some embodiments, a TCR construct comprises MART-1-specific TCR chains. In some embodiments, a TCR construct comprising MART-1-specific TCR chains comprises TCR alpha and TCR beta chains found in MART-1-specific TCR clones F4 and/or F5 and/or modified versions thereof. In some embodiments, a TCR construct comprising MART-1-specific TCR chains comprises TCR alpha and TCR beta chains that target MART-1 epitope AAGIGILTV (SEQ ID NO: 175). In some embodiments, MART-1-specific TCR sequences, TCR variable domain sequences, CDR sequences, and/or TCR constant domain sequences, are described in patent publication US 9,128,080 B2, which is incorporated herein by reference for the purpose described herein.

[0187] In some embodiments, a TCR construct comprising MART-1-specific TCR chains comprises a nucleotide coding sequence that is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to one or more of SEQ ID NOs: 176-179. In some embodiments, a TCR construct comprising MART-1-specific TCR chains comprises an amino acid sequence that is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to one or more of SEQ ID NOs: 180-183.

ATGTTGCTTGAACATTTATTAATAATCTTGTGGATGCAGCTGACATGGGTCAGTGGTCAACA
GCTGAATCAGAGTCCTCAATCTATGTTTATCCAGGAAGGAGAAGATGTCTCCATGAACTGCA
CTTCTTCAAGCATATTTAACACCTGGCTATGGTACAAGCAGGACCCTGGGGAAGGTCTCTGTC
CTCTTGATAGCCTTATATAAGGCTGGTGAATTGACCTCAAATGGAAGACTGACTGCTCAGTT
TGGTATAACCAGAAAGGACAGCTTCCTGAATATCTCAGCATCCATACCTAGTGATGTAGGCA

TCTACTTCTGTGCTGGTGGGACCGGTAACCAGTTCTATTTTGGGACAGGGACAAGTTTGACG
GTCATTCCAAATATCCAGAACCCTGACCCTGCCGTGTACCAGCTGAGAGACTCTAAATCCAG
TGACAAGTCTGTCTGCCTATTCACCGATTTTGATTCTCAAACAAATGTGTCACAAAGTAAGG
ATTCTGATGTGTATATCACAGACAAAACCTGTGCTAGACATGAGGTCTATGGACTTCAAGAGC
AACAGTGCTGTGGCCTGGAGCAACAAATCTGACTTTGCATGTGCAAACGCCTTCAACAACAG
CATTATTCCAGAAGACACCTTCTTCCCCAGCCCAGAAAGTTCCCTGTGATGTCAAGCTGGTCG
AGAAAAGCTTTGAAACAGATACGAACCTAAACTTTCAAACCTGTCAGTGATTGGGTTCCGA
ATCCTCCTCCTGAAGGTGGCCGGGTTTAATCTGCTCATGACGCTGCGGCTGTGGTCCAGC
(SEQ ID NO: 176)

ATGGGCACAAGGTTGTTCTTCTATGTGGCCCTTTGTCTCCTGTGGACAGGACACATGGATGC
TGGAATCACCCAGAGCCCCAAGACACAAGGTCACAGAGACAGGAACACCAGTGACTCTGAGAT
GTCACCAGACTGAGAACCACCGCTATATGTACTGGTATCGACAAGACCCGGGGCATGGGCTG
AGGCTGATCCATTACTCATATGGTGTAAAGATACTGACAAAGGAGAAGTCTCAGATGGCTA
TAGTGCTCTAGATCAAAGACAGAGGATTTCCCTCCTCACTCTGGAGTCCGCTACCAGCTCCC
AGACATCTGTGTACTTCTGTGCCATCAGTGAGGTAGGGGTTGGGCAGCCCCAGCATTTTGGT
GATGGGACTCGACTCTCCATCCTAGAGGACCTGAACAAGGTGTTCCACCCGAGGTGCGCTGT
GTTTGAGCCATCAGAAGCAGAGATCTCCACACCCAAAAGGCCACACTGGTGTGCCTGGCCA
CAGGCTTCTTCCCCGACCACGTGGAGCTGAGCTGGTGGGTGAATGGGAAGGAGGTGCACAGT
GGGGTCAGCACGGACCCGAGCCCCCTCAAGGAGCAGCCCCGCCCTCAATGACTCCAGATACTG
CCTGAGCAGCCGCTGAGGGTCTCGGCCACCTTCTGGCAGAACCCCCGCAACCACTTCCGCT
GTCAAGTCCAGTTCTACGGGCTCTCGGAGAATGACGAGTGGACCCAGGATAGGGCCAAACCC
GTCACCCAGATCGTCAGCGCCGAGGCCTGGGGTAGAGCATGTGGCTTTACCTCGTCCTACCA
GCAAGGGGTCTGTCTGCCACCATCCTCTATGAGATCCTGCTAGGGAAGGCCACCCTGTATG
CTGTGCTGGTCAGCGCCCTTGTGTTGATGGCCATGGTCAAGAGAAAGGATTTTC (SEQ ID
NO: 177)

ATGATGAAATCCTTGAGAGTTTTACTAGTGATCCTGTGGCTTCAGTTGAGCTGGGTTTGGAG
CCAACAGAAGGAGGTGGAGCAGAATTCTGGACCCCTCAGTGTTCCAGAGGGAGCCATTGCCT
CTCTCAACTGCACTTACAGTGACCGAGGTTCCCAGTCCTTCTTCTGGTACAGACAATATTCT
GGGAAAAGCCCTGAGTTGATAATGTTCAATACTCCAATGGTGACAAAGAAGATGGAAGGTT
TACAGCACAGCTCAATAAAGCCAGCCAGTATGTTTCTCTGCTCATCAGAGACTCCCAGCCCA
GTGATTACAGCCACCTACCTCTGTGCCGTGAACCTCGGAGGAGGAAAGCTTATCTTCGGACAG
GGAACGGAGTTATCTGTGAAACCCAATATCCAGAACCCTGACCCTGCCGTGTACCAGCTGAG
AGACTCTAAATCCAGTGACAAGTCTGTCTGCCTATTCACCGATTTTGATTCTCAAACAAATG
TGTCACAAAGTAAGGATTCTGATGTGTATATCACAGACAAAACCTGTGCTAGACATGAGGTCT
ATGGACTTCAAGAGCAACAGTGCTGTGGCCTGGAGCAACAAATCTGACTTTGCATGTGCAAA
CGCCTTCAACAACAGCATTATTCCAGAAGACACCTTCTTCCCCAGCCCAGAAAGTTCCCTGTG
ATGTCAAGCTGGTCGAGAAAAGCTTTGAAACAGATACGAACCTAAACTTTCAAACCTGTCA
GTGATTGGGTTCCGAATCCTCCTCCTGAAAGTGGCCGGGTTTAATCTGCTCATGACGCTGCG
GCTGTGGTCCAGCTGA (SEQ ID NO: 178)

ATGAGAATCAGGCTCCTGTGCTGTGTGGCCTTTTCTCTCCTGTGGGCAGGTCCAGTGATTGC
TGGGATCACCCAGGCACCAACATCTCAGATCCTGGCAGCAGGACGGCGCATGACACTGAGAT
GTACCCAGGATATGAGACATAATGCCATGTACTGGTATAGACAAGATCTAGGACTGGGGCTA
AGGCTCATCCATTATTCAAATACTGCAGGTACCACTGGCAAAGGAGAAGTCCCTGATGGTTA
TAGTGCTCTCCAGAGCAAACACAGATGATTTCCCCCTCACGTTGGCGTCTGCTGTACCCTCTC
AGACATCTGTGTACTTCTGTGCCAGCAGCCTAAGTTTTCGGCACTGAAGCTTTCTTTGGACAA
GGCACCAGACTCACAGTTGTAGAGGACCTGAACAAGGTGTTCCACCCGAGGTGCGTGTGTT
TGAGCCATCAGAAGCAGAGATCTCCACACCCAAAAGGCCACACTGGTGTGCCTGGCCACAG
GCTTCTTCCCCGACCACGTGGAGCTGAGCTGGTGGGTGAATGGGAAGGAGGTGCACAGTGGG

GTCAGCACGGACCCGCGAGCCCCTCAAGGAGCAGCCCGCCCTCAATGACTCCAGATACTGCCT
 GAGCAGCCGCTGAGGGTCTCGGCCACCTTCTGGCAGAACCCCGCAACCACTTCCGCTGTC
 AAGTCCAGTTCTACGGGCTCTCGGAGAATGACGAGTGGACCCAGGATAGGGCCAAACCCGTC
 ACCCAGATCGTCAGCGCCGAGGCCTGGGGTAGAGCATGTGGCTTTACCTCGTCTCTACCAGCA
 AGGGGTCCTGTCTGCCACCATCCTCTATGAGATCCTGCTAGGGAAGGCCACCCTGTATGCTG
 TGCTGGTCAGCGCCCTTGTGTTGATGGCCATGGTCAAGAGAAAGGATTTC (SEQ ID NO:
 179)

GQQLNQSPQSMFIQEGEDVSMNCTSSSIFNTWLWYKQDPGEGPVLLIALYKAGELTSNGRLT
 AQFGITRKDSFLNISASIPSDVGIYFCAGGTGNQFYFGTGTSLTVIPNIQNPDPAVYQLRDS
 KSSDKSVCLFTDFDSQTNVSQSKSDVYITDKTVLDMRSMDFKSNSAVAWSNKSDFACANAF
 NNSIIPEDTFFPSPRESSCDVKLVEKSFETDTNLNFQNLVIGFRILLKLVAGFNLLMTLRLW
 SS (SEQ ID NO: 180)

DAGITQSPRHKVTEGTPTLRLCHQ TENHRYMYWYRQDPGHGLRLIHYSGVKD TDKGEVSD
 GYSVSRSKTEDFLLTLESATSSQTSVYFCAISEVGVGQPQHFGDGTLSILEDLNKVPPEV
 AVFEPSEAEISHTQKATLVCLATGFFPDHVELS W W V N G K E V H S G V S T D P Q P L K E Q P A L N D S R
 YCLSSRLRVSATFWQNPRNHFRQVQFYGLSENDEWTQDRAKPVTQIVSAEAWGRACGFTSS
 YQQGVLSATILYEILLGKATLYAVLV SALVLMAMVKRKDF (SEQ ID NO: 181)

QKEVEQNSGPLSVPEGAIASLNCTYSDRGSQSFFWYRQYSGKSPELIMFIYSNGDKEDGRFT
 AQLNKASQYVSLLRDSQPSDSATYLCVNFSGGKLI FGQGTLSVKPNIQNPDPAVYQLRD
 SKSSDKSVCLFTDFDSQTNVSQSKSDVYITDKTVLDMRSMDFKSNSAVAWSNKSDFACANA
 FNNSIIPEDTFFPSPRESSCDVKLVEKSFETDTNLNFQNLVIGFRILLKLVAGFNLLMTLRL
 WSS (SEQ ID NO: 182)

IAGITQAPTSQILAAGRMTLRCTQDMRHNAMEYWYRQDLGLGLRLIHYSN TAGTTGKGEVPD
 GYSVSRANTDDFPLTLASAVPSQTSVYFCASSLSFGTEAFFGQGTSLTVVEDLNKVPPEVA
 VFEPSEAEISHTQKATLVCLATGFFPDHVELS W W V N G K E V H S G V S T D P Q P L K E Q P A L N D S R Y
 CLSSRLRVSATFWQNPRNHFRQVQFYGLSENDEWTQDRAKPVTQIVSAEAWGRACGFTSS
 YQQGVLSATILYEILLGKATLYAVLV SALVLMAMVKRKDF (SEQ ID NO: 183)

[0188] In some embodiments, a TCR construct comprises Tyrosinase-specific TCR chains. In some embodiments, a TCR construct comprising Tyrosinase-specific TCR chains comprises TCR alpha and TCR beta chains found in Tyrosinase-specific TCR clone TIL 1383I and/or modified versions thereof. In some embodiments, a TCR construct comprising Tyrosinase-specific TCR chains comprises TCR alpha and TCR beta chains that target Tyrosinase epitope represented by amino acids 368-376 of tyrosinase (reactive against a class I MHC (HLA-A2)-restricted epitope (368-376) of tyrosinase). In some embodiments, Tyrosinase-specific TCR sequences, TCR variable domain sequences, CDR sequences, and/or TCR constant domain sequences, are described in publication Roszkowski et al, Cancer Res. 65(4): 1570-6 (2005), which is incorporated herein by reference for the purpose described herein.

[0189] In some embodiments, a TCR construct comprises MAGE-A3-specific TCR chains. In some embodiments, a TCR construct comprising MAGE-A3-specific TCR chains comprises

TCR alpha and TCR beta chains that target amino acids 271-279 of MAGE-A3, e.g., the epitope FLWGPRALV (SEQ ID NO: 184). In some embodiments, a TCR construct comprising MAGE-A3-specific TCR chains comprises TCR alpha and TCR beta chains that target amino acids 112-120 of MAGE-A3, e.g., the epitope KVAELVHFL (SEQ ID NO: 185). In some embodiments, MAGE-A3-specific TCR sequences, TCR variable domain sequences, CDR sequences, and/or TCR constant domain sequences, are described in international patent application publication WO 2012/054825 A1, which is incorporated herein by reference for the purpose described herein. In certain embodiments, an anti-MAGE-A3 112-120 TCR comprise an A118T substitution relative to wild type (wherein the 118 position in the alpha chain is threonine). In certain embodiments, an anti-MAGE-A3 112-120 TCR comprises an A118V substitution relative to wild type (wherein the 118 position in the alpha chain is valine).

[0190] In some embodiments, a TCR construct comprising MAGE-A3-specific TCR chains comprises a nucleotide coding sequence that is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to one or more of SEQ ID NOs: 186-193. In some embodiments, a TCR construct comprising MAGE-A3-specific TCR chains comprises an amino acid sequence that is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to one or more of SEQ ID NOs: 194-201.

ATGGGTCCTGTCACCTGCTCAGTTCTTGTGCTCCTCCTAATGCTCAGGAGGAGCAATGGCGA
TGGAGACTCCGTGACCCAGACAGAAGGCCTGGTCACTCTCACAGAAGGGTTGCCTGTGATGC
TGAAGTGCACCTATCAGACTATTTACTCAAATCCTTTCTTTCTGGTATGTGCAACATCTC
AATGAATCCCCCTCGGCTACTCCTGAAGAGCTTCACAGACAACAAGAGGACCGAGCACCAAGG
GTTCCACGCCACTCTCCATAAGAGCAGCAGCTCCTTCCATCTGCAGAAGTCCTCAGCGCAGC
TGTCAGACTCTGCCCTGTACTACTGTGCTTTCGACACAAATGCTTACAAAGTCATCTTT
(SEQ ID NO: 186)

ATGAGAGTTAGGCTCATCTCTGCTGTGGTGCTGTGTTCCCTAGGAACAGGCCTTGTGGACAT
GAAAGTAACCCAGATGCCAAGATACCTGATCAAAGAATGGGAGAGAATGTTTTGCTGGAAT
GTGGACAGGACATGAGCCATGAAACAATGTACTGGTATCGACAAGACCCTGGTCTGGGGCTA
CAGCTGATTTATATCTCATACGATGTTGATAGTAACAGCGAAGGAGACATCCCTAAAGGATA
CAGGGTCTCACGGAAGAAGCGGGAGCATTTCTCCCTGATTCTGGATTCTGCTAAAACAAACC
AGACATCTGTGTACTTCTGTGCTAGCAGTTCAACAAACACAGAAGTCTTCTTT (SEQ ID
NO: 187)

ATGGGTCCTGTCACCTGCTCAGTTCTTGTGCTCCTCCTAATGCTCAGGAGGAGCAATGGCGA
TGGAGACTCCGTGACCCAGACAGAAGGCCTGGTCACTCTCACAGAAGGGTTGCCTGTGATGC
TGAAGTGCACCTATCAGACTATTTACTCAAATCCTTTCTTTCTGGTATGTGCAACATCTC
AATGAATCCCCCTCGGCTACTCCTGAAGAGCTTCACAGACAACAAGAGGACCGAGCACCAAGG
GTTCCACGCCACTCTCCATAAGAGCAGCAGCTCCTTCCATCTGCAGAAGTCCTCAGCGCAGC
TGTCAGACTCTGCCCTGTACTACTGTGCTTTCGACACAAATGCTTACAAAGTCATCTTTGGA
AAAGGGACACATCTTCATGTTCTCCCTAACATCCAGAACCCAGAACCTGCTGTGTACCAAGTT

AAAAGATCCTCGGTCTCAGGACAGCACCCCTCTGCCTGTTACCGACTTTGACTCCCCAAATCA
ATGTGCCGAAAAACCATGGAATCTGGAACGTTCACTGACAAAACCTGTGCTGGACATGAAA
GCTATGGATTCCAAGAGCAATGGGGCCATTGCCTGGAGCAACCAGACAAGCTTCACCTGCCA
AGATATCTTCAAAGAGACCAACACCACCTACCCAGTTTCAGACGTTCCCTGTGATGCCACGT
TGACTGAGAAAAAGCTTTGAAACAGATATGAACCTAAACTTTCAAACCTGTGAGTTATGGGA
CTCCGAATCCTCCTGCTGAAAGTAGCCGGATTTAACCTGCTCATGACGCTGAGGCTGTGGTC
CAGTTGA (SEQ ID NO: 188)

ATGAGAGTTAGGCTCATCTCTGCTGTGGTGCTGTGTTCCCTAGGAACAGGCCTTGTGGACAT
GAAAGTAACCCAGATGCCAAGATACCTGATCAAAAGAATGGGAGAGAATGTTTTGCTGGAAT
GTGGACAGGACATGAGCCATGAAACAATGTACTGGTATCGACAAGACCCTGGTCTGGGGCTA
CAGCTGATTTATATCTCATACGATGTTGATAGTAACAGCGAAGGAGACATCCCTAAAGGATA
CAGGGTCTCACGGAAGAAGCGGGAGCATTCTCCCTGATTCTGGATTCTGCTAAAACAAACC
AGACATCTGTGTAATCTGTGCTAGCAGTTCAACAAACACAGAAGTCTTCTTTGGTAAAGGA
ACCAGACTCACAGTTGTAGAGGATCTGAGAAATGTGACTCCACCCAAGGTCTCCTTGTGTTGA
GCCATCAAAAGCAGAGATTGCAAAACAAAAGGCTACCCCTCGTGTGCTTGGCCAGGGGCT
TCTTCCCTGACCACGTGGAGCTGAGCTGGTGGGTGAATGGCAAGGAGGTCCACAGTGGGGTC
AGCACGGACCCCTCAGGCCTACAAGGAGAGCAATTATAGCTACTGCCTGAGCAGCCGCTGAG
GGTCTCTGCTACCTTCTGGCACAATCCTCGCAACCACTTCCGCTGCCAAGTGCAGTTCCATG
GGCTTTCAGAGGAGGACAAGTGGCCAGAGGGCTCACCCAAACCTGTCACACAGAACATCAGT
GCAGAGGCCTGGGGCCGAGCAGACTGTGGGATTACCTCAGCATCCTATCAACAAGGGGTCTT
GTCTGCCACCATCCTCTATGAGATCCTGCTAGGGAAAGCCACCCTGTATGCTGTGCTTGTCA
GTACACTGGTGGTGATGGCTATGGTCAAAAGAAAGAACTCGTGA (SEQ ID NO: 189)

ATGGTCCTAGTGACCATTCTGCTGCTCAGCGCGTTCTTCTCACTGAGAGGAAACAGTGCCCA
GTCCGTGGACCAGCCTGATGCTCATGTACGCTCTCTGAAGGAGCCTCCCTGGAGCTCAGAT
GCAGTTATTATACAGTGCAGCACCTTACCTCTTCTGGTACGTGCAGTATCCTGGCCAGAGC
CTCCAGTTTCTCCTCAAATACATCACAGGAGACACCGTTGTTAAAGGCACCAAGGGCTTTGA
GGCCGAGTTTAGGAAGAGTAACTCCTCTTTCAACCTGAAGAAATCCCCAGCCCATTTGGAGCG
ACTCAGCCAAGTACTTCTGTGCACTGGAGGGCCCGGATACAGGAACTACAAATACGTCTT
(SEQ ID NO: 190)

ATGGGCATCCAGACCCTCTGTTGTGTGATCTTTTATGTTCTGATAGCAAATCACACAGATGC
TGGAGTTACCCAGACACCCAGACATGAGGTGGCAGAGAAAGGACAAACAATAATCCTGAAGT
GTGAGCCAGTTTCAGGCCACAATGACCTTTTCTGGTACAGACAGACCAAGATACAGGGACTA
GAGTTGCTGAGCTACTTCCGCAGCAAGTCTCTTATGGAAGATGGTGGGGCTTTCAAGGATCG
ATTCAAAGCTGAGATGCTAAATTCATCCTTCTCCACTCTGAAGATTCAACCTACAGAACCCA
GGGACTCAGCTGTGTATCTGTGTGCCAGCAGTTTGGGACAGCTAGTGCAGAAACGCTGTAT
TTT (SEQ ID NO: 191)

ATGGTCCTAGTGACCATTCTGCTGCTCAGCGCGTTCTTCTCACTGAGAGGAAACAGTGCCCA
GTCCGTGGACCAGCCTGATGCTCATGTACGCTCTCTGAAGGAGCCTCCCTGGAGCTCAGAT
GCAGTTATTATACAGTGCAGCACCTTACCTCTTCTGGTACGTGCAGTATCCTGGCCAGAGC
CTCCAGTTTCTCCTCAAATACATCACAGGAGACACCGTTGTTAAAGGCACCAAGGGCTTTGA
GGCCGAGTTTAGGAAGAGTAACTCCTCTTTCAACCTGAAGAAATCCCCAGCCCATTTGGAGCG
ACTCAGCCAAGTACTTCTGTGCACTGGAGGGCCCGGATACAGGAACTACAAATACGTCTTT
GGAGCAGGTACCAGACTGAAGGTTATAGCACACATCCAGAACCCAGAACCTGCTGTGTACCA
GTTAAAGATCCTCGGTCTCAGGACAGCACCCCTCTGCCTGTTACCGACTTTGACTCCCCAA
TCAATGTGCCGAAAACCATGGAATCTGGAACGTTCACTGACAAAACCTGTGCTGGACATG
AAAGCTATGGATTCCAAGAGCAATGGGGCCATTGCCTGGAGCAACCAGACAAGCTTCACCTG
CCAAGATATCTTCAAAGAGACCAACGCCACCTACCCAGTTTCAGACGTTCCCTGTGATGCCA

CGTTGACTGAGAAAAGCTTTGAAACAGATATGAACCTAAACTTCCAAAACCTGTCAGTTATG
GGACTCCGAATCCTCCTGCTGAAAGTAGCCGGATTTAACCTGCTCATGACGCTGAGGCTGTG
GTCCAGTTGA (SEQ ID NO: 192)

ATGGGCATCCAGACCCTCTGTTGTGTGATCTTTTATGTTCTGATAGCAAATCACACAGATGC
TGGAGTTACCCAGACACCCAGACATGAGGTGGCAGAGAAAGGACAAACAATAATCCTGAAGT
GTGAGCCAGTTTCAGGCCACAATGACCTTTTCTGGTACAGACAGACCAAGATACAGGGACTA
GAGTTGCTGAGCTACTTCCGCAGCAAGTCTCTTATGGAAGATGGTGGGGCTTTCAAGGATCG
ATTCAAAGCTGAGATGCTAAATTCATCCTTCTCCACTCTGAAGATTCAACCTACAGAACCCA
GGGACTCAGCTGTGTATCTGTGTGCCAGCAGTTTTGGGACAGCTAGTGCAGAAACGCTGTAT
TTTGGCTCAGGAACCAGACTGACTGTTCTCGAGGATCTGAGAAATGTGACTCCACCCAAGGT
CTCCTTGTGTTGAGCCATCAAAGCAGAGATTGCAAACAAACAAAAGGCTACCCTCGTGTGCT
TGGCCAGGGGCTTCTTCCCCTGACACGTGGAGCTGAGCTGGTGGGTGAATGGCAAGGAGGTC
CACAGTGGGGTCAGCACGGACCCTCAGGCCCTACAAGGAGAGCAATTATAGCTACTGCCTGAG
CAGCCGCCTGAGGGTCTCTGCTACCTTCTGGCACAATCCTCGAAACCACTTCCGCTGTCAAG
TGCAGTTCCATGGGCTTTTCAGAGGAGGACAAGTGGCCAGAGGGCTCACCCAAACCTGTCACA
CAGAACATCAGTGCAGAGGCCTGGGGCCGAGCAGACTGTGGAATCACTTCAGCATCCTATCA
TCAGGGGGTTCTGTCTGCAACCATCCTCTATGAGATCCTACTGGGGAAGGCCACCCTATATG
CTGTGCTGGTCAGTGGCCTGGTGTGATGGCCATGGTCAAGAAAAAAATTCCTGA (SEQ
ID NO: 193)

MGPVTCSVLVLLLMLRRSNGDGDSVTQTEGLVTLTEGLPVMLNCTYQTIYSNPFLFWYVQHL
NESPRLLLKSFTDNKRTEHQGFHATLHKSSSSFHLQKSSAQLSDSALYYCAFDTNAYKVI F
(SEQ ID NO: 194)

MRVRLISAVVLC SLGTGLVDMKVTQMPRYLIKRMGENVLLECGQDMSHETMYWYRQDPGLGL
QLIYISYDVDSNSEGDIPKGYRVSRRKKREHFSLILDSAKTNQTSVYFCASSSTNTEVF
(SEQ ID NO: 195)

MGPVTCSVLVLLLMLRRSNGDGDSVTQTEGLVTLTEGLPVMLNCTYQTIYSNPFLFWYVQHL
NESPRLLLKSFTDNKRTEHQGFHATLHKSSSSFHLQKSSAQLSDSALYYCAFDTNAYKVI F
KGTHLHVL PNIQNPEPAVYQLKDPRSQDSTLCLFTDFDSQINVPKTMESGTFITDKTVLDMK
AMDSKSNGAIAWSNQTSFTCQDIFKETNTTYPSSDVPCDATLTEKSFETDMNLNFQNL SVMG
LRLLLLKVAGFNLLMTLRLWSSL (SEQ ID NO: 196)

MRVRLISAVVLC SLGTGLVDMKVTQMPRYLIKRMGENVLLECGQDMSHETMYWYRQDPGLGL
QLIYISYDVDSNSEGDIPKGYRVSRRKKREHFSLILDSAKTNQTSVYFCASSSTNTEVFFGKG
TRLTVVEDLRNVTPPKVSLFEPSKAEIANKQKATLVCLARGFFPDHVELSWWVNGKEVHSGV
STDPQAYKESNYSYCLSSRLRV SATFWHNPRNHFRQVQFHGLSEEDKWPEGSPKPVTONIS
AEAWGRADCGITSASYQQGVLSATILYEILLGKATLYAVLVSTLVVM (SEQ ID NO:
197)

MVLVTILLLSAFFSLRGNSAQSVDPDAHVTLSEGASLELRCSYSYSAAPYLFWYVQYPGQS
LQFLLKYITGDTVVKGTGKFEAEFRKSNSSFNLKKS PAHWSDSAKYFCALEGPDTGNYKYV
(SEQ ID NO: 198)

MGIQTLCCVIFYVLIANHTDAGVTQTPRHEVAEKGQTII LKCEPVSGHNDLFWYRQTKIQGL
ELLSYFRSKSLMEDGGAFKDRFKAEMLNSSFSTLKIQTPEPRDSAVYLCASSFGTASAETLY
(SEQ ID NO: 199)

MVLVTILLLSAFFSLRGNSAQSVDPDAHVTLSSEGASLELRCSYSYSAAPYLFWYVQYPGQS
LQFLLYITGDTVVKGTGFEAEFRKSNSSFNKKSPAHWSDSAKYFCALEGPDGTGNYKYVF
GAGTRLKVIAHIQNPEPAVYQLKDPRSQDSTLCLFTDFDSQINVPKTMESGTFITDKTVLDM
KAMDSKSNAGIAWSNQTSFTCQDIFKETNATYPSSDVPCDATLTEKSFETDMNLFQNL SVM
GLRILLKLVAGFNLLMTLRLWSS (SEQ ID NO: 200)

MGIQTLCCVIFYVLIANHTDAGVTQTPRHEVAEKQTIIILKCEPVSGHNDLFWYRQTKIQGL
ELLSYFRSKSLMEDGGAFKDRFKAEMLNSSFSTLKIQPTPRDSAVYLCASSFGTASAETLY
FGSGTRLTVLEDLRNVTPPKVSLFEPKAEIANKQKATLVCLARGFFPHVELSWVNGKEVH
SGVSTDPQAYKESNYSYCLSSRLRVSATFWHNPRNHFRCQVQFHGLSEEDKWPEGSPKPVTO
NISAEAWGRADCGITSASYHQGVLSATILYEILLGKATLYAVLVSGLVLMAMVKKKNS
(SEQ ID NO: 201)

[0191] In some embodiments, a TCR construct comprises MAGE-A4-specific TCR chains. In some embodiments, a TCR construct comprising MAGE-A4-specific TCR chains comprises TCR alpha and TCR beta chains that target the epitope GGYDGREHTV (SEQ ID NO: 202). In some embodiments, a TCR construct comprising MAGE-A4-specific TCR chains comprises TCR alpha and TCR beta chains that target the epitope FMNKFIYEI (SEQ ID NO: 203). In some embodiments, MAGE-A4-specific TCR sequences, TCR variable domain sequences, CDR sequences, and/or TCR constant domain sequences, are described in international patent application publications WO 2017/174824 A1 and WO 2021/229212 A1, each of which are incorporated herein by reference for the purpose described herein. In certain embodiments, an anti-MAGE-A4 TCR alpha chain variable domain may have an M4V or an M4L amino acid substitution. In certain embodiments, an anti-MAGE-A4 TCR beta chain variable domain may have a N10E amino acid substitution.

[0192] In some embodiments, a TCR construct comprising MAGE-A4-specific TCR chains comprises a nucleotide coding sequence that is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to one or more of SEQ ID NOs: 204-205. In some embodiments, a TCR construct comprising MAGE-A4-specific TCR chains comprises an amino acid sequence that is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to one or more of SEQ ID NOs: 206-214.

ATGAAGAAGCACCTGACCACCTTTCTCGTGATCCTGTGGCTGTACTTCTACCGGGGCAACGG
CAAGAACCAGGTGGAACAGAGCCCCCAGAGCCTGATCATCCTGGAAGGCAAGAACTGCACCC
TGCAGTGCAACTACACCGTGTCCCCCTTCAGCAACCTGCGGTGGTACAAGCAGGACACCGGC
AGAGGCCCTGTGTCCCTGACCATCCTGACCTTCAGCGAGAACACCAAGAGCAACGGCCGGTA
CACCGCCACCTGGACGCCGATACAAAGCAGAGCAGCCTGCACATCACCGCCAGCCAGCTGA
GCGATAGCGCCAGCTACATCTGCGTGGTGTCCGGCGGCACAGACAGCTGGGGCAAGCTGCAG
TTTGGCGCCGGAACACAGGTGGTTCGTGACCCCCGACATCCAGAACCCTGACCCTGCCGTGTA
CCAGCTGCGGGACAGCAAGAGCAGCGACAAGAGCGTGTGCCTGTTACCGACTTCGACAGCC
AGACCAACGTGTCCAGAGCAAGGACAGCGACGTGTACATCACCGACAAGACCGTGCTGGAC

ATGCGGAGCATGGACTTCAAGAGCAATAGCGCCGTGGCCTGGTCCAACAAGAGCGACTTCGC
CTGCGCCAACGCCCTTCAACAACAGCATTATCCCCGAGGACACATTCTTCCCAAGCCCCGAGA
GCAGCTGCGACGTCAAGCTGGTGGAAAAGAGCTTCGAGACAGACACCAACCTGAACTTCCAG
AACCTGAGCGTGATCGGCTTCAGAATCCTGCTGCTGAAGGTGGCCGGCTTCAACCTGCTGAT
GACCCTGAGACTGTGGTCCAGCGGCAGCCGGGCCAAGAGA (SEQ ID NO: 204)

ATGGCCAGCCTGCTGTTCTTCTGCGGCGCCTTCTACCTGCTGGGCACCGGCTCTATGGATGC
CGACGTGACCCAGACCCCCCGGAACAGAATCACCAAGACCGGCAAGCGGATCATGCTGGAAT
GCTCCCAGACCAAGGGCCACGACCGGATGTACTGGTACAGACAGGACCCTGGCCTGGGCCTG
CGGCTGATCTACTACAGCTTCGACGTGAAGGACATCAACAAGGGCGAGATCAGCGACGGCTA
CAGCGTGTCCAGACAGGCTCAGGCCAAGTTCAGCCTGTCCCTGGAAAGCGCCATCCCCAACC
AGACCGCCCTGTACTTTTGTGCCACAAGCGGGCCAGGGCGCCTACGAGGAGCAGTTCTTTGGC
CCTGGCACCCGGCTGACAGTGCTGGAAGATCTGAAGAACGTGTCCCCCAGAGGTGGCCGT
GTTTCGAGCCTTCTGAGGCCGAAATCAGCCACACCCAGAAAGCCACACTCGTGTGTCTGGCCA
CCGGCTTCTACCCCGACCACGTGGAACGTCTTGGTGGGTCAACGGCAAAGAGGTGCACAGC
GGCGTGTCCACCGATCCCCAGCCTCTGAAAGAACAGCCCCGCCCTGAACGACAGCCGGTACTG
CCTGAGCAGCAGACTGAGAGTGTCGCCACCTTCTGGCAGAACCCAGAAACCACTTCAGAT
GCCAGGTGCAGTTTTACGGCCTGAGCGAGAACGACGAGTGGACCCAGGACAGAGCCAAGCCC
GTGACACAGATCGTGTCTGCCGAAGCTTGGGGGCGCGCCGATTGTGGCTTTACCAGCGAGAG
CTACCAGCAGGGCGTGCTGAGCGCCACCATCCTGTACGAGATCCTGCTGGGAAAGGCCACAC
TGTACGCCGTGCTGGTGTCTGCCCTGGTGTCTGATGGCCATGGTCAAGCGGAAGGACAGCCGG
GGC (SEQ ID NO: 205)

MKKHLTTFLVILWLYFYRGNKGKNQVEQSPQSLIILEGKNCTLQCNYTVSPFSNLRWYKQDTG
RGPVSLTILTFSENTKSNRGYATATLDADTKQSSLHITASQLSDSASYICVVSGGTDSWGKLG
FGAGTQVVVTPDIQNPDPAVYQLRDSKSSDKSVCLFTDFDSQTNVSQSKSDVYITDKTVLD
MRSMDFKSNSAVAWSNKSDFACANAFNNSIIPEDTFFPSPRESSCDVKLVEKSFETDTNLFQ
NLSVIGFRILLKLVAGFNLLMTLRLWSSGSRKR (SEQ ID NO: 206)

MKKHLTTFLVILWLYFYRGNKGKNQVEQSPQSLIILEGKNCTLQCNYTVSPFSNLRWYKQDTG
RGPVSLTILTFSENTKSNRGYATATLDADTKQSSLHITASQLSDSASYICVVSGGTDSWGKLG
FGAGTQVVVTPD (SEQ ID NO: 207)

MASLLFFCGAFYLLGTGSMDADVTQTPRNRITKTGKRIMLECSQTKGHDRMYWYRQDPGLGL
RLIYYSFDVKDINKGEISDGYSVSRQAQAKFSLSLSAIPNQATALYFCATSGQGAYEEQFFG
PGTRLTVLEDLKNVFPPEVAVFEPSEAEISHTQKATLVCLATGFYPDHVELSWWVNGKEVHS
GVSTDPQPLKEQPALNDSRYCLSSRLRVSATFWQNPRNHFRQVQFYGLSENDEWTQDRAKP
VTQIVSAEAWGRADCGFTSESYQQGVLSATILYEILLGKATLYAVLVSALVLMAMVKRKDSR
G (SEQ ID NO: 208)

MASLLFFCGAFYLLGTGSMDADVTQTPRNRITKTGKRIMLECSQTKGHDRMYWYRQDPGLGL
RLIYYSFDVKDINKGEISDGYSVSRQAQAKFSLSLSAIPNQATALYFCATSGQGAYEEQFFG
PGTRLTVLE (SEQ ID NO: 209)

MKNQVEQSPQSLIILEGKNCTLQCNYTVSPFSNLRWYKQDTGRGPVSLTIMTFSENTKSNRG
YTATLDADTKQSSLHITASQLSDSASYICVVSGGTDSWGKLQF (SEQ ID NO: 210)

MKNQVEQSPQSLIILEGKNCTLQCNYTVSPFSNLRWYKQDTGRGPVSLTIVTFSENTKSNRG
YTATLDADTKQSSLHITASQLSDSASYICVVSGGTDSWGKLQF (SEQ ID NO: 211)

MKNQVEQSPQSLIILEGKNCTLQCNYTVSPFSNLRWYKQDTGRGPVSLTILTFSENTKSNGR
YTATLDADTKQSSLHITASQLSDSASYICVVSGGTDSWGKLQF (SEQ ID NO: 212)

MASLLFFCGAFYLLGTGSMDADVTQTPRNRITKTGKRIMLECSQTKGHDRMYWYRQDPGLGL
RLIYYSFVDVKDINKGEISDGYSVSRQAQAKFSLSLSAIPNQATALYFCATSGQGAYNEQFF
(SEQ ID NO: 213)

MASLLFFCGAFYLLGTGSMDADVTQTPRNRITKTGKRIMLECSQTKGHDRMYWYRQDPGLGL
RLIYYSFVDVKDINKGEISDGYSVSRQAQAKFSLSLSAIPNQATALYFCATSGQGAYEEQFF
(SEQ ID NO: 214)

[0193] In some embodiments, a TCR construct comprises Wilms' tumor antigen (WT1) WT1-specific TCR chains. In some embodiments, a TCR construct comprising WT1-specific TCR chains comprises TCR alpha and TCR beta chains that target the epitope VLDFAPPGA (SEQ ID NO: 215). In some embodiments, a TCR construct comprising WT1-specific TCR chains comprises TCR alpha and TCR beta chains that target the epitope RMFPNAPYL (SEQ ID NO: 216). In some embodiments, WT1-specific TCR sequences, TCR variable domain sequences, CDR sequences, and/or TCR constant domain sequences, are described in international patent application publications WO 2020/185796 A1 and WO 2021/034976 A1, each of which are incorporated herein by reference for the purpose described herein. In some embodiments, a leader sequence and/or signal peptide may be removed from a TCR amino acid sequence, and percentage sequence identity may be calculated based on the TCR amino acid sequence without the leader sequence and/or signal peptide.

[0194] In some embodiments, a TCR construct comprising WT1-specific TCR chains comprises a nucleotide coding sequence that is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to one or more of SEQ ID NOs: 217-256. In some embodiments, a TCR construct comprising WT1-specific TCR chains comprises an amino acid sequence that is at least, or exactly, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100%, identical to one or more of SEQ ID NOs: 257-291.

ATGGAGACACTGCTGGGACTACTGATTCTGTGGCTGCAACTGCAATGGGTGAGCAGCAAACA
GGAGGTTACCCAGATTCTGCTGCTCTGTCTGTTTCTGAAGGCGAGAATCTGGTGCTGAACT
GCAGCTTCACAGATAGCGCCATCTACAACCTGCAGTGGTTCAGACAGGATCCTGGAAAAGGC
CTGACAAGCCTGCTGCTGATTCTCAGAGCTCTCAGAGAGAGCAGACATCTGGAAGACTGAATGC
TAGCCTGGACAAGTCTAGCGGCAGAACCCCTGTATATTGCCGCCTCTCAACCTGGAGATT
CTGCCACATACCTGTGTGCTGTGAAGGAGACATCTGGCTCTAGACTGACCTTTGGCGAGGGA
ACACAACCTGACCGTGAATCCTGAC (SEQ ID NO: 217)

ATGACCAGAGTTAGCCTGTTATGGGCTGTGGTGGTGAGCACATGTCTGGAATCTGGAATGGC
CCAGACAGTGACACAGTCTCAGCCTGAAATGTCTGTGCAGGAAGCCGAAACCGTTACACTGA
GCTGCACCTACGATACAAGCGAGAACAACTACTACCTGTTCTGGTACAAGCAGCCCCCTCT

AGGCAGATGATCCTGGTGATCAGACAGGAGGCCCTATAAACAGCAGAATGCCACAGAGAACCG
GTTTCAGCGTGAACTTCCAGAAAGCCGCCAAGAGCTTCAGCCTGAAGATCTCTGATTCTCAGC
TGGGCGATACAGCCATGTACTTTTGCGCCTTCATCTACCCCAGCTACACAAGCGGCACATAC
AAGTACATCTTCGGCACCGGCACAAGACTGAAGGTTCTGGCCAAC (SEQ ID NO: 218)

ATGGCCATGTTACTAGGAGCGAGCGTGCTGATTCTGTGGTTACAGCCTGATTGGGTGAACTC
TCAGCAGAAGAACGATGATCAGCAGGTGAAGCAGAACAGCCCCCTCTGTCTGTGCAGGAAG
GCAGAATCAGCATCCTGAATTGCGATTACACCAACAGCATGTTGACTACTTCTGTGGTAC
AAGAAGTACCCCGCCGAGGGCCCTACCTTTCTGATCAGCATCTCTAGCATCAAGGACAAGAA
CGAAGATGGCAGATTACCCGTGTTCTGAACAAGAGCGCCAAGCACCTGAGCCTGCACATTG
TGCCTTCTCAACCTGGAGATTCTGCCGTGTACTTTTGTGCTGCCTCTGGAACAGGCGGAAGC
TATATCCCCACATTTGGAAGAGGAACAAGCCTGATCGTGACCCTTAC (SEQ ID NO:
219)

ATGGCCATGTTACTAGGAGCGAGCGTGCTGATTCTGTGGTTACAGCCTGATTGGGTGAACTC
TCAGCAGAAGAACGATGATCAGCAGGTGAAGCAGAACAGCCCCCTCTGTCTGTGCAGGAAG
GCAGAATCAGCATCCTGAATTGCGATTACACCAACAGCATGTTGACTACTTCTGTGGTAC
AAGAAGTACCCCGCCGAGGGCCCTACCTTTCTGATCAGCATCTCTAGCATCAAGGACAAGAA
CGAAGATGGCAGATTACCCGTGTTCTGAACAAGAGCGCCAAGCACCTGAGCCTGCACATTG
TGCCTTCTCAACCTGGAGATTCTGCCGTGTACTTTTGTGCTGCCTCTGGCATTGGCGACTAC
AAACTGAGCTTTGGAGCCGGCACAACAGTGACCGTTAGAGCCAAT (SEQ ID NO: 220)

ATGGTGAAGATCCGGCAGTTCCTCCTGGCTATTCTGTGGCTGCAACTGTCTTGTGTGTCTGC
TGCCAAGAATGAAGTGGAGCAGTCTCCCCAGAACCTTACAGCCCAGGAAGGCGAGTTTATCA
CCATCAACTGCAGCTATTCTGTGGGCATTAGCGCCCTGCATTGGCTGCAGCAACACCCCTGGA
GGAGGAATTGTGTCTCTGTTTATGCTGTCTTCTGGCAAGAAGAAGCACGGCCGGCTGATTGC
CACCATCAACATCCAGGAGAAGCACTCTTCTCTGCACATTACAGCCTCTCATCCCAGGGATT
CTGCCGTGTACATCTGTGCCGTGAGAACCAGCTACGATAAGGTGATTTTCGACCAGGCACC
TCTCTGAGCGTGATCCCCAAT (SEQ ID NO: 221)

ATGAAGAGCCTGAGAGTCCTGCTGGTGATTTTGTGGCTGCAGCTGTCTTGGGTTTGGTCTCA
GCAGAAAGAAGTGGAGCAGAATAGCGGCCCTCTGTCTGTTTCTGAAGGCGCTATTGCTAGCC
TGAATTGCACATACAGCGATAGAGGATCTCAGAGCTTCTTCTGGTACCGGCAGTACAGCGGC
AAGAGCCCAGAACTGATCATGTTTCATCTACAGCAATGGCGACAAGGAGGATGGCAGGTTTAC
AGCCCAGCTGAACAAGGCCAGCCAGTATGTTTCTCTGCTGATCAGAGATAGCCAGCCTAGCG
ATTCTGCCACCTACCTGTGTGCCGTGAACCTTACTTGGAGCTACAGGATACTCTACACTGACC
TTCGGCAAAGGCACCATGCTGCTGGTGAGCCCTGAT (SEQ ID NO: 222)

ATGTGGGGCGTTTTCTTCTGTATGTGAGCATGAAGATGGGCGGCACAACAGGCCAGAACAT
CGATCAGCCTACCGAGATGACAGCCACAGAAGGAGCTATTGTTTCAGATCAACTGCACCTACC
AGACAAGCGGCTTCAACGGCCTGTTCTGGTACCAGCAGCATGCTGGAGAAGCTCCTACATTT
CTGAGCTACAATGTGCTGGATGGCCTGGAGGAGAAAGGCAGGTTTAGCAGCTTCTGAGCAG
GTCTAAGGGCTATTCTTATCTGCTGCTGAAGGAGCTGCAGATGAAGGATTCCGCCAGCTACC
TGTGTGCCGTTAGGGGCATCAATGATTACAAGCTGAGCTTTGGAGCCGGAACAACAGTGACC
GTGAGAGCCAAC (SEQ ID NO: 223)

ATGGAGAAGATGCTGGAGTGTGCGTTCATCGTTCTGTGGCTGCAACTTGGATGGCTGTCTGG
AGAGGATCAGGTTACACAGTCTCCTGAAGCCCTGAGACTGCAAGAAGGAGAAAGCTCTAGCC
TGAAGTGCAGCTACACAGTGTCTGGACTGAGAGGCCTGTTCTGGTACAGACAGGATCCTGGA
AAAGGCCAGAGTTCTGTTTACCCTGTATTCTGCCGGCGAGGAGAAGGAGAAAGAGAGACT
GAAAGCTACCTGACCAAGAAGGAGAGCTTCTTGCACATTACCGCCCCCAACCTGAGGATT

CTGCCACATATCTGTGTGCCGTGATTACCGGCTTTCAGAAGCTGGTGTGTTGGCACAGGCACC
AGACTGCTGGTTTCTCCCAAT (SEQ ID NO: 224)

ATGAGACTGGTGGCACGCGTAACTGTGTTTCTGACCTTTGGCACCATCATCGATGCCAAGAC
AACCCAGCCTACAAGCATGGACTGTGCCGAGGGAAGAGCTGCTAATCTGCCATGTAATCACA
GCACAATCAGCGGCAACGAGTACGTGTACTGGTACCGGCAGATCCACTCTCAAGGACCTCAG
TACATCATTCATGGCCTGAAGAACAACGAGACCAACGAGATGGCCAGCCTGATCATCACC
GGACAGGAAGTCTTCTACCCTGATTCTGCCTCATGCTACACTGAGAGATACCGCCGTGTACT
ACTGCATTGCCGAGTGGGAAGAGGCCAGAATTTCTGTGTTGGACCTGGAACAAGACTGAGC
GTTCTGCCCTAT (SEQ ID NO: 225)

ATGGAGAAGAACCCCTTGGCAGCACCTCTGCTTATTCTGTGGTTCCACCTGGATTGTGTGAG
CAGCATCCTGAATGTGGAGCAGTCTCCTCAGAGCCTGCATGTGCAAGAAGGCGATAGCACCA
ATTTACCTGCAGCTTTCCAAGCAGCAACTTCTACGCCCTGCACTGGTACAGATGGGAAAACC
GCCAATCTCCTGAAGCCCTGTTTGTGATGACCCTGAATGGCGACGAGAAGAAGAAGGGCAG
AATTAGCGCCACCCTGAATACCAAGGAGGGCTACAGCTACCTGTACATCAAGGGCTCTCAAC
CTGAGGATTCTGCCACCTACCTTTGCGCCTTTACCCCAATTTCTGGCAACGAGAACTGACC
TTTGAACCGGAACAAGGCTGACCATCATCCCCAAC (SEQ ID NO: 226)

ATGGAGAAGATGCTGGAGTGTGCGTTCATCGTTCTGTGGCTGCAACTTGGATGGCTGTCTGG
AGAGGATCAGGTTACACAGTCTCCTGAAGCCCTGAGACTGCAAGAAGGAGAAAGCTCTAGCC
TGAAGTGCAGCTACACAGTGTCTGGACTGAGAGGCTGTTCTGGTACAGACAGGATCCTGGA
AAAGGCCCAGAGTTCTGTTTACCCTGTATTCTGCCGCGAGGAGAAGGAGAAAGAGAGACT
GAAAGCTACCCTGACCAAGAAGGAGAGCTTCTGACATTACCGCCCCCAACCTGAGGATT
CTGCCACATATCTGTGTGCTGTTTACGCTAGAGGAGATGGCTCTAGCAATACCGGCAAGCTG
ATCTTTGGCCAGGGAACAACACTGCAGGTGAAGCCTGAT (SEQ ID NO: 227)

ATCCAGAATCCCGATCCTGCTGTGTACCAGCTGCGGGACAGCAAGAGCAGCGACAAGAGCGT
GTGCCTGTTTACCGACTTCGACAGCCAGACCAACGTGTCCCAGAGCAAGGACAGCGACGTGT
ACATCACCGATAAGTGCCTGCTGGACATGCGGAGCATGGACTTCAAGAGCAACAGCGCCGTG
GCCTGGTCCAACAAGAGCGACTTCGCCTGCGCCAACGCCTTCAACAACAGCATTATCCCCGA
GGACACATTCTTCCAAGCCCCGAGAGCAGCTGCGACGTGAAGCTGGTGGAAAAGAGCTTCG
AGACAGACACCAACCTGAACCTCCAGAACCTCAGCGTGATCGGCTTCCGGATCCTGCTGCTG
AAGGTGGCCGGCTTCAACCTGCTGATGACCCTGCGGCTGTGGTCCAGCTGA (SEQ ID
NO: 228)

CTCAATAAAAGAGCCCACAACCCCTCACTCGGCGCGCCACCATGGGCACATCTCTTCTCTGT
TGGGTGGTTCTGGGCTTTCTGGGCACAGATCATAAGGAGCTGGAGTTAGCCAGTCTCCTAG
GTATAAGGTGACCAAGAGGGGACAGGATGTGGCTCTGAGATGTGACCCTATTAGCGGACATG
TGAGCCTGTACTGGTACAGACAAGCTCTGGGACAAGGACCCGAGTTTCTGACCTACTTCAAC
TATGAGGCCCAGCAGGACAAATCTGGACTGCCCAACGACAGATTCAGCGCCGAAAGACCAGA
AGGCTCTATTAGCACACTGACCATCCAGAGAACAGAGCAGAGGGATTCTGCCATGTACAGAT
GCGCCAGCAGCTTAACAGGCTCTTACGAGCAGTACTTTGGACCTGGCACAAGACTGACAGTG
ACAGAG
(SEQ ID NO: 229)

CTCAATAAAAGAGCCCACAACCCCTCACTCGGCGCGCCACCATGCTGCTTCTTCTCCTCCTT
CTCGGACCTGCTGGATCTGGATTAGGAGCTGTTGTGTCTCAGCACCTTCTTGGGTGATCTG
TAAAGCGGCACAAGCGTGAAGATCGAGTGCAGAAGCCTGGACTTTCAGGCCACAACCATGT
TCTGGTATAGGCAGTTCCCCAAGCAGTCTCTGATGCTGATGGCCACCTCTAATGAGGGCTCT
AAGGCCACATATGAACAGGGAGTGGAGAAGGACAAGTTCTGATCAACCACGCCTCTCTGAC

CCTGTCTACCCCTGACAGTTACATCTGCCCCACCCTGAGGATAGCAGCTTTTACATCTGTAGCG
CCACACCTGAAGCCTCTAGCCCATATGAGCAGTACTTTGGCCCTGGCACCAGATTAACAGTG
ACAGAG (SEQ ID NO: 230)

CTCAATAAAAGAGCCCACAACCCCTCACTCGGCGCGCCACCATGGGACCTGGACTGCTTCAT
TGGATGGCTCTGTGTTTGGCTGGGAACAGGACATGGAGATGCTATGGTGATCCAGAACCCAG
GTATCAGGTGACCCAGTTTGGCAAACAGTGACACTGAGCTGTTCTCAGACCCTGAACCACA
ACGTGATGTACTGGTACCAGCAGAAGTCTTCTCAGGCCCTAAGCTGCTGTTCCACTACTAC
GACAAGGACTTCAACAACGAGGCCGATACCCCTGACAATTTCCAGAGCAGGAGGCCCAATAC
CAGCTTCTGTTTCTGGACATTAGAAGCCCTGGACTGGGAGATGCTGCCATGTACCTGTGTG
CCACCAGCAATTTACAGGGAAGACAACCTCAGCACTTTGGCGATGGCACAAGGCTGTCTATC
CTGGAG (SEQ ID NO: 231)

CTCAATAAAAGAGCCCACAACCCCTCACTCGGCGCGCCACCATGCTGAGCCCTGATCTCCCT
GATTCTGCCTGGAATACCAGACTGCTGTGTCATGTGATGCTGTGTCTGCTTGGAGCCGTTTC
TGTGGCTGCTGGCGTGATTCAATCTCCTAGACACCTGATCAAGGAGAAGAGAGAAACAGCCA
CCCTGAAGTGCTACCCCATCCCCAGACACGATACAGTGTACTGGTATCAGCAAGGACCTGGA
CAAGATCCCCAGTTCTGATCAGCTTCTACGAGAAGATGCAGAGCGACAAAGGCAGCATCCC
AGACAGATTTAGCGCCCAGCAGTTTAGCGACTATCACTCTGAGCTGAACATGAGCAGCCTGG
AACTGGGCGATTCTGCTCTGTACTTCTGTGCCTCTTCTCTGAGACTGGGAAGAGAAACCCAG
TACTTTGGACCCGGCACAAGACTGCTGGTTCTTGAG (SEQ ID NO: 232)

CTCAATAAAAGAGCCCACAACCCCTCACTCGGCGCGCCACCATGGGCACAAGACTTCTCTGC
TGGGTGGTGCTTGGATTTCTGGGCACAGATCATAAGGAGCTGGAGTTAGCCAGTCTCCTAG
GTACAAAGTGGCCAAGAGAGGACAGGATGTGGCTCTGAGATGTGACCCTATTAGCGGACATG
TGAGCCTGTTTTGGTACCAGCAAGCTCTGGGACAAGGACCCGAGTTTCTGACCTACTTCCAG
AATGAAGCCCAGCTGGATAAATCTGGACTGCCTAGCGACCGGTTCTTCGCCGAAAGACCTGA
AGGATCTGTTAGCACCCCTGAAGATTCAGAGAACACAGCAGGAGGACTCTGCCGTGTACCTGT
GTGCCTCTTCTTTAGGACAGGCCTATGAGCAGTATTTTGGACCTGGCACCAGACTGACCGTG
ACAGAG (SEQ ID NO: 233)

CTCAATAAAAGAGCCCACAACCCCTCACTCGGCGCGCCACCATGGGCACAAGACTTCTCTGC
TGGGTGGCCTTTTGTCTGCTGGTGGAAGAGCTGATTGAAGCTGGAGTTGTGCAGTCTCCTAG
GTACAAGATCATCGAGAAGAAGCAGCCCGTGGCCTTCTGGTGTAATCCCATTTCTGGCCACA
ACACCCTGTACTGGTATCTGCAGAATCTGGGACAGGGCCCTGAACTGCTGATCAGATACGAG
AACGAAGAAGCCGTGGACGATTCTCAACTGCCTAAGGACCGCTTTTCTGCCGAGAGGCTGAA
AGGAGTGGATTCTACCCTGAAGATCCAACCTGCTGAACTGGGCGATTCTGCTGTGTACCTGT
GCGCTTCTAGCCTGACAAGAGGAGCTGAAGCCTTTTTTGGACAGGGCACAAGACTGACAGTG
GTGGAG
(SEQ ID NO: 234)

CTCAATAAAAGAGCCCACAACCCCTCACTCGGCGCGCCACCATGGGACCTCAGCTTCTTGGA
TACGTTGTGCTGTGTCTGCTTGGAGCTGGACCTCTTGAAGCTCAGGTTACCCAGAACCCAG
ATACCTGATTACCGTGACAGGCAAAAAGCTGACCGTGACATGTAGCCAGAACATGAACCAG
AGTACATGAGCTGGTACCGGCAGGATCCTGGATTAGGCCTGAGACAGATCTACTACAGCATG
AACGTGGAGGTGACCGATAAAGGCGACGTGCCTGAGGGATACAAGGTGAGCAGAAAGGAGAA
GAGGAATTTCCCCTGATCCTGGAAAGCCCAAGCCCCAATCAGACAAGCCTGTACTTTTGTG
CCAGCAGCTTTTCTGGCGGCACATATGAGCAGTACTTCGGCCCTGGCACAAGACTGACAGTT
ACAGAG (SEQ ID NO: 235)

CTCAATAAAAGAGCCCACAACCCCTCACTCGGCGCGCCACCATGCTGAGCCCTGATCTCCCT
GATTCTGCCTGGAATACCAGACTGCTGTGTCTGCTGATGCTGTGTCTGCTTGGAGCCGTTTC
TGTGGCTGCTGGCGTGATTCAATCTCCTAGACACCTGATCAAGGAGAAGAGAGAAAACAGCCA
CCCTGAAGTGCTACCCCATCCCCAGACACGATACAGTGTACTGGTATCAGCAAGGACCTGGA
CAAGATCCCCAGTTCTGTATCAGCTTCTACGAGAAGATGCAGAGCGACAAAGGCAGCATCCC
AGACAGATTTAGCGCCAGCAGTTTAGCGACTATCACTCTGAGCTGAACATGAGCAGCCTGG
AACTGGGCGATTCTGCTCTGTACTTCTGTGCCAGCAGCTATAGAGGAGGCAGCACATATGAG
CAGTACTTTGGCCCTGGCACAAGACTGACAGTGACAGAG (SEQ ID NO: 236)

CTCAATAAAAGAGCCCACAACCCCTCACTCGGCGCGCCACCATGAGCACCAGACTCCTTTGC
TGGATGGCTTTGTGTCTGCTTGGAGCTGAGCTGTCTGAAGCTGAAGTTGCCAGTCTCCCAG
ATACAAGATCACCGAGAAATCTCAGGCTGTGGCCTTCTGGTGTGACCCTATTTCTGGACACG
CCACCCTGTACTGGTATAGGCAAATTCTGGGACAAGGCCCTGAACTGCTGGTGAATTTTCAG
GATGAGAGCGTGGTGGACGATTCTCAACTGCCTAAGGACAGGTTTTCTGCCGAGCGGCTGAA
AGGAGTTGATAGCACCCCTGAAGATCCAACCTGCTGAACTGGGCGATTCTGCTATGTACCTGT
GCGCCTCTTCTCAGAGAGATAGCCCTAACGAGAAGCTGTTCTTTGGCTCTGGAACCCAGCTG
TCTGTGCTGGAG (SEQ ID NO: 237)

CTCAATAAAAGAGCCCACAACCCCTCACTCGGCGCGCCACCATGGGCTGTAGACTGTTGTGT
TGTGCTGTGCTGTGTCTGTTGGGAGCTGTGCCTATGGAAACAGGCGTTACCCAGACACCTAG
ACATCTGGTTATGGGCATGACCAACAAGAAGAGCCTGAAGTGCGAGCAGCATCTGGGCCATA
ACGCCATGTACTGGTATAAGCAGAGCGCCAAGAAACCACTGGAACTGATGTTCTGTGTACAGC
CTGGAGGAGAGGGTGGAGAATAATAGCGTGCCAGCAGATTTAGCCCTGAGTGCCCCAAATTC
TTCTCACCTGTTCTGACCTGCACACATTACAGCCCGAGGATTCTGCCCTGTACCTGTGTG
CTTCTTCTCAAGACCCTTACAAGCTGAGCGGCAATACCATCTACTTCGGCGAAGGCTCTTGG
CTGACAGTGGTTGAA (SEQ ID NO: 238)

GATCTGAACAAGGTGTTCCCCCAGAGGTGGCCGTGTTTCGAGCCTTCTGAGGCCGAGATCTC
CCACACCCAGAAAGCCACCCTCGTGTGCCTGGCCACCGGCTTTTCCCCGACCACGTGGAAC
TGTCTTGGTGGGTCAACGGCAAAGAGGTGCACTCCGGCGTGTGCACCGATCCCCAGCCTCTG
AAAGAACAGCCCGCCCTGAACGACAGCCGGTACTGCCTGAGCAGCAGACTGAGAGTGTCCGC
CACCTTCTGGCAGAACCCCCGGAACCACTTCAGATGCCAGGTGCAGTTCTACGGCCTGAGCG
AGAACGACGAGTGGACCCAGGACAGAGCCAAGCCCGTGACACAGATCGTGTCTGCCGAAGCC
TGGGGCAGAGCCGATTGCGGCTTTACCTCCGTGTCTATCAGCAGGGCGTGTGAGCGCCAC
AATCCTGTACGAGATCCTGCTGGGCAAGGCCACCCTGTACGCCGTGCTGGTGTCTGCCCTGG
TGCTGATGGCCATGGTCAAGCGGAAGGACTTC (SEQ ID NO: 239)

GACCTGAAGAACGTGTTCCCCCAGAGGTGGCCGTGTTTCGAGCCTAGCGAGGCCGAGATCAG
CCACACCCAGAAAGCCACCCTCGTGTGCCTGGCCACCGGCTTTTACCCCGACCACGTGGAAC
TGTCTTGGTGGGTCAACGGCAAAGAGGTGCACAGCGGCGTCTGCACCGACCCCCAGCCCTG
AAAGAGCAGCCCGCCCTGAACGACAGCCGGTACTGTCTGAGCAGCAGACTGAGAGTGTCCGC
CACCTTCTGGCAGAACCCCCGGAACCACTTCAGATGCCAGGTGCAGTTCTACGGCCTGAGCG
AGAACGACGAGTGGACCCAGGACCGGGCCAAGCCCGTGACCCAGATCGTGTCTGCTGAGGCC
TGGGGCAGAGCCGATTGCGGCTTACCAGCGAGAGCTACCAGCAGGGCGTGTGAGCGCCAC
CATCCTGTACGAGATCCTGCTGGGCAAGGCCACCCTGTACGCCGTGCTGGTGTCCGCCCTGG
TGCTGATGGCCATGGTCAAGCGGAAGGACAGCCGGGGC (SEQ ID NO: 240)

ATGAAATCCTTGAGAGTTTTACTAGTGATCCTGTGGCTTCAGTTGAGCTGGGTTTGGAGCCA
ACAGAAGGAGGTGGAGCAGAATTCTGGACCCCTCAGTGTTCCAGAGGGAGCCATTGCCCTCTC
TCAACTGCACTTACAGTGACCGAGGTTCCAGTCCTTCTTCTGGTACAGACAATATTCTGGG
AAAAGCCCTGAGTTGATAATGTTTCATATACTCCAATGGTGACAAAGAAGATGGAAGGTTTAC

AGCACAGCTCAATAAAGCCAGCCAGTATGTTTCTCTGCTCATCAGAGACTCCCAGCCCAGTG
ATTCAGCCACCTACCTCTGTGCCGTGAACATAGGAAACCATGACATGCGCTTTGGAGCAGGG
ACCAGACTGACAGTAAAACCAAATATCCAGAACCCTGACCCTGCCGTGTACCAGCTGAGAGA
CTCTAAATCCAGTGACAAGTCTGTCTGCCTATTACCGATTTTGATTCTCAAACAAATGTGT
CACAAAGTAAGGATTCTGATGTGTATATCACAGACAAAACCTGTGCTAGACATGAGGTCTATG
GACTTCAAGAGCAACAGTGCTGTGGCCTGGAGCAACAAATCTGACTTTGCATGTGCAAAACGC
CTTCAACAACAGCATTATTCCAGAAGACACCTTCTTCCCCAGCCCAGAAAGTTTCTGTGATG
TCAAGCTGGTTCGAGAAAAGCTTTGAAACAGATACGAACCTAAACTTTCAAACCTGTGATG
ATTGGGTTCCGAATCCTCCTCCTGAAAGTGGCCGGGTTTAATCTGCTCATGACGCTGCGGCT
GTGGTCCAGCTGA (SEQ ID NO: 241)

ATGGAGAAAATGTTGGAGTGTGCATTTCATAGTCTTGTGGCTTCAGCTTGGCTGGTTGAGTGG
AGAAGACCAGGTGACGCAGAGTCCCGAGGCCCTGAGACTCCAGGAGGGAGAGAGTAGCAGTC
TCAACTGCAGTTACACAGTCAGCGGTTTAAAGAGGGCTGTTCTGGTATAGGCAAGATCCTGGG
AAAGGCCCTGAATTCCTCTTACCCTGTATTTCAGCTGGGGAAGAAAAGGAGAAAAGAAAGGCT
AAAAGCCACATTAACAAAGAAGGAAAGCTTTCTGCACATCACAGCCCCTAAACCTGAAGACT
CAGCCACTTATCTCTGTGCTGTGCAGACCATGGACGGTAACCAGTTCTATTTTGGGACAGGG
ACAAGTTTGACGGTCATTCCAAATATCCAGAACCCTGACCCTGCCGTGTACCAGCTGAGAGA
CTCTAAATCCAGTGACAAGTCTGTCTGCCTATTACCGATTTTGATTCTCAAACAAATGTGT
CACAAAGTAAGGATTCTGATGTGTATATCACAGACAAAACCTGTGCTAGACATGAGGTCTATG
GACTTCAAGAGCAACAGTGCTGTGGCCTGGAGCAACAAATCTGACTTTGCATGTGCAAAACGC
CTTCAACAACAGCATTATTCCAGAAGACACCTTCTTCCCCAGCCCAGAAAGTTTCTGTGATG
TCAAGCTGGTTCGAGAAAAGCTTTGAAACAGATACGAACCTAAACTTTCAAACCTGTGATG
ATTGGGTTCCGAATCCTCCTCCTGAAAGTGGCCGGGTTTAATCTGCTCATGACGCTGCGGCT
GTGGTCCAGCTGA (SEQ ID NO: 242)

ATGGCATGCCCTGGCTTCCTGTGGGCACTTGTGATCTCCACCTGTCTTGAATTTAGCATGGC
TCAGACAGTCACTCAGTCTCAACCAGAGATGTCTGTGCAGGAGGCAGAGACCGTGACCCTGA
GCTGCACATATGACACCAGTGAGAGTGATTATTATTTATTCTGGTACAAGCAGCCTCCCAGC
AGGCAGATGATTCTCGTTATTTCGCCAAGAAGCTTATAAGCAACAGAATGCAACAGAGAATCG
TTTCTCTGTGAACTTCCAGAAAGCAGCCAAATCCTTCAGTCTCAAGATCTCAGACTCACAGC
TGGGGGATGCCGCGATGTATTTCTGTGCTTCCAGTCCAGGAACCTACAAATACATCTTTGGA
ACAGGCACCAGGCTGAAGGTTTTAGCAAATATCCAGAACCCTGACCCTGCCGTGTACCAGCT
GAGAGACTCTAAATCCAGTGACAAGTCTGTCTGCCTATTACCGATTTTGATTCTCAAACAA
ATGTGTACAAAGTAAGGATTCTGATGTGTATATCACAGACAAAACCTGTGCTAGACATGAGG
TCTATGGACTTCAAGAGCAACAGTGCTGTGGCCTGGAGCAACAAATCTGACTTTGCATGTGC
AAACGCCTTCAACAACAGCATTATTCCAGAAGACACCTTCTTCCCCAGCCCAGAAAGTTTCT
GTGATGTCAAGCTGGTCGAGAAAAGCTTTGAAACAGATACGAACCTAAACTTTCAAACCTG
TCAGTGATTGGGTTCCGAATCCTCCTCCTGAAAGTGGCCGGGTTTAATCTGCTCATGACGCT
GCGGCTGTGGTCCAGCTGA (SEQ ID NO: 243)

ATGACACGAGTTAGCTTGTGCTGTGGGCACTCGTGGTCTCCACCTGTCTTGAATCCGGCATGGC
CCAGACAGTCACTCAGTCTCAACCAGAGATGTCTGTGCAGGAGGCAGAGACTGTGACCCTGA
GTTGCACATATGACACCAGTGAGAGTAATTATTATTTGTTCTGGTACAAACAGCCTCCCAGC
AGGCAGATGATTCTCGTTATTTCGCCAAGAAGCTTATAAGCAACAGAATGCAACGGAGAATCG
TTTCTCTGTGAACTTCCAGAAAGCAGCCAAATCCTTCAGTCTCAAGATCTCAGACTCACAGC
TGGGGGACACTGCGATGTATTTCTGTGCTTTCAACCCTTGGGAGAACTATGGTCAGAATTTT
GTCTTTGGTCCCGGAACCAGATTGTCCGTGCTGCCCTATATCCAGAACCCTGACCCTGCCGT
GTACCAGCTGAGAGACTCTAAATCCAGTGACAAGTCTGTCTGCCTATTACCGATTTTGATT
CTCAAACAAATGTGTACAAAGTAAGGATTCTGATGTGTATATCACAGACAAAACCTGTGCTA
GACATGAGGTCTATGGACTTCAAGAGCAACAGTGCTGTGGCCTGGAGCAACAAATCTGACTT

TGCATGTGCAAACGCCTTCAACAACAGCATTATTCCAGAAGACACCTTCTTCCCCAGCCCAG
AAAGTTCTGTGATGTCAAGCTGGTCGAGAAAAGCTTTGAAACAGATACGAACCTAAACTTT
CAAAACCTGTCAGTGATTGGGTTCCGAATCCTCCTCCTGAAAAGTGGCCGGGTTTAATCTGCT
CATGACGCTGCGGCTGTGGTCCAGCTGA (SEQ ID NO: 244)

ATGAAGAGCCTGAGAGTCCTGCTGGTGATTTTGTGGCTGCAGCTGTCTTGGGTTTGGTCTCA
GCAGAAAGAAGTGGAGCAGAATAGCGGCCCTCTGTCTGTTTCTGAAGGCGCTATTGCTAGCC
TGAATTGCACATACAGCGATAGAGGATCTCAGAGCTTCTTCTGGTACCGGCAGTACAGCGGC
AAGAGCCCAGAACTGATCATGTTTCATCTACAGCAATGGCGACAAGGAGGATGGCAGGTTTAC
AGCCCAGCTGAACAAGGCCAGCCAGTATGTTTTCTCTGCTGATCAGAGATAGCCAGCCTAGCG
ATTCTGCCACCTACCTGTGTGCCGTGAACATCGGAAATCACGACATGAGATTTGGAGCCGGC
ACAAGACTGACCGTGAAGCCCAATATCCAGAACCCTGATCCTGCTGTGTACCAGCTGCGGGA
CAGCAAGAGCAGCGACAAGAGCGTGTGCCTGTTACCGACTTCGACAGCCAGACCAACGTGT
CCCAGAGCAAGGACAGCGACGTGTACATCACCATAAGTGCGTGCTGGACATGCGGAGCATG
GACTTCAAGAGCAACAGCGCCGTGGCCTGGTCCAACAAGAGCGACTTCGCCTGCGCCAACGC
CTTCAACAACAGCATTATCCCCGAGGACACATTCTTCCCAAGCCCCGAGAGCAGCTGCGACG
TGAAGCTGGTGGAAAAGAGCTTCGAGACAGACACCAACCTGAACTTCCAGAACCTCAGCGTG
ATCGGCTTCCGGATCCTGCTGCTGAAGGTGGCCGGCTTCAACCTGCTGATGACCCTGCGGCT
GTGGTCCAGCTGA (SEQ ID NO: 245)

ATGGAGAAGATGCTGGAGTGTGCGTTCATCGTTCTGTGGCTGCAACTTGGATGGCTGTCTGG
AGAGGATCAGGTTACACAGTCTCCTGAAGCCCTGAGACTGCAAGAAGGAGAAAGCTCTAGCC
TGAAGTGCAGCTACACAGTGTCTGGACTGAGAGGCCTGTTCTGGTACAGACAGGATCCTGGA
AAAGGCCCAGAGTTCTGTTTACCCTGTATTCTGCCGGCGAGGAGAAGGAGAAAGAGAGACT
GAAAGCTACCTGACCAAGAAGGAGAGCTTCCTGCACATTACCGCCCCCAAACCTGAGGATT
CTGCCACATATCTGTGTGCTGTGCAGACCATGGATGGCAACCAGTTCTACTTCGGCACAGGC
ACATCTCTGACCGTTATCCCCAATATCCAGAACCCTGATCCTGCCGTGTACCAGCTGCGGGA
CAGCAAGAGCAGCGACAAGAGCGTGTGCCTGTTACCGACTTCGACAGCCAGACCAACGTGT
CCCAGAGCAAGGACAGCGACGTGTACATCACCATAAGTGCGTGCTGGACATGCGGAGCATG
GACTTCAAGAGCAACAGCGCCGTGGCCTGGTCCAACAAGAGCGACTTCGCCTGCGCCAACGC
CTTCAACAACAGCATTATCCCCGAGGACACATTCTTCCCAAGCCCCGAGAGCAGCTGCGACG
TGAAGCTGGTGGAAAAGAGCTTCGAGACAGACACCAACCTGAACTTCCAGAACCTCAGCGTG
ATCGGCTTCCGGATCCTGCTGCTGAAGGTGGCCGGCTTCAACCTGCTGATGACCCTGCGGCT
GTGGTCCAGCTGA (SEQ ID NO: 246)

ATGGCTTGTCTCTGGATTCTTATGGGCTCTGGTGATCAGCACCTGTCTGGAGTTCTCTATGGC
CCAGACAGTGACACAGTCTCAGCCTGAAATGTCTGTGCAGGAAGCCGAAACCGTGACACTGT
CTTGACCTACGATACAAGCGAGAGCGACTACTACCTGTTCTGGTACAAGCAGCCTCCCTCT
AGGCAGATGATCCTGGTGATTAGACAGGAGGCCACAAACAGCAGAATGCCACCGAGAACCG
GTTTAGCGTGAACCTCCAGAAAGCCGCCAAGAGCTTCAGCCTGAAAATCTCTGACAGCCAGC
TGGGAGATGCTGCCATGTACTTTTGTGCCAGCTCTCCAGGCACCTACAAGTACATTTTTGGC
ACCGGCACCAGACTGAAGGTGCTGGCCAATATCCAGAATCCCGATCCTGCCGTGTACCAGCT
GCGGGACAGCAAGAGCAGCGACAAGAGCGTGTGCCTGTTACCGACTTCGACAGCCAGACCA
ACGTGTCCCAGAGCAAGGACAGCGACGTGTACATCACCATAAGTGCGTGCTGGACATGCGG
AGCATGGACTTCAAGAGCAACAGCGCCGTGGCCTGGTCCAACAAGAGCGACTTCGCCTGCGC
CAACGCCTTCAACAACAGCATTATCCCCGAGGACACATTCTTCCCAAGCCCCGAGAGCAGCT
GCGACGTGAAGCTGGTGGAAAAGAGCTTCGAGACAGACACCAACCTGAACTTCCAGAACCTC
AGCGTGATCGGCTTCCGGATCCTGCTGCTGAAGGTGGCCGGCTTCAACCTGCTGATGACCCT
GCGGCTGTGGTCCAGCTGA (SEQ ID NO: 247)

ATGACCAGAGTTAGCCTGTTATGGGCTGTGGTGGTGAGCACATGTCTGGAATCTGGAATGGC
CCAGACAGTGACACAGTCTCAGCCTGAAATGTCTGTGCAGGAAGCCGAAACCGTTACACTGA
GCTGCACCTACGATACAAGCGAGAGCAACTACTACCTGTTCTGGTACAAGCAGCCCCCTTCT
AGGCAGATGATCCTGGTGATCAGACAGGAGGCCTATAAACAGCAGAATGCCACCGAGAACCG
GTTTAGCGTGAACTTCCAGAAAGCCGCCAAGAGCTTCAGCCTGAAAATCTCTGACAGCCAGC
TGGGCGATACAGCCATGTACTTTTGTGCCTTCAACCCCTGGGAGAACTATGGCCAGAATTTC
GTGTTTCGGCCCTGGCACCAGACTGTCTGTTCTGCCTTATATCCAGAACCCCGATCCTGCTGT
GTACCAGCTGCGGGACAGCAAGAGCAGCGACAAGAGCGTGTGCCTGTTACCGACTTCGACA
GCCAGACCAACGTGTCCCAGAGCAAGGACAGCGACGTGTACATCACCATAAGTGCGTGCTG
GACATGCGGAGCATGGACTTCAAGAGCAACAGCGCCGTGGCCTGGTCCAACAAGAGCGACTT
CGCCTGCGCCAACGCCTTCAACAACAGCATTATCCCCGAGGACACATTCTTCCCAAGCCCCG
AGAGCAGCTGCGACGTGAAGCTGGTGGAAAAGAGCTTCGAGACAGACACCAACCTGAACTTC
CAGAACCTCAGCGTGATCGGCTTCCGGATCCTGCTGCTGAAGGTGGCCGGCTTCAACCTGCT
GATGACCCTGCGGCTGTGGTCCAGCTGA (SEQ ID NO: 248)

ATGGGCTGCAGGCTGCTCTGCTGTGCGGTTCTCTGTCTCCTGGGAGCAGTTCCCATAGACAC
TGAAGTTACCCAGACACCAAAACACCTGGTCATGGGAATGACAAATAAGAAGTCTTTGAAAT
GTGAACAACATATGGGGCACAGGGCTATGTATTGGTACAAGCAGAAAGCTAAGAAGCCACCG
GAGCTCATGTTTGTCTACAGCTATGAGAACTCTCTATAAATGAAAGTGTGCCAAGTCGCTT
CTCACCTGAATGCCCCAACAGCTCTCTCTTAAACCTTCACCTACACGCCCTGCAGCCAGAAG
ACTCAGCCCTGTATCTCTGCGCCAGCAGCCAAGGGACTAGCGGGGCAGATACGCAGTATTTT
GGCCCAGGCACCCGGCTGACAGTGCTCGAGGACCTGAAAAACGTGTTCCCACCCGAGGTGCG
TGTGTTTGTAGCCATCAGAAGCAGAGATCTCCACACCCAAAAGGCCACACTGGTGTGCCTGG
CCACAGGCTTCTACCCCGACCACGTGGAGCTGAGCTGGTGGGTGAATGGGAAGGAGGTGCAC
AGTGGGGTCAGCACAGACCCGCAGCCCCCAAGGAGCAGCCCGCCCTCAATGACTCCAGATA
CTGCCTGAGCAGCCGCCTGAGGGTCTCGGCCACCTTCTGGCAGAACCCCGCAACCACTTCC
GCTGTCAAGTCCAGTTCTACGGGCTCTCGGAGAATGACGAGTGGACCCAGGATAGGGCCAAA
CCTGTCAACCCAGATCGTCAGCGCCGAGGCCTGGGGTAGAGCAGACTGTGGCTTCACCTCCGA
GTCTTACCAGCAAGGGTCTGTCTGCCACCATCCTCTATGAGATCTTGCTAGGGAAGGCCA
CCTTGTATGCCGTGCTGGTCAAGTGCCCTCGTGCTGATGGCCATGGTCAAGAGAAAGGATTCC
AGAGGCTAG (SEQ ID NO: 249)

ATGAGCATCGGCCTCCTGTGCTGTGCAGCCTTGTCTCTCCTGTGGGCAGGTCCAGTGAATGC
TGGTGTCACTCAGACCCCAAAATTCCAGGTCCTGAAGACAGGACAGAGCATGACACTGCAGT
GTGCCCAGGATATGAACCATGAATACATGTCTTGGTATCGACAAGACCCAGGCATGGGGCTG
AGGCTGATTCTACTCAGTTGGTGTGCTGGTATCACTGACCAAGGAGAAGTCCCCAATGGCTA
CAATGTCTCCAGATCAACCACAGAGGATTTCCCGCTCAGGCTGCTGTCGGCTGCTCCCTCCC
AGACATCTGTGTACTTCTGTGCCAGCAGTTACTCTCTTTGGGACCTTCAAGAGACCCAGTAC
TTCGGGCCAGGCACGCGGCTCCTGGTGTCTCGAGGACCTGAAAAACGTGTTCCCACCCGAGGT
CGCTGTGTTTGTAGCCATCAGAAGCAGAGATCTCCACACCCAAAAGGCCACACTGGTGTGCC
TGGCCACAGGCTTCTACCCCGACCACGTGGAGCTGAGCTGGTGGGTGAATGGGAAGGAGGTG
CACAGTGGGGTCAGCACAGACCCGCAGCCCCCAAGGAGCAGCCCGCCCTCAATGACTCCAG
ATACTGCCTGAGCAGCCGCCTGAGGGTCTCGGCCACCTTCTGGCAGAACCCCGCAACCACT
TCCGCTGTCAAGTCCAGTTCTACGGGCTCTCGGAGAATGACGAGTGGACCCAGGATAGGGCC
AAACCTGTCAACCCAGATCGTCAGCGCCGAGGCCTGGGGTAGAGCAGACTGTGGCTTCACCTC
CGAGTCTTACCAGCAAGGGTCTGTCTGCCACCATCCTCTATGAGATCTTGCTAGGGAAGG
CCACCTTGTATGCCGTGCTGGTCAAGTGCCCTCGTGCTGATGGCCATGGTCAAGAGAAAGGAT
TCCAGAGGCTAG (SEQ ID NO: 250)

ATGGGCACCAGCCTCCTCTGCTGGATGGCCCTGTGTCTCCTGGGGGCAGATCACGCAGATAC
TGGAGTCTCCCAGGACCCAGACACAAGATCACAAAGAGGGGACAGAATGTAACCTTCAGGT

GTGATCCAATTTCTGAACACAACCGCCTTTATTGGTACCGACAGACCCTGGGGCAGGGCCCA
GAGTTTCTGACTTACTTCCAGAATGAAGCTCAACTAGAAAAATCAAGGCTGCTCAGTGATCG
GTTCTCTGCAGAGAGGCCTAAGGGATCTTTCTCCACCTTGGAGATCCAGCGCACAGAGCAGG
GGGACTCGGCCATGTATCTCTGTGCCAGCAGCTTTTCAGACGGGGGGGCTACAGATACGCAG
TATTTTGGCCCAGGCACCCGGCTGACAGTGCTCGAGGACCTGAAAAACGTGTTCCCAACCCGA
GGTCGCTGTGTTTGAGCCATCAGAAGCAGAGATCTCCACACCCAAAAGGCCACACTGGTGT
GCCTGGCCACAGGCTTCTACCCCGACCACGTGGAGCTGAGCTGGTGGGTGAATGGGAAGGAG
GTGCACAGTGGGGTCAGCACAGACCCGAGCCCTCAAGGAGCAGCCCGCCCTCAATGACTC
CAGATACTGCCTGAGCAGCCGCCTGAGGGTCTCGGCCACCTTCTGGCAGAACCCCCGCAACC
ACTTCCGCTGTCAAGTCCAGTTCTACGGGCTCTCGGAGAATGACGAGTGGACCCAGGATAGG
GCCAAACCTGTCAACCAGATCGTCAGCGCCGAGGCCTGGGGTAGAGCAGACTGTGGCTTCAC
CTCCGAGTCTTACCAGCAAGGGGTCTGTCTGCCACCATCCTCTATGAGATCTTGCTAGGGA
AGGCCACCTTGTATGCCGTGCTGGTCAGTGCCCTCGTGCTGATGGCCATGGTCAAGAGAAAAG
GATTCCAGAGGCTAG

(SEQ ID NO: 251)

ATGCTGCTGCTTCTGCTGCTTCTGGGGCCAGCAGGCTCCGGGCTTGGTGCTGTGCTCTCTCA
ACATCCGAGCTGGGTTATCTGTAAGAGTGGAACCTCTGTGAAGATCGAGTGCCGTTCCCTGG
ACTTTTCAGGCCACAACATATGTTTTGGTATCGTCAGTTCCCGAAACAGAGTCTCATGCTGATG
GCAACTTCCAATGAGGGCTCCAAGGCCACATACGAGCAAGGCGTCGAGAAGGACAAGTTTCT
CATCAACCATGCAAGCCTGACCTTGTCCACTCTGACAGTGACCAGTGCCCATCCTGAAGACA
GCAGCTTCTACATCTGCAGTGCTAGACCCCATTTCTCTCACAGATACGCAGTATTTTGGCCCA
GGCACCCGGCTGACAGTGCTCGAGGACCTGAAAAACGTGTTCCCAACCCGAGGTGCTGTGTT
TGAGCCATCAGAAGCAGAGATCTCCACACCCAAAAGGCCACACTGGTGTGCCTGGCCACAG
GCTTCTACCCCGACCACGTGGAGCTGAGCTGGTGGGTGAATGGGAAGGAGGTGCACAGTGGG
GTCAGCACAGACCCGAGCCCTCAAGGAGCAGCCCGCCCTCAATGACTCCAGATACTGCCT
GAGCAGCCGCTGAGGGTCTCGGCCACCTTCTGGCAGAACCCCCGCAACCACTTCCGCTGTC
AAGTCCAGTTCTACGGGCTCTCGGAGAATGACGAGTGGACCCAGGATAGGGCCAAACCTGTC
ACCCAGATCGTCAGCGCCGAGGCCTGGGGTAGAGCAGACTGTGGCTTCACCTCCGAGTCTTA
CCAGCAAGGGGTCTGTCTGCCACCATCCTCTATGAGATCTTGCTAGGGAAGGCCACCTTGT
ATGCCGTGCTGGTCAGTGCCCTCGTGCTGATGGCCATGGTCAAGAGAAAGGATTCCAGAGGC
TAG (SEQ ID NO: 252)

ATGGGCTGTAGACTGTTGTGTTGTGCTGTGCTGTGTCTGTTGGGAGCTGTGCCTATCGATAC
AGAGGTGACCCAGACCCCTAAACATCTGGTTATGGGCATGACCAACAAGAAGAGCCTGAAGT
GCGAGCAGCACATGGGCCATAGGGCCATGTATTGGTATAAGCAGAAGGCCAAGAAACCTCCT
GAGCTGATGTTCTGTGTACAGCTACGAGAAGCTGAGCATCAACGAGAGCGTGCCAGCAGATT
TTCTCCTGAGTGCCCTAATTCTAGCCTGCTGAATCTGCACCTGCATGCTCTGCAGCCTGAGG
ATTCTGCTCTGTACCTGTGTGCTTCTTCTCAGGGCACATCTGGAGCTGATACACAGTACTTC
GGACCTGGCACAAGACTGACAGTGCTGGAAGACCTGAAGAACGTGTTCCCCCAGAGGTGGC
CGTGTTCGAGCCTAGCGAGGCCGAGATCAGCCACACCCAGAAAGCCACCCTCGTGTCCTGG
CCACCGGCTTTTACCCCGACCACGTGGAACGTCTTGGTGGGTCAACGGCAAAGAGGTGCAC
AGCGGCGTCTGCACCGACCCCGAGCCCTGAAAGAGCAGCCCGCCCTGAACGACAGCCGGTA
CTGTCTGAGCAGCAGACTGAGAGTGTCCGCCACCTTCTGGCAGAACCCCCGGAACCACTTCA
GATGCCAGGTGCAGTTCTACGGCCTGAGCGAGAACGACGAGTGGACCCAGGACCGGGCCAAG
CCCGTGACCCAGATCGTGTCTGCTGAGGCCTGGGGCAGAGCCGATTGCGGCTTCACCAGCGA
GAGCTACCAGCAGGGCGTGCTGAGCGCCACCATCCTGTACGAGATCCTGCTGGGCAAGGCCA
CCCTGTACGCCGTGCTGGTGTCCGCCCTGGTGCTGATGGCCATGGTCAAGCGGAAGGACAGC
CGGGGC (SEQ ID NO: 253)

ATGTCTATCGGTCTGCTGTGCTGTGCTGCTCTTTCTCTGCTTTGGGCTGGACCTGTGAATGC
TGGAGTTACACAAACCCCCAAGTTCCAAGTGCTGAAGACAGGACAGAGCATGACCCTGCAGT
GTGCTCAGGACATGAATCACGAGTACATGAGCTGGTACAGACAGGATCCTGGAATGGGCCTG
AGGCTGATCCACTACTCTGTTGGAGCCGGAATTACAGATCAGGGAGAAGTGCCAAATGGCTA
CAACGTGAGCAGGAGCACAAACCGAGGACTTCCCCCTTAAGACTGTTGTCTGCTGCTCCATCTC
AGACAAGCGTGTACTTTTTCGCCAGCTCCTACTCTCTGTGGGATCTGCAGGAAACCCAGTAC
TTTGGACCAGGCACAAGACTGTTAGTGCTGGAGGACCTGAAGAACGTGTTCCCCCAGAGGT
GGCCGTGTTTCGAGCCTAGCGAGGCCGAGATCAGCCACACCCAGAAAGCCACCCTCGTGTGCC
TGGCCACCGGCTTTTACCCCGACCACGTGGAAGTGTCTTGGTGGGTCAACGGCAAAGAGGTG
CACAGCGGCGTCTGCACCGACCCCCAGCCCCCTGAAAGAGCAGCCCCGCCCTGAACGACAGCCG
GTACTGTCTGAGCAGCAGACTGAGAGTGTCGCCACCTTCTGGCAGAACCCCCGGAACCACT
TCAGATGCCAGGTGCAGTTCTACGGCCTGAGCGAGAACGACGAGTGGACCCAGGACCGGGCC
AAGCCCGTGACCCAGATCGTGTCTGCTGAGGCCTGGGGCAGAGCCGATTGCGGCTTCACCAG
CGAGAGCTACCAGCAGGGCGTGCTGAGCGCCACCATCCTGTACGAGATCCTGCTGGGCAAGG
CCACCCTGTACGCCGTGCTGGTGTCCGCCCTGGTGCTGATGGCCATGGTCAAGCGGAAGGAC
AGCCGGGGC (SEQ ID NO: 254)

ATGGGCACATCTCTTCTCTGCTGGATGGCTCTTTGTCTGCTTGGAGCCGATCATGCCGATAC
AGGAGTTAGCCAGGATCCTAGACACAAGATCACCAAGAGAGGCCAGAATGTGACCTTCCGGT
GCGATCCTATCTCTGAGCACAAACAGGCTGTACTGGTACAGACAAACACTGGGACAAGGACCT
GAGTTCTCTGACCTACTTCCAGAACGAAGCCCAGCTGGAGAAGTCTAGACTTCTGAGCGACAG
ATTTAGCGCCGAGAGACCTAAAGGCAGCTTTAGCACCCCTGGAGATCCAGAGAACAGAACAGG
GCGATTCTGCCATGTACCTGTGTGCTAGCAGCTTTTCTGATGGAGGCGCCACCGATACACAG
TATTTTCGACCTGGCACAAGACTGACAGTGCTGGAGGACCTGAAGAACGTGTTCCCCCAGA
GGTGGCCGTGTTTCGAGCCTAGCGAGGCCGAGATCAGCCACACCCAGAAAGCCACCCTCGTGT
GCCTGGCCACCGGCTTTTACCCCGACCACGTGGAAGTGTCTTGGTGGGTCAACGGCAAAGAG
GTGCACAGCGGCGTCTGCACCGACCCCCAGCCCCCTGAAAGAGCAGCCCCGCCCTGAACGACAG
CCGGTACTGTCTGAGCAGCAGACTGAGAGTGTCGCCACCTTCTGGCAGAACCCCCGGAACC
ACTTCAGATGCCAGGTGCAGTTCTACGGCCTGAGCGAGAACGACGAGTGGACCCAGGACCGG
GCCAAGCCCGTGACCCAGATCGTGTCTGCTGAGGCCTGGGGCAGAGCCGATTGCGGCTTCAC
CAGCGAGAGCTACCAGCAGGGCGTGCTGAGCGCCACCATCCTGTACGAGATCCTGCTGGGCA
AGGCCACCCTGTACGCCGTGCTGGTGTCCGCCCTGGTGCTGATGGCCATGGTCAAGCGGAAG
GACAGCCGGGGC (SEQ ID NO: 255)

ATGCTGCTTCTTCTCCTCCTTCTCGGACCTGCTGGATCTGGATTAGGAGCTGTTGTGTCTCA
GCACCCTTCTTGGGTGATCTGTAAAAGCGGCACAAGCGTGAAGATCGAGTGCAGAAGCCTGG
ACTTTTCAGGCCACAACCATGTTCTGGTATAGGCAGTTCCCCAAGCAGTCTCTGATGCTGATG
GCCACCTCTAATGAGGGCTCTAAGGCCACATATGAACAGGGAGTGGAGAAGGACAAGTTCCT
GATCAACCACGCCTCTCTGACCCTGTCTACCCTGACAGTTACATCTGCCACCCCTGAGGATA
GCAGCTTTTACATCTGTAGCGCCAGACCTCACAGCCTGACCGATACACAGTACTTTGGCCCT
GGCACAAGACTGACAGTGTTAGAAGACCTGAAGAACGTGTTCCCCCAGAGGTGGCCGTGTT
CGAGCCTAGCGAGGCCGAGATCAGCCACACCCAGAAAGCCACCCTCGTGTGCCTGGCCACCG
GCTTTTACCCCGACCACGTGGAAGTGTCTTGGTGGGTCAACGGCAAAGAGGTGCACAGCGGC
GTCTGCACCGACCCCCAGCCCCCTGAAAGAGCAGCCCCGCCCTGAACGACAGCCGGTACTGTCT
GAGCAGCAGACTGAGAGTGTCGCCACCTTCTGGCAGAACCCCCGGAACCACTTCAGATGCC
AGGTGCAGTTCTACGGCCTGAGCGAGAACGACGAGTGGACCCAGGACCGGGCCAAGCCCGTG
ACCCAGATCGTGTCTGCTGAGGCCTGGGGCAGAGCCGATTGCGGCTTCACCAGCGAGAGCTA
CCAGCAGGGCGTGCTGAGCGCCACCATCCTGTACGAGATCCTGCTGGGCAAGGCCACCCTGT
ACGCCGTGCTGGTGTCCGCCCTGGTGCTGATGGCCATGGTCAAGCGGAAGGACAGCCGGGGC
(SEQ ID NO: 256)

METLLGLLILWLQLQWVSSKQEVTTQIPAALSVPEGENLVLNCSFTDSAIYNLQWFRQDPGKG
LTSLLLIQSSQREQTSGRLNASLDKSSGRSTLYIAASQPGDSATYLCVAKETSGSRLTFGEG
TQLTVNP (SEQ ID NO: 257)

MTRVSLWLWAVVSTCLESMAQTVTQSQPEMSVQEAETVTLSTCTYDTSENNYYLFWYKQPPS
RQMILVIRQEAQKQONATENRFSVNFQKAASFSCLKISDSQLGDTAMYFCAFIYPSYTSPTY
KYIFGTGTRLKVLAN (SEQ ID NO: 258)

MAMLLGASVLILWLQPDWVNSQQKNDDQQVKQNSPSSLVQEGRISILNCDYTNSMFDYFLWY
KKYPAEGPTFLISSIKDKNEDGRFTVFLNKSALHLSLHIVPSQPGDSAVYFCAASGTGGS
YIPTFGRGTSLIVHPY (SEQ ID NO: 259)

MAMLLGASVLILWLQPDWVNSQQKNDDQQVKQNSPSSLVQEGRISILNCDYTNSMFDYFLWY
KKYPAEGPTFLISSIKDKNEDGRFTVFLNKSALHLSLHIVPSQPGDSAVYFCAASGIGDY
KLSFGAGTTVTVRAN (SEQ ID NO: 260)

MVKIRQFLAILWLQLSCVSAKNEVEQSPQNLTAQEGEFITINCSYVSGISALHWLQQHPG
GGIVSLFMLSSGKKKHGRLIATINIQEKHSSLHITASHPRDSAVYICAVRTSYDKVIFGPGT
SLSVIPN (SEQ ID NO: 261)

MKSLRVLLVILWLQLSWVWSQQKEVEQNSGPLSVPEGAIASLNCTYSDRGSQSFFWYRQYSG
KSPILMFIYSNGDKEDGRFTAQLNKASQYVSLLRDSQPSDSATYLCVNLGATGYSTLT
FGKGTMLLVSP (SEQ ID NO: 262)

MWGVFLLYVSMKMGTTGQNIQDQPTMTATEGAIVQINCTYQTSGFNGLFWYQQHAGEAPTF
LSYNVLDGLEEKGRFSSFLSRKGYSYLLKELQMKDSASYLCAVRGINDYKLSFGAGTTVT
VRAN (SEQ ID NO: 263)

MEKMLECAFIVLWLQLGWLSGEDQVTQSPEALRLQEGESSLNCSYTVSGLRGLFWYRQDPG
KGPEFLFTLYSAGEEKEKERLKTATLTKESFLHITAPKPEDSATYLCAVITGFQKLVFGTGT
RLLVSPN (SEQ ID NO: 264)

MRLVARVTVFLTFGTIIDAKTTQPTSMDCAEGRAANLPCNHSTISGNEYVYWYRQIHSQGPQ
YIIHGLKNNETNEMASLIITEDRKSSTLILPHATLRDTAVYYCIAGVGRGQNFVFGPGTRLS
VLPY (SEQ ID NO: 265)

MEKNPLAAPLLILWFHLDCVSSILNVEQSPQSLHVQEGDSTNFTCSFPSSNFYALHWYRWET
AKSPEALFVMTLNGDEKKKGRISATLNTKEGYSYLYIKGSQPEDSATYLCAFHPNFGNEKLT
FGTGTRLTIIPN (SEQ ID NO: 266)

MEKMLECAFIVLWLQLGWLSGEDQVTQSPEALRLQEGESSLNCSYTVSGLRGLFWYRQDPG
KGPEFLFTLYSAGEEKEKERLKTATLTKESFLHITAPKPEDSATYLCAVQPRGDSSNTGKL
IFGQGTTLQVKP (SEQ ID NO: 267)

IQNPDPVAVYQLRDSKSSDKSVCLFTDFDSQTNVSQSKDSDVYITDKCVLDMRSMDFKSNSAV
AWSNKSDFACANAFNNSIIPEDTFFPSPESSCDVKLVEKSFETDTNLFQNLVIGFRILL
KVAGFNLLMTLRLWSS (SEQ ID NO: 268)

MGTSLLCWVVLGFLGTDHTGAGVSQSPRYKVTKRGQDVALRCDPISGHVSPLYWYRQALGQGP
EFLTYFNIEAQQDKSGLPNDRFSAERPEGSISTLTIQRTQORDSAMYRCASSLTGSYEQYFG
PGTRLTVTE (SEQ ID NO: 269)

MLLLLLLLGPAGSGLGAVVSQHPSWVICKSGTSVKIECRSLDFQATTMFWYRQFPKQSLMLM
ATSNEGSKATYEQGVEKDKFLINHASLTLSTLTVTSAHPEDSSFYICSATPEASSPYEQYFG
PGTRLTVTE (SEQ ID NO: 270)

MGPGLLHWMALCLLGTGHGDAMVIQNPRYQVTQFGKPVTLSCSQTLNHNVMYWYQQKSSQAP
KLLFHYYDKDFNNEADTPDNFQSRPNTSFCFLDIRSPGLGDAAMYLCAATSNLQGRQPQHF
DGTRLSILE (SEQ ID NO: 271)

MLSPDLPDASAWNTRLLCHVMLCLLGAVSVAAGVIQSPRHLIKEKRETATLKCYPIPRHDTVY
WYQQGPGQDPQFLISFYEKMQSDKGSIPDRFSAQQFSDYHSELNMSSLELGDALYFCASSL
RLGRETQYFGPGTRLLVLE (SEQ ID NO: 272)

MGTRLLCWVVLGFLGTDHTGAGVSQSPRYKVAKRGQDVALRCDPISGHVSLFWYQQALGQGP
EFLTYFQNEAQLDKSGLPDRFFAERPEGSVSTLKIQRTOQEDSAVYLCASSLGQAYEQYFG
PGTRLTVTE (SEQ ID NO: 273)

MGTRLLCWVAFCLLVEELIEAGVVQSPRYKIEKKQPVAFWCNPISGHNTLYWYLQNLGQGP
ELLIRYENEEAVDDSQLPKDRFSAERLKGVDSTLKIQPAELGDSAVYLCASSLTRGAEAF
QGTRLTVVE (SEQ ID NO: 274)

MSNQVLCCVVLGFLGANTVDGGITQSPKYLFRKEGQNVTLSCQNLNHDAMYWYRQDPGQGL
RLIYYSQIVNDFQKGDIAEGYSVSREKKESFPLTVTSAQKNPTAFYLCASSRDREQESPLHF
NGTRLTVTE (SEQ ID NO: 275)

MGPQLLGYVVLCLLGAGPLEAQVTQNPRYLITVTGKKLTVTCSQNMNHEYMSWYRQDPGLGL
RQIYYSMNVEVTDKGDVPEGYKVSKEKRNFLILESPSPNQTSLYFCASSFSGGTYEYFG
PGTRLTVTE (SEQ ID NO: 276)

MLSPDLPDASAWNTRLLCHVMLCLLGAVSVAAGVIQSPRHLIKEKRETATLKCYPIPRHDTVY
WYQQGPGQDPQFLISFYEKMQSDKGSIPDRFSAQQFSDYHSELNMSSLELGDALYFCASSY
RGGSTYEQYFGPGTRLTVTE (SEQ ID NO: 277)

MSTRLLCWMALCLLGAELSEAEVAQSPRYKITEKSQAVAFWCDPISGHATLYWYRQILGQGP
ELLVQFQDESVVDDSQLPKDRFSAERLKGVDSTLKIQPAELGDSAMYLCAASSQDRSPNEKLF
FGSGTQLSVLE (SEQ ID NO: 278)

MGCRLCCAVLCLLGAVPMETGVTQTPRHLVGMNTNKKSLKCEQHLGHNAMEYWKQSAKKPL
ELMFVYSLEERVENNSVSRFSPECNSSHFLHLHTLQPEDSALYLCASSQDPYKLSGNTI
YFGECSWLTVE (SEQ ID NO: 279)

DLNKVFPPEVAVFEPSEAEISHTQKATLVCLATGFFPDHVELSWWVNGKEVHSGVCTDPQPL
KEQPALNDSRYCLSSRLRVSATFWQNPRNHFRCQVQFYGLSENDEWTQDRAKPVTOIVSAEA
WGRADCGFTSVSYQQGVLSATILYEILLGKATLYAVLVSAVLMMAMVKRKDF (SEQ ID
NO: 280)

DLKNVFPPEVAVFEPSEAEISHTQKATLVCLATGFYPDHVELSWWVNGKEVHSGVCTDPQPL
KEQPALNDSRYCLSSRLRVSATFWQNPRNHFRCQVQFYGLSENDEWTQDRAKPVTOIVSAEA
WGRADCGFTSESYQQGVLSATILYEILLGKATLYAVLVSAVLMMAMVKRKDSRG (SEQ ID
NO: 281)

MKSLRVLLVILWLQLSWVWSQQKEVEQNSGPLSVPEGAIASLNCTYSDRGSQSFFWYRQYSG
KSPELIMFIYSNGDKEDGRFTAQLNKASQYVSLIRDSQPSDSATYLCAVNIGNHDMRFGAG
TRLTVKPN (SEQ ID NO: 282)

MEKMLECAFIVLWLQLGWLSGEDQVTQSPEALRLQEGESSLNCSYTVSGLRGLFWYRQDPG
KGPEFLFTLYSAGEEKEKERLKATLTKESFLHITAPKPEDSATYLCAVQTM DGNQFYFGTG
TSLTVIPN (SEQ ID NO: 283)

MACPGFLWALVISTCLEFSMAQTVTQSQPEMSVQEAETVTLSTYDTSES DY YLFWYKQPPS
RQMILVIRQEAYKQQNATENRFSVNFQKAAKSFSLKISDSQLGDAAMYFCASSPGTYKYIFG
TGTRLKVLAN (SEQ ID NO: 284)

MTRVSLWAVVSTCLESGMAQTVTQSQPEMSVQEAETVTLSTYDTSES NY YLFWYKQPPS
RQMILVIRQEAYKQQNATENRFSVNFQKAAKSFSLKISDSQLGDTAMYFCAFNPWENYGQNF
VFGPGTRLSVLPY (SEQ ID NO: 285)

IQNPDPVAVYQLRDSKSSDKSVCLFTDFDSQTNVSQSKDSVYITDKCVLDMRSMDFKSNSAV
AWSNKSDFACANAFNNSIIPEDTFFPSPSSCDVKLVEKSFETDTNLNFQNLVIGFRILL
KVAGFNLLMTLRLWSS (SEQ ID NO: 286)

MGCRLCCAVLCLLGAVPIDTEVTQTPKHLVMGMTNKKSLKCEQHMGHRAMYWYKQKAKKPP
ELMFVYSYEKLSINESVPSRFSPECNSSLNLHLHALQPEDSALYLCASSQGTSGADTQYF
GPGTRLTVE (SEQ ID NO: 287)

MSIGLLCCAALSLLWAGPVNAGVTQTPKFQVLKTGQSM TLQCAQDMNHEYMSWYRQDPGMGL
RLIHYSVGAGITDQGEVPNGYNVSRSTEDFPLRLLSAAPSQTSVYFCASSYSLWDLQETQY
FGPGTRLLVLE (SEQ ID NO: 288)

MGTSLLCWMALCLLGADHDTGVSQDPRHKITKRGQNVTFRCDP ISEHNRLYWYRQTLGQGP
EFLTYFQNEAQLEKSRLLSDRFS AERP KGSFSTLEIQ RTEQGDSAMYL CASSFSDGGATDTQ
YFGPGTRLTVE (SEQ ID NO: 289)

MLLLLLLLGPAGSGLGAVVSQHPSWVICKSGTSVKIECRSLDFQATTMFWYRQFPKQSLMLM
ATSNEGSKATYEQGVEKDKFLINHASLTLSTLTVTSAHPEDSSFYIC SARPHSLTDTQYFGP
GTRLTVE (SEQ ID NO: 290)

DLKNVFPPEVAVFEPSEAEISHTQKATLVCLATGFYPDHVELSWVNGKEVHSGVCTDPQPL
KEQPALNDSRYCLSSRLRVSATFWQNPRNHFRCQVQFYGLSENDEWTQDRAKPV TQIVSAEA
WGRADCGFTSESYQQGVLSATILYEILLGKATLYAVLV SALVLMAMVKRKDSRG (SEQ ID
NO: 291)

[0195] In some embodiments, a TCR construct comprises Human papilloma virus (HPV)-specific TCR chains. In some embodiments, a TCR construct comprising an HPV-specific TCR chains comprises TCR alpha and TCR beta chains that target the HPV 18 E6 protein, and/or HPV 18 E7 protein. In some embodiments, an HPV 18 E6 epitope is amino acids 121-135 and/or amino acids 77-91 of the HPV 18 E6 protein. In some embodiments, a TCR construct comprising an HPV-specific TCR chains comprises TCR alpha and TCR beta chains that target the HPV 18 E7 protein. In some embodiments, an HPV 18 E7 epitope is amino acids 11-19. In

some embodiments, HPV-specific TCR sequences, TCR variable domain sequences, CDR sequences, and/or TCR constant domain sequences, are described in international patent application publications WO 2015/009604 A1, which is incorporated herein by reference for the purpose described herein.

B. NK Cells

[0196] The NK cells that are modified to express the TCR/CD3 receptor complex may be obtained from any suitable source, including fresh or frozen. In certain embodiments, NK cells are derived from human peripheral blood mononuclear cells (PBMC), unstimulated leukapheresis products (PBSC), NK cell lines (*e.g.*, NK-92), human embryonic stem cells (hESCs), induced pluripotent stem cells (iPSCs), bone marrow, or umbilical cord blood by methods well known in the art. Specifically, the NK cells may be isolated from cord blood (CB), peripheral blood (PB), bone marrow, stem cells, NK cell lines, or a mixture thereof. In particular embodiments, the NK cells are isolated from pooled CB. The CB may be pooled from 2, 3, 4, 5, 6, 7, 8, 9, 10, or more units. The NK cells may be autologous or allogeneic with respect to a recipient individual. The isolated NK cells may or may not be haplotype matched for the subject to be administered the cell therapy. NK cells can be detected by specific surface markers, such as CD16 and CD56 in humans, for example. In some cases, the source of the NK cells is cord blood and the NK cells may be in the cord blood in a heterogeneous mixture of cells and may be depleted of certain cells expressing CD3. In other methods, umbilical CB is used to derive NK cells by the isolation of CD34⁺ cells.

[0197] The NK cells may be pre-activated with one or more inflammatory cytokines, and they may be expanded or non-expanded. In some cases, the NK cells are pre-activated either prior to modification to express CD3 $\pm$ TCR or following modification to express CD3 $\pm$ TCR complex. In specific embodiments, pre-activation of the NK cells may comprise culturing the isolated NK cells in the presence of one or more cytokines. The NK cells may be stimulated with IL-2, or other cytokines that bind the common gamma-chain (*e.g.*, IL-7, IL-12, IL-15, IL-18, IL-21, and others). In particular embodiments, the pre-activation cytokines may be selected from the group consisting of IL-12, IL-15, IL-18, and a combination thereof. One or more additional cytokines may be used for the pre-activation step. The pre-activation may be for a short period of time such as 5-72 hours, such as 10-50 hours, particularly 10-20 hours, such as 12, 13, 14, 15, 16, 17, 18, 19, or 20 hours, specifically about 16 hours. The pre-activation culture may comprise IL-12 at a concentration of 0.1-150 ng/mL, such as 0.5-50 ng/mL,

particularly 1-20 ng/mL, such as 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, or 15 ng/mL, specifically about 10 ng/mL. The pre-activation culture may comprise IL-18 and/or IL-15 at a concentration of 10-100 ng/mL, such as 40-60 ng/mL, particular 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, or 55 ng/mL, specifically about 50 ng/mL.

[0198] In some cases, the NK cells are expanded either prior to modification to express CD3±TCR complex or following modification to express CD3±TCR complex. Pre-activated NK cells may be expanded in the presence of artificial antigen presenting cells (aAPCs). The pre-activated NK cells may be washed prior to expansion, such as 2, 3, 4, or 5 times, specifically 3 times. The aAPCs may be engineered to express CD137 ligand and/or a membrane-bound cytokine. The membrane-bound cytokine may be membrane-bound IL-21 (mIL-21) or membrane-bound IL-15 (mIL-15). In particular embodiments, the aAPCs are engineered to express CD137 ligand and mIL-21. The aAPCs may be derived from cancer cells, such as leukemia cells. The aAPCs may not express endogenous HLA class I, II, or CD1d molecules. They may express ICAM-1 (CD54) and LFA-3 (CD58). In particular, the aAPCs may be K562 cells, such as K562 cells engineered to express CD137 ligand and mIL-21. The aAPCs may be irradiated. The engineering may be by any method known in the art, such as retroviral transduction. The expansion may be for about 2-30 days, such as 3-20 days, particularly 12-16 days, such as 12, 13, 14, 15, 16, 17, 18, or 19 days, specifically about 14 days. The pre-activated NK cells and aAPCs may be present at a ratio of about 3:1-1:3, such as 2:1, 1:1, 1:2, specifically about 1:2. The expansion culture may further comprise cytokines to promote expansion, such as IL-2. The IL-2 may be present at a concentration of about 10-500 U/mL, such as 100-300 U/mL, particularly about 200 U/mL. The IL-2 may be replenished in the expansion culture, such as every 2-3 days. The aAPCs may be added to the culture at least a second time, such as at about 7 days of expansion.

[0199] In particular embodiments, the NK cells are transfected or transduced with one or more membrane bound cytokines, including IL-21, IL-12, IL-18, IL-23, IL-7, or IL-15, either secreted by NK cells or tethered to the NK cell membrane. In such cases, the membrane bound cytokine may be tethered to the NK cell membrane with a particular transmembrane domain, such as the transmembrane domain of CD8, CD28, CD27, B7H3, IgG1, IgG4, CD4, DAP10, DAP12, for example.

[0200] Following preparation, the modified NK cells may be immediately infused (including with an effective amount of one or more bispecific or multi-specific antibodies, or the NK cells may be stored, such as by cryopreservation. In certain aspects, the cells may be

propagated for days, weeks, or months *ex vivo* as a bulk population within about 1, 2, 3, 4, or 5 days.

III. Heterologous Proteins

[0201] In specific embodiments, the NK cells are modified not only to express one or more components of the TCR/CD3 complex, but they are also modified to express one or more other heterologous proteins. The heterologous proteins may facilitate activity of the NK cells in any manner, including at least their activation, persistence, expansion, homing, and/or cytotoxicity.

A. Bispecific or Multi-specific Antibodies

[0202] In some embodiments, the NK cells are modified to express one or more bispecific or multi-specific antibodies, although in other cases the NK cells do not express the antibodies but the antibodies are utilized in conjunction with the NK cells.

[0203] In cases wherein the NK cells are modified to express the antibodies, the antibodies may be engagers that bridge a particular immune effector cell with a particular target cell for destruction of the target cell. The present disclosure allows the modified NK cells to be used with standard T-cell engagers (BiTEs) because they have been modified to express CD3 that in many cases is the T cell antigen to which the BiTE engager binds. In such cases, the BiTE used in the invention may also target a cancer or viral antigen that may be tailored to the medical condition of an intended recipient individual. For example, the BiTE may be tailored to bind a cancer antigen that is characteristic of the cancer cells of a cancer of the individual. The anti-CD3 antibody of the BiTE may target the CD3 γ chain, CD3 δ chain, CD3 ϵ chain, or CD3 ζ chain.

[0204] In some cases, in addition to expressing the CD3 complex (with or without TCR) that allows the NK cells to be utilized as a therapy with BiTEs, the NK cells may be modified to express (or not to express but instead used in conjunction with) one or more bispecific NK engagers (BiKEs). The BiKE comprises an antibody that binds a surface protein on the NK cell, including a naturally expressed surface protein on NK cells, and also comprises an antibody that binds a desired target antigen. The BiKE may target the NK cells through an antibody an NK surface protein such as CD16, CS1, CD56, NKG2D, NKG2C, DNAM, 2B4, CD2, an NCR, or KIR, for example. In such cases, the BiKE used in the invention may also target a cancer or viral antigen that may be tailored to the medical condition of an intended

recipient individual. For example, the BiKE may be tailored to bind a cancer antigen that is characteristic of the cancer cells of a cancer of the individual.

[0205] In embodiments wherein an NK cell expresses the CD3 complex (with or without TCR) and one or more BiKEs, one or more vectors may be utilized to transfect or transduce the cells with the CD3 complex components (with or without TCR) and one or more BiKEs. In some cases, one or more of the CD3 complex components (with or without TCR) and the BiKE may or may not be on the same multicistronic vector.

B. Engineered Receptors

[0206] In specific embodiments, the NK cells are engineered to express one or more engineered receptors. In some cases, the engineered receptors are engineered antigen receptors that target a cancer or viral antigen of any kind. The receptor may be tailored to target a desired antigen based on a medical condition of an intended recipient individual.

[0207] In some embodiments, the engineered antigen receptor is a chimeric antigen receptor (CAR). The NK cells may be modified to encode at least one CAR, and the CAR may be first generation, second generation, or third or a subsequent generation, for example. The CAR may or may not be bispecific for two or more different antigens. The CAR may comprise one or more costimulatory domains. Each costimulatory domain may comprise the costimulatory domain of any one or more of, for example, members of the TNFR superfamily, CD28, CD137 (4-1BB), CD134 (OX40), DAP10, DAP12, CD27, CD2, CD5, ICAM-1, LFA-1 (CD11a/CD18), Lck, TNFR-I, TNFR-II, Fas, CD30, CD27, NKG2D, 2B4M, CD40 or combinations thereof, for example. In specific embodiments, the CAR comprises CD3zeta. In certain embodiments, the CAR lacks one or more specific costimulatory domains; for example, the CAR may lack 4-1BB and/or lack CD28.

[0208] In particular embodiments, the CAR polypeptide in the cells comprises an extracellular spacer domain that links the antigen binding domain and the transmembrane domain, and this may be referred to as a hinge. Extracellular spacer domains may include, but are not limited to, Fc fragments of antibodies or fragments or derivatives thereof, hinge regions of antibodies or fragments or derivatives thereof, CH2 regions of antibodies, CH3 regions antibodies, artificial spacer sequences or combinations thereof. Examples of extracellular spacer domains include but are not limited to CD8-alpha hinge, CD28, artificial spacers made of polypeptides such as Gly3, or CH1, CH3 domains of IgGs (such as human IgG1 or IgG4). In specific cases, the extracellular spacer domain may comprise (i) a hinge, CH2 and CH3

regions of IgG4, (ii) a hinge region of IgG4, (iii) a hinge and CH2 of IgG4, (iv) a hinge region of CD8-alpha or CD4, (v) a hinge, CH2 and CH3 regions of IgG1, (vi) a hinge region of IgG1 or (vii) a hinge and CH2 of IgG1, (viii) a hinge region of CD28, or a combination thereof. In specific embodiments, the hinge is from IgG1 and in certain aspects the CAR polypeptide comprises a particular IgG1 hinge amino acid sequence or is encoded by a particular IgG1 hinge nucleic acid sequence.

[0209] The transmembrane domain in the CAR may be derived either from a natural or from a synthetic source. Where the source is natural, the domain in some aspects is derived from any membrane-bound or transmembrane protein. Transmembrane regions include those derived from (*i.e.*, comprise at least the transmembrane region(s) of) the alpha, beta or zeta chain of the T- cell receptor, CD28, CD3 zeta, CD3 epsilon, CD3 gamma, CD3 delta, CD45, CD4, CD5, CD8, CD9, CD 16, CD22, CD33, CD37, CD64, CD80, CD86, CD 134, CD137, CD154, ICOS/CD278, GITR/CD357, NKG2D, and DAP molecules, such as DAP10 or DAP12. Alternatively the transmembrane domain in some embodiments is synthetic. In some aspects, the synthetic transmembrane domain comprises predominantly hydrophobic residues such as leucine and valine. In some aspects, a triplet of phenylalanine, tryptophan and valine may be found at each end of a synthetic transmembrane domain.

[0210] In some embodiments, the engineered receptors utilize one or more homing receptors (that can home to a target not necessarily because of a signal release, such as in the event that they utilize adhesion molecules) and/or one or more chemokine receptors. Examples of chemokine receptors include CXC chemokine receptors, CC chemokine receptors, CX3C chemokine receptors and XC chemokine receptors. In specific cases, the chemokine receptor is a receptor for CCR2, CCR3, CCR5, CCR8, CCR7, CXCR3, L-selectin (CD62L) CXCR1, CXCR2, or CX3CR1.

C. Cytokines

[0211] In some embodiments, the cells expressing the NK cells are engineered to express one or more heterologous cytokines and/or are engineered to upregulate normal expression of one or more heterologous cytokines. The cells may or may not be transduced or transfected for one or more cytokines on the same vector as other genes.

[0212] One or more cytokines may be co-expressed from a vector, including as a separate polypeptide from any component of the TCR/CD3 complex. Interleukin-15 (IL-15), for example, is tissue restricted and only under pathologic conditions is it observed at any level in

the serum, or systemically. IL-15 possesses several attributes that are desirable for adoptive therapy. IL-15 is a homeostatic cytokine that induces development and cell proliferation of natural killer cells, promotes the eradication of established tumors via alleviating functional suppression of tumor-resident cells, and inhibits activation-induced cell death (AICD). In addition to IL-15, other cytokines are envisioned. These include, but are not limited to, cytokines, chemokines, and other molecules that contribute to the activation and proliferation of cells used for human application. NK cells expressing IL-15 are capable of continued supportive cytokine signaling, which is useful for their survival post-infusion.

[0213] In specific embodiments, the cells express one or more exogenously provided cytokines. As one example, the cytokine is IL-15, IL-12, IL-2, IL-18, IL-21, IL-23, GM-CSF, or a combination thereof. The cytokine may be exogenously provided to the NK cells because it is expressed from an expression vector within the cell. In an alternative case, an endogenous cytokine in the cell is upregulated upon manipulation of regulation of expression of the endogenous cytokine, such as genetic recombination at the promoter site(s) of the cytokine. In cases wherein the cytokine is provided on an expression construct to the cell, the cytokine may be encoded from the same vector as one or more components of the CD3 complex with or without the TCR complex.

[0214] In some embodiments, a specific sequence of IL-15 is utilized, such as those that follow (underlining refers to signal peptide sequence):

ATGCGCATTAGCAAGCCCCACCTGCGGAGCATCAGCATCCAGTGCTACCTGTGCCTGCTGCT
GAACAGCCACTTCCTGACCGAGGCCGGCATCCACGTGTTTCATCCTGGGCTGCTTCAGCGCCG
 GACTGCCCAAGACCGAGGCCAACTGGGTGAACGTGATCAGCGACCTGAAGAAGATCGAGGAC
 CTGATCCAGAGCATGCACATCGACGCCACCCTGTACACCGAGAGCGACGTGCACCCAGCTG
 CAAGGTGACCGCCATGAAGTGCTTTCTGCTGGAAGTGCAGGTGATCAGCCTGGAAAGCGGCG
 ACGCCAGCATCCACGACACCGTGGAGAACCTGATCATCCTGGCCAACAACAGCCTGAGCAGC
 AACGGCAACGTGACCGAGAGCGGCTGCAAAGAGTGCGAGGAAGTGAAGAGAAGAACATCAA
 AGAGTTTCTGCAGAGCTTCGTGCACATCGTGCAGATGTTTCATCAACACCAGC (SEQ ID
 NO: 49)

MRISKPHLRSSISIQCYLCLLLNSHFLTEAGIHVFILGCFSSAGLPKTEANWVNVISDLKKIED
LIQSMHIDATLYTESDVHPSCKVTAMKCFLELQVISLES GDASIHDTVENLIILANNSLSS
 NGNVTESGCKECEELEEKNIKEFLQSFVHIVQMFINTS (SEQ ID NO: 48)

D. Antigens

[0215] The modified NK cells of the disclosure are utilized with bispecific or multi-specific antibodies that target one or more particular antigens. In addition, the NK cells may be modified with engineered antigen receptors that target one or more particular antigens. In cases wherein the NK cells are modified with one or more engineered antigen receptors, the antigen targeted

by the bispecific or multi-specific antibody, and the antigen targeted by the one or more engineered antigen receptors may or may not be the same antigen. In some cases, the antigen targeted by the bispecific or multi-specific antibody, and the antigen targeted by the one or more engineered antigen receptors are different antigens but are associated with the same type of cancer.

[0216] Among the antigens targeted by the antibodies and/or engineered antigen receptors are those expressed in the context of a disease, condition, or cell type to be targeted *via* the adoptive cell therapy. Among the diseases and conditions are proliferative, neoplastic, and malignant diseases and disorders, including cancers and tumors, including hematologic cancers, cancers of the immune system, such as lymphomas, leukemias, and/or myelomas, such as B, T, and myeloid leukemias, lymphomas, and multiple myelomas. In some embodiments, the antigen is selectively expressed or overexpressed on cells of the disease or condition, *e.g.*, the tumor or pathogenic cells, as compared to normal or non-targeted cells or tissues. In other embodiments, the antigen is expressed on normal cells and/or is expressed on the engineered cells.

[0217] Any suitable antigen may be targeted in the present method. The antigen may be associated with certain cancer cells but not associated with non-cancerous cells, in some cases. Exemplary antigens include, but are not limited to, antigenic molecules from infectious agents, auto-/self-antigens, tumor-/cancer-associated antigens, and tumor neoantigens (Linnemann *et al.*, 2015). In particular aspects, the antigens include NY-ESO, CD19, EBNA, CD123, HER2, CA-125, TRAIL/DR4, CD20, CD22, CD70, CD38, CD123, CLL1, carcinoembryonic antigen, alphafetoprotein, CD56, AKT, Her3, epithelial tumor antigen, CD319 (CS1), ROR1, folate binding protein, HIV-1 envelope glycoprotein gp120, HIV-1 envelope glycoprotein gp41, CD5, CD23, CD30, HERV-K, IL-11Ralpha, kappa chain, lambda chain, CSPG4, CD33, CD47, CLL-1, U5snRNP200, CD200, BAFF-R, BCMA, CD99, p53, mutated p53, Ras, mutated ras, c-Myc, cytoplasmic serine/threonine kinases (*e.g.*, A-Raf, B-Raf, and C-Raf, cyclin-dependent kinases), MAGE-A1, MAGE-A2, MAGE-A3, MAGE-A4, MAGE-A6, MAGE-A10, MAGE-A12, MART-1, melanoma-associated antigen, BAGE, DAM-6, -10, GAGE-1, -2, -8, GAGE-3, -4, -5, -6, -7B, NA88-A, MC1R, mda-7, gp75, Gp100, PSA, PSM, Tyrosinase, tyrosinase-related protein, TRP-1, TRP-2, ART-4, CAMEL, CEA, Cyp-B, hTERT, hTERT, iCE, MUC1, MUC2, Phosphoinositide 3-kinases (PI3Ks), TRK receptors, PRAME, P15, RU1, RU2, SART-1, SART-3, Wilms' tumor antigen (WT1), AFP, -catenin/m, Caspase-8/m, CDK-4/m, ELF2M, GnT-V, G250, HAGE, HSP70-2M, HST-2, KIAA0205, MUM-1, MUM-2, MUM-3, Myosin/m, RAGE, SART-2, TRP-2/INT2, 707-AP, Annexin II, CDC27/m, TPI/mbcr-abl,

BCR-ABL, interferon regulatory factor 4 (IRF4), ETV6/AML, LDLR/FUT, Pml/RAR, Tumor-associated calcium signal transducer 1 (TACSTD1) TACSTD2, receptor tyrosine kinases (*e.g.*, Epidermal Growth Factor receptor (EGFR) (in particular, EGFRvIII), platelet derived growth factor receptor (PDGFR), vascular endothelial growth factor receptor (VEGFR)), VEGFR2, cytoplasmic tyrosine kinases (*e.g.*, src-family, syk-ZAP70 family), integrin-linked kinase (ILK), signal transducers and activators of transcription STAT3, STATS, and STATE, hypoxia inducible factors (*e.g.*, HIF-1 and HIF-2), Nuclear Factor-Kappa B (NF-B), Notch receptors (*e.g.*, Notch1-4), NY ESO 1, c-Met, mammalian targets of rapamycin (mTOR), WNT, extracellular signal-regulated kinases (ERKs), and their regulatory subunits, PMSA, PR-3, MDM2, Mesothelin, renal cell carcinoma-5T4, SM22-alpha, carbonic anhydrases I (CAI) and IX (CAIX) (also known as G250), STEAD, TEL/AML1, GD2, proteinase3, hTERT, sarcoma translocation breakpoints, EphA2, ML-IAP, EpCAM, ERG (TMPRSS2 ETS fusion gene), NA17, PAX3, ALK, androgen receptor, cyclin B1, polysialic acid, MYCN, RhoC, GD3, fucosyl GM1, mesothelium, PSCA, sLe, PLAC1, GM3, BORIS, Tn, GLobH, NY-BR-1, RGSs, SAGE, SART3, STn, PAX5, OY-TES1, sperm protein 17, LCK, HMWMAA, AKAP-4, SSX2, XAGE 1, B7H3, legumain, TIE2, Page4, MAD-CT-1, FAP, MAD-CT-2, fos related antigen 1, CBX2, CLDN6, SPANX, TPTE, ACTL8, ANKRD30A, CDKN2A, MAD2L1, CTAG1B, SUNC1, and LRRN1. Examples of sequences for antigens are known in the art, for example, in the GENBANK® database: CD19 (Accession No. NG_007275.1), EBNA (Accession No. NG_002392.2), WT1 (Accession No. NG_009272.1), CD123 (Accession No. NC_000023.11), NY-ESO (Accession No. NC_000023.11), EGFRvIII (Accession No. NG_007726.3), MUC1 (Accession No. NG_029383.1), HER2 (Accession No. NG_007503.1), CA-125 (Accession No. NG_055257.1), WT1 (Accession No. NG_009272.1), Mage-A3 (Accession No. NG_013244.1), Mage-A4 (Accession No. NG_013245.1), Mage-A10 (Accession No. NC_000023.11), TRAIL/DR4 (Accession No. NC_000003.12), and/or CEA (Accession No. NC_000019.10).

[0218] Tumor-associated antigens may be derived from prostate, breast, colorectal, lung, pancreatic, renal, mesothelioma, ovarian, liver, brain, bone, stomach, spleen, testicular, cervical, anal, gall bladder, thyroid, or melanoma cancers, as examples. Exemplary tumor-associated antigens or tumor cell-derived antigens include MAGE 1, 3, and MAGE 4 (or other MAGE antigens such as those disclosed in International Patent Publication No. WO 99/40188); PRAME; BAGE; RAGE, Lage (also known as NY ESO 1); SAGE; and HAGE or GAGE. These non-limiting examples of tumor antigens are expressed in a wide range of tumor types such as melanoma, lung carcinoma, sarcoma, and bladder carcinoma. See, *e.g.*, U.S. Patent No.

6,544,518. Prostate cancer tumor-associated antigens include, for example, prostate specific membrane antigen (PSMA), prostate-specific antigen (PSA), prostatic acid phosphates, NKX3.1, and six-transmembrane epithelial antigen of the prostate (STEAP).

[0219] Other tumor associated antigens include Plu-1, HASH-1, HasH-2, Cripto and Criptin. Additionally, a tumor antigen may be a self-peptide hormone, such as whole length gonadotrophin hormone releasing hormone (GnRH), a short 10 amino acid long peptide, useful in the treatment of many cancers.

[0220] Antigens may include epitopic regions or epitopic peptides derived from genes mutated in tumor cells or from genes transcribed at different levels in tumor cells compared to normal cells, such as telomerase enzyme, survivin, mesothelin, mutated ras, bcr/abl rearrangement, Her2/neu, mutated or wild-type p53, cytochrome P450 1B1, and abnormally expressed intron sequences such as N-acetylglucosaminyltransferase-V; clonal rearrangements of immunoglobulin genes generating unique idiotypes in myeloma and B-cell lymphomas; tumor antigens that include epitopic regions or epitopic peptides derived from oncoviral processes, such as human papilloma virus proteins E6 and E7; Epstein bar virus protein LMP2; nonmutated oncofetal proteins with a tumor-selective expression, such as carcinoembryonic antigen and alpha-fetoprotein.

E. Suicide Gene

[0221] In particular embodiments, a suicide gene is utilized in conjunction with the NK cell therapy to control its use and allow for termination of the cell therapy at a desired event and/or time. The suicide gene is employed in transduced cells for the purpose of eliciting death for the transduced cells when needed. The cells of the present disclosure that have been modified to harbor one or more vectors encompassed by the disclosure that may comprise one or more suicide genes. In some embodiments, the term “suicide gene” as used herein is defined as a gene which, upon administration of a prodrug or other agent, effects transition of a gene product to a compound which kills its host cell. In other embodiments, a suicide gene encodes a gene product that is, when desired, targeted by an agent (such as an antibody) that targets the suicide gene product.

[0222] In some cases, the cell therapy may be subject to utilization of one or more suicide genes of any kind when an individual receiving the cell therapy and/or having received the cell therapy shows one or more symptoms of one or more adverse events, such as cytokine release syndrome, neurotoxicity, anaphylaxis/allergy, and/or on-target/off tumor toxicities (as

examples) or is considered at risk for having the one or more symptoms, including imminently. The use of the suicide gene may be part of a planned protocol for a therapy or may be used only upon a recognized need for its use. In some cases the cell therapy is terminated by use of agent(s) that targets the suicide gene or a gene product therefrom because the therapy is no longer required.

[0223] Utilization of the suicide gene may be instigated upon onset of at least one adverse event for the individual, and that adverse event may be recognized by any means, including upon routine monitoring that may or may not be continuous from the beginning of the cell therapy. The adverse event(s) may be detected upon examination and/or testing. In cases wherein the individual has cytokine release syndrome (which may also be referred to as cytokine storm), the individual may have elevated inflammatory cytokine(s) (merely as examples: interferon-gamma, granulocyte macrophage colony-stimulating factor, IL-10, IL-6 and TNF-alpha); fever; fatigue; hypotension; hypoxia, tachycardia; nausea; capillary leak; cardiac/renal/hepatic dysfunction; or a combination thereof, for example. In cases wherein the individual has neurotoxicity, the individual may have confusion, delirium, aplasia, and/or seizures. In some cases, the individual is tested for a marker associated with onset and/or severity of cytokine release syndrome, such as C-reactive protein, IL-6, TNF-alpha, and/or ferritin.

[0224] Examples of suicide genes include engineered nonsecretable (including membrane bound) tumor necrosis factor (TNF)-alpha mutant polypeptides (see PCT/US19/62009, which is incorporated by reference herein in its entirety), and they may be affected by delivery of an antibody that binds the TNF-alpha mutant. Examples of suicide gene/prodrug combinations that may be used are Herpes Simplex Virus-thymidine kinase (HSV-tk) and ganciclovir, acyclovir, or FIAU; oxidoreductase and cycloheximide; cytosine deaminase and 5-fluorocytosine; thymidine kinase thymidylate kinase (Tdk::Tmk) and AZT; and deoxycytidine kinase and cytosine arabinoside. The E.coli purine nucleoside phosphorylase, a so-called suicide gene that converts the prodrug 6-methylpurine deoxyriboside to toxic purine 6-methylpurine, may be utilized. Other suicide genes include CD20, CD52, inducible caspase 9, purine nucleoside phosphorylase (PNP), Cytochrome p450 enzymes (CYP), Carboxypeptidases (CP), Carboxylesterase (CE), Nitroreductase (NTR), Guanine Ribosyltransferase (XGRTP), Glycosidase enzymes, Methionine- α,γ -lyase (MET), EGFRv3, and Thymidine phosphorylase (TP), as examples.

IV. Administration of Therapeutic Compositions

[0225] The CD3-expressing NK cells and the bispecific or multi-specific antibodies are administered to an individual in need thereof, including in such a way as to be in proximity for the anti-CD3 antibody of the bispecific or multi-specific antibody to be able to bind CD3 on the CD3-expressing NK cells. In some cases, the two components are administered separately to an individual, whereas in other cases the two components are complexed together prior to administration, such as in an *ex vivo* manner. In another embodiment, the NK cells express the antibodies. In some cases, the two components are not pre-complexed prior to administration, but are co-administered by any suitable route of administration, such as by co-infusion to the patient.

[0226] Embodiments of the present disclosure concern methods for the use of the compositions comprising NK cells and antibodies provided herein for treating or preventing a medical disease or disorder. The method includes administering to the subject a therapeutically effective amount of the CD3 ($\pm$ TCR)-modified NK cells with the antibodies, thereby treating or preventing the disease in the subject, including reducing the risk of, reducing the severity of, and/or delaying the onset of the disease. In certain embodiments of the present disclosure, cancer or infection is treated by transfer of a composition comprising the NK cell population and corresponding antibodies. In at least some cases, because of their release of pro-inflammatory cytokines, NK cells may reverse the anti-inflammatory tumor microenvironment and increase adaptive immune responses by promoting differentiation, activation, and/or recruitment of accessory immune cell to sites of malignancy.

[0227] Cancers for which the present treatment methods are useful include any malignant cell type, such as those found in a solid tumor or a hematological tumor. Exemplary solid tumors can include, but are not limited to, a tumor of an organ selected from the group consisting of pancreas, colon, cecum, stomach, brain, head, neck, ovary, kidney, larynx, sarcoma, lung, bladder, melanoma, prostate, and breast. Exemplary hematological tumors include tumors of the bone marrow, T or B cell malignancies, leukemias, lymphomas, blastomas, myelomas, and the like. Further examples of cancers that may be treated using the methods provided herein include, but are not limited to, lung cancer (including small-cell lung cancer, non-small cell lung cancer, adenocarcinoma of the lung, and squamous carcinoma of the lung), cancer of the peritoneum, gastric or stomach cancer (including gastrointestinal cancer and gastrointestinal stromal cancer), pancreatic cancer, cervical cancer, ovarian cancer, liver cancer, bladder cancer, breast cancer, colon cancer, colorectal cancer, endometrial or uterine

carcinoma, salivary gland carcinoma, kidney or renal cancer, prostate cancer, vulval cancer, thyroid cancer, various types of head and neck cancer, and melanoma.

[0228] The cancer may specifically be of the following histological type, though it is not limited to these: neoplasm, malignant; carcinoma; carcinoma, undifferentiated; giant and spindle cell carcinoma; small cell carcinoma; papillary carcinoma; squamous cell carcinoma; lymphoepithelial carcinoma; basal cell carcinoma; pilomatrix carcinoma; transitional cell carcinoma; papillary transitional cell carcinoma; adenocarcinoma; gastrinoma, malignant; cholangiocarcinoma; hepatocellular carcinoma; combined hepatocellular carcinoma and cholangiocarcinoma; trabecular adenocarcinoma; adenoid cystic carcinoma; adenocarcinoma in adenomatous polyp; adenocarcinoma, familial polyposis coli; solid carcinoma; carcinoid tumor, malignant; branchiolo-alveolar adenocarcinoma; papillary adenocarcinoma; chromophobe carcinoma; acidophil carcinoma; oxyphilic adenocarcinoma; basophil carcinoma; clear cell adenocarcinoma; granular cell carcinoma; follicular adenocarcinoma; papillary and follicular adenocarcinoma; nonencapsulating sclerosing carcinoma; adrenal cortical carcinoma; endometrioid carcinoma; skin appendage carcinoma; apocrine adenocarcinoma; sebaceous adenocarcinoma; ceruminous adenocarcinoma; mucoepidermoid carcinoma; cystadenocarcinoma; papillary cystadenocarcinoma; papillary serous cystadenocarcinoma; mucinous cystadenocarcinoma; mucinous adenocarcinoma; signet ring cell carcinoma; infiltrating duct carcinoma; medullary carcinoma; lobular carcinoma; inflammatory carcinoma; paget's disease, mammary; acinar cell carcinoma; adenosquamous carcinoma; adenocarcinoma w/squamous metaplasia; thymoma, malignant; ovarian stromal tumor, malignant; thecoma, malignant; granulosa cell tumor, malignant; androblastoma, malignant; sertoli cell carcinoma; leydig cell tumor, malignant; lipid cell tumor, malignant; paraganglioma, malignant; extra-mammary paraganglioma, malignant; pheochromocytoma; glomangiosarcoma; malignant melanoma; amelanotic melanoma; superficial spreading melanoma; lentigo malignant melanoma; acral lentiginous melanomas; nodular melanomas; malignant melanoma in giant pigmented nevus; epithelioid cell melanoma; blue nevus, malignant; sarcoma; fibrosarcoma; fibrous histiocytoma, malignant; myxosarcoma; liposarcoma; leiomyosarcoma; rhabdomyosarcoma; embryonal rhabdomyosarcoma; alveolar rhabdomyosarcoma; stromal sarcoma; mixed tumor, malignant; mullerian mixed tumor; nephroblastoma; hepatoblastoma; carcinosarcoma; mesenchymoma, malignant; brenner tumor, malignant; phyllodes tumor, malignant; synovial sarcoma; mesothelioma, malignant; dysgerminoma; embryonal carcinoma; teratoma, malignant; struma ovarii, malignant; choriocarcinoma; mesonephroma, malignant; hemangiosarcoma; hemangioendothelioma,

malignant; kaposi's sarcoma; hemangiopericytoma, malignant; lymphangiosarcoma; osteosarcoma; juxtacortical osteosarcoma; chondrosarcoma; chondroblastoma, malignant; mesenchymal chondrosarcoma; giant cell tumor of bone; ewing's sarcoma; odontogenic tumor, malignant; ameloblastic odontosarcoma; ameloblastoma, malignant; ameloblastic fibrosarcoma; pinealoma, malignant; chordoma; glioma, malignant; ependymoma; astrocytoma; protoplasmic astrocytoma; fibrillary astrocytoma; astroblastoma; glioblastoma; oligodendroglioma; oligodendroblastoma; primitive neuroectodermal; cerebellar sarcoma; ganglioneuroblastoma; neuroblastoma; retinoblastoma; olfactory neurogenic tumor; meningioma, malignant; neurofibrosarcoma; neurilemmoma, malignant; granular cell tumor, malignant; malignant lymphoma; hodgkin's disease; hodgkin's; paragranuloma; malignant lymphoma, small lymphocytic; malignant lymphoma, large cell, diffuse; malignant lymphoma, follicular; mycosis fungoides; other specified non-hodgkin's lymphomas; B-cell lymphoma; low grade/follicular non-Hodgkin's lymphoma (NHL); small lymphocytic (SL) NHL; intermediate grade/follicular NHL; intermediate grade diffuse NHL; high grade immunoblastic NHL; high grade lymphoblastic NHL; high grade small non-cleaved cell NHL; bulky disease NHL; mantle cell lymphoma; AIDS-related lymphoma; Waldenstrom's macroglobulinemia; malignant histiocytosis; multiple myeloma; mast cell sarcoma; immunoproliferative small intestinal disease; leukemia; lymphoid leukemia; plasma cell leukemia; erythroleukemia; lymphosarcoma cell leukemia; myeloid leukemia; basophilic leukemia; eosinophilic leukemia; monocytic leukemia; mast cell leukemia; megakaryoblastic leukemia; myeloid sarcoma; hairy cell leukemia; chronic lymphocytic leukemia (CLL); acute lymphoblastic leukemia (ALL); acute myeloid leukemia (AML); and chronic myeloblastic leukemia.

[0229] The therapy provided herein may comprise administration of a combination of therapeutic agents, such as a first cancer therapy and a second cancer therapy. The therapies may be administered in any suitable manner known in the art. For example, the first and second cancer treatment may be administered sequentially (at different times) or concurrently (at the same time). In some embodiments, the first and second cancer treatments are administered in a separate composition. In some embodiments, the first and second cancer treatments are in the same composition. Embodiments of the disclosure relate to compositions and methods comprising therapeutic compositions. The different therapies may be administered in one composition or in more than one composition, such as 2 compositions, 3 compositions, or 4 compositions. Various combinations of the agents may be employed. Examples of therapies other than those of the present disclosure include surgery, chemotherapy, drug therapy,

radiation, hormone therapy, immunotherapy (other than that of the present disclosure), or a combination thereof.

[0230] The therapeutic agents of the disclosure may be administered by the same route of administration or by different routes of administration. In some embodiments, the cancer therapy is administered intravenously, intramuscularly, subcutaneously, topically, orally, transdermally, intraperitoneally, intraorbitally, by implantation, by inhalation, intrathecally, intraventricularly, or intranasally. In some embodiments, the antibiotic is administered intravenously, intramuscularly, subcutaneously, topically, orally, transdermally, intraperitoneally, intraorbitally, by implantation, by inhalation, intrathecally, intraventricularly, or intranasally. The appropriate dosage may be determined based on the type of disease to be treated, severity and course of the disease, the clinical condition of the individual, the individual's clinical history and response to the treatment, and the discretion of the attending physician.

[0231] The treatments may include various "unit doses." Unit dose is defined as containing a predetermined-quantity of the therapeutic composition. The quantity to be administered, and the particular route and formulation, is within the skill of determination of those in the clinical arts. A unit dose need not be administered as a single injection but may comprise continuous infusion over a set period of time. In some embodiments, a unit dose comprises a single administrable dose.

[0232] The quantity to be administered, both according to number of treatments and unit dose, depends on the treatment effect desired. An effective dose is understood to refer to an amount necessary to achieve a particular effect. In the practice in certain embodiments, it is contemplated that doses in the range from 10 mg/kg to 200 mg/kg can affect the protective capability of these agents. Thus, it is contemplated that doses include doses of about 0.1, 0.5, 1, 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 100, 105, 110, 115, 120, 125, 130, 135, 140, 145, 150, 155, 160, 165, 170, 175, 180, 185, 190, 195, and 200, 300, 400, 500, 1000 $\mu\text{g/kg}$, mg/kg , $\mu\text{g/day}$, or mg/day or any range derivable therein. Furthermore, such doses can be administered at multiple times during a day, and/or on multiple days, weeks, or months.

[0233] In certain embodiments, the effective dose of the pharmaceutical composition is one which can provide a blood level of about 1 μM to 150 μM . In another embodiment, the effective dose provides a blood level of about 4 μM to 100 μM ; or about 1 μM to 100 μM ; or about 1 μM to 50 μM ; or about 1 μM to 40 μM ; or about 1 μM to 30 μM ; or about 1 μM to 20 μM ; or about 1 μM to 10 μM ; or about 10 μM to 150 μM ; or about 10 μM to 100 μM ; or about 10 μM

to 50 μM ; or about 25 μM to 150 μM ; or about 25 μM to 100 μM ; or about 25 μM to 50 μM ; or about 50 μM to 150 μM ; or about 50 μM to 100 μM (or any range derivable therein). In other embodiments, the dose can provide the following blood level of the agent that results from a therapeutic agent being administered to a subject: about, at least about, or at most about 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, or 100 μM or any range derivable therein. In certain embodiments, the therapeutic agent that is administered to a subject is metabolized in the body to a metabolized therapeutic agent, in which case the blood levels may refer to the amount of that agent. Alternatively, to the extent the therapeutic agent is not metabolized by a subject, the blood levels discussed herein may refer to the unmetabolized therapeutic agent.

[0234] Precise amounts of the therapeutic composition also depend on the judgment of the practitioner and are peculiar to each individual. Factors affecting dose include physical and clinical state of the patient, the route of administration, the intended goal of treatment (alleviation of symptoms versus cure) and the potency, stability and toxicity of the particular therapeutic substance or other therapies a subject may be undergoing.

[0235] It will be understood by those skilled in the art and made aware that dosage units of $\mu\text{g}/\text{kg}$ or mg/kg of body weight can be converted and expressed in comparable concentration units of $\mu\text{g}/\text{ml}$ or mM (blood levels), such as 4 μM to 100 μM . It is also understood that uptake is species and organ/tissue dependent. The applicable conversion factors and physiological assumptions to be made concerning uptake and concentration measurement are well-known and would permit those of skill in the art to convert one concentration measurement to another and make reasonable comparisons and conclusions regarding the doses, efficacies and results described herein.

V. Kits

[0236] Certain aspects of the present disclosure also concern kits comprising compositions of the invention or compositions to implement methods of the invention. In particular embodiments, the kit comprises NK cells, fresh or frozen, and that may or may not have been pre-activated or expanded. The NK cells may or may not already express one or more components of the TCR/CD3 complex. In cases wherein the NK cells do not already express

one or more components of the TCR/CD3 complex, the kit may comprise reagents for corresponding transfection or transduction of the NK cells, including reagents such as vectors that express the component(s), primers for amplification of the component(s), and so forth. In some cases, the NK cells may or may not also express one or more heterologous proteins as defined herein, and when they do not, the kit may comprise vectors that express the heterologous protein(s), primers for amplification of the heterologous protein(s), and so forth.

[0237] Kits may comprise components which may be individually packaged or placed in a container, such as a tube, bottle, vial, syringe, or other suitable container means. Individual components may also be provided in a kit in concentrated amounts; in some embodiments, a component is provided individually in the same concentration as it would be in a solution with other components. Concentrations of components may be provided as 1x, 2x, 5x, 10x, or 20x or more.

VI. Examples

[0238] The following examples are included to demonstrate preferred embodiments of the invention. It should be appreciated by those of skill in the art that the techniques disclosed in the examples which follow represent techniques discovered by the inventor to function well in the practice of the invention, and thus can be considered to constitute preferred modes for its practice. However, those of skill in the art should, in light of the present disclosure, appreciate that many changes can be made in the specific embodiments which are disclosed and still obtain a like or similar result without departing from the spirit and scope of the invention.

EXAMPLE 1

PREPARATION AND EFFECTIVE USE OF CD3-EXPRESSING NK CELLS

[0239] The present example concerns cancer immunotherapeutics as a strategy to redirect the specificity of NK cells against one or more target antigens by ‘arming’ or pre-complexing them with bispecific or multi-specific antibodies, such as either prior to infusion or by co-infusing the two products separately. The NK cells are transduced with one or multiple CD3 chains, including CD3 ζ , CD3 γ , CD3 δ and CD3 ϵ chains and can be from any source. The cells can be expanded or non-expanded, they can be pre-activated with one or more inflammatory cytokines, such as IL12/15/18, and/or they can be genetically modified to express one or more

heterologous proteins, including, for example, engineered antigen receptors, such as chimeric antigen receptor or a TCR, and/or a cytokine gene and/or a homing/chemokine receptor.

[0240] FIG. 1A and 1B illustrate different embodiments of NK cells engineered to be utilized with bispecific or multi-specific antibodies. As shown in FIG. 1A, in a first generation of NK cells, the cells are engineered to express CD3 that may be activated with a bispecific or multi-specific antibody, including a bispecific T cell engager (BiTE) that comprises an anti-CD3 antibody that binds heterologous CD3 expressed on the surface of the NK cells. In another embodiment, CD3-expressing NK cells are able to be bound by a BiTE that comprises an anti-CD3 antibody, and the NK cells are also expressing one or more particular cytokines (*e.g.*, IL-15 and/or IL-21), resulting in increased efficacy and potency that are particularly useful for treating solid tumors. In another embodiment, the NK cells are engineered to express not only CD3 to be able to be activated by a BiTE that comprises an anti-CD3 antibody but also are utilized with a bispecific or multi-specific antibody (*e.g.*, bispecific NK cell engager, or BiKE) that comprises an antibody that binds a surface antigen naturally present on NK cells, such as CD16, CS1, CD56, NKG2D, NKG2C, DNAM, 2B4, CD2, an NCR, or KIR, for example. In this manner, the NK cells respond to both NK engagers and T cell engagers. In another embodiment, the NK cells in addition to expressing CD3 to engage with T cell engagers also express an engineered antigen receptor, such as a CAR or engineered TCR.

[0241] FIG. 1B illustrates different embodiments wherein the NK cells are modified to express both CD3 and a TCR. On the right, T cell TCR is illustrated having α and β chains with an antigen binding site wherein the TCR is complexed with CD3 ζ to effect signal transduction. The T cell TCR is co-complexed with two CD3 ϵ chains, a CD3 δ chain, and a CD3 γ chain. In some embodiments, the NK cells express a TCR in which one or more of the cytoplasmic domains of any of the CD3 molecules is a heterologous intracellular domain, such as one from CD16, NKG2D, DAP10, DAP12, NCR, and DNAM-1. As shown on the left of FIG. 1B, the NK cells are configured to express a CD3 co-receptor component, and in one example the CD3 component is CD3 ϵ . In such a case, a standard BiTE (top left that comprises an antibody against a tumor antigen and an antibody against CD3) normally utilized with T cells that naturally express CD3 may be utilized in conjunction with the CD3-expressing NK cells. In this particular example, the NK cells express a polypeptide that comprises the extracellular domain of CD3 ϵ (although the extracellular domains of other CD3 components may be utilized) and the extracellular domain of CD3 ϵ is linked to a transmembrane domain and/or cytoplasmic domain of another molecule, such as the transmembrane domain and/or

cytoplasmic domain of CD3 ζ , CD16, NKG2D, DAP10, DAP12, NCR, or DNAM-1, for example.

[0242] As described above, FIG. 1C. schematically depicts the generation of surface-expressible single chimeric CD3 constructs that can be used in conjunction with anti-CD3 BiTEs. As one example, the CD3 epsilon extracellular domain (ECD) is fused with CD28, CD16, or NKG2D transmembrane (TM), and CD28, CD16, or NKG2D intracellular domain (ICD), with or without CD3 zeta and/or DAP10 intracellular domains. In one example, the constructs are encompassed within the Moloney murine virus-derived SFG retroviral vector backbone, which may be used with packing plasmids for viral production. In instances wherein the CD3-BiTE is used with such constructs in FIG. 1C, the antibody will bind the extracellular domain of CD3 ϵ accordingly.

[0243] Embodiments of the disclosure utilize part or all of the CD3 receptor complex. As illustrated in FIGS. 2A and 2B, the NK cells may be transfected or transduced with full length CD3zeta, CD3 gamma, CD3 delta, and CD3 epsilon. In such cases, the full length of each of CD3zeta, CD3 gamma, CD3 delta, and CD3 epsilon include the extracellular domain, the transmembrane domain, and the intracellular domain. When the different components of the receptor are expressed from the same vector, they may be configured to be produced as separate polypeptides, such as utilizing IRES or 2A elements. In any case, any expression construct may be configured to express one or more cytokines, including at least IL-15.

[0244] FIG. 4 demonstrates CD3 expression on NK cells after CMV TCR complex transduction, at day 4. The figure provides FACS plots showing CD3 expression on NK cells 4 days after CMV TCR complex transduction. Non transduced (NT) NK cells (CD56⁺ CD3⁻) serve as a negative control and T cells (CD3⁺ CD56⁻) serve as a positive control.

[0245] FIG. 5 demonstrates TCR expression on NK cells after CMV TCR complex transduction of NK, day 4. In particular, provided are FACS plots showing TCRa/b expression on NK cells 4 days after CMV TCR complex transduction. Non transduced (NT) NK cells (CD56⁺ CD3-TCRa/b⁻) serve as a negative control and T cells (CD3+TCRa/b⁺ CD56⁻) serve as a positive control.

[0246] FIG. 6 shows TCR/CD3 expression on NK after CMV TCR complex transduction, day 6. Specifically, FACS plots show dual CD3 and TCRa/b expression on NK cells 6 days after CMV TCR complex transduction. Non transduced (NT) NK cells (CD56⁺ CD3-TCRa/b⁻) serve as a negative control and T cells (CD3+TCRa/b⁺ CD56⁻) serve as a positive control.

[0247] In FIG. 7, shown are the binding of CD3-CD19 BiTE on NK cells through the CD3/TCR at different concentrations. Specifically, the various cells (non-transduced (NT) NK cells, T cells, or the three different NK-TCR cells) were incubated with blinatumomab a CD3-CD19 bispecific engager (BiTe) for one hour at 37°C using two different concentrations (0.5 µg/µl or 4 µg/µl). Then, a biotin-labeled CD19 antigen (CD19 CAR Detection Reagent from Miltenyi) was added for 20 min followed by an anti-biotin antibody for 15 min at room temperature. This strategy was used to detect any BiTe engaged with a CD3+ cell. The Histograms in FIG. 7 show the level of CD19 binding to CD3-CD19 bispecific engager (BiTe) that correlates with CD3 expression on NK-TCR and T cells.

[0248] FIG. 8 shows NK-TCR cytokine production after stimulation with a plate-bound CD3 antibody. In particular, CD3-OKT3 clone 20 µg/ml was incubated overnight in flat bottom 96-well plates at 4°C to form a plate-bound antigen. The next day, T cells or NK cells (NT or TCR-transduced) were added to the wells for 4 hrs and with Brefeldin A (that prevents the cytokine from being released, trapping it in the cytoplasm such that it can be detected by intracellular cytokine staining). They were then harvested for surface and intracellular staining to assess cytokine production and degranulation (TNFα and CD107a). FACS plots in FIG. 8 show TNFα and CD107a double-positive populations in NK cells transduced with TCR. Non-transduced (NT) NK cells (CD56+ CD3-) serve as a negative control and T cells (CD3+ CD56-) serve as a positive control.

[0249] FIG. 9 demonstrates phosphorylation of CD3ζ in NK TCR/CD3 cells after crosslinking CD3. The various cells tested included non-transduced (NT) NK cells; non-transduced (NT) T cells, or three different CD3-TCR transduced NK cells (where CD1, CD2, or CD3 represent different donors). Each of the NK cell groups were transduced with CD3ZFLGDEFL15 (see FIGS. 2A and 2B). The NK cells were incubated with CD3 OKT3 clone (Miltenyi, 130-093-387) at 20 µg/ml concentration for 20 min on ice. Cells were then cross-linked with Fab2 IgG1 antibody for various time points and stained to check for CD3z phosphorylation. This analysis of CD3ζ is useful because, as an internalization signal from the surface, it would only be able to be crosslinked with a CD3 monoclonal antibody if the NK cells expressed it. NK cells that are not transduced with CD3 will not show any phosphorylation or activation after the stimulation.

[0250] NK cells transduced with CD3-TCR also show basal level of tonic signaling, which increases upon stimulation with CD3 OKT3 and is similar to T cells, while non-transduced NK cells did not show any CD3ζ phosphorylation neither at basal nor upon CD3 OKT3 stimulation.

[0251] FIG. 10 shows that pre-culturing CD3-CD19 BiTEs with TCR/CD3-expressing NK cells increased its killing activity against Raji cells. NK cells were either transduced with CD3-TCR#1 (CD3ZFLGDEFL15 (see FIGS. 2A and 2B)) or CD3-TCR#2 (Z2, also called CD3ZGDEFL8SP21CD8, that includes full length CD3 ζ , full length CD3 γ , full length CD3 δ , and full length CD3 ϵ linked to membrane bound IL21 (with CD8 transmembrane domain for the membrane bound IL21). NK cells transduced with the CD3/TCR constructs or non-transduced NK cells were loaded with Blinatumumab and incubated for 1 hour and washed with PBS. They were then co-cultured with CD19+ B cell lymphoma cells at different Effector cell:Target cell ratios (FIG. 10A is a 1:1 ratio, and FIG. 10B is a 1:5 ratio) for various time points. As utilized herein, Effector cells are the CD-3-TCR NK Cells, and Target cells are the Raji cells. Blinatumumab-loaded CD3-TCR transduced NK cells showed enhanced anti-tumor activity compared to Blinatumumab-loaded non-transduced NK cells or CD3/TCR transduced NK cells, but not loaded with Blinatumomab at both E:T ratios.

EXAMPLE 2

NY-ESO TCRS IN NK CELLS

[0252] The present examples concern generation and use of NY-ESO TCRs in NK cells. In FIG. 11, there is one example for production of the cells. The schematic overview shows one case wherein the NK cells are first transduced with the uTNK15 construct that incorporates signaling domains from the CD3 complex, NK costimulatory molecules and IL-15, followed by a second transduction step that introduces the TCR molecule, thus generating NK cells that co-express CD3 and NK signaling molecules, IL-15, and a TCR complex. In one embodiment, NK cells were derived from cord blood and were expanded with irradiated (100 Gy) universal antigen presenting cells (uAPC) feeder cells (2:1 feeder cell:NK ratio) and recombinant human IL-2 (200 U/ml) in complete media. To generate a universal T cell-like NK cell (uTNK15 cells) that can secrete IL-15, NK cells were purified and transduced with a retroviral construct containing a CD3 complex with NK co-stimulatory molecules and an IL-15 gene 4 days after isolation. Forty-eight hours after the initial transduction, NK cells expressing uTNK15 were then transduced with a TCR targeting an antigen of choice.

[0253] Expression of NY-ESO TCR on NK cells transduced with uTNK15 is shown in FIG. 12. NK cells were derived from cord blood and were expanded with irradiated (100 Gy) universal antigen presenting cells (uAPC) feeder cells (2:1 feeder cell:NK ratio) and recombinant human IL-2 (200 U/ml) in complete media. To generate a universal T cell-like

NK cell that can secrete IL-15, NK cells were purified and transduced with a retroviral construct containing a CD3 complex with NK co-stimulatory molecules and an IL-15 gene 4 days after isolation. Forty-eight hours after the initial transduction, uTNK15 cells were then transduced with a TCR complex targeting an antigen of choice. Forty-eight hours later, flow cytometry was used to assess the expression of CD3 and NY-ESO TCR on the various uTNK15 constructs. Non transduced (NT) NK cells served as negative control. CD3 and NY-ESO TCR were highly expressed on all uTNK15 cells compared to NT NK cells. The number of tumor specific TCR molecules expressed on TCR engineered NK cells using the various TCR constructs are provided in FIG. 13, and NT NK cells were used as negative control.

[0254] FIG. 14 demonstrates NY-ESO TCR expression on non-transduced and transduced T cells. T cells were isolated from cord blood (the same donor as NK cells to serve as a paired positive control) and were activated with CD3/CD28 microbeads at a concentration of 25 μ l/ 1 million for 48 hours in RPMI complete media. T cells were then transduced with a retroviral construct containing NY-ESO TCR. Forty-eight hours after transduction, flow cytometry revealed that NY-ESO TCR was highly expressed on transduced T cells compared to non-transduced T cells.

[0255] NK cells transduced with NY-ESO TCR kill NY-ESO peptide-pulsed target cells in a dose-dependent manner (FIG. 15). Chromium ^{51}Cr killing assay was performed 7 days following TCR transduction to determine the killing capacity of TCR-engineered NK and T cells against LCL cells loaded with different concentrations of NY-ESO peptide for 2 hours. NY-ESO TCR transduced uTNK15 cells show enhanced killing of peptide-pulsed LCL cells compared to non-transduced NK cells. NY-ESO TCR transduced T cells show enhanced killing of peptide-pulsed LCL cells compared to non-transduced T cells.

[0256] FIG. 16 shows that NY-ESO is expressed endogenously on myeloma, sarcoma, and melanoma cell lines. Flow cytometry was used to determine the expression of NY-ESO on U266 (myeloma), Saos-2 (Sarcoma), and A375 (melanoma) cell lines. U266, Saos-2, and A375 cell lines showed higher levels of NY-ESO expression compared to the Raji cell line which served as negative control.

[0257] NY-ESO TCR-transduced T cells kill NY-ESO expressing tumor targets at higher E:T ratios (FIG. 17). Chromium ^{51}Cr killing assay was performed 7 days following TCR transduction to determine the killing capacity of NY-ESO TCR-engineered T cells against NY-ESO expressing myeloma, osteosarcoma and melanoma cell lines. NY-ESO TCR transduced T cells show enhanced killing of NY-ESO positive cell lines compared to non-transduced T cells.

[0258] FIG. 18 demonstrates that NY-ESO TCR transduced NK cells kill NY-ESO expressing tumor targets even at low E:T ratios. Chromium ⁵¹Cr killing assay was performed 7 days following TCR transduction to determine the killing capacity of NY-ESO TCR-engineered NK cells against NY-ESO-expressing myeloma, osteosarcoma and melanoma cell lines. NY-ESO TCR-transduced NK cells show enhanced killing of NY-ESO positive cell lines compared to non-transduced NK cells even at very low effector: target ratios.

[0259] FIG. 19 shows that NY-ESO transduced NK cells have a similar phenotype to NT NK cells. CytoF imaging revealed that non-transduced NK cells and NY-ESO TCR transduced uTNK15 cells share a similar phenotype. FIG. 19A shows a u-map plot with similar clusters, and FIG. 19B shows a heat map with similar expression of various markers on NT and NY-ESO TCR transduced uTNK15 cells.

[0260] FIG. 20 provides a table representing the percentage of CD3+ and CD3+TCR+ NK cells in each uTNK15 product. Flow cytometry was used to assess the composition of single positive CD3 NK cells (CD3+) and double positive CD3/TCR NK cells (CD3+TCR+). Non transduced NK cells are comprised of less than 1% CD3+ and CD3+TCR+ NK cells, while the TCR transduced uTNK15 cell products are comprised of over 60% CD3+ and over 25% CD3+TCR+ NK cells.

[0261] FIG. 21A provides FACS plots that show successful CD3 expression on NK cells 4 days after transduction with TCR constant alpha-beta (TCRCab; TCR6 construct). Non transduced (NT) NK cells (CD56+ CD3-) serve as negative control. In FIG. 21B, NT NK and uTNK15 NK cells were incubated with Blinatumumab, a CD3-CD19 bispecific engager (BiTe), for one hour at 37°C using 10 µg/µl. Then, a biotin-labeled CD19 antigen (CD19 CAR Detection Reagent from Miltenyi) was added for 20 min, followed by an anti-biotin antibody for 15 min at room temperature. This strategy was used to detect any BiTe engaged with a CD3+ cell. The histograms in this figure are showing the level of CD19 binding to CD3-CD19 bispecific engager (BiTe) that correlates with CD3 expression on uTINK15 NK cells. In FIG. 21C, CD3/TCR transduced or non-transduced NK cells were loaded with Blinatumumab and incubated for 1 hour and washed with PBS. They were then co-cultured with LCL cells at different E:T ratios (A.1:1,B.1:5) for various time points. Blinatumumab-loaded CD3-TCR transduced NK cells showed enhanced anti-tumor activity compared to Blinatumumab-loaded non-transduced NK cells or CD3/TCR transduced NK cells but not loaded with Blinatumumab at both E:T ratios.

EXAMPLE 3

NY-ESO TCRS IN CD3 EXPRESSING NK CELLS IN VIVO

[0262] As shown in FIGS. 22A-22C, NK cells comprising constructs described herein were tested *in-vivo* and found to robustly inhibit tumor growth. Shown in FIG. 22A is a schematic outlining the experimental procedure performed. In brief, NSG mice were irradiated with 300 cGy on day -1, then on day 0 individual mice received tail vein injections of 0.5×10^6 U266-B1 cells (a myeloma cell line that expresses both HLA-A2 and NY-ESO antigens) that were transduced with FireFlyluciferase (FFluc), on day 3 mice were infused with 5×10^6 effector cells (NY-ESO TCR NK cells with WT, #A, or #B UT-NK15-NY ESO TCR constructs respectively; WT refers to wild type CD3 molecules with IL-15; #A refers to CD3-CD28 with IL-15 (e.g., UT-NK15-28); and #B refers to CD3-DAP10 with IL-15 (e.g., UT-NK15-DAP10); or NY-ESO TCR T cells), animals were then monitored over time and sacrificed as appropriate (N = 5 mice per group). FIG. 22B displays the results of the monitoring of the experiment described in FIG. 22A as a function of bioluminescent imaging over time (displayed are representative images from day 1, day 7, day 14, and day 21 respectively). FIG. 22C is a graphical quantification of the bioluminescence average radiance displayed in FIG. 22B, the Y axis denotes average radiance in p/s/cm²/sr, while the X axis denotes time.

[0263] As shown in FIGS. 23A-B the *in vitro* activity of effector cells (e.g., NK cells or T cells) comprising NY-ESO targeted TCRs and UT-NK15 constructs was tested. FIG 22A are images of spheroids formed by osteosarcoma tumor cell line Saos-2 that were used to test the activity of NY-ESO1-specific TCR expressing NK and T cells cytotoxicity. Saos-2 cells were stably transduced to express GFP; 10,000 of these cells were seeded per well in a 96 well plate overnight and 40,000 of NK or T cells were then added. Images of the coculture were scanned over time and analyzed by the IncuCyte cell analysis system. Shown in FIG. 22B is a graph displaying the percentage of cytotoxicity (Y axis) for effector cells captured from representative images after 3 days of co-culture. NK cells were co-transduced with NY-ESO-TCR, and the UT-NK15 signaling complex co-expressing different co-stimulatory molecules fused to the CD3 ζ signaling chain (e.g., UTKN-15-28, or UTKN-15-DAP10). T cells were only transduced with NY-ESO TCR. Abbreviations in the graph are as follows: 28 = CD3 ζ fused to a CD28 co-stimulatory domain; 10 = CD3 ζ fused to a Dap10 co-stimulatory domain; 8 = CD8 alpha/beta co-receptor as part of the NY ESO TCR construct; wo IL-15 = the construct only contains CD3 zeta, epsilon, gamma and delta without co-stimulation or IL-15. The best *in vitro* cytotoxicity was observed with TCR NK cells expression UTKN15 with CD28, or DAP10

costimulatory domains fused to CD3 ζ (e.g., UTNK-15-28, or UTNK-15-DAP10; SEQ ID NO: 121 and SEQ ID NO: 119 respectively) when compared to NK cells transduced with CD3 complex only or the UT-NK15 without a co-stimulatory domain. The addition of the CD8 alpha/beta coreceptor to the TCR did not significantly improve on the cytotoxicity of NK or T cells.

[0264] As shown in FIGS. 24A-D the *in vivo* activity of effector cells (e.g., NK cells or T cells) comprising NY-ESO targeted TCRs and UT-NK15 constructs was tested. FIG. 24A depicts a plan for an *in vivo* study to test the activity of different NY ESO TCR transduced NK and T cells. The plan was performed, wherein ten week old NSG mice were irradiated (300 cGy) and the next day they were injected with 500,000 U266 cells (HLA-A2 positive, NY-ESO-expressing myeloma cell line) via the tail vein. Three days later, the mice received 5 million TCR transduced T or TCR-transduced NK cells. Mice were then monitored for tumor control by BLI imaging. Shown in FIG. 24B are said BLI imaging results of the test outlined and performed according to FIG. 24A. Mice were injected with U266 tumor cells only, or also with T cells transduced with NY-ESO-specific TCR, or also with NK cells co-transduced with NY-ESO TCR and UT-NK15 with CD3 ζ fused to CD28 (labelled as NY-ESO NK UT-NK15 CD28 or NY-ESO TCR UTNK-15 CD28 NK cells). Shown in FIG. 24C are quantifications of region of interest average radiance intensity for the animals tested according to FIG. 24A and imaged in FIG. 24B. Shown in FIG. 24D is a graph depicting the cohort survival curves for the aforementioned animals. The results showed that NY ESO TCR T and NY-ESO TCR UTNK-15-CD28 NK cells mediated strong antitumor activity *in vivo*.

[0265] As shown in FIG. 25 the *in vivo* activity of effector cells (e.g., NK cells) comprising NY ESO TCR and CD3 complex with or without IL-15 was tested. NSG mice were irradiated (300 cGy) and the next day were injected with 500,000 U266 cells (HLA-A2 positive, NY-ESO-expressing myeloma cell line) via the tail vein. Three days later, mice received 5 million TCR transduced T or NK cells. Mice were monitored for tumor control by BLI imaging. NK cells were transduced with NY-ESO-specific TCR, and co-transduced with CD3 complex without IL-15 or with UT-NK15 expressing CD3 ζ fused to CD28 (UT-NK15-28) or CD3 ζ fused to DAP10 (UT-NK15-DAP10) co-stimulatory molecules, with or without expression of CD8 alpha/beta co-receptors. The results showed that absence of IL-15 resulted in a reduced anti-tumor activity *in vivo*.

[0266] Together these results showed that effector cells (e.g., NK cells) comprising constructs described herein (e.g., NY-ESO TCR constructs and/or CD3 constructs such as UT-

NK15 or modified versions thereof, e.g., UT-NK-15-28 or UT-NK15-DAP10) were sufficient to robustly inhibit tumor growth *in vivo*.

EXAMPLE 4

PRAME TCRS IN CD3 EXPRESSING NK CELLS IN VITRO

[0267] As shown in FIGS. 26A-C, NK cells comprising constructs targeting Preferentially Expressed Antigen In Melanoma (PRAME) antigen described herein were tested *in-vitro* and found to robustly inhibit tumor cell growth. FIG. 26A shows the expression of both UT-NK15 (x-axis, CD3) and PRAME-specific TCRs (y-axis, TCR) in NK cells (TCR clones 46, 54, or DSK3 respectively), or the expression of PRAME-specific TCRs in T cells transduced with the same (TCR clones 46 or 54). PRAME-specific TCR expression on NK cells was confirmed using antibodies against the TCR and against CD3. Expression of PRAME-specific TCR in T cells was confirmed by tetramer staining using the 46/54 peptide/MHC-specific tetramer. FIG. 26B shows the *in vitro* cytotoxicity of NK cells expressing a PRAME-specific TCR against the U266 myeloma cell line. Incucyte live cell imaging was used to measure the cytotoxicity of T cells transduced with PRAME-specific TCR and NK cells transduced with UT-NK15 and PRAME-specific TCR against U266 myeloma cells. GFP-expressing U266 cells were co-cultured with PRAME-specific TCR expressing T cell or NK cells at 1:1 effector : target ratio (50,000 effector and 50,000 target cells were seeded in each well of a 96 well plate). A reduction in GFP expression indicated cell death. After 26 hours, a second round of 50,000 tumor cells was added (noted as “rechallenging”) to each well for the tumor rechallenge assay. NK cells expressing UT-NK15 and PRAME-specific TCR clone 46 or PRAME-specific TCR clone 54 exerted the best anti-tumor activity upon rechallenge with U266 cells and displayed superior cytotoxicity when compared to control T cells transduced with PRAME-specific TCR clones 46 or 54 respectively. FIG. 26C shows the *in vitro* cytotoxicity of NK cells expressing a PRAME-specific TCR against the UA375 melanoma cell line. Incucyte live cell imaging was used to measure the cytotoxicity of T cells transduced with PRAME-specific TCR and NK cells transduced with UT-NK15 and PRAME-specific TCR against UA375 melanoma cells. GFP-expressing UA375 cells were co-cultured with PRAME-expressing T cell or NK cells at 1:1 effector : target ratio (50,000 effector and 50,000 target cells were seeded in each well of a 96 well plate). A reduction in GFP expression indicated cell death. After 26 hours, a second round of 50,000 tumor cells was added to each well for the tumor rechallenge assay. Open symbols represent T cells, while closed symbols represent NK cells. NT = non-transduced. NK

cells expressing UT-NK15 and PRAME-specific TCR clone 46 (TCR-46), PRAME-specific TCR clone 54 (TCR-54), or PRAME-specific TCR clone DSK3 (DSK) exerted strong anti-tumor activity upon rechallenge with UA375 cells, and displayed superior cytotoxicity when compared to control T cells transduced with PRAME-specific TCR clones 46, 54, or DSK3 respectively.

[0268] Together these results show that effector cells (e.g., NK cells) comprising constructs described herein (e.g., PRAME-specific TCR constructs) were sufficient to robustly inhibit tumor growth *in vivo*. Furthermore, NK cells comprising CD3 constructs described herein coupled with PRAME-specific TCR constructs displayed increased cytotoxicity when compared to T cell control cells comprising the same TCR constructs, particularly in cases of continuous and/or rechallenge by tumor cells.

EXAMPLE 5

TCRS IN CD3 EXPRESSING NK CELLS IN VIVO

[0269] NK cells comprising constructs described herein are tested *in-vivo* and robustly inhibit tumor growth. Experiments are performed according to schematics and experimental procedures described herein. In brief, NSG mice are irradiated (e.g., with about 300 cGy) on day -1, then on day 0 individual mice receive tail vein injections of cancer cells (e.g., 0.5×10^6 cells e.g., cells expressing (naturally and/or transduced with) an antigen described herein) that are transduced with an appropriate marker (e.g., FireFlyluciferase (FFluc)), on day 3 mice are infused with effector cells transduced with a transgenic TCR (e.g., TCR constructs comprising gamma/delta TCR chains and/or alpha/beta TCR chains, e.g., targeting antigens described herein, e.g., NY-ESO, Tyrosinase, MAGEA3, MAGEA4, HPV E7, WT1, PRAME, gp100, MART-1, etc.) and with or without other constructs described herein (e.g., with about 5×10^6 TCR NK cells with a UT-NK15 construct with or without IL15, with or without CD3 fusion to a costimulatory molecule, and/or with or without additional control constructs). Animals are then monitored over time and sacrificed as appropriate. Results of the monitoring of the experiment described above are recorded, e.g., as a function of bioluminescent imaging over time (e.g., on day 1, day 7, day 14, day 21, etc).

[0270] The *in vitro* activity of effector cells (e.g., NK cells or T cells) comprising TCR(s) (e.g., TCR constructs comprising gamma/delta TCR chains and/or alpha/beta TCR chains, e.g., targeting antigens described herein, e.g., NY-ESO, Tyrosinase, MAGEA3, MAGEA4, HPV E7, WT1, PRAME, gp100, MART-1, etc.) and UT-NK15 constructs are tested. Spheroids

formed by an appropriate tumor cell line(s) comprising an antigen of interest (e.g., 0.5×10^6 cells e.g., cells expressing (naturally and/or transduced with) an antigen described herein) are used to test the activity of specific TCR expressing NK and/or T cells cytotoxicity. Cancer cells are stably transduced to express an appropriate marker (e.g., GFP, FFluc, etc.); a number of these cells (e.g., about 10,000) are seeded per well in a 96 well plate overnight and a number of effector cells (e.g., about 40,000) are then added. Images of the coculture are scanned over time and analyzed by an appropriate system (e.g., an IncuCyte cell analysis system). The percentage of cytotoxicity for effector cells are captured from representative images after a number of days (e.g., 1 day, 3 days, 7 days, etc.) of co-culture. NK cells are co-transduced with antigen targeting TCRs, and UT-NK15 signaling complex co-expressing different co-stimulatory molecules fused to the CD3 ζ signaling chain (e.g., UTKN-15-28, or UTKN-15-DAP10). Appropriate control cells are transduced with appropriate constructs described herein. Superior *in vitro* cytotoxicity is observed with TCR NK cells expression UTKN15 with CD28, or DAP10 costimulatory domains fused to CD3 ζ (e.g., UTKN-15-28, or UTKN-15-DAP10; e.g., SEQ ID NO: 121 and SEQ ID NO: 119 respectively) when compared to NK cells transduced with CD3 complex only or UT-NK15 without a co-stimulatory domain.

[0271] The *in vivo* activity of effector cells (e.g., NK cells or T cells) comprising antigen specific TCRs (e.g., TCR constructs comprising gamma/delta TCR chains and/or alpha/beta TCR chains, e.g., targeting antigens described herein, e.g., NY-ESO, Tyrosinase, MAGEA3, MAGEA4, HPV E7, WT1, PRAME, gp100, MART-1, etc.) and UT-NK15 constructs are tested. Assays for *in vivo* analysis of effector cells (e.g., NK cells or T cells) comprising engineered constructs are performed similar to experimental plans described in FIG. 24. In brief, appropriately aged NSG mice (e.g., ten week old NSG mice) are irradiated (e.g., with about 300 cGy) and the next day they are injected with tumor cells comprising the target antigen of interest (e.g., about 500,000 cells; e.g., naturally expressing and/or transduced with an antigen described herein) via the tail vein. Three days later, the mice receive an effector cell bolus (e.g., about 5 million TCR transduced T and/or TCR-transduced NK cells). Mice are then monitored for tumor control (e.g., by BLI imaging). Average radiance for regions of interest are measured and quantified, animals comprising test constructs comprising TCRs targeting an antigen of interest and UT-NK15 constructs with or without CD3 fusions and/or IL-15 expression display improved survival relative to control animals and/or a reduction in average radiance. The results show that TCR UTKN-15 NK cells mediate strong antitumor activity *in vivo*.

[0272] The *in vivo* activity of effector cells (e.g., NK cells) comprising TCR (e.g., TCR constructs comprising gamma/delta TCR chains and/or alpha/beta TCR chains, e.g., targeting antigens described herein, e.g., NY-ESO, Tyrosinase, MAGEA3, MAGEA4, HPV E7, WT1, PRAME, gp100, MART-1, etc.) and CD3 complex with or without IL-15 are tested. NSG mice are irradiated (e.g., with about 300 cGy) and the next day are injected with tumor cells expressing an antigen of (e.g., about 500,000 cells; e.g., naturally expressing and/or transduced with an antigen described herein) via the tail vein. Three days later, mice receive an effector cell bolus (e.g., about 5 million TCR transduced T and/or TCR transduced NK cells). Mice are monitored for tumor control (e.g., by BLI imaging). NK cells are transduced with antigen-specific TCR, and co-transduced with CD3 complex without IL-15 or with UT-NK15 expressing CD3 ζ fused to CD28 (UT-NK15-28) or CD3 ζ fused to DAP10 (UT-NK15-DAP10) co-stimulatory molecules, with or without expression of CD8 alpha/beta co-receptors. The results show that absence of IL-15 results in a reduced anti-tumor activity *in vivo*.

[0273] Together these results show that effector cells (e.g., NK cells) comprising constructs described herein (e.g., TCR constructs and/or CD3 constructs such as UT-NK15 or modified versions thereof, e.g., UT-NK-15-28 or UT-NK15-DAP10) are sufficient to robustly inhibit tumor growth *in vivo*.

* * *

[0274] All of the methods disclosed and claimed herein can be made and executed without undue experimentation in light of the present disclosure. While the compositions and methods of this invention have been described in terms of preferred embodiments, it will be apparent to those of skill in the art that variations may be applied to the methods and in the steps or in the sequence of steps of the method described herein without departing from the concept, spirit and scope of the invention. More specifically, it will be apparent that certain agents which are both chemically and physiologically related may be substituted for the agents described herein while the same or similar results would be achieved. All such similar substitutes and modifications apparent to those skilled in the art are deemed to be within the spirit, scope and concept of the invention as defined by the appended claims.

WHAT IS CLAIMED IS:

1. A composition, comprising NK cells modified to express part or all of a single chain or any combination of CD3 δ , CD3 ϵ , CD3 γ , or CD3 ζ .
2. The composition of claim 1, wherein the NK cells are modified to express one of more of the TCR α chain, the TCR β chain, the TCR γ chain, and the TCR δ chain.
3. The composition of claim 1 or 2, wherein the NK cells are modified to express the T-cell receptor (TCR) $\alpha\beta$ chains or the TCR $\gamma\delta$ chains.
4. The composition of claim 1, wherein the NK cells are modified to express part or all of only the constant region of one of more of the TCR α chain, the TCR β chain, the TCR γ chain, and the TCR δ chain.
5. The composition of claim 1, wherein the NK cells are modified to express part or all of only the constant region of the T-cell receptor (TCR) $\alpha\beta$ chains or the TCR $\gamma\delta$ chains.
6. The composition of any one of claims 1-5, wherein the NK cells are modified to express part or all of CD3 ζ , two of CD3 ϵ , CD3 δ , and CD3 γ .
7. The composition of any one of claims 1-6, wherein the NK cells are modified to express full length of CD3 ζ , CD3 ϵ , CD3 δ , and/or CD3 γ .
8. The composition of any one of claims 1-7, wherein any one or more of the CD3 ζ , CD3 ϵ , CD3 δ , and CD3 γ are heterologously linked to one or more intracellular signaling domains.
9. The composition of claim 8, wherein the intracellular signaling domain is selected from the group consisting of CD16, NKG2D, DAP10, DAP12, 2B4, 4-1BB, CD2, CD28, and a combination thereof.
10. The composition of claims 8 or 9, wherein the intracellular signaling domain comprises a DAP10 intracellular signaling domain.
11. The composition of any one of claims 8-10, wherein the intracellular signaling domain comprises an amino acid sequence at least about 85% identical to SEQ ID NO: 115.

12. The composition of any one of claims 8-11, wherein the intracellular signaling domain comprises an amino acid sequence according to SEQ ID NO: 115.
13. The composition of claims 8 or 9, wherein the intracellular signaling domain comprises a CD28 intracellular signaling domain.
14. The composition of any one of claims 8, 9, or 13, wherein the intracellular signaling domain comprises an amino acid sequence at least about 85% identical to SEQ ID NO: 116.
15. The composition of any one of claims 8, 9, 13, or 14, wherein the intracellular signaling domain comprises an amino acid sequence according to SEQ ID NO: 116.
16. The composition of claims 8 or 9, wherein the intracellular signaling domain comprises a DAP10 and CD28 intracellular signaling domain.
17. composition of any one of claims 8, 9, or 16, wherein the intracellular signaling domain comprises an amino acid sequence at least about 85% identical to SEQ ID NO: 117.
18. The composition of any one of claims 8, 9, 16, or 17, wherein the intracellular signaling domain comprises an amino acid sequence according to SEQ ID NO: 117.
19. The composition of any one of claims 1-18, wherein the composition further comprises one or more bispecific or multi-specific antibodies, wherein the bispecific or multi-specific antibody comprises an anti-CD3 antibody.
20. The composition of claim 19, wherein the NK cells express the antibody.
21. The composition of claims 19 or 20, wherein the NK cells are complexed with the antibody.
22. The composition of claims 20 or 21, wherein the antibody is blinatumomab.
23. The composition of any one of claims 1-22, wherein the TCR is directed to a cancer antigen or a viral antigen.
24. The composition of any one of the preceding claims, wherein the NK cells are derived from cord blood (CB), peripheral blood (PB), bone marrow, stem cells, or a mixture thereof.

25. The composition of any one of the preceding claims, wherein the NK cells are pre-activated.
26. The composition of claim 25, wherein the NK cells are pre-activated with one or more cytokines.
27. The composition of claim 26, wherein the cytokines are IL-2, IL-7, IL-12, IL-15, IL-18, IL-21, or a combination thereof.
28. The composition of any one of the preceding claims, wherein the NK cells are expanded.
29. The composition of claim 28, wherein the NK cells are expanded in the presence of IL-2.
30. The composition of any one of the preceding claims, wherein the NK cells are modified to express one or more heterologous proteins.
31. The composition of claim 30, wherein the heterologous protein is an engineered antigen receptor, a cytokine, a homing receptor, or a chemokine receptor.
32. The composition of claim 31, wherein the engineered antigen receptor is a chimeric antigen receptor and/or engineered T cell receptor.
33. The composition of claim 32, wherein the engineered antigen receptor is an engineered T cell receptor, and wherein the engineered T cell receptor targets a NY-ESO antigen.
34. The composition of claim 33, wherein the T cell receptor comprises a sequence at least 85% identical to SEQ ID NO: 25 and a sequence at least 85% identical to SEQ ID NO: 26.
35. The composition of claim 33, wherein the engineered antigen receptor is an engineered T cell receptor, and wherein the engineered T cell receptor targets a PRAME antigen.
36. The composition of claim 35, wherein the target PRAME antigen epitope is SLLQHLIGL (SEQ ID NO: 131) and/or QLLALLPSL (SEQ ID NO: 132).

37. The composition of claims 35 or 36, wherein the T cell receptor comprises a sequence at least 85% identical to SEQ ID NO: 135 and a sequence at least 85% identical to SEQ ID NO: 136.
38. The composition of claims 35 or 36, wherein the T cell receptor comprises a sequence at least 85% identical to SEQ ID NO: 139 and a sequence at least 85% identical to SEQ ID NO: 140.
39. The composition of claims 35 or 36, wherein the T cell receptor comprises a sequence at least 85% identical to SEQ ID NO: 143 and a sequence at least 85% identical to SEQ ID NO: 144.
40. The composition of any one of claims 30-39, wherein the heterologous protein is a cytokine.
41. The composition of any one of claims 26-40, wherein the cytokine is selected from the group consisting of IL-15, IL-12, IL-2, IL-18, IL-21, IL-23, IL-7, GMCSF, or a combination thereof.
42. The composition of claim 41, wherein the cytokine is membrane-bound.
43. The composition of claim 41 or 42, wherein the cytokine is IL-15.
44. The composition of claims 42 or 43, wherein the membrane-bound cytokine comprises a transmembrane domain from CD8, CD28, CD27, B7H3, IgG1, IgG4, CD4, DAP10, or DAP12.
45. The composition of any one of claims 26-44, wherein the NK cell expresses a chimeric antigen receptor and a cytokine.
46. The composition of any one of the preceding claims, wherein the bispecific antibody comprises an antibody that targets a cancer antigen.
47. The composition of claim 46, wherein the cancer antigen is a CD19 antigen.
48. The composition of claims 46 or 47, wherein the bispecific antibody is Blinatumomab.
49. A composition comprising a complex, comprising:

(1) NK cells modified to express part or all of the CD3 receptor complex and optionally modified to express the T-cell receptor (TCR) $\alpha\beta$ chains or the TCR $\gamma\delta$ chains; and

(2) a bispecific or multi-specific antibody, wherein the bispecific or multi-specific antibody comprises an anti-CD3 antibody that is bound to CD3 on the NK cells.

50. The composition of claim 49, wherein the NK cells are modified to express TCR $\alpha\beta$ chains that are at least 85% identical to SEQ ID NO: 25 and SEQ ID NO: 26, the TCR $\alpha\beta$ chains target a NY-ESO antigen, and the bispecific antibody is Blinatumomab.

51. The composition of claim 49 or 50, wherein the NK cells are modified to express full length CD3 ζ , CD3 ϵ , CD3 δ , and/or CD3 γ .

52. The composition of any one of claims 49-51, wherein any one or more of CD3 ζ , CD3 ϵ , CD3 δ , and CD3 γ are heterologously linked to one or more intracellular signaling domains.

53. The composition of claim 52, wherein the intracellular signaling domain is selected from the group consisting of CD16, NKG2D, DAP10, DAP12, 2B4, 4-1BB, CD2, CD28, DNAM, and a combination thereof.

54. The composition of claims 52 or 53, wherein the intracellular signaling domain comprises a DAP10 intracellular signaling domain.

55. The composition of any one of claims 52-54, wherein the intracellular signaling domain comprises an amino acid sequence at least about 85% identical to SEQ ID NO: 115.

56. The composition of any one of claims 52-55, wherein the intracellular signaling domain comprises an amino acid sequence according to SEQ ID NO: 115.

57. The composition of claims 52 or 53, wherein the intracellular signaling domain comprises a CD28 intracellular signaling domain.

58. The composition of any one of claims 52, 53, or 57, wherein the intracellular signaling domain comprises an amino acid sequence at least about 85% identical to SEQ ID NO: 116.

59. The composition of any one of claims 52, 53, 57, or 58, wherein the intracellular signaling domain comprises an amino acid sequence according to SEQ ID NO: 116.
60. The composition of claims 52 or 53, wherein the intracellular signaling domain comprises a DAP10 and CD28 intracellular signaling domain.
61. The composition of any one of claims 52, 53, or 60, wherein the intracellular signaling domain comprises an amino acid sequence at least about 85% identical to SEQ ID NO: 117.
62. The composition of any one of claims 52, 53, 60, or 61, wherein the intracellular signaling domain comprises an amino acid sequence according to SEQ ID NO: 117.
63. The composition of any one of claims 49-62, wherein the complex is housed in a pharmaceutically acceptable excipient.
64. The composition of any one of claims 49-63, wherein the complex is housed in a delivery device.
65. A method of treating cancer in an individual, comprising the step of administering to the individual a therapeutically effective amount of any one of the compositions of claims 1-64.
66. The method of claim 65, wherein the NK cells and the antibody are administered to the individual at the same time.
67. The method of claim 65 or 66, wherein the NK cells and the antibody are administered in the same formulation.
68. The method of any one of claims 65-67, wherein the NK cells and the antibody are pre-complexed prior to administration to the individual.
69. The method of claim 65, wherein the NK cells and the antibody are administered to the individual at different times.
70. The method of any one of claims 65-69, wherein the NK cells and the antibody are administered by infusion.

71. The method of any one of claims 65-70, wherein the NK cells are autologous with respect to the individual.
72. The method of any one of claims 65-71, wherein the NK cells are allogeneic with respect to the individual.
73. A method of redirecting the specificity of NK cells against a cancer antigen for treatment of an individual with a bispecific or multi-specific anti-CD3 antibody, comprising the steps of administering to the individual the antibody and NK cells that optionally express part or all of a CD3 receptor complex and that optionally express part or all of TCR $\alpha\beta$ chains or the TCR $\gamma\delta$ chains.
74. The method of claim 73, further comprising the step of modifying NK cells to express part or all of the CD3 receptor complex.
75. The method of claims 73 or 74, wherein the NK cells are modified to express full length CD3 ζ , CD3 ϵ , CD3 δ , and/or CD3 γ .
76. The method of any one of claims 73-75, wherein any one or more of CD3 ζ , CD3 ϵ , CD3 δ , and CD3 γ are heterologously linked to one or more intracellular signaling domains.
77. The method of claim 76, wherein the intracellular signaling domain is selected from the group consisting of CD16, NKG2D, DAP10, DAP12, 2B4, 4-1BB, CD2, CD28, DNAM, and a combination thereof.
78. The method of claims 76 or 77, wherein the intracellular signaling domain comprises a DAP10 intracellular signaling domain.
79. The method of any one of claims 76-78, wherein the intracellular signaling domain comprises an amino acid sequence at least about 85% identical to SEQ ID NO: 115.
80. The method of any one of claims 76-79, wherein the intracellular signaling domain comprises an amino acid sequence according to SEQ ID NO: 115.
81. The method of claims 76 or 77, wherein the intracellular signaling domain comprises a CD28 intracellular signaling domain.

82. The method of any one of claims 76, 77, or 81, wherein the intracellular signaling domain comprises an amino acid sequence at least about 85% identical to SEQ ID NO: 116.
83. The method of any one of claims 76, 77, 81, or 82, wherein the intracellular signaling domain comprises an amino acid sequence according to SEQ ID NO: 116.
84. The method of claims 76 or 77, wherein the intracellular signaling domain comprises a DAP10 and CD28 intracellular signaling domain.
85. The method of any one of claims 76, 77, or 84, wherein the intracellular signaling domain comprises an amino acid sequence at least about 85% identical to SEQ ID NO: 117.
86. The method of any one of claims 76, 77, 84, or 85, wherein the intracellular signaling domain comprises an amino acid sequence according to SEQ ID NO: 117.
87. The method of any one of claims 73-86, further comprising the step of modifying NK cells to express part or all of the TCR $\alpha\beta$ chains or the TCR $\gamma\delta$ chains.
88. The method of any one of claims 73-87, wherein the TCR $\alpha\beta$ chains or the TCR $\gamma\delta$ chains are targeted to an NY-ESO antigen.
89. The method of any one of claims 73-88, wherein the TCR chains are TCR $\alpha\beta$ chains, and are at least 85% identical to SEQ ID NO: 25 and SEQ ID NO: 26.
90. The method of any one of claims 73-86, wherein the TCR $\alpha\beta$ chains or the TCR $\gamma\delta$ chains are targeted to a PRAME antigen.
91. The method of 90, wherein the target PRAME antigen epitope is SLLQHLIGL (SEQ ID NO: 131) and/or QLLALLPSL (SEQ ID NO: 132).
92. The method of claim 90 or 91, wherein the TCR chains comprise a sequence at least 85% identical to SEQ ID NO: 135 and a sequence at least 85% identical to SEQ ID NO: 136.

93. The method of claim 90 or 91, wherein the TCR chains comprise a sequence at least 85% identical to SEQ ID NO: 139 and a sequence at least 85% identical to SEQ ID NO: 140.
94. The method of claim 90 or 91, wherein the TCR chains comprise a sequence at least 85% identical to SEQ ID NO: 143 and a sequence at least 85% identical to SEQ ID NO: 144.
95. The method of any one of claims 73-94, further comprising the step of modifying the NK cells to express one or more additional heterologous proteins.