
WHAT IS CLAIMED IS:


1. A compound having Formula (A), or pharmaceutically acceptable salt and/or stereoisomer thereof:



(A),


wherein:

E is:



E-1


or



E-2


;

R^1 is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$alkoxy, or



;


R^2 is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$alkoxy, or



;


with the provisos:

(i) when R^1 is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, or $(C_1\text{-}C_6)$alkoxy, then R^2 is:



; and

(ii) when R^2 is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, or $(C_1\text{-}C_6)$alkoxy, then R^1 is:



;

R^{11} is hydrogen or -(C_1-C_6)alkyl-O-P(=O)-$(OH)_2$;

X^1 is CR^3 or N;

R^3 is hydrogen, halogen, or (C_1-C_6)alkyl;

X^2 is CR^4 or N;

R^4 is hydrogen, halogen, or (C_1-C_6)alkyl;

R^{5a} is hydrogen, halogen, (C_1-C_6)alkyl, (C_3-C_6)cycloalkyl, 4- to 6-membered heterocycloalkyl, cyano, aryl, or 5- or 6-membered heteroaryl, wherein (C_1-C_6)alkyl is optionally substituted with one, two, or three substituents independently selected from halogen or cyano; and 4- to 6-membered heterocycloalkyl, aryl, or 5- or 6-membered heteroaryl is optionally substituted with one, two, or three substituents independently selected from halogen, cyano, or (C_1-C_6)alkyl;

R^{5b} is hydrogen, (C_1-C_6)alkyl, or (C_3-C_6)cycloalkyl;

R^6 is hydrogen, (C_1-C_6)alkyl, or cyano;

X^3 is -$(CR^{13a}R^{13b})_n$- or -O-;

n is 0 or 1

each R^{13a} and R^{13b} is independently hydrogen, halogen, (C_1-C_6)alkyl, or (C_1-C_6)alkoxy;

L is -G^1-G^2-G^3-G^4-, wherein G^1 is attached to W;

G^1 is 4- to 6-membered heterocycloalkylenyl optionally substituted with one, two, or three substituents independently selected from halogen, (C_1-C_6)alkyl, (C_1-C_6)alkoxy, or cyano; 7- to 11-membered heterocycloalkylenyl optionally substituted with one, two, or three substituents independently selected from halogen, (C_1-C_6)alkyl, (C_1-C_6)alkoxy, or cyano; or (C_3-C_6)cycloalkylenyl optionally substituted with one, two, or three substituents independently selected from halogen, (C_1-C_6)alkyl, (C_1-C_6)alkoxy, or cyano;

G^2 is (C_1-C_6)alkylenyl, -C(=O)-, or a direct bond;

G^3 is 4- to 7-membered heterocycloalkylenyl optionally substituted with one, two, or three substituents independently selected from halogen, (C_1-C_6)alkyl, (C_1-C_6)alkoxy, or cyano; 7- to 11-membered heterocycloalkylenyl optionally substituted with one, two, or three substituents independently selected from halogen, (C_1-C_6)alkyl, (C_1-C_6)alkoxy, or cyano; or (C_3-C_6)cycloalkylenyl optionally substituted with one, two, or three substituents independently selected from halogen, (C_1-C_6)alkyl, (C_1-C_6)alkoxy, or cyano;

G^4 is (C_1-C_6)alkylenyl or a direct bond;

W is -C(=O)-, -CH_2-, or a direct bond;

R^7 is hydrogen, halogen, (C_1-C_6)alkyl, cyano, or (C_3-C_6)cycloalkyl, wherein (C_1-C_6)alkyl is optionally substituted with one, two, or three halogen;

R^8 is hydrogen, halogen, (C_1-C_6)alkyl, cyano, or (C_3-C_6)cycloalkyl, wherein (C_1-C_6)alkyl is optionally substituted with one, two, or three halogen;

R^9 is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, cyano, or $(C_3\text{-}C_6)$cycloalkyl, wherein $(C_1\text{-}C_6)$alkyl is optionally substituted with one, two, or three halogen;

R^{10} is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, cyano, or $(C_3\text{-}C_6)$cycloalkyl, wherein $(C_1\text{-}C_6)$alkyl is optionally substituted with one, two, or three halogen;

each R^{12} is independently halogen, $(C_1\text{-}C_6)$alkyl, or $(C_1\text{-}C_6)$alkoxy;

m is 0, 1, 2, 3, or 4;

R^{12a} and R^{12b} are each independently hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$alkoxy, wherein $(C_1\text{-}C_6)$alkyl is optionally substituted with one, two, or three halogen; or


R^{12a} and R^{12b} taken together with the carbon atoms to which they are attached form an optionally substituted 5- to 7-membered heterocycloalkyl or an optionally substituted $(C_5\text{-}C_7)$cycloalkyl;

R^{12c} is hydrogen or halogen;

R^a is hydrogen or halogen; and

R^b is hydrogen or halogen.


2. A compound having Formula (I), or pharmaceutically acceptable salt and/or stereoisomer thereof:



(I),


wherein:

E is:



E-1


or



E-2


;

R^1 is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$alkoxy, or



;


R^2 is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$alkoxy, or



;


with the provisos:

(i) when R^1 is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, or $(C_1\text{-}C_6)$alkoxy, then R^2 is:



; and

(ii) when R^2 is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, or $(C_1\text{-}C_6)$alkoxy, then R^1 is:



;

R^{11} is hydrogen or $-(C_1\text{-}C_6)$alkyl-O-P(=O)-$(OH)_2$;

X^1 is CR^3 or N;

R^3 is hydrogen, halogen, or $(C_1\text{-}C_6)$alkyl;

X^2 is CR^4 or N;

R^4 is hydrogen, halogen, or $(C_1\text{-}C_6)$alkyl;

R^{5a} is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, $(C_3\text{-}C_6)$cycloalkyl, 4- to 6-membered heterocycloalkyl, cyano, aryl, or 5- or 6-membered heteroaryl, wherein $(C_1\text{-}C_6)$alkyl is optionally substituted with one, two, or three substituents independently selected from halogen or cyano; and 4- to 6-membered heterocycloalkyl, aryl, or 5- or 6-membered heteroaryl is optionally substituted with one, two, or three substituents independently selected from halogen, cyano, or $(C_1\text{-}C_6)$alkyl;

R^{5b} is hydrogen, $(C_1\text{-}C_6)$alkyl, or $(C_3\text{-}C_6)$cycloalkyl;

R^6 is hydrogen, $(C_1\text{-}C_6)$alkyl, or cyano;

X^3 is $-(CR^{13a}R^{13b})_n$- or -O-;

n is 0 or 1

each R^{13a} and R^{13b} is independently H, halogen, $(C_1\text{-}C_6)$alkyl, or $(C_1\text{-}C_6)$alkoxy;

L is $-G^1\text{-}G^2\text{-}G^3\text{-}G^4$-, wherein G^1 is attached to W;

G^1 is 4- to 6-membered heterocycloalkylenyl optionally substituted with one, two, or three substituents independently selected from halogen, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$alkoxy, or cyano; 7- to 11-membered heterocycloalkylenyl optionally substituted with one, two, or three substituents independently selected from halogen, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$alkoxy, or cyano; or $(C_3\text{-}C_6)$cycloalkylenyl optionally substituted with one, two, or three substituents independently selected from halogen, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$alkoxy, or cyano;

G^2 is $(C_1\text{-}C_6)$alkylenyl or a direct bond;

G^3 is 4- to 6-membered heterocycloalkylenyl optionally substituted with one, two, or three substituents independently selected from halogen, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$alkoxy, or cyano; 7- to 11-membered heterocycloalkylenyl optionally substituted with one, two, or three substituents independently selected from halogen, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$alkoxy, or cyano; or $(C_3\text{-}C_6)$cycloalkylenyl optionally substituted with one, two, or three substituents independently selected from halogen, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$alkoxy, or cyano;

G^4 is $(C_1\text{-}C_6)$alkylenyl or a direct bond;

W is -C(=O)-;

R^7 is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, cyano, or $(C_3\text{-}C_6)$cycloalkyl, wherein $(C_1\text{-}C_6)$alkyl is optionally substituted with one, two, or three halogen;

R^8 is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, cyano, or $(C_3\text{-}C_6)$cycloalkyl, wherein $(C_1\text{-}C_6)$alkyl is optionally substituted with one, two, or three halogen;


R^9 is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, cyano, or $(C_3\text{-}C_6)$cycloalkyl, wherein $(C_1\text{-}C_6)$alkyl is optionally substituted with one, two, or three halogen;

R^{10} is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, cyano, or $(C_3\text{-}C_6)$cycloalkyl, wherein $(C_1\text{-}C_6)$alkyl is optionally substituted with one, two, or three halogen;

each R^{12} is independently halogen, $(C_1\text{-}C_6)$alkyl, or $(C_1\text{-}C_6)$alkoxy; and

m is 0, 1, 2, 3, or 4.


3. A compound having Formula (IA), or pharmaceutically acceptable salt and/or stereoisomer thereof:



(IA),


wherein:

E is:




E-1 or E-2;

R^1 is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$alkoxy, or



;

R^2 is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$alkoxy, or



;

with the provisos:

(i) when R^1 is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, or $(C_1\text{-}C_6)$alkoxy, then R^2 is:


; and

(ii) when R^2 is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, or $(C_1\text{-}C_6)$alkoxy, then R^1 is:


;

R^{11} is hydrogen or $-(C_1\text{-}C_6)$alkyl-O-P(=O)-$(OH)_2$;

X^1 is CR^3 or N;

R^3 is hydrogen, halogen, or $(C_1\text{-}C_6)$alkyl;

X^2 is CR^4 or N;

R^4 is hydrogen, halogen, or $(C_1\text{-}C_6)$alkyl;

R^{5a} is hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, $(C_3\text{-}C_6)$cycloalkyl, 4- to 6-membered heterocycloalkyl, cyano, aryl, or 5- or 6-membered heteroaryl, wherein $(C_1\text{-}C_6)$alkyl is optionally substituted with one, two, or three substituents independently selected from halogen or cyano; and 4- to 6-membered heterocycloalkyl, aryl, or 5- or 6-membered heteroaryl is optionally substituted with one, two, or three substituents independently selected from halogen, cyano, or $(C_1\text{-}C_6)$alkyl;

R^{5b} is hydrogen, $(C_1\text{-}C_6)$alkyl, or $(C_3\text{-}C_6)$cycloalkyl;

R^6 is hydrogen, $(C_1\text{-}C_6)$alkyl, or cyano;

X^3 is $-(CR^{13a}R^{13b})_n$- or -O-;

n is 0 or 1

each R^{13a} and R^{13b} is independently hydrogen, halogen, $(C_1\text{-}C_6)$alkyl, or $(C_1\text{-}C_6)$alkoxy;

L is $-G^1\text{-}G^2\text{-}G^3\text{-}G^4$-, wherein G^1 is attached to W;

G^1 is 4- to 6-membered heterocycloalkylenyl optionally substituted with one, two, or three substituents independently selected from halogen, $(C_1\text{-}C_6)$alkyl, $(C_1\text{-}C_6)$alkoxy, or cyano; 7- to 11-

membered heterocycloalkylenyl optionally substituted with one, two, or three substituents independently selected from halogen, (C_1-C_6)alkyl, (C_1-C_6)alkoxy, or cyano; or (C_3-C_6)cycloalkylenyl optionally substituted with one, two, or three substituents independently selected from halogen, (C_1-C_6)alkyl, (C_1-C_6)alkoxy, or cyano;

G^2 is (C_1-C_6)alkylenyl, -C(=O)-, or a direct bond;

G^3 is 4- to 7-membered heterocycloalkylenyl optionally substituted with one, two, or three substituents independently selected from halogen, (C_1-C_6)alkyl, (C_1-C_6)alkoxy, or cyano; 7- to 11-membered heterocycloalkylenyl optionally substituted with one, two, or three substituents independently selected from halogen, (C_1-C_6)alkyl, (C_1-C_6)alkoxy, or cyano; or (C_3-C_6)cycloalkylenyl optionally substituted with one, two, or three substituents independently selected from halogen, (C_1-C_6)alkyl, (C_1-C_6)alkoxy, or cyano;

G^4 is (C_1-C_6)alkylenyl or a direct bond;

W is -C(=O)-, -CH_2-, or a direct bond;

R^7 is hydrogen, halogen, (C_1-C_6)alkyl, cyano, or (C_3-C_6)cycloalkyl, wherein (C_1-C_6)alkyl is optionally substituted with one, two, or three halogen;

R^8 is hydrogen, halogen, (C_1-C_6)alkyl, cyano, or (C_3-C_6)cycloalkyl, wherein (C_1-C_6)alkyl is optionally substituted with one, two, or three halogen;

R^9 is hydrogen, halogen, (C_1-C_6)alkyl, cyano, or (C_3-C_6)cycloalkyl, wherein (C_1-C_6)alkyl is optionally substituted with one, two, or three halogen;


R^{10} is hydrogen, halogen, (C_1-C_6)alkyl, cyano, or (C_3-C_6)cycloalkyl, wherein (C_1-C_6)alkyl is optionally substituted with one, two, or three halogen;

R^{12a} and R^{12b} are each independently hydrogen, halogen, (C_1-C_6)alkyl, (C_1-C_6)alkoxy, wherein (C_1-C_6)alkyl is optionally substituted with one, two, or three halogen; or

R^{12a} and R^{12b} taken together with the carbon atoms to which they are attached form an optionally substituted 5- to 7-membered heterocycloalkyl or an optionally substituted (C_5-C_7)cycloalkyl ; and


R^{12c} is hydrogen or halogen.

4. The compound, or pharmaceutically acceptable salt thereof, according to claims 1 or 2 having Formula (II):




(II).

5. The compound, or pharmaceutically acceptable salt thereof, according to claims 1 or 2 having Formula (III):




(III).

6. The compound, or pharmaceutically acceptable salt thereof, according to claim 2 having Formula (IV):



(IV).


7. The compound, or pharmaceutically acceptable salt thereof, according to claim 2 having Formula (V):



(V).

















8. The compound, or pharmaceutically acceptable salt thereof, according to any one of claims 6 or 7, wherein each R^{12} is fluoro, methyl, ethyl, or methoxy.

9. The compound, or pharmaceutically acceptable salt thereof, according to claims 3, having Formula (IX):






(IX).

9. The compound, or pharmaceutically acceptable salt thereof, according to any one of claims 1-8, wherein E is E-1; and E-1 is:


,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,




,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,

,






,

,

,

,

,





, or .

10. The compound according to claim 1 selected from any one or more of the compounds:

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(3-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1-methyl-1H-indol-6-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-

fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-ethylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-(trifluoromethyl)-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4,6-difluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(S*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)pyrrolidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)pyrrolidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-2,5-dimethylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-6-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-

dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-3-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-6-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methoxy-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(3-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1-cyclobutyl-1H-pyrrolo[3,2-b]pyridin-6-

yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-2-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-cyclopropylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-chlorobenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-2-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

rac-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-2-chlorobenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(3-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1-methyl-1H-indol-6-

yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-cyclopropylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-2-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-5-(4-((4-(3-cyclopropyl-5-(2,4-dioxotetrahydropyrimidin-1(2H)-yl)-1H-pyrrolo[2,3-b]pyridin-1-yl)piperidin-1-yl)methyl)-4-fluoropiperidine-1-carbonyl)benzonitrile;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-2-(trifluoromethyl)benzoyl)-4-fluoropiperidin-4-yl)meth*yl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methoxy-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-(trifluoromethyl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-fluorobenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methoxybenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-5-methyl-1H-indol-4-

yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methoxy-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(3-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1-cyclobutyl-1H-pyrrolo[3,2-b]pyridin-6-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(3-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1-cyclobutyl-7-fluoro-1H-indol-6-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine2,4(1H,3H)-dione;

(R)-1-(3-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1-methyl-1H-indol-6-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(3-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1-cyclobutyl-1H-indol-6-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(S)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(S)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(3-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1-cyclobutyl-7-fluoro-1H-indol-6-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-6-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-

yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(S)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-6-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2S,6R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-isopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(3-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-

methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1-cyclobutyl-1H-indol-6-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-fluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-fluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-fluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-fluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

rac-1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

rac-1-(1-(1-((1-(4-((3R,5S)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4S*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3,4-dimethyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1S,4s)-4-((4-(4-((R)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-methoxypiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((R)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-methylpiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)-3,5-dimethylpiperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

rac-1-(1-(1-((1-(4-((R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)-3,5-dimethylpiperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3,5-difluorobenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methylpiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,3s,5S)-8-((1-(4-((R)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)-8-azabicyclo[3.2.1]octan-3-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,3s,5S)-8-((1-(4-((R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)-8-azabicyclo[3.2.1]octan-3-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5S*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methylpiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-((1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)piperidin-4-yl)methyl)azetidin-3-yl)methyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(-1-(1-(4-((R)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)piperidin-4-yl)ethyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4,6-difluoro-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-6-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-3-fluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(3-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1-cyclobutyl-1H-indol-6-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-3-methylpiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((R*)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((3R,4R)-1-(4-((R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-3-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(3-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1,2-dimethyl-1H-indol-7-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5,5-difluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-2-chlorobenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4S*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methylpiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)yridazine-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4S*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methylpiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methylpiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methylpiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-ethylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-ethylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-ethylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4S*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4S*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4S*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4R*)-1-(3-amino-6-(2-hydroxyphenyl)yridazine-4-yl)-4-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)yridazine-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2S,6R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2S,6R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2S,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((R*)-1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((R*)-1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione ;

1-(1-(1-(((R*)-1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4S*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((R*)-1-(4-((R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((S*)-1-(4-((R*)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(-1-((1-(4-((R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)piperidin-4-yl)methyl)-3-fluoropiperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((R*)-1-(4-((R*)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((R*)-1-(4-((R*)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((R*)-1-(4-((S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((R*)-1-(4-((R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((3S,4S*,5R)-1-((1-(4-((R*)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)-3,5-dimethylpiperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1S,4s)-4-((4-(4-((R*)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-methoxypiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

rel-(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)-3,3-difluoropiperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-ethylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)-3,3-difluoropiperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-fluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-fluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((R*)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)-3,3-difluoropiperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

rel-1-(1-((1R,4r)-4-((4-(4-((R)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzyl)piperazin-1-yl)methyl)cyclohexyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((S*)-1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)-3,3-difluoropiperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2,5-dimethylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((S*)-1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)-3,3-difluoropiperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((S*)-1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-ethylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)-3,3-difluoropiperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((R)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione; and

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

or pharmaceutically acceptable salts thereof.

11. The compound according to claim 1 selected from any one or more of the compounds:

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-2-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-2-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

rac-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-2-chlorobenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-

methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(S)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2S,6R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-fluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-fluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-fluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-fluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

rac-1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

rac-1-(1-(1-((1-(4-((3R,5S)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4S*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3,4-dimethyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-6-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((R*)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((3R,4R)-1-(4-((R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-3-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5,5-difluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-2-chlorobenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4S*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methylpiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)yridazine-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4S*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methylpiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-ethylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-ethylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4S*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4R*)-1-(3-amino-6-(2-hydroxyphenyl)yridazine-4-yl)-4-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)yridazine-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((R*)-1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((R*)-1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione ;

1-(1-(1-(((R*)-1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4S*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((R*)-1-(4-((R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((S*)-1-(4-((R*)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(-1-((1-(4-((R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)piperidin-4-yl)methyl)-3-fluoropiperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((R*)-1-(4-((R*)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((R*)-1-(4-((R*)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((R*)-1-(4-((S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((R*)-1-(4-((R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-3,3-difluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((3S,4S*,5R)-1-((1-(4-((R*)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)-3,5-dimethylpiperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1S,4s)-4-((4-(4-((R*)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-methoxypiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)-3,3-difluoropiperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-ethylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)-3,3-difluoropiperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-fluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-fluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((S*)-1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)-3,3-difluoropiperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2,5-dimethylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((S*)-1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)-3,3-difluoropiperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((S*)-1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-ethylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)-3,3-difluoropiperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((R)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-ethylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-(trifluoromethyl)-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4,6-difluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-2,5-dimethylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-

methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-6-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-3-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-6-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methoxy-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-cyclopropylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-chlorobenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-cyclopropylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-2-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-5-(4-((4-(3-cyclopropyl-5-(2,4-dioxotetrahydropyrimidin-1(2H)-yl)-1H-pyrrolo[2,3-b]pyridin-1-yl)piperidin-1-yl)methyl)-4-fluoropiperidine-1-carbonyl)benzonitrile;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-2-(trifluoromethyl)benzoyl)-4-fluoropiperidin-4-yl)meth*yl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-

methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methoxy-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-(trifluoromethyl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-fluorobenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methoxybenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methoxy-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-6-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-6-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-isopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1S,4s)-4-((4-(4-((R)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-

yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-methoxypiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((R)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-methylpiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)-3,5-dimethylpiperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

rac-1-(1-(1-((1-(4-((R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)-3,5-dimethylpiperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methylpiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5S*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methylpiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methylpiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methylpiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-ethylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-

dione;

1-(1-(1-((1-(4-((2R,6R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4S*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4,4-difluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,4S*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-4-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2S,6R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2S,6R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-

2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6R)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2S,6S)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

rel-(R)-1-(1-(1-((1-(4-(4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione; and

1-(1-(1-((1-(4-((R*)-4-(3-amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)-3,3-difluoropiperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

or pharmaceutically acceptable salts thereof.

12. The compound according to claim 1 selected from any one or more of the compounds:

1-(1-((S)-1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)pyrrolidin-3-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((3S*,4R*)-1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)-3-fluoropiperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((S)-1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-3-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(7-((1-(4-(4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)phenyl)piperidin-4-yl)methyl)-7-azaspiro[3.5]nonan-2-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-2-fluoro-5-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((S)-1-((1-(4-((R*)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)pyrrolidin-3-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((S*)-1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)azepan-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-2-chlorobenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(7-((1-(4-(4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)phenyl)piperidin-4-yl)methyl)-7-azaspiro[3.5]nonan-2-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((1R,5S,8S)-3-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-3-azabicyclo[3.2.1]octan-8-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-(((1R,5S,8S)-3-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)-3-azabicyclo[3.2.1]octan-8-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(S*)-1-(1-(1-((1-(4-(1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-3-fluoropiperidin-3-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-2-fluorobenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-((1-(4-(1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-fluorobenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-2-fluorobenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-5-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1S,4s)-4-((4-(4-((R*)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione

1-(1-((1R,4r)-4-((4-(4-((R*)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((R*)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2-methylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((2R*,5R*,6S*)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5,6-dimethylmorpholin-2-yl)benzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1S,4s)-4-((4-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1S,4s)-4-((4-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-2-methylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1S,4s)-4-((4-(4-((R*)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2,5-dimethylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1S,4s)-4-((4-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-ethylmorpholin-2-yl)benzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

rac-1-(1-((1R,4r)-4-((4-(4-((2R,5R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5,6-dimethylmorpholin-2-yl)benzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((R*)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2,5-dimethylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-2-methylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-ethylmorpholin-2-yl)benzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-2-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2,5-dimethylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((2R,5R)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methylmorpholin-2-yl)benzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-2,5-dimethylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R*,5R*,6S*)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5,6-dimethylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

rac-1-(1-(1-((1-(4-((2R,5R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5,6-dimethylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,5R)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-2-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((R*)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2-methylbenzoyl)piperidin-4-yl)methyl)-3,3-difluoropiperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((S*)-1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)-3,3-difluoropiperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((R*)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2,5-dimethylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-ethylmorpholin-2-yl)benzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-ethylmorpholin-2-yl)benzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,5R)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,4aR,7aR)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)hexahydro-2H-furo[3,4-b][1,4]oxazin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-2,5-dimethylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-2,6-dimethylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2,5-dimethylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-2-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-ethylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((2R,4aR,7aR)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)hexahydro-2H-furo[3,4-b][1,4]oxazin-2-yl)benzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2,5-dimethylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-2-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,4aR,7aR)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)hexahydro-2H-furo[3,4-b][1,4]oxazin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-2,6-dimethylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-2,5-dimethylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,4aR,7aR)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)hexahydro-2H-furo[3,4-b][1,4]oxazin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-2,6-dimethylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-2,5-dimethylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(3-(1-((1-(4-(4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2,5-dimethylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1-cyclobutyl-7-fluoro-1H-indol-6-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,5R)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-2,5-dimethylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-ethyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-fluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-fluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-fluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-fluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-fluoropiperidin-3-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-4-fluoro-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((3R*,5R*)-1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-5-methoxypiperidin-3-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)-3,3-difluoropiperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)phenyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)phenyl)piperidin-4-yl)methyl)piperidin-4-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((R)-1-((1-(4-((R*)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-3-methylbenzoyl)piperidin-4-yl)methyl)pyrrolidin-3-yl)-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1R,4r)-4-((4-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)piperazin-1-yl)methyl)cyclohexyl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2,5-dimethylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2,5-dimethylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(1-((1-(4-(4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)-2,3-dimethylbenzoyl)piperidin-4-yl)methyl)piperidin-4-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(7-((1-(4-(4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)phenyl)piperidin-4-yl)methyl)-7-azaspiro[3.5]nonan-2-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((S*)-1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)azepan-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R*,6R*)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-(fluoromethyl)morpholin-2-yl)benzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-3-methyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((1S,4s)-4-((4-(4-((R*)-1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzyl)piperazin-1-yl)methyl)cyclohexyl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(7-((1-(4-(4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)morpholin-2-yl)phenyl)piperidin-4-yl)methyl)-7-azaspiro[3.5]nonan-2-yl)-2-methyl-1H-indol-4-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R)-1-(1-(1-(1-(4-(1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)benzyl)-4-fluoropiperidine-4-carbonyl)piperidin-4-yl)-3-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-((S*)-1'-(4-((R)-1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)-3-methylbenzoyl)-[1,3'-bipiperidin]-4-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(7-((1-(4-(1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)phenyl)piperidin-4-yl)methyl)-7-azaspiro[3.5]nonan-2-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

(R*)-1-(1-(7-((1-(4-(1-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)piperidin-3-yl)phenyl)piperidin-4-yl)methyl)-7-azaspiro[3.5]nonan-2-yl)-3-cyclopropyl-1H-pyrrolo[2,3-b]pyridin-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

1-(1-(1-((1-(4-((2R,6S)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione; and

1-(1-(1-((1-(4-((2S,6R)-4-(3-Amino-6-(2-hydroxyphenyl)pyridazin-4-yl)-6-methylmorpholin-2-yl)-3-methylbenzoyl)-4-fluoropiperidin-4-yl)methyl)piperidin-4-yl)-6-methyl-1H-indol-5-yl)dihydropyrimidine-2,4(1H,3H)-dione;

or pharmaceutically acceptable salts thereof.

13. A pharmaceutical composition comprising the compound, or pharmaceutically acceptable salt thereof, according to any one of claims 1-12, and a pharmaceutically acceptable excipient.

14. A compound, or pharmaceutically acceptable salt thereof, according to any one of claims 1-12, or the composition of claim 13 for use in treating cancer in a human.

15. The compound for use of claim 14, wherein the cancer is a solid tumor.

16. The compound for use of claim 14, wherein the cancer is lung, liver, colon, skin, bladder, cervical or ovarian cancer.