
WHAT IS CLAIMED:















1. A compound of Formula (I), or a form thereof:



(I)

wherein:

A is selected from the group consisting of:

,
,
,
,
,
,
,
,
,
,
,
,
,
,

and any stereoisomer thereof;

R_1 is selected from the group consisting of hydrogen, C_{1-4}alkyl, and C_{3-6}cycloalkyl;

R_2 is independently selected from the group consisting of halogen, C_{1-4}alkyl, deutero-C_{1-4}alkyl, halo-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, C_{1-4}alkoxy-C_{1-4}alkyl, C_{2-4}alkenyl, C_{3-6}cycloalkyl, phenyl, pyridinyl, and hetercyclyl, wherein heterocyclyl is a 3- to 6-membered carbon atom ring structure radical containing 1 or 2 heteroatom ring members selected from N, O, and S, and

wherein each instance of C_{1-4}alkyl, C_{3-6}cycloalkyl, phenyl, pyridnyl, and heterocyclyl is optionally substituted with one or two R_3 substituents;

R_3 is independently selected from the group consisting of halogen, hydroxyl, C_{1-4}alkyl, C_{1-4}alkoxy, and C_{3-6}cycloalkyl;

B is selected from the group consisting of:

phenyl optionally substituted with one or two independently selected R_4 substituents;

heteroaryl, wherein heteroaryl is a 5- or 6- membered monocyclic aromatic carbon atom ring structure radical containing 1, 2, or 3 heteroatoms selected from N, O, and S, optionally substituted with one R_4 substituent, or wherein heteroaryl is a 9- or 10- membered bicyclic aromatic carbon atom ring structure radical having 1, 2, 3, or 4 heteroatom ring members independently selected from N, O, or S, optionally substituted with one or two independently selected R_4 substituents; and

heterocyclyl, wherein heterocyclyl is a 8- to 10- membered bicyclic aromatic carbon atom ring structure radical containing 1, 2, 3, or 4 heteroatom ring members independently selected from N, O, or S, optionally substituted with one or two independently selected R_4 substituents;

R_4 is selected from the group consisting of halogen, cyano, C_{1-4}alkyl, deutero-C_{1-4}alkyl, halo-C_{1-4}alkyl, C_{1-4}alkoxy, deutero-C_{1-4}alkoxy, amino, C_{1-4}alkyl-amino, $(C_{1-4}alkyl)_2$-amino, C_{3-6}cycloalkyl, and heterocyclyl, wherein heterocyclyl is a 3- to 6- membered monocyclic carbon atom ring structure radical containing 1 or 2 heteroatom ring members independently selected from N, O, or S;

X is selected from the group consisting of CH, CF, and N;

R_w is selected from the group consisting of halogen, hydroxyl, cyano, C_{1-4}alkyl, deutero-C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, $(C_{1-4}alkyl)_2$-amino, C_{1-4}alkoxy, and halo-C_{1-4}alkoxy; and

n is selected from the group consisting of 0 or 1;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, and tautomer form thereof.

2. The compound of claim 1, wherein B is a 5- or 6- membered monocyclic aromatic carbon atom ring structure radical containing 1, 2, or 3 heteroatoms selected from N, O, and S.

3. The compound of claim 1, wherein B is a 9- or 10- membered bicyclic aromatic ring system having 1, 2, 3, or 4 heteroatom ring members independently selected from N, O, or S.

4. The compound of claim 1, wherein B is heterocyclyl, wherein heterocyclyl is a 8- to 10-membered bicyclic aromatic carbon atom ring structure radical containing 1, 2, 3, or 4 heteroatom ring members independently selected from N, O, or S.

5. The compound of claim 1, wherein B is selected from the group consisting of:

phenyl optionally substituted with one or two independently selected R_4 substituents;

heteroaryl,

wherein heteroaryl is a 5- or 6- membered monocyclic aromatic carbon atom ring structure radical containing at least one N atom, or

wherein heteroaryl is a 9- membered bicyclic carbon atom ring structure radical containing at least 2 N atoms; and

heterocyclyl,

wherein heterocyclyl is a 8- or 9- membered bicyclic carbon atom ring structure radical containing at least one N atom.

6. The compound of claim 1, wherein B is selected from the group consisting of:

phenyl optionally substituted with one R_4 substituent;

heteroaryl,

wherein heteroaryl is a 5- or 6- membered monocyclic aromatic carbon atom ring

structure radical containing 1, 2, or 3 N atoms, and optionally, when the ring structure contains 1 or 2 N, a second heteroatom selected from O, and S, optionally substituted with one R_4 substituent, or

wherein heteroaryl is a 9- membered bicyclic carbon atom ring structure radical containing 2, 3 or 4 N atoms, optionally, when the ring structure contains 2 or 3 N, containing a second heteroatom ring member selected from O or S, and optionally substituted with one or two independently selected R_4 substituents; and

heterocyclyl,

wherein heterocyclyl is a 8- or 9- membered bicyclic carbon atom ring structure radical containing 2, 3 or 4 N, and optionally, when the ring structure contains 2 or 3 N, containing a second heteroatom ring member selected from O or S, optionally substituted with one or two independently selected R_4 substituents

7. The compound of claim 1, wherein B is heteroaryl or heterocycl,

wherein heteroaryl is a 5- or 6- membered monocyclic aromatic carbon atom ring structure radical containing 1, 2, or 3 N atoms, optionally substituted with one R_4 substituent, or

wherein heteroaryl is a 9- membered bicyclic carbon atom ring structure radical containing 2, 3 or 4 N atoms, and optionally substituted with one or two independently selected R_4 substituents; and


wherein heterocyclyl is a 8- or 9- membered bicyclic carbon atom ring structure radical containing 2, 3 or 4 N, and optionally substituted with one or two independently selected R_4 substituents.

8. The compound of claim 1, wherein B is heteroaryl,


wherein heteroaryl is a 5- or 6- membered monocyclic aromatic carbon atom ring structure radical containing 1, 2, or 3 N atoms, and optionally substituted with one R_4 substituent, or

wherein heteroaryl is a 9- membered bicyclic carbon atom ring structure radical containing 2, 3 or 4 N atoms, and optionally substituted with one or two independently selected R_4 substituents.


9. The compound of any of the preceding claims, wherein **A** may be selected from the group consisting of:




A1




A2




A3




A4




A5




A6




A8




A9




A10




A11




A12




A13




A14




A15.




A16




A17




A18




A20



A21




A23, and




A24.


~~10. The compound of any of the preceding claims, wherein **A** may be selected from the group consisting of:~~




~~A1~~




~~A2~~




~~A3~~




~~A4~~




~~A5 and~~



~~A6.~~



~~11. The compound of any of the preceding claims, wherein **A** may be , or any stereoisomer thereof.~~



~~12. The compound of any of claims 1-11, wherein **A** may be , or any stereoisomer thereof.~~

~~13. The compound of any of the preceding claims, wherein R_1 is hydrogen or C_{1-4}alkyl.~~

~~14. The compound of any of the preceding claims, wherein R_1 is hydrogen.~~

~~15~~10. The compound of any of the preceding claims, wherein X is CH.

~~16~~11. The compound of any one of claims 1-~~14~~9, wherein X is N.

~~17. The compound of any one of claims 1-14, wherein X is CF.~~

~~18. The compound of any of the preceding claims, wherein n is 0.~~

~~19~~12. The compound of any of the preceding claims, wherein R_2 is C_{1-4}alkyl, halo-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, cyclopropyl, cyclobutyl, phenyl, or oxetanyl, each optionally substituted with one or two R_3 substituents.

~~20. The compound of any of the preceding claims, wherein R_2 is unsubstituted C_{1-4}alkyl, unsubstituted halo-C_{1-4}alkyl, unsubstituted hydroxyl-C_{1-4}alkyl, unsubstituted cyclopropyl, unsubstituted cyclobutyl, unsubstituted phenyl, or unsubstituted oxetanyl.~~

~~21. The compound of any of the preceding claims, wherein B is substituted.~~

~~22~~13. The compound of any of the preceding claims, wherein R_4 is halogen, cyano, C_{1-4}alkyl, deutero-C_{1-4}alkyl, halo-C_{1-4}alkyl, C_{1-4}alkoxy, deutero-C_{1-4}alkoxy, C_{1-4}alkyl-amino, C_{3-6}cycloalkyl, and heterocylyl.

~~23. The compound of any of the preceding claims, wherein R_4 is halogen, cyano, methyl, ethyl, ($^2H_3$)methyl, ($^2H_3$)ethyl, difluoromethyl, trifluoromethyl, methoxy, ethoxy, ($^2H_3$)methoxy, methylamino, ethylamino, cyclopropyl, and azetidinyl.~~

~~24. The compound of any of the preceding claims, wherein R_4 is chloro, fluoro, cyano, methyl, ethyl, ($^2H_3$)methyl, difluoromethyl, trifluoromethyl, methoxy, ethoxy, ($^2H_3$)methoxy, methylamino, and cyclopropyl.~~

~~25. The compound of any of claims 1-20, wherein B is unsubstituted.~~

~~26~~14. The compound of claim 1, wherein:

n is 0;

X is C;


R_2 is C_{1-4}alkyl, halo-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, cyclopropyl, cyclobutyl, phenyl, or oxetanyl, each optionally substituted with one or two R_3 substituents;

R_4 is selected from the group consisting of halogen, cyano, C_{1-4}alkyl, deutero-C_{1-4}alkyl, halo-C_{1-4}alkyl, C_{1-4}alkoxy, deutero-C_{1-4}alkoxy, C_{1-4}alkyl-amino, C_{3-6}cycloalkyl,


and heterocyclyl;

R_1 is hydrogen or C_{1-4}alkyl;


A is selected from the group consisting of:




A1




A2




A3




A4




A5




A6




A8




A9




A10




A11




A12




A13




A14




A15.




A16




A17




A18




A20



A21



A23, and



A24; and

B is selected from the group consisting of:

phenyl unsubstituted or substituted with one R_4 substituent;

heteroaryl,

wherein heteroaryl is a 5- or 6- membered monocyclic aromatic carbon atom ring structure radical containing 1, 2, or 3 N atoms, and optionally, when the ring structure contains 1 or 2 N, a second heteroatom selected from O, and S, optionally substituted with one R_4 substituent, or

wherein heteroaryl is a 9- membered bicyclic carbon atom ring structure radical containing 2, 3 or 4 N atoms, optionally, when the ring structure contains 2 or 3 N, containing a second heteroatom ring member selected from O or S, and optionally substituted with one or two independently selected R_4 substituents; and

heterocyclyl,

wherein heterocyclyl is a 8- or 9- membered bicyclic carbon atom ring structure radical containing 2, 3 or 4 N, and optionally, when the ring structure contains 2 or 3 N, containing a second heteroatom ring member selected from O or S, optionally substituted with one or two independently selected R_4 substituents

~~27~~15. A compound or a form thereof selected from the group consisting of:

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-fluoro-1H-pyrazol-4-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-{6-[($^2H_3$)methyloxy]pyrimidin-4-yl}phenol;

5-(3-fluoro-1H-pyrazol-4-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(3-fluoro-1H-pyrazol-4-yl)-2-{3-[3-(2-hydroxypropan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-[3-(3-cyclopropylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol;

2-{3-[3-(1-hydroxycyclopropyl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3R)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-fluoro-1H-pyrazol-4-yl)phenol;

2-{3-[3-(2-hydroxypropan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-{6-[($^2H_3$)methyloxy]pyrimidin-4-yl}phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-[1-($^2H_3$)methyl-1H-pyrazol-4-yl]phenol;

5-{6-[($^2H_3$)methyloxy]pyrimidin-4-yl}-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1-methyl-1H-pyrazol-4-yl)phenol;

2-{3-[3-(2-hydroxypropan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[3-(2-hydroxypropan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)phenol;

5-(3-fluoro-1H-pyrazol-4-yl)-2-{3-[3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-{6-[($^2H_3$)methyloxy]pyrimidin-4-yl}phenol;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)phenol;

2-{3-[3-(2-hydroxypropan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-[1-($^2H_3$)methyl-1H-pyrazol-4-yl]phenol;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1-methyl-1H-pyrazol-4-yl)phenol;

2-{3-[3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3S)-3-ethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-[3-(3-ethylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol;

5-(3-fluoro-1H-pyrazol-4-yl)-2-{3-[(3R)-3-(2-hydroxypropan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[3-(2-hydroxypropan-2-yl)-4-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-{6-[($^{2}H_{3}$)methyloxy]pyrimidin-4-yl}phenol;

2-[3-(3-cyclopropyl-4-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol;

3-fluoro-5-(6-methoxypyrimidin-4-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[3-(1-methoxycyclopropyl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-[3-(3-cyclobutylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol;

2-[3-(3-propylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol;

2-[3-(3-cyclopropylpiperazin-1-yl)-1,2,4-triazin-6-yl]-3-fluoro-5-(5-fluoro-1H-pyrazol-4-yl)phenol;

2-{3-[3-(butan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[4-methyl-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

5-(1-methyl-1H-pyrazol-4-yl)-2-{3-[3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[3-(2,2-difluorocyclopropyl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3S)-3-propylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-[3-(3-ethenylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol;

2-[3-(3-ethylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-[1-($^{2}H_{3}$)methyl-1H-pyrazol-4-yl]phenol;

2-{3-[(3R)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

5-[1-($^{2}H_{3}$)methyl-1H-pyrazol-4-yl]-2-{3-[3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-[3-(3-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol;

2-[3-(6,9-diazaspiro[4.5]decan-9-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol;

5-(2-methylpyridin-4-yl)-2-{3-[3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S)-3-(hydroxymethyl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)phenol;

2-{3-[3-(2-methylpropyl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

5-[1-($^{2}H_{3}$)methyl-1H-pyrazol-4-yl]-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3R)-3-ethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-[1-($^{2}H_3$)methyl-1H-pyrazol-4-yl]phenol;

2-[3-(5,8-diazaspiro[3.5]nonan-8-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol;

5-[1-($^{2}H_3$)methyl-1H-pyrazol-4-yl]-2-{3-[(3R,5S)-3,4,5-trimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(2H-1,2,3-triazol-2-yl)-2-{3-[(3R,5S)-3,4,5-trimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3R)-3-(methoxymethyl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)phenol;

2-[3-(4,7-diazaspiro[2.5]octan-7-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol;

2-[3-(3,3-dimethylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol;

2-[3-(4,7-diazaspiro[2.5]octan-7-yl)-1,2,4-triazin-6-yl]-5-(3-fluoro-1H-pyrazol-4-yl)phenol;

2-[3-(8-methyl-3,8-diazabicyclo[3.2.1]octan-3-yl)-1,2,4-triazin-6-yl]-5-[1-($^{2}H_3$)methyl-1H-pyrazol-4-yl]phenol;

(7R,8aS)-2-{6-[2-hydroxy-4-(1H-pyrazol-4-yl)phenyl]-1,2,4-triazin-3-yl}octahydropyrrolo[1,2-a]pyrazin-7-ol;

2-{3-[4-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-[3-(3-phenylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol;

5-(1H-pyrazol-4-yl)-2-{3-[3-(pyridin-4-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-[3-(4-cyclopropylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol;

2-[3-(hexahydropyrazino[2,1-c][1,4]oxazin-8(1H)-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol;

5-(7-fluoro-2-methyl-2H-indazol-5-yl)-2-{3-[3-(hydroxymethyl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(8-fluoro-2-methylimidazo[1,2-a]pyridin-6-yl)phenol;

5-(7-fluoro-2-methyl-2H-indazol-5-yl)-2-[3-(3-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]phenol;

2-[3-(3-ethylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(8-fluoro-2-methylimidazo[1,2-a]pyridin-6-yl)phenol;

5-(2,8-dimethylimidazo[1,2-b]pyridazin-6-yl)-2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(8-methoxy-2-methyl[1,2,4]triazolo[1,5-b]pyridazin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(7-fluoro-2-methyl-2H-indazol-5-yl)-2-{3-[3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-indazol-5-yl)phenol;

5-(8-fluoro-2-methylimidazo[1,2-a]pyridin-6-yl)-2-[3-(4-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]phenol;

2-[3-(3-ethylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(7-fluoro-2-methyl-2H-indazol-5-yl)phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methylimidazo[1,2-b]pyridazin-6-yl)phenol;

2-{3-[(3R,5R)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(7-fluoro-2-methyl-2H-indazol-5-yl)phenol;

2-[3-(4-ethylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(8-fluoro-2-methylimidazo[1,2-a]pyridin-6-yl)phenol;

5-(2,8-dimethyl[1,2,4]triazolo[1,5-a]pyrazin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(7-fluoro-2-methyl-2H-indazol-5-yl)phenol;

5-(4-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-3-hydroxyphenyl)-2-methyl-2H-indazole-7-carbonitrile;

5-(7-fluoro-2-methyl-2H-indazol-5-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(2-methylimidazo[1,2-b]pyridazin-6-yl)-2-[3-(4-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2,8-dimethyl[1,2,4]triazolo[1,5-b]pyridazin-6-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(6,8-dimethyl-7H-purin-2-yl)phenol;

5-(2-methyl[1,2,4]triazolo[1,5-a]pyridin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methylimidazo[1,2-a]pyrazin-6-yl)phenol;

6-(4-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-3-hydroxyphenyl)-2-methylimidazo[1,2-a]pyridine-8-carbonitrile;

5-(2-methyl-2H-indazol-5-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3R)-4-ethyl-3-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(8-fluoro-2-methylimidazo[1,2-a]pyridin-6-yl)phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(8-methoxy-2-methyl[1,2,4]triazolo[1,5-b]pyridazin-6-yl)phenol;

5-(2-methyl[1,2,4]triazolo[1,5-a]pyrazin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(2,8-dimethyl[1,2,4]triazolo[1,5-b]pyridazin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(8-methoxy-2-methyl[1,2,4]triazolo[1,5-a]pyrazin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(8-fluoro-2-methylimidazo[1,2-a]pyridin-6-yl)-2-{3-[(3R,5S)-3,4,5-trimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(7-fluoro-2-methyl-2H-indazol-5-yl)-2-[3-(hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)-1,2,4-triazin-6-yl]phenol;

5-(2,8-dimethylimidazo[1,2-a]pyrazin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-pyrazolo[3,4-b]pyridin-5-yl)phenol;

5-(2,8-dimethylimidazo[1,2-b]pyridazin-6-yl)-2-{3-[(3R)-3-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(7-fluoro-2-methyl-2H-indazol-5-yl)-2-{3-[(8aS)-hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl[1,2,4]triazolo[1,5-b]pyridazin-6-yl)phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2,8-dimethyl[1,2,4]triazolo[1,5-a]pyrazin-6-yl)phenol;

5-(imidazo[1,2-b]pyridazin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(2,8-dimethylimidazo[1,2-a]pyrazin-6-yl)-2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(2,8-dimethylimidazo[1,2-b]pyridazin-6-yl)-2-[3-(4-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]phenol;

5-(7-fluoro-2-methyl-2H-indazol-5-yl)-2-{3-[(8aR)-hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl[1,2,4]triazolo[1,5-a]pyrazin-6-yl)phenol;

2-{3-[(3R)-3,4-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(8-fluoro-2-methylimidazo[1,2-a]pyridin-6-yl)phenol;

6-(3-hydroxy-4-{3-[(3R,5S)-3,4,5-trimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenyl)-2-methylimidazo[1,2-b]pyridazine-8-carbonitrile;

5-(8-cyclopropyl-2-methyl[1,2,4]triazolo[1,5-a]pyrazin-6-yl)-2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-[3-(4-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(2-methyl-2H-pyrazolo[3,4-b]pyridin-5-yl)phenol;

5-(2,8-dimethylimidazo[1,2-b]pyridazin-6-yl)-2-{3-[(3R,5S)-3,4,5-trimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl[1,2,4]triazolo[1,5-a]pyrimidin-6-yl)phenol;

5-(imidazo[1,2-a]pyrazin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(imidazo[1,2-a]pyridin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-([1,2,4]triazolo[4,3-a]pyridin-6-yl)phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(4,6-dimethyl[1,3]thiazolo[5,4-c]pyridin-2-yl)phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(5,7-dimethyl[1,2,4]triazolo[1,5-a]pyrimidin-2-yl)phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-[2-(trifluoromethyl)imidazo[1,2-b]pyridazin-6-yl]phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(6-methyl[1,3]thiazolo[4,5-b]pyrazin-2-yl)phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(5-methylfuro[3,2-b]pyridin-2-yl)phenol;

5-(7-methoxy-2-methyl-2H-indazol-5-yl)-2-[3-(4-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]pyridin-3-ol;

5-(8-fluoro-2-methylimidazo[1,2-a]pyridin-6-yl)-2-[3-(4-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]pyridin-3-ol;

2-{3-[(3S)-3-ethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-fluoro-1H-pyrazol-4-yl)phenol;

2-[3-(4-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)pyridin-3-ol;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-fluoro-1H-pyrazol-4-yl)phenol;

5-(2,8-dimethylimidazo[1,2-a]pyridin-6-yl)-2-[3-(4-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]pyridin-3-ol;

3-methyl-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-([1,2,4]triazolo[1,5-a]pyrazin-6-yl)phenol;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-([1,2,4]triazolo[1,5-a]pyrazin-6-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-([1,2,4]triazolo[1,5-a]pyrazin-6-yl)phenol;

5-(2,8-dimethylimidazo[1,2-a]pyridin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S)-3-ethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)phenol;

2-{3-[(3S)-3-ethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-{6-[($^{2}H_3$)methyloxy]pyrimidin-4-yl}phenol;

2-{3-[3-(1-methylcyclopropyl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-[3-(3,8-diazabicyclo[3.2.1]octan-3-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3R)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

5-(8-ethyl-2-methylimidazo[1,2-a]pyridin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-[2-methyl-8-(trifluoromethyl)imidazo[1,2-a]pyridin-6-yl]-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(2,7-dimethyl-2H-indazol-5-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(2-methylimidazo[1,2-a]pyrazin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(1H-imidazol-1-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(6-methylpyrazin-2-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(pyrazin-2-yl)phenol;

5-(5-methylpyrazin-2-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(1H-pyrazol-4-yl)-2-{3-[3-(2,2,2-trifluoroethyl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(2-methyl[1,2,4]triazolo[1,5-a]pyridin-7-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[rac-(3S,5R)-3-ethyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

5-(6-methylpyrimidin-4-yl)-2-{3-[(3RS)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(6-ethylpyrimidin-4-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(pyrimidin-2-yl)phenol;

4-fluoro-5-[1-($^{2}H_3$)methyl-1H-pyrazol-4-yl]-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(8aS)-hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)phenol;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)phenol;

5-(5-methyl-1H-pyrazolo[4,3-b]pyridin-1-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-4-fluoro-5-[1-($^{2}H_{3}$)methyl-1H-pyrazol-4-yl]phenol;

5-(7-fluoro-2-methyl-2H-indazol-5-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}pyridin-3-ol;

4-fluoro-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

5-(5-methyl-1H-pyrrolo[3,2-b]pyridin-1-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(6-methylpyridin-3-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(pyridin-4-yl)phenol;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazolo[3,4-d]pyrimidin-1-yl)phenol;

5-(3-chloro-1H-pyrazol-4-yl)-2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-4-fluoro-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3S)-3-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3R)-3-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl[1,2,4]triazolo[1,5-a]pyrazin-6-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-[1,2,3]triazolo[4,5-b]pyridin-6-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1-methyl-1H-[1,2,3]triazolo[4,5-b]pyridin-6-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2,4-thiadiazol-5-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1-methyl-1H-[1,2,3]triazolo[4,5-b]pyridin-5-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-[1,2,3]triazolo[4,5-c]pyridin-6-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-methyl-3H-[1,2,3]triazolo[4,5-b]pyridin-5-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1-methyl-1H-[1,2,3]triazolo[4,5-c]pyridin-6-yl)phenol;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)pyridin-3-ol;

2-{3-[(2S,5S)-2,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(pyridin-4-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-fluoropyridin-4-yl)phenol;

4-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-4'-(methylamino)[1,1'-biphenyl]-3-ol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-[1,2,3]triazolo[4,5-b]pyridin-6-yl)pyridin-3-ol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(7-fluoro-2-methyl-2H-indazol-5-yl)pyridin-3-ol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)pyridin-3-ol;

2-{3-[(3R)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(4-methyl-2H-1,2,3-triazol-2-yl)phenol;

5-(4-methyl-2H-1,2,3-triazol-2-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,3-thiazol-2-yl)phenol;

5-[4-(difluoromethyl)-1,3-thiazol-2-yl]-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[4-methyl-3-(oxetan-3-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

5-(4-chloro-1,3-thiazol-2-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(5-chloro-1,3-thiazol-2-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(2R,5S)-2,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(2S,5R)-2,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-([1,3]thiazolo[5,4-b]pyridin-2-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(pyrimidin-4-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-methyl[1,2,3]triazolo[1,5-a]pyridin-6-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1-methylimidazo[1,5-a]pyridin-6-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-methylimidazo[1,5-a]pyridin-7-yl)phenol;

5-(5-fluoro-1,3-thiazol-2-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-[1,2,3]triazolo[4,5-b]pyridin-6-yl)phenol;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-[1,2,3]triazolo[4,5-c]pyridin-6-yl)phenol;

5-(5-cyclopropyl-1,3,4-oxadiazol-2-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(4-methoxy-1,3-thiazol-2-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[rac-(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-[1,2,3]triazolo[4,5-b]pyridin-5-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-[1,2,3]triazolo[4,5-b]pyridin-5-yl)phenol;

2-[3-(octahydro-2H-pyrido[1,2-a]pyrazin-2-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol;

5-(5-methoxy-1,3,4-thiadiazol-2-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-[5-(difluoromethyl)-1,3,4-thiadiazol-2-yl]-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[rac-(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-methyl[1,2,3]triazolo[1,5-a]pyridin-6-yl)phenol;

5-(2,6-dimethoxypyrimidin-4-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1-ethyl-1H-pyrazol-4-yl)phenol;

2-{3-[(3RS)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-fluoropyridin-4-yl)phenol;

5-[6-(azetidin-1-yl)pyrimidin-4-yl]-2-{3-[(3RS)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-[1,2,3]triazolo[4,5-b]pyridin-6-yl)phenol;

5-(2-methyl-2H-[1,2,3]triazolo[4,5-b]pyridin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2,4-thiadiazol-3-yl)phenol;

2-{3-[(3S,5R)-3-ethyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-[1,2,3]triazolo[4,5-b]pyridin-6-yl)phenol;

2-{3-[(3R,5S)-3-cyclopropyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(5-fluoro-1H-pyrazol-4-yl)phenol;

2-{3-[(3S,5R)-3-methyl-5-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

5-(5-fluoro-1H-pyrazol-4-yl)-2-{3-[(3S,5R)-3-methyl-5-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3R,5S)-3-ethyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(5-fluoro-1H-pyrazol-4-yl)phenol;

2-{3-[(3S,5R)-3-cyclopropyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2,6-dimethoxypyrimidin-4-yl)phenol;

2-{3-[(3R,5S)-3-cyclopropyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2,6-dimethoxypyrimidin-4-yl)phenol;

2-{3-[(3S,5R)-3-cyclopropyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(5-fluoro-1H-pyrazol-4-yl)phenol;

5-(5-fluoro-1H-pyrazol-4-yl)-2-{3-[(3R,5S)-3-methyl-5-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S,5R)-3-ethyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(5-fluoro-1H-pyrazol-4-yl)phenol;

2-{3-[(3R,5S)-3-cyclopropyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3S,5R)-3-cyclopropyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3R,5S)-3-cyclopropyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(6-methoxypyrimidin-4-yl)phenol;

5-(6-methoxypyrimidin-4-yl)-2-{3-[(3S,5R)-3-methyl-5-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3R,5S)-3-ethyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(6-methoxypyrimidin-4-yl)phenol;

2-{3-[(3R,5S)-3-methyl-5-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

5-(6-methoxypyrimidin-4-yl)-2-{3-[(3R,5S)-3-methyl-5-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S,5R)-3-cyclobutyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(5-methyl-1,3-oxazol-2-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,3-oxazol-2-yl)phenol;

2-{3-[(3S,5R)-3-ethyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(6-methoxypyrimidin-4-yl)phenol;

2-{3-[(3S,5R)-3-cyclopropyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(6-methoxypyrimidin-4-yl)phenol;

2-{3-[(3S,5R)-3-cyclobutyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-fluoro-1H-pyrazol-4-yl)phenol;

2-{3-[(3S,5R)-3-cyclobutyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)phenol;

2-{3-[(3S,5R)-3-cyclobutyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-[1-($^{2}H_{3}$)methyl-1H-pyrazol-4-yl]phenol;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2,4-thiadiazol-3-yl)phenol;

2-{3-[(3S,5R)-3-cyclobutyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1-methyl-1H-pyrazol-3-yl)phenol;

2-{3-[(3S)-3-(1-methylcyclopropyl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-[1,2,3]triazolo[4,5-b]pyridin-6-yl)phenol;

2-{3-[(3R)-3-(1-methylcyclopropyl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-[1,2,3]triazolo[4,5-b]pyridin-6-yl)phenol;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(pyrazolo[1,5-a]pyrimidin-3-yl)phenol;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(pyrazolo[1,5-a]pyridin-3-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(5-methyl-1,2,4-thiadiazol-3-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-1,3-thiazol-4-yl)phenol;

2-{3-[(3S,5R)-3-tert-butyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3S,5R)-3-tert-butyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-fluoro-1H-pyrazol-4-yl)phenol;

2-{3-[(3S,5R)-3-ethenyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2-thiazol-4-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methoxypyridin-4-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2-thiazol-3-yl)phenol;

5-(4-methyl-1,2-thiazol-5-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S,5R)-3-tert-butyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2,4-thiadiazol-3-yl)phenol;

2-{3-[(3S,5R)-3-tert-butyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(6-methoxypyrimidin-4-yl)phenol;

2-{3-[(3S,5R)-3-cyclopropyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methoxypyridin-4-yl)phenol;

5-(2-methoxypyridin-4-yl)-2-{3-[(3R,5S)-3-methyl-5-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2,4-thiadiazol-3-yl)phenol;

5-(1-methyl-1H-1,2,4-triazol-3-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(1-methyl-1H-1,2,3-triazol-4-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(1-methyl-1H-1,2,3-triazol-5-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(2-methyl-2H-1,2,3-triazol-4-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(2,1,3-benzothiadiazol-5-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-([1,2,5]thiadiazolo[3,4-b]pyridin-6-yl)phenol;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2,5-thiadiazol-3-yl)phenol;

2-{3-[(3S,5R)-3-ethyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methoxypyridin-4-yl)phenol;

2-{3-[(3R,5S)-3-ethyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methoxypyridin-4-yl)phenol;

2-{3-[(3S,5R)-3-ethyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2,4-thiadiazol-5-yl)phenol;

2-{3-[(3R,5S)-3-ethyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2,4-thiadiazol-5-yl)phenol;

2-{3-[(3R,5S)-3-methyl-5-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2,4-thiadiazol-5-yl)phenol;

2-{3-[(3S,5R)-3-methyl-5-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2,4-thiadiazol-5-yl)phenol;

2-{3-[(3S,5R)-3-cyclopropyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2,4-thiadiazol-5-yl)phenol;

2-{3-[(3R,5S)-3-cyclopropyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2,4-thiadiazol-5-yl)phenol;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2-thiazol-5-yl)phenol;

5-(2-methoxy-6-methylpyridin-4-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-(3-hydroxy-4-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenyl)-1,3-thiazole-5-carbonitrile;

2-(3-hydroxy-4-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenyl)-1,3-thiazole-4-carbonitrile;

5-(2-methyl-5,6-dihydro[1,2,4]triazolo[1,5-a]pyrazin-7(8H)-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1-methyl-2,3-dihydro-1H-imidazo[1,2-b]pyrazol-7-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(5,6-dihydro-4H-pyrrolo[1,2-b]pyrazol-3-yl)phenol;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenol;

2-{3-[(3R)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenol;

5-(5,6-dihydro-4H-pyrrolo[1,2-b]pyrazol-3-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(6,7-dihydro-5H-pyrrolo[1,2-a]imidazol-3-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(5,6-dihydro-4H-pyrrolo[1,2-b]pyrazol-3-yl)-2-{3-[(3S)-3-(1-methylcyclopropyl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(5,6-dihydro-4H-pyrrolo[1,2-b]pyrazol-3-yl)-2-{3-[(3R)-3-(1-methylcyclopropyl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

5-(6,7-dihydro-5H-pyrazolo[5,1-b][1,3]oxazin-3-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol;

3-fluoro-5-(5-fluoro-1H-pyrazol-4-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol; and

2-[3-(hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol;

wherein the form of the compound is selected from the group consisting of a salt, hydrate, solvate, and tautomer form thereof.

~~28~~16. The compound of claim ~~27~~15, wherein the form of the compound is a salt form or a hydrate, solvate, and tautomer thereof selected from the group consisting of:

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-fluoro-1H-pyrazol-4-yl)phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-{6-[($^{2}H_{3}$)methyloxy]pyrimidin-4-yl}phenol dihydrochloride;

5-(3-fluoro-1H-pyrazol-4-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(3-fluoro-1H-pyrazol-4-yl)-2-{3-[3-(2-hydroxypropan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-[3-(3-cyclopropylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

2-{3-[3-(1-hydroxycyclopropyl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol diformate;

2-{3-[(3R)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-fluoro-1H-pyrazol-4-yl)phenol dihydrochloride;

2-{3-[3-(2-hydroxypropan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-{6-[($^2H_3$)methyloxy]pyrimidin-4-yl}phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-[1-($^2H_3$)methyl-1H-pyrazol-4-yl]phenol dihydrochloride;

5-{6-[($^2H_3$)methyloxy]pyrimidin-4-yl}-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1-methyl-1H-pyrazol-4-yl)phenol dihydrochloride;

2-{3-[3-(2-hydroxypropan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

2-{3-[3-(2-hydroxypropan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)phenol dihydrochloride;

5-(3-fluoro-1H-pyrazol-4-yl)-2-{3-[3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-{6-[($^2H_3$)methyloxy]pyrimidin-4-yl}phenol dihydrochloride;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)phenol dihydrochloride;

2-{3-[3-(2-hydroxypropan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-[1-($^2H_3$)methyl-1H-pyrazol-4-yl]phenol dihydrochloride;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1-methyl-1H-pyrazol-4-yl)phenol dihydrochloride;

2-[3-(3-ethylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

5-(3-fluoro-1H-pyrazol-4-yl)-2-{3-[(3R)-3-(2-hydroxypropan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[3-(2-hydroxypropan-2-yl)-4-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-{6-[($^2H_3$)methyloxy]pyrimidin-4-yl}phenol dihydrochloride;

2-[3-(3-cyclopropyl-4-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

3-fluoro-5-(6-methoxypyrimidin-4-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol formate;

2-{3-[3-(1-methoxycyclopropyl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol diformate;

2-[3-(3-propylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

2-[3-(3-cyclopropylpiperazin-1-yl)-1,2,4-triazin-6-yl]-3-fluoro-5-(5-fluoro-1H-pyrazol-4-yl)phenol formate;

2-{3-[3-(butan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

5-(1-methyl-1H-pyrazol-4-yl)-2-{3-[3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[3-(2,2-difluorocyclopropyl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

2-[3-(3-ethenylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

2-[3-(3-ethylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-[1-($^2H_3$)methyl-1H-pyrazol-4-yl]phenol dihydrochloride;

5-[1-($^2H_3$)methyl-1H-pyrazol-4-yl]-2-{3-[3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-[3-(6,9-diazaspiro[4.5]decan-9-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

5-(2-methylpyridin-4-yl)-2-{3-[3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[(3S)-3-(hydroxymethyl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)phenol dihydrochloride;

5-[1-($^2H_3$)methyl-1H-pyrazol-4-yl]-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-[1-($^2H_3$)methyl-1H-pyrazol-4-yl]phenol dihydrochloride;

2-[3-(5,8-diazaspiro[3.5]nonan-8-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

5-[1-($^2H_3$)methyl-1H-pyrazol-4-yl]-2-{3-[(3R,5S)-3,4,5-trimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(2H-1,2,3-triazol-2-yl)-2-{3-[(3R,5S)-3,4,5-trimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)phenol dihydrochloride;

2-[3-(4,7-diazaspiro[2.5]octan-7-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

2-[3-(3,3-dimethylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

2-[3-(4,7-diazaspiro[2.5]octan-7-yl)-1,2,4-triazin-6-yl]-5-(3-fluoro-1H-pyrazol-4-yl)phenol dihydrochloride;

2-[3-(8-methyl-3,8-diazabicyclo[3.2.1]octan-3-yl)-1,2,4-triazin-6-yl]-5-[1-($^{2}H_{3}$)methyl-1H-pyrazol-4-yl]phenol dihydrochloride;

(7R,8aS)-2-{6-[2-hydroxy-4-(1H-pyrazol-4-yl)phenyl]-1,2,4-triazin-3-yl}octahydropyrrolo[1,2-a]pyrazin-7-ol dihydrochloride;

2-[3-(3-phenylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

5-(1H-pyrazol-4-yl)-2-{3-[3-(pyridin-4-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(7-fluoro-2-methyl-2H-indazol-5-yl)-2-{3-[3-(hydroxymethyl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(8-fluoro-2-methylimidazo[1,2-a]pyridin-6-yl)phenol dihydrochloride;

5-(7-fluoro-2-methyl-2H-indazol-5-yl)-2-[3-(3-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]phenol dihydrochloride;

2-[3-(3-ethylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(8-fluoro-2-methylimidazo[1,2-a]pyridin-6-yl)phenol dihydrochloride;

5-(2,8-dimethylimidazo[1,2-b]pyridazin-6-yl)-2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(8-methoxy-2-methyl[1,2,4]triazolo[1,5-b]pyridazin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(7-fluoro-2-methyl-2H-indazol-5-yl)-2-{3-[3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(8-fluoro-2-methylimidazo[1,2-a]pyridin-6-yl)-2-[3-(4-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]phenol dihydrochloride;

2-[3-(3-ethylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(7-fluoro-2-methyl-2H-indazol-5-yl)phenol dihydrochloride;

2-[3-(4-ethylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(8-fluoro-2-methylimidazo[1,2-a]pyridin-6-yl)phenol dihydrochloride;

5-(2,8-dimethyl[1,2,4]triazolo[1,5-a]pyrazin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(4-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-3-hydroxyphenyl)-2-methyl-2H-indazole-7-carbonitrile dihydrochloride;

5-(7-fluoro-2-methyl-2H-indazol-5-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2,8-dimethyl[1,2,4]triazolo[1,5-b]pyridazin-6-yl)phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(6,8-dimethyl-7H-purin-2-yl)phenol diformate;

5-(2-methyl[1,2,4]triazolo[1,5-a]pyridin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methylimidazo[1,2-a]pyrazin-6-yl)phenol dihydrochloride;

5-(2-methyl-2H-indazol-5-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[(3R)-4-ethyl-3-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(8-fluoro-2-methylimidazo[1,2-a]pyridin-6-yl)phenol dihydrochloride;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(8-methoxy-2-methyl[1,2,4]triazolo[1,5-b]pyridazin-6-yl)phenol dihydrochloride;

5-(2-methyl[1,2,4]triazolo[1,5-a]pyrazin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(2,8-dimethyl[1,2,4]triazolo[1,5-b]pyridazin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(8-methoxy-2-methyl[1,2,4]triazolo[1,5-a]pyrazin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(8-fluoro-2-methylimidazo[1,2-a]pyridin-6-yl)-2-{3-[(3R,5S)-3,4,5-trimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(7-fluoro-2-methyl-2H-indazol-5-yl)-2-[3-(hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl)-1,2,4-triazin-6-yl]phenol dihydrochloride;

5-(2,8-dimethylimidazo[1,2-a]pyrazin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(2,8-dimethylimidazo[1,2-b]pyridazin-6-yl)-2-{3-[(3R)-3-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl[1,2,4]triazolo[1,5-b]pyridazin-6-yl)phenol dihydrochloride;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2,8-dimethyl[1,2,4]triazolo[1,5-a]pyrazin-6-yl)phenol dihydrochloride;

5-(imidazo[1,2-b]pyridazin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(2,8-dimethylimidazo[1,2-a]pyrazin-6-yl)-2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(2,8-dimethylimidazo[1,2-b]pyridazin-6-yl)-2-[3-(4-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]phenol dihydrochloride;

5-(7-fluoro-2-methyl-2H-indazol-5-yl)-2-{3-[(8aR)-hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl[1,2,4]triazolo[1,5-a]pyrazin-6-yl)phenol dihydrochloride;

2-{3-[(3R)-3,4-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(8-fluoro-2-methylimidazo[1,2-a]pyridin-6-yl)phenol dihydrochloride;

6-(3-hydroxy-4-{3-[(3R,5S)-3,4,5-trimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenyl)-2-methylimidazo[1,2-b]pyridazine-8-carbonitrile dihydrochloride;

5-(8-cyclopropyl-2-methyl[1,2,4]triazolo[1,5-a]pyrazin-6-yl)-2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(2,8-dimethylimidazo[1,2-b]pyridazin-6-yl)-2-{3-[(3R,5S)-3,4,5-trimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl[1,2,4]triazolo[1,5-a]pyrimidin-6-yl)phenol dihydrochloride;

5-(imidazo[1,2-a]pyrazin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(imidazo[1,2-a]pyridin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-([1,2,4]triazolo[4,3-a]pyridin-6-yl)phenol dihydrochloride;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(4,6-dimethyl[1,3]thiazolo[5,4-c]pyridin-2-yl)phenol dihydrochloride;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(5,7-dimethyl[1,2,4]triazolo[1,5-a]pyrimidin-2-yl)phenol dihydrochloride;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-[2-(trifluoromethyl)imidazo[1,2-b]pyridazin-6-yl]phenol dihydrochloride;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(6-methyl[1,3]thiazolo[4,5-b]pyrazin-2-yl)phenol dihydrochloride;

2-{3-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(5-methylfuro[3,2-b]pyridin-2-yl)phenol dihydrochloride;

5-(7-methoxy-2-methyl-2H-indazol-5-yl)-2-[3-(4-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]pyridin-3-ol hydrochloride;

5-(8-fluoro-2-methylimidazo[1,2-a]pyridin-6-yl)-2-[3-(4-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]pyridin-3-ol hydrochloride;

2-{3-[(3S)-3-ethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-fluoro-1H-pyrazol-4-yl)phenol dihydrochloride;

2-[3-(4-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)pyridin-3-ol hydrochloride;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-fluoro-1H-pyrazol-4-yl)phenol dihydrochloride;

5-(2,8-dimethylimidazo[1,2-a]pyridin-6-yl)-2-[3-(4-methylpiperazin-1-yl)-1,2,4-triazin-6-yl]pyridin-3-ol hydrochloride;

3-methyl-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol formate;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-([1,2,4]triazolo[1,5-a]pyrazin-6-yl)phenol dihydrochloride;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-([1,2,4]triazolo[1,5-a]pyrazin-6-yl)phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-([1,2,4]triazolo[1,5-a]pyrazin-6-yl)phenol dihydrochloride;

5-(2,8-dimethylimidazo[1,2-a]pyridin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[(3S)-3-ethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)phenol dihydrochloride;

2-{3-[(3S)-3-ethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-{6-[($^{2}H_{3}$)methyloxy]pyrimidin-4-yl}phenol dihydrochloride;

2-{3-[3-(1-methylcyclopropyl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol formate;

2-[3-(3,8-diazabicyclo[3.2.1]octan-3-yl)-1,2,4-triazin-6-yl]-5-(1H-pyrazol-4-yl)phenol diformate;

2-{3-[(3R)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

5-(8-ethyl-2-methylimidazo[1,2-a]pyridin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-[2-methyl-8-(trifluoromethyl)imidazo[1,2-a]pyridin-6-yl]-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(2,7-dimethyl-2H-indazol-5-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(2-methylimidazo[1,2-a]pyrazin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(1H-pyrazol-4-yl)-2-{3-[3-(2,2,2-trifluoroethyl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol diformate;

5-(2-methyl[1,2,4]triazolo[1,5-a]pyridin-7-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[rac-(3S,5R)-3-ethyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

5-(6-methylpyrimidin-4-yl)-2-{3-[(3RS)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

4-fluoro-5-[1-($^{2}H_3$)methyl-1H-pyrazol-4-yl]-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol formate;

2-{3-[(8aS)-hexahydropyrrolo[1,2-a]pyrazin-2(1H)-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)phenol dihydrochloride;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)phenol dihydrochloride;

5-(5-methyl-1H-pyrazolo[4,3-b]pyridin-1-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-4-fluoro-5-[1-($^{2}H_3$)methyl-1H-pyrazol-4-yl]phenol formate;

5-(7-fluoro-2-methyl-2H-indazol-5-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}pyridin-3-ol hydrochloride;

4-fluoro-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol formate;

5-(5-methyl-1H-pyrrolo[3,2-b]pyridin-1-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol formate;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazolo[3,4-d]pyrimidin-1-yl)phenol dihydrochloride;

5-(3-chloro-1H-pyrazol-4-yl)-2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-4-fluoro-5-(1H-pyrazol-4-yl)phenol formate;

2-{3-[(3S)-3-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

2-{3-[(3R)-3-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-[1,2,3]triazolo[4,5-b]pyridin-6-yl)phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1-methyl-1H-[1,2,3]triazolo[4,5-b]pyridin-6-yl)phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1-methyl-1H-[1,2,3]triazolo[4,5-b]pyridin-5-yl)phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-[1,2,3]triazolo[4,5-c]pyridin-6-yl)phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-methyl-3H-[1,2,3]triazolo[4,5-b]pyridin-5-yl)phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1-methyl-1H-[1,2,3]triazolo[4,5-c]pyridin-6-yl)phenol dihydrochloride;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)pyridin-3-ol dihydrochloride;

2-{3-[(2S,5S)-2,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(pyridin-4-yl)phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-fluoropyridin-4-yl)phenol dihydrochloride;

4-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-4'-(methylamino)[1,1'-biphenyl]-3-ol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-[1,2,3]triazolo[4,5-b]pyridin-6-yl)pyridin-3-ol trifluoroacetate;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(7-fluoro-2-methyl-2H-indazol-5-yl)pyridin-3-ol hydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)pyridin-3-ol trifluoroacetate;

2-{3-[(3R)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(4-methyl-2H-1,2,3-triazol-2-yl)phenol dihydrochloride;

5-(4-methyl-2H-1,2,3-triazol-2-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[4-methyl-3-(oxetan-3-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol formate;

2-{3-[(2R,5S)-2,5-dimethylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol or enantiomer trifluoroacetate;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-([1,3]thiazolo[5,4-b]pyridin-2-yl)phenol trifluoroacetate;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-methyl[1,2,3]triazolo[1,5-a]pyridin-6-yl)phenol formate;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1-methylimidazo[1,5-a]pyridin-6-yl)phenol formate;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-methylimidazo[1,5-a]pyridin-7-yl)phenol formate;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-[1,2,3]triazolo[4,5-b]pyridin-5-yl)phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1-ethyl-1H-pyrazol-4-yl)phenol dihydrochloride;

2-{3-[(3S)-3-tert-butylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-[1,2,3]triazolo[4,5-b]pyridin-6-yl)phenol dihydrochloride;

5-(2-methyl-2H-[1,2,3]triazolo[4,5-b]pyridin-6-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2,4-thiadiazol-3-yl)phenol trifluoroacetate;

2-{3-[(3S,5R)-3-cyclobutyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(5-methyl-1,3-oxazol-2-yl)phenol trifluoroacetate;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,3-oxazol-2-yl)phenol trifluoroacetate;

2-{3-[(3S,5R)-3-cyclobutyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-fluoro-1H-pyrazol-4-yl)phenol dihydrochloride;

2-{3-[(3S,5R)-3-cyclobutyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2H-1,2,3-triazol-2-yl)phenol dihydrochloride;

2-{3-[(3S,5R)-3-cyclobutyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-[1-($^{2}H_{3}$)methyl-1H-pyrazol-4-yl]phenol hydrochloride;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2,4-thiadiazol-3-yl)phenol trifluoroacetate;

2-{3-[(3S,5R)-3-cyclobutyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1-methyl-1H-pyrazol-3-yl)phenol hydrochloride;

2-{3-[(3S)-3-(1-methylcyclopropyl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-[1,2,3]triazolo[4,5-b]pyridin-6-yl)phenol hydrochloride;

2-{3-[(3R)-3-(1-methylcyclopropyl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-2H-[1,2,3]triazolo[4,5-b]pyridin-6-yl)phenol hydrochloride;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(pyrazolo[1,5-a]pyrimidin-3-yl)phenol trifluoroacetate;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(5-methyl-1,2,4-thiadiazol-3-yl)phenol trifluoroacetate;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methyl-1,3-thiazol-4-yl)phenol trifluoroacetate;

2-{3-[(3S,5R)-3-tert-butyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

2-{3-[(3S,5R)-3-tert-butyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(3-fluoro-1H-pyrazol-4-yl)phenol dihydrochloride;

2-{3-[(3S,5R)-3-ethenyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1H-pyrazol-4-yl)phenol dihydrochloride;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2-thiazol-4-yl)phenol hydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(2-methoxypyridin-4-yl)phenol trifluoroacetate;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2-thiazol-3-yl)phenol trifluoroacetate;

2-{3-[(3S,5R)-3-tert-butyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2,4-thiadiazol-3-yl)phenol hydrochloride;

2-{3-[(3S,5R)-3-tert-butyl-5-methylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(6-methoxypyrimidin-4-yl)phenol hydrochloride;

5-(1-methyl-1H-1,2,3-triazol-4-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(1-methyl-1H-1,2,3-triazol-5-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(2-methyl-2H-1,2,3-triazol-4-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

5-(2,1,3-benzothiadiazol-5-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol hydrochloride;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-([1,2,5]thiadiazolo[3,4-b]pyridin-6-yl)phenol dihydrochloride;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2,5-thiadiazol-3-yl)phenol trifluoroacetate;

2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1,2-thiazol-5-yl)phenol dihydrochloride;

5-(2-methoxy-6-methylpyridin-4-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol dihydrochloride;

2-(3-hydroxy-4-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenyl)-1,3-thiazole-5-carbonitrile hydrochloride;

2-(3-hydroxy-4-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenyl)-1,3-thiazole-4-carbonitrile hydrochloride;

5-(2-methyl-5,6-dihydro[1,2,4]triazolo[1,5-a]pyrazin-7(8H)-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol formate;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(1-methyl-2,3-dihydro-1H-imidazo[1,2-b]pyrazol-7-yl)phenol dihydrochloride;


2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(5,6-dihydro-4H-pyrrolo[1,2-b]pyrazol-3-yl)phenol dihydrochloride;

2-{3-[(3S)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenol dihydrochloride; or

2-{3-[(3R)-3-cyclopropylpiperazin-1-yl]-1,2,4-triazin-6-yl}-5-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenol or enantiomer dihydrochloride; and

3-fluoro-5-(5-fluoro-1H-pyrazol-4-yl)-2-{3-[(3S)-3-(propan-2-yl)piperazin-1-yl]-1,2,4-triazin-6-yl}phenol formate.


~~29. A compound of Formula (I), or a form thereof:~~



~~(I)~~

~~wherein:~~

~~**A** is selected from the group consisting of:~~



~~and any stereoisomer thereof;~~

R_1 is selected from the group consisting of hydrogen, C_{1-4}alkyl, and C_{3-6}cycloalkyl;

R_2 is independently selected from the group consisting of halogen, C_{1-4}alkyl, deutero-C_{1-4}alkyl, halo-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, C_{1-4}alkoxy-C_{1-4}alkyl, C_{2-4}alkenyl, C_{3-6}cycloalkyl, phenyl, pyridinyl, and heterocyclyl, wherein heterocyclyl is a 3- to 6-membered carbon atom ring structure radical containing 1 or 2 heteroatom ring members selected from N, O, and S, and

wherein each instance of C_{1-4}alkyl, C_{3-6}cycloalkyl, phenyl, pyridnyl, and heterocyclyl is optionally substituted with one or two R_3 substituents;

R_3 is independently selected from the group consisting of halogen, hydroxyl, C_{1-4}alkyl, C_{1-4}alkoxy, and C_{3-6}cycloalkyl;

B is selected from the group consisting of:

phenyl optionally substituted with one or two independently selected R_4 substituents; and

heteroaryl, wherein heteroaryl is a 5- or 6-membered monocyclic aromatic carbon atom ring structure radical containing 1, 2, or 3 heteroatoms selected from N, O, and S, optionally substituted with one R_4 substituent;

R_4 is selected from the group consisting of halogen, cyano, C_{1-4}alkyl, deutero-C_{1-4}alkyl, halo-C_{1-4}alkyl, C_{1-4}alkoxy, deutero-C_{1-4}alkoxy, amino, C_{1-4}alkyl-amino, $(C_{1-4}alkyl)_2$-amino, C_{3-6}cycloalkyl, and heterocyclyl, wherein heterocyclyl is a 3- to 6-membered monocyclic carbon atom ring structure radical containing 1 or 2 heteroatom ring members independently selected from N, O, or S;

X is selected from the group consisting of CH, CF, and N;

R_w is selected from the group consisting of halogen, hydroxyl, cyano, C_{1-4}alkyl, deutero-C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, $(C_{1-4}alkyl)_2$-amino, C_{1-4}alkoxy, and halo-C_{1-4}alkoxy; and

n is selected from the group consisting of 0 or 1;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, and tautomer form thereof.


30. The compound of claim 29, wherein B is a 5- or 6-membered monocyclic aromatic carbon atom ring structure radical containing 1, 2, or 3 heteroatoms selected from N, O, and S.

31. ~~The compound of claim 29, wherein B is selected from the group consisting of: phenyl optionally substituted with one or two independently selected R_4 substituents; and heteroaryl, wherein heteroaryl is a 5- or 6- membered monocyclic aromatic carbon atom ring structure radical containing at least one N atom.~~


30. ~~The compound of claim 29, wherein B is selected from the group consisting of: phenyl optionally substituted with one R_4 substituent; and heteroaryl, wherein heteroaryl is a 5- or 6- membered monocyclic aromatic carbon atom ring structure radical containing 1, 2, or 3 N atoms, and optionally, when the ring structure contains 1 or 2 N, a second heteroatom selected from O, and S, optionally substituted with one R_4 substituent.~~

33. ~~The compound of claim 29, wherein B is heteroaryl, wherein heteroaryl is a 5- or 6-membered monocyclic aromatic carbon atom ring structure radical containing 1, 2, or 3 N atoms, optionally substituted with one R_4 substituent.~~


34. ~~The compound of any one of claims 29-33, wherein **A** may be selected from the group consisting of:~~




~~A1~~




~~A2~~




~~A3~~




~~A4~~




~~A5~~




~~A6~~




~~A8~~




~~A9~~




~~A10~~




~~A11~~




~~A12~~




~~A13~~




~~A14~~




~~A15.~~




~~A16~~




~~A17~~




~~A18~~




~~A20~~



~~A21~~




~~A23, and~~




~~A24.~~


~~35. The compound of any one of claims 29-34, wherein **A** may be selected from the group consisting of:~~




~~A1~~




~~A2~~




~~A3~~




A4




A5 and



A6.

36. The compound of any one of claims 29-35, wherein **A** may be 

, or any stereoisomer thereof.

37. The compound of any one of claims 29-35, wherein **A** may be 

, or any stereoisomer thereof.

38. The compound of any one of claims 29-37, wherein R_1 is hydrogen or C_{1-4}alkyl.

39. The compound of any one of claims 29-38, wherein R_1 is hydrogen.

40. The compound of any one of claims 29-39, wherein X is CH.

41. The compound of any one of claims 29-39, wherein X is N.

42. The compound of any one of claims 29-39, wherein X is CF.

43. The compound of any one of claims 29-42, wherein n is 0.

44. The compound of any one of claims 29-43, wherein R_2 is C_{1-4}alkyl, halo-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, cyclopropyl, cyclobutyl, phenyl, or oxetanyl, each optionally substituted with one or two R_3 substituents.

45. The compound of any one of claims 29-44, wherein R_2 is unsubstituted C_{1-4}alkyl, unsubstituted halo-C_{1-4}alkyl, unsubstituted hydroxyl-C_{1-4}alkyl, unsubstituted cyclopropyl, unsubstituted cyclobutyl, unsubstituted phenyl, or unsubstituted oxetanyl.

46. The compound of any one of claims 29-45, wherein B is substituted.

47. The compound of any one of claims 29-46, wherein R_4 is halogen, cyano, C_{1-4}alkyl,

deutero-C_{1-4}alkyl, halo-C_{1-4}alkyl, C_{1-4}alkoxy, deutero-C_{1-4}alkoxy, C_{1-4}alkyl-amino, C_{3-6}cycloalkyl, and heterocylyl.

48. The compound of any one of claims 29-47, wherein R_4 is halogen, cyano, methyl, ethyl, ($^2H_3$)methyl, ($^2H_3$)ethyl, difluoromethyl, trifluoromethyl, methoxy, ethoxy, ($^2H_3$)methoxy, methylamino, ethylamino, cyclopropyl, and azetidinyl.

49. The compound of any one of claims 29-48, wherein R_4 is chloro, fluoro, cyano, methyl, ethyl, ($^2H_3$)methyl, difluoromethyl, trifluoromethyl, methoxy, ethoxy, ($^2H_3$)methoxy, methylamino, and cyclopropyl.

50. The compound of any one of claims 29-45, wherein B is unsubstituted.

51. The compound of claim 29, wherein:

n is 0;


X is C;

R_2 is C_{1-4}alkyl, halo-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, cyclopropyl, cyclobutyl, phenyl, or oxetanyl, each optionally substituted with one or two R_3 substituents;


R_4 is selected from the group consisting of halogen, cyano, C_{1-4}alkyl, deutero-C_{1-4}alkyl, halo-C_{1-4}alkyl, C_{1-4}alkoxy, deutero-C_{1-4}alkoxy, C_{1-4}alkyl-amino, C_{3-6}cycloalkyl, and heterocylyl;

R_1 is hydrogen or C_{1-4}alkyl;


A is selected from the group consisting of:




A1




A2




A3




A4




A5




A6




~~A8~~




~~A9~~




~~A10~~




~~A11~~




~~A12~~




~~A13~~




~~A14~~




~~A15.~~




~~A16~~




~~A17~~




~~A18~~




~~A20~~



~~A21~~



~~A23, and~~




~~A24; and~~

~~B is selected from the group consisting of:~~

~~phenyl unsubstituted or substituted with one R_4 substituent; and~~

~~heteroaryl, wherein heteroaryl is a 5- or 6- membered monocyclic aromatic carbon atom ring structure radical containing 1, 2, or 3 N atoms, optionally substituted with one R_4 substituent.~~


~~52. A compound of Formula (I), or a form thereof:~~





~~(I)~~


~~wherein:~~


~~**A** is selected from the group consisting of:~~






































~~and any stereoisomer thereof;~~

R_1 is selected from the group consisting of hydrogen, C_{1-4}alkyl, and C_{3-6}cycloalkyl;

R_2 is independently selected from the group consisting of halogen, C_{1-4}alkyl, deutero-C_{1-4}alkyl, halo-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, C_{1-4}alkoxy-C_{1-4}alkyl, C_{2-4}alkenyl, C_{3-6}cycloalkyl, phenyl, pyridinyl, and heterocyclyl, wherein heterocyclyl is a 3- to 6-membered carbon atom ring structure radical containing 1 or 2 heteroatom ring members selected from N, O, and S, and

wherein each instance of C_{1-4}alkyl, C_{3-6}cycloalkyl, phenyl, pyridnyl, and heterocyclyl is optionally substituted with one or two R_3 substituents;

R_3 is independently selected from the group consisting of halogen, hydroxyl, C_{1-4}alkyl, C_{1-4}alkoxy, and C_{3-6}cycloalkyl;

B is selected from the group consisting of:

heteroaryl, wherein heteroaryl is a 9- or 10- membered bicyclic aromatic carbon atom ring structure radical having 1, 2, 3, or 4 heteroatom ring members independently selected from N, O, or S, optionally substituted with one or two independently selected R_4 substituents; and

heterocyclyl, wherein heterocyclyl is a 8- to 10- membered bicyclic aromatic carbon atom ring structure radical containing 1, 2, 3, or 4 heteroatom ring members independently selected from N, O, or S, optionally substituted with one or two independently selected R_4 substituents;

R_4 is selected from the group consisting of halogen, cyano, C_{1-4}alkyl, deutero-C_{1-4}alkyl, halo-C_{1-4}alkyl, C_{1-4}alkoxy, deutero-C_{1-4}alkoxy, amino, C_{1-4}alkyl-amino, $(C_{1-4}alkyl)_2$-amino, C_{3-6}cycloalkyl, and heterocyclyl, wherein heterocyclyl is a 3- to 6- membered monocyclic carbon atom ring structure radical containing 1 or 2 heteroatom ring members independently selected from N, O, or S;

X is selected from the group consisting of CH, CF, and N;

R_w is selected from the group consisting of halogen, hydroxyl, cyano, C_{1-4}alkyl, deutero-C_{1-4}alkyl, halo-C_{1-4}alkyl, amino, C_{1-4}alkyl-amino, $(C_{1-4}alkyl)_2$-amino, C_{1-4}alkoxy, and halo-C_{1-4}alkoxy; and

n is selected from the group consisting of 0 or 1;

wherein a form of the compound is selected from the group consisting of a salt, hydrate, solvate, and tautomer form thereof.

53. The compound of claim 52, wherein B is heteroaryl, wherein heteroaryl is a 9- or 10-membered bicyclic aromatic ring system having 1, 2, 3, or 4 heteroatom ring members independently selected from N, O, or S.

54. The compound of claim 52, wherein B is heterocyclyl, wherein heterocyclyl is a 8- to 10-membered bicyclic aromatic carbon atom ring structure radical containing 1, 2, 3, or 4 heteroatom ring members independently selected from N, O, or S.

55. The compound of claim 52, wherein B is selected from the group consisting of:

heteroaryl, wherein heteroaryl is a 9- membered bicyclic carbon atom ring structure radical containing at least 2 N atoms; and

heterocyclyl, wherein heterocyclyl is a 8- or 9- membered bicyclic carbon atom ring structure radical containing at least one N atom.


56. The compound of claim 52, wherein B is selected from the group consisting of:

heteroaryl, wherein heteroaryl is a 9- membered bicyclic carbon atom ring structure radical containing 2, 3 or 4 N atoms, optionally substituted with one or two independently selected R_4 substituents; and


heterocyclyl, wherein heterocyclyl is a 8- or 9- membered bicyclic carbon atom ring structure radical containing 2, 3 or 4 N, optionally substituted with one or two independently selected R_4 substituents.

57. The compound of claim 52, wherein B is heteroaryl, wherein heteroaryl is a 9- membered bicyclic carbon atom ring structure radical containing 2, 3 or 4 N atoms, and optionally substituted with one or two independently selected R_4 substituents.


58. The compound of any one of claims 52-57, wherein **A** may be selected from the group consisting of:




A1




A2




A3




~~A4~~




~~A5~~




~~A6~~




~~A8~~




~~A9~~




~~A10~~




~~A11~~




~~A12~~




~~A13~~




~~A14~~




~~A15.~~




~~A16~~




~~A17~~




~~A18~~




~~A20~~



~~A21~~




~~A23, and~~




~~A24.~~


59. The compound of any one of claims 52-58, wherein **A** may be selected from the group consisting of:




A1




A2




A3




A4




A5 and



A6.



60. The compound of any one of claims 52-59, wherein **A** may be , or any stereoisomer thereof.



61. The compound of any one of claims 52-59, wherein **A** may be , or any stereoisomer thereof.

62. The compound of any one of claims 52-61, wherein R_1 is hydrogen or C_{1-4}alkyl.

63. The compound of any one of claims 52-62, wherein R_1 is hydrogen.

64. The compound of any one of claims 52-63, wherein X is CH.

65. The compound of any one of claims 52-63, wherein X is N.

66. The compound of any one of claims 52-63, wherein X is N.

67. The compound of any one of claims 52-66, wherein n is 0.

68. The compound of any one of claims 52-67, wherein R_2 is C_{1-4}alkyl, halo-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, cyclopropyl, cyclobutyl, phenyl, or oxetanyl, each optionally

substituted with one or two R_3 substituents.

69. The compound of any one of claims 52-68, wherein R_2 is unsubstituted C_{1-4}alkyl, unsubstituted halo-C_{1-4}alkyl, unsubstituted hydroxyl-C_{1-4}alkyl, unsubstituted cyclopropyl, unsubstituted cyclobutyl, unsubstituted phenyl, or unsubstituted oxetanyl.

70. The compound of any one of claims 52-69, wherein B is substituted.

71. The compound of any one of claims 52-70, wherein R_4 is halogen, cyano, C_{1-4}alkyl, deutero-C_{1-4}alkyl, halo-C_{1-4}alkyl, C_{1-4}alkoxy, deutero-C_{1-4}alkoxy, C_{1-4}alkyl-amino, C_{3-6}cycloalkyl, and heterocylyl.

72. The compound of any one of claims 52-71, wherein R_4 is halogen, cyano, methyl, ethyl, ($^2H_3$)methyl, ($^2H_3$)ethyl, difluoromethyl, trifluoromethyl, methoxy, ethoxy, ($^2H_3$)methoxy, methylamino, ethylamino, cyclopropyl, and azetidinyl.

73. The compound of any one of claims 52-72, wherein R_4 is chloro, fluoro, cyano, methyl, ethyl, ($^2H_3$)methyl, difluoromethyl, trifluoromethyl, methoxy, ethoxy, ($^2H_3$)methoxy, methylamino, and cyclopropyl.

74. The compound of any one of claims 52-69, wherein B is unsubstituted.

75. The compound of claim 52, wherein:

n is 0;


X is C;

R_2 is C_{1-4}alkyl, halo-C_{1-4}alkyl, hydroxyl-C_{1-4}alkyl, cyclopropyl, cyclobutyl, phenyl, or oxetanyl, optionally substituted with one or two R_3 substituents;


R_4 is selected from the group consisting of halogen, cyano, C_{1-4}alkyl, deutero-C_{1-4}alkyl, halo-C_{1-4}alkyl, C_{1-4}alkoxy, deutero-C_{1-4}alkoxy, C_{1-4}alkyl-amino, C_{3-6}cycloalkyl, and heterocylyl;

R_1 is hydrogen or C_{1-4}alkyl;


A is selected from the group consisting of:




A1




A2




A3




~~A4~~




~~A5~~




~~A6~~




~~A8~~




~~A9~~




~~A10~~




~~A11~~




~~A12~~




~~A13~~




~~A14~~




~~A15.~~




~~A16~~




~~A17~~




~~A18~~




~~A20~~



~~A21~~



~~A23, and~~



~~A24; and~~

~~B is selected from the group consisting of:~~

~~heteroaryl, wherein heteroaryl is a 9- membered bicyclic carbon atom ring structure radical containing 2, 3 or 4 N atoms, optionally, when the ring structure contains 2 or 3 N, containing a second heteroatom ring member selected from O or S, and optionally substituted with one or two independently selected R_4 substituents; and~~

~~heterocyclyl, wherein heterocyclyl is a 8- or 9- membered bicyclic carbon atom ring structure radical containing 2, 3 or 4 N, and optionally, when the ring structure contains 2 or 3 N, containing a second heteroatom ring member selected from O or S, optionally substituted with one or two independently selected R_4 substituents~~

~~76~~17. ~~A method~~Use of a compound of any of the preceding claims in the manufacture of a medicament for treating or ameliorating HD in a subject in need thereof~~ comprising, administering to the subject an effective amount of the compound of any of the preceding claims~~.

~~77. A use for the compound of any of the preceding claims for treating or ameliorating HD in a subject in need thereof comprising, administering to the subject an effective amount of the compound.~~

~~78. A use for the compound of any of the preceding claims in the manufacture of a medicament for treating or ameliorating HD in a subject in need thereof comprising, administering to the subject an effective amount of the medicament.~~

~~79. A pharmaceutical composition comprising the compound of any of the preceding claims in admixture with one or more pharmaceutically acceptable excipients.~~