

(51) International Patent Classification:
C08F 210/16 (2006.01) *C08F 2/14* (2006.01)[NO/NO]; Damstien 10, N-3910 Stathelle (NO).
LUNDQUIST, Morten [NO/NO]; Lilleasveien 27,
N-3916 Porsgrunn (NO).(21) International Application Number:
PCT/EP2010/050238(22) International Filing Date:
12 January 2010 (12.01.2010)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
61/146,938 23 January 2009 (23.01.2009) US(71) Applicant (for all designated States except US):
EVONIK OXENO GMBH [DE/DE]; Paul-Baumann-
Str. 1, 45772 Marl (DE).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **GRASS, Michael**
[DE/DE]; Mosskamp 21b, 45721 Haltern am See (DE).
PETTJOHN, Ted [US/US]; 10903 Autumn Mist Cove,
Magnolia, Texas 77354 (US). **BUCHHOLZ, Stefan** [DE/
DE]; Darmstädter Str. 38, 63456 Hanau (DE). **ELLER-
MANN, Gerhard** [DE/DE]; Hervester Str. 4, 45768 Marl
(DE). **BJALAND, Anne Brit** [NO/NO]; Olavsgt 18,
N-3916 Porsgrunn (NO). **FOLLESTAD, Arild**(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ,
CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO,
DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT,
HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP,
KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD,
ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI,
NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD,
SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR,
TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ,
TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE,
ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,
MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: PE MIB SLURRY POLYMERIZATION




Figure 1

(57) Abstract: An alkene interpolymer is prepared by polymerizing at least one 3-substituted C₄₋₁₀ alkene and at least one C₂₋₈ alkene in a slurry polymerization using a particulate catalyst system containing a single site catalyst.



Published:

— *with international search report (Art. 21(3))*