



- (51) **International Patent Classification:**
H04N 21/83 (2011.01) *H04N 21/8358* (2011.01)
- (21) **International Application Number:**
PCT/AU2014/050112
- (22) **International Filing Date:**
4 July 2014 (04.07.2014)
- (25) **Filing Language:** English
- (26) **Publication Language:** English
- (30) **Priority Data:**
2013902514 8 July 2013 (08.07.2013) AU
- (71) **Applicant:** SHOMI PTY LTD [AU/AU]; 12 Wanbanna Avenue, Greensborough, Victoria 3088 (AU).
- (72) **Inventor:** WILLIAMS, Tony; 12 Wanbanna Avenue, Greensborough, Victoria 3088 (AU).
- (74) **Agent:** WATERMARK PATENT & TRADE MARKS ATTORNEYS; Level 2/302 Burwood Road, Hawthorn, Victoria 3122 (AU).
- (81) **Designated States** (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM,

AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

- (84) **Designated States** (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) **Title:** METHOD AND SYSTEM FOR PROVIDING INFORMATION FROM PRINT



Figure 4b

(57) **Abstract:** A method for providing content data to a user device, the method comprising the steps of: obtaining a reference code from the user device, the reference code corresponding to a printed or displayed linear code; identifying a reference within a content database corresponding to the reference code; identifying content data associated with the reference; and communicating the content data to the user device. Also disclosed is a content server for providing content, and a method for generating unique reference codes.