What is claimed is:

1. A compound of Formula (Ia):

Formula (Ia)



wherein:

R^1 is hydrogen, optionally substituted C_{1-6} alkyl, $—CH_2OH$, $—CH_2OP(O)(OR^{20})(OR^{21})$, $—C(O)R^{22}$, or $—SO_2R^{23}$;

R^2 is hydrogen, optionally substituted C_{1-6} alkyl, C_3-C_6 cycloalkyl, or halo;

each of R^3, R^4, R^5, R^6, R^9, R^{10}, R^{11}, R^{12} and R^{13} is independently hydrogen, hydroxyl, $—OP(O)(OR^{20})(OR^{21})$, $—CH_2OH$, $—CH_2OP(O)(OR^{20})(OR^{21})$, optionally substituted C_1-C_6 alkyl, optionally substituted C_1-C_6 alkylene, optionally substituted C_2-C_6 alkynyl, optionally substituted C_1-C_6 alkoxy, optionally substituted C_3-C_6 cycloalkyl, aminocarbonyl, acyl, acylamino, —O—(C_1 to C_6-alkyl)—O—(C_1 to C_6-alkyl), cyano, halo, $—SO_2NR^{24}R^{25}$; or $—NR^{24}R^{25}$;

R^7 is hydrogen or optionally substituted C_{1-6} alkyl;

each of R^{20} and R^{21} is independently Na^+, Li^+, K^+, hydrogen, C_{1-6} alkyl; or R^{20} and R^{21} can be combined to represent a single divalent cation Zn^{2+}, Ca^{2+}, or Mg^{2+}.

each of R^{22} and R^{23} is independently optionally substituted C_1-C_6 alkyl, optionally substituted C_1-C_6 alkoxy, optionally substituted C_3-C_6 cycloalkyl, optionally substituted aryl, or $—NR^{24}R^{25}$; and

each of R^{24} and R^{25} is independently chosen from hydrogen or C_{1-6} alkyl or when combined together with the nitrogen to which they are attached form a heterocycle; or

a pharmaceutically acceptable salt, ester, single stereoisomer, mixture of stereoisomers, or tautomer thereof.

2. A compound of formula (I)

Formula (I)



wherein:

R^1 is hydrogen, optionally substituted C_{1-6} alkyl, —CH_2OH, —$CH_2OP(O)(OR^{20})(OR^{21})$;

R^2 is hydrogen, optionally substituted C_{1-6} alkyl, C_3-C_6 cycloalkyl, or halo;

each of R^3, R^4, R^5, R^6, R^9, R^{10}, R^{11}, R^{12} and R^{13} is independently hydrogen, hydroxyl, —$OP(O)(OR^{20})(OR^{21})$, —CH_2OH, —$CH_2OP(O)(OR^{20})(OR^{21})$, optionally substituted C_1-C_6 alkyl, optionally substituted C_1-C_6 alkylene, optionally substituted C_2-C_6 alkynyl, optionally substituted C_1-C_6 alkoxy, optionally substituted C_3-C_6 cycloalkyl, aminocarbonyl, acyl, acylamino, —O—(C_1 to C_6-alkyl)—O—(C_1 to C_6-alkyl), cyano, halo, —$SO_2NR^{24}R^{25}$; or —$NR^{24}R^{25}$;

R^7 is hydrogen or optionally substituted C_{1-6} alkyl;

each of R^{20} and R^{21} is independently Na^+, Li^+, K^+, hydrogen, C_{1-6} alkyl; or R^{20} and R^{21} can be combined to represent a single divalent cation Zn^{2+}, Ca^{2+}, or Mg^{2+}.

each of R^{22} and R^{23} is independently optionally substituted C_1-C_6 alkyl, optionally substituted C_1-C_6 alkoxy, optionally substituted C_3-C_6 cycloalkyl, optionally substituted aryl, or —$NR^{24}R^{25}$; and

each of R^{24} and R^{25} is independently chosen from hydrogen or C_{1-6} alkyl or when combined together with the nitrogen to which they are attached form a heterocycle; or

a pharmaceutically acceptable salt, ester, single stereoisomer, mixture of stereoisomers, or tautomer thereof.

3. A pharmaceutical composition comprising a therapeutically effective amount of the compound of any one of claims 1 and a pharmaceutically acceptable carrier.