


CLAIMS:

1. A compound of formula (I):



wherein:

n is 1, 2, 3;

m is 1, 2, 3 or 4;

X is a direct bond or -C(R⁹)R¹⁰-;

Y is a direct bond or -C(R¹¹)R¹²-;

R¹ is alkyl, -R¹⁷-OR¹⁴, an optionally substituted cycloalkyl, an optionally substituted aryl, an optionally substituted aralkyl, an optionally substituted *N*-heterocyclyl, an optionally substituted *N*-heteroaryl, an optionally substituted *O*-heteroaryl or an optionally substituted *S*-heteroaryl;

R² is an optionally substituted 5-membered *N*-heteroaryl or an optionally substituted 6-membered *N*-heteroaryl;

R³ is -O- or -N(R¹³)-;


R⁴ and R⁵ are each independently hydrogen, alkyl, haloalkyl, optionally substituted cycloalkyl, optionally substituted cycloalkylalkyl, optionally substituted aryl, optionally substituted aralkyl, optionally substituted heterocyclyl, optionally substituted heterocyclylalkyl, optionally substituted heteroaryl or optionally substituted heteroarylalkyl;

or R⁴ and R¹, together with the carbon to which they are attached, form an optionally substituted cycloalkyl, an optionally substituted heterocyclyl or an optionally substituted aryl, and R⁵, if present, is hydrogen, alkyl, haloalkyl, optionally substituted cycloalkyl, optionally substituted cycloalkylalkyl, optionally substituted aryl, optionally substituted heterocyclyl, optionally substituted heterocyclylalkyl, optionally substituted heteroaryl or optionally substituted heteroarylalkyl;

each R⁶ is independently hydrogen, alkyl, alkenyl, halo, haloalkyl, cyano, -OR¹⁴ or optionally substituted cycloalkyl;

R^7 is alkyl, halo, haloalkyl, cyano or $-OR^{14}$;
 each R^8 is independently hydrogen, alkyl, halo, haloalkyl or $-OR^{14}$;
 or two R^8 's, together with the carbon to which they are both attached, may form an optionally substituted cycloalkyl;
 R^9 , R^{10} , R^{11} and R^{12} are each independently hydrogen, alkyl, haloalkyl or $-OR^{14}$;
 or R^9 and R^{11} form an optionally substituted alkylene chain and R^{10} and R^{12} are as defined above; and
 R^{13} is hydrogen, alkyl or haloalkyl;
 each R^{14} are each independently hydrogen, alky, haloalkyl, optionally substituted aryl or optionally substituted aralkyl; and
 R^{17} is a direct bond or an optionally substituted alkylene chain;
 as an individual stereoisomer, enantiomer or tautomer thereof or a mixture thereof;
 or a pharmaceutically acceptable salt, solvate or prodrug thereof;
 provided that when R^3 is $-O-$, R^2 is not optionally substituted thiadiazolyl.

2. The compound of Claim 1 wherein R^3 is $-O-$, wherein the compound has the following formula (Ia):



wherein m , n , X , Y , R^1 , R^2 , R^4 , R^5 , R^6 , R^7 and R^8 are each as defined above in Claim 1;
 as an individual stereoisomer, enantiomer or tautomer thereof or a mixture thereof;
 or a pharmaceutically acceptable salt, solvate or prodrug thereof.

3. The compound of Claim 2 wherein:

n is 1 or 2;

m is 1 or 2;

X is a direct bond or $-C(R^9)R^{10}-$;

Y is a direct bond or $-C(R^{11})R^{12}-$;

R^1 is alkyl, $-R^{17}-OR^{14}$, an optionally substituted cycloalkyl, an optionally substituted aryl,
 an optionally substituted aralkyl, an optionally substituted *N*-heterocyclyl, an
 optionally substituted *N*-heteroaryl, an optionally substituted *O*-heteroaryl or an
 optionally substituted *S*-heteroaryl;

R^2 is an optionally substituted 5-membered *N*-heteroaryl or an optionally substituted 6-membered *N*-heteroaryl;

R^4 and R^5 are each independently hydrogen, alkyl or haloalkyl;

or R^4 and R^1 , together with the carbon to which they are attached, form an optionally substituted cycloalkyl or an optionally substituted aryl, and R^5 , if present, if present, is hydrogen, alkyl, haloalkyl or optionally substituted aryl;

each R^6 is independently hydrogen, alkyl, alkenyl, halo, haloalkyl, cyano, $-OR^{14}$ or optionally substituted cycloalkyl;

R^7 is alkyl, halo, haloalkyl, cyano or $-OR^{14}$;

each R^8 is independently hydrogen, alkyl, halo, haloalkyl or $-OR^{14}$;

or two R^8 's, together with the carbon to which they are both attached, may form an optionally substituted cycloalkyl;


R^9 , R^{10} , R^{11} and R^{12} are each independently hydrogen, alkyl, haloalkyl, alkyl or $-OR^{14}$;

or R^9 and R^{11} form an optionally substituted alkylene chain and R^{10} and R^{12} are as defined above; and

each R^{14} are each independently hydrogen, alky, haloalkyl, optionally substituted aryl or optionally substituted aralkyl; and

R^{17} is a direct bond or an optionally substituted alkylene chain.

4. The compound of Claim 3 wherein X and Y are both a direct bond, wherein the compound has the following formula (Ia1):




wherein m , n , R^1 , R^2 , R^4 , R^5 , R^6 , R^7 and R^8 are each as defined above in Claim 3; as an individual stereoisomer, enantiomer or tautomer thereof or a mixture thereof; or a pharmaceutically acceptable salt, solvate or prodrug thereof.

5. The compound of Claim 4 wherein R^2 is an optionally substituted 5-membered *N*-heteroaryl.

6. The compound of Claim 5 wherein R^2 is optionally substituted isoxazolyl, optionally substituted thiazolyl or optionally substituted thiadiazolyl.

7. The compound of Claim 6 which is 4-((1-benzylazetidin-3-yl)oxy)-3-chloro-*N*-(thiazol-2-yl)benzene-sulfonamide.
8. The compound of Claim 4 wherein R^2 is an optionally substituted 6-membered *N*-heteroaryl.
9. The compound of Claim 8 wherein R^2 is optionally substituted pyridinyl.
10. The compound of Claim 3 wherein X is $-C(R^9)R^{10}$ - and Y is a direct bond, wherein the compound has the following formula (Ia2):



wherein m, n, R^1 , R^2 , R^4 , R^5 , R^6 , R^7 , R^8 , R^9 and R^{10} are each as defined above in Claim 3;
 as an individual stereoisomer, enantiomer or tautomer thereof or a mixture thereof;
 or a pharmaceutically acceptable salt, solvate or prodrug thereof.


11. The compound of Claim 10 wherein R^2 is an optionally substituted 5-membered *N*-heteroaryl.
12. The compound of Claim 11 wherein R^2 is optionally substituted isoxazolyl, optionally substituted thiazolyl or optionally substituted thiadiazolyl.
13. The compound of Claim 12 selected from:
 (S)-4-((1-benzyl-3-methylpyrrolidin-3-yl)oxy)-2,6-difluoro-3-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-4-((1-benzylpyrrolidin-3-yl)oxy)-3-ethyl-2,6-difluoro-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-4-((1-benzylpyrrolidin-3-yl)oxy)-3-bromo-2,6-difluoro-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-4-((1-benzyl-3-methylpyrrolidin-3-yl)oxy)-2,6-difluoro-3-methyl-*N*-(thiazol-2-

yl)benzenesulfonamide;
 (S)-4-((1-benzylpyrrolidin-3-yl)oxy)-2,6-difluoro-N-(thiazol-4-yl)-3-vinylbenzenesulfonamide;
rac-4-((1-benzyl-3-methylpyrrolidin-3-yl)oxy)-5-chloro-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;
 (S)-4-((1-benzyl-3-methylpyrrolidin-3-yl)oxy)-5-chloro-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;
 (R)-4-((1-benzyl-3-methylpyrrolidin-3-yl)oxy)-5-chloro-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;
 (S)-4-((1-benzylpyrrolidin-3-yl)oxy)-2-fluoro-5-methyl-N-(thiazol-4-yl)benzenesulfonamide;
 (S)-4-((1-benzyl-3-methylpyrrolidin-3-yl)oxy)-2-fluoro-5-methyl-N-(thiazol-4-yl)benzenesulfonamide;
 (S)-4-((1-benzylpyrrolidin-3-yl)oxy)-2,6-difluoro-3-methyl-N-(thiazol-4-yl)benzenesulfonamide; and
 (S)-4-((1-benzylpyrrolidin-3-yl)oxy)-3-chloro-2,6-difluoro-N-(thiazol-4-yl)benzenesulfonamide.

14. The compound of Claim 10 wherein R² is an optionally substituted 6-membered N-heteroaryl.

15. The compound of Claim 14 wherein R² is optionally substituted pyridinyl.

16. The compound of Claim 3 wherein X is -C(R⁹)R¹⁰- and Y is -C(R¹¹)R¹²-, wherein the compound has the following formula (Ia3):



wherein m, n, R¹, R², R⁴, R⁵, R⁶, R⁷, R⁸, R⁹, R⁹, R¹⁰, R¹¹ and R¹² are each as defined above in Claim 3;

as an individual stereoisomer, enantiomer or tautomer thereof or a mixture thereof; or a pharmaceutically acceptable salt, solvate or prodrug thereof.

17. The compound of Claim 16 wherein R² is an optionally substituted 5-membered *N*-heteroaryl.

18. The compound of Claim 17 wherein R² is optionally substituted isoxazolyl, optionally substituted thiazolyl or optionally substituted thiadiazolyl.

19. The compound of Claim 18 wherein:
R¹ is optionally substituted aryl or optionally substituted aralkyl; and
R⁹, R¹⁰, R¹¹ and R¹² are each independently hydrogen or alkyl.

20. The compound of Claim 19 selected from:
5-chloro-2-fluoro-4-(1-(1-phenylethyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
3-chloro-4-(1-(1-phenylethyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
3-chloro-4-(1-(3-fluorobenzyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
3-chloro-4-(1-(3-(difluoromethyl)benzyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
3-chloro-4-(1-(3-(difluoromethoxy)benzyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
3-chloro-4-(1-((6-methylpyridin-2-yl)methyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
3-chloro-4-(1-(3-methoxybenzyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
3-chloro-4-(1-(3-chlorobenzyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
3-chloro-4-(1-(2-fluorobenzyl)-3-methylpiperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
3-chloro-4-(3-methyl-1-(3-methylbenzyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
4-(1-benzyl-3-methylpiperidin-4-yloxy)-3-chloro-*N*-(thiazol-2-yl)benzenesulfonamide;
3-chloro-4-(1-(2-fluorobenzyl)-3-methylpiperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
3-chloro-4-(3-methyl-1-(3-methylbenzyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
4-(1-benzyl-3-methylpiperidin-4-yloxy)-3-chloro-*N*-(thiazol-2-yl)benzenesulfonamide;
3-chloro-4-(1-(naphthalen-2-ylmethyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;

3-chloro-4-(1-(2-fluorobenzyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-4-(1-(2-methylbenzyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-4-(1-(3-methylbenzyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-4-(1-(pyridin-2-ylmethyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-4-(1-(pyridin-3-ylmethyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-4-(1-(pyridin-4-ylmethyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-4-(1-(4-methoxybenzyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-4-(1-(3,4-dimethylbenzyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-4-(1-(3,5-dimethylbenzyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-4-(1-(4-methylbenzyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
 4-(1-benzylpiperidin-4-yloxy)-5-chloro-2-fluoro-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-*N*-(thiazol-2-yl)-4-(1-(4-(trifluoromethyl)benzyl)piperidin-4-yloxy)benzenesulfonamide;
 3-chloro-4-(1-(4-fluorobenzyl)piperidin-4-yloxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
 4-(1-benzylpiperidin-4-yloxy)-3-chloro-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-4-((1-(cyclohexylmethyl)piperidin-4-yl)oxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-4-((1-cyclohexylpiperidin-4-yl)oxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-*N*-(thiazol-2-yl)-4-((1-(2-(trifluoromethyl)benzyl)piperidin-4-yl)oxy)benzenesulfonamide;
 3-chloro-4-((1-(2-chlorobenzyl)piperidin-4-yl)oxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-4-((1-((4-methylpyridin-2-yl)methyl)piperidin-4-yl)oxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
 4-((1-benzyl-4-methylpiperidin-4-yl)oxy)-3-chloro-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-4-((1-(3-chlorobenzyl)-4-methylpiperidin-4-yl)oxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-4-((1-(3-(difluoromethyl)benzyl)-4-methylpiperidin-4-yl)oxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-4-((1-(2,3-dihydro-1*H*-inden-1-yl)piperidin-4-yl)oxy)-*N*-(thiazol-2-yl)benzenesulfonamide;

(R)-3-chloro-4-((1-(1-phenylethyl)piperidin-4-yl)oxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
(R)-5-chloro-2-fluoro-4-((1-(1-phenylethyl)piperidin-4-yl)oxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
(R)-3-chloro-4-((1-(1-phenylethyl)piperidin-4-yl)oxy)-*N*-(thiazol-4-yl)benzenesulfonamide;
(S)-3-chloro-4-((1-(1-phenylethyl)piperidin-4-yl)oxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
3-chloro-4-((1-(2-phenylpropan-2-yl)piperidin-4-yl)oxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
5-chloro-2-fluoro-4-((1-(2-phenylpropan-2-yl)piperidin-4-yl)oxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
(R)-2,3-difluoro-4-((1-(1-phenylethyl)piperidin-4-yl)oxy)-*N*-(thiazol-4-yl)benzenesulfonamide;
(R)-3-chloro-2-fluoro-4-((1-(1-phenylethyl)piperidin-4-yl)oxy)-*N*-(thiazol-4-yl)benzenesulfonamide;
4-((1-benzylpiperidin-4-yl)oxy)-2-fluoro-3-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;
4-((1-benzylpiperidin-4-yl)oxy)-5-chloro-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;
3-chloro-4-((1-(1-phenylcyclopropyl)piperidin-4-yl)oxy)-*N*-(thiazol-4-yl)benzenesulfonamide;
5-chloro-4-(((3*R*,4*S*)-1-(3-(difluoromethyl)benzyl)-3-fluoropiperidin-4-yl)oxy)-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;
(R)-5-chloro-2-fluoro-4-((1-(1-phenylethyl)piperidin-4-yl)oxy)-*N*-(thiazol-4-yl)benzenesulfonamide;
(R)-3-chloro-4-((1-(1-(5-chloro-2-fluorophenyl)ethyl)piperidin-4-yl)oxy)-*N*-(thiazol-4-yl)benzenesulfonamide;
(R)-2,6-difluoro-4-((1-(1-phenylethyl)piperidin-4-yl)oxy)-*N*-(thiazol-4-yl)benzenesulfonamide;
(R)-3-chloro-*N*-(isoxazol-3-yl)-4-((1-(1-phenylethyl)piperidin-4-yl)oxy)benzenesulfonamide;
3-chloro-4-((1-phenethylpiperidin-4-yl)oxy)-*N*-(thiazol-2-yl)benzenesulfonamide;
(R)-3-chloro-4-((1-(1-(2-fluoro-5-(trifluoromethyl)phenyl)ethyl)piperidin-4-yl)oxy)-*N*-(thiazol-4-yl)benzenesulfonamide;
4-((1-benzylpiperidin-4-yl)oxy)-2,6-difluoro-3-methyl-*N*-(thiazol-2-yl)benzenesulfonamide;

4-((1-benzylpiperidin-4-yl)oxy)-2,6-difluoro-*N*-(thiazol-4-yl)benzenesulfonamide;
 4-((*cis*-1-benzyl-2-methylpiperidin-4-yl)oxy)-3-chloro-*N*-(thiazol-2-yl)benzenesulfonamide; and
 4-((*trans*-1-benzyl-2-methylpiperidin-4-yl)oxy)-3-chloro-*N*-(thiazol-2-yl)benzenesulfonamide.
 (*R*)-3-chloro-4-((1-(1-(5-cyclopropyl-2-fluorophenyl)ethyl)piperidin-4-yl)oxy)-*N*-(thiazol-4-yl)benzenesulfonamide;
 (*R*)-3-chloro-4-((1-(1-(5-(difluoromethyl)-2-fluorophenyl)ethyl)piperidin-4-yl)oxy)-*N*-(thiazol-4-yl)benzenesulfonamide;
 (*R*)-3-chloro-2,6-difluoro-4-((1-(1-phenylethyl)piperidin-4-yl)oxy)-*N*-(thiazol-4-yl)benzenesulfonamide;
 3-chloro-4-((1-(3-(difluoromethyl)benzyl)piperidin-4-yl)oxy)-*N*-(thiazol-4-yl)benzenesulfonamide;
 (*R*)-5-chloro-2-fluoro-4-((1-(1-(2-fluoro-5-(trifluoromethyl)phenyl)ethyl)piperidin-4-yl)oxy)-*N*-(thiazol-4-yl)benzenesulfonamide;
 4-((1-benzylpiperidin-4-yl)oxy)-2-fluoro-5-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;
 (*R*)-2,6-difluoro-3-methyl-4-((1-(1-phenylethyl)piperidin-4-yl)oxy)-*N*-(thiazol-4-yl)benzenesulfonamide;
 4-((1-benzylpiperidin-4-yl)oxy)-3-chloro-2,6-difluoro-*N*-(thiazol-4-yl)benzenesulfonamide; and
 4-((1-benzylpiperidin-4-yl)oxy)-2,6-difluoro-3-methyl-*N*-(thiazol-4-yl)benzenesulfonamide.

21. The compound of Claim 18 wherein:

R^1 is optionally substituted aryl or optionally substituted aralkyl;

R^9 and R^{11} form an optionally substituted alkylene chain; and

R^{11} and R^{12} are each independently hydrogen or alkyl.

22. The compound of Claim 21 selected from:

4-((1*R*,3*s*,5*S*)-8-benzyl-8-azabicyclo[3.2.1]octan-3-yloxy)-3-chloro-*N*-(thiazol-2-yl)benzenesulfonamide;
 4-((1*R*,3*r*,5*S*)-8-benzyl-8-azabicyclo[3.2.1]octan-3-yloxy)-3-chloro-*N*-(thiazol-2-yl)benzenesulfonamide;
 4-(((1*R*,3*s*,5*S*)-8-benzyl-8-azabicyclo[3.2.1]octan-3-yl)oxy)-5-chloro-2-fluoro-*N*-(thiazol-2-yl)benzenesulfonamide;


5-chloro-4-(((1*R*,3*S*,5*S*)-8-(3-chlorobenzyl)-8-azabicyclo[3.2.1]octan-3-yl)oxy)-2-fluoro-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-4-(((1*R*,3*S*,5*S*)-8-(5-chloro-2-fluorobenzyl)-8-azabicyclo[3.2.1]octan-3-yl)oxy)-*N*-(thiazol-4-yl)benzenesulfonamide;
 4-(((1*R*,3*S*,5*S*)-8-benzyl-8-azabicyclo[3.2.1]octan-3-yl)oxy)-3-chloro-*N*-(thiazol-4-yl)benzenesulfonamide;
 3-chloro-4-(((1*R*,3*S*,5*S*)-8-(3-chloro-4-fluorobenzyl)-8-azabicyclo[3.2.1]octan-3-yl)oxy)-*N*-(thiazol-4-yl)benzenesulfonamide; and
 3-chloro-4-(((1*R*,3*S*,5*S*)-8-(3-(difluoromethyl)benzyl)-8-azabicyclo[3.2.1]octan-3-yl)oxy)-*N*-(thiazol-4-yl)benzenesulfonamide.

23. The compound of Claim 16 wherein R^2 is an optionally substituted 6-membered *N*-heteroaryl.

24. The compound of Claim 23 wherein R^2 is optionally substituted pyridinyl or optionally substituted pyrimidinyl.

25. The compound of Claim 24 selected from:
 (*R*)-3-chloro-4-((1-(1-phenylethyl)piperidin-4-yl)oxy)-*N*-(pyrimidin-4-yl)benzenesulfonamide;
 (*R*)-3-chloro-*N*-(5-fluoropyrimidin-2-yl)-4-((1-(1-phenylethyl)piperidin-4-yl)oxy)benzenesulfonamide;
 (*S*)-3-chloro-4-((1-(1-phenylethyl)piperidin-4-yl)oxy)-*N*-(pyrimidin-4-yl)benzenesulfonamide;
 4-((1-benzylpiperidin-4-yl)oxy)-3-chloro-*N*-(6-fluoropyridin-2-yl)benzenesulfonamide;
 and
 4-((1-benzylpiperidin-4-yl)oxy)-5-chloro-2-fluoro-*N*-(6-fluoropyridin-2-yl)benzenesulfonamide.

26. The compound of Claim 1 wherein R^3 is $-N(R^{13})-$, wherein the compound has the following formula (Ib):



wherein m , n , X , Y , R^1 , R^2 , R^4 , R^5 , R^6 , R^7 , R^8 and R^{13} are each as defined above in Claim 1;

as an individual stereoisomer, enantiomer or tautomer thereof or a mixture thereof;
or a pharmaceutically acceptable salt, solvate or prodrug thereof.

27. The compound of Claim 26 wherein:

n is 1 or 2;

m is 1 or 2;

X is a direct bond or $-C(R^9)R^{10}-$;

Y is a direct bond or $-C(R^{11})R^{12}-$;

R^1 is alkyl, $-R^{17}-OR^{14}$, an optionally substituted cycloalkyl, an optionally substituted aryl, an optionally substituted aralkyl, an optionally substituted *N*-heterocyclyl, an optionally substituted *N*-heteroaryl, an optionally substituted *O*-heteroaryl or an optionally substituted *S*-heteroaryl;

R^2 is an optionally substituted 5-membered *N*-heteroaryl or an optionally substituted 6-membered *N*-heteroaryl;

R^4 and R^5 are each independently hydrogen, alkyl or haloalkyl;

or R^4 and R^1 , together with the carbon to which they are attached, form an optionally substituted cycloalkyl or an optionally substituted aryl, and R^5 , if present, if present, is hydrogen, alkyl, haloalkyl or optionally substituted aryl;

each R^6 is independently hydrogen, alkyl, alkenyl, halo, haloalkyl, cyano, $-OR^{14}$ or optionally substituted cycloalkyl;

R^7 is alkyl, halo, haloalkyl, cyano or $-OR^{14}$;

each R^8 is independently hydrogen, alkyl, halo, haloalkyl or $-OR^{14}$;


or two R^8 's, together with the carbon to which they are both attached, may form an optionally substituted cycloalkyl;

R^9 , R^{10} , R^{11} and R^{12} are each independently hydrogen, alkyl, haloalkyl, alkyl or $-OR^{14}$;
or R^9 and R^{11} form an optionally substituted alkylene chain and R^{10} and R^{12} are as defined above; and

R^{13} is hydrogen, alkyl or haloalkyl;

each R^{14} are each independently hydrogen, alkyl, haloalkyl, optionally substituted aryl or optionally substituted aralkyl; and R^{17} is a direct bond or an optionally substituted alkylene chain.

28. The compound of Claim 27 wherein X and Y are both a direct bond, wherein the compound has the following formula (Ib1):



wherein m, n, R^1 , R^2 , R^4 , R^5 , R^6 , R^7 , R^8 and R^{13} are each as defined above in Claim 27; as an individual stereoisomer, enantiomer or tautomer thereof or a mixture thereof; or a pharmaceutically acceptable salt, solvate or prodrug thereof.

29. The compound of Claim 28 wherein R^2 is an optionally substituted 5-membered *N*-heteroaryl.


30. The compound of Claim 29 wherein R^2 is optionally substituted isoxazolyl, optionally substituted thiazolyl or optionally substituted thiadiazolyl.

31. The compound of Claim 30 selected from:
 4-((1-benzyl-3-methylazetidin-3-yl)amino)-2,6-difluoro-3-methyl-*N*-(thiazol-4-yl)benzenesulfonamide 2,2,2-trifluoroacetate;
 4-((1-benzyl-3-methylazetidin-3-yl)amino)-2,6-difluoro-3-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;
 4-((1-benzyl-3-methylazetidin-3-yl)amino)-3-chloro-*N*-(thiazol-4-yl)benzenesulfonamide;
 4-((1-benzyl-3-methylazetidin-3-yl)amino)-3-chloro-*N*-(thiazol-2-yl)benzenesulfonamide; and
 4-((1-benzylazetidin-3-yl)amino)-3-chloro-*N*-(thiazol-2-yl)benzenesulfonamide.

32. The compound of Claim 28 wherein R^2 is an optionally substituted 6-membered *N*-heteroaryl.

33. The compound of Claim 32 wherein R² is optionally substituted pyridinyl.

34. The compound of Claim 27 wherein X is -C(R⁹)R¹⁰- and Y is a direct bond, wherein the compound has the following formula (Ib2):



wherein m, n, R¹, R², R⁴, R⁵, R⁶, R⁷, R⁸, R⁹, R¹⁰ and R¹³ are each as defined above in Claim 27;

as an individual stereoisomer, enantiomer or tautomer thereof or a mixture thereof; or a pharmaceutically acceptable salt, solvate or prodrug thereof.

35. The compound of Claim 34 wherein R² is an optionally substituted 5-membered N-heteroaryl.

36. The compound of Claim 35 wherein R² is optionally substituted isoxazolyl, optionally substituted thiazolyl or optionally substituted thiadiazolyl.

37. The compound of Claim 36 wherein R² is optionally substituted thiadiazolyl.

38. The compound of Claim 37 selected from:

(S)-3-chloro-4-((1-(3,5-difluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;

(S)-3-chloro-4-((1-(2,5-difluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-2,6-difluoro-3-methyl-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;

(S)-3-chloro-4-((1-(2,6-difluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;

(S)-3-chloro-4-((1-(2-chlorobenzyl)pyrrolidin-3-yl)(methyl)amino)-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;

(S)-2,6-difluoro-3-methyl-4-(methyl(1-((6-methylpyridin-2-yl)methyl)pyrrolidin-3-yl)amino)-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;
 (S)-3-chloro-2,6-difluoro-4-(methyl(1-((6-methylpyridin-2-yl)methyl)pyrrolidin-3-yl)amino)-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;
 (S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-2,6-difluoro-3-methyl-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;
 (S)-3-chloro-4-(ethyl(1-(3-methylbenzyl)pyrrolidin-3-yl)amino)-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;
 (S)-4-((1-benzylpyrrolidin-3-yl)(ethyl)amino)-3-chloro-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;
 (S)-3-chloro-4-(methyl(1-(3-methylbenzyl)pyrrolidin-3-yl)amino)-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;
 (S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-3-chloro-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;
 (R)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-3-chloro-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;
 (S)-4-(1-benzylpyrrolidin-3-ylamino)-3-chloro-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;
 (R)-4-(1-benzylpyrrolidin-3-ylamino)-3-chloro-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;
 4-(1-benzylpyrrolidin-3-ylamino)-3-chloro-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;
 (S)-3-chloro-4-((1-(3-chlorobenzyl)pyrrolidin-3-yl)(methyl)amino)-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;
 (S)-3-chloro-4-((1-(3-(difluoromethyl)benzyl)pyrrolidin-3-yl)(methyl)amino)-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;
 (S)-3-chloro-4-((1-(3-chloro-2-fluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;
 (S)-3-chloro-4-((1-(5-chloro-2-fluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide;
 (S)-3-chloro-4-((1-(2-fluoro-3-methylbenzyl)pyrrolidin-3-yl)(methyl)amino)-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide; and
 (S)-3-chloro-4-((1-(2-fluoro-5-methylbenzyl)pyrrolidin-3-yl)(methyl)amino)-N-(1,2,4-thiadiazol-5-yl)benzenesulfonamide.

39. The compound of Claim 36 wherein:

R¹ is optionally substituted aryl or optionally substituted aralkyl; and

R² is optionally substituted thiazolyl or isoxazolyl.

40. The compound of Claim 39 selected from:

- (S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-5-bromo-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;
- (S)-4-((1-benzylpyrrolidin-3-yl)amino)-2-fluoro-5-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;
- (S)-5-chloro-2-fluoro-4-((1-(3-(2-hydroxypropan-2-yl)benzyl)pyrrolidin-3-yl)(methyl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
- (S)-5-chloro-4-((1-(5-chloro-2-fluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;
- (S)-5-chloro-2-fluoro-4-((1-(2-fluoro-4-methylbenzyl)pyrrolidin-3-yl)(methyl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
- (S)-5-chloro-2-fluoro-4-(methyl(1-(3-phenylpropyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
- (S)-4-((1-(2-(difluoromethyl)benzyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-5-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;
- (S)-2-fluoro-4-((1-(2-hydroxybenzyl)pyrrolidin-3-yl)(methyl)amino)-5-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;
- (S)-2-fluoro-4-((1-(3-hydroxybenzyl)pyrrolidin-3-yl)(methyl)amino)-5-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;
- (*R*)-4-((1-benzylpyrrolidin-3-yl)amino)-2-fluoro-5-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;
- (S)-5-chloro-4-((1-(3-(difluoromethoxy)benzyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;
- (S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-5-cyclopropyl-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;
- (S)-5-chloro-4-((1-(2,5-dichlorobenzyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;
- 5-chloro-2-fluoro-4-(methyl((*S*)-1-((*R*)-1-phenylpropyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
- (S)-5-chloro-2-fluoro-4-(methyl(1-(4-propylbenzyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
- (S)-5-chloro-2-fluoro-4-((1-(2-fluoro-5-methylbenzyl)pyrrolidin-3-yl)(methyl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;

(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-3-chloro-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;

(*R*)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-5-chloro-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-(3-(difluoromethyl)benzyl)pyrrolidin-3-yl)(methyl)amino)-2,6-difluoro-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-(methyl(1-(2-phenylpropan-2-yl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;

3-chloro-4-(methyl((S)-1-((*R*)-1-phenylethyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-5-methyl-4-(methyl(1-phenethylpyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-2-fluoro-*N*-(isothiazol-3-yl)-5-methylbenzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-2,6-difluoro-*N*-(isothiazol-3-yl)-3-methylbenzenesulfonamide;

(S)-2-fluoro-4-((1-(2-fluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-5-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(ethyl)amino)-2-fluoro-5-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-3-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;

methyl (S)-3-((3-((2-chloro-5-fluoro-4-(*N*-(thiazol-4-yl)sulfamoyl)phenyl)(methyl)amino)pyrrolidin-1-yl)methyl)benzoate;

(S)-5-chloro-4-((1-(2-chlorobenzyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-4-((1-(4-(dimethylamino)benzyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(ethyl)amino)-5-chloro-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-benzyl-3-methylpyrrolidin-3-yl)amino)-3-chloro-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-3-chloro-4-((1-(5-chloro-2-fluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-5-bromo-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-4-((1-(3-fluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-5-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-(2,5-difluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-2,6-difluoro-3-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-5-ethyl-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-((1-(3-isopropoxybenzyl)pyrrolidin-3-yl)(methyl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-(methyl(1-(4-methylbenzyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-4-((1-(2,6-dimethylbenzyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-((1-(3-fluoro-2-methylbenzyl)pyrrolidin-3-yl)(methyl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-(methyl(1-phenethylpyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-4-((1-(3-chloro-2-fluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-((1-(2-methoxybenzyl)pyrrolidin-3-yl)(methyl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-((1-(4-fluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;

4-(((2R,3R)-1-benzyl-2-methylpyrrolidin-3-yl)(methyl)amino)-5-chloro-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)amino)-5-chloro-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;

3-chloro-4-(methyl((S)-1-((S)-1-phenylethyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-(2,3-difluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-5-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-(2,3-difluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-2,6-difluoro-3-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-2,6-difluoro-4-((1-(2-fluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-3-methyl-*N*-(thiazol-

4-yl)benzenesulfonamide;

(S)-4-((1-(3-(difluoromethyl)benzyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-3-methyl-N-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-(2,5-difluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-3-methyl-N-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-2,6-difluoro-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-4-((1-(2,5-difluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-4-((1-(3-chlorobenzyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

(S)-3-chloro-4-((1-(2-fluoro-5-methylbenzyl)-3-methylpyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-2,5-difluoro-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-4-((1-(2-methoxybenzyl)pyrrolidin-3-yl)(methyl)amino)-5-methyl-N-(thiazol-4-yl)benzenesulfonamide;

4-(((3S,5S)-1-benzyl-5-methylpyrrolidin-3-yl)(methyl)amino)-5-chloro-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

5-chloro-4-(((S)-1-((S)-1-(2-chlorophenyl)propyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-4-((1-(2-(difluoromethoxy)benzyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-((1-(4-fluoro-3-methylbenzyl)pyrrolidin-3-yl)(methyl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

5-chloro-2-fluoro-4-(methyl((S)-1-((S)-1-phenylpropyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

4-((1-benzyl-3-methylpyrrolidin-3-yl)(methyl)amino)-3-chloro-N-(thiazol-2-yl)benzenesulfonamide;

(S)-5-chloro-4-((1-(4-chlorobenzyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

(R)-4-((1-benzylpyrrolidin-3-yl)amino)-5-chloro-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-2-fluoro-N-(isothiazol-4-yl)-5-methylbenzenesulfonamide;

(S)-2,6-difluoro-4-((1-(3-fluorobenzyl)pyrrolidin-3-yl)(methylamino)-3-methyl-N-(thiazol-4-yl)benzenesulfonamide;

(R)-4-((1-benzylpyrrolidin-3-yl)(methylamino)-2-fluoro-5-methyl-N-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(methylamino)-5-(difluoromethyl)-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-(methyl(1-(2-methylbenzyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-((1-(2-hydroxybenzyl)pyrrolidin-3-yl)(methylamino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-((1-(3-fluorobenzyl)pyrrolidin-3-yl)(methylamino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-4-((1-(2,3-difluorobenzyl)pyrrolidin-3-yl)(methylamino)-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-(methyl(1-(3-(trifluoromethyl)benzyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-((1-(2-fluoro-3-methylbenzyl)pyrrolidin-3-yl)(methylamino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-((1-(2-fluoro-5-methoxybenzyl)pyrrolidin-3-yl)(methylamino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-4-((1-(3-(difluoromethyl)benzyl)pyrrolidin-3-yl)(methylamino)-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

(R)-4-((1-benzyl-3-methylpyrrolidin-3-yl)amino)-3-chloro-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-5-methyl-4-(methyl(1-(2-methylbenzyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-4-((1-(4-hydroxybenzyl)pyrrolidin-3-yl)(methylamino)-5-methyl-N-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(methylamino)-N-(thiazol-4-yl)-3-(trifluoromethyl)benzenesulfonamide;

(S)-2-fluoro-4-((1-(2-fluoro-3-methylbenzyl)pyrrolidin-3-yl)(methylamino)-5-methyl-N-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-(2,5-difluorobenzyl)pyrrolidin-3-yl)(methylamino)-3-methyl-N-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(methylamino)-2-fluoro-3-methyl-N-(thiazol-4-

yl)benzenesulfonamide;

(S)-4-((1-(4-bromobenzyl)pyrrolidin-3-yl)(methyl)amino)-5-chloro-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-((1-(2-fluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-((1-(3-methoxybenzyl)pyrrolidin-3-yl)(methyl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-4-((1-(2-chloro-6-fluorobenzyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-3-chloro-4-((1-(3-(difluoromethyl)benzyl)pyrrolidin-3-yl)(methyl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((5-benzyl-5-azaspiro[2.4]heptan-7-yl)amino)-5-chloro-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((5-benzyl-5-azaspiro[2.4]heptan-7-yl)(methyl)amino)-5-chloro-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-2,6-difluoro-3-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-3-chloro-2,6-difluoro-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-2-fluoro-5-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;

(*R*)-4-(1-benzylpyrrolidin-3-ylamino)-3-chloro-*N*-(thiazol-2-yl)benzenesulfonamide;

(S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-3-chloro-*N*-(thiazol-2-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-(1-(3-methylbenzyl)pyrrolidin-3-ylamino)-*N*-(thiazol-2-yl)benzenesulfonamide;

(S)-4-(1-benzylpyrrolidin-3-ylamino)-5-chloro-2-fluoro-*N*-(thiazol-2-yl)benzenesulfonamide;

(*R*)-5-chloro-2-fluoro-4-(1-(3-methylbenzyl)pyrrolidin-3-ylamino)-*N*-(thiazol-2-yl)benzenesulfonamide;

(*R*)-4-(1-benzylpyrrolidin-3-ylamino)-5-chloro-2-fluoro-*N*-(thiazol-2-yl)benzenesulfonamide;

(S)-3-chloro-4-((1-(3-chlorobenzyl)pyrrolidin-3-yl)(methyl)amino)-*N*-(thiazol-2-yl)benzenesulfonamide;

(S)-3-chloro-4-((1-(3-(difluoromethyl)benzyl)pyrrolidin-3-yl)(methyl)amino)-*N*-(thiazol-2-

yl)benzenesulfonamide;
 (S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-5-chloro-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-5-chloro-2-fluoro-*N*-(thiazol-2-yl)benzenesulfonamide bis(trifluoroacetic acid) salt;
 (S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-3-chloro-*N*-(thiazol-4-yl)benzenesulfonamide;
 3-chloro-4-(methyl((S)-1-((S)-1-phenylethyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-2-yl)benzenesulfonamide;
 3-chloro-4-(methyl((S)-1-((R)-1-phenylethyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-2-yl)benzenesulfonamide;
 4-((1-benzyl-3-methylpyrrolidin-3-yl)amino)-3-chloro-*N*-(thiazol-2-yl)benzenesulfonamide;
 (S)-3-chloro-4-(methyl(1-(2-phenylpropan-2-yl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
 (R)-3-chloro-4-((1-(3-chlorobenzyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-2-yl)benzenesulfonamide;
 (R)-3-chloro-4-((1-(3-methylbenzyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-2-yl)benzenesulfonamide;
 (R)-3-chloro-4-((1-(2-fluorobenzyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-2-yl)benzenesulfonamide;
 4-((*trans*-1-benzyl-4-methylpyrrolidin-3-yl)amino)-3-chloro-*N*-(thiazol-2-yl)benzenesulfonamide;
 4-((*cis*-1-benzyl-4-methylpyrrolidin-3-yl)amino)-3-chloro-*N*-(thiazol-2-yl)benzenesulfonamide; and
 (S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-2-fluoro-*N*-(isoxazol-3-yl)-5-methylbenzenesulfonamide.

41. The compound of Claim 36 wherein:

R^1 is an optionally substituted *N*-heterocyclyl, an optionally substituted *N*-heteroaryl, an optionally substituted *O*-heteroaryl or an optionally substituted *S*-heteroaryl;
 and
 R^2 is optionally substituted thiazolyl.

42. The compound of Claim 41 selected from:

(S)-4-((1-((1,4-dimethyl-1H-imidazol-2-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-5-methyl-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-5-methyl-4-(methyl(1-((4-methylthiazol-2-yl)methyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-5-methyl-4-(methyl(1-(pyridin-2-ylmethyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-5-methyl-4-(methyl(1-((1-(2,2,2-trifluoroethyl)-1H-pyrazol-5-yl)methyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-5-methyl-4-(methyl(1-((2-methylthiazol-4-yl)methyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-5-methyl-4-(methyl(1-((1-methyl-1H-pyrazol-3-yl)methyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-4-((1-((3-fluoro-6-methylpyridin-2-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-5-methyl-N-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-((1-benzyl-1H-pyrazol-4-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-5-chloro-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-(methyl(1-((5-(trifluoromethyl)furan-2-yl)methyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-5-methyl-4-(methyl(1-((2-methyloxazol-4-yl)methyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-5-methyl-4-(methyl(1-((5-methylfuran-2-yl)methyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-4-((1-((2-isopropylloxazol-4-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-5-methyl-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-((1-((6-methoxypyridin-2-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-((1-((3-fluoro-6-methylpyridin-2-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-(methyl(1-(quinolin-8-ylmethyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-((4-cyclopropylthiazol-2-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-5-methyl-N-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-((6-(azetidin-1-yl)pyridin-2-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-5-chloro-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-5-methyl-4-(methyl(1-((2-phenylthiazol-4-yl)methyl)pyrrolidin-3-yl)amino)-

N-(thiazol-4-yl)benzenesulfonamide;
 (S)-2-fluoro-5-methyl-4-(methyl(1-(thiazol-2-ylmethyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-2-fluoro-5-methyl-4-(methyl(1-((2-(trifluoromethyl)thiazol-4-yl)methyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-4-((1-((2-cyclopropylthiazol-4-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-5-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-2-fluoro-5-methyl-4-(methyl(1-((4-methyloxazol-2-yl)methyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-2-fluoro-4-((1-((3-isopropoxy-pyridin-2-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-5-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-2-fluoro-4-((1-((3-fluoro-6-methylpyridin-2-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-3-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-5-chloro-2-fluoro-4-((1-((3-methoxy-pyridin-2-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-4-((1-((6-bromopyridin-2-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-5-chloro-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-4-((1-((1H-pyrrol-2-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-5-chloro-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-5-chloro-2-fluoro-4-(methyl(1-((5-methylfuran-2-yl)methyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-2-fluoro-5-methyl-4-(methyl(1-(thiazol-4-ylmethyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-4-((1-((1,5-dimethyl-1H-pyrazol-3-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-5-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-3-chloro-2,6-difluoro-4-(methyl(1-((6-methylpyridin-2-yl)methyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-5-chloro-2-fluoro-4-(methyl(1-((1-methyl-1H-pyrrol-2-yl)methyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-4-((1-((1H-indol-3-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-5-chloro-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-2-fluoro-5-methyl-4-(methyl(1-((5-(trifluoromethyl)furan-2-yl)methyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-2-fluoro-5-methyl-4-(methyl(1-(oxazol-4-ylmethyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-5-methyl-4-(methyl(1-((1-(2,2,2-trifluoroethyl)-1H-pyrazol-3-yl)methyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-4-((1-((3-methoxypyridin-2-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-5-methyl-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-(methyl(1-((1-methyl-1H-pyrazol-3-yl)methyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-((1-(imidazo[1,5-a]pyridin-3-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-(methyl(1-((2-(trifluoromethyl)pyridin-4-yl)methyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-4-((1-((6-(difluoromethyl)pyridin-2-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-((1-(isoquinolin-8-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-(methyl(1-((6-(trifluoromethyl)pyridin-2-yl)methyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-4-((1-((2-isopropylthiazol-4-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-5-methyl-N-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-(benzo[d]thiazol-2-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-5-methyl-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-5-methyl-4-(methyl(1-((5-methylisothiazol-3-yl)methyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-5-methyl-4-(methyl(1-(pyrazolo[1,5-a]pyridin-2-yl)methyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-((1H-indol-5-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-5-chloro-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-(methyl(1-(thiophen-2-yl)methyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-(methyl(1-((4-methylpyridin-2-yl)methyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-(methyl(1-((6-methylpyridin-2-yl)methyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-4-((1-((4-isopropylthiazol-2-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-5-methyl-N-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-((5-chlorothiazol-2-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-5-methyl-

N-(thiazol-4-yl)benzenesulfonamide;
 (S)-4-((1-((1-(difluoromethyl)-1H-pyrazol-3-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-5-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-2,6-difluoro-3-methyl-4-(methyl(1-((6-(trifluoromethyl)pyridin-2-yl)methyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-5-chloro-4-((1-((6-(difluoromethyl)-3-fluoropyridin-2-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-5-chloro-2-fluoro-4-(methyl(1-((5-methylthiophen-2-yl)methyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-4-((1-((1-(2,2-difluoroethyl)-1H-pyrazol-3-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-5-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-2-fluoro-5-methyl-4-(methyl(1-((2-methyl-5-(trifluoromethyl)oxazol-4-yl)methyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-4-((1-((2,5-dimethyloxazol-4-yl)methyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-5-methyl-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-2-fluoro-5-methyl-4-(methyl(1-((4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-2-yl)methyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-2-fluoro-5-methyl-4-(methyl(1-((4-(trifluoromethyl)thiazol-2-yl)methyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide; and
 (S)-2,6-difluoro-3-methyl-4-(methyl(1-((6-methylpyridin-2-yl)methyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide.

43. The compound of Claim 36 wherein:
 R^1 is alkyl, $-R^{17}-OR^{14}$ or an optionally substituted cycloalkyl; and
 R^4 and R^5 are each independently hydrogen, alkyl or haloalkyl;
 or R^4 and R^1 , together with the carbon to which they are attached, form an optionally substituted cycloalkyl or an optionally substituted aryl, and R^5 , if present, if present, is hydrogen, alkyl, haloalkyl or optionally substituted aryl.

44. The compound of Claim 43 selected from:
 2-fluoro-5-methyl-4-(methyl((S)-1-((1*s*,3*R*)-3-phenylcyclobutyl)pyrrolidin-3-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-5-chloro-4-((1-(2,3-dihydro-1H-inden-2-yl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-*N*-(thiazol-4-yl)benzenesulfonamide;
 (S)-5-chloro-2-fluoro-4-(methyl(1-(1-phenylcyclopropyl)pyrrolidin-3-yl)amino)-*N*-

(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-(2,3-dihydro-1H-inden-2-yl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-5-methyl-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-4-((1-(3,3-dimethylbutyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

4-(((S)-1-((S)-2,3-dihydro-1H-inden-1-yl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-5-methyl-N-(thiazol-4-yl)benzenesulfonamide;

(S)-5-chloro-2-fluoro-4-((1-(1-(2-fluorophenyl)cyclobutyl)pyrrolidin-3-yl)(methyl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-(2-(benzyloxy)ethyl)pyrrolidin-3-yl)(methyl)amino)-5-chloro-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

5-chloro-4-(((S)-1-((R)-2,3-dihydro-1H-inden-1-yl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

2-fluoro-5-methyl-4-(methyl((S)-1-((1R,3S)-3-phenylcyclobutyl)pyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide;

(S)-4-((1-(cyclohexylmethyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-5-methyl-N-(thiazol-4-yl)benzenesulfonamide;

3-chloro-4-(((S)-1-((S)-2,3-dihydro-1H-inden-1-yl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

5-chloro-4-(((S)-1-((S)-2,3-dihydro-1H-inden-1-yl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-N-(thiazol-4-yl)benzenesulfonamide;

(S)-2-fluoro-5-methyl-4-(methyl(1-neopentylpyrrolidin-3-yl)amino)-N-(thiazol-4-yl)benzenesulfonamide; and

(S)-4-((1-(3,3-dimethylbutyl)pyrrolidin-3-yl)(methyl)amino)-2-fluoro-5-methyl-N-(thiazol-4-yl)benzenesulfonamide.

45. The compound of Claim 34 wherein R² is an optionally substituted 6-membered *N*-heteroaryl.

46. The compound of Claim 45 wherein R² is optionally substituted pyridinyl.


47. The compound of Claim 46 selected from:

(S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-2,6-difluoro-N-(5-fluoropyridin-2-yl)-3-methylbenzenesulfonamide;

(S)-5-chloro-2-fluoro-N-(6-fluoropyridin-2-yl)-4-(methyl(1-(2-phenylpropan-2-

yl)pyrrolidin-3-yl)amino)benzenesulfonamide;
 (S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-2,6-difluoro-*N*-(6-fluoropyridin-2-yl)-3-methylbenzenesulfonamide;
 (S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-2-fluoro-*N*-(5-fluoropyridin-2-yl)-5-methylbenzenesulfonamide;
 (S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-2-fluoro-*N*-(6-fluoropyridin-2-yl)-5-methylbenzenesulfonamide;
 (S)-4-((1-benzylpyrrolidin-3-yl)(methyl)amino)-5-chloro-2-fluoro-*N*-(6-fluoropyridin-2-yl)benzenesulfonamide bis(trifluoroacetic acid) salt;
 3-chloro-2-fluoro-*N*-(6-fluoropyridin-2-yl)-4-(((S)-1-((S)-1-phenylethyl)pyrrolidin-3-yl)amino)benzenesulfonamide; and
 5-chloro-2-fluoro-*N*-(6-fluoropyridin-2-yl)-4-(methyl((S)-1-((R)-1-phenylethyl)pyrrolidin-3-yl)amino)benzenesulfonamide.

48. The compound of Claim 27 wherein X is -C(R⁹)R¹⁰- and Y is -C(R¹¹)R¹²-, wherein the compound has the following formula (Ib3):



wherein m, n, R¹, R², R⁴, R⁵, R⁶, R⁷, R⁸, R⁹, R¹⁰, R¹¹, R¹² and R¹³ are each as defined above in Claim 27;

as an individual stereoisomer, enantiomer or tautomer thereof or a mixture thereof; or a pharmaceutically acceptable salt, solvate or prodrug thereof.

49. The compound of Claim 48 wherein R² is an optionally substituted 5-membered *N*-heteroaryl.

50. The compound of Claim 49 wherein R² is optionally substituted isoxazolyl, optionally substituted thiazolyl or optionally substituted thiadiazolyl.

51. The compound of Claim 50 selected from:
 (R)-5-chloro-2-fluoro-4-(methyl(1-(1-phenylethyl)piperidin-4-yl)amino)-*N*-(thiazol-4-

yl)benzenesulfonamide;
(*R*)-2-fluoro-5-methyl-4-(methyl(1-(1-phenylethyl)piperidin-4-yl)amino)-*N*-(thiazol-4-yl)benzenesulfonamide;
4-((1-benzylpiperidin-4-yl)(methyl)amino)-5-chloro-2-fluoro-*N*-(thiazol-2-yl)benzenesulfonamide; and
4-(1-benzylpiperidin-4-ylamino)-3-chloro-*N*-(1,2,4-thiadiazol-5-yl)benzenesulfonamide.

52. The compound of Claim 48 wherein R² is an optionally substituted 6-membered *N*-heteroaryl.

53. The compound of Claim 52 wherein R² is optionally substituted pyridinyl.

54. A pharmaceutical composition comprising a pharmaceutically acceptable excipient and a compound of any one of Claims 1-53, as a stereoisomer, enantiomer or tautomer thereof or a mixture thereof; or a pharmaceutically acceptable salt, solvate or prodrug thereof.

55. A compound of any one of Claims 1-53, as a stereoisomer, enantiomer or tautomer thereof or a mixture thereof, or a pharmaceutically acceptable salt, solvate or prodrug thereof, for use in treating a disease or a condition associated with Na_v1.6 activity in a mammal, wherein the disease or condition is epilepsy and/or epileptic seizure disorder.

56. An *in vitro* method of decreasing ion flux through Na_v1.6 in a mammalian cell, wherein the method comprises contacting the cell with a compound of any one of Claims 1-53, as a stereoisomer, enantiomer or tautomer thereof or a mixture thereof; or a pharmaceutically acceptable salt, solvate or prodrug thereof.

57. A compound of any one of Claims 1-53, as a stereoisomer, enantiomer or tautomer thereof or a mixture thereof, or a pharmaceutically acceptable salt, solvate or prodrug thereof, for use in selectively inhibiting a first voltage-gated sodium channel over a second voltage-gated sodium channel in a mammal.

58. The compound for the use of Claim 57 wherein the first voltage-gated sodium channel is Na_v1.6.

59. The compound for the use of Claim 58 wherein the second voltage-gated sodium channel is Na_v1.5.

60. The compound for the use of Claim 58 wherein the second voltage-gated sodium channel is Na_v1.1.

61. Use of a compound of any one of Claims 1-53, as a stereoisomer, enantiomer or tautomer thereof or a mixture thereof, or a pharmaceutically acceptable salt, solvate or prodrug thereof, in the manufacture of a medicament for the treatment of a disease or a condition associated with Na_v1.6 activity in a mammal, wherein the disease or condition is epilepsy and/or epileptic seizure disorder.

62. Use of a compound of any one of Claims 1-53, as a stereoisomer, enantiomer or tautomer thereof or a mixture thereof, or a pharmaceutically acceptable salt, solvate or prodrug thereof, in the manufacture of a medicament for selectively inhibiting a first voltage-gated sodium channel over a second voltage-gated sodium channel in a mammal.

63. The use of Claim 62 wherein the first voltage-gated sodium channel is Na_v1.6.

64. The use of Claim 63 wherein the second voltage-gated sodium channel is Na_v1.5.

65. The use of Claim 63 wherein the second voltage-gated sodium channel is Na_v1.1.